NON-COMPLIANCE REPORT

Arkansas Department of Environmental Quality Office of Water Quality – Enforcement Branch 5301 Northshore Drive North Little Rock, AR 72118

RE: Permit No:	Discharge Number:			
Facility:				
Address:				
City:	State:Zip:			
Contact:	Dhamas			

Date of Non-Compliance	Parameter Exceeded	Quantity or Loading	Quality or Concentration	Permit Limits

We feel this problem was due to:

The site has been in the process of moving the scalehouse facilities from the central po	portion	of
--	---------	----

the site to the northern portion of the site. The soil disturbance in these upstream areas, as well

as the increased heavy equipment traffic could have increased sediment in the stormwater that ultimately flowed to the pond.

We plan on correcting the problem in this manner:

The scalehouse relocation project has been completed. Our stormwater consultant is pulling samples this week to determine what type of polymer floc log would be required for

installation upstream of the pond, if structural BMPs are warranted.

Time estimated that it will take to correct problem:

We should have the results of the samples and recommendations for floc logs by the end of June. If warranted, the logs could be purchased and installed in July.

Sincerely,

Jodi Reynolds

5.4.19

Submitted By:

Date

□ Submitted electronically via NetDMR

Certification Statement: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. (Revised March 2016)