

ADEQ

ARKANSAS
Department of Environmental Quality

August 31, 2011

Susan McClendon
Drew Foam Companies, Inc.
1093 Hwy 278 East
Monticello, AR 71655

RE: Industrial Stormwater General Permit, Drew Foam Companies, Inc., Monticello, AR (Permit Tracking No. **ARR000817** - AFIN **22-00057**)

Dear Ms. McClendon:

The initial permit fee, Notice of Intent (NOI), and Stormwater Pollution Prevention Plan (SWPPP) for coverage under the Industrial Stormwater General Permit (IGP) ARR000000 were received on 8/24/2011. The NOI has been reviewed and determined to be complete. For tracking purposes, the facility has been assigned permit tracking number, **ARR000817**. Please use this number in all future correspondence related to this facility.

Enclosed are the Notice of Coverage and a copy of the IGP that should be maintained with the facility's records. Discharge Monitoring Report (DMRs) forms and instructions can be downloaded from the following website.

http://www.adeg.state.ar.us/water/branch_permits/general_permits/stormwater/industrial.htm

If you have any questions concerning this matter or need additional information, please feel free to contact the General Permits Section at (501) 682-0623 or myself at (501) 682-0616.

Sincerely,



Mo Shafii
Assistant Chief, Water Division

MS: kay

Attachment

cc: Electronic Filing (ARR000817, w/ attachments)
Eric Fleming, Branch Manager, Field Services Branch
Jim Purvis, Administrative Analyst, Fiscal Division
David Ramsey, ICIS Program Coordinator

**NOTICE OF COVERAGE TO DISCHARGE STORMWATER UNDER
THE GENERAL STORMWATER PERMIT NUMBER ARR000000.**

The stormwater discharge shall be in accordance with all limitations, monitoring requirements, and other conditions set forth in the Industrial Stormwater General Permit ARR000000.

Drew Foam Companies, Inc.
1093 Hwy 278 East
Monticello, AR 71655

is authorized to discharge uncontaminated stormwater from a facility located as follows: Drew Foam Companies, Inc., 1093 Hwy 278 East, Monticello, in Drew County, Arkansas. Discharges shall be in accordance with effluent limitations, monitoring requirements, and other conditions set forth in the Industrial Stormwater General Permit ARR000000 under Industrial Sector Y2 for the following outfalls:

Outfall 001: Latitude 33° 37' 44.34" Longitude -91° 46' 08.41"

Outfall 002: Latitude 33° 37' 54.43" Longitude -91° 46' 12.42"

Outfall 003: Latitude 33° 37' 53.94" Longitude -91° 46' 01.12"

Outfall004: Latitude 33° 37' 43.09" Longitude -91° 46' 01.52"

Coverage Date: 08/31/2011

Expiration Date: 06/30/2014



Mo Shafii
Assistant Chief, Water Division
Arkansas Department of Environmental Quality
501-682-0616

no check
Industrial Stormwater Permit Route Sheet KAY

Facility Name: <u>Drew Lam Companies Inc.</u>			
Permit Number: <u>ARR000817</u>		AFIN NO.*: <u>22-00057</u>	
No Exposure Exclusion: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		Additional Parameters <input checked="" type="checkbox"/>	Industrial Sector: <u>42</u>
Stream Segment: <u>2B</u>		Nearest Receiving Water: <u>Endrey Creek</u>	HUC: <u>8040205</u>
Assigned	Activity	Initials	Date Complete/Entered
Sect.	Application Logged/Assign Tracking Number/Place in red folder with appropriate route sheet and filing folders (1-day)	BC	N/A
Engineer	Completeness and Technical Review/Enter permit information into Database (3-days)	KAY	8/24/11
AA (Max of 5 business days)	AFIN request (1-day)	MR	8/25
	Enter AFIN and other information into PDS and NPDES database prior to requesting invoice (same day)	MR	8/25
	Complete Invoice Request Form and submit Invoice Request (same day)	MR	8/25
	Prepare Authorization letter and attach appropriate permit, forms (1-day)	MR	8/25
Engineer	Review/organize folder for scanning (1-day)	KAY	8/25/11
Engineer Supervisor	Review all the documents/permits/performs technical review for the proposed project. (1-day)	AS	8/25/11
Assistant Chief	Review the documents and sign the authorization letter or the permit. (1-day)		
AA	Enter Into PDS: Permit Status/Effective Date. Input effective date in access database. (1-day)	MR	8/24
Sect.	Mail original to applicant. Scan complete folder and place in appropriate E-drive folders. Update Zylab. Be sure to include this permit in weekly report, due every Tuesday by 2:00 P.M.	BC	8/29/11

email 8/8/11 Re: initials needed, no fee - kay

REMARKS: _____