

ADEQ

A R K A N S A S
Department of Environmental Quality

CERTIFIED MAIL: RETURN RECEIPT REQUESTED (9489 0090 0027 6022 2349 55)

August 2, 2018

Meredith Chisholm
Joyce Street Cottages Property Owner's Association, Inc.
4193 Rolling Meadows
Fayetteville, AR 72703

RE: AFIN: 72-01805; No-Discharge Permit No.: 4957-WR-3

Dear Ms. Chisholm:

The application for a no-discharge permit was received on July 20, 2018. In accordance with Department policy, the application has been reviewed and determined to be administratively complete. As this application was received fewer than 180 days from the expiration date of the previous permit, this application will be treated as a new issuance. Because of this, the previous permit, 4957-WR-2, will expire on December 31, 2018. The application has been assigned permit number 4957-WR-3. Please refer to this number in any future correspondence concerning this application.

Pursuant to Act 163 of 1993 the public notice must be given for all permit applications submitted to this Department. On the reverse of this page is a public notice which will be published by ADEQ in a local newspaper of general circulation for one (1) day only. Regulation 8.2.1.4 (c) requires the applicant to bear the expense of the notice's publication and provide proof of payment of the publication. An invoice for the cost of publishing the public notice and proof of publication will be sent to you by the advertising newspaper. The permittee must send **proof of publication and payment** to the Department as soon as possible but no later than 30 days from the above date. Until this Department receives proof of publication of the public notice, no further action will be taken on the permit application.

Information on public notice requirements is included with this letter. Additionally, a permit fee is required by Act 817 of 1983, as amended, and Act 1254 of 1993, as amended and Regulation No. 9. Your fee will be in accordance with the fee schedule contained in Section 7 of Regulation No. 9 and an invoice will be sent to you.

Thank you for your cooperation in this matter. If there are any questions concerning this submittal, please contact Timothy Byrne at (501) 682-0648.

Sincerely,



Jamal Solaimanian, Ph.D., P.E.
Engineer Supervisor, Permits Branch
Office of Water Quality

JS:tb

cc: File

Notice of Application
For New No-Discharge Permit 4957-WR-3

Under the provisions of Act 163 of the 1993 Arkansas Legislature, this is to give notice that the Arkansas Department of Environmental Quality (ADEQ) Office of Water Quality has received an application on July 20, 2018, for a no-discharge permit, Permit No. 4957-WR-3, for a drip irrigation system. The permit application was submitted from the following applicant:

Joyce Street Cottages Property Owner's Association, Inc.
4193 Rolling Meadows
Fayetteville, AR 72703

The facility under consideration is located as follows: Section 19 Township 17 North Range 29 West, near the city of Fayetteville in Washington County, Arkansas. Interested persons desiring to request a public hearing on the application may do so in writing. All requests should be received by ADEQ within 10 days of the date of this notice and should be submitted to:

Timothy Byrne
Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118-5317
Telephone: (501) 682-0648