



Georgia-Pacific

*Georgia-Pacific Consumer Operations LLC
Consumer Products*

Crossett Paper Operations
100 Mill Supply Road
P.O. Box 3333
Crossett, AR 71635
(870) 567-8000
(870) 364-9076 (fax)
www.gp.com

May 31, 2018

Mr. Richard Healey
NPDES Enforcement Section
Arkansas Department of Environmental Quality
5901 Northshore Drive
North Little Rock, AR 72118-5317

RE: Best Management Practices (BMP) Annual Report for 2017;
NPDES Permit AR0001210

Dear Mr. Healey:

Pursuant to 40 CFR 430.03 (i)(4) the Georgia-Pacific Consumer Operations, LLC's Crossett Paper Operation is submitting its annual report of daily wastewater monitoring for the 2017 report year. The attached summary and detail sheets include the number and dates of exceedances of our action levels and any actions taken in response. As documented in 40 CFR 430.03(i)(3), these action level exceedances are not permit violations.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

If you have any questions or need additional information, please contact Sarah Ross, our Environmental Manager, at (870) 567-8670.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael L. Hohnadel".

Michael L. Hohnadel
Vice President of Manufacturing

Attachments

BEST MANAGEMENT PRACTICES PLAN

MONITORING RESULTS - ANNUAL REPORT SUMMARY

Number	Date	Action Level Exceeded		Incident Description, Corrective Action or Other Action Taken
		LAL	UAL	
1	1-Jan-17	X		There was no evidence of a release of spent pulping liquors, soap or turpentine from the pulp mill to the P1 sewer on this day. Due to issues on start up of the coating plant associated with the C3 Board Machine an off spec batch of coating was made that had to be dumped. This event caused no treatment issues with the wastewater treatment system, and the system operated well within all permit limits.
2	10-Jan-17		X	There was no evidence of a release spent pulping liquors, soap or turpentine from the pulp mill area to the P1 sewer on this day. 600 gallons of coating was released from the C3 Board Machine. This event caused no treatment issues with the wastewater treatment system, and the system operated well within all permit limits.
3	28-Jan-17		X	It is believed that felt used for winterize the bulk tank storage area blew into and opened the drain valve on a surfactant tank. There was approximately 1600 gallons in the bulk tank at the time of incident. There is a drain in the bottom of this containment that goes directly into the sewer. This is where most of the chemical went. Once the leak was noticed, the drain was barricaded and the remainder of the chemical was recovered to keep it from going into sewer. This event caused no treatment issues with the wastewater treatment system.
4	29-Jan-17		X	When looking at the clarifier, there was some amount of brown foam signaling a possible spent pulping liquor spill even though when looking at the sewer conductivities there was not a significant spike which is a usual indicator of a liquor spill. Further investigation did not reveal the source of the elevated TOC reading or foaming. This event caused no treatment issues with the wastewater treatment system.
5	5-Feb-17 & 6 Feb-17	X		Excess fiber was sent to the sewer from the C3 Board machine from the couch pit during startup. This event caused no treatment issues with the wastewater treatment system.
6	23-Feb-17	X		Excess fiber was sent to the sewer from the C3 Board machine from the couch pit. This event caused no treatment issues with the wastewater treatment system.
7	26-Feb-17	X		Excess fiber was sent to the sewer from the C3 Board machine from the couch pit during startup. This event caused no treatment issues with the wastewater treatment system.
8	1-Mar-17	X		There was no evidence of a release of spent pulping liquor, soap or turpentine from the pulp mill area to the P1 sewer on this day. TOC measurements both upstream and downstream were well below the target range. 660 gallons of coating was released from the C3 Board Machine. This event caused no treatment issues with the wastewater treatment system, and the system operated well within all permit limits.

9	2-Apr-17	X	Issues with bringing the 8R recovery furnace up after a power trip took the mill down, caused weak wash to overflow to the sewer until the boiler could be brought back online. In addition, excess fiber was sent to the sewer when the broke chest associated with the #8 paper machine overflowed during start up. This event caused no treatment issues with the wastewater treatment system.
10	29-Apr-17 & 30-Apr-17	X	During the Annual Mill Maintenance Outage, many of the storage tanks and process vessels are cleaned in order to conduct the required maintenance activities and tank inspections. Efforts were made to run tank volumes at minimum levels prior to shutdown and/or recover material to the maximum extent possible. Part II, 12 of the NPDES permit allows these essential maintenance activities. This event caused no treatment issues with the wastewater treatment system, and the system operated well within all permit limits.
11	9-May-17	X	Pine blow tank stock pump blew a plug. Sprayed liquor into the alley. Shut pump down. Valved it out and repaired the plug. This event caused no treatment issues with the wastewater treatment system.
12	10-May-17 & 11-May-17	X	Issues with bringing the 8R recovery furnace up after a power trip took the mill down, caused weak wash to overflow to the sewer until the boiler could be brought back online. This event caused no treatment issues with the wastewater treatment system.
13	11-Jul-17	X	The 8R recovery furnace smelt dissolving tanks overflowed weak wash for about an hour followed by the white liquor standpipe overflowing for 5.5 hours. The standpipe was caused by not stopping white liquor production quickly enough and running out of white liquor storage. White liquor production was stopped as soon as possible to maintain level in the WL standpipe consistently. This event caused no treatment issues with the wastewater treatment system.
14	2-Sep-17	X	The West Hardwood blowtank stock pump expansion joint came apart spraying approximately 2 to 4 tons of stock to the ground and caused the HWD blowtank BMP sump to go above 15,000umhos. Changed over to East stock pump so that repairs could be made. This event caused no treatment issues with the wastewater treatment system.
15	18-Sep-17	X	There was no evidence of a release from the pulp mill area. TOC measurements both upstream and downstream were well below the target range. This event caused no treatment issues with the wastewater treatment system, and the system operated well within all permit limits.
16	9-Oct-17, 14-Oct-17 & 15-Oct-17	X	There were no operational issues noted on these days; however, the flow in the P1 sewer seemed to be elevated during this period. This event caused no treatment issues with the wastewater treatment system, and the system operated well within all permit limits.

17	10-Dec-17	X	Recovery area sewer conductivity was high due to the #1 dissolving tank overflowing until the green liquor strength was high enough, and found low point drain open on super C's after startup. Corrective Action Taken: closed low point drain and stopped overflowing the dissolving tank. This event caused no treatment issues with the wastewater treatment system.
18	9-Dec-17	X	There were no operational issues noted on this day; however, a very large storm event producing nearly 2" of rain caused the flow in the P1 sewer to be elevated. This event caused no treatment issues with the wastewater treatment system, and the system operated well within all permit limits.

BMP Spill Tracking Report

Lower Action Level

P1 **52,000**

P2 **46,000**

Upper Action Level

P1 **61,000**

P2 **53,000**

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
1-Jan-17	17.0	371.9	52728	9.6	208.6	16701
2-Jan-17	15.9	258.8	34318	12.0	150.6	15072
3-Jan-17	16.4	356.6	48774	9.9	242.7	20039
4-Jan-17	16.0	312.7	41727	10.1	229.1	19298
5-Jan-17	17.6	333.0	48879	9.3	225.1	17459
6-Jan-17	18.0	321.4	48249	9.3	276.1	21415
7-Jan-17	18.5	325.8	50268	9.4	232.4	18219
8-Jan-17	19.2	320.5	51321	9.2	207.1	15890
9-Jan-17	16.3	355.2	48287	9.7	243.3	19682
10-Jan-17	15.2	633.5	80308	11.0	256.6	23540
11-Jan-17	14.9	378.9	47084	10.2	249.1	21190
12-Jan-17	17.4	312.0	45276	10.1	269.1	22667
13-Jan-17	14.7	184.2	22583	10.3	236.8	20342
14-Jan-17	16.4	318.0	43495	9.8	216.2	17670
15-Jan-17	17.3	349.4	50412	9.8	207.4	16951
16-Jan-17	16.6	274.9	38058	10.4	193.6	16792
17-Jan-17	17.5	201.2	29365	11.2	174.1	16262
18-Jan-17	18.8	309.7	48558	11.5	172.4	16535
19-Jan-17	17.2	325.9	46750	10.3	261.9	22498
20-Jan-17	16.6	325.7	45091	9.3	198.8	15419
21-Jan-17	19.4	304.0	49186	10.9	177.9	16172
22-Jan-17	16.5	231.9	31912	11.6	153.9	14889
23-Jan-17	16.7	305.7	42577	9.6	168.0	13451
24-Jan-17	16.5	359.5	49471	9.4	258.2	20242
25-Jan-17	15.2	261.6	33163	9.2	266.7	20463
26-Jan-17	17.0	311.5	44164	9.7	336.4	27214
27-Jan-17	16.7	369.3	51435	9.7	530.3	42900
28-Jan-17	15.9	348.1	46160	10.4	961.7	83414
29-Jan-17	16.8	301.0	42174	10.2	843.6	71763
30-Jan-17	16.8	355.1	49754	9.8	292.4	23898
31-Jan-17	16.6	194.1	26872	9.4	335.3	26286
1-Feb-17	14.8	326.7	40325	10.6	255.9	22623
2-Feb-17	16.1	298.3	40054	10.9	203.5	18499
3-Feb-17	18.0	340.8	51161	9.1	235.8	17896
4-Feb-17	17.2	356.4	51125	9.2	277.7	21307
5-Feb-17	19.1	351.3	55960	9.8	206.5	16878
6-Feb-17	18.3	349.2	53296	9.3	269.6	20911
7-Feb-17	16.1	360.6	48419	8.9	251.8	18690
8-Feb-17	13.3	385.3	42738	9.0	244.1	18322
9-Feb-17	14.9	308.9	38386	8.4	265.7	18614
10-Feb-17	14.2	347.1	41106	8.9	258.2	19165
11-Feb-17	14.3	328.3	39154	9.4	245.5	19246

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
12-Feb-17	15.2	389.6	49389	9.0	268.4	20146
13-Feb-17	15.0	397.5	49727	8.5	349.0	24741
14-Feb-17	15.4	318.2	40868	9.0	293.2	22008
15-Feb-17	15.5	289.1	37372	8.9	310.3	23032
16-Feb-17	15.4	357.3	45890	8.5	330.5	23429
17-Feb-17	14.7	359.4	44062	8.4	348.5	24415
18-Feb-17	15.2	307.7	39007	9.1	267.9	20332
19-Feb-17	15.8	393.6	51865	9.1	299.3	22715
20-Feb-17	17.6	313.1	45958	10.3	214.3	18409
21-Feb-17	14.9	213.0	26469	8.8	202.0	14825
22-Feb-17	15.0	350.7	43873	8.6	263.2	18878
23-Feb-17	15.7	419.4	54915	8.2	259.3	17733
24-Feb-17	15.2	321.3	40731	8.4	250.5	17549
25-Feb-17	14.3	388.4	46321	8.4	289.6	20288
26-Feb-17	17.8	369.3	54823	9.6	256.2	20512
27-Feb-17	17.0	346.0	49056	8.3	243.4	16849
28-Feb-17	16.8	367.2	51449	8.9	294.1	21830
1-Mar-17	16.8	396.1	55498	8.2	413.5	28278
2-Mar-17	13.5	417.5	47006	8.1	336.4	22725
3-Mar-17	16.0	388.5	51841	8.1	438.3	29609
4-Mar-17	15.2	294.4	37320	8.6	376.5	27004
5-Mar-17	15.4	280.4	36013	8.4	356.9	25003
6-Mar-17	17.0	333.7	47312	8.3	416.7	28845
7-Mar-17	16.7	270.1	37619	9.9	414.8	34248
8-Mar-17	14.4	402.0	48279	8.1	338.4	22860
9-Mar-17	13.8	292.9	33710	8.5	331.6	23507
10-Mar-17	14.7	355.2	43547	7.7	325.0	20871
11-Mar-17	16.1	340.7	45747	8.9	392.7	29149
12-Mar-17	15.8	329.3	43393	8.2	385.3	26350
13-Mar-17	16.5	336.9	46361	8.3	414.8	28713
14-Mar-17	15.0	327.2	40933	8.4	300.4	21045
15-Mar-17	14.5	291.4	35239	7.2	462.5	27772
16-Mar-17	14.9	313.8	38995	8.1	366.6	24765
17-Mar-17	14.5	283.3	34259	7.8	343.8	22365
18-Mar-17	14.8	254.3	31389	8.0	313.2	20897
19-Mar-17	15.4	240.7	30915	8.3	309.3	21410
20-Mar-17	14.2	331.5	39259	8.1	389.6	26319
21-Mar-17	14.3	325.5	38820	8.2	380.0	25987
22-Mar-17	13.8	236.4	27208	8.9	335.9	24933
23-Mar-17	15.0	264.0	33026	8.5	322.8	22883
24-Mar-17	15.6	280.1	36442	9.1	371.1	28164
25-Mar-17	14.6	292.7	35640	9.4	368.2	28865
26-Mar-17	15.9	222.5	29505	9.2	344.3	26417
27-Mar-17	15.6	222.3	28922	8.4	281.9	19749
28-Mar-17	15.1	233.7	29431	8.1	108.3	7316
29-Mar-17	13.8	275.6	31719	8.8	275.6	20227
30-Mar-17	14.7	263.1	32256	8.1	233.7	15787
31-Mar-17	14.7	325.3	39881	7.2	229.2	13763

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
1-Apr-17	14.5	200.4	24234	8.9	374.7	27812
2-Apr-17	16.7	198.2	27605	10.4	997.0	86476
3-Apr-17	13.8	205.4	23640	8.3	186.9	12938
4-Apr-17	14.8	235.0	29007	7.8	217.8	14168
5-Apr-17	14.9	247.4	30743	7.8	175.2	11397
6-Apr-17	13.6	262.9	29819	7.9	214.5	14133
7-Apr-17	14.9	412.4	51247	7.7	199.7	12824
8-Apr-17	14.8	300.9	37141	8.1	223.1	15071
9-Apr-17	14.5	258.7	31285	8.0	183.8	12263
10-Apr-17	15.4	215.8	27716	8.0	195.6	13050
11-Apr-17	15.1	234.8	29569	8.7	192.1	13938
12-Apr-17	14.5	271.5	32832	7.6	236.0	14959
13-Apr-17	15.5	211.4	27328	7.9	219.1	14436
14-Apr-17	14.9	219.8	27314	8.1	225.7	15247
15-Apr-17	15.5	265.4	34308	8.4	207.2	14516
16-Apr-17	14.3	223.9	26703	8.5	164.1	11633
17-Apr-17	14.6	252.9	30794	8.3	138.3	9573
18-Apr-17	14.5	251.0	30353	8.8	175.9	12910
19-Apr-17	12.2	231.3	23534	8.8	176.6	12961
20-Apr-17	13.7	214.2	24474	9.8	162.9	13314
21-Apr-17	14.7	256.9	31495	8.6	178.3	12788
22-Apr-17	14.3	243.8	29076	9.3	157.1	12185
23-Apr-17	14.4	251.0	30144	9.2	154.3	11839
24-Apr-17	14.1	251.2	29540	7.6	161.7	10249
25-Apr-17	14.1	230.3	27082	8.8	161.9	11882
26-Apr-17	17.5	221.0	32255	8.9	262.4	19477
27-Apr-17	17.6	317.1	46545	8.4	223.4	15651
28-Apr-17	16.0	222.1	29637	8.7	276.3	20048
29-Apr-17	21.6	272.5	49089	13.3	863.5	95781
30-Apr-17	16.1	60.8	8163	7.9	882.7	58158
1-May-17	11.5	53.2	5102	5.5	1002.0	45962
2-May-17	10.1	20.4	1720	9.0	341.8	25656
3-May-17	8.5	14.3	1014	3.8	214.1	6785
4-May-17	4.7	18.2	713	4.2	72.2	2530
5-May-17	4.5	38.6	1448	3.8	82.1	2601
6-May-17	7.4	32.7	2019	5.3	38.3	1692
7-May-17	8.5	33.1	2344	5.4	90.1	4060
8-May-17	9.2	48.7	3736	10.1	290.1	24436
9-May-17	9.2	161.2	12369	9.3	750.2	58187
10-May-17	13.2	283.9	31254	10.6	1586.0	140209
11-May-17	14.3	330.6	39428	11.0	1543.0	141555
12-May-17	15.7	375.3	49141	9.9	217.1	17925
13-May-17	15.2	408.7	51810	9.2	207.0	15883
14-May-17	14.8	334.7	41313	9.1	250.2	18989
15-May-17	14.5	320.7	38782	9.0	240.3	18037
16-May-17	15.2	355.6	45079	8.6	240.8	17271
17-May-17	15.0	264.6	33101	9.0	246.7	18517
18-May-17	16.0	288.0	38431	8.6	378.9	27176

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
19-May-17	15.5	267.8	34619	8.5	300.7	21317
20-May-17	15.1	272.4	34304	9.6	230.1	18423
21-May-17	15.2	235.6	29867	9.6	160.5	12850
22-May-17	15.4	239.1	30709	8.0	230.1	15352
23-May-17	14.2	206.1	24408	8.7	182.5	13242
24-May-17	14.7	205.9	25243	7.9	213.4	14060
25-May-17	15.1	252.2	31761	7.7	353.3	22688
26-May-17	16.2	241.1	32575	8.9	241.3	17911
27-May-17	16.8	249.6	34972	9.4	225.9	17710
28-May-17	17.1	259.5	37008	9.8	214.5	17532
29-May-17	17.1	214.5	30591	9.6	209.4	16765
30-May-17	15.0	109.9	13748	10.3	442.7	38029
31-May-17	15.5	251.7	32537	8.9	314.3	23329
1-Jun-17	16.1	303.3	40725	8.8	290.8	21342
2-Jun-17	15.8	181.2	23877	7.5	254.6	15925
3-Jun-17	17.1	279.8	39903	6.7	367.6	20541
4-Jun-17	17.8	271.7	40334	7.4	311.4	19218
5-Jun-17	16.3	315.4	42876	7.0	295.5	17251
6-Jun-17	16.3	253.4	34448	7.8	237.3	15437
7-Jun-17	13.9	209.6	24298	7.6	298.8	18939
8-Jun-17	15.9	267.1	35419	7.3	306.2	18642
9-Jun-17	14.8	251.1	30994	7.5	228.3	14280
10-Jun-17	14.8	243.2	30019	8.5	226.2	16035
11-Jun-17	16.7	305.8	42591	7.9	280.5	18481
12-Jun-17	16.9	260.4	36702	8.0	345.5	23052
13-Jun-17	15.4	201.4	25867	8.7	232.3	16855
14-Jun-17	15.3	316.5	40386	7.3	287.8	17522
15-Jun-17	16.5	250.6	34485	8.7	285.5	20715
16-Jun-17	16.3	257.1	34951	8.3	277.1	19181
17-Jun-17	16.2	216.9	29305	8.3	224.7	15554
18-Jun-17	16.5	267.1	36756	8.3	263.6	18247
19-Jun-17	14.3	197.0	23495	8.8	414.4	30414
20-Jun-17	15.0	142.0	17764	8.0	204.4	13638
21-Jun-17	17.3	240.2	34657	7.6	341.7	21658
22-Jun-17	22.9	204.9	39133	9.8	248.9	20343
23-Jun-17	31.2	183.9	47852	8.7	198.4	14396
24-Jun-17	14.0	177.1	20678	8.6	264.6	18978
25-Jun-17	13.6	120.5	13668	9.6	202.6	16221
26-Jun-17	12.4	122.1	12627	8.4	160.1	11216
27-Jun-17	12.1	160.7	16217	7.3	216.1	13157
28-Jun-17	12.6	66.8	7023	8.3	393.8	27260
29-Jun-17	14.2	135.7	16071	8.4	201.5	14116
30-Jun-17	14.5	240.1	29035	7.6	206.7	13101
1-Jul-17	16.7	240.1	33441	7.5	271.4	16976
2-Jul-17	16.9	229.5	32347	7.2	272.7	16375
3-Jul-17	16.5	199.5	27453	7.6	218.5	13849
4-Jul-17	17.0	204.6	29008	7.0	260.5	15208
5-Jul-17	16.1	263.2	35341	6.7	272.9	15249

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
6-Jul-17	16.0	245.9	32813	7.8	237.7	15463
7-Jul-17	15.9	195.2	25885	7.2	219.3	13169
8-Jul-17	15.9	240.0	31825	7.8	293.4	19086
9-Jul-17	14.9	193.0	23983	9.3	200.7	15567
10-Jul-17	15.7	190.9	24996	9.1	226.6	17198
11-Jul-17	15.5	179.6	23217	8.4	967.2	67758
12-Jul-17	15.8	244.4	32205	7.9	258.6	17038
13-Jul-17	15.8	198.4	26144	7.6	270.3	17133
14-Jul-17	15.5	200.8	25957	7.5	286.6	17927
15-Jul-17	14.5	247.1	29882	7.6	259.3	16435
16-Jul-17	16.4	222.8	30474	7.9	232.0	15286
17-Jul-17	15.8	243.4	32073	7.4	269.6	16639
18-Jul-17	15.8	200.7	26447	7.6	270.2	17126
19-Jul-17	15.3	158.4	20212	8.5	226.8	16078
20-Jul-17	15.4	241.8	31056	7.6	330.6	20955
21-Jul-17	14.3	191.9	22886	8.6	191.9	13764
22-Jul-17	15.4	183.5	23568	8.4	239.3	16764
23-Jul-17	15.5	242.4	31335	8.6	273.3	19602
24-Jul-17	15.2	254.9	32313	7.0	254.8	14875
25-Jul-17	15.9	265.9	35260	6.9	229.9	13230
26-Jul-17	14.5	216.5	26181	7.0	299.0	17456
27-Jul-17	15.3	181.4	23147	7.3	278.2	16937
28-Jul-17	14.8	224.4	27698	7.2	226.7	13613
29-Jul-17	15.1	249.4	31408	7.8	144.5	9400
30-Jul-17	15.4	213.8	27460	7.3	218.4	13297
31-Jul-17	16.5	282.4	38861	6.6	291.7	16056
1-Aug-17	14.6	191.0	23257	8.8	281.4	20653
2-Aug-17	14.7	343.1	42063	7.8	288.0	18735
3-Aug-17	16.5	278.4	38311	7.1	331.9	19653
4-Aug-17	15.0	321.2	40182	7.4	328.7	20286
5-Aug-17	14.5	232.3	28092	9.2	257.3	19742
6-Aug-17	15.0	310.8	38881	9.0	280.5	21054
7-Aug-17	22.3	262.7	48857	10.4	243.9	21155
8-Aug-17	21.2	175.2	30977	8.9	196.3	14571
9-Aug-17	15.9	276.6	36679	6.6	306.3	16860
10-Aug-17	16.3	286.7	38975	7.1	246.5	14596
11-Aug-17	17.3	291.3	42029	7.6	275.4	17456
12-Aug-17	14.5	312.3	37766	6.4	274.0	14625
13-Aug-17	14.6	286.4	34873	8.0	218.4	14572
14-Aug-17	16.8	280.1	39245	8.9	262.3	19469
15-Aug-17	15.5	280.8	36299	7.4	171.5	10584
16-Aug-17	11.6	201.9	19533	8.4	264.8	18551
17-Aug-17	13.6	277.9	31521	7.5	258.8	16188
18-Aug-17	15.7	259.9	34031	6.9	306.1	17615
19-Aug-17	14.4	232.8	27958	7.7	247.4	15888
20-Aug-17	16.4	223.7	30597	7.9	206.5	13605
21-Aug-17	17.4	331.7	48135	7.4	289.8	17885
22-Aug-17	16.2	294.7	39816	8.2	207.9	14218

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
23-Aug-17	16.1	253.8	34079	8.1	187.6	12673
24-Aug-17	18.1	290.2	43807	7.1	269.0	15929
25-Aug-17	17.3	287.0	41409	7.9	256.0	16867
26-Aug-17	18.3	252.7	38568	8.2	312.4	21364
27-Aug-17	19.7	279.2	45872	7.9	313.8	20675
28-Aug-17	18.8	300.9	47179	8.1	296.7	20043
29-Aug-17	19.8	267.0	44090	7.8	264.6	17213
30-Aug-17	20.1	240.2	40266	10.2	248.8	21165
31-Aug-17	19.5	287.2	46707	8.5	282.4	20019
1-Sep-17	16.2	288.6	38992	6.8	321.6	18239
2-Sep-17	17.9	361.0	53892	7.2	370.3	22236
3-Sep-17	18.3	336.0	51281	8.0	211.4	14105
4-Sep-17	17.2	361.7	51885	8.1	274.4	18537
5-Sep-17	16.3	324.8	44154	8.6	245.3	17594
6-Sep-17	16.7	325.5	45335	7.6	329.1	20860
7-Sep-17	15.0	317.0	39657	8.4	251.4	17612
8-Sep-17	15.0	279.8	35003	8.0	245.9	16406
9-Sep-17	16.5	301.1	41434	7.5	343.1	21461
10-Sep-17	15.3	272.8	34810	8.8	257.1	18869
11-Sep-17	14.9	300.0	37280	8.6	247.2	17730
12-Sep-17	15.5	300.4	38833	8.7	276.9	20091
13-Sep-17	14.8	343.3	42374	8.2	248.3	16981
14-Sep-17	14.6	279.0	33972	8.3	263.8	18261
15-Sep-17	15.4	304.6	39122	8.1	225.7	15247
16-Sep-17	17.2	351.5	50422	7.9	344.7	22711
17-Sep-17	16.7	341.3	47536	8.5	266.9	18921
18-Sep-17	17.5	392.5	57285	7.6	276.1	17500
19-Sep-17	16.4	327.9	44849	8.6	235.8	16913
20-Sep-17	15.2	246.6	31261	9.1	265.4	20142
21-Sep-17	15.1	203.0	25565	8.4	194.7	13640
22-Sep-17	16.3	276.6	37602	7.9	255.3	16821
23-Sep-17	17.4	352.0	51081	7.9	279.4	18409
24-Sep-17	18.2	280.1	42516	8.8	310.4	22781
25-Sep-17	18.4	274.9	42185	9.3	223.8	17358
26-Sep-17	18.2	302.6	45931	8.3	263.6	18247
27-Sep-17	17.2	222.5	31917	8.2	186.4	12748
28-Sep-17	18.9	293.0	46184	8.0	222.8	14865
29-Sep-17	17.5	279.8	40837	7.2	236.9	14225
30-Sep-17	18.9	277.2	43694	8.5	247.3	17531
1-Oct-17	16.5	262.6	36136	9.4	195.8	15350
2-Oct-17	16.0	283.3	37804	9.0	196.6	14757
3-Oct-17	15.6	215.9	28089	10.0	216.5	18056
4-Oct-17	17.0	311.3	44136	8.8	315.0	23118
5-Oct-17	16.9	325.5	45878	7.5	265.4	16601
6-Oct-17	18.7	316.1	49298	7.1	399.9	23680
7-Oct-17	20.8	246.4	42744	8.3	286.6	19839
8-Oct-17	22.7	270.2	51154	7.1	361.1	21382
9-Oct-17	22.5	301.5	56576	7.2	358.0	21497

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
10-Oct-17	19.0	282.8	44812	7.8	304.4	19802
11-Oct-17	18.8	273.7	42914	7.3	300.7	18307
12-Oct-17	20.2	279.8	47137	7.2	343.5	20626
13-Oct-17	20.1	305.1	51145	7.8	380.0	24720
14-Oct-17	20.9	353.4	61600	6.4	286.3	15282
15-Oct-17	21.0	322.0	56395	7.0	300.3	17532
16-Oct-17	20.9	279.1	48649	6.7	308.5	17238
17-Oct-17	20.3	301.3	51011	7.0	328.9	19201
18-Oct-17	19.3	285.4	45939	8.7	324.1	23516
19-Oct-17	21.0	279.4	48934	8.0	278.0	18548
20-Oct-17	11.8	311.1	30616	7.5	266.5	16670
21-Oct-17	21.3	230.0	40858	8.5	205.7	14582
22-Oct-17	21.9	258.9	47287	7.5	258.9	16194
23-Oct-17	20.1	303.1	50810	7.2	294.6	17690
24-Oct-17	16.6	242.0	33503	6.8	242.7	13764
25-Oct-17	15.1	147.9	18626	9.0	248.7	18667
26-Oct-17	16.5	233.9	32187	7.2	369.4	22182
27-Oct-17	15.2	257.2	32605	7.5	265.5	16607
28-Oct-17	16.4	217.0	29680	7.8	263.1	17115
29-Oct-17	17.6	269.2	39514	8.0	299.6	19989
30-Oct-17	16.8	210.4	29480	8.2	277.8	18998
31-Oct-17	16.3	207.1	28154	8.2	254.3	17391
1-Nov-17	17.5	248.0	36196	7.8	239.0	15547
2-Nov-17	17.5	269.1	39275	8.0	331.1	22091
3-Nov-17	16.8	216.9	30390	7.8	283.9	18468
4-Nov-17	18.2	280.8	42622	8.3	260.5	18032
5-Nov-17	18.6	248.4	38533	8.8	259.1	19016
6-Nov-17	16.6	214.8	29738	8.3	262.5	18171
7-Nov-17	16.4	298.1	40773	8.9	351.3	26076
8-Nov-17	14.3	295.7	35266	9.6	259.8	20801
9-Nov-17	16.4	228.1	31199	9.0	220.3	16536
10-Nov-17	14.0	259.9	30346	8.9	226.1	16782
11-Nov-17	15.0	282.4	35328	7.8	195.6	12724
12-Nov-17	15.8	298.1	39281	7.8	272.9	17753
13-Nov-17	15.9	272.5	36135	7.7	240.2	15425
14-Nov-17	15.0	198.6	24845	7.9	256.9	16926
15-Nov-17	12.6	200.0	21017	8.8	189.0	13871
16-Nov-17	15.7	222.9	29186	7.7	309.5	19875
17-Nov-17	15.2	226.3	28688	8.1	252.1	17030
18-Nov-17	15.0	207.2	25921	8.8	206.9	15185
19-Nov-17	14.9	284.7	35379	8.1	245.3	16571
20-Nov-17	15.5	234.0	30249	8.3	269.9	18683
21-Nov-17	16.0	249.2	33253	8.4	247.5	17339
22-Nov-17	15.7	220.8	28911	8.4	256.2	17948
23-Nov-17	15.2	244.2	30957	7.9	253.5	16702
24-Nov-17	15.3	208.0	26541	8.2	308.4	21091
25-Nov-17	16.2	245.9	33223	7.9	248.6	16379
26-Nov-17	16.1	230.5	30950	8.0	233.9	15606


Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
27-Nov-17	15.2	208.3	26406	8.2	250.5	17131
28-Nov-17	15.2	264.0	33467	7.4	249.8	15417
29-Nov-17	14.7	258.5	31692	7.8	262.5	17076
30-Nov-17	13.6	192.5	21834	8.3	206.3	14280
1-Dec-17	14.9	251.1	31203	7.7	222.1	14263
2-Dec-17	15.7	241.4	31608	7.1	259.2	15348
3-Dec-17	16.3	243.5	33102	8.0	250.4	16707
4-Dec-17	16.6	230.4	31897	8.6	307.6	22062
5-Dec-17	16.3	261.6	35562	9.4	271.7	21300
6-Dec-17	12.8	316.6	33798	8.4	215.2	15076
7-Dec-17	15.6	298.3	38810	8.3	332.2	22996
8-Dec-17	15.1	243.7	30690	8.8	293.6	21548
9-Dec-17	15.5	231.0	29861	9.6	379.9	30416
10-Dec-17	16.7	231.9	32299	9.2	1427.0	109491
11-Dec-17	16.2	328.3	44356	7.7	298.5	19169
12-Dec-17	16.4	279.5	38229	7.5	265.1	16582
13-Dec-17	12.9	239.5	25767	9.0	230.7	17316
14-Dec-17	15.3	329.4	42032	8.5	258.1	18297
15-Dec-17	14.9	325.4	40436	7.8	278.0	18084
16-Dec-17	17.0	278.6	39500	8.8	162.8	11948
17-Dec-17	17.3	198.4	28626	8.3	296.9	20552
18-Dec-17	18.1	309.6	46735	7.6	637.2	40388
19-Dec-17	20.7	317.2	54761	9.3	258.9	20081
20-Dec-17	16.8	255.8	35841	8.0	263.5	17581
21-Dec-17	17.0	174.3	24712	9.1	260.8	19793
22-Dec-17	17.5	229.7	33525	8.0	333.0	22218
23-Dec-17	17.1	116.8	16657	7.5	280.1	17520
24-Dec-17	17.4	306.2	44435	8.0	435.2	29037
25-Dec-17	17.0	300.2	42562	8.2	267.9	18321
26-Dec-17	15.1	207.5	26131	9.8	237.0	19370
27-Dec-17	17.0	264.9	37558	8.2	331.8	22691
28-Dec-17	18.0	220.0	33026	8.4	240.0	16813
29-Dec-17	15.3	210.0	26796	8.4	170.0	11910
30-Dec-17	14.4	210.0	25220	9.9	190.0	15688
31-Dec-17	16.7	200.0	27856	10.5	270.0	23644

ORIGIN ID:ELDA (870) 567-8812
 JACQUELINE MORGAN
 GEORGIA-PACIFIC
 100 SUPPLY ROAD
 DROP POINT 33
 CROSSETT, AR 71635
 UNITED STATES US

SHIP DATE: 31MAY18
 ACTWGT: 0.50 LB
 CAD: 102787395/NET3980
 BILL SENDER

TO: RICHARD HEALEY
 ADEQ
 5301 NORTHSHERE DR

NORTH LITTLE ROCK AR 72118
 (501) 682-0718
 REF: BMP ANNUAL REPORT 2017
 INV:
 PO:
 DEPT:



532.0/782BDG45

TRK#
0201 7723 6812 9873

FRI - 01 JUN 10:30A
 PRIORITY OVERNIGHT

X2 LITA

72118
 AR-US LIT



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx. You will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.