



215 Jamestown Park, Suite 100 ◦ Brentwood, TN 37027 ◦ Phone (615) 373-8532

October 27, 2017

172488

Georgia-Pacific Crossett LLC, Crossett Paper Operations  
100 Paper Mill Road  
Crossett, Arkansas 71635

Sent via e-mail: [Sarah.Ross@gapac.com](mailto:Sarah.Ross@gapac.com)

**RE: Flood-Flow Modeling**

Dear Ms. Ross:

**AquAeTer, Inc. (AquAeTer)** is pleased to present our findings of water quality modeling for two flood-flow conditions on the Ouachita River: 1) River stage 65 feet (ft) at Felsenthal Dam; and 2) River stage 75 ft at Felsenthal Dam. The purpose of this modeling is to provide Georgia-Pacific (GP) with the results from a previously calibrated low-flow water quality model and previous water quality data<sup>1</sup> that was modified to estimate potential water quality effects during these two flood scenarios. It is our understanding that the Arkansas Department of Environmental Quality (ADEQ) has requested GP to determine if there are impacts from treated effluent discharged directly from Outfall 001 during these flood conditions.

**AquAeTer** utilized the existing approved water quality model for the Ouachita River, and modified it for these flood-flow conditions. Inputs expected during the flood-flow situations were used. New data were added to the model to represent water quality conditions that have been measured downstream from Felsenthal during the two critical months selected, i.e., May for 75 ft and June for 65 ft. All model files are provided in Attachment 1.

**SUMMARY**

Both flood scenarios show minimal impact to the Ouachita River for a non-conservative pollutant (dissolved oxygen) which resulted in an approximately 0.2 mg/L drop, and a conservative pollutant (copper) which resulted in a less than 0.15 microgram per liter ( $\mu\text{g/L}$ ) increase in copper

---


<sup>1</sup> Taylor, R.D., Borén, J.K., Davis, P.E., G.M., Corn, P.E., M.R. April 1993. "Dissolved Oxygen Use Attainability Analysis: Ouachita River from Felsenthal, AR to Sterlington, LA", AquAeTer, Inc., Brentwood, TN.  
Taylor, R.D., Corn, P.E., M.R. 1996. "Dissolved Oxygen Use Attainability Analysis: Ouachita River from Felsenthal, AR to Sterlington, LA", AquAeTer, Inc., Brentwood, TN.  
McCormick, S.T., Van Wurm, P.E., W., Smith, P.E., D.S., Corn, P.E., M.R., Bailey, S.K., Gathright, T., Starke, T.M. April 1999. "Total Maximum Daily Load Projections Ouachita River: Felsenthal Lock and Dam, Arkansas to Sterlington, LA", AquAeTer, Inc. and Georgia-Pacific Corporation. Brentwood, TN.

concentration. This matches historical measurements of DO concentrations in the Ouachita River during flooding conditions.

## ORIGINAL MODEL

The model originally developed in QUAL2E and submitted to the ADEQ, Louisiana Department of Environmental Quality (LDEQ) and United States Environmental Protection Agency (USEPA) was retrieved from storage. The model was originally developed using WinQual, which ran on a version of Windows that is no longer used. The input deck was converted to work in the DOS-based QUAL-2E. The results were then compared and found to provide very similar results. The dissolved oxygen (DO) concentrations for the original model and the reimplemented model are presented in Figure 1. The maximum difference in the DO concentration between the model results is 0.01 milligram per liter (mg/L), which is less than the accuracy of DO measurements at  $\pm 0.1$  mg/L.

**Figure 1. Comparison of Original Calibrated Model and Re-Implemented Model Results**



## FLOOD MODEL CONDITIONS

The original model was developed for low-flow conditions, and was calibrated at a flow of 980 cubic feet per second (cfs). The flows for the two flood conditions analyzed are substantially greater. The gage at Felsenthal was analyzed to determine an appropriate flow at the 65' elevation flood condition. However, the gage is not capable of measuring flows when the stage exceeds 65'. Therefore, flow data acquired during flooding periods were used from upstream and downstream gages to estimate the flow at a flood elevation of 75'. The following is a list of the parameters that were changed for each model condition.

### Flow

At the 65' Flood, a flow of 17,250 cfs was used. This represents the lower end of the range measured during a flood condition. The lower end of the range represents the highest potential to see an effect from the permitted discharge. At the 75' Flood, a flow of 43,364 cfs was used. As with the 65' flood condition, this represents a flow on the lower end of the range for flows calculated during this flood condition.

### Depth and Velocity Coefficients

The digital elevation map (DEM) data were downloaded from the United States Department of Agriculture Geospatial website. These data were used to develop the cross-sectional area of the River during each flood. The average depth at one cross-section for each flood condition was determined. The flow was divided by the cross-sectional area to determine the velocity coefficient. With both conditions, a trendline was developed for the input parameters. These values, along with the original values used in the model are presented in Tables 1 and 2.

**Table 1. Velocity Coefficient and Exponent**

Reach	Original Model Coefficient	Original Model Exponent	Flood Model Coefficient	Flood Model Exponent
1	0.00046	0.897	128.756	-0.643
2	0.00046	0.897	128.756	-0.643
3	0.00046	0.897	128.756	-0.643
4	0.00046	0.897	128.756	-0.643
5	0.00028	0.946	128.756	-0.643
6	0.00028	0.946	128.756	-0.643
7	0.00020	0.930	128.756	-0.643
8	0.00020	0.930	128.756	-0.643

**Table 2. Depth Coefficient and Exponent**

Reach	Original Model Coefficient	Original Model Exponent	Flood Model Coefficient	Flood Model Exponent
1	7.17	0.05	4.994*10 <sup>-6</sup>	1.37
2	7.17	0.05	4.994*10 <sup>-6</sup>	1.37
3	7.17	0.05	4.994*10 <sup>-6</sup>	1.37
4	8	0.05	4.994*10 <sup>-6</sup>	1.37
5	12	0.018	4.994*10 <sup>-6</sup>	1.37
6	12	0.018	4.994*10 <sup>-6</sup>	1.37
7	15.03	0.011	4.994*10 <sup>-6</sup>	1.37
8	15.03	0.011	4.994*10 <sup>-6</sup>	1.37

**CBOD Deoxygenation Rate**

The ultimate carbonaceous biochemical oxygen demand (CBOD<sub>u</sub>) deoxygenation rate in the original model increased briefly after the addition of the discharge from Coffee Creek, from 0.05 to 0.075 day<sup>-1</sup>. For the flooded condition, the effect of the treated effluent is expected to be minimal, based on a mass balance between the receiving stream and the Mill’s loading. Therefore, the CBOD<sub>u</sub> deoxygenation rate was kept constant for all reaches at 0.05 day<sup>-1</sup>.

**Reaeration Rate**

The original model utilized the O’Connor and Dobbins reaeration method. However, the changes to the model depth and velocity to account for the flood conditions did not produce similar predicted reaeration since the effective depth changes for the two flood scenarios. During flood conditions, the reaeration is expected to increase due to the increased turbulence. However, the mechanics of the O’Connor-Dobbins equation result in an increase in predicted reaeration for the 65’ flood scenario while also calculating a decrease in predicted reaeration for the 75’ flood scenario. The O’Connor-Dobbins equation is as follows:

$$k_2 = 12.9 \frac{U^{0.5}}{H^{1.5}} \tag{1}$$

where:  $k_2$  = reaeration rate, day<sup>-1</sup>;  
 $U$  = velocity, feet per second; and,  
 $H$  = depth, feet

The velocity and depth are calculated based on the flow using the following equations, respectively. The coefficients and exponents used for the flood model were presented previously in Tables 1 and 2, respectively.

$$U = aQ^b \tag{2}$$

$$H = cQ^d \tag{3}$$

The calculation results are presented in the following table.

**Table 3. O’Connor-Dobbins Reaeration Calculations for Flood Flow Conditions**

PARAMETER	RESULT FOR 65’ FLOOD	RESULT FOR 75’ FLOOD
Q (cfs)	17,250	43,364
U (ft/sec)	0.242	0.134
H (ft)	3.18	11.3
$k_2$ (day <sup>-1</sup> )	1.12	0.125

The depth represents the average depth across the River. While the main channel of the River may be much deeper, the flood plain area brings the average down. Likewise, the velocity in the main channel is expected to be faster, but the velocity of the River moving through the flood plain will be impeded by the forests, which brings the average velocity down.

An alternative reaeration equation that is also accepted by the USEPA and is present in the QUAL2E model and newer models is the Tsivoglou-Neal reaeration rate equation. This equation relies on the water surface slope change. During low flows, the slope change on the Ouachita River was insignificant, resulting in unrealistic reaeration rates. For the flood flow, however, the slope between the Sterlington and Felsenthal gages is able to be used. The Tsivoglou-Neal reaeration rate equation is as follows:

$$k_2 = c * \frac{\Delta h}{TOT} \quad 4$$

where:  $k_2$  = reaeration rate, day<sup>-1</sup>;  
 $c$  = escape coefficient, ft<sup>-1</sup>;  
 $\Delta h$  = change in water surface elevation, ft; and,  
TOT = time of water travel, day.

The escape coefficient can be adjusted based on flow conditions based on empirical data. There is one measurement in Arkansas that was made on the Ouachita River in 1980<sup>2</sup> in a study completed for NCASI<sup>34</sup>. One additional measurement was made on the Ouachita River, but was considered poor due to the hydraulic conditions occurring during the release. A similar swamp

<sup>2</sup> Neal, L.A. and Corn, M.R. 1980. “Reaeration Capacity Studies – Arkansas and Louisiana”. Law Engineering Testing Company, Marietta, Georgia.

<sup>3</sup> NCASI. 1982. “An Assessment of the Limitations of the Radiotracer Technique in Measuring Stream Reaeration Rates”. Technical Bulletin No. 374. New York.

<sup>4</sup> NCASI. 1982. “A Comparison of Reaeration Estimation Techniques for the Ouachita River Basin”. Technical Bulletin No. 375. New York.

stream was tested by Law Engineering<sup>5</sup>. The Red River near Ashdown, Arkansas was also tested<sup>6</sup>. The “c” coefficient and flows for each of these studies is presented in Table 4.

**Table 4. Escape Coefficients Measured**

STREAM	“c”	FLOW (cfs)
Ouachita River (AR)	0.0396	850
Black Creek (SC)	0.0392	198
Red River (AR)	0.0822	4,600

These three studies were utilized to develop an empirical equation that relates the “c” coefficient to flow as follows:

$$c = 0.036e^{0.00018*Q} \quad 5$$

Combining Equations 4 and 5 yields the following:

$$k_2 = 0.036e^{0.00018*Q} * \frac{\Delta h}{TOT} \quad 6$$

For the 65’ Flood scenario, the parameters used to determine the reaeration rate are presented in Table 5.

**Table 5. Tsivoglou-Neal Reaeration Prediction**

Parameter	Value
Q	17,250 cfs
Δh	2.91 ft
TOT (days)	4.5 days
k <sub>2</sub>	0.5 day <sup>-1</sup>

This value was utilized as the reaeration rate for the 65’ flood condition. This represents a substantial margin of safety over what the O’Connor-Dobbins equation would predict based on the conditions during the flood.

For the 75’ Flood Scenario, the reaeration rate is expected to be slightly lower than the 65’ Flood Scenario. This is based on the decreased slope and increased time of travel as more water backs up from Sterlington. For this reason, a value of 0.3 day<sup>-1</sup> was selected for the reaeration rate. This was based on meeting similar trends from historic data collections collected during flooding conditions, as well as previous reaeration measurements on the Ouachita River.

The reaeration rates utilized for the flood flow scenarios simulated a flatter DO slope as has been measured on the Ouachita River during flood flows as later shown in Figure 2. Utilizing the O’Connor Dobbins equations for these flood conditions would result in widely variable DO predictions that deviate from the known DO trends.

<sup>5</sup> Neal, L.A. and Corn, M.R. 1979. “Reaeration Capacity of Black Creek”. Law Engineering Testing Company, Marietta, Georgia.

<sup>6</sup> Corn, M.R. 1991. “Assimilative Capacity Study of the Red River near Ashdown, Arkansas”. The Advent Group, Inc. Brentwood, TN.


### **Linear Algal Self-Shading ( $\text{ft}^{-1}$ per $\mu\text{g/L}$ Chlorophyll a) and Non-Algal Light Extinction**

The initial run at the flooded condition failed to converge due to excessive algal growth. The linear algal self-shading parameter was adjusted from 0.0027 to 0.02. The non-algal light extinction coefficient was increased to  $4 \text{ ft}^{-1}$  for both flood models. These two parameters curtailed the algal population in the model, and allowed future model runs to converge. This is a reasonable assumption since algal activity would be expected to be significantly diminished during flood conditions.

### **Background DO Concentration**

Based on the work AquAeTer performed for the Mill in developing a Use Attainability Analysis for the Ouachita River, we utilized a background DO concentration of 3.4 mg/L for the 65' flood scenario and 5.4 mg/L for the 75' flood scenario. These values were based on the data collected for June, representing the 65' flood condition, and May, representing the 75' flood condition. This is intended to represent a worse-case condition when the flooding has expanded into the stagnant water areas within the basin. This phenomenon was previously documented by AquAeTer, as shown in the Figure 2.

**Figure 2. DO Data Originally Published in UAA<sup>7</sup>**



### **Temperature**

The original calibrated model was developed based on data collected during the field study. The temperature used was 88.7°F for the background river. The flooded conditions were evaluated to determine the most probable months for flooding. A temperature from that month was selected. The 65' flood model was run at a temperature of 87.4°F representing a June condition. For the 75' flood model, a temperature of 81.3°F was used representing a May condition. The initial conditions and background River temperature were adjusted for both models. Other temperature inputs were not adjusted from the original model.

### **Effluent Data**

An effluent flow rate of 45 million gallons per day (mgd) or 69.63 cfs was used for the effluent flowrate. For each flood stage, an average and a maximum loading model run was


<sup>7</sup> Taylor and M.R. Corn. 1996. "Dissolved Oxygen Use Attainability Analysis: Ouachita River from Felsenthal, AR to Sterlington, LA", AquAeTer, Inc., Brentwood, TN.



completed. For parameters that did not have permit conditions, the original model calibration was utilized.

The permit is based on 5-day biochemical oxygen demand (BOD<sub>5</sub>). The monthly average loading specified in the permit is 24,155.4 lbs/day of BOD<sub>5</sub>. The daily maximum loading specified in the permit is 46,453 lbs/day. At an effluent flowrate of 45 million gallons per day (mgd), or 69.63 cfs, the monthly average and daily maximum BOD<sub>5</sub> concentrations would be 64.4 and 123.8 mg/L, respectively. The model requires this to be

**Figure 3. Relationship of BOD<sub>5</sub> Data to F-Factor**



input as an ultimate carbonaceous biochemical oxygen demand (CBOD<sub>u</sub>) concentration. The ratio of CBOD<sub>u</sub>/BOD<sub>5</sub> is called the f-factor. The f-factor came from CBOD<sub>u</sub> to BOD<sub>5</sub> f-factors developed at the Ashdown Mill when it was owned by Georgia-Pacific and which has been accepted by ADEQ previously for wasteload allocation work. The Ashdown Mill is now owned by Domtar. The f-factor data are shown in Figure 3. These data demonstrate a decreasing f-factor with increasing BOD<sub>5</sub>. As effluent treatment increases (and BOD<sub>5</sub> concentrations go down), the percentage of recalcitrant CBOD<sub>u</sub> increases. When effluent treatment efficiency is lower (and BOD<sub>5</sub> concentrations are higher), the percentage of labile CBOD<sub>u</sub> remaining after treatment increases.

For the model, an f-factor of 3.4 was utilized. At a BOD<sub>5</sub> concentration of 64.4 mg/L, this results in a CBOD<sub>u</sub> concentration of 218.3 mg/L for the monthly average condition. At a BOD<sub>5</sub> concentration of 123.8 mg/L, this results in a CBOD<sub>u</sub> concentration of 420.9 mg/L for the monthly average condition.

### **Copper**

Copper was included in the model as a conservative mineral. There was not a significant dataset for hardness on the Ouachita River near Felsenthal. The average hardness for the background station was 21.3 mg/L as CaCO<sub>3</sub> for June and 22.5 mg/L for May, representing the 65' and 75' flood scenarios, respectively. At a hardness of 21.3 mg/L, the copper water quality

standards are 3.96 µg/L and 3.03 µg/L for the CMC and CCC, respectively. At a hardness of 22.5 mg/L, the copper water quality standards are 4.17 µg/L and 3.17 µg/L for the CMC and CCC, respectively.

**No Loading Condition**

One model run for each flood scenario was completed in which the Mill discharge flowrate from the Aerated Stabilization Basin (ASB) was set to 0.

**MODEL RESULTS**

Both flood scenarios show minimal impact to the Ouachita River. The copper concentration for both flood scenarios also showed slight increases over the background concentration, but within the water quality standard for copper at the background hardness concentrations.

**65' Flood Scenario**


The results of the DO concentration at the 65' Flood Elevation are presented in Figure 4. A summary of the maximum delta DO concentration compared to the model run without the Mill's effluent is provided in Table 6. The difference in the DO concentration is within the accuracy of DO instrumentation, which is ±0.1 mg/L, which gives a potential swing of 0.2 mg/L.

The copper results for both permit conditions are also presented in Table 6. When using a river background concentration of 1.24 µg/L, the resulting downstream copper concentration would be much less than the water quality standard for both flood scenarios modeled.

**Table 6. Results of 65' Model Scenario**

Parameter	Units	At Average Permit Loading	At Maximum Permit Loading
DO, as Maximum Difference from Model Prediction without Mill	mg/L	0.08	0.16
Predicted Copper Increase Downstream from Mill	µg/L	0.07	0.15

**Figure 4. 65' Flood Scenario**



### **75' Flood Scenario**


The results of the DO concentration at the 75' Flood Elevation are presented in Figure 5. A summary of the maximum delta DO concentration compared to the model run without the Mill's effluent is provided in Table 7. The difference in the DO concentration is within the accuracy of DO instrumentation, which is  $\pm 0.1$  mg/L, which gives a potential swing of 0.2 mg/L.

The copper results for both permit conditions are also presented in Table 7. When using a river background concentration of  $1.77 \mu\text{g/L}$ , the in the resulting downstream copper concentration would be much less than the water quality standard for both flood scenarios modeled.

**Table 7. Results of 75' Model Scenario**

Parameter	Units	At Average Permit Loading	At Maximum Permit Loading
DO, as Maximum Difference from Model Prediction without Mill	mg/L	0.05	0.09
Predicted Copper Increase Downstream from Mill	µg/L	0.03	0.05

**Figure 5. 75' Flood Scenario**



**CLOSING**

We appreciate the opportunity to work with you on this matter. If you have questions or comments pertaining to this letter, please contact us by telephone at (615) 373-8532, by FAX at (615) 373-8512, or by e-mail at [jmcom@aquaeter.com](mailto:jmcom@aquaeter.com) or [mcom@aquaeter.com](mailto:mcom@aquaeter.com).

Regards,



John Michael Corn, P.E.  
Project Manager



Michael R. Corn, P.E. (LA), BCEE  
President


cc: Rachel Johnson,  
Mayes Starke, [Thomas.Starke@gapac.com](mailto:Thomas.Starke@gapac.com)  
Paul Marotta, Ph.D., P.E. (AR), BCEE

**CERTIFICATION**



October 27, 2017

Paul J. Marotta, Ph.D., P.E. (AR) BCEE



October 27, 2017

Michael R. Corn, P.E. (LA), BCEE

**ATTACHMENT 1**  
**MODEL FILES**

CROSSET5.DAT

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR  
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)  
 TITLE03 NO CONSERVATIVE MINERAL I  
 TITLE04 NO CONSERVATIVE MINERAL II  
 TITLE05 NO CONSERVATIVE MINERAL III  
 TITLE06 NO TEMPERATURE  
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L  
 TITLE08 YES ALGAE AS CHL-A IN UG/L  
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L  
 TITLE10 (ORGANIC-P; DISSOLVED-P)  
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L  
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)  
 TITLE13 YES DISSOLVED OXYGEN IN MG/L  
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML  
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	0.0027	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADT(BTU/FT2)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0





CROSSET5.DAT

N AND P COEF	RCH=	4.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	0.57	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	0.90	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	0.60	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	0.72	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	0.77	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	0.71	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	0.50	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	0.50	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	2.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	3.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	4.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	5.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	6.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	7.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	8.0	88.7	5.95	3.75

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	2.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	3.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	4.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	5.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	6.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	7.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	8.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	2.8

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	2.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	3.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	4.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	5.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	6.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04

CROSSET5.DAT

```

INCR INFLOW-2 RCH= 7.0 0.00 0.484 0.05 0.10 0.40 0.07 0.04
INCR INFLOW-2 RCH= 8.0 0.00 0.484 0.05 0.10 0.40 0.07 0.04
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 980 88.7 5.95 3.75
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.484 0.05 0.10 0.40 0.070 0.04
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 42.1 86.9 3.50 48.8
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.00 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CROSSET5.OUT

\* \* \* QUAL-2E STREAM QUALITY ROUTING MODEL \* \* \*  
Version 3.22 -- May 1996

\$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03 NO	CONSERVATIVE MINERAL I
TITLE04 NO	CONSERVATIVE MINERAL II
TITLE05 NO	CONSERVATIVE MINERAL III
TITLE06 NO	TEMPERATURE
TITLE07 YES	BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08 YES	ALGAE AS CHL-A IN UG/L
TITLE09 YES	PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11 YES	NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13 YES	DISSOLVED OXYGEN IN MG/L
TITLE14 NO	FECAL COLIFORMS IN NO./100 ML
TITLE15 NO	ARBITRARY NON-CONSERVATIVE BOD MG/L
ENDTITLE	

\$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

\$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400

		CROSSETS.OUT	
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500
N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0027	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

\$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE	RATE CODE	THETA VALUE	
THETA( 1)	BOD DECA	1.047	DFLT
THETA( 2)	BOD SETT	1.024	DFLT
THETA( 3)	OXY TRAN	1.024	DFLT
THETA( 4)	SOD RATE	1.060	DFLT
THETA( 5)	ORGN DEC	1.047	DFLT
THETA( 6)	ORGN SET	1.024	DFLT
THETA( 7)	NH3 DECA	1.083	DFLT
THETA( 8)	NH3 SRCE	1.074	DFLT
THETA( 9)	NO2 DECA	1.047	DFLT
THETA(10)	PORG DEC	1.047	DFLT
THETA(11)	PORG SET	1.024	DFLT
THETA(12)	DISP SRC	1.074	DFLT
THETA(13)	ALG GROW	1.047	DFLT
THETA(14)	ALG RESP	1.047	DFLT
THETA(15)	ALG SETT	1.024	DFLT
THETA(16)	COLI DEC	1.047	DFLT
THETA(17)	ANC DECA	1.000	DFLT
THETA(18)	ANC SETT	1.024	DFLT
THETA(19)	ANC SRCE	1.000	DFLT
ENDATA1B			

\$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER	AND IDENT		R. MI/KM		R. MI/KM
STREAM REACH	1.0	REACH 1	FRO	227.0	TO	222.0
STREAM REACH	2.0	REACH 2	FRO	222.0	TO	217.0
STREAM REACH	3.0	REACH 3	FRO	217.0	TO	212.0
STREAM REACH	4.0	REACH 4	FRO	212.0	TO	207.0
STREAM REACH	5.0	REACH 5	FRO	207.0	TO	202.0
STREAM REACH	6.0	REACH 6	FRO	202.0	TO	197.0
STREAM REACH	7.0	REACH 7	FRO	197.0	TO	192.0
STREAM REACH	8.0	REACH 8	FRO	192.0	TO	190.0
ENDATA2	0.0			0.0		0.0

CROSSETS.OUT

\$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER	OF	AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	2.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	3.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	4.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	5.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	6.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	7.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	8.	1.	3.0	1.	0.	0.	0.	0.
ENDATA3	0.	0.	0.0	0.	0.	0.	0.	0.

\$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL	FLAGS
FLAG FIELD	1.	20.	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	
FLAG FIELD	2.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	
FLAG FIELD	3.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.	
FLAG FIELD	5.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.	
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.	
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.	
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.	
ENDATA4	0.	0.	0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	

\$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	2.	38.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	3.	22.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	4.	21.00	0.000	0.897	8.000	0.050	0.035
HYDRAULICS	5.	10.00	0.000	0.946	12.000	0.018	0.035
HYDRAULICS	6.	17.00	0.000	0.946	12.000	0.018	0.035
HYDRAULICS	7.	7.00	0.000	0.930	15.030	0.011	0.035
HYDRAULICS	8.	7.00	0.000	0.930	15.030	0.011	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

\$\$\$ DATA TYPE 5A (STEADY STATE TEMPERATURE AND CLIMATOLOGY DATA) \$\$\$

CARD TYPE	REACH	ELEVATION	DUST COEF	CLOUD COVER	DRY BULB TEMP	WET BULB TEMP	ATM PRESSURE	WIND	SOLAR RAD ATTENUATION
ENDATA5A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR	EXPQK2 SLOPE FOR OPT 8

					CROSSETS.OUT			
REACT COEF	1.	0.05	0.00	0.051	3.	0.00	0.000	0.00000
REACT COEF	2.	0.08	0.00	0.051	3.	0.00	0.000	0.00000
REACT COEF	3.	0.08	0.00	0.051	3.	0.00	0.000	0.00000
REACT COEF	4.	0.08	0.00	0.071	3.	0.00	0.000	0.00000
REACT COEF	5.	0.05	0.00	0.071	3.	0.00	0.000	0.00000
REACT COEF	6.	0.05	0.00	0.071	3.	0.00	0.000	0.00000
REACT COEF	7.	0.05	0.00	0.051	3.	0.00	0.000	0.00000
REACT COEF	8.	0.05	0.00	0.051	3.	0.00	0.000	0.00000
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000	0.00000

\$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKNO2	CKPORG	SETPORG	SPO4
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	0.57	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	0.90	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	0.60	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	0.72	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	0.77	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	0.71	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	0.50	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	0.50	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CROSSET5.OUT

\$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	2.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	3.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	4.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	5.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	6.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	7.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	8.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	2.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	3.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	4.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	5.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	6.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	7.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	8.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE	JUNCTION ORDER AND IDENT	UPSTRM	JUNCTION	TRIB
ENDATA9	0.	0.	0.	0.

\$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	980.00	88.70	5.95	3.75	0.00	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

CROSSETS.OUT

\$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS,  
COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00E+00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA10A	0.	0.00	0.00E+00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	42.10	86.90	3.50	48.80	0.00	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	0.00	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	0.00	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	7.	BAYOU BARTHO	0.00	222.00	85.10	5.40	2.80	0.00	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	0.00	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS,  
COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00E+00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00E+00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00E+00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00E+00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00E+00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00E+00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00E+00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00E+00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00E+00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
-----------	------	------	-----	------	------	------	-----	------



CROSSET5.OUT

ENDATA13 DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

\$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$

CARD TYPE CHL-A ORG-N NH3-N NO2-N NH3-N ORG-P DIS-P

ENDATA13A DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

↑

RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.73	3.71	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.52	3.50	3.48	3.46	3.44	3.42	3.40	3.38	3.36	3.38
2	5.16	5.12	5.07	5.03	4.99	4.95	4.91	4.87	4.82	4.78	4.74	4.70	4.66	4.63	4.59	4.55	4.51	4.47	4.43	4.40
3	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.94	3.91	3.88	3.84	3.81	3.78	3.75	3.72
4	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.42	3.39	3.36	3.34	3.31	3.28	3.25	3.23	3.20	3.17	3.15
5	3.13	3.11	3.09	3.07	3.05	3.03	3.01	2.99	2.97	2.95	2.93	2.91	2.89	2.87	2.86	2.84	2.82	2.80	2.78	2.77
6	2.75	2.73	2.71	2.70	2.68	2.66	2.64	2.63	2.61	2.59	2.58	2.56	2.54	2.53	2.51	2.49	2.48	2.46	2.45	2.43
7	2.41	2.39	2.36	2.34	2.31	2.29	2.27	2.25	2.22	2.20	2.18	2.16	2.25	2.23	2.21	2.20	2.18	2.16	2.14	2.12
8	2.14	2.12	2.10	2.09	2.07	2.05	2.04	2.02												

↑

STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

-----

RCH/CL	VARIABLE	ITERATION	ALGAE AS CHL-A IN UG/L										NUMBER OF NONCONVERGENT ELEMENTS								
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	8.59	8.79	8.99	9.20	9.41	9.63	9.85	10.08	10.31	10.55	10.79	11.04	11.29	11.55	11.82	12.09	12.37	12.65	12.94	13.22	
2	12.87	13.00	13.13	13.27	13.41	13.55	13.69	13.83	13.98	14.12	14.27	14.42	14.56	14.72	14.87	15.02	15.18	15.34	15.50	15.66	
3	15.98	16.31	16.64	16.98	17.33	17.69	18.05	18.42	18.80	19.18	19.57	19.97	20.38	20.80	21.23	21.66	22.11	22.56	23.02	23.49	
4	23.80	24.12	24.44	24.74	25.07	25.40	25.74	26.08	26.43	26.78	27.13	27.49	27.86	28.23	28.60	28.98	29.37	29.75	30.15	30.55	
5	30.84	31.16	31.48	31.80	32.13	32.47	32.80	33.14	33.48	33.83	34.18	34.53	34.89	35.25	35.61	35.98	36.32	36.70	37.07	37.46	
6	37.91	38.37	38.83	39.30	39.77	40.25	40.74	41.23	41.73	42.23	42.74	43.25	43.77	44.30	44.83	45.37	45.92	46.47	47.03	47.60	
7	48.60	49.86	51.16	52.49	53.85	55.25	56.69	58.16	59.67	61.22	62.81	64.37	55.73	56.93	58.16	59.41	60.69	62.00	63.33	64.69	
8	66.04	67.46	68.90	70.37	71.87	73.41	74.98	76.56													

RCH/CL	ORGANIC PHOSPHORUS AS P IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
4	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
5	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09

CROSSETS.OUT

6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
8	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08

DISSOLVED PHOSPHORUS AS P IN MG/L

ITERATION 1

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03
2	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
3	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

ORGANIC NITROGEN AS N IN MG/L

ITERATION 1

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.42	0.42	0.42	0.41	0.41	0.40	0.40	0.39	0.39
2	0.48	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.43	0.42	0.42	0.41	0.41	0.41	0.40	0.40
3	0.39	0.39	0.39	0.38	0.38	0.37	0.37	0.37	0.36	0.36	0.36	0.35	0.35	0.35	0.34	0.34	0.34	0.34	0.33	0.33
4	0.33	0.32	0.32	0.32	0.32	0.31	0.31	0.31	0.30	0.30	0.30	0.30	0.30	0.29	0.29	0.29	0.29	0.28	0.28	0.28
5	0.28	0.27	0.27	0.27	0.27	0.27	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24
6	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22
7	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
8	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24

AMMONIA AS N IN MG/L

ITERATION 1

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.11	0.11	0.11	0.11	0.12
2	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
3	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25
4	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23
5	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
6	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18
7	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
8	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13

NITRITE AS N IN MG/L

ITERATION 1

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
5	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.02

CROSSETS.OUT

8 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02

RCH/CL	NITRATE AS N IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.41	0.42	0.42	0.43	0.44	0.44	0.44	0.45	0.45	0.45	0.46	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47
2	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50	0.51	0.51
3	0.51	0.51	0.51	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53
4	0.53	0.53	0.53	0.53	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
5	0.54	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55
6	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.54	0.54	0.54	0.54	0.54	0.53	0.53	0.53	0.53	0.53	0.53
7	0.52	0.52	0.51	0.50	0.50	0.49	0.48	0.48	0.47	0.46	0.45	0.44	0.43	0.43	0.42	0.41	0.41	0.40	0.39	0.39
8	0.38	0.37	0.36	0.35	0.34	0.34	0.33	0.32												

RCH/CL	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.94	5.94	5.93	5.93	5.93	5.93	5.93	5.93	5.94	5.94	5.95	5.95	5.96	5.97	5.98	5.99	6.00	6.02	6.03	6.04
2	5.90	5.87	5.83	5.80	5.77	5.74	5.71	5.68	5.65	5.63	5.60	5.58	5.55	5.53	5.51	5.49	5.47	5.45	5.43	5.42
3	5.42	5.42	5.43	5.44	5.44	5.45	5.46	5.48	5.49	5.50	5.52	5.54	5.55	5.57	5.60	5.62	5.64	5.67	5.69	5.72
4	5.72	5.72	5.72	5.72	5.72	5.72	5.72	5.73	5.73	5.74	5.74	5.75	5.76	5.77	5.78	5.79	5.81	5.82	5.84	5.85
5	5.86	5.86	5.87	5.88	5.88	5.89	5.90	5.91	5.92	5.93	5.95	5.96	5.97	5.99	6.00	6.02	6.03	6.05	6.07	6.09
6	6.11	6.14	6.17	6.20	6.23	6.26	6.29	6.33	6.36	6.40	6.43	6.47	6.51	6.54	6.58	6.62	6.66	6.71	6.75	6.79
7	6.88	7.00	7.12	7.25	7.39	7.52	7.66	7.81	7.96	8.11	8.27	8.43	8.61	8.83	9.05	9.37	9.79	10.21	10.63	11.05
8	9.02	9.16	9.30	9.45	9.60	9.75	9.91	10.07												

ALGAE GROWTH RATE	1	147
ALGAE GROWTH RATE	2	145
ALGAE GROWTH RATE	3	134
ALGAE GROWTH RATE	4	120
ALGAE GROWTH RATE	5	82
ALGAE GROWTH RATE	6	56
ALGAE GROWTH RATE	7	30
ALGAE GROWTH RATE	8	1
ALGAE GROWTH RATE	9	0
ALGAE GROWTH RATE	10	0

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 ( 204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 0.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

CROSSETS.OUT

2. LIGHT FUNCTION OPTION: LFNPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL\*FN\*FP

↑

RCH/CL	DISSOLVED OXYGEN IN MG/L										ITERATION 10									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.94	5.94	5.93	5.93	5.93	5.93	5.93	5.94	5.94	5.95	5.95	5.96	5.97	5.98	5.99	6.00	6.01	6.02	6.03	6.04
2	5.91	5.88	5.85	5.83	5.80	5.78	5.75	5.73	5.71	5.69	5.67	5.65	5.63	5.62	5.60	5.59	5.57	5.56	5.55	5.54
3	5.55	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.67	5.69	5.71	5.73	5.75	5.78	5.80	5.82	5.85	5.87	5.90	5.92
4	5.92	5.92	5.92	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.92	5.92
5	5.91	5.90	5.89	5.88	5.87	5.86	5.85	5.84	5.83	5.82	5.81	5.80	5.78	5.77	5.76	5.74	5.73	5.71	5.70	5.68
6	5.67	5.66	5.65	5.64	5.63	5.62	5.62	5.61	5.60	5.59	5.59	5.58	5.58	5.57	5.56	5.56	5.56	5.55	5.55	5.54
7	5.55	5.56	5.56	5.57	5.58	5.59	5.59	5.60	5.61	5.61	5.62	5.63	5.60	5.62	5.64	5.66	5.67	5.69	5.71	5.73
8	5.75	5.77	5.79	5.81	5.83	5.85	5.87	5.89												

RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 10									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.73	3.71	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.52	3.50	3.48	3.46	3.44	3.42	3.40	3.38	3.36	3.38
2	5.16	5.12	5.07	5.03	4.99	4.95	4.91	4.87	4.82	4.78	4.74	4.70	4.66	4.63	4.59	4.55	4.51	4.47	4.43	4.40
3	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.94	3.91	3.88	3.84	3.81	3.78	3.75	3.72
4	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.42	3.39	3.36	3.34	3.31	3.28	3.25	3.23	3.20	3.17	3.15
5	3.13	3.11	3.09	3.07	3.05	3.03	3.01	2.99	2.97	2.95	2.93	2.91	2.89	2.87	2.86	2.84	2.82	2.80	2.78	2.77
6	2.75	2.73	2.71	2.70	2.68	2.66	2.64	2.63	2.61	2.59	2.58	2.56	2.54	2.53	2.51	2.49	2.48	2.46	2.45	2.43
7	2.41	2.39	2.36	2.34	2.31	2.29	2.27	2.25	2.22	2.20	2.18	2.16	2.25	2.23	2.21	2.20	2.18	2.16	2.14	2.12
8	2.14	2.12	2.10	2.09	2.07	2.05	2.04	2.02												

RCH/CL	ORGANIC NITROGEN AS N IN MG/L										ITERATION 10									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.42	0.42	0.42	0.41	0.41	0.40	0.40	0.39	0.39
2	0.48	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.43	0.42	0.42	0.41	0.41	0.41	0.40	0.40
3	0.39	0.39	0.39	0.38	0.38	0.38	0.37	0.37	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.34	0.34	0.34	0.33	0.33
4	0.33	0.32	0.32	0.32	0.32	0.31	0.31	0.31	0.31	0.30	0.30	0.30	0.30	0.29	0.29	0.29	0.29	0.29	0.28	0.28
5	0.28	0.28	0.27	0.27	0.27	0.27	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24
6	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
7	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22
8	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21												

RCH/CL	AMMONIA AS N IN MG/L										ITERATION 10									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

CROSSETS.OUT

1	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.11	0.11	0.11	0.12
2	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23
4	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
5	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
6	0.19	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.16
7	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
8	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13

NITRITE AS N IN MG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02

NITRATE AS N IN MG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.41	0.42	0.42	0.43	0.44	0.44	0.44	0.45	0.45	0.46	0.46	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47
2	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50	0.51	0.51	0.51	0.51
3	0.52	0.52	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.54	0.54	0.54	0.54	0.54	0.54
4	0.54	0.54	0.54	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
5	0.57	0.57	0.57	0.57	0.57	0.57	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.59	0.59	0.60
6	0.60	0.60	0.60	0.60	0.60	0.60	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.62	0.62	0.62	0.62
7	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.63	0.63	0.63	0.63	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59
8	0.60	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59

ORGANIC PHOSPHORUS AS P IN MG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
4	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
5	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07

DISSOLVED PHOSPHORUS AS P IN MG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03

CROSSETS.OUT

2	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
3	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.01	0.01
8	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01												

ALGAE AS CHL-A IN UG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.60	8.80	9.00	9.21	9.43	9.65	9.88	10.11	10.35	10.59	10.84	11.09	11.35	11.61	11.87	12.14	12.42	12.69	12.98	13.25
2	12.94	13.12	13.30	13.49	13.67	13.86	14.05	14.25	14.44	14.64	14.84	15.04	15.24	15.44	15.65	15.86	16.07	16.28	16.49	16.71
3	17.10	17.49	17.89	18.29	18.70	19.12	19.54	19.96	20.39	20.82	21.26	21.70	22.14	22.59	23.04	23.50	23.95	24.41	24.87	25.33
4	25.64	25.94	26.25	26.53	26.84	27.14	27.45	27.75	28.05	28.35	28.64	28.94	29.23	29.52	29.80	30.08	30.36	30.63	30.90	31.16
5	31.33	31.52	31.70	31.87	32.03	32.19	32.35	32.50	32.64	32.77	32.90	33.01	33.13	33.23	33.32	33.40	33.47	33.55	33.62	33.69
6	33.79	33.88	33.98	34.08	34.18	34.28	34.39	34.49	34.59	34.69	34.80	34.90	35.00	35.10	35.21	35.31	35.42	35.52	35.62	35.73
7	35.94	36.21	36.47	36.73	36.98	37.23	37.47	37.71	37.95	38.18	38.40	38.58	33.59	33.89	34.19	34.48	34.77	35.05	35.34	35.62
8	35.91	36.22	36.52	36.82	37.11	37.40	37.68	37.95												

ALGAE GROWTH RATES IN PER DAY ARE

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.51	0.51	0.51	0.51	0.51	0.51
2	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.38
3	0.53	0.53	0.53	0.52	0.52	0.52	0.51	0.51	0.51	0.50	0.50	0.50	0.49	0.49	0.49	0.48	0.48	0.48	0.47	0.47
4	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.34	0.34	0.34	0.34	0.33	0.33	0.33	0.32	0.32	0.32	0.31	0.31	0.31
5	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19
6	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
7	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23
8	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22												

PHOTOSYNTHESIS-RESPIRATION RATIOS ARE

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.51	5.53	5.55	5.56	5.56	5.56	5.56	5.56	5.55	5.54	5.53	5.51	5.50	5.48	5.46	5.44	5.41	5.39	5.36	5.37
2	4.24	4.23	4.22	4.22	4.21	4.20	4.19	4.19	4.18	4.17	4.16	4.15	4.15	4.14	4.13	4.12	4.11	4.10	4.09	4.08
3	5.66	5.63	5.60	5.57	5.53	5.50	5.46	5.43	5.39	5.35	5.31	5.28	5.24	5.20	5.16	5.11	5.07	5.03	4.99	4.94
4	3.84	3.81	3.79	3.76	3.74	3.71	3.68	3.65	3.62	3.60	3.57	3.54	3.50	3.47	3.44	3.41	3.37	3.34	3.30	3.27
5	2.56	2.53	2.51	2.48	2.45	2.42	2.39	2.36	2.33	2.30	2.26	2.23	2.19	2.16	2.12	2.08	2.12	2.08	2.04	2.00
6	2.13	2.13	2.13	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.13	2.13
7	2.26	2.25	2.23	2.22	2.20	2.19	2.17	2.16	2.14	2.13	2.11	2.10	2.55	2.53	2.51	2.50	2.48	2.46	2.44	2.43
8	2.53	2.51	2.49	2.47	2.44	2.42	2.40	2.38												



STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 1  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

CROSSETS.OUT  
 \*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME K-FT-3	BOTTOM AREA K-FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
1	1	1	227.00	226.75	980.10	0.00	0.10	0.222	0.069	10.118	436.778	5833.34	603.26	4419.19	7.75
2	1	2	226.75	226.50	980.20	0.00	0.10	0.222	0.069	10.118	436.780	5833.40	603.26	4419.24	7.75
3	1	3	226.50	226.25	980.30	0.00	0.10	0.222	0.069	10.118	436.782	5833.46	603.26	4419.29	7.75
4	1	4	226.25	226.00	980.40	0.00	0.10	0.222	0.069	10.118	436.785	5833.52	603.27	4419.33	7.75
5	1	5	226.00	225.75	980.50	0.00	0.10	0.222	0.069	10.118	436.787	5833.58	603.27	4419.38	7.75
6	1	6	225.75	225.50	980.60	0.00	0.10	0.222	0.069	10.118	436.789	5833.64	603.27	4419.43	7.75
7	1	7	225.50	225.25	980.70	0.00	0.10	0.222	0.069	10.118	436.792	5833.70	603.28	4419.47	7.75
8	1	8	225.25	225.00	980.80	0.00	0.10	0.222	0.069	10.118	436.794	5833.76	603.28	4419.52	7.75
9	1	9	225.00	224.75	980.90	0.00	0.10	0.222	0.069	10.118	436.796	5833.82	603.28	4419.56	7.75
10	1	10	224.75	224.50	981.00	0.00	0.10	0.222	0.069	10.118	436.799	5833.89	603.29	4419.61	7.75
11	1	11	224.50	224.25	981.10	0.00	0.10	0.222	0.069	10.118	436.801	5833.95	603.29	4419.66	7.75
12	1	12	224.25	224.00	981.20	0.00	0.10	0.222	0.069	10.118	436.803	5834.01	603.29	4419.70	7.75
13	1	13	224.00	223.75	981.30	0.00	0.10	0.222	0.069	10.118	436.806	5834.07	603.30	4419.75	7.75
14	1	14	223.75	223.50	981.40	0.00	0.10	0.222	0.069	10.118	436.808	5834.13	603.30	4419.80	7.76
15	1	15	223.50	223.25	981.50	0.00	0.10	0.222	0.069	10.118	436.811	5834.19	603.30	4419.84	7.76
16	1	16	223.25	223.00	981.60	0.00	0.10	0.222	0.069	10.118	436.813	5834.25	603.31	4419.89	7.76
17	1	17	223.00	222.75	981.70	0.00	0.10	0.222	0.069	10.119	436.815	5834.31	603.31	4419.94	7.76
18	1	18	222.75	222.50	981.80	0.00	0.10	0.222	0.069	10.119	436.818	5834.38	603.31	4419.98	7.76
19	1	19	222.50	222.25	981.90	0.00	0.10	0.222	0.069	10.119	436.820	5834.44	603.32	4420.03	7.76
20	1	20	222.25	222.00	982.00	0.00	0.10	0.222	0.069	10.119	436.822	5834.50	603.32	4420.07	7.76
21	2	1	222.00	221.75	1024.20	42.10	0.10	0.231	0.066	10.140	437.798	5859.84	604.66	4439.27	8.07
22	2	2	221.75	221.50	1024.30	0.00	0.10	0.231	0.066	10.140	437.800	5859.90	604.67	4439.32	8.07
23	2	3	221.50	221.25	1024.40	0.00	0.10	0.231	0.066	10.140	437.802	5859.96	604.67	4439.36	8.07
24	2	4	221.25	221.00	1024.50	0.00	0.10	0.231	0.066	10.140	437.804	5860.02	604.67	4439.41	8.07
25	2	5	221.00	220.75	1024.60	0.00	0.10	0.231	0.066	10.140	437.807	5860.07	604.67	4439.45	8.08
26	2	6	220.75	220.50	1024.70	0.00	0.10	0.231	0.066	10.140	437.809	5860.13	604.68	4439.50	8.08
27	2	7	220.50	220.25	1024.80	0.00	0.10	0.231	0.066	10.140	437.811	5860.19	604.68	4439.54	8.08
28	2	8	220.25	220.00	1024.90	0.00	0.10	0.231	0.066	10.140	437.813	5860.25	604.68	4439.58	8.08
29	2	9	220.00	219.75	1025.00	0.00	0.10	0.231	0.066	10.140	437.816	5860.31	604.69	4439.63	8.08
30	2	10	219.75	219.50	1025.10	0.00	0.10	0.231	0.066	10.140	437.818	5860.37	604.69	4439.67	8.08
31	2	11	219.50	219.25	1025.20	0.00	0.10	0.231	0.066	10.141	437.820	5860.43	604.69	4439.72	8.08
32	2	12	219.25	219.00	1025.30	0.00	0.10	0.231	0.066	10.141	437.822	5860.49	604.70	4439.76	8.08
33	2	13	219.00	218.75	1025.40	0.00	0.10	0.231	0.066	10.141	437.825	5860.55	604.70	4439.81	8.08
34	2	14	218.75	218.50	1025.50	0.00	0.10	0.231	0.066	10.141	437.827	5860.60	604.70	4439.85	8.08
35	2	15	218.50	218.25	1025.60	0.00	0.10	0.231	0.066	10.141	437.829	5860.66	604.71	4439.90	8.08
36	2	16	218.25	218.00	1025.70	0.00	0.10	0.231	0.066	10.141	437.832	5860.72	604.71	4439.94	8.08
37	2	17	218.00	217.75	1025.80	0.00	0.10	0.231	0.066	10.141	437.834	5860.78	604.71	4439.99	8.08
38	2	18	217.75	217.50	1025.90	0.00	0.10	0.231	0.066	10.141	437.836	5860.84	604.72	4440.03	8.09
39	2	19	217.50	217.25	1026.00	0.00	0.10	0.231	0.066	10.141	437.838	5860.90	604.72	4440.07	8.09
40	2	20	217.25	217.00	1026.10	0.00	0.10	0.231	0.066	10.141	437.841	5860.96	604.72	4440.12	8.09

CROSSETS.OUT

41	3	1	217.00	216.75	1026.20	0.00	0.10	0.231	0.066	10.141	437.843	5861.02	604.72	4440.16	4.68
42	3	2	216.75	216.50	1026.30	0.00	0.10	0.231	0.066	10.141	437.845	5861.08	604.73	4440.21	4.68

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2  
 Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME K-FT-3	BOTTOM AREA K-FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
43	3	3	216.50	216.25	1026.40	0.00	0.10	0.231	0.066	10.141	437.847	5861.13	604.73	4440.25	4.68
44	3	4	216.25	216.00	1026.50	0.00	0.10	0.231	0.066	10.141	437.850	5861.19	604.73	4440.30	4.68
45	3	5	216.00	215.75	1026.60	0.00	0.10	0.231	0.066	10.141	437.852	5861.25	604.74	4440.34	4.68
46	3	6	215.75	215.50	1026.70	0.00	0.10	0.231	0.066	10.141	437.854	5861.31	604.74	4440.39	4.68
47	3	7	215.50	215.25	1026.80	0.00	0.10	0.231	0.066	10.141	437.856	5861.37	604.74	4440.43	4.68
48	3	8	215.25	215.00	1026.90	0.00	0.10	0.231	0.066	10.141	437.859	5861.43	604.75	4440.48	4.69
49	3	9	215.00	214.75	1027.00	0.00	0.10	0.231	0.066	10.141	437.861	5861.49	604.75	4440.52	4.69
50	3	10	214.75	214.50	1027.10	0.00	0.10	0.231	0.066	10.141	437.863	5861.55	604.75	4440.56	4.69
51	3	11	214.50	214.25	1027.20	0.00	0.10	0.231	0.066	10.141	437.865	5861.60	604.76	4440.61	4.69
52	3	12	214.25	214.00	1027.30	0.00	0.10	0.231	0.066	10.142	437.868	5861.66	604.76	4440.65	4.69
53	3	13	214.00	213.75	1027.40	0.00	0.10	0.231	0.066	10.142	437.870	5861.72	604.76	4440.70	4.69
54	3	14	213.75	213.50	1027.50	0.00	0.10	0.231	0.066	10.142	437.872	5861.78	604.77	4440.74	4.69
55	3	15	213.50	213.25	1027.60	0.00	0.10	0.231	0.066	10.142	437.874	5861.84	604.77	4440.79	4.69
56	3	16	213.25	213.00	1027.70	0.00	0.10	0.231	0.066	10.142	437.877	5861.90	604.77	4440.83	4.69
57	3	17	213.00	212.75	1027.80	0.00	0.10	0.231	0.066	10.142	437.879	5861.96	604.77	4440.88	4.69
58	3	18	212.75	212.50	1027.90	0.00	0.10	0.231	0.066	10.142	437.881	5862.02	604.78	4440.92	4.69
59	3	19	212.50	212.25	1028.00	0.00	0.10	0.231	0.066	10.142	437.883	5862.07	604.78	4440.96	4.69
60	3	20	212.25	212.00	1028.10	0.00	0.10	0.232	0.066	10.142	437.886	5862.13	604.78	4441.01	4.69
61	4	1	212.00	211.75	1028.20	0.00	0.10	0.232	0.066	11.316	392.457	5862.19	547.92	4441.05	4.91
62	4	2	211.75	211.50	1028.30	0.00	0.10	0.232	0.066	11.316	392.459	5862.25	547.92	4441.10	4.91
63	4	3	211.50	211.25	1028.40	0.00	0.10	0.232	0.066	11.316	392.461	5862.31	547.92	4441.14	4.91
64	4	4	211.25	211.00	1029.50	1.00	0.10	0.232	0.066	11.317	392.483	5862.95	547.95	4441.63	4.91
65	4	5	211.00	210.75	1029.60	0.00	0.10	0.232	0.066	11.317	392.485	5863.01	547.96	4441.68	4.91
66	4	6	210.75	210.50	1029.70	0.00	0.10	0.232	0.066	11.317	392.487	5863.07	547.96	4441.72	4.91
67	4	7	210.50	210.25	1029.80	0.00	0.10	0.232	0.066	11.317	392.489	5863.13	547.96	4441.77	4.91
68	4	8	210.25	210.00	1029.90	0.00	0.10	0.232	0.066	11.317	392.491	5863.19	547.97	4441.81	4.91
69	4	9	210.00	209.75	1030.00	0.00	0.10	0.232	0.066	11.317	392.493	5863.25	547.97	4441.85	4.91
70	4	10	209.75	209.50	1030.10	0.00	0.10	0.232	0.066	11.317	392.495	5863.31	547.97	4441.90	4.91
71	4	11	209.50	209.25	1030.20	0.00	0.10	0.232	0.066	11.317	392.498	5863.36	547.97	4441.94	4.91
72	4	12	209.25	209.00	1030.30	0.00	0.10	0.232	0.066	11.317	392.500	5863.42	547.98	4441.99	4.91
73	4	13	209.00	208.75	1030.40	0.00	0.10	0.232	0.066	11.317	392.502	5863.48	547.98	4442.03	4.92
74	4	14	208.75	208.50	1030.50	0.00	0.10	0.232	0.066	11.317	392.504	5863.54	547.98	4442.08	4.92
75	4	15	208.50	208.25	1030.60	0.00	0.10	0.232	0.066	11.317	392.506	5863.60	547.99	4442.12	4.92
76	4	16	208.25	208.00	1030.70	0.00	0.10	0.232	0.066	11.317	392.508	5863.66	547.99	4442.16	4.92
77	4	17	208.00	207.75	1030.80	0.00	0.10	0.232	0.066	11.317	392.510	5863.72	547.99	4442.21	4.92



CROSSETS.OUT

78	4	18	207.75	207.50	1031.00	0.10	0.10	0.232	0.066	11.318	392.514	5863.83	548.00	4442.30	4.92
79	4	19	207.50	207.25	1031.10	0.00	0.10	0.232	0.066	11.318	392.516	5863.89	548.00	4442.34	4.92
80	4	20	207.25	207.00	1031.20	0.00	0.10	0.232	0.066	11.318	392.518	5863.95	548.00	4442.39	4.92
81	5	1	207.00	206.75	1031.30	0.00	0.10	0.199	0.077	13.596	382.070	6857.07	540.23	5194.75	2.33
82	5	2	206.75	206.50	1031.40	0.00	0.10	0.199	0.077	13.596	382.071	6857.11	540.23	5194.78	2.33
83	5	3	206.50	206.25	1031.50	0.00	0.10	0.199	0.077	13.596	382.072	6857.14	540.23	5194.81	2.33
84	5	4	206.25	206.00	1031.60	0.00	0.10	0.199	0.077	13.596	382.074	6857.18	540.23	5194.83	2.33

↑

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME K-FT-3	BOTTOM AREA K-FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
85	5	5	206.00	205.75	1031.70	0.00	0.10	0.199	0.077	13.596	382.075	6857.22	540.23	5194.86	2.33
86	5	6	205.75	205.50	1031.80	0.00	0.10	0.199	0.077	13.596	382.076	6857.25	540.24	5194.89	2.34
87	5	7	205.50	205.25	1031.90	0.00	0.10	0.199	0.077	13.596	382.078	6857.29	540.24	5194.91	2.34
88	5	8	205.25	205.00	1032.00	0.00	0.10	0.199	0.077	13.597	382.079	6857.32	540.24	5194.94	2.34
89	5	9	205.00	204.75	1032.10	0.00	0.10	0.199	0.077	13.597	382.080	6857.36	540.24	5194.97	2.34
90	5	10	204.75	204.50	1032.20	0.00	0.10	0.199	0.077	13.597	382.082	6857.40	540.24	5195.00	2.34
91	5	11	204.50	204.25	1032.30	0.00	0.10	0.199	0.077	13.597	382.083	6857.43	540.24	5195.02	2.34
92	5	12	204.25	204.00	1032.40	0.00	0.10	0.199	0.077	13.597	382.084	6857.47	540.25	5195.05	2.34
93	5	13	204.00	203.75	1032.50	0.00	0.10	0.199	0.077	13.597	382.086	6857.50	540.25	5195.08	2.34
94	5	14	203.75	203.50	1032.60	0.00	0.10	0.199	0.077	13.597	382.087	6857.54	540.25	5195.10	2.34
95	5	15	203.50	203.25	1032.70	0.00	0.10	0.199	0.077	13.597	382.088	6857.57	540.25	5195.13	2.34
96	5	16	203.25	203.00	1032.80	0.00	0.10	0.199	0.077	13.597	382.090	6857.61	540.25	5195.16	2.34
97	5	17	203.00	202.75	1033.90	1.00	0.10	0.199	0.077	13.597	382.104	6858.00	540.27	5195.46	2.34
98	5	18	202.75	202.50	1034.00	0.00	0.10	0.199	0.077	13.597	382.106	6858.04	540.28	5195.48	2.34
99	5	19	202.50	202.25	1034.10	0.00	0.10	0.199	0.077	13.597	382.107	6858.08	540.28	5195.51	2.34
100	5	20	202.25	202.00	1034.20	0.00	0.10	0.199	0.077	13.597	382.108	6858.11	540.28	5195.54	2.34
101	6	1	202.00	201.75	1034.30	0.00	0.10	0.199	0.077	13.597	382.110	6858.15	540.28	5195.57	3.98
102	6	2	201.75	201.50	1034.40	0.00	0.10	0.199	0.077	13.597	382.111	6858.18	540.28	5195.59	3.98
103	6	3	201.50	201.25	1034.50	0.00	0.10	0.199	0.077	13.597	382.112	6858.22	540.28	5195.62	3.98
104	6	4	201.25	201.00	1034.60	0.00	0.10	0.199	0.077	13.597	382.114	6858.25	540.29	5195.65	3.98
105	6	5	201.00	200.75	1034.70	0.00	0.10	0.199	0.077	13.597	382.115	6858.29	540.29	5195.67	3.98
106	6	6	200.75	200.50	1034.80	0.00	0.10	0.199	0.077	13.597	382.116	6858.33	540.29	5195.70	3.98
107	6	7	200.50	200.25	1034.90	0.00	0.10	0.199	0.077	13.597	382.118	6858.36	540.29	5195.73	3.98
108	6	8	200.25	200.00	1035.00	0.00	0.10	0.199	0.077	13.597	382.119	6858.40	540.29	5195.76	3.98
109	6	9	200.00	199.75	1035.10	0.00	0.10	0.199	0.077	13.597	382.120	6858.43	540.30	5195.78	3.98
110	6	10	199.75	199.50	1035.20	0.00	0.10	0.199	0.077	13.597	382.122	6858.47	540.30	5195.81	3.98
111	6	11	199.50	199.25	1035.30	0.00	0.10	0.199	0.077	13.597	382.123	6858.51	540.30	5195.84	3.98
112	6	12	199.25	199.00	1035.40	0.00	0.10	0.199	0.077	13.597	382.124	6858.54	540.30	5195.86	3.98

CROSSETS.OUT

113	6	13	199.00	198.75	1035.60	0.10	0.10	0.199	0.077	13.597	382.127	6858.61	540.30	5195.92	3.98
114	6	14	198.75	198.50	1035.70	0.00	0.10	0.199	0.077	13.597	382.128	6858.65	540.31	5195.95	3.98
115	6	15	198.50	198.25	1035.80	0.00	0.10	0.199	0.077	13.597	382.130	6858.68	540.31	5195.97	3.98
116	6	16	198.25	198.00	1035.90	0.00	0.10	0.199	0.077	13.597	382.131	6858.72	540.31	5196.00	3.98
117	6	17	198.00	197.75	1036.00	0.00	0.10	0.199	0.077	13.597	382.132	6858.76	540.31	5196.03	3.99
118	6	18	197.75	197.50	1036.10	0.00	0.10	0.199	0.077	13.597	382.134	6858.79	540.31	5196.05	3.99
119	6	19	197.50	197.25	1036.20	0.00	0.10	0.199	0.077	13.598	382.135	6858.83	540.32	5196.08	3.99
120	6	20	197.25	197.00	1036.30	0.00	0.10	0.199	0.077	13.598	382.136	6858.86	540.32	5196.11	3.99

121	7	1	197.00	196.75	1036.50	0.10	0.10	0.127	0.120	16.223	501.106	10730.84	704.29	8129.42	1.22
122	7	2	196.75	196.50	1036.60	0.00	0.10	0.128	0.120	16.223	501.109	10730.91	704.29	8129.48	1.22
123	7	3	196.50	196.25	1036.70	0.00	0.10	0.128	0.120	16.223	501.112	10730.98	704.30	8129.53	1.22
124	7	4	196.25	196.00	1036.80	0.00	0.10	0.128	0.120	16.223	501.114	10731.06	704.30	8129.59	1.22
125	7	5	196.00	195.75	1036.90	0.00	0.10	0.128	0.120	16.223	501.117	10731.13	704.30	8129.64	1.22
126	7	6	195.75	195.50	1037.00	0.00	0.10	0.128	0.120	16.223	501.120	10731.20	704.31	8129.70	1.22

▲

STREAM QUALITY SIMULATION

QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4

Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME K-FT-3	BOTTOM AREA K-FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
127	7	7	195.50	195.25	1037.10	0.00	0.10	0.128	0.120	16.223	501.123	10731.27	704.31	8129.75	1.22
128	7	8	195.25	195.00	1037.20	0.00	0.10	0.128	0.120	16.223	501.126	10731.35	704.32	8129.81	1.22
129	7	9	195.00	194.75	1037.30	0.00	0.10	0.128	0.120	16.223	501.129	10731.42	704.32	8129.86	1.22
130	7	10	194.75	194.50	1037.40	0.00	0.10	0.128	0.120	16.223	501.132	10731.49	704.32	8129.92	1.22
131	7	11	194.50	194.25	1037.50	0.00	0.10	0.128	0.120	16.223	501.134	10731.56	704.33	8129.97	1.22
132	7	12	194.25	194.00	1037.60	0.00	0.10	0.128	0.120	16.223	501.137	10731.64	704.33	8130.03	1.22
133	7	13	194.00	193.75	1259.70	222.00	0.10	0.153	0.100	16.258	506.905	10878.34	712.04	8241.17	1.46
134	7	14	193.75	193.50	1259.80	0.00	0.10	0.153	0.100	16.258	506.908	10878.40	712.04	8241.21	1.46
135	7	15	193.50	193.25	1259.90	0.00	0.10	0.153	0.100	16.258	506.910	10878.46	712.04	8241.26	1.46
136	7	16	193.25	193.00	1260.00	0.00	0.10	0.153	0.100	16.258	506.912	10878.52	712.04	8241.30	1.46
137	7	17	193.00	192.75	1260.10	0.00	0.10	0.153	0.100	16.258	506.915	10878.58	712.05	8241.35	1.46
138	7	18	192.75	192.50	1260.20	0.00	0.10	0.153	0.100	16.258	506.917	10878.64	712.05	8241.39	1.46
139	7	19	192.50	192.25	1260.30	0.00	0.10	0.153	0.100	16.258	506.919	10878.70	712.05	8241.44	1.46
140	7	20	192.25	192.00	1260.40	0.00	0.10	0.153	0.100	16.258	506.922	10878.76	712.06	8241.49	1.46
141	8	1	192.00	191.75	1261.42	0.77	0.25	0.153	0.100	16.258	506.946	10879.38	712.09	8241.95	1.46
142	8	2	191.75	191.50	1261.67	0.00	0.25	0.153	0.100	16.258	506.952	10879.53	712.10	8242.07	1.46
143	8	3	191.50	191.25	1261.92	0.00	0.25	0.153	0.100	16.258	506.958	10879.68	712.11	8242.18	1.46
144	8	4	191.25	191.00	1262.17	0.00	0.25	0.153	0.100	16.258	506.964	10879.83	712.11	8242.29	1.46
145	8	5	191.00	190.75	1262.42	0.00	0.25	0.153	0.100	16.258	506.970	10879.98	712.12	8242.41	1.46
146	8	6	190.75	190.50	1262.67	0.00	0.25	0.153	0.100	16.258	506.976	10880.13	712.13	8242.52	1.46
147	8	7	190.50	190.25	1262.92	0.00	0.25	0.153	0.100	16.258	506.982	10880.28	712.14	8242.64	1.46

148 8 8 190.25 190.00 1263.17 0.00 0.25 0.153 0.100 16.258 506.987 10880.43 712.15 8242.75 1.46



STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
1	1	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	2	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	3	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	4	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	5	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	6	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	7	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	8	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	9	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	10	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	11	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	12	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	13	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	14	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	15	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	16	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	17	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	18	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	19	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	20	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	1	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	2	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	3	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	4	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	5	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	6	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	7	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	8	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	9	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	10	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	11	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	12	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	13	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	14	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CROSSETS.OUT

2	15	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	16	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	17	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	18	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	19	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	20	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	1	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	2	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6  
 Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
3	3	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	4	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	5	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	6	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	7	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	8	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	1	7.37	3	0.23	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	6	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CROSSETS.OUT

4	10	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.37	3	0.18	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	3	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	4	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT	K2 OPT	OXYGN REAIR	BOD DECAY	BOD SETT	SOD RATE	ORGN DECAY	ORGN SETT	NH3 DECAY	NH3 SRCE	NO2 DECAY	ORGP DECAY	ORGP SETT	DISP SRCE	COLI DECAY	ANC DECAY	ANC SETT	ANC SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
5	5	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	6	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	7	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	8	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	9	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	10	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	11	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	12	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	13	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	14	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	15	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	16	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	17	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	18	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	19	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	20	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	1	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	2	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	3	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	4	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

CROSSETS.OUT

6	5	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	6	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	7	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	8	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	9	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	10	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	11	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	12	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	13	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	14	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	15	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	16	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	17	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	18	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	19	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	20	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	1	7.37	3	0.12	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	2	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	3	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	4	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	5	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	6	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT	K2 OPT	OXYGN REAIR	BOD DECAY	BOD SETT	SOD RATE	ORGN DECAY	ORGN SETT	NH3 DECAY	NH3 MG/F2D	NO2 DECAY	ORGP DECAY	ORGP SETT	DISP SRCE	COLI DECAY	ANC DECAY	ANC SETT	ANC MG/F2D
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	7	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	8	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	11	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

CROSSETS.OUT

8	1	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

↑

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
1	1	88.70	0.00	0.00	0.00	5.94	3.73	0.48	0.05	0.09	0.41	1.03	0.07	0.04	0.11.00E+00	0.00	8.60	
1	2	88.70	0.00	0.00	0.00	5.94	3.71	0.47	0.06	0.08	0.42	1.03	0.07	0.04	0.11.00E+00	0.00	8.80	
1	3	88.70	0.00	0.00	0.00	5.93	3.68	0.47	0.06	0.07	0.42	1.03	0.07	0.04	0.11.00E+00	0.00	9.00	
1	4	88.70	0.00	0.00	0.00	5.93	3.66	0.46	0.07	0.07	0.43	1.03	0.07	0.04	0.11.00E+00	0.00	9.21	
1	5	88.70	0.00	0.00	0.00	5.93	3.64	0.46	0.07	0.06	0.44	1.03	0.07	0.04	0.11.00E+00	0.00	9.43	
1	6	88.70	0.00	0.00	0.00	5.93	3.62	0.45	0.07	0.06	0.44	1.02	0.07	0.04	0.11.00E+00	0.00	9.65	
1	7	88.70	0.00	0.00	0.00	5.93	3.60	0.45	0.08	0.05	0.44	1.02	0.07	0.04	0.11.00E+00	0.00	9.88	
1	8	88.70	0.00	0.00	0.00	5.94	3.58	0.44	0.08	0.05	0.45	1.02	0.07	0.04	0.11.00E+00	0.00	10.11	
1	9	88.70	0.00	0.00	0.00	5.94	3.56	0.44	0.08	0.04	0.45	1.02	0.07	0.04	0.11.00E+00	0.00	10.35	
1	10	88.70	0.00	0.00	0.00	5.95	3.54	0.43	0.09	0.04	0.46	1.02	0.07	0.04	0.11.00E+00	0.00	10.59	
1	11	88.70	0.00	0.00	0.00	5.95	3.52	0.43	0.09	0.04	0.46	1.02	0.07	0.04	0.11.00E+00	0.00	10.84	
1	12	88.70	0.00	0.00	0.00	5.96	3.50	0.42	0.09	0.04	0.46	1.01	0.07	0.04	0.11.00E+00	0.00	11.09	
1	13	88.70	0.00	0.00	0.00	5.97	3.48	0.42	0.10	0.03	0.46	1.01	0.07	0.04	0.11.00E+00	0.00	11.35	
1	14	88.70	0.00	0.00	0.00	5.98	3.46	0.42	0.10	0.03	0.46	1.01	0.07	0.03	0.11.00E+00	0.00	11.61	
1	15	88.70	0.00	0.00	0.00	5.99	3.44	0.41	0.10	0.03	0.46	1.01	0.07	0.03	0.11.00E+00	0.00	11.87	
1	16	88.70	0.00	0.00	0.00	6.00	3.42	0.41	0.10	0.03	0.47	1.01	0.07	0.03	0.11.00E+00	0.00	12.14	
1	17	88.70	0.00	0.00	0.00	6.01	3.40	0.40	0.11	0.03	0.47	1.00	0.07	0.03	0.10.00E+00	0.00	12.42	
1	18	88.70	0.00	0.00	0.00	6.02	3.38	0.40	0.11	0.03	0.47	1.00	0.07	0.03	0.10.00E+00	0.00	12.69	
1	19	88.70	0.00	0.00	0.00	6.03	3.36	0.39	0.11	0.02	0.47	1.00	0.07	0.03	0.10.00E+00	0.00	12.98	
1	20	88.70	0.00	0.00	0.00	6.04	3.38	0.39	0.12	0.02	0.47	1.00	0.07	0.03	0.10.00E+00	0.00	13.25	
2	1	88.70	0.00	0.00	0.00	5.91	5.16	0.48	0.26	0.03	0.47	1.23	0.08	0.05	0.13.00E+00	0.00	12.94	
2	2	88.70	0.00	0.00	0.00	5.88	5.12	0.48	0.26	0.03	0.47	1.23	0.08	0.05	0.13.00E+00	0.00	13.12	
2	3	88.70	0.00	0.00	0.00	5.85	5.07	0.47	0.26	0.03	0.47	1.23	0.08	0.05	0.13.00E+00	0.00	13.30	
2	4	88.70	0.00	0.00	0.00	5.83	5.03	0.47	0.26	0.03	0.48	1.23	0.08	0.05	0.13.00E+00	0.00	13.49	
2	5	88.70	0.00	0.00	0.00	5.80	4.99	0.46	0.26	0.03	0.48	1.23	0.08	0.05	0.13.00E+00	0.00	13.67	
2	6	88.70	0.00	0.00	0.00	5.78	4.95	0.46	0.26	0.03	0.48	1.23	0.08	0.05	0.13.00E+00	0.00	13.86	

CROSSETS.OUT

2	7	88.70	0.00	0.00	0.00	5.75	4.91	0.45	0.26	0.03	0.48	1.22	0.08	0.05	0.13.00E+00	0.00	14.05
2	8	88.70	0.00	0.00	0.00	5.73	4.87	0.45	0.26	0.03	0.48	1.22	0.08	0.05	0.13.00E+00	0.00	14.25
2	9	88.70	0.00	0.00	0.00	5.71	4.82	0.44	0.26	0.03	0.49	1.22	0.08	0.05	0.13.00E+00	0.00	14.44
2	10	88.70	0.00	0.00	0.00	5.69	4.78	0.44	0.26	0.03	0.49	1.22	0.08	0.05	0.13.00E+00	0.00	14.64
2	11	88.70	0.00	0.00	0.00	5.67	4.74	0.43	0.26	0.03	0.49	1.22	0.08	0.05	0.13.00E+00	0.00	14.84
2	12	88.70	0.00	0.00	0.00	5.65	4.70	0.43	0.26	0.03	0.49	1.22	0.08	0.05	0.13.00E+00	0.00	15.04
2	13	88.70	0.00	0.00	0.00	5.63	4.66	0.43	0.26	0.04	0.50	1.21	0.08	0.05	0.13.00E+00	0.00	15.24
2	14	88.70	0.00	0.00	0.00	5.62	4.63	0.42	0.26	0.04	0.50	1.21	0.08	0.05	0.13.00E+00	0.00	15.44
2	15	88.70	0.00	0.00	0.00	5.60	4.59	0.42	0.26	0.04	0.50	1.21	0.08	0.05	0.13.00E+00	0.00	15.65
2	16	88.70	0.00	0.00	0.00	5.59	4.55	0.41	0.26	0.04	0.50	1.21	0.08	0.05	0.13.00E+00	0.00	15.86
2	17	88.70	0.00	0.00	0.00	5.57	4.51	0.41	0.25	0.04	0.51	1.21	0.08	0.05	0.13.00E+00	0.00	16.07
2	18	88.70	0.00	0.00	0.00	5.56	4.47	0.41	0.25	0.04	0.51	1.21	0.08	0.05	0.13.00E+00	0.00	16.28
2	19	88.70	0.00	0.00	0.00	5.55	4.43	0.40	0.25	0.04	0.51	1.20	0.08	0.05	0.13.00E+00	0.00	16.49
2	20	88.70	0.00	0.00	0.00	5.54	4.40	0.40	0.25	0.04	0.51	1.20	0.08	0.05	0.13.00E+00	0.00	16.71

3	1	88.70	0.00	0.00	0.00	5.55	4.36	0.39	0.25	0.04	0.52	1.20	0.08	0.05	0.13.00E+00	0.00	17.10
3	2	88.70	0.00	0.00	0.00	5.56	4.32	0.39	0.25	0.04	0.52	1.20	0.08	0.05	0.13.00E+00	0.00	17.49

↑

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
3	3	88.70	0.00	0.00	0.00	5.57	4.29	0.39	0.25	0.04	0.52	1.19	0.08	0.05	0.12.00E+00	0.00	17.89	
3	4	88.70	0.00	0.00	0.00	5.59	4.25	0.38	0.25	0.04	0.52	1.19	0.08	0.05	0.12.00E+00	0.00	18.29	
3	5	88.70	0.00	0.00	0.00	5.60	4.22	0.38	0.25	0.04	0.52	1.19	0.08	0.04	0.12.00E+00	0.00	18.70	
3	6	88.70	0.00	0.00	0.00	5.62	4.18	0.38	0.25	0.04	0.52	1.18	0.08	0.04	0.12.00E+00	0.00	19.12	
3	7	88.70	0.00	0.00	0.00	5.63	4.15	0.37	0.25	0.04	0.53	1.18	0.08	0.04	0.12.00E+00	0.00	19.54	
3	8	88.70	0.00	0.00	0.00	5.65	4.11	0.37	0.25	0.04	0.53	1.18	0.08	0.04	0.12.00E+00	0.00	19.96	
3	9	88.70	0.00	0.00	0.00	5.67	4.08	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12.00E+00	0.00	20.39	
3	10	88.70	0.00	0.00	0.00	5.69	4.04	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12.00E+00	0.00	20.82	
3	11	88.70	0.00	0.00	0.00	5.71	4.01	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12.00E+00	0.00	21.26	
3	12	88.70	0.00	0.00	0.00	5.73	3.98	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12.00E+00	0.00	21.70	
3	13	88.70	0.00	0.00	0.00	5.75	3.94	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12.00E+00	0.00	22.14	
3	14	88.70	0.00	0.00	0.00	5.78	3.91	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12.00E+00	0.00	22.59	
3	15	88.70	0.00	0.00	0.00	5.80	3.88	0.35	0.24	0.04	0.54	1.15	0.08	0.04	0.12.00E+00	0.00	23.04	
3	16	88.70	0.00	0.00	0.00	5.82	3.84	0.34	0.23	0.04	0.54	1.15	0.08	0.04	0.12.00E+00	0.00	23.50	
3	17	88.70	0.00	0.00	0.00	5.85	3.81	0.34	0.23	0.04	0.54	1.15	0.08	0.04	0.12.00E+00	0.00	23.95	
3	18	88.70	0.00	0.00	0.00	5.87	3.78	0.34	0.23	0.04	0.54	1.14	0.08	0.04	0.12.00E+00	0.00	24.41	
3	19	88.70	0.00	0.00	0.00	5.90	3.75	0.33	0.23	0.04	0.54	1.14	0.08	0.03	0.12.00E+00	0.00	24.87	
3	20	88.70	0.00	0.00	0.00	5.92	3.72	0.33	0.23	0.04	0.54	1.14	0.08	0.03	0.11.00E+00	0.00	25.33	

4	1	88.70	0.00	0.00	0.00	5.92	3.69	0.33	0.23	0.04	0.54	1.13	0.08	0.03	0.11.00E+00	0.00	25.64
---	---	-------	------	------	------	------	------	------	------	------	------	------	------	------	-------------	------	-------



CROSSETS.OUT

4	2	88.70	0.00	0.00	0.00	5.92	3.66	0.32	0.23	0.03	0.54	1.13	0.08	0.03	0.11.00E+00	0.00	25.94
4	3	88.70	0.00	0.00	0.00	5.92	3.63	0.32	0.23	0.03	0.54	1.13	0.08	0.03	0.11.00E+00	0.00	26.25
4	4	88.70	0.00	0.00	0.00	5.91	3.60	0.32	0.22	0.03	0.55	1.12	0.08	0.03	0.11.00E+00	0.00	26.53
4	5	88.70	0.00	0.00	0.00	5.91	3.57	0.32	0.22	0.03	0.55	1.12	0.08	0.03	0.11.00E+00	0.00	26.84
4	6	88.70	0.00	0.00	0.00	5.91	3.54	0.31	0.22	0.03	0.55	1.12	0.08	0.03	0.11.00E+00	0.00	27.14
4	7	88.70	0.00	0.00	0.00	5.91	3.51	0.31	0.22	0.03	0.55	1.12	0.08	0.03	0.11.00E+00	0.00	27.45
4	8	88.70	0.00	0.00	0.00	5.91	3.48	0.31	0.22	0.03	0.55	1.11	0.08	0.03	0.11.00E+00	0.00	27.75
4	9	88.70	0.00	0.00	0.00	5.91	3.45	0.31	0.22	0.03	0.55	1.11	0.08	0.03	0.11.00E+00	0.00	28.05
4	10	88.70	0.00	0.00	0.00	5.91	3.42	0.30	0.22	0.03	0.55	1.11	0.08	0.03	0.11.00E+00	0.00	28.35
4	11	88.70	0.00	0.00	0.00	5.91	3.39	0.30	0.22	0.03	0.55	1.11	0.08	0.03	0.11.00E+00	0.00	28.64
4	12	88.70	0.00	0.00	0.00	5.91	3.36	0.30	0.21	0.03	0.56	1.10	0.08	0.03	0.11.00E+00	0.00	28.94
4	13	88.70	0.00	0.00	0.00	5.91	3.34	0.30	0.21	0.03	0.56	1.10	0.08	0.03	0.11.00E+00	0.00	29.23
4	14	88.70	0.00	0.00	0.00	5.91	3.31	0.29	0.21	0.03	0.56	1.10	0.08	0.02	0.11.00E+00	0.00	29.52
4	15	88.70	0.00	0.00	0.00	5.91	3.28	0.29	0.21	0.03	0.56	1.10	0.08	0.02	0.11.00E+00	0.00	29.80
4	16	88.70	0.00	0.00	0.00	5.91	3.25	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11.00E+00	0.00	30.08
4	17	88.70	0.00	0.00	0.00	5.91	3.23	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11.00E+00	0.00	30.36
4	18	88.70	0.00	0.00	0.00	5.91	3.20	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11.00E+00	0.00	30.63
4	19	88.70	0.00	0.00	0.00	5.92	3.17	0.28	0.21	0.03	0.56	1.08	0.08	0.02	0.11.00E+00	0.00	30.90
4	20	88.70	0.00	0.00	0.00	5.92	3.15	0.28	0.21	0.03	0.56	1.08	0.08	0.02	0.11.00E+00	0.00	31.16
5	1	88.70	0.00	0.00	0.00	5.91	3.13	0.28	0.20	0.03	0.57	1.08	0.08	0.02	0.11.00E+00	0.00	31.33
5	2	88.70	0.00	0.00	0.00	5.90	3.11	0.28	0.20	0.03	0.57	1.08	0.08	0.02	0.10.00E+00	0.00	31.52
5	3	88.70	0.00	0.00	0.00	5.89	3.09	0.27	0.20	0.03	0.57	1.08	0.09	0.02	0.10.00E+00	0.00	31.70
5	4	88.70	0.00	0.00	0.00	5.88	3.07	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10.00E+00	0.00	31.87

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH	ELE	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	TEMP			MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
		DEG-F															
5	5	88.70	0.00	0.00	0.00	5.87	3.05	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10.00E+00	0.00	32.03
5	6	88.70	0.00	0.00	0.00	5.86	3.03	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10.00E+00	0.00	32.19
5	7	88.70	0.00	0.00	0.00	5.85	3.01	0.26	0.20	0.03	0.58	1.07	0.09	0.02	0.10.00E+00	0.00	32.35
5	8	88.70	0.00	0.00	0.00	5.84	2.99	0.26	0.20	0.03	0.58	1.07	0.09	0.02	0.10.00E+00	0.00	32.50
5	9	88.70	0.00	0.00	0.00	5.83	2.97	0.26	0.19	0.03	0.58	1.06	0.09	0.02	0.10.00E+00	0.00	32.64
5	10	88.70	0.00	0.00	0.00	5.82	2.95	0.26	0.19	0.03	0.58	1.06	0.09	0.02	0.10.00E+00	0.00	32.77
5	11	88.70	0.00	0.00	0.00	5.81	2.93	0.26	0.19	0.03	0.58	1.06	0.09	0.01	0.10.00E+00	0.00	32.90
5	12	88.70	0.00	0.00	0.00	5.80	2.91	0.25	0.19	0.03	0.58	1.06	0.09	0.01	0.10.00E+00	0.00	33.01
5	13	88.70	0.00	0.00	0.00	5.78	2.89	0.25	0.19	0.03	0.58	1.06	0.09	0.01	0.10.00E+00	0.00	33.13
5	14	88.70	0.00	0.00	0.00	5.77	2.87	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10.00E+00	0.00	33.23
5	15	88.70	0.00	0.00	0.00	5.76	2.86	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10.00E+00	0.00	33.32
5	16	88.70	0.00	0.00	0.00	5.74	2.84	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10.00E+00	0.00	33.40
5	17	88.70	0.00	0.00	0.00	5.73	2.82	0.25	0.19	0.03	0.59	1.06	0.09	0.01	0.10.00E+00	0.00	33.47
5	18	88.70	0.00	0.00	0.00	5.71	2.80	0.25	0.19	0.03	0.59	1.06	0.09	0.01	0.10.00E+00	0.00	33.55

CROSSETS.OUT

5	19	88.70	0.00	0.00	0.00	5.70	2.78	0.24	0.19	0.03	0.59	1.06	0.09	0.01	0.10.00E+00	0.00	33.62
5	20	88.70	0.00	0.00	0.00	5.68	2.77	0.24	0.19	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	33.69
6	1	88.70	0.00	0.00	0.00	5.67	2.75	0.24	0.19	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	33.79
6	2	88.70	0.00	0.00	0.00	5.66	2.73	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	33.88
6	3	88.70	0.00	0.00	0.00	5.65	2.71	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	33.98
6	4	88.70	0.00	0.00	0.00	5.64	2.70	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	34.08
6	5	88.70	0.00	0.00	0.00	5.63	2.68	0.23	0.18	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	34.18
6	6	88.70	0.00	0.00	0.00	5.62	2.66	0.23	0.18	0.03	0.60	1.04	0.09	0.01	0.10.00E+00	0.00	34.28
6	7	88.70	0.00	0.00	0.00	5.62	2.64	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10.00E+00	0.00	34.39
6	8	88.70	0.00	0.00	0.00	5.61	2.63	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10.00E+00	0.00	34.49
6	9	88.70	0.00	0.00	0.00	5.60	2.61	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10.00E+00	0.00	34.59
6	10	88.70	0.00	0.00	0.00	5.59	2.59	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10.00E+00	0.00	34.69
6	11	88.70	0.00	0.00	0.00	5.59	2.58	0.22	0.17	0.03	0.61	1.04	0.08	0.01	0.10.00E+00	0.00	34.80
6	12	88.70	0.00	0.00	0.00	5.58	2.56	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	34.90
6	13	88.70	0.00	0.00	0.00	5.58	2.54	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	35.00
6	14	88.70	0.00	0.00	0.00	5.57	2.53	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	35.10
6	15	88.70	0.00	0.00	0.00	5.56	2.51	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	35.21
6	16	88.70	0.00	0.00	0.00	5.56	2.49	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	35.31
6	17	88.70	0.00	0.00	0.00	5.56	2.48	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.42
6	18	88.70	0.00	0.00	0.00	5.55	2.46	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.52
6	19	88.70	0.00	0.00	0.00	5.55	2.45	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.62
6	20	88.70	0.00	0.00	0.00	5.54	2.43	0.21	0.16	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.73
7	1	88.70	0.00	0.00	0.00	5.55	2.41	0.21	0.16	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.94
7	2	88.70	0.00	0.00	0.00	5.56	2.39	0.21	0.16	0.03	0.62	1.01	0.08	0.01	0.09.00E+00	0.00	36.21
7	3	88.70	0.00	0.00	0.00	5.56	2.36	0.20	0.16	0.02	0.62	1.01	0.08	0.01	0.09.00E+00	0.00	36.47
7	4	88.70	0.00	0.00	0.00	5.57	2.34	0.20	0.16	0.02	0.62	1.01	0.08	0.01	0.09.00E+00	0.00	36.73
7	5	88.70	0.00	0.00	0.00	5.58	2.31	0.20	0.16	0.02	0.62	1.00	0.08	0.01	0.09.00E+00	0.00	36.98
7	6	88.70	0.00	0.00	0.00	5.59	2.29	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09.00E+00	0.00	37.23

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 12  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH	ELE	TEMP	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC
NUM	NUM	DEG-F				MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L
7	7	88.70	0.00	0.00	0.00	5.59	2.27	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09.00E+00	0.00	37.47
7	8	88.70	0.00	0.00	0.00	5.60	2.25	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09.00E+00	0.00	37.71
7	9	88.70	0.00	0.00	0.00	5.61	2.22	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09.00E+00	0.00	37.95
7	10	88.70	0.00	0.00	0.00	5.61	2.20	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09.00E+00	0.00	38.18
7	11	88.70	0.00	0.00	0.00	5.62	2.18	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09.00E+00	0.00	38.40
7	12	88.70	0.00	0.00	0.00	5.63	2.16	0.19	0.15	0.02	0.63	0.98	0.08	0.01	0.09.00E+00	0.00	38.58
7	13	88.70	0.00	0.00	0.00	5.60	2.25	0.24	0.13	0.03	0.59	0.99	0.08	0.02	0.09.00E+00	0.00	33.59

CROSSETS.OUT

7	14	88.70	0.00	0.00	0.00	5.62	2.23	0.24	0.13	0.03	0.59	0.99	0.08	0.02	0.09.00E+00	0.00	33.89
7	15	88.70	0.00	0.00	0.00	5.64	2.21	0.23	0.13	0.03	0.59	0.98	0.07	0.02	0.09.00E+00	0.00	34.19
7	16	88.70	0.00	0.00	0.00	5.66	2.20	0.23	0.13	0.03	0.59	0.98	0.07	0.01	0.09.00E+00	0.00	34.48
7	17	88.70	0.00	0.00	0.00	5.67	2.18	0.23	0.13	0.03	0.59	0.98	0.07	0.01	0.09.00E+00	0.00	34.77
7	18	88.70	0.00	0.00	0.00	5.69	2.16	0.23	0.13	0.03	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	35.05
7	19	88.70	0.00	0.00	0.00	5.71	2.14	0.23	0.13	0.02	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	35.34
7	20	88.70	0.00	0.00	0.00	5.73	2.12	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	35.62
8	1	88.70	0.00	0.00	0.00	5.75	2.14	0.23	0.13	0.02	0.60	0.98	0.07	0.02	0.09.00E+00	0.00	35.91
8	2	88.70	0.00	0.00	0.00	5.77	2.12	0.23	0.13	0.02	0.59	0.98	0.07	0.02	0.09.00E+00	0.00	36.22
8	3	88.70	0.00	0.00	0.00	5.79	2.10	0.22	0.13	0.02	0.59	0.97	0.07	0.02	0.09.00E+00	0.00	36.52
8	4	88.70	0.00	0.00	0.00	5.81	2.09	0.22	0.13	0.02	0.59	0.97	0.07	0.02	0.09.00E+00	0.00	36.82
8	5	88.70	0.00	0.00	0.00	5.83	2.07	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	37.11
8	6	88.70	0.00	0.00	0.00	5.85	2.05	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	37.40
8	7	88.70	0.00	0.00	0.00	5.87	2.04	0.22	0.13	0.02	0.59	0.96	0.07	0.01	0.09.00E+00	0.00	37.68
8	8	88.70	0.00	0.00	0.00	5.89	2.02	0.21	0.13	0.02	0.59	0.96	0.07	0.01	0.09.00E+00	0.00	37.95



STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS											
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
1	1	1	8.60	0.52	0.08	1.05	5.51	0.44	0.50	0.12	0.66	0.22	0.70	0.80
2	1	2	8.80	0.52	0.08	1.05	5.53	0.45	0.50	0.12	0.66	0.22	0.70	0.80
3	1	3	9.00	0.52	0.08	1.05	5.55	0.46	0.50	0.13	0.67	0.22	0.71	0.80
4	1	4	9.21	0.52	0.08	1.05	5.56	0.48	0.50	0.13	0.67	0.22	0.71	0.79
5	1	5	9.43	0.52	0.08	1.05	5.56	0.49	0.50	0.14	0.67	0.22	0.72	0.79
6	1	6	9.65	0.52	0.08	1.05	5.56	0.50	0.50	0.14	0.67	0.22	0.72	0.79
7	1	7	9.88	0.52	0.08	1.05	5.56	0.51	0.50	0.15	0.67	0.22	0.72	0.79
8	1	8	10.11	0.52	0.08	1.05	5.56	0.52	0.50	0.15	0.67	0.22	0.73	0.79
9	1	9	10.35	0.52	0.08	1.05	5.55	0.53	0.50	0.16	0.68	0.22	0.73	0.79
10	1	10	10.59	0.52	0.08	1.05	5.54	0.54	0.50	0.16	0.68	0.21	0.73	0.79
11	1	11	10.84	0.52	0.08	1.05	5.53	0.56	0.50	0.17	0.68	0.21	0.73	0.78
12	1	12	11.09	0.52	0.08	1.05	5.51	0.57	0.50	0.17	0.68	0.21	0.73	0.78
13	1	13	11.35	0.52	0.08	1.05	5.50	0.58	0.50	0.17	0.68	0.21	0.74	0.78
14	1	14	11.61	0.52	0.08	1.05	5.48	0.59	0.50	0.18	0.69	0.21	0.74	0.78
15	1	15	11.87	0.51	0.08	1.05	5.46	0.60	0.50	0.18	0.69	0.21	0.74	0.78
16	1	16	12.14	0.51	0.08	1.05	5.44	0.61	0.50	0.18	0.69	0.21	0.74	0.77
17	1	17	12.42	0.51	0.08	1.05	5.41	0.62	0.50	0.19	0.69	0.21	0.74	0.77
18	1	18	12.69	0.51	0.08	1.05	5.39	0.63	0.50	0.19	0.69	0.21	0.74	0.77
19	1	19	12.98	0.51	0.08	1.05	5.36	0.64	0.50	0.19	0.70	0.21	0.74	0.77

CROSSETS.OUT														
20	1	20	13.25	0.51	0.08	1.05	5.37	0.65	0.50	0.20	0.70	0.21	0.75	0.77
21	2	1	12.94	0.40	0.08	1.05	4.24	0.47	0.50	0.35	1.03	0.14	0.78	0.85
22	2	2	13.12	0.40	0.08	1.05	4.23	0.48	0.50	0.35	1.03	0.14	0.78	0.84
23	2	3	13.30	0.40	0.08	1.05	4.22	0.48	0.50	0.35	1.03	0.14	0.78	0.84
24	2	4	13.49	0.40	0.08	1.05	4.22	0.49	0.50	0.35	1.03	0.14	0.79	0.84
25	2	5	13.67	0.40	0.08	1.05	4.21	0.50	0.50	0.35	1.03	0.14	0.79	0.84
26	2	6	13.86	0.40	0.08	1.05	4.20	0.50	0.50	0.35	1.03	0.14	0.79	0.84
27	2	7	14.05	0.40	0.08	1.05	4.19	0.51	0.50	0.35	1.03	0.14	0.79	0.84
28	2	8	14.25	0.39	0.08	1.05	4.19	0.51	0.50	0.35	1.04	0.14	0.79	0.84
29	2	9	14.44	0.39	0.08	1.05	4.18	0.52	0.50	0.35	1.04	0.14	0.79	0.84
30	2	10	14.64	0.39	0.08	1.05	4.17	0.52	0.50	0.34	1.04	0.14	0.79	0.84
31	2	11	14.84	0.39	0.08	1.05	4.16	0.53	0.50	0.34	1.04	0.14	0.79	0.84
32	2	12	15.04	0.39	0.08	1.05	4.15	0.54	0.50	0.34	1.04	0.14	0.79	0.84
33	2	13	15.24	0.39	0.08	1.05	4.15	0.54	0.50	0.34	1.04	0.14	0.79	0.83
34	2	14	15.44	0.39	0.08	1.05	4.14	0.55	0.50	0.34	1.04	0.14	0.79	0.83
35	2	15	15.65	0.39	0.08	1.05	4.13	0.55	0.50	0.34	1.05	0.14	0.79	0.83
36	2	16	15.86	0.39	0.08	1.05	4.12	0.56	0.50	0.34	1.05	0.14	0.79	0.83
37	2	17	16.07	0.39	0.08	1.05	4.11	0.56	0.50	0.33	1.05	0.14	0.79	0.83
38	2	18	16.28	0.39	0.08	1.05	4.10	0.57	0.50	0.33	1.05	0.14	0.79	0.83
39	2	19	16.49	0.39	0.08	1.05	4.09	0.58	0.50	0.33	1.05	0.14	0.79	0.83
40	2	20	16.71	0.38	0.08	1.05	4.08	0.58	0.50	0.33	1.05	0.14	0.79	0.83
41	3	1	17.10	0.53	0.08	1.05	5.66	0.90	0.50	0.33	0.76	0.19	0.79	0.82
42	3	2	17.49	0.53	0.08	1.05	5.63	0.92	0.50	0.33	0.76	0.19	0.79	0.82

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE					ATTEN FACTORS						
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
43	3	3	17.89	0.53	0.08	1.05	5.60	0.93	0.50	0.33	0.76	0.19	0.79	0.82
44	3	4	18.29	0.52	0.08	1.05	5.57	0.94	0.50	0.32	0.76	0.19	0.79	0.82
45	3	5	18.70	0.52	0.08	1.05	5.53	0.96	0.50	0.32	0.77	0.19	0.79	0.82
46	3	6	19.12	0.52	0.08	1.05	5.50	0.97	0.50	0.32	0.77	0.19	0.79	0.81
47	3	7	19.54	0.51	0.08	1.05	5.46	0.99	0.50	0.32	0.77	0.19	0.79	0.81
48	3	8	19.96	0.51	0.08	1.05	5.43	1.00	0.50	0.32	0.78	0.19	0.79	0.81
49	3	9	20.39	0.51	0.08	1.05	5.39	1.01	0.50	0.32	0.78	0.19	0.79	0.81
50	3	10	20.82	0.50	0.08	1.05	5.35	1.03	0.50	0.31	0.78	0.19	0.79	0.80
51	3	11	21.26	0.50	0.08	1.05	5.31	1.04	0.50	0.31	0.78	0.19	0.79	0.80
52	3	12	21.70	0.50	0.08	1.05	5.28	1.05	0.50	0.31	0.79	0.18	0.79	0.80
53	3	13	22.14	0.49	0.08	1.05	5.24	1.06	0.50	0.31	0.79	0.18	0.79	0.80

CROSSETS.OUT														
54	3	14	22.59	0.49	0.08	1.05	5.20	1.07	0.50	0.31	0.79	0.18	0.79	0.79
55	3	15	23.04	0.49	0.08	1.05	5.16	1.08	0.50	0.31	0.80	0.18	0.79	0.79
56	3	16	23.50	0.48	0.08	1.05	5.11	1.09	0.50	0.30	0.80	0.18	0.79	0.79
57	3	17	23.95	0.48	0.08	1.05	5.07	1.10	0.50	0.30	0.80	0.18	0.79	0.78
58	3	18	24.41	0.47	0.08	1.05	5.03	1.11	0.50	0.30	0.80	0.18	0.79	0.78
59	3	19	24.87	0.47	0.08	1.05	4.99	1.12	0.50	0.30	0.81	0.18	0.79	0.77
60	3	20	25.33	0.47	0.08	1.05	4.94	1.13	0.50	0.30	0.81	0.18	0.79	0.77
61	4	1	25.64	0.36	0.08	1.05	3.84	0.82	0.50	0.30	0.93	0.14	0.79	0.77
62	4	2	25.94	0.36	0.08	1.05	3.81	0.83	0.50	0.29	0.93	0.14	0.79	0.76
63	4	3	26.25	0.36	0.08	1.05	3.79	0.83	0.50	0.29	0.94	0.14	0.79	0.76
64	4	4	26.53	0.35	0.08	1.05	3.76	0.83	0.50	0.29	0.94	0.14	0.79	0.76
65	4	5	26.84	0.35	0.08	1.05	3.74	0.83	0.50	0.29	0.94	0.14	0.79	0.75
66	4	6	27.14	0.35	0.08	1.05	3.71	0.83	0.50	0.29	0.94	0.14	0.79	0.75
67	4	7	27.45	0.35	0.08	1.05	3.68	0.83	0.50	0.29	0.94	0.14	0.79	0.75
68	4	8	27.75	0.34	0.08	1.05	3.65	0.83	0.50	0.28	0.95	0.14	0.79	0.74
69	4	9	28.05	0.34	0.08	1.05	3.62	0.83	0.50	0.28	0.95	0.14	0.79	0.74
70	4	10	28.35	0.34	0.08	1.05	3.60	0.83	0.50	0.28	0.95	0.14	0.79	0.73
71	4	11	28.64	0.34	0.08	1.05	3.57	0.83	0.50	0.28	0.95	0.14	0.79	0.73
72	4	12	28.94	0.33	0.08	1.05	3.54	0.83	0.50	0.28	0.95	0.14	0.79	0.72
73	4	13	29.23	0.33	0.08	1.05	3.50	0.83	0.50	0.28	0.96	0.14	0.79	0.72
74	4	14	29.52	0.33	0.08	1.05	3.47	0.83	0.50	0.28	0.96	0.14	0.79	0.71
75	4	15	29.80	0.32	0.08	1.05	3.44	0.82	0.50	0.27	0.96	0.14	0.79	0.71
76	4	16	30.08	0.32	0.08	1.05	3.41	0.82	0.50	0.27	0.96	0.14	0.79	0.70
77	4	17	30.36	0.32	0.08	1.05	3.37	0.81	0.50	0.27	0.96	0.14	0.79	0.70
78	4	18	30.63	0.31	0.08	1.05	3.34	0.81	0.50	0.27	0.96	0.14	0.79	0.69
79	4	19	30.90	0.31	0.08	1.05	3.30	0.80	0.50	0.27	0.97	0.14	0.79	0.68
80	4	20	31.16	0.31	0.08	1.05	3.27	0.80	0.50	0.27	0.97	0.13	0.79	0.68
81	5	1	31.33	0.24	0.08	1.05	2.56	0.55	0.50	0.27	1.02	0.11	0.79	0.67
82	5	2	31.52	0.24	0.08	1.05	2.53	0.55	0.50	0.26	1.02	0.11	0.79	0.67
83	5	3	31.70	0.24	0.08	1.05	2.51	0.54	0.50	0.26	1.02	0.11	0.79	0.66
84	5	4	31.87	0.23	0.08	1.05	2.48	0.53	0.50	0.26	1.02	0.11	0.79	0.65

↑  
 STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 15  
 Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS					NH3-N			ALGAE GROWTH RATE ATTEN FACTORS			
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
85	5	5	32.03	0.23	0.08	1.05	2.45	0.53	0.50	0.26	1.02	0.11	0.79	0.65
86	5	6	32.19	0.23	0.08	1.05	2.42	0.52	0.50	0.26	1.02	0.11	0.79	0.64
87	5	7	32.35	0.23	0.08	1.05	2.39	0.51	0.50	0.26	1.03	0.11	0.79	0.63

CROSSETS.OUT														
88	5	8	32.50	0.22	0.08	1.05	2.36	0.50	0.50	0.25	1.03	0.11	0.79	0.62
89	5	9	32.64	0.22	0.08	1.05	2.33	0.49	0.50	0.25	1.03	0.11	0.79	0.62
90	5	10	32.77	0.22	0.08	1.05	2.30	0.48	0.50	0.25	1.03	0.11	0.79	0.61
91	5	11	32.90	0.21	0.08	1.05	2.26	0.47	0.50	0.25	1.03	0.11	0.79	0.60
92	5	12	33.01	0.21	0.08	1.05	2.23	0.46	0.50	0.25	1.03	0.11	0.79	0.59
93	5	13	33.13	0.21	0.08	1.05	2.19	0.45	0.50	0.25	1.03	0.11	0.79	0.58
94	5	14	33.23	0.20	0.08	1.05	2.16	0.43	0.50	0.24	1.03	0.11	0.79	0.57
95	5	15	33.32	0.20	0.08	1.05	2.12	0.42	0.50	0.24	1.03	0.11	0.80	0.56
96	5	16	33.40	0.20	0.08	1.05	2.08	0.41	0.50	0.24	1.03	0.11	0.80	0.55
97	5	17	33.47	0.20	0.08	1.05	2.12	0.42	0.50	0.24	1.03	0.11	0.80	0.56
98	5	18	33.55	0.20	0.08	1.05	2.08	0.41	0.50	0.24	1.03	0.11	0.80	0.55
99	5	19	33.62	0.19	0.08	1.05	2.04	0.40	0.50	0.24	1.03	0.11	0.80	0.54
100	5	20	33.69	0.19	0.08	1.05	2.00	0.38	0.50	0.24	1.03	0.11	0.80	0.53
101	6	1	33.79	0.20	0.08	1.05	2.13	0.43	0.50	0.24	0.97	0.11	0.80	0.53
102	6	2	33.88	0.20	0.08	1.05	2.13	0.43	0.50	0.24	0.97	0.11	0.80	0.53
103	6	3	33.98	0.20	0.08	1.05	2.13	0.44	0.50	0.23	0.98	0.11	0.80	0.53
104	6	4	34.08	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
105	6	5	34.18	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
106	6	6	34.28	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
107	6	7	34.39	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
108	6	8	34.49	0.20	0.08	1.05	2.14	0.45	0.50	0.23	0.98	0.11	0.80	0.54
109	6	9	34.59	0.20	0.08	1.05	2.14	0.45	0.50	0.23	0.98	0.11	0.80	0.54
110	6	10	34.69	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
111	6	11	34.80	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
112	6	12	34.90	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
113	6	13	35.00	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
114	6	14	35.10	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
115	6	15	35.21	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
116	6	16	35.31	0.20	0.08	1.05	2.14	0.46	0.50	0.22	0.98	0.11	0.80	0.54
117	6	17	35.42	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.98	0.11	0.80	0.54
118	6	18	35.52	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.98	0.11	0.80	0.54
119	6	19	35.62	0.20	0.08	1.05	2.13	0.46	0.50	0.21	0.99	0.11	0.80	0.54
120	6	20	35.73	0.20	0.08	1.05	2.13	0.46	0.50	0.21	0.99	0.11	0.80	0.54
121	7	1	35.94	0.21	0.08	1.05	2.26	0.51	0.50	0.21	0.78	0.12	0.80	0.54
122	7	2	36.21	0.21	0.08	1.05	2.25	0.51	0.50	0.21	0.78	0.12	0.80	0.54
123	7	3	36.47	0.21	0.08	1.05	2.23	0.51	0.50	0.20	0.78	0.12	0.80	0.53
124	7	4	36.73	0.21	0.08	1.05	2.22	0.51	0.50	0.20	0.78	0.12	0.80	0.53
125	7	5	36.98	0.21	0.08	1.05	2.20	0.50	0.50	0.20	0.78	0.12	0.80	0.53
126	7	6	37.23	0.21	0.08	1.05	2.19	0.50	0.50	0.20	0.78	0.12	0.80	0.53

▲

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 16  
 Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

CROSSETS5.OUT

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS											
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
127	7	7	37.47	0.20	0.08	1.05	2.17	0.50	0.50	0.20	0.79	0.12	0.80	0.52
128	7	8	37.71	0.20	0.08	1.05	2.16	0.49	0.50	0.20	0.79	0.12	0.80	0.52
129	7	9	37.95	0.20	0.08	1.05	2.14	0.49	0.50	0.19	0.79	0.12	0.79	0.52
130	7	10	38.18	0.20	0.08	1.05	2.13	0.49	0.50	0.19	0.79	0.12	0.79	0.52
131	7	11	38.40	0.20	0.08	1.05	2.11	0.48	0.50	0.19	0.79	0.12	0.79	0.51
132	7	12	38.58	0.20	0.08	1.05	2.10	0.48	0.50	0.19	0.79	0.11	0.79	0.51
133	7	13	33.59	0.24	0.08	1.05	2.55	0.59	0.50	0.18	0.76	0.12	0.78	0.61
134	7	14	33.89	0.24	0.08	1.05	2.53	0.59	0.50	0.18	0.76	0.12	0.78	0.60
135	7	15	34.19	0.24	0.08	1.05	2.51	0.59	0.50	0.18	0.77	0.12	0.78	0.60
136	7	16	34.48	0.24	0.08	1.05	2.50	0.58	0.50	0.18	0.77	0.12	0.78	0.60
137	7	17	34.77	0.23	0.08	1.05	2.48	0.58	0.50	0.18	0.77	0.12	0.78	0.60
138	7	18	35.05	0.23	0.08	1.05	2.46	0.58	0.50	0.18	0.77	0.12	0.78	0.59
139	7	19	35.34	0.23	0.08	1.05	2.44	0.58	0.50	0.18	0.77	0.12	0.78	0.59
140	7	20	35.62	0.23	0.08	1.05	2.43	0.57	0.50	0.18	0.77	0.12	0.78	0.59
141	8	1	35.91	0.24	0.08	1.05	2.53	0.62	0.50	0.18	0.78	0.12	0.78	0.61
142	8	2	36.22	0.24	0.08	1.05	2.51	0.62	0.50	0.18	0.78	0.12	0.78	0.61
143	8	3	36.52	0.23	0.08	1.05	2.49	0.61	0.50	0.18	0.78	0.12	0.78	0.61
144	8	4	36.82	0.23	0.08	1.05	2.47	0.61	0.50	0.18	0.78	0.12	0.78	0.60
145	8	5	37.11	0.23	0.08	1.05	2.44	0.61	0.50	0.18	0.78	0.12	0.78	0.60
146	8	6	37.40	0.23	0.08	1.05	2.42	0.60	0.50	0.18	0.79	0.12	0.78	0.59
147	8	7	37.68	0.23	0.08	1.05	2.40	0.60	0.50	0.18	0.79	0.12	0.78	0.59
148	8	8	37.95	0.22	0.08	1.05	2.38	0.59	0.50	0.18	0.79	0.12	0.78	0.59

↑

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 17  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
									F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	88.70	7.37	5.94	1.42	0.00	1.00	86.37	0.35	-0.32	-0.35	0.44	-0.05	-0.17
2	1	2	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.31	-0.35	0.45	-0.05	-0.16
3	1	3	88.70	7.37	5.93	1.43	0.00	1.00	0.01	0.36	-0.31	-0.35	0.46	-0.05	-0.14
4	1	4	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.35	0.48	-0.06	-0.13
5	1	5	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.35	0.49	-0.06	-0.12
6	1	6	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.35	0.50	-0.06	-0.11
7	1	7	88.70	7.37	5.93	1.43	0.00	1.00	0.01	0.36	-0.31	-0.35	0.51	-0.07	-0.10

CROSSETS.OUT

8	1	8	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.30	-0.35	0.52	-0.07	-0.09
9	1	9	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.30	-0.35	0.53	-0.07	-0.08
10	1	10	88.70	7.37	5.95	1.42	0.00	1.00	0.01	0.35	-0.30	-0.35	0.54	-0.08	-0.08
11	1	11	88.70	7.37	5.95	1.41	0.00	1.00	0.01	0.35	-0.30	-0.35	0.56	-0.08	-0.07
12	1	12	88.70	7.37	5.96	1.41	0.00	1.00	0.01	0.35	-0.30	-0.35	0.57	-0.08	-0.07
13	1	13	88.70	7.37	5.97	1.40	0.00	1.00	0.01	0.35	-0.29	-0.35	0.58	-0.08	-0.06
14	1	14	88.70	7.37	5.98	1.39	0.00	1.00	0.01	0.35	-0.29	-0.35	0.59	-0.09	-0.06
15	1	15	88.70	7.37	5.99	1.38	0.00	1.00	0.01	0.34	-0.29	-0.35	0.60	-0.09	-0.06
16	1	16	88.70	7.37	6.00	1.37	0.00	1.00	0.01	0.34	-0.29	-0.35	0.61	-0.09	-0.05
17	1	17	88.70	7.37	6.01	1.36	0.00	1.00	0.01	0.34	-0.29	-0.35	0.62	-0.09	-0.05
18	1	18	88.70	7.37	6.02	1.35	0.00	1.00	0.01	0.34	-0.29	-0.35	0.63	-0.09	-0.05
19	1	19	88.70	7.37	6.03	1.33	0.00	1.00	0.01	0.33	-0.28	-0.35	0.64	-0.10	-0.05
20	1	20	88.70	7.37	6.04	1.32	0.00	1.00	0.01	0.33	-0.29	-0.35	0.65	-0.10	-0.05
21	2	1	88.70	7.37	5.91	1.46	0.00	1.00	2.18	0.37	-0.66	-0.35	0.47	-0.22	-0.05
22	2	2	88.70	7.37	5.88	1.49	0.00	1.00	0.01	0.38	-0.65	-0.35	0.48	-0.22	-0.06
23	2	3	88.70	7.37	5.85	1.51	0.00	1.00	0.01	0.38	-0.65	-0.35	0.48	-0.22	-0.06
24	2	4	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.39	-0.64	-0.35	0.49	-0.22	-0.06
25	2	5	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.40	-0.63	-0.35	0.50	-0.22	-0.06
26	2	6	88.70	7.37	5.78	1.59	0.00	1.00	0.01	0.40	-0.63	-0.35	0.50	-0.22	-0.06
27	2	7	88.70	7.37	5.75	1.61	0.00	1.00	0.01	0.41	-0.62	-0.35	0.51	-0.22	-0.06
28	2	8	88.70	7.37	5.73	1.64	0.00	1.00	0.01	0.41	-0.62	-0.35	0.51	-0.22	-0.06
29	2	9	88.70	7.37	5.71	1.66	0.00	1.00	0.01	0.42	-0.61	-0.35	0.52	-0.22	-0.07
30	2	10	88.70	7.37	5.69	1.68	0.00	1.00	0.01	0.43	-0.61	-0.35	0.52	-0.22	-0.07
31	2	11	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.43	-0.60	-0.35	0.53	-0.22	-0.07
32	2	12	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.43	-0.60	-0.35	0.54	-0.22	-0.07
33	2	13	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.44	-0.59	-0.35	0.54	-0.22	-0.07
34	2	14	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.44	-0.59	-0.35	0.55	-0.22	-0.07
35	2	15	88.70	7.37	5.60	1.76	0.00	1.00	0.01	0.45	-0.58	-0.35	0.55	-0.22	-0.07
36	2	16	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.45	-0.58	-0.35	0.56	-0.22	-0.07
37	2	17	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.45	-0.57	-0.35	0.56	-0.22	-0.07
38	2	18	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.46	-0.57	-0.35	0.57	-0.22	-0.07
39	2	19	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.46	-0.56	-0.35	0.58	-0.22	-0.07
40	2	20	88.70	7.37	5.54	1.83	0.00	1.00	0.01	0.46	-0.56	-0.35	0.58	-0.22	-0.07
41	3	1	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.46	-0.55	-0.35	0.90	-0.22	-0.07
42	3	2	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.46	-0.55	-0.35	0.92	-0.22	-0.07

▲

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 18  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE	RCH	ELE	DO	DO	DAM	NIT	F-FUNCTN	OXYGN	NET						
ORD	NUM	NUM	TEMP	SAT	DO	DEF	INPUT	INHIB	F-FACT	OXYGN	C-BOD	SOD	P-R	NH3-N	NO2-N
			DEG-F	MG/L	MG/L	MG/L	MG/L	FACT	INPUT	REAIR					



CROSSETS5.OUT

43	3	3	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.45	-0.55	-0.35	0.93	-0.22	-0.07
44	3	4	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.45	-0.54	-0.35	0.94	-0.21	-0.07
45	3	5	88.70	7.37	5.60	1.77	0.00	1.00	0.01	0.45	-0.54	-0.35	0.96	-0.21	-0.07
46	3	6	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.44	-0.53	-0.35	0.97	-0.21	-0.07
47	3	7	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.44	-0.53	-0.35	0.99	-0.21	-0.07
48	3	8	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.43	-0.52	-0.35	1.00	-0.21	-0.07
49	3	9	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.43	-0.52	-0.35	1.01	-0.21	-0.07
50	3	10	88.70	7.37	5.69	1.68	0.00	1.00	0.01	0.43	-0.51	-0.35	1.03	-0.21	-0.07
51	3	11	88.70	7.37	5.71	1.66	0.00	1.00	0.01	0.42	-0.51	-0.35	1.04	-0.21	-0.07
52	3	12	88.70	7.37	5.73	1.64	0.00	1.00	0.01	0.41	-0.51	-0.35	1.05	-0.21	-0.07
53	3	13	88.70	7.37	5.75	1.61	0.00	1.00	0.01	0.41	-0.50	-0.35	1.06	-0.21	-0.07
54	3	14	88.70	7.37	5.78	1.59	0.00	1.00	0.01	0.40	-0.50	-0.35	1.07	-0.20	-0.07
55	3	15	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.40	-0.49	-0.35	1.08	-0.20	-0.07
56	3	16	88.70	7.37	5.82	1.54	0.00	1.00	0.01	0.39	-0.49	-0.35	1.09	-0.20	-0.07
57	3	17	88.70	7.37	5.85	1.52	0.00	1.00	0.01	0.39	-0.49	-0.35	1.10	-0.20	-0.07
58	3	18	88.70	7.37	5.87	1.49	0.00	1.00	0.01	0.38	-0.48	-0.35	1.11	-0.20	-0.07
59	3	19	88.70	7.37	5.90	1.47	0.00	1.00	0.01	0.37	-0.48	-0.35	1.12	-0.20	-0.07
60	3	20	88.70	7.37	5.92	1.44	0.00	1.00	0.01	0.37	-0.47	-0.35	1.13	-0.20	-0.07
61	4	1	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.34	-0.47	-0.43	0.82	-0.20	-0.07
62	4	2	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.47	-0.43	0.83	-0.19	-0.07
63	4	3	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.46	-0.43	0.83	-0.19	-0.07
64	4	4	88.70	7.37	5.91	1.45	0.00	1.00	0.09	0.31	-0.46	-0.43	0.83	-0.19	-0.07
65	4	5	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.43	0.83	-0.19	-0.07
66	4	6	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.43	0.83	-0.19	-0.07
67	4	7	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.43	0.83	-0.19	-0.07
68	4	8	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.43	0.83	-0.19	-0.07
69	4	9	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.43	0.83	-0.19	-0.07
70	4	10	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.43	0.83	-0.19	-0.07
71	4	11	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.43	-0.43	0.83	-0.19	-0.06
72	4	12	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.43	-0.43	0.83	-0.18	-0.06
73	4	13	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.43	0.83	-0.18	-0.06
74	4	14	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.43	0.83	-0.18	-0.06
75	4	15	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.43	0.82	-0.18	-0.06
76	4	16	88.70	7.37	5.91	1.45	0.00	1.00	0.01	0.31	-0.41	-0.43	0.82	-0.18	-0.06
77	4	17	88.70	7.37	5.91	1.45	0.00	1.00	0.01	0.31	-0.41	-0.43	0.81	-0.18	-0.06
78	4	18	88.70	7.37	5.91	1.45	0.00	1.00	0.02	0.31	-0.41	-0.43	0.81	-0.18	-0.06
79	4	19	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.40	-0.43	0.80	-0.18	-0.06
80	4	20	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.40	-0.43	0.80	-0.18	-0.06
81	5	1	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.27	-0.27	-0.36	0.55	-0.18	-0.06
82	5	2	88.70	7.37	5.90	1.47	0.00	1.00	0.01	0.22	-0.26	-0.36	0.55	-0.17	-0.06
83	5	3	88.70	7.37	5.89	1.48	0.00	1.00	0.01	0.22	-0.26	-0.36	0.54	-0.17	-0.06
84	5	4	88.70	7.37	5.88	1.48	0.00	1.00	0.01	0.22	-0.26	-0.36	0.53	-0.17	-0.06



CROSSET5.OUT  
 \*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)															
ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
85	5	5	88.70	7.37	5.87	1.49	0.00	1.00	0.01	0.23	-0.26	-0.36	0.53	-0.17	-0.06
86	5	6	88.70	7.37	5.86	1.50	0.00	1.00	0.01	0.23	-0.26	-0.36	0.52	-0.17	-0.06
87	5	7	88.70	7.37	5.85	1.51	0.00	1.00	0.01	0.23	-0.26	-0.36	0.51	-0.17	-0.06
88	5	8	88.70	7.37	5.84	1.52	0.00	1.00	0.01	0.23	-0.25	-0.36	0.50	-0.17	-0.06
89	5	9	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.23	-0.25	-0.36	0.49	-0.17	-0.06
90	5	10	88.70	7.37	5.82	1.55	0.00	1.00	0.01	0.23	-0.25	-0.36	0.48	-0.17	-0.06
91	5	11	88.70	7.37	5.81	1.56	0.00	1.00	0.01	0.24	-0.25	-0.36	0.47	-0.17	-0.06
92	5	12	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.24	-0.25	-0.36	0.46	-0.16	-0.06
93	5	13	88.70	7.37	5.78	1.58	0.00	1.00	0.01	0.24	-0.25	-0.36	0.45	-0.16	-0.06
94	5	14	88.70	7.37	5.77	1.60	0.00	1.00	0.01	0.24	-0.24	-0.36	0.43	-0.16	-0.06
95	5	15	88.70	7.37	5.76	1.61	0.00	1.00	0.01	0.24	-0.24	-0.36	0.42	-0.16	-0.06
96	5	16	88.70	7.37	5.74	1.62	0.00	1.00	0.01	0.25	-0.24	-0.36	0.41	-0.16	-0.06
97	5	17	88.70	7.37	5.73	1.64	0.00	1.00	0.08	0.25	-0.24	-0.36	0.42	-0.16	-0.06
98	5	18	88.70	7.37	5.71	1.65	0.00	1.00	0.01	0.25	-0.24	-0.36	0.41	-0.16	-0.06
99	5	19	88.70	7.37	5.70	1.67	0.00	1.00	0.01	0.25	-0.24	-0.36	0.40	-0.16	-0.06
100	5	20	88.70	7.37	5.68	1.68	0.00	1.00	0.01	0.25	-0.23	-0.36	0.38	-0.16	-0.06
101	6	1	88.70	7.37	5.67	1.69	0.00	1.00	0.01	0.26	-0.23	-0.36	0.43	-0.16	-0.06
102	6	2	88.70	7.37	5.66	1.70	0.00	1.00	0.01	0.26	-0.23	-0.36	0.43	-0.16	-0.05
103	6	3	88.70	7.37	5.65	1.71	0.00	1.00	0.01	0.26	-0.23	-0.36	0.44	-0.16	-0.05
104	6	4	88.70	7.37	5.64	1.72	0.00	1.00	0.01	0.26	-0.23	-0.36	0.44	-0.16	-0.05
105	6	5	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.26	-0.23	-0.36	0.44	-0.16	-0.05
106	6	6	88.70	7.37	5.62	1.74	0.00	1.00	0.01	0.26	-0.23	-0.36	0.44	-0.15	-0.05
107	6	7	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.27	-0.22	-0.36	0.44	-0.15	-0.05
108	6	8	88.70	7.37	5.61	1.76	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
109	6	9	88.70	7.37	5.60	1.77	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
110	6	10	88.70	7.37	5.59	1.77	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
111	6	11	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
112	6	12	88.70	7.37	5.58	1.79	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
113	6	13	88.70	7.37	5.58	1.79	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
114	6	14	88.70	7.37	5.57	1.80	0.00	1.00	0.01	0.27	-0.21	-0.36	0.45	-0.15	-0.05
115	6	15	88.70	7.37	5.56	1.80	0.00	1.00	0.01	0.27	-0.21	-0.36	0.45	-0.15	-0.05
116	6	16	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.27	-0.21	-0.36	0.46	-0.15	-0.05
117	6	17	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.27	-0.21	-0.36	0.46	-0.14	-0.05
118	6	18	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.28	-0.21	-0.36	0.46	-0.14	-0.05
119	6	19	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.28	-0.21	-0.36	0.46	-0.14	-0.05
120	6	20	88.70	7.37	5.54	1.82	0.00	1.00	0.01	0.28	-0.21	-0.36	0.46	-0.14	-0.05
121	7	1	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.22	-0.20	-0.22	0.51	-0.14	-0.05

CROSSETS.OUT															
122	7	2	88.70	7.37	5.56	1.81	0.00	1.00	0.00	0.17	-0.20	-0.22	0.51	-0.14	-0.05
123	7	3	88.70	7.37	5.56	1.80	0.00	1.00	0.00	0.17	-0.20	-0.22	0.51	-0.14	-0.05
124	7	4	88.70	7.37	5.57	1.80	0.00	1.00	0.00	0.17	-0.20	-0.22	0.51	-0.14	-0.05
125	7	5	88.70	7.37	5.58	1.79	0.00	1.00	0.00	0.17	-0.20	-0.22	0.50	-0.13	-0.05
126	7	6	88.70	7.37	5.59	1.78	0.00	1.00	0.00	0.17	-0.19	-0.22	0.50	-0.13	-0.05

↑

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 20  
Version 3.22 -- May 1996

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)																
ELE	RCH	ELE	TEMP	DO	DO	DO	DAM	NIT	F-FUNCTN	OXYGN	C-BOD	SOD	NET	NH3-N	NO2-N	
ORD	NUM	NUM	DEG-F	SAT	MG/L	MG/L	MG/L	MG/L	INPUT	REAIR			P-R			
127	7	7	88.70	7.37	5.59	1.77	0.00	1.00	0.00	0.17	-0.19	-0.22	0.50	-0.13	-0.05	
128	7	8	88.70	7.37	5.60	1.77	0.00	1.00	0.00	0.16	-0.19	-0.22	0.49	-0.13	-0.05	
129	7	9	88.70	7.37	5.61	1.76	0.00	1.00	0.00	0.16	-0.19	-0.22	0.49	-0.13	-0.05	
130	7	10	88.70	7.37	5.61	1.75	0.00	1.00	0.00	0.16	-0.19	-0.22	0.49	-0.13	-0.04	
131	7	11	88.70	7.37	5.62	1.75	0.00	1.00	0.00	0.16	-0.18	-0.22	0.48	-0.13	-0.04	
132	7	12	88.70	7.37	5.63	1.74	0.00	1.00	0.00	0.16	-0.18	-0.22	0.48	-0.12	-0.04	
133	7	13	88.70	7.37	5.60	1.76	0.00	1.00	9.53	0.17	-0.19	-0.22	0.59	-0.11	-0.07	
134	7	14	88.70	7.37	5.62	1.75	0.00	1.00	0.00	0.18	-0.19	-0.22	0.59	-0.11	-0.06	
135	7	15	88.70	7.37	5.64	1.73	0.00	1.00	0.00	0.18	-0.19	-0.22	0.59	-0.11	-0.06	
136	7	16	88.70	7.37	5.66	1.71	0.00	1.00	0.00	0.17	-0.19	-0.22	0.58	-0.11	-0.05	
137	7	17	88.70	7.37	5.67	1.69	0.00	1.00	0.00	0.17	-0.18	-0.22	0.58	-0.11	-0.05	
138	7	18	88.70	7.37	5.69	1.68	0.00	1.00	0.00	0.17	-0.18	-0.22	0.58	-0.11	-0.05	
139	7	19	88.70	7.37	5.71	1.66	0.00	1.00	0.00	0.17	-0.18	-0.22	0.58	-0.11	-0.05	
140	7	20	88.70	7.37	5.73	1.64	0.00	1.00	0.00	0.17	-0.18	-0.22	0.57	-0.11	-0.05	
141	8	1	88.70	7.37	5.75	1.62	0.00	1.00	0.03	0.16	-0.18	-0.22	0.62	-0.12	-0.05	
142	8	2	88.70	7.37	5.77	1.60	0.00	1.00	0.01	0.16	-0.18	-0.22	0.62	-0.12	-0.04	
143	8	3	88.70	7.37	5.79	1.58	0.00	1.00	0.01	0.16	-0.18	-0.22	0.61	-0.11	-0.04	
144	8	4	88.70	7.37	5.81	1.56	0.00	1.00	0.01	0.16	-0.18	-0.22	0.61	-0.11	-0.04	
145	8	5	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.16	-0.18	-0.22	0.61	-0.11	-0.04	
146	8	6	88.70	7.37	5.85	1.52	0.00	1.00	0.01	0.15	-0.17	-0.22	0.60	-0.11	-0.04	
147	8	7	88.70	7.37	5.87	1.50	0.00	1.00	0.01	0.15	-0.17	-0.22	0.60	-0.11	-0.04	
148	8	8	88.70	7.37	5.89	1.48	0.00	1.00	0.01	0.15	-0.17	-0.22	0.59	-0.11	-0.04	

1

\*\*\* QUAL-2E STREAM QUALITY ROUTING MODEL \*\*\*  
 \*\*\* EPA/NCASI VERSION \*\*\*

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03 NO	CONSERVATIVE MINERAL I
TITLE04 NO	CONSERVATIVE MINERAL II
TITLE05 NO	CONSERVATIVE MINERAL III
TITLE06 NO	TEMPERATURE
TITLE07 YES	BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08 YES	ALGAE AS CHL-A IN UG/L
TITLE09 YES	PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11 YES	NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13 YES	DISSOLVED OXYGEN IN MG/L
TITLE14 NO	FECAL COLIFORMS IN NO./100 ML
TITLE15 NO	ARBITRARY NON-CONSERVATIVE BOD MG/L

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRFL656B.OUT

N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0027	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

0 \$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE RATE CODE THETA VALUE

0 \$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER AND IDENT	R. MI/KM	R. MI/KM
STREAM REACH	1.0 REACH 1 FRO	227.0 TO	222.0
STREAM REACH	2.0 REACH 2 FRO	222.0 TO	217.0
STREAM REACH	3.0 REACH 3 FRO	217.0 TO	212.0
STREAM REACH	4.0 REACH 4 FRO	212.0 TO	207.0
STREAM REACH	5.0 REACH 5 FRO	207.0 TO	202.0
STREAM REACH	6.0 REACH 6 FRO	202.0 TO	197.0
STREAM REACH	7.0 REACH 7 FRO	197.0 TO	192.0
STREAM REACH	8.0 REACH 8 FRO	192.0 TO	190.0
ENDATA2	0.0	0.0	0.0

0 \$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER OF AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	2.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	3.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	4.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	5.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	6.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	7.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	8.	1.	3.0	1.	0.	0. 0. 0. 0.
ENDATA3	0.	0.	0.0	0.	0.	0. 0. 0. 0.

0 \$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL FLAGS
FLAG FIELD	1.	20.	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	2.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	3.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.
FLAG FIELD	5.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
ENDATA4	0.	0.	0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.

0 \$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CRFL656B.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	2.	38.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	3.	22.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	4.	21.00	0.000	0.897	8.000	0.050	0.035
HYDRAULICS	5.	10.00	0.000	0.946	12.000	0.018	0.035
HYDRAULICS	6.	17.00	0.000	0.946	12.000	0.018	0.035
HYDRAULICS	7.	7.00	0.000	0.930	15.030	0.011	0.035
HYDRAULICS	8.	7.00	0.000	0.930	15.030	0.011	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	3.	0.00	0.000		0.00000	0.00
REACT COEF	2.	0.08	0.00	0.051	3.	0.00	0.000		0.00000	0.00
REACT COEF	3.	0.08	0.00	0.051	3.	0.00	0.000		0.00000	0.00
REACT COEF	4.	0.08	0.00	0.071	3.	0.00	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	3.	0.00	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	3.	0.00	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	3.	0.00	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	3.	0.00	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	0.57	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	0.90	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	0.60	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	0.72	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	0.77	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	0.71	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	0.50	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	0.50	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CRFL656B.OUT

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	2.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	3.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	4.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	5.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	6.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	7.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	8.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	2.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	3.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	4.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	5.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	6.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	7.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	8.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE                      JUNCTION ORDER AND IDENT                      UPSTRM    JUNCTION                      TRIB

0           ENDATA9                   0.                   0.                   0.  
 \$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	980.00	88.70	5.95	3.75	0.00	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	42.10	86.90	3.50	48.80	0.00	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	0.00	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	0.00	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	7.	BAYOU BARTH0	0.00	222.00	85.10	5.40	2.80	0.00	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	0.00	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$



CRFL656B.OUT

CARD TYPE TEMP D.O. BOD CM-1 CM-2 CM-3 ANC COLI  
 ENDATA13 DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED  
 \$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$

CARD TYPE CHL-A ORG-N NH3-N NO2-N NH3-N ORG-P DIS-P  
 ENDATA13A DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

BIOCHEMICAL OXYGEN DEMAND IN MG/L																			ITERATION 1	
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.73	3.71	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.52	3.50	3.48	3.46	3.44	3.42	3.40	3.38	3.36	3.38
2	5.16	5.12	5.07	5.03	4.99	4.95	4.91	4.87	4.82	4.78	4.74	4.70	4.66	4.63	4.59	4.55	4.51	4.47	4.43	4.40
3	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.94	3.91	3.88	3.84	3.81	3.78	3.75	3.72
4	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.42	3.39	3.36	3.34	3.31	3.28	3.25	3.23	3.20	3.17	3.15
5	3.13	3.11	3.09	3.07	3.05	3.03	3.01	2.99	2.97	2.95	2.93	2.91	2.89	2.87	2.86	2.84	2.82	2.80	2.78	2.77
6	2.75	2.73	2.71	2.70	2.68	2.66	2.64	2.63	2.61	2.59	2.58	2.56	2.54	2.53	2.51	2.49	2.48	2.46	2.45	2.43
7	2.41	2.39	2.36	2.34	2.31	2.29	2.27	2.25	2.22	2.20	2.18	2.16	2.25	2.23	2.21	2.20	2.18	2.16	2.14	2.12
8	2.14	2.12	2.10	2.09	2.07	2.05	2.04	2.02												

STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

VARIABLE	ITERATION	NUMBER OF NONCONVERGENT ELEMENTS																		
		ALGAE AS CHL-A IN UG/L																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.59	8.79	8.99	9.20	9.41	9.63	9.85	10.08	10.31	10.55	10.79	11.04	11.29	11.55	11.82	12.09	12.37	12.65	12.94	13.22
2	12.87	13.00	13.13	13.27	13.41	13.55	13.69	13.83	13.98	14.12	14.27	14.42	14.57	14.72	14.87	15.02	15.18	15.34	15.50	15.66
3	15.98	16.31	16.64	16.98	17.33	17.69	18.05	18.42	18.80	19.18	19.57	19.97	20.38	20.80	21.23	21.66	22.11	22.56	23.02	23.49
4	23.80	24.12	24.44	24.74	25.07	25.40	25.74	26.08	26.43	26.78	27.13	27.49	27.86	28.23	28.60	28.98	29.37	29.75	30.15	30.55
5	30.84	31.16	31.48	31.80	32.13	32.47	32.80	33.14	33.48	33.83	34.18	34.53	34.89	35.25	35.61	35.98	36.32	36.70	37.07	37.46
6	37.91	38.37	38.83	39.30	39.77	40.25	40.74	41.23	41.73	42.23	42.74	43.25	43.77	44.30	44.83	45.37	45.92	46.47	47.03	47.60
7	48.60	49.86	51.16	52.49	53.85	55.25	56.69	58.16	59.67	61.22	62.81	64.37	65.93	67.53	69.16	70.81	72.49	74.19	75.91	77.66
8	66.04	67.46	68.90	70.37	71.87	73.41	74.98	76.56												

RCH/CL	ORGANIC PHOSPHORUS AS P IN MG/L																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
4	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
5	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08

CRFL656B.OUT

		0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08												
		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03
2	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
3	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.44	0.43	0.43	0.42	0.42	0.42	0.41	0.41	0.40	0.40	0.39	0.39
2	0.48	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.43	0.42	0.42	0.41	0.41	0.41	0.41	0.40	0.40
3	0.39	0.39	0.39	0.38	0.38	0.37	0.37	0.37	0.36	0.36	0.36	0.35	0.35	0.35	0.34	0.34	0.34	0.34	0.34	0.33	0.33
4	0.33	0.32	0.32	0.32	0.32	0.31	0.31	0.31	0.30	0.30	0.30	0.30	0.30	0.29	0.29	0.29	0.29	0.29	0.28	0.28	0.28
5	0.28	0.27	0.27	0.27	0.27	0.27	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24
6	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22
7	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24
8	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24												

		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.11	0.11	0.11	0.11	0.11	0.12
2	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
3	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25
4	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23
5	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
6	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18	0.18
7	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
8	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13												

		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
5	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02												

		NITRATE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.41	0.42	0.42	0.43	0.44	0.44	0.44	0.45	0.45	0.45	0.46	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47	0.47
2	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50	0.51	0.51

CRFL656B.OUT																					
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	3	0.51	0.51	0.51	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.53	0.53	0.53	0.53
	4	0.53	0.53	0.53	0.53	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
	5	0.54	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55
	6	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.53	0.53	0.53	0.53	0.53
	7	0.52	0.52	0.51	0.50	0.50	0.49	0.48	0.48	0.47	0.46	0.45	0.44	0.43	0.43	0.42	0.41	0.41	0.40	0.39	0.39
	8	0.38	0.37	0.36	0.35	0.34	0.34	0.33	0.32												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1										
	1	5.94	5.94	5.93	5.93	5.93	5.93	5.93	5.93	5.94	5.94	5.95	5.95	5.96	5.97	5.98	5.99	6.00	6.02	6.03	6.04
	2	5.90	5.87	5.83	5.80	5.77	5.74	5.71	5.68	5.65	5.63	5.60	5.58	5.55	5.53	5.51	5.49	5.47	5.45	5.43	5.42
	3	5.42	5.42	5.43	5.44	5.44	5.45	5.46	5.48	5.49	5.50	5.52	5.54	5.55	5.57	5.60	5.62	5.64	5.67	5.69	5.72
	4	5.72	5.72	5.72	5.72	5.72	5.72	5.72	5.73	5.73	5.74	5.74	5.75	5.76	5.77	5.78	5.79	5.81	5.82	5.84	5.85
	5	5.86	5.86	5.87	5.88	5.88	5.89	5.90	5.91	5.92	5.93	5.95	5.96	5.97	5.99	6.00	6.02	6.03	6.05	6.07	6.09
	6	6.11	6.14	6.17	6.20	6.23	6.26	6.29	6.33	6.36	6.40	6.43	6.47	6.51	6.54	6.58	6.62	6.66	6.71	6.75	6.79
	7	6.88	7.00	7.12	7.25	7.38	7.52	7.66	7.81	7.96	8.11	8.27	8.43	8.01	8.13	8.25	8.37	8.49	8.62	8.75	8.88
	8	9.02	9.16	9.30	9.45	9.60	9.75	9.91	10.07												
	ALGAE GROWTH RATE						1														
	ALGAE GROWTH RATE						2														
	ALGAE GROWTH RATE						3														
	ALGAE GROWTH RATE						4														
	ALGAE GROWTH RATE						5														
	ALGAE GROWTH RATE						6														

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 ( 204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 13.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL\*FN\*FP

1  
0

DISSOLVED OXYGEN IN MG/L

ITERATION 6

CRFL656B.OUT																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.94	5.94	5.93	5.93	5.93	5.93	5.93	5.94	5.94	5.95	5.95	5.96	5.97	5.98	5.99	6.00	6.01	6.02	6.03	6.04
2	5.91	5.88	5.85	5.83	5.80	5.78	5.75	5.73	5.71	5.69	5.67	5.65	5.63	5.62	5.60	5.59	5.57	5.56	5.55	5.54
3	5.55	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.67	5.69	5.71	5.73	5.75	5.78	5.80	5.82	5.85	5.87	5.90	5.92
4	5.92	5.92	5.92	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.92	5.92
5	5.91	5.90	5.89	5.88	5.87	5.86	5.85	5.84	5.83	5.82	5.81	5.80	5.78	5.77	5.76	5.74	5.73	5.71	5.70	5.68
6	5.67	5.66	5.65	5.64	5.63	5.62	5.62	5.61	5.60	5.59	5.59	5.58	5.57	5.57	5.56	5.56	5.55	5.55	5.55	5.54
7	5.55	5.56	5.57	5.57	5.58	5.59	5.60	5.60	5.61	5.62	5.63	5.63	5.61	5.63	5.64	5.66	5.68	5.69	5.71	5.73
8	5.75	5.77	5.79	5.81	5.83	5.85	5.87	5.88												
0	BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 6									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.73	3.71	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.52	3.50	3.48	3.46	3.44	3.42	3.40	3.38	3.36	3.38
2	5.16	5.12	5.07	5.03	4.99	4.95	4.91	4.87	4.82	4.78	4.74	4.70	4.66	4.63	4.59	4.55	4.51	4.47	4.43	4.40
3	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.94	3.91	3.88	3.84	3.81	3.78	3.75	3.72
4	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.42	3.39	3.36	3.34	3.31	3.28	3.25	3.23	3.20	3.17	3.15
5	3.13	3.11	3.09	3.07	3.05	3.03	3.01	2.99	2.97	2.95	2.93	2.91	2.89	2.87	2.86	2.84	2.82	2.80	2.78	2.77
6	2.75	2.73	2.71	2.70	2.68	2.66	2.64	2.63	2.61	2.59	2.58	2.56	2.54	2.53	2.51	2.49	2.48	2.46	2.45	2.43
7	2.41	2.39	2.36	2.34	2.31	2.29	2.27	2.25	2.22	2.20	2.18	2.16	2.25	2.23	2.21	2.20	2.18	2.16	2.14	2.12
8	2.14	2.12	2.10	2.09	2.07	2.05	2.04	2.02												
0	ORGANIC NITROGEN AS N IN MG/L										ITERATION 6									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.42	0.42	0.42	0.41	0.41	0.40	0.40	0.39	0.39
2	0.48	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.43	0.42	0.42	0.41	0.41	0.41	0.40	0.40
3	0.39	0.39	0.39	0.38	0.38	0.38	0.37	0.37	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.34	0.34	0.34	0.33	0.33
4	0.33	0.32	0.32	0.32	0.32	0.31	0.31	0.31	0.31	0.30	0.30	0.30	0.30	0.29	0.29	0.29	0.29	0.29	0.28	0.28
5	0.28	0.28	0.27	0.27	0.27	0.27	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24
6	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
7	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22
8	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21												
0	AMMONIA AS N IN MG/L										ITERATION 6									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.11	0.11	0.11	0.12
2	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23
4	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
5	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
6	0.19	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.16
7	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
8	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13												
0	NITRITE AS N IN MG/L										ITERATION 6									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03

CRFL656B.OUT

5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02

	NITRATE AS N IN MG/L								ITERATION 6											
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.41	0.42	0.42	0.43	0.44	0.44	0.44	0.45	0.45	0.46	0.46	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47
2	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50	0.51	0.51	0.51	0.51
3	0.52	0.52	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.54	0.54	0.54	0.54	0.54	0.54
4	0.54	0.54	0.54	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
5	0.57	0.57	0.57	0.57	0.57	0.57	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.59	0.59	0.60
6	0.60	0.60	0.60	0.60	0.60	0.60	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.62	0.62	0.62	0.62
7	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.63	0.63	0.63	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59
8	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59

	ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 6											
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
4	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
5	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07

	DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 6											
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
3	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.01	0.01
8	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01

	ALGAE AS CHL-A IN UG/L								ITERATION 6											
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.60	8.80	9.00	9.21	9.43	9.65	9.88	10.11	10.35	10.59	10.84	11.09	11.35	11.61	11.87	12.14	12.42	12.69	12.98	13.25
2	12.94	13.12	13.30	13.48	13.67	13.86	14.05	14.24	14.44	14.64	14.83	15.04	15.24	15.44	15.65	15.86	16.07	16.28	16.49	16.71
3	17.09	17.49	17.89	18.29	18.70	19.12	19.54	19.96	20.39	20.82	21.26	21.70	22.15	22.59	23.04	23.50	23.95	24.41	24.87	25.33
4	25.64	25.95	26.26	26.54	26.84	27.15	27.45	27.75	28.05	28.35	28.65	28.94	29.23	29.52	29.81	30.09	30.36	30.63	30.90	31.16
5	31.34	31.52	31.70	31.87	32.03	32.19	32.35	32.49	32.63	32.77	32.89	33.01	33.12	33.22	33.31	33.40	33.46	33.54	33.61	33.68
6	33.78	33.87	33.97	34.07	34.17	34.27	34.37	34.48	34.58	34.68	34.79	34.89	34.99	35.10	35.20	35.31	35.41	35.52	35.62	35.73
7	35.95	36.22	36.49	36.75	37.01	37.26	37.51	37.76	37.99	38.22	38.45	38.63	33.63	33.93	34.22	34.51	34.80	35.08	35.36	35.64
8	35.93	36.23	36.53	36.82	37.11	37.39	37.67	37.93	37.93	37.93	37.93	37.93	37.93	37.93	37.93	37.93	37.93	37.93	37.93	37.93

	ALGAE GROWTH RATES IN PER DAY ARE								ITERATION 6											
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

CRFL656B.OUT

1	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.51	0.51	0.51	0.51	0.51	0.51
2	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39
3	0.53	0.53	0.53	0.52	0.52	0.52	0.51	0.51	0.51	0.50	0.50	0.50	0.49	0.49	0.49	0.48	0.48	0.47	0.47	0.47
4	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.34	0.34	0.34	0.34	0.33	0.33	0.33	0.32	0.32	0.32	0.31	0.31	0.31
5	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19
6	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
7	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.24	0.24	0.24	0.23	0.23	0.23	0.23
8	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22												

PHOTOSYNTHESIS-RESPIRATION RATIOS ARE

0																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.51	5.53	5.55	5.56	5.56	5.56	5.56	5.56	5.55	5.54	5.53	5.51	5.50	5.48	5.46	5.44	5.41	5.39	5.36	5.37
2	4.24	4.23	4.22	4.21	4.21	4.20	4.19	4.19	4.18	4.17	4.16	4.15	4.15	4.14	4.13	4.12	4.11	4.10	4.09	4.08
3	5.66	5.63	5.60	5.57	5.53	5.50	5.46	5.43	5.39	5.35	5.32	5.28	5.24	5.20	5.16	5.12	5.07	5.03	4.99	4.94
4	3.84	3.81	3.79	3.76	3.73	3.71	3.68	3.65	3.62	3.60	3.57	3.54	3.50	3.47	3.44	3.41	3.37	3.34	3.30	3.26
5	2.56	2.53	2.51	2.48	2.45	2.42	2.39	2.36	2.33	2.30	2.26	2.23	2.19	2.16	2.12	2.08	2.12	2.08	2.04	2.00
6	2.13	2.13	2.14	2.14	2.14	2.14	2.14	2.14	2.15	2.15	2.15	2.15	2.15	2.14	2.14	2.14	2.14	2.14	2.14	2.13
7	2.26	2.25	2.24	2.22	2.21	2.19	2.17	2.16	2.14	2.12	2.11	2.09	2.54	2.53	2.51	2.49	2.47	2.46	2.44	2.42
8	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.37												

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 1  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
1	1	1	227.00	226.75	980.10	0.00	0.10	0.222	0.069	10.118	436.778	5833335.0	603257.1	4419.19	7.75
2	1	2	226.75	226.50	980.20	0.00	0.10	0.222	0.069	10.118	436.780	5833396.0	603260.4	4419.24	7.75
3	1	3	226.50	226.25	980.30	0.00	0.10	0.222	0.069	10.118	436.782	5833457.5	603263.6	4419.29	7.75
4	1	4	226.25	226.00	980.40	0.00	0.10	0.222	0.069	10.118	436.785	5833518.5	603266.9	4419.33	7.75
5	1	5	226.00	225.75	980.50	0.00	0.10	0.222	0.069	10.118	436.787	5833579.5	603270.1	4419.38	7.75
6	1	6	225.75	225.50	980.60	0.00	0.10	0.222	0.069	10.118	436.789	5833641.0	603273.4	4419.43	7.75
7	1	7	225.50	225.25	980.70	0.00	0.10	0.222	0.069	10.118	436.792	5833702.5	603276.6	4419.47	7.75
8	1	8	225.25	225.00	980.80	0.00	0.10	0.222	0.069	10.118	436.794	5833763.5	603279.9	4419.52	7.75
9	1	9	225.00	224.75	980.90	0.00	0.10	0.222	0.069	10.118	436.796	5833824.5	603283.1	4419.56	7.75
10	1	10	224.75	224.50	981.00	0.00	0.10	0.222	0.069	10.118	436.799	5833886.0	603286.4	4419.61	7.75
11	1	11	224.50	224.25	981.10	0.00	0.10	0.222	0.069	10.118	436.801	5833947.5	603289.6	4419.66	7.75
12	1	12	224.25	224.00	981.20	0.00	0.10	0.222	0.069	10.118	436.803	5834008.5	603292.9	4419.70	7.75
13	1	13	224.00	223.75	981.30	0.00	0.10	0.222	0.069	10.118	436.806	5834070.0	603296.1	4419.75	7.75
14	1	14	223.75	223.50	981.40	0.00	0.10	0.222	0.069	10.118	436.808	5834131.0	603299.4	4419.80	7.76
15	1	15	223.50	223.25	981.50	0.00	0.10	0.222	0.069	10.118	436.811	5834192.0	603302.6	4419.84	7.76
16	1	16	223.25	223.00	981.60	0.00	0.10	0.222	0.069	10.118	436.813	5834253.5	603305.9	4419.89	7.76
17	1	17	223.00	222.75	981.70	0.00	0.10	0.222	0.069	10.119	436.815	5834314.5	603309.1	4419.94	7.76

CRFL656B.OUT

18	1	18	222.75	222.50	981.80	0.00	0.10	0.222	0.069	10.119	436.818	5834375.5	603312.4	4419.98	7.76
19	1	19	222.50	222.25	981.90	0.00	0.10	0.222	0.069	10.119	436.820	5834437.0	603315.6	4420.03	7.76
20	1	20	222.25	222.00	982.00	0.00	0.10	0.222	0.069	10.119	436.822	5834498.0	603318.9	4420.07	7.76
21	2	1	222.00	221.75	1024.20	42.10	0.10	0.231	0.066	10.140	437.798	5859838.5	604662.4	4439.27	8.07
22	2	2	221.75	221.50	1024.30	0.00	0.10	0.231	0.066	10.140	437.800	5859897.5	604665.6	4439.32	8.07
23	2	3	221.50	221.25	1024.40	0.00	0.10	0.231	0.066	10.140	437.802	5859956.5	604668.6	4439.36	8.07
24	2	4	221.25	221.00	1024.50	0.00	0.10	0.231	0.066	10.140	437.804	5860015.5	604671.7	4439.41	8.07
25	2	5	221.00	220.75	1024.60	0.00	0.10	0.231	0.066	10.140	437.807	5860074.0	604674.9	4439.45	8.08
26	2	6	220.75	220.50	1024.70	0.00	0.10	0.231	0.066	10.140	437.809	5860133.5	604678.0	4439.50	8.08
27	2	7	220.50	220.25	1024.80	0.00	0.10	0.231	0.066	10.140	437.811	5860192.0	604681.1	4439.54	8.08
28	2	8	220.25	220.00	1024.90	0.00	0.10	0.231	0.066	10.140	437.813	5860250.5	604684.2	4439.58	8.08
29	2	9	220.00	219.75	1025.00	0.00	0.10	0.231	0.066	10.140	437.816	5860310.0	604687.4	4439.63	8.08
30	2	10	219.75	219.50	1025.10	0.00	0.10	0.231	0.066	10.140	437.818	5860368.5	604690.5	4439.67	8.08
31	2	11	219.50	219.25	1025.20	0.00	0.10	0.231	0.066	10.141	437.820	5860427.5	604693.6	4439.72	8.08
32	2	12	219.25	219.00	1025.30	0.00	0.10	0.231	0.066	10.141	437.822	5860486.5	604696.7	4439.76	8.08
33	2	13	219.00	218.75	1025.40	0.00	0.10	0.231	0.066	10.141	437.825	5860545.5	604699.8	4439.81	8.08
34	2	14	218.75	218.50	1025.50	0.00	0.10	0.231	0.066	10.141	437.827	5860604.0	604702.9	4439.85	8.08
35	2	15	218.50	218.25	1025.60	0.00	0.10	0.231	0.066	10.141	437.829	5860663.0	604706.1	4439.90	8.08
36	2	16	218.25	218.00	1025.70	0.00	0.10	0.231	0.066	10.141	437.832	5860721.5	604709.2	4439.94	8.08
37	2	17	218.00	217.75	1025.80	0.00	0.10	0.231	0.066	10.141	437.834	5860780.5	604712.3	4439.99	8.08
38	2	18	217.75	217.50	1025.90	0.00	0.10	0.231	0.066	10.141	437.836	5860839.5	604715.4	4440.03	8.09
39	2	19	217.50	217.25	1026.00	0.00	0.10	0.231	0.066	10.141	437.838	5860898.5	604718.5	4440.07	8.09
40	2	20	217.25	217.00	1026.10	0.00	0.10	0.231	0.066	10.141	437.841	5860957.0	604721.6	4440.12	8.09
41	3	1	217.00	216.75	1026.20	0.00	0.10	0.231	0.066	10.141	437.843	5861016.0	604724.7	4440.16	4.68
42	3	2	216.75	216.50	1026.30	0.00	0.10	0.231	0.066	10.141	437.845	5861075.0	604727.9	4440.21	4.68
43	3	3	216.50	216.25	1026.40	0.00	0.10	0.231	0.066	10.141	437.847	5861133.5	604730.9	4440.25	4.68
44	3	4	216.25	216.00	1026.50	0.00	0.10	0.231	0.066	10.141	437.850	5861192.5	604734.1	4440.30	4.68
45	3	5	216.00	215.75	1026.60	0.00	0.10	0.231	0.066	10.141	437.852	5861251.5	604737.2	4440.34	4.68
46	3	6	215.75	215.50	1026.70	0.00	0.10	0.231	0.066	10.141	437.854	5861310.0	604740.3	4440.39	4.68
47	3	7	215.50	215.25	1026.80	0.00	0.10	0.231	0.066	10.141	437.856	5861368.5	604743.4	4440.43	4.68
48	3	8	215.25	215.00	1026.90	0.00	0.10	0.231	0.066	10.141	437.859	5861427.5	604746.6	4440.48	4.69
49	3	9	215.00	214.75	1027.00	0.00	0.10	0.231	0.066	10.141	437.861	5861486.0	604749.7	4440.52	4.69
50	3	10	214.75	214.50	1027.10	0.00	0.10	0.231	0.066	10.141	437.863	5861545.0	604752.7	4440.56	4.69
51	3	11	214.50	214.25	1027.20	0.00	0.10	0.231	0.066	10.141	437.865	5861604.0	604755.9	4440.61	4.69
52	3	12	214.25	214.00	1027.30	0.00	0.10	0.231	0.066	10.142	437.868	5861662.5	604758.9	4440.65	4.69
53	3	13	214.00	213.75	1027.40	0.00	0.10	0.231	0.066	10.142	437.870	5861721.0	604762.1	4440.70	4.69
54	3	14	213.75	213.50	1027.50	0.00	0.10	0.231	0.066	10.142	437.872	5861780.0	604765.2	4440.74	4.69
55	3	15	213.50	213.25	1027.60	0.00	0.10	0.231	0.066	10.142	437.874	5861839.0	604768.3	4440.79	4.69
56	3	16	213.25	213.00	1027.70	0.00	0.10	0.231	0.066	10.142	437.877	5861897.5	604771.4	4440.83	4.69
57	3	17	213.00	212.75	1027.80	0.00	0.10	0.231	0.066	10.142	437.879	5861956.0	604774.6	4440.88	4.69
58	3	18	212.75	212.50	1027.90	0.00	0.10	0.231	0.066	10.142	437.881	5862015.0	604777.7	4440.92	4.69
59	3	19	212.50	212.25	1028.00	0.00	0.10	0.231	0.066	10.142	437.883	5862073.5	604780.7	4440.96	4.69
60	3	20	212.25	212.00	1028.10	0.00	0.10	0.232	0.066	10.142	437.886	5862132.5	604783.9	4441.01	4.69
61	4	1	212.00	211.75	1028.20	0.00	0.10	0.232	0.066	11.316	392.457	5862191.0	547917.7	4441.05	4.91

CRFL656B.OUT

62	4	2	211.75	211.50	1028.30	0.00	0.10	0.232	0.066	11.316	392.459	5862250.0	547920.5	4441.10	4.91
63	4	3	211.50	211.25	1028.40	0.00	0.10	0.232	0.066	11.316	392.461	5862308.5	547923.3	4441.14	4.91
64	4	4	211.25	211.00	1029.50	1.00	0.10	0.232	0.066	11.317	392.483	5862954.0	547954.2	4441.63	4.91
65	4	5	211.00	210.75	1029.60	0.00	0.10	0.232	0.066	11.317	392.485	5863012.5	547957.1	4441.68	4.91

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.50	1029.70	0.00	0.10	0.232	0.066	11.317	392.487	5863071.5	547959.9	4441.72	4.91
67	4	7	210.50	210.25	1029.80	0.00	0.10	0.232	0.066	11.317	392.489	5863130.0	547962.7	4441.77	4.91
68	4	8	210.25	210.00	1029.90	0.00	0.10	0.232	0.066	11.317	392.491	5863188.5	547965.5	4441.81	4.91
69	4	9	210.00	209.75	1030.00	0.00	0.10	0.232	0.066	11.317	392.493	5863247.0	547968.3	4441.85	4.91
70	4	10	209.75	209.50	1030.10	0.00	0.10	0.232	0.066	11.317	392.495	5863305.5	547971.1	4441.90	4.91
71	4	11	209.50	209.25	1030.20	0.00	0.10	0.232	0.066	11.317	392.498	5863364.5	547974.0	4441.94	4.91
72	4	12	209.25	209.00	1030.30	0.00	0.10	0.232	0.066	11.317	392.500	5863423.0	547976.7	4441.99	4.91
73	4	13	209.00	208.75	1030.40	0.00	0.10	0.232	0.066	11.317	392.502	5863481.5	547979.6	4442.03	4.92
74	4	14	208.75	208.50	1030.50	0.00	0.10	0.232	0.066	11.317	392.504	5863540.0	547982.4	4442.08	4.92
75	4	15	208.50	208.25	1030.60	0.00	0.10	0.232	0.066	11.317	392.506	5863598.5	547985.2	4442.12	4.92
76	4	16	208.25	208.00	1030.70	0.00	0.10	0.232	0.066	11.317	392.508	5863657.0	547988.0	4442.16	4.92
77	4	17	208.00	207.75	1030.80	0.00	0.10	0.232	0.066	11.317	392.510	5863716.0	547990.8	4442.21	4.92
78	4	18	207.75	207.50	1031.00	0.10	0.10	0.232	0.066	11.318	392.514	5863833.0	547996.4	4442.30	4.92
79	4	19	207.50	207.25	1031.10	0.00	0.10	0.232	0.066	11.318	392.516	5863891.5	547999.2	4442.34	4.92
80	4	20	207.25	207.00	1031.20	0.00	0.10	0.232	0.066	11.318	392.518	5863950.5	548002.0	4442.39	4.92
81	5	1	207.00	206.75	1031.30	0.00	0.10	0.199	0.077	13.596	382.070	6857071.5	540226.4	5194.75	2.33
82	5	2	206.75	206.50	1031.40	0.00	0.10	0.199	0.077	13.596	382.071	6857107.5	540228.2	5194.78	2.33
83	5	3	206.50	206.25	1031.50	0.00	0.10	0.199	0.077	13.596	382.072	6857143.5	540230.0	5194.81	2.33
84	5	4	206.25	206.00	1031.60	0.00	0.10	0.199	0.077	13.596	382.074	6857179.5	540231.9	5194.83	2.33
85	5	5	206.00	205.75	1031.70	0.00	0.10	0.199	0.077	13.596	382.075	6857215.5	540233.7	5194.86	2.33
86	5	6	205.75	205.50	1031.80	0.00	0.10	0.199	0.077	13.596	382.076	6857251.0	540235.4	5194.89	2.34
87	5	7	205.50	205.25	1031.90	0.00	0.10	0.199	0.077	13.596	382.078	6857287.0	540237.3	5194.91	2.34
88	5	8	205.25	205.00	1032.00	0.00	0.10	0.199	0.077	13.597	382.079	6857323.0	540239.1	5194.94	2.34
89	5	9	205.00	204.75	1032.10	0.00	0.10	0.199	0.077	13.597	382.080	6857359.0	540240.9	5194.97	2.34
90	5	10	204.75	204.50	1032.20	0.00	0.10	0.199	0.077	13.597	382.082	6857394.5	540242.7	5195.00	2.34
91	5	11	204.50	204.25	1032.30	0.00	0.10	0.199	0.077	13.597	382.083	6857430.5	540244.6	5195.02	2.34
92	5	12	204.25	204.00	1032.40	0.00	0.10	0.199	0.077	13.597	382.084	6857466.5	540246.4	5195.05	2.34
93	5	13	204.00	203.75	1032.50	0.00	0.10	0.199	0.077	13.597	382.086	6857502.5	540248.2	5195.08	2.34
94	5	14	203.75	203.50	1032.60	0.00	0.10	0.199	0.077	13.597	382.087	6857538.0	540250.0	5195.10	2.34
95	5	15	203.50	203.25	1032.70	0.00	0.10	0.199	0.077	13.597	382.088	6857573.5	540251.9	5195.13	2.34
96	5	16	203.25	203.00	1032.80	0.00	0.10	0.199	0.077	13.597	382.090	6857610.0	540253.7	5195.16	2.34
97	5	17	203.00	202.75	1033.90	1.00	0.10	0.199	0.077	13.597	382.104	6858004.0	540273.7	5195.46	2.34
98	5	18	202.75	202.50	1034.00	0.00	0.10	0.199	0.077	13.597	382.106	6858040.0	540275.6	5195.48	2.34



CRFL656B.OUT

99	5	19	202.50	202.25	1034.10	0.00	0.10	0.199	0.077	13.597	382.107	6858075.5	540277.3	5195.51	2.34
100	5	20	202.25	202.00	1034.20	0.00	0.10	0.199	0.077	13.597	382.108	6858111.5	540279.2	5195.54	2.34
101	6	1	202.00	201.75	1034.30	0.00	0.10	0.199	0.077	13.597	382.110	6858147.5	540280.9	5195.57	3.98
102	6	2	201.75	201.50	1034.40	0.00	0.10	0.199	0.077	13.597	382.111	6858183.0	540282.7	5195.59	3.98
103	6	3	201.50	201.25	1034.50	0.00	0.10	0.199	0.077	13.597	382.112	6858219.0	540284.6	5195.62	3.98
104	6	4	201.25	201.00	1034.60	0.00	0.10	0.199	0.077	13.597	382.114	6858254.5	540286.4	5195.65	3.98
105	6	5	201.00	200.75	1034.70	0.00	0.10	0.199	0.077	13.597	382.115	6858290.5	540288.2	5195.67	3.98
106	6	6	200.75	200.50	1034.80	0.00	0.10	0.199	0.077	13.597	382.116	6858326.0	540290.1	5195.70	3.98
107	6	7	200.50	200.25	1034.90	0.00	0.10	0.199	0.077	13.597	382.118	6858362.0	540291.9	5195.73	3.98
108	6	8	200.25	200.00	1035.00	0.00	0.10	0.199	0.077	13.597	382.119	6858398.0	540293.7	5195.76	3.98
109	6	9	200.00	199.75	1035.10	0.00	0.10	0.199	0.077	13.597	382.120	6858433.5	540295.5	5195.78	3.98
110	6	10	199.75	199.50	1035.20	0.00	0.10	0.199	0.077	13.597	382.122	6858469.5	540297.3	5195.81	3.98
111	6	11	199.50	199.25	1035.30	0.00	0.10	0.199	0.077	13.597	382.123	6858505.0	540299.1	5195.84	3.98
112	6	12	199.25	199.00	1035.40	0.00	0.10	0.199	0.077	13.597	382.124	6858541.0	540300.9	5195.86	3.98
113	6	13	199.00	198.75	1035.60	0.10	0.10	0.199	0.077	13.597	382.127	6858612.5	540304.6	5195.92	3.98
114	6	14	198.75	198.50	1035.70	0.00	0.10	0.199	0.077	13.597	382.128	6858648.0	540306.4	5195.95	3.98
115	6	15	198.50	198.25	1035.80	0.00	0.10	0.199	0.077	13.597	382.130	6858683.5	540308.2	5195.97	3.98
116	6	16	198.25	198.00	1035.90	0.00	0.10	0.199	0.077	13.597	382.131	6858719.5	540310.1	5196.00	3.98
117	6	17	198.00	197.75	1036.00	0.00	0.10	0.199	0.077	13.597	382.132	6858755.0	540311.8	5196.03	3.99
118	6	18	197.75	197.50	1036.10	0.00	0.10	0.199	0.077	13.597	382.134	6858791.0	540313.7	5196.05	3.99
119	6	19	197.50	197.25	1036.20	0.00	0.10	0.199	0.077	13.598	382.135	6858826.5	540315.4	5196.08	3.99
120	6	20	197.25	197.00	1036.30	0.00	0.10	0.199	0.077	13.598	382.136	6858862.5	540317.3	5196.11	3.99
121	7	1	197.00	196.75	1036.50	0.10	0.10	0.127	0.120	16.223	501.106	10730840.0	704288.4	8129.42	1.22
122	7	2	196.75	196.50	1036.60	0.00	0.10	0.128	0.120	16.223	501.109	10730912.0	704292.2	8129.48	1.22
123	7	3	196.50	196.25	1036.70	0.00	0.10	0.128	0.120	16.223	501.112	10730984.0	704296.0	8129.53	1.22
124	7	4	196.25	196.00	1036.80	0.00	0.10	0.128	0.120	16.223	501.114	10731057.0	704299.9	8129.59	1.22
125	7	5	196.00	195.75	1036.90	0.00	0.10	0.128	0.120	16.223	501.117	10731128.0	704303.6	8129.64	1.22
126	7	6	195.75	195.50	1037.00	0.00	0.10	0.128	0.120	16.223	501.120	10731201.0	704307.5	8129.70	1.22
127	7	7	195.50	195.25	1037.10	0.00	0.10	0.128	0.120	16.223	501.123	10731273.0	704311.2	8129.75	1.22
128	7	8	195.25	195.00	1037.20	0.00	0.10	0.128	0.120	16.223	501.126	10731346.0	704315.1	8129.81	1.22
129	7	9	195.00	194.75	1037.30	0.00	0.10	0.128	0.120	16.223	501.129	10731418.0	704318.9	8129.86	1.22
130	7	10	194.75	194.50	1037.40	0.00	0.10	0.128	0.120	16.223	501.132	10731491.0	704322.7	8129.92	1.22

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN
ORD	NUM	NUM	LOC	LOC	SRCE	FLOW	TIME	AREA	AREA	COEF
			LOC	LOC	SRCE	FLOW	TIME	AREA	AREA	COEF
			MILE	MILE	CFS	CFS	DAY	FT-2	FT-2	FT-2/S
131	7	11	194.50	194.25	1037.50	0.00	0.10	704326.5	8129.97	1.22
132	7	12	194.25	194.00	1037.60	0.00	0.10	704330.3	8130.03	1.22
133	7	13	194.00	193.75	1259.70	222.00	0.10	712035.4	8241.17	1.46

CRFL656B.OUT

134	7	14	193.75	193.50	1259.80	0.00	0.10	0.153	0.100	16.258	506.908	10878398.0	712038.6	8241.21	1.46
135	7	15	193.50	193.25	1259.90	0.00	0.10	0.153	0.100	16.258	506.910	10878458.0	712041.7	8241.26	1.46
136	7	16	193.25	193.00	1260.00	0.00	0.10	0.153	0.100	16.258	506.912	10878519.0	712044.9	8241.30	1.46
137	7	17	193.00	192.75	1260.10	0.00	0.10	0.153	0.100	16.258	506.915	10878579.0	712048.1	8241.35	1.46
138	7	18	192.75	192.50	1260.20	0.00	0.10	0.153	0.100	16.258	506.917	10878640.0	712051.2	8241.39	1.46
139	7	19	192.50	192.25	1260.30	0.00	0.10	0.153	0.100	16.258	506.919	10878701.0	712054.5	8241.44	1.46
140	7	20	192.25	192.00	1260.40	0.00	0.10	0.153	0.100	16.258	506.922	10878761.0	712057.6	8241.49	1.46
141	8	1	192.00	191.75	1261.42	0.77	0.25	0.153	0.100	16.258	506.946	10879377.0	712089.9	8241.95	1.46
142	8	2	191.75	191.50	1261.67	0.00	0.25	0.153	0.100	16.258	506.952	10879527.0	712097.9	8242.07	1.46
143	8	3	191.50	191.25	1261.92	0.00	0.25	0.153	0.100	16.258	506.958	10879678.0	712105.7	8242.18	1.46
144	8	4	191.25	191.00	1262.17	0.00	0.25	0.153	0.100	16.258	506.964	10879829.0	712113.7	8242.29	1.46
145	8	5	191.00	190.75	1262.42	0.00	0.25	0.153	0.100	16.258	506.970	10879980.0	712121.6	8242.41	1.46
146	8	6	190.75	190.50	1262.67	0.00	0.25	0.153	0.100	16.258	506.976	10880131.0	712129.4	8242.52	1.46
147	8	7	190.50	190.25	1262.92	0.00	0.25	0.153	0.100	16.258	506.982	10880281.0	712137.4	8242.64	1.46
148	8	8	190.25	190.00	1263.17	0.00	0.25	0.153	0.100	16.258	506.987	10880433.0	712145.4	8242.75	1.46

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
1	1	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	2	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	3	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	4	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	5	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	6	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	7	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	8	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	9	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	10	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	11	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	12	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	13	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	14	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	15	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	16	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	17	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	18	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	19	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	20	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00



CRFL656B.OUT

4 5 7.37 3 0.22 0.13 0.00 0.14 0.17 0.00 0.25 0.00 1.70 0.00 0.00 0.00 0.00 0.00 0.00 0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
4	6	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.37	3	0.18	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	3	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	4	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	5	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	6	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	7	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	8	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	9	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	10	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	11	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	12	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	13	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	14	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	15	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	16	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	17	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	18	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	19	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	20	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CRFL656B.OUT

6	1	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	2	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	3	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	4	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	5	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	6	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	7	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	8	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	9	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	10	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	11	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	12	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	13	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	14	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	15	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	16	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	17	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	18	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	19	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	20	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	1	7.37	3	0.12	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	2	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	3	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	4	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	5	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	6	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	7	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	8	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT	K2 OPT	OXYGN REAIR	BOD DECAY	BOD SETT	SOD RATE	ORGN DECAY	ORGN SETT	NH3 DECAY	NH3 SRCE	NO2 DECAY	ORGP DECAY	ORGP SETT	DISP SRCE	COLI DECAY	ANC DECAY	ANC SETT	ANC SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	11	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

CRFL656B.OUT

7	17	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH	ELE	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA	
NUM	NUM	TEMP			MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L	
		DEG-F																
1	1	88.70	0.00	0.00	0.00	5.94	3.73	0.48	0.05	0.09	0.41	1.03	0.07	0.04	0.11	0.00	0.00	8.60
1	2	88.70	0.00	0.00	0.00	5.94	3.71	0.47	0.06	0.08	0.42	1.03	0.07	0.04	0.11	0.00	0.00	8.80
1	3	88.70	0.00	0.00	0.00	5.93	3.68	0.47	0.06	0.07	0.42	1.03	0.07	0.04	0.11	0.00	0.00	9.00
1	4	88.70	0.00	0.00	0.00	5.93	3.66	0.46	0.07	0.07	0.43	1.03	0.07	0.04	0.11	0.00	0.00	9.21
1	5	88.70	0.00	0.00	0.00	5.93	3.64	0.46	0.07	0.06	0.44	1.03	0.07	0.04	0.11	0.00	0.00	9.43
1	6	88.70	0.00	0.00	0.00	5.93	3.62	0.45	0.07	0.06	0.44	1.02	0.07	0.04	0.11	0.00	0.00	9.65
1	7	88.70	0.00	0.00	0.00	5.93	3.60	0.45	0.08	0.05	0.44	1.02	0.07	0.04	0.11	0.00	0.00	9.88
1	8	88.70	0.00	0.00	0.00	5.94	3.58	0.44	0.08	0.05	0.45	1.02	0.07	0.04	0.11	0.00	0.00	10.11
1	9	88.70	0.00	0.00	0.00	5.94	3.56	0.44	0.08	0.04	0.45	1.02	0.07	0.04	0.11	0.00	0.00	10.35
1	10	88.70	0.00	0.00	0.00	5.95	3.54	0.43	0.09	0.04	0.46	1.02	0.07	0.04	0.11	0.00	0.00	10.59
1	11	88.70	0.00	0.00	0.00	5.95	3.52	0.43	0.09	0.04	0.46	1.02	0.07	0.04	0.11	0.00	0.00	10.84
1	12	88.70	0.00	0.00	0.00	5.96	3.50	0.42	0.09	0.04	0.46	1.01	0.07	0.04	0.11	0.00	0.00	11.09
1	13	88.70	0.00	0.00	0.00	5.97	3.48	0.42	0.10	0.03	0.46	1.01	0.07	0.04	0.11	0.00	0.00	11.35
1	14	88.70	0.00	0.00	0.00	5.98	3.46	0.42	0.10	0.03	0.46	1.01	0.07	0.03	0.11	0.00	0.00	11.61
1	15	88.70	0.00	0.00	0.00	5.99	3.44	0.41	0.10	0.03	0.46	1.01	0.07	0.03	0.11	0.00	0.00	11.87
1	16	88.70	0.00	0.00	0.00	6.00	3.42	0.41	0.10	0.03	0.47	1.01	0.07	0.03	0.11	0.00	0.00	12.14
1	17	88.70	0.00	0.00	0.00	6.01	3.40	0.40	0.11	0.03	0.47	1.00	0.07	0.03	0.10	0.00	0.00	12.42
1	18	88.70	0.00	0.00	0.00	6.02	3.38	0.40	0.11	0.03	0.47	1.00	0.07	0.03	0.10	0.00	0.00	12.69
1	19	88.70	0.00	0.00	0.00	6.03	3.36	0.39	0.11	0.02	0.47	1.00	0.07	0.03	0.10	0.00	0.00	12.98
1	20	88.70	0.00	0.00	0.00	6.04	3.38	0.39	0.12	0.02	0.47	1.00	0.07	0.03	0.10	0.00	0.00	13.25
2	1	88.70	0.00	0.00	0.00	5.91	5.16	0.48	0.26	0.03	0.47	1.23	0.08	0.05	0.13	0.00	0.00	12.94

CRFL656B.OUT

2	2	88.70	0.00	0.00	0.00	5.88	5.12	0.48	0.26	0.03	0.47	1.23	0.08	0.05	0.13	0.00	0.00	13.12
2	3	88.70	0.00	0.00	0.00	5.85	5.07	0.47	0.26	0.03	0.47	1.23	0.08	0.05	0.13	0.00	0.00	13.30
2	4	88.70	0.00	0.00	0.00	5.83	5.03	0.47	0.26	0.03	0.48	1.23	0.08	0.05	0.13	0.00	0.00	13.48
2	5	88.70	0.00	0.00	0.00	5.80	4.99	0.46	0.26	0.03	0.48	1.23	0.08	0.05	0.13	0.00	0.00	13.67
2	6	88.70	0.00	0.00	0.00	5.78	4.95	0.46	0.26	0.03	0.48	1.23	0.08	0.05	0.13	0.00	0.00	13.86
2	7	88.70	0.00	0.00	0.00	5.75	4.91	0.45	0.26	0.03	0.48	1.22	0.08	0.05	0.13	0.00	0.00	14.05
2	8	88.70	0.00	0.00	0.00	5.73	4.87	0.45	0.26	0.03	0.48	1.22	0.08	0.05	0.13	0.00	0.00	14.24
2	9	88.70	0.00	0.00	0.00	5.71	4.82	0.44	0.26	0.03	0.49	1.22	0.08	0.05	0.13	0.00	0.00	14.44
2	10	88.70	0.00	0.00	0.00	5.69	4.78	0.44	0.26	0.03	0.49	1.22	0.08	0.05	0.13	0.00	0.00	14.64
2	11	88.70	0.00	0.00	0.00	5.67	4.74	0.43	0.26	0.03	0.49	1.22	0.08	0.05	0.13	0.00	0.00	14.83
2	12	88.70	0.00	0.00	0.00	5.65	4.70	0.43	0.26	0.03	0.49	1.22	0.08	0.05	0.13	0.00	0.00	15.04
2	13	88.70	0.00	0.00	0.00	5.63	4.66	0.43	0.26	0.04	0.50	1.21	0.08	0.05	0.13	0.00	0.00	15.24
2	14	88.70	0.00	0.00	0.00	5.62	4.63	0.42	0.26	0.04	0.50	1.21	0.08	0.05	0.13	0.00	0.00	15.44
2	15	88.70	0.00	0.00	0.00	5.60	4.59	0.42	0.26	0.04	0.50	1.21	0.08	0.05	0.13	0.00	0.00	15.65
2	16	88.70	0.00	0.00	0.00	5.59	4.55	0.41	0.26	0.04	0.50	1.21	0.08	0.05	0.13	0.00	0.00	15.86
2	17	88.70	0.00	0.00	0.00	5.57	4.51	0.41	0.25	0.04	0.51	1.21	0.08	0.05	0.13	0.00	0.00	16.07
2	18	88.70	0.00	0.00	0.00	5.56	4.47	0.41	0.25	0.04	0.51	1.21	0.08	0.05	0.13	0.00	0.00	16.28
2	19	88.70	0.00	0.00	0.00	5.55	4.43	0.40	0.25	0.04	0.51	1.20	0.08	0.05	0.13	0.00	0.00	16.49
2	20	88.70	0.00	0.00	0.00	5.54	4.40	0.40	0.25	0.04	0.51	1.20	0.08	0.05	0.13	0.00	0.00	16.71
3	1	88.70	0.00	0.00	0.00	5.55	4.36	0.39	0.25	0.04	0.52	1.20	0.08	0.05	0.13	0.00	0.00	17.09
3	2	88.70	0.00	0.00	0.00	5.56	4.32	0.39	0.25	0.04	0.52	1.20	0.08	0.05	0.13	0.00	0.00	17.49
3	3	88.70	0.00	0.00	0.00	5.57	4.29	0.39	0.25	0.04	0.52	1.19	0.08	0.05	0.12	0.00	0.00	17.89
3	4	88.70	0.00	0.00	0.00	5.59	4.25	0.38	0.25	0.04	0.52	1.19	0.08	0.05	0.12	0.00	0.00	18.29
3	5	88.70	0.00	0.00	0.00	5.60	4.22	0.38	0.25	0.04	0.52	1.19	0.08	0.04	0.12	0.00	0.00	18.70
3	6	88.70	0.00	0.00	0.00	5.62	4.18	0.38	0.25	0.04	0.52	1.18	0.08	0.04	0.12	0.00	0.00	19.12
3	7	88.70	0.00	0.00	0.00	5.63	4.15	0.37	0.25	0.04	0.53	1.18	0.08	0.04	0.12	0.00	0.00	19.54
3	8	88.70	0.00	0.00	0.00	5.65	4.11	0.37	0.25	0.04	0.53	1.18	0.08	0.04	0.12	0.00	0.00	19.96
3	9	88.70	0.00	0.00	0.00	5.67	4.08	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12	0.00	0.00	20.39
3	10	88.70	0.00	0.00	0.00	5.69	4.04	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12	0.00	0.00	20.82
3	11	88.70	0.00	0.00	0.00	5.71	4.01	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12	0.00	0.00	21.26
3	12	88.70	0.00	0.00	0.00	5.73	3.98	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12	0.00	0.00	21.70
3	13	88.70	0.00	0.00	0.00	5.75	3.94	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12	0.00	0.00	22.15
3	14	88.70	0.00	0.00	0.00	5.78	3.91	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12	0.00	0.00	22.59
3	15	88.70	0.00	0.00	0.00	5.80	3.88	0.35	0.24	0.04	0.54	1.15	0.08	0.04	0.12	0.00	0.00	23.04
3	16	88.70	0.00	0.00	0.00	5.82	3.84	0.34	0.23	0.04	0.54	1.15	0.08	0.04	0.12	0.00	0.00	23.50
3	17	88.70	0.00	0.00	0.00	5.85	3.81	0.34	0.23	0.04	0.54	1.15	0.08	0.04	0.12	0.00	0.00	23.95
3	18	88.70	0.00	0.00	0.00	5.87	3.78	0.34	0.23	0.04	0.54	1.14	0.08	0.04	0.12	0.00	0.00	24.41
3	19	88.70	0.00	0.00	0.00	5.90	3.75	0.33	0.23	0.04	0.54	1.14	0.08	0.03	0.12	0.00	0.00	24.87
3	20	88.70	0.00	0.00	0.00	5.92	3.72	0.33	0.23	0.04	0.54	1.14	0.08	0.03	0.11	0.00	0.00	25.33
4	1	88.70	0.00	0.00	0.00	5.92	3.69	0.33	0.23	0.04	0.54	1.13	0.08	0.03	0.11	0.00	0.00	25.64
4	2	88.70	0.00	0.00	0.00	5.92	3.66	0.32	0.23	0.03	0.54	1.13	0.08	0.03	0.11	0.00	0.00	25.95
4	3	88.70	0.00	0.00	0.00	5.92	3.63	0.32	0.23	0.03	0.54	1.13	0.08	0.03	0.11	0.00	0.00	26.26
4	4	88.70	0.00	0.00	0.00	5.91	3.60	0.32	0.22	0.03	0.55	1.12	0.08	0.03	0.11	0.00	0.00	26.54
4	5	88.70	0.00	0.00	0.00	5.91	3.57	0.32	0.22	0.03	0.55	1.12	0.08	0.03	0.11	0.00	0.00	26.84

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	88.70	0.00	0.00	0.00	5.91	3.54	0.31	0.22	0.03	0.55	1.12	0.08	0.03	0.11	0.00	0.00	27.15
4	7	88.70	0.00	0.00	0.00	5.91	3.51	0.31	0.22	0.03	0.55	1.12	0.08	0.03	0.11	0.00	0.00	27.45
4	8	88.70	0.00	0.00	0.00	5.91	3.48	0.31	0.22	0.03	0.55	1.11	0.08	0.03	0.11	0.00	0.00	27.75
4	9	88.70	0.00	0.00	0.00	5.91	3.45	0.31	0.22	0.03	0.55	1.11	0.08	0.03	0.11	0.00	0.00	28.05
4	10	88.70	0.00	0.00	0.00	5.91	3.42	0.30	0.22	0.03	0.55	1.11	0.08	0.03	0.11	0.00	0.00	28.35
4	11	88.70	0.00	0.00	0.00	5.91	3.39	0.30	0.22	0.03	0.55	1.11	0.08	0.03	0.11	0.00	0.00	28.65
4	12	88.70	0.00	0.00	0.00	5.91	3.36	0.30	0.21	0.03	0.56	1.10	0.08	0.03	0.11	0.00	0.00	28.94
4	13	88.70	0.00	0.00	0.00	5.91	3.34	0.30	0.21	0.03	0.56	1.10	0.08	0.03	0.11	0.00	0.00	29.23
4	14	88.70	0.00	0.00	0.00	5.91	3.31	0.29	0.21	0.03	0.56	1.10	0.08	0.02	0.11	0.00	0.00	29.52
4	15	88.70	0.00	0.00	0.00	5.91	3.28	0.29	0.21	0.03	0.56	1.10	0.08	0.02	0.11	0.00	0.00	29.81
4	16	88.70	0.00	0.00	0.00	5.91	3.25	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11	0.00	0.00	30.09
4	17	88.70	0.00	0.00	0.00	5.91	3.23	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11	0.00	0.00	30.36
4	18	88.70	0.00	0.00	0.00	5.91	3.20	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11	0.00	0.00	30.63
4	19	88.70	0.00	0.00	0.00	5.92	3.17	0.28	0.21	0.03	0.56	1.08	0.08	0.02	0.11	0.00	0.00	30.90
4	20	88.70	0.00	0.00	0.00	5.92	3.15	0.28	0.21	0.03	0.56	1.08	0.08	0.02	0.11	0.00	0.00	31.16
5	1	88.70	0.00	0.00	0.00	5.91	3.13	0.28	0.20	0.03	0.57	1.08	0.08	0.02	0.11	0.00	0.00	31.34
5	2	88.70	0.00	0.00	0.00	5.90	3.11	0.28	0.20	0.03	0.57	1.08	0.08	0.02	0.10	0.00	0.00	31.52
5	3	88.70	0.00	0.00	0.00	5.89	3.09	0.27	0.20	0.03	0.57	1.08	0.09	0.02	0.10	0.00	0.00	31.70
5	4	88.70	0.00	0.00	0.00	5.88	3.07	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10	0.00	0.00	31.87
5	5	88.70	0.00	0.00	0.00	5.87	3.05	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10	0.00	0.00	32.03
5	6	88.70	0.00	0.00	0.00	5.86	3.03	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10	0.00	0.00	32.19
5	7	88.70	0.00	0.00	0.00	5.85	3.01	0.26	0.20	0.03	0.58	1.07	0.09	0.02	0.10	0.00	0.00	32.35
5	8	88.70	0.00	0.00	0.00	5.84	2.99	0.26	0.20	0.03	0.58	1.07	0.09	0.02	0.10	0.00	0.00	32.49
5	9	88.70	0.00	0.00	0.00	5.83	2.97	0.26	0.19	0.03	0.58	1.06	0.09	0.02	0.10	0.00	0.00	32.63
5	10	88.70	0.00	0.00	0.00	5.82	2.95	0.26	0.19	0.03	0.58	1.06	0.09	0.02	0.10	0.00	0.00	32.77
5	11	88.70	0.00	0.00	0.00	5.81	2.93	0.26	0.19	0.03	0.58	1.06	0.09	0.01	0.10	0.00	0.00	32.89
5	12	88.70	0.00	0.00	0.00	5.80	2.91	0.25	0.19	0.03	0.58	1.06	0.09	0.01	0.10	0.00	0.00	33.01
5	13	88.70	0.00	0.00	0.00	5.78	2.89	0.25	0.19	0.03	0.58	1.06	0.09	0.01	0.10	0.00	0.00	33.12
5	14	88.70	0.00	0.00	0.00	5.77	2.87	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10	0.00	0.00	33.22
5	15	88.70	0.00	0.00	0.00	5.76	2.86	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10	0.00	0.00	33.31
5	16	88.70	0.00	0.00	0.00	5.74	2.84	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10	0.00	0.00	33.40
5	17	88.70	0.00	0.00	0.00	5.73	2.82	0.25	0.19	0.03	0.59	1.06	0.09	0.01	0.10	0.00	0.00	33.46
5	18	88.70	0.00	0.00	0.00	5.71	2.80	0.25	0.19	0.03	0.59	1.06	0.09	0.01	0.10	0.00	0.00	33.54
5	19	88.70	0.00	0.00	0.00	5.70	2.78	0.24	0.19	0.03	0.59	1.06	0.09	0.01	0.10	0.00	0.00	33.61
5	20	88.70	0.00	0.00	0.00	5.68	2.77	0.24	0.19	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	33.68
6	1	88.70	0.00	0.00	0.00	5.67	2.75	0.24	0.19	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	33.78
6	2	88.70	0.00	0.00	0.00	5.66	2.73	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	33.87



CRFL656B.OUT

6	3	88.70	0.00	0.00	0.00	5.65	2.71	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	33.97
6	4	88.70	0.00	0.00	0.00	5.64	2.70	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	34.07
6	5	88.70	0.00	0.00	0.00	5.63	2.68	0.23	0.18	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	34.17
6	6	88.70	0.00	0.00	0.00	5.62	2.66	0.23	0.18	0.03	0.60	1.04	0.09	0.01	0.10	0.00	0.00	34.27
6	7	88.70	0.00	0.00	0.00	5.62	2.64	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10	0.00	0.00	34.37
6	8	88.70	0.00	0.00	0.00	5.61	2.63	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10	0.00	0.00	34.48
6	9	88.70	0.00	0.00	0.00	5.60	2.61	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10	0.00	0.00	34.58
6	10	88.70	0.00	0.00	0.00	5.59	2.59	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10	0.00	0.00	34.68
6	11	88.70	0.00	0.00	0.00	5.59	2.58	0.22	0.17	0.03	0.61	1.04	0.08	0.01	0.10	0.00	0.00	34.79
6	12	88.70	0.00	0.00	0.00	5.58	2.56	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	34.89
6	13	88.70	0.00	0.00	0.00	5.57	2.54	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	34.99
6	14	88.70	0.00	0.00	0.00	5.57	2.53	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	35.10
6	15	88.70	0.00	0.00	0.00	5.56	2.51	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	35.20
6	16	88.70	0.00	0.00	0.00	5.56	2.49	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	35.31
6	17	88.70	0.00	0.00	0.00	5.55	2.48	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.41
6	18	88.70	0.00	0.00	0.00	5.55	2.46	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.52
6	19	88.70	0.00	0.00	0.00	5.55	2.45	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.62
6	20	88.70	0.00	0.00	0.00	5.54	2.43	0.21	0.16	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.73
7	1	88.70	0.00	0.00	0.00	5.55	2.41	0.21	0.16	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.95
7	2	88.70	0.00	0.00	0.00	5.56	2.39	0.21	0.16	0.03	0.62	1.01	0.08	0.01	0.09	0.00	0.00	36.22
7	3	88.70	0.00	0.00	0.00	5.57	2.36	0.20	0.16	0.02	0.62	1.01	0.08	0.01	0.09	0.00	0.00	36.49
7	4	88.70	0.00	0.00	0.00	5.57	2.34	0.20	0.16	0.02	0.62	1.01	0.08	0.01	0.09	0.00	0.00	36.75
7	5	88.70	0.00	0.00	0.00	5.58	2.31	0.20	0.16	0.02	0.62	1.00	0.08	0.01	0.09	0.00	0.00	37.01
7	6	88.70	0.00	0.00	0.00	5.59	2.29	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09	0.00	0.00	37.26
7	7	88.70	0.00	0.00	0.00	5.60	2.27	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09	0.00	0.00	37.51
7	8	88.70	0.00	0.00	0.00	5.60	2.25	0.20	0.15	0.02	0.62	0.99	0.08	0.01	0.09	0.00	0.00	37.76
7	9	88.70	0.00	0.00	0.00	5.61	2.22	0.19	0.15	0.02	0.62	0.99	0.08	0.01	0.09	0.00	0.00	37.99
7	10	88.70	0.00	0.00	0.00	5.62	2.20	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09	0.00	0.00	38.22

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH ELE	CM-1	CM-2	CM-3														ANC	
NUM NUM	TEMP			DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	BOD	CHLA		
	DEG-F			MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L		
7	11	88.70	0.00	0.00	0.00	5.63	2.18	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09	0.00	0.00	38.45
7	12	88.70	0.00	0.00	0.00	5.63	2.16	0.19	0.15	0.02	0.63	0.98	0.08	0.01	0.09	0.00	0.00	38.63
7	13	88.70	0.00	0.00	0.00	5.61	2.25	0.24	0.13	0.03	0.59	0.99	0.08	0.02	0.09	0.00	0.00	33.63
7	14	88.70	0.00	0.00	0.00	5.63	2.23	0.24	0.13	0.03	0.59	0.99	0.08	0.02	0.09	0.00	0.00	33.93
7	15	88.70	0.00	0.00	0.00	5.64	2.21	0.23	0.13	0.03	0.59	0.98	0.07	0.02	0.09	0.00	0.00	34.22
7	16	88.70	0.00	0.00	0.00	5.66	2.20	0.23	0.13	0.03	0.59	0.98	0.07	0.01	0.09	0.00	0.00	34.51
7	17	88.70	0.00	0.00	0.00	5.68	2.18	0.23	0.13	0.03	0.59	0.98	0.07	0.01	0.09	0.00	0.00	34.80
7	18	88.70	0.00	0.00	0.00	5.69	2.16	0.23	0.13	0.03	0.59	0.97	0.07	0.01	0.09	0.00	0.00	35.08
7	19	88.70	0.00	0.00	0.00	5.71	2.14	0.23	0.13	0.02	0.59	0.97	0.07	0.01	0.09	0.00	0.00	35.36

CRFL656B.OUT

7	20	88.70	0.00	0.00	0.00	5.73	2.12	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09	0.00	0.00	35.64
8	1	88.70	0.00	0.00	0.00	5.75	2.14	0.23	0.13	0.02	0.59	0.98	0.07	0.02	0.09	0.00	0.00	35.93
8	2	88.70	0.00	0.00	0.00	5.77	2.12	0.23	0.13	0.02	0.59	0.98	0.07	0.02	0.09	0.00	0.00	36.23
8	3	88.70	0.00	0.00	0.00	5.79	2.10	0.22	0.13	0.02	0.59	0.97	0.07	0.02	0.09	0.00	0.00	36.53
8	4	88.70	0.00	0.00	0.00	5.81	2.09	0.22	0.13	0.02	0.59	0.97	0.07	0.02	0.09	0.00	0.00	36.82
8	5	88.70	0.00	0.00	0.00	5.83	2.07	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09	0.00	0.00	37.11
8	6	88.70	0.00	0.00	0.00	5.85	2.05	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09	0.00	0.00	37.39
8	7	88.70	0.00	0.00	0.00	5.87	2.04	0.22	0.13	0.02	0.59	0.96	0.07	0.01	0.09	0.00	0.00	37.67
8	8	88.70	0.00	0.00	0.00	5.88	2.02	0.21	0.13	0.02	0.59	0.96	0.07	0.01	0.09	0.00	0.00	37.93

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE			A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS			
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY						ALGY SETT FT/DA	LIGHT *	NITRGN *	PHSPRS *
1	1	1	8.60	0.52	0.08	1.05	5.51	0.44	0.50	0.12	0.66	0.22	0.70	0.80
2	1	2	8.80	0.52	0.08	1.05	5.53	0.45	0.50	0.12	0.66	0.22	0.70	0.80
3	1	3	9.00	0.52	0.08	1.05	5.55	0.46	0.50	0.13	0.67	0.22	0.71	0.80
4	1	4	9.21	0.52	0.08	1.05	5.56	0.48	0.50	0.13	0.67	0.22	0.71	0.79
5	1	5	9.43	0.52	0.08	1.05	5.56	0.49	0.50	0.14	0.67	0.22	0.72	0.79
6	1	6	9.65	0.52	0.08	1.05	5.56	0.50	0.50	0.14	0.67	0.22	0.72	0.79
7	1	7	9.88	0.52	0.08	1.05	5.56	0.51	0.50	0.15	0.67	0.22	0.72	0.79
8	1	8	10.11	0.52	0.08	1.05	5.56	0.52	0.50	0.15	0.67	0.22	0.73	0.79
9	1	9	10.35	0.52	0.08	1.05	5.55	0.53	0.50	0.16	0.68	0.22	0.73	0.79
10	1	10	10.59	0.52	0.08	1.05	5.54	0.54	0.50	0.16	0.68	0.21	0.73	0.79
11	1	11	10.84	0.52	0.08	1.05	5.53	0.56	0.50	0.17	0.68	0.21	0.73	0.78
12	1	12	11.09	0.52	0.08	1.05	5.51	0.57	0.50	0.17	0.68	0.21	0.73	0.78
13	1	13	11.35	0.52	0.08	1.05	5.50	0.58	0.50	0.17	0.68	0.21	0.74	0.78
14	1	14	11.61	0.52	0.08	1.05	5.48	0.59	0.50	0.18	0.69	0.21	0.74	0.78
15	1	15	11.87	0.51	0.08	1.05	5.46	0.60	0.50	0.18	0.69	0.21	0.74	0.78
16	1	16	12.14	0.51	0.08	1.05	5.44	0.61	0.50	0.18	0.69	0.21	0.74	0.77
17	1	17	12.42	0.51	0.08	1.05	5.41	0.62	0.50	0.19	0.69	0.21	0.74	0.77
18	1	18	12.69	0.51	0.08	1.05	5.39	0.63	0.50	0.19	0.69	0.21	0.74	0.77
19	1	19	12.98	0.51	0.08	1.05	5.36	0.64	0.50	0.19	0.70	0.21	0.74	0.77
20	1	20	13.25	0.51	0.08	1.05	5.37	0.65	0.50	0.20	0.70	0.21	0.75	0.77
21	2	1	12.94	0.40	0.08	1.05	4.24	0.47	0.50	0.35	1.03	0.14	0.78	0.85
22	2	2	13.12	0.40	0.08	1.05	4.23	0.48	0.50	0.35	1.03	0.14	0.78	0.84
23	2	3	13.30	0.40	0.08	1.05	4.22	0.48	0.50	0.35	1.03	0.14	0.78	0.84

CRFL656B.OUT

24	2	4	13.48	0.40	0.08	1.05	4.21	0.49	0.50	0.35	1.03	0.14	0.79	0.84
25	2	5	13.67	0.40	0.08	1.05	4.21	0.50	0.50	0.35	1.03	0.14	0.79	0.84
26	2	6	13.86	0.40	0.08	1.05	4.20	0.50	0.50	0.35	1.03	0.14	0.79	0.84
27	2	7	14.05	0.40	0.08	1.05	4.19	0.51	0.50	0.35	1.03	0.14	0.79	0.84
28	2	8	14.24	0.39	0.08	1.05	4.19	0.51	0.50	0.35	1.04	0.14	0.79	0.84
29	2	9	14.44	0.39	0.08	1.05	4.18	0.52	0.50	0.35	1.04	0.14	0.79	0.84
30	2	10	14.64	0.39	0.08	1.05	4.17	0.52	0.50	0.34	1.04	0.14	0.79	0.84
31	2	11	14.83	0.39	0.08	1.05	4.16	0.53	0.50	0.34	1.04	0.14	0.79	0.84
32	2	12	15.04	0.39	0.08	1.05	4.15	0.54	0.50	0.34	1.04	0.14	0.79	0.84
33	2	13	15.24	0.39	0.08	1.05	4.15	0.54	0.50	0.34	1.04	0.14	0.79	0.83
34	2	14	15.44	0.39	0.08	1.05	4.14	0.55	0.50	0.34	1.04	0.14	0.79	0.83
35	2	15	15.65	0.39	0.08	1.05	4.13	0.55	0.50	0.34	1.05	0.14	0.79	0.83
36	2	16	15.86	0.39	0.08	1.05	4.12	0.56	0.50	0.34	1.05	0.14	0.79	0.83
37	2	17	16.07	0.39	0.08	1.05	4.11	0.56	0.50	0.33	1.05	0.14	0.79	0.83
38	2	18	16.28	0.39	0.08	1.05	4.10	0.57	0.50	0.33	1.05	0.14	0.79	0.83
39	2	19	16.49	0.39	0.08	1.05	4.09	0.58	0.50	0.33	1.05	0.14	0.79	0.83
40	2	20	16.71	0.38	0.08	1.05	4.08	0.58	0.50	0.33	1.05	0.14	0.79	0.83
41	3	1	17.09	0.53	0.08	1.05	5.66	0.90	0.50	0.33	0.76	0.19	0.79	0.82
42	3	2	17.49	0.53	0.08	1.05	5.63	0.92	0.50	0.33	0.76	0.19	0.79	0.82
43	3	3	17.89	0.53	0.08	1.05	5.60	0.93	0.50	0.33	0.76	0.19	0.79	0.82
44	3	4	18.29	0.52	0.08	1.05	5.57	0.94	0.50	0.32	0.76	0.19	0.79	0.82
45	3	5	18.70	0.52	0.08	1.05	5.53	0.96	0.50	0.32	0.77	0.19	0.79	0.82
46	3	6	19.12	0.52	0.08	1.05	5.50	0.97	0.50	0.32	0.77	0.19	0.79	0.81
47	3	7	19.54	0.51	0.08	1.05	5.46	0.99	0.50	0.32	0.77	0.19	0.79	0.81
48	3	8	19.96	0.51	0.08	1.05	5.43	1.00	0.50	0.32	0.78	0.19	0.79	0.81
49	3	9	20.39	0.51	0.08	1.05	5.39	1.01	0.50	0.32	0.78	0.19	0.79	0.81
50	3	10	20.82	0.50	0.08	1.05	5.35	1.03	0.50	0.31	0.78	0.19	0.79	0.80
51	3	11	21.26	0.50	0.08	1.05	5.32	1.04	0.50	0.31	0.78	0.19	0.79	0.80
52	3	12	21.70	0.50	0.08	1.05	5.28	1.05	0.50	0.31	0.79	0.18	0.79	0.80
53	3	13	22.15	0.49	0.08	1.05	5.24	1.06	0.50	0.31	0.79	0.18	0.79	0.80
54	3	14	22.59	0.49	0.08	1.05	5.20	1.07	0.50	0.31	0.79	0.18	0.79	0.79
55	3	15	23.04	0.49	0.08	1.05	5.16	1.08	0.50	0.31	0.80	0.18	0.79	0.79
56	3	16	23.50	0.48	0.08	1.05	5.12	1.09	0.50	0.30	0.80	0.18	0.79	0.79
57	3	17	23.95	0.48	0.08	1.05	5.07	1.10	0.50	0.30	0.80	0.18	0.79	0.78
58	3	18	24.41	0.47	0.08	1.05	5.03	1.11	0.50	0.30	0.80	0.18	0.79	0.78
59	3	19	24.87	0.47	0.08	1.05	4.99	1.12	0.50	0.30	0.81	0.18	0.79	0.77
60	3	20	25.33	0.47	0.08	1.05	4.94	1.13	0.50	0.30	0.81	0.18	0.79	0.77
61	4	1	25.64	0.36	0.08	1.05	3.84	0.82	0.50	0.30	0.93	0.14	0.79	0.77
62	4	2	25.95	0.36	0.08	1.05	3.81	0.83	0.50	0.29	0.93	0.14	0.79	0.76
63	4	3	26.26	0.36	0.08	1.05	3.79	0.83	0.50	0.29	0.94	0.14	0.79	0.76
64	4	4	26.54	0.35	0.08	1.05	3.76	0.83	0.50	0.29	0.94	0.14	0.79	0.76
65	4	5	26.84	0.35	0.08	1.05	3.73	0.83	0.50	0.29	0.94	0.14	0.79	0.75

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER  
EPA/NCASI VERSION

11

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

Page 24

CRFL656B.OUT

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACTE N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
												LIGHT *	NITRGN *	PHSPRS *
66	4	6	27.15	0.35	0.08	1.05	3.71	0.83	0.50	0.29	0.94	0.14	0.79	0.75
67	4	7	27.45	0.35	0.08	1.05	3.68	0.83	0.50	0.29	0.94	0.14	0.79	0.75
68	4	8	27.75	0.34	0.08	1.05	3.65	0.83	0.50	0.28	0.95	0.14	0.79	0.74
69	4	9	28.05	0.34	0.08	1.05	3.62	0.83	0.50	0.28	0.95	0.14	0.79	0.74
70	4	10	28.35	0.34	0.08	1.05	3.60	0.83	0.50	0.28	0.95	0.14	0.79	0.73
71	4	11	28.65	0.34	0.08	1.05	3.57	0.83	0.50	0.28	0.95	0.14	0.79	0.73
72	4	12	28.94	0.33	0.08	1.05	3.54	0.83	0.50	0.28	0.95	0.14	0.79	0.72
73	4	13	29.23	0.33	0.08	1.05	3.50	0.83	0.50	0.28	0.96	0.14	0.79	0.72
74	4	14	29.52	0.33	0.08	1.05	3.47	0.83	0.50	0.28	0.96	0.14	0.79	0.71
75	4	15	29.81	0.32	0.08	1.05	3.44	0.82	0.50	0.27	0.96	0.14	0.79	0.71
76	4	16	30.09	0.32	0.08	1.05	3.41	0.82	0.50	0.27	0.96	0.14	0.79	0.70
77	4	17	30.36	0.32	0.08	1.05	3.37	0.81	0.50	0.27	0.96	0.14	0.79	0.70
78	4	18	30.63	0.31	0.08	1.05	3.34	0.81	0.50	0.27	0.96	0.14	0.79	0.69
79	4	19	30.90	0.31	0.08	1.05	3.30	0.80	0.50	0.27	0.97	0.14	0.79	0.68
80	4	20	31.16	0.31	0.08	1.05	3.26	0.80	0.50	0.27	0.97	0.13	0.79	0.68
81	5	1	31.34	0.24	0.08	1.05	2.56	0.55	0.50	0.27	1.02	0.11	0.79	0.67
82	5	2	31.52	0.24	0.08	1.05	2.53	0.55	0.50	0.26	1.02	0.11	0.79	0.67
83	5	3	31.70	0.24	0.08	1.05	2.51	0.54	0.50	0.26	1.02	0.11	0.79	0.66
84	5	4	31.87	0.23	0.08	1.05	2.48	0.53	0.50	0.26	1.02	0.11	0.79	0.65
85	5	5	32.03	0.23	0.08	1.05	2.45	0.53	0.50	0.26	1.02	0.11	0.79	0.65
86	5	6	32.19	0.23	0.08	1.05	2.42	0.52	0.50	0.26	1.02	0.11	0.79	0.64
87	5	7	32.35	0.23	0.08	1.05	2.39	0.51	0.50	0.26	1.03	0.11	0.79	0.63
88	5	8	32.49	0.22	0.08	1.05	2.36	0.50	0.50	0.25	1.03	0.11	0.79	0.62
89	5	9	32.63	0.22	0.08	1.05	2.33	0.49	0.50	0.25	1.03	0.11	0.79	0.62
90	5	10	32.77	0.22	0.08	1.05	2.30	0.48	0.50	0.25	1.03	0.11	0.79	0.61
91	5	11	32.89	0.21	0.08	1.05	2.26	0.47	0.50	0.25	1.03	0.11	0.79	0.60
92	5	12	33.01	0.21	0.08	1.05	2.23	0.46	0.50	0.25	1.03	0.11	0.79	0.59
93	5	13	33.12	0.21	0.08	1.05	2.19	0.45	0.50	0.25	1.03	0.11	0.79	0.58
94	5	14	33.22	0.20	0.08	1.05	2.16	0.43	0.50	0.24	1.03	0.11	0.79	0.57
95	5	15	33.31	0.20	0.08	1.05	2.12	0.42	0.50	0.24	1.03	0.11	0.80	0.56
96	5	16	33.40	0.20	0.08	1.05	2.08	0.41	0.50	0.24	1.03	0.11	0.80	0.55
97	5	17	33.46	0.20	0.08	1.05	2.12	0.42	0.50	0.24	1.03	0.11	0.80	0.56
98	5	18	33.54	0.20	0.08	1.05	2.08	0.41	0.50	0.24	1.03	0.11	0.80	0.55
99	5	19	33.61	0.19	0.08	1.05	2.04	0.40	0.50	0.24	1.03	0.11	0.80	0.54
100	5	20	33.68	0.19	0.08	1.05	2.00	0.38	0.50	0.24	1.03	0.11	0.80	0.53
101	6	1	33.78	0.20	0.08	1.05	2.13	0.43	0.50	0.24	0.97	0.11	0.80	0.53
102	6	2	33.87	0.20	0.08	1.05	2.13	0.43	0.50	0.24	0.97	0.11	0.80	0.53
103	6	3	33.97	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.97	0.11	0.80	0.53

CRFL656B.OUT

104	6	4	34.07	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
105	6	5	34.17	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
106	6	6	34.27	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
107	6	7	34.37	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
108	6	8	34.48	0.20	0.08	1.05	2.14	0.45	0.50	0.23	0.98	0.11	0.80	0.54
109	6	9	34.58	0.20	0.08	1.05	2.15	0.45	0.50	0.23	0.98	0.11	0.80	0.54
110	6	10	34.68	0.20	0.08	1.05	2.15	0.45	0.50	0.22	0.98	0.11	0.80	0.54
111	6	11	34.79	0.20	0.08	1.05	2.15	0.45	0.50	0.22	0.98	0.11	0.80	0.54
112	6	12	34.89	0.20	0.08	1.05	2.15	0.45	0.50	0.22	0.98	0.11	0.80	0.54
113	6	13	34.99	0.20	0.08	1.05	2.15	0.45	0.50	0.22	0.98	0.11	0.80	0.54
114	6	14	35.10	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
115	6	15	35.20	0.20	0.08	1.05	2.14	0.46	0.50	0.22	0.98	0.11	0.80	0.54
116	6	16	35.31	0.20	0.08	1.05	2.14	0.46	0.50	0.22	0.98	0.11	0.80	0.54
117	6	17	35.41	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.98	0.11	0.80	0.54
118	6	18	35.52	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.98	0.11	0.80	0.54
119	6	19	35.62	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.99	0.11	0.80	0.54
120	6	20	35.73	0.20	0.08	1.05	2.13	0.46	0.50	0.21	0.99	0.11	0.80	0.54
121	7	1	35.95	0.21	0.08	1.05	2.26	0.51	0.50	0.21	0.78	0.12	0.80	0.54
122	7	2	36.22	0.21	0.08	1.05	2.25	0.51	0.50	0.21	0.78	0.12	0.80	0.54
123	7	3	36.49	0.21	0.08	1.05	2.24	0.51	0.50	0.20	0.78	0.12	0.80	0.53
124	7	4	36.75	0.21	0.08	1.05	2.22	0.51	0.50	0.20	0.78	0.12	0.80	0.53
125	7	5	37.01	0.21	0.08	1.05	2.21	0.50	0.50	0.20	0.78	0.12	0.80	0.53
126	7	6	37.26	0.21	0.08	1.05	2.19	0.50	0.50	0.20	0.78	0.12	0.80	0.53
127	7	7	37.51	0.20	0.08	1.05	2.17	0.50	0.50	0.20	0.79	0.12	0.80	0.52
128	7	8	37.76	0.20	0.08	1.05	2.16	0.49	0.50	0.20	0.79	0.12	0.80	0.52
129	7	9	37.99	0.20	0.08	1.05	2.14	0.49	0.50	0.19	0.79	0.12	0.79	0.52
130	7	10	38.22	0.20	0.08	1.05	2.12	0.49	0.50	0.19	0.79	0.12	0.79	0.51

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 12  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE					ATTEN FACTORS						
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
131	7	11	38.45	0.20	0.08	1.05	2.11	0.48	0.50	0.19	0.79	0.11	0.79	0.51
132	7	12	38.63	0.20	0.08	1.05	2.09	0.48	0.50	0.19	0.79	0.11	0.79	0.51
133	7	13	33.63	0.24	0.08	1.05	2.54	0.59	0.50	0.18	0.76	0.12	0.78	0.61
134	7	14	33.93	0.24	0.08	1.05	2.53	0.59	0.50	0.18	0.76	0.12	0.78	0.60
135	7	15	34.22	0.24	0.08	1.05	2.51	0.58	0.50	0.18	0.77	0.12	0.78	0.60
136	7	16	34.51	0.23	0.08	1.05	2.49	0.58	0.50	0.18	0.77	0.12	0.78	0.60
137	7	17	34.80	0.23	0.08	1.05	2.47	0.58	0.50	0.18	0.77	0.12	0.78	0.60
138	7	18	35.08	0.23	0.08	1.05	2.46	0.58	0.50	0.18	0.77	0.12	0.78	0.59
139	7	19	35.36	0.23	0.08	1.05	2.44	0.58	0.50	0.18	0.77	0.12	0.78	0.59

CRFL656B.OUT

140	7	20	35.64	0.23	0.08	1.05	2.42	0.57	0.50	0.18	0.78	0.12	0.78	0.59
141	8	1	35.93	0.24	0.08	1.05	2.52	0.62	0.50	0.18	0.78	0.12	0.78	0.61
142	8	2	36.23	0.24	0.08	1.05	2.50	0.62	0.50	0.18	0.78	0.12	0.78	0.61
143	8	3	36.53	0.23	0.08	1.05	2.48	0.61	0.50	0.18	0.78	0.12	0.78	0.60
144	8	4	36.82	0.23	0.08	1.05	2.46	0.61	0.50	0.18	0.78	0.12	0.78	0.60
145	8	5	37.11	0.23	0.08	1.05	2.44	0.60	0.50	0.18	0.78	0.12	0.78	0.60
146	8	6	37.39	0.23	0.08	1.05	2.42	0.60	0.50	0.18	0.79	0.12	0.78	0.59
147	8	7	37.67	0.23	0.08	1.05	2.40	0.59	0.50	0.18	0.79	0.12	0.78	0.59
148	8	8	37.93	0.22	0.08	1.05	2.37	0.59	0.50	0.18	0.79	0.12	0.78	0.59

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	88.70	7.37	5.94	1.42	0.00	1.00	86.37	0.35	-0.32	-0.01	0.44	-0.05	-0.17
2	1	2	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.31	-0.01	0.45	-0.05	-0.16
3	1	3	88.70	7.37	5.93	1.43	0.00	1.00	0.01	0.36	-0.31	-0.01	0.46	-0.05	-0.14
4	1	4	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.01	0.48	-0.06	-0.13
5	1	5	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.01	0.49	-0.06	-0.12
6	1	6	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.01	0.50	-0.06	-0.11
7	1	7	88.70	7.37	5.93	1.43	0.00	1.00	0.01	0.36	-0.31	-0.01	0.51	-0.07	-0.10
8	1	8	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.30	-0.01	0.52	-0.07	-0.09
9	1	9	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.30	-0.01	0.53	-0.07	-0.08
10	1	10	88.70	7.37	5.95	1.42	0.00	1.00	0.01	0.35	-0.30	-0.01	0.54	-0.08	-0.08
11	1	11	88.70	7.37	5.95	1.41	0.00	1.00	0.01	0.35	-0.30	-0.01	0.56	-0.08	-0.07
12	1	12	88.70	7.37	5.96	1.41	0.00	1.00	0.01	0.35	-0.30	-0.01	0.57	-0.08	-0.07
13	1	13	88.70	7.37	5.97	1.40	0.00	1.00	0.01	0.35	-0.29	-0.01	0.58	-0.08	-0.06
14	1	14	88.70	7.37	5.98	1.39	0.00	1.00	0.01	0.35	-0.29	-0.01	0.59	-0.09	-0.06
15	1	15	88.70	7.37	5.99	1.38	0.00	1.00	0.01	0.34	-0.29	-0.01	0.60	-0.09	-0.06
16	1	16	88.70	7.37	6.00	1.37	0.00	1.00	0.01	0.34	-0.29	-0.01	0.61	-0.09	-0.05
17	1	17	88.70	7.37	6.01	1.36	0.00	1.00	0.01	0.34	-0.29	-0.01	0.62	-0.09	-0.05
18	1	18	88.70	7.37	6.02	1.35	0.00	1.00	0.01	0.34	-0.29	-0.01	0.63	-0.09	-0.05
19	1	19	88.70	7.37	6.03	1.33	0.00	1.00	0.01	0.33	-0.28	-0.01	0.64	-0.10	-0.05
20	1	20	88.70	7.37	6.04	1.32	0.00	1.00	0.01	0.33	-0.29	-0.01	0.65	-0.10	-0.05
21	2	1	88.70	7.37	5.91	1.46	0.00	1.00	2.18	0.37	-0.66	-0.01	0.47	-0.22	-0.05
22	2	2	88.70	7.37	5.88	1.49	0.00	1.00	0.01	0.38	-0.65	-0.01	0.48	-0.22	-0.06
23	2	3	88.70	7.37	5.85	1.51	0.00	1.00	0.01	0.38	-0.65	-0.01	0.48	-0.22	-0.06

CRFL656B.OUT

24	2	4	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.39	-0.64	-0.01	0.49	-0.22	-0.06
25	2	5	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.40	-0.63	-0.01	0.50	-0.22	-0.06
26	2	6	88.70	7.37	5.78	1.59	0.00	1.00	0.01	0.40	-0.63	-0.01	0.50	-0.22	-0.06
27	2	7	88.70	7.37	5.75	1.61	0.00	1.00	0.01	0.41	-0.62	-0.01	0.51	-0.22	-0.06
28	2	8	88.70	7.37	5.73	1.64	0.00	1.00	0.01	0.41	-0.62	-0.01	0.51	-0.22	-0.06
29	2	9	88.70	7.37	5.71	1.66	0.00	1.00	0.01	0.42	-0.61	-0.01	0.52	-0.22	-0.07
30	2	10	88.70	7.37	5.69	1.68	0.00	1.00	0.01	0.43	-0.61	-0.01	0.52	-0.22	-0.07
31	2	11	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.43	-0.60	-0.01	0.53	-0.22	-0.07
32	2	12	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.43	-0.60	-0.01	0.54	-0.22	-0.07
33	2	13	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.44	-0.59	-0.01	0.54	-0.22	-0.07
34	2	14	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.44	-0.59	-0.01	0.55	-0.22	-0.07
35	2	15	88.70	7.37	5.60	1.76	0.00	1.00	0.01	0.45	-0.58	-0.01	0.55	-0.22	-0.07
36	2	16	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.45	-0.58	-0.01	0.56	-0.22	-0.07
37	2	17	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.45	-0.57	-0.01	0.56	-0.22	-0.07
38	2	18	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.46	-0.57	-0.01	0.57	-0.22	-0.07
39	2	19	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.46	-0.56	-0.01	0.58	-0.22	-0.07
40	2	20	88.70	7.37	5.54	1.83	0.00	1.00	0.01	0.46	-0.56	-0.01	0.58	-0.22	-0.07
41	3	1	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.46	-0.55	-0.01	0.90	-0.22	-0.07
42	3	2	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.46	-0.55	-0.01	0.92	-0.22	-0.07
43	3	3	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.45	-0.55	-0.01	0.93	-0.22	-0.07
44	3	4	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.45	-0.54	-0.01	0.94	-0.21	-0.07
45	3	5	88.70	7.37	5.60	1.77	0.00	1.00	0.01	0.45	-0.54	-0.01	0.96	-0.21	-0.07
46	3	6	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.44	-0.53	-0.01	0.97	-0.21	-0.07
47	3	7	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.44	-0.53	-0.01	0.99	-0.21	-0.07
48	3	8	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.43	-0.52	-0.01	1.00	-0.21	-0.07
49	3	9	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.43	-0.52	-0.01	1.01	-0.21	-0.07
50	3	10	88.70	7.37	5.69	1.68	0.00	1.00	0.01	0.43	-0.51	-0.01	1.03	-0.21	-0.07
51	3	11	88.70	7.37	5.71	1.66	0.00	1.00	0.01	0.42	-0.51	-0.01	1.04	-0.21	-0.07
52	3	12	88.70	7.37	5.73	1.64	0.00	1.00	0.01	0.41	-0.51	-0.01	1.05	-0.21	-0.07
53	3	13	88.70	7.37	5.75	1.61	0.00	1.00	0.01	0.41	-0.50	-0.01	1.06	-0.21	-0.07
54	3	14	88.70	7.37	5.78	1.59	0.00	1.00	0.01	0.40	-0.50	-0.01	1.07	-0.20	-0.07
55	3	15	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.40	-0.49	-0.01	1.08	-0.20	-0.07
56	3	16	88.70	7.37	5.82	1.54	0.00	1.00	0.01	0.39	-0.49	-0.01	1.09	-0.20	-0.07
57	3	17	88.70	7.37	5.85	1.52	0.00	1.00	0.01	0.39	-0.49	-0.01	1.10	-0.20	-0.07
58	3	18	88.70	7.37	5.87	1.49	0.00	1.00	0.01	0.38	-0.48	-0.01	1.11	-0.20	-0.07
59	3	19	88.70	7.37	5.90	1.47	0.00	1.00	0.01	0.37	-0.48	-0.01	1.12	-0.20	-0.07
60	3	20	88.70	7.37	5.92	1.44	0.00	1.00	0.01	0.37	-0.47	-0.01	1.13	-0.20	-0.07
61	4	1	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.34	-0.47	-0.01	0.82	-0.20	-0.07
62	4	2	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.47	-0.01	0.83	-0.19	-0.07
63	4	3	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.46	-0.01	0.83	-0.19	-0.07
64	4	4	88.70	7.37	5.91	1.45	0.00	1.00	0.09	0.31	-0.46	-0.01	0.83	-0.19	-0.07
65	4	5	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.01	0.83	-0.19	-0.07

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

Page 28

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
66	4	6	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.01	0.83	-0.19	-0.07
67	4	7	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.01	0.83	-0.19	-0.07
68	4	8	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.01	0.83	-0.19	-0.07
69	4	9	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.01	0.83	-0.19	-0.07
70	4	10	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.01	0.83	-0.19	-0.07
71	4	11	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.43	-0.01	0.83	-0.19	-0.06
72	4	12	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.43	-0.01	0.83	-0.18	-0.06
73	4	13	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.01	0.83	-0.18	-0.06
74	4	14	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.01	0.83	-0.18	-0.06
75	4	15	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.01	0.82	-0.18	-0.06
76	4	16	88.70	7.37	5.91	1.45	0.00	1.00	0.01	0.31	-0.41	-0.01	0.82	-0.18	-0.06
77	4	17	88.70	7.37	5.91	1.45	0.00	1.00	0.01	0.31	-0.41	-0.01	0.81	-0.18	-0.06
78	4	18	88.70	7.37	5.91	1.45	0.00	1.00	0.02	0.31	-0.41	-0.01	0.81	-0.18	-0.06
79	4	19	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.40	-0.01	0.80	-0.18	-0.06
80	4	20	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.40	-0.01	0.80	-0.18	-0.06
81	5	1	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.27	-0.27	-0.01	0.55	-0.18	-0.06
82	5	2	88.70	7.37	5.90	1.47	0.00	1.00	0.01	0.22	-0.26	-0.01	0.55	-0.17	-0.06
83	5	3	88.70	7.37	5.89	1.48	0.00	1.00	0.01	0.22	-0.26	-0.01	0.54	-0.17	-0.06
84	5	4	88.70	7.37	5.88	1.48	0.00	1.00	0.01	0.22	-0.26	-0.01	0.53	-0.17	-0.06
85	5	5	88.70	7.37	5.87	1.49	0.00	1.00	0.01	0.23	-0.26	-0.01	0.53	-0.17	-0.06
86	5	6	88.70	7.37	5.86	1.50	0.00	1.00	0.01	0.23	-0.26	-0.01	0.52	-0.17	-0.06
87	5	7	88.70	7.37	5.85	1.51	0.00	1.00	0.01	0.23	-0.26	-0.01	0.51	-0.17	-0.06
88	5	8	88.70	7.37	5.84	1.52	0.00	1.00	0.01	0.23	-0.25	-0.01	0.50	-0.17	-0.06
89	5	9	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.23	-0.25	-0.01	0.49	-0.17	-0.06
90	5	10	88.70	7.37	5.82	1.55	0.00	1.00	0.01	0.23	-0.25	-0.01	0.48	-0.17	-0.06
91	5	11	88.70	7.37	5.81	1.56	0.00	1.00	0.01	0.24	-0.25	-0.01	0.47	-0.17	-0.06
92	5	12	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.24	-0.25	-0.01	0.46	-0.16	-0.06
93	5	13	88.70	7.37	5.78	1.58	0.00	1.00	0.01	0.24	-0.25	-0.01	0.45	-0.16	-0.06
94	5	14	88.70	7.37	5.77	1.60	0.00	1.00	0.01	0.24	-0.24	-0.01	0.43	-0.16	-0.06
95	5	15	88.70	7.37	5.76	1.61	0.00	1.00	0.01	0.24	-0.24	-0.01	0.42	-0.16	-0.06
96	5	16	88.70	7.37	5.74	1.63	0.00	1.00	0.01	0.25	-0.24	-0.01	0.41	-0.16	-0.06
97	5	17	88.70	7.37	5.73	1.64	0.00	1.00	0.08	0.25	-0.24	-0.01	0.42	-0.16	-0.06
98	5	18	88.70	7.37	5.71	1.65	0.00	1.00	0.01	0.25	-0.24	-0.01	0.41	-0.16	-0.06
99	5	19	88.70	7.37	5.70	1.67	0.00	1.00	0.01	0.25	-0.24	-0.01	0.40	-0.16	-0.06
100	5	20	88.70	7.37	5.68	1.68	0.00	1.00	0.01	0.26	-0.23	-0.01	0.38	-0.16	-0.06
101	6	1	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.26	-0.23	-0.01	0.43	-0.16	-0.06
102	6	2	88.70	7.37	5.66	1.71	0.00	1.00	0.01	0.26	-0.23	-0.01	0.43	-0.16	-0.05
103	6	3	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.26	-0.23	-0.01	0.44	-0.16	-0.05



CRFL656B.OUT

104	6	4	88.70	7.37	5.64	1.73	0.00	1.00	0.01	0.26	-0.23	-0.01	0.44	-0.16	-0.05
105	6	5	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.26	-0.23	-0.01	0.44	-0.16	-0.05
106	6	6	88.70	7.37	5.62	1.74	0.00	1.00	0.01	0.26	-0.23	-0.01	0.44	-0.15	-0.05
107	6	7	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.27	-0.22	-0.01	0.44	-0.15	-0.05
108	6	8	88.70	7.37	5.61	1.76	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
109	6	9	88.70	7.37	5.60	1.77	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
110	6	10	88.70	7.37	5.59	1.77	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
111	6	11	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
112	6	12	88.70	7.37	5.58	1.79	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
113	6	13	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
114	6	14	88.70	7.37	5.57	1.80	0.00	1.00	0.01	0.27	-0.21	-0.01	0.45	-0.15	-0.05
115	6	15	88.70	7.37	5.56	1.80	0.00	1.00	0.01	0.27	-0.21	-0.01	0.46	-0.15	-0.05
116	6	16	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.27	-0.21	-0.01	0.46	-0.15	-0.05
117	6	17	88.70	7.37	5.55	1.81	0.00	1.00	0.01	0.27	-0.21	-0.01	0.46	-0.14	-0.05
118	6	18	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.28	-0.21	-0.01	0.46	-0.14	-0.05
119	6	19	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.28	-0.21	-0.01	0.46	-0.14	-0.05
120	6	20	88.70	7.37	5.54	1.82	0.00	1.00	0.01	0.28	-0.21	-0.01	0.46	-0.14	-0.05
121	7	1	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.22	-0.20	-0.01	0.51	-0.14	-0.05
122	7	2	88.70	7.37	5.56	1.81	0.00	1.00	0.00	0.17	-0.20	-0.01	0.51	-0.14	-0.05
123	7	3	88.70	7.37	5.57	1.80	0.00	1.00	0.00	0.17	-0.20	-0.01	0.51	-0.14	-0.05
124	7	4	88.70	7.37	5.57	1.79	0.00	1.00	0.00	0.17	-0.20	-0.01	0.51	-0.14	-0.05
125	7	5	88.70	7.37	5.58	1.79	0.00	1.00	0.00	0.17	-0.20	-0.01	0.50	-0.13	-0.05
126	7	6	88.70	7.37	5.59	1.78	0.00	1.00	0.00	0.17	-0.19	-0.01	0.50	-0.13	-0.05
127	7	7	88.70	7.37	5.60	1.77	0.00	1.00	0.00	0.16	-0.19	-0.01	0.50	-0.13	-0.05
128	7	8	88.70	7.37	5.60	1.76	0.00	1.00	0.00	0.16	-0.19	-0.01	0.49	-0.13	-0.05
129	7	9	88.70	7.37	5.61	1.75	0.00	1.00	0.00	0.16	-0.19	-0.01	0.49	-0.13	-0.05
130	7	10	88.70	7.37	5.62	1.75	0.00	1.00	0.00	0.16	-0.19	-0.01	0.49	-0.13	-0.04

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 15  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	88.70	7.37	5.63	1.74	0.00	1.00	0.00	0.16	-0.18	-0.01	0.48	-0.13	-0.04
132	7	12	88.70	7.37	5.63	1.73	0.00	1.00	0.00	0.16	-0.18	-0.01	0.48	-0.12	-0.04
133	7	13	88.70	7.37	5.61	1.76	0.00	1.00	9.53	0.17	-0.19	-0.01	0.59	-0.11	-0.07
134	7	14	88.70	7.37	5.63	1.74	0.00	1.00	0.00	0.18	-0.19	-0.01	0.59	-0.11	-0.06
135	7	15	88.70	7.37	5.64	1.72	0.00	1.00	0.00	0.18	-0.19	-0.01	0.58	-0.11	-0.06
136	7	16	88.70	7.37	5.66	1.71	0.00	1.00	0.00	0.17	-0.19	-0.01	0.58	-0.11	-0.05
137	7	17	88.70	7.37	5.68	1.69	0.00	1.00	0.00	0.17	-0.18	-0.01	0.58	-0.11	-0.05
138	7	18	88.70	7.37	5.69	1.67	0.00	1.00	0.00	0.17	-0.18	-0.01	0.58	-0.11	-0.05
139	7	19	88.70	7.37	5.71	1.66	0.00	1.00	0.00	0.17	-0.18	-0.01	0.58	-0.11	-0.05

Page 30

										CRFL656B.OUT						
140	7	20	88.70	7.37	5.73	1.64	0.00	1.00		0.00	0.17	-0.18	-0.01	0.57	-0.11	-0.05
141	8	1	88.70	7.37	5.75	1.62	0.00	1.00		0.03	0.16	-0.18	-0.01	0.62	-0.12	-0.05
142	8	2	88.70	7.37	5.77	1.60	0.00	1.00		0.01	0.16	-0.18	-0.01	0.62	-0.12	-0.04
143	8	3	88.70	7.37	5.79	1.58	0.00	1.00		0.01	0.16	-0.18	-0.01	0.61	-0.11	-0.04
144	8	4	88.70	7.37	5.81	1.56	0.00	1.00		0.01	0.16	-0.18	-0.01	0.61	-0.11	-0.04
145	8	5	88.70	7.37	5.83	1.54	0.00	1.00		0.01	0.16	-0.18	-0.01	0.60	-0.11	-0.04
146	8	6	88.70	7.37	5.85	1.52	0.00	1.00		0.01	0.15	-0.17	-0.01	0.60	-0.11	-0.04
147	8	7	88.70	7.37	5.87	1.50	0.00	1.00		0.01	0.15	-0.17	-0.01	0.59	-0.11	-0.04
148	8	8	88.70	7.37	5.88	1.48	0.00	1.00		0.01	0.15	-0.17	-0.01	0.59	-0.11	-0.04

CRF\_65A.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR  
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)  
 TITLE03 YES CONSERVATIVE MINERAL I  
 TITLE04 NO CONSERVATIVE MINERAL II  
 TITLE05 NO CONSERVATIVE MINERAL III  
 TITLE06 NO TEMPERATURE  
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L  
 TITLE08 YES ALGAE AS CHL-A IN UG/L  
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L  
 TITLE10 (ORGANIC-P; DISSOLVED-P)  
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L  
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)  
 TITLE13 YES DISSOLVED OXYGEN IN MG/L  
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML  
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0

CRF\_65A.dat

STREAM REACH	2.0	REACH 2	FROM	222.0	TO	217.0
STREAM REACH	3.0	REACH 3	FROM	217.0	TO	212.0
STREAM REACH	4.0	REACH 4	FROM	212.0	TO	207.0
STREAM REACH	5.0	REACH 5	FROM	207.0	TO	202.0
STREAM REACH	6.0	REACH 6	FROM	202.0	TO	197.0
STREAM REACH	7.0	REACH 7	FROM	197.0	TO	192.0
STREAM REACH	8.0	REACH 8	FROM	192.0	TO	190.0

ENDATA2

STREAM REACH	1.0	1.0	3.0	1.0
STREAM REACH	2.0	1.0	3.0	1.0
STREAM REACH	3.0	1.0	3.0	1.0
STREAM REACH	4.0	1.0	3.0	1.0
STREAM REACH	5.0	1.0	3.0	1.0
STREAM REACH	6.0	1.0	3.0	1.0
STREAM REACH	7.0	1.0	3.0	1.0
STREAM REACH	8.0	1.0	3.0	1.0

ENDATA3

FLAG FIELD RCH=	1.0	20.0	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.						
FLAG FIELD RCH=	2.0	20.0	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.						
FLAG FIELD RCH=	3.0	20.0	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.						
FLAG FIELD RCH=	4.0	20.0	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.						
FLAG FIELD RCH=	5.0	20.0	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.						
FLAG FIELD RCH=	6.0	20.0	2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.						
FLAG FIELD RCH=	7.0	20.0	6.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.						
FLAG FIELD RCH=	8.0	8.0	6.2.2.2.2.2.2.5.						

ENDATA4

HYDRAULICS RCH=	1.0	38.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	2.0	38.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	3.0	22.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	4.0	21.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	5.0	10.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	6.0	17.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	7.0	7.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	8.0	7.0	128.756	-.643	4.994E-6	1.37	.035

ENDATA5

REACT COEF RCH=	1.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	2.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	3.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	4.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	5.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	6.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	7.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	8.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4

ENDATA6

N AND P COEF RCH=	1.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	2.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	3.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	4.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0

CRF\_65A.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	2.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	3.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	4.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	5.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	6.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	7.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	8.0	87.4	3.40	4.29	1.24

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	2.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	3.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	4.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	5.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	6.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	7.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	8.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	2.8	1.24

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	2.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	3.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	4.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	5.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	6.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	7.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019

CRF\_65A.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 17250 87.4 3.40 4.29 1.24
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 69.63 86.9 3.50 218.3 18.75
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.24
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.24
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF\_65A.dat

1

CRF\_65A.OUT  
\*\*\* QUAL-2E STREAM QUALITY ROUTING MODEL \*\*\*  
\*\*\* EPA/NCASI VERSION \*\*\*

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03 YES	CONSERVATIVE MINERAL I
TITLE04 NO	CONSERVATIVE MINERAL II
TITLE05 NO	CONSERVATIVE MINERAL III
TITLE06 NO	TEMPERATURE
TITLE07 YES	BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08 YES	ALGAE AS CHL-A IN UG/L
TITLE09 YES	PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11 YES	NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13 YES	DISSOLVED OXYGEN IN MG/L
TITLE14 NO	FECAL COLIFORMS IN NO./100 ML
TITLE15 NO	ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500



CRF\_65A.OUT

N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0200	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

0 \$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE RATE CODE THETA VALUE

0 \$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER AND IDENT	R. MI/KM	R. MI/KM
STREAM REACH	1.0 REACH 1 FRO	227.0 TO	222.0
STREAM REACH	2.0 REACH 2 FRO	222.0 TO	217.0
STREAM REACH	3.0 REACH 3 FRO	217.0 TO	212.0
STREAM REACH	4.0 REACH 4 FRO	212.0 TO	207.0
STREAM REACH	5.0 REACH 5 FRO	207.0 TO	202.0
STREAM REACH	6.0 REACH 6 FRO	202.0 TO	197.0
STREAM REACH	7.0 REACH 7 FRO	197.0 TO	192.0
STREAM REACH	8.0 REACH 8 FRO	192.0 TO	190.0
ENDATA2	0.0	0.0	0.0

0 \$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER OF AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	2.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	3.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	4.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	5.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	6.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	7.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	8.	1.	3.0	1.	0.	0. 0. 0. 0.
ENDATA3	0.	0.	0.0	0.	0.	0. 0. 0. 0.

0 \$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL FLAGS
FLAG FIELD	1.	20.	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	2.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	3.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	5.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
ENDATA4	0.	0.	0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.

0 \$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CRF\_65A.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	2.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	3.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	4.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	5.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	6.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	7.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	8.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	2.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	3.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	4.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	5.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	6.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	7.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	8.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE                      JUNCTION ORDER AND IDENT                      UPSTRM    JUNCTION                      TRIB

0            ENDATA9            0.            0.            0.  
 \$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	17250.00	87.40	3.40	4.29	1.24	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	69.63	86.90	3.50	218.30	18.75	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	1.24	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	1.24	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	7.	BAYOU BARTH0	0.00	222.00	85.10	5.40	2.80	1.24	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	1.24	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
ENDATA13	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED							
\$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$								
CARD TYPE	CHL-A	ORG-N	NH3-N	NO2-N	NH3-N	ORG-P	DIS-P	
ENDATA13A	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED							

RCH/CL	CONSERVATIVE MINERAL I										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
3	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
4	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
5	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
6	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
7	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
8	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31

STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

RCH/CL	ALGAE AS CHL-A IN UG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.27	8.14	8.01	7.89	7.76	7.64	7.52	7.41	7.29	7.18	7.07	6.96	6.85	6.74	6.63	6.53	6.43	6.33	6.23	6.13
2	6.02	5.92	5.83	5.74	5.65	5.56	5.48	5.39	5.31	5.22	5.14	5.06	4.98	4.91	4.83	4.75	4.68	4.61	4.53	4.46
3	4.39	4.33	4.26	4.19	4.13	4.06	4.00	3.94	3.88	3.82	3.76	3.70	3.64	3.58	3.53	3.47	3.42	3.36	3.31	3.26
4	3.21	3.16	3.11	3.06	3.01	2.97	2.92	2.88	2.83	2.79	2.74	2.70	2.66	2.62	2.58	2.54	2.50	2.46	2.42	2.38
5	2.34	2.31	2.27	2.24	2.20	2.17	2.13	2.10	2.07	2.04	2.00	1.97	1.94	1.91	1.88	1.85	1.82	1.79	1.77	1.74
6	1.71	1.69	1.66	1.63	1.61	1.58	1.56	1.53	1.51	1.49	1.46	1.44	1.42	1.40	1.37	1.35	1.33	1.31	1.29	1.27
7	1.25	1.23	1.21	1.19	1.17	1.16	1.14	1.12	1.10	1.09	1.07	1.05	1.13	1.11	1.09	1.08	1.06	1.04	1.03	1.01

CRF\_65A.OUT

		8	1.00	0.98	0.96	0.95	0.93	0.92	0.91	0.89											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21
2	0.22	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15
4	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12
5	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10
6	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07	0.07
2	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.10	0.10	0.10
3	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
8	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01

CRF_65A.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.25	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.27
4	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30	0.30	0.30
5	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.32	0.33
6	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35
7	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37	0.38
8	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.39												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.14	4.18	4.23	4.27	4.31	4.34	4.38	4.41
2	4.44	4.47	4.49	4.52	4.54	4.57	4.59	4.61	4.64	4.66	4.68	4.69	4.71	4.73	4.75	4.76	4.78	4.80	4.81	4.82
3	4.84	4.85	4.86	4.88	4.89	4.90	4.91	4.92	4.93	4.94	4.95	4.96	4.97	4.98	4.99	5.00	5.00	5.01	5.02	5.03
4	5.01	4.99	4.98	4.96	4.94	4.93	4.92	4.90	4.89	4.88	4.87	4.86	4.85	4.84	4.83	4.82	4.81	4.80	4.79	4.79
5	4.78	4.77	4.77	4.76	4.76	4.75	4.75	4.74	4.74	4.73	4.73	4.72	4.72	4.71	4.71	4.71	4.71	4.71	4.70	4.70
6	4.70	4.70	4.70	4.70	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69
7	4.72	4.74	4.76	4.79	4.81	4.83	4.85	4.87	4.89	4.91	4.93	4.94	4.97	4.98	5.00	5.01	5.03	5.05	5.06	5.07
8	5.09	5.10	5.11	5.12	5.14	5.15	5.16	5.17												
ALGAE GROWTH RATE						1		141												
ALGAE GROWTH RATE						2		47												
ALGAE GROWTH RATE						3		0												
ALGAE GROWTH RATE						4		0												

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

- 
1. LIGHT AVERAGING OPTION. LAVOPT= 2  
METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS  
SOURCE OF SOLAR VALUES: DATA TYPE 1A  
DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 ( 204.613 LANGLEYS)  
NUMBER OF DAYLIGHT HOURS: 13.0  
PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A  
MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL\*FN\*FP

1																				
0		DISSOLVED OXYGEN IN MG/L										ITERATION 4								
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.15	4.19	4.23	4.27	4.31	4.35	4.39	4.42
2	4.45	4.48	4.51	4.53	4.56	4.58	4.61	4.63	4.65	4.67	4.69	4.71	4.73	4.75	4.77	4.78	4.80	4.82	4.83	4.85
3	4.86	4.87	4.89	4.90	4.91	4.92	4.94	4.95	4.96	4.97	4.98	4.99	5.00	5.01	5.01	5.02	5.03	5.04	5.05	5.05
4	5.04	5.02	5.00	4.99	4.97	4.96	4.94	4.93	4.92	4.91	4.90	4.88	4.87	4.86	4.86	4.85	4.84	4.83	4.82	4.81
5	4.81	4.80	4.79	4.79	4.78	4.78	4.77	4.77	4.76	4.76	4.75	4.75	4.74	4.74	4.74	4.74	4.73	4.73	4.73	4.73
6	4.73	4.72	4.72	4.72	4.72	4.72	4.72	4.72	4.72	4.71	4.71	4.71	4.71	4.71	4.71	4.71	4.71	4.71	4.71	4.71
7	4.74	4.76	4.79	4.81	4.83	4.85	4.87	4.89	4.91	4.93	4.95	4.97	4.99	5.00	5.02	5.04	5.05	5.07	5.08	5.10
8	5.11	5.12	5.13	5.15	5.16	5.17	5.18	5.19												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 4								
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.88
2	4.71	4.68	4.66	4.64	4.61	4.59	4.56	4.54	4.52	4.49	4.47	4.45	4.42	4.40	4.38	4.36	4.33	4.31	4.29	4.27
3	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.87	3.85
4	3.83	3.81	3.79	3.77	3.75	3.73	3.71	3.69	3.67	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.53	3.51	3.49	3.47
5	3.45	3.44	3.42	3.40	3.38	3.37	3.35	3.33	3.31	3.30	3.28	3.26	3.25	3.23	3.21	3.20	3.18	3.16	3.15	3.13
6	3.12	3.10	3.08	3.07	3.05	3.04	3.02	3.00	2.99	2.97	2.96	2.94	2.93	2.91	2.90	2.88	2.87	2.85	2.84	2.82
7	2.81	2.80	2.78	2.77	2.75	2.74	2.72	2.71	2.70	2.68	2.67	2.65	2.64	2.63	2.62	2.60	2.59	2.57	2.56	2.55
8	2.54	2.52	2.51	2.50	2.49	2.47	2.46	2.45												
0		ORGANIC NITROGEN AS N IN MG/L										ITERATION 4								
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
2	0.22	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15
4	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12
5	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10
6	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07												
0		AMMONIA AS N IN MG/L										ITERATION 4								
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
3	0.09	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08



																				CRF_65A.OUT																										
																				0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07							
																				0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07												ITERATION 4							
																				NITRITE AS N IN MG/L																										
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																										
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01																										
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01																										
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01																										
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01																										
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01																										
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01																										
7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01																										
8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01																																						
																				NITRATE AS N IN MG/L										ITERATION 4																
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																										
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22																										
2	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.25																										
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27																										
4	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30																										
5	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32																										
6	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35																										
7	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37																										
8	0.37	0.37	0.37	0.37	0.38	0.38	0.38	0.38																																						
																				ORGANIC PHOSPHORUS AS P IN MG/L										ITERATION 4																
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																										
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03																										
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03																										
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03																										
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03																										
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03																										
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03																										
7	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																										
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																																						
																				DISSOLVED PHOSPHORUS AS P IN MG/L										ITERATION 4																
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																										
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																										
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																										
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																										
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																										
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																										
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																										
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																										
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02																																						
																				ALGAE AS CHL-A IN UG/L										ITERATION 4																
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																										
1	8.27	8.14	8.02	7.90	7.78	7.66	7.54	7.43	7.32	7.21	7.10	7.00	6.89	6.79	6.69	6.59	6.50	6.40	6.31	6.22																										

CRF_65A.OUT																				
2	6.11	6.03	5.94	5.86	5.78	5.70	5.62	5.54	5.47	5.39	5.32	5.25	5.17	5.10	5.03	4.97	4.90	4.83	4.77	4.70
3	4.64	4.57	4.51	4.45	4.39	4.33	4.27	4.22	4.16	4.10	4.05	3.99	3.94	3.89	3.83	3.78	3.73	3.68	3.63	3.58
4	3.54	3.49	3.44	3.40	3.35	3.31	3.26	3.22	3.18	3.13	3.09	3.05	3.01	2.97	2.93	2.89	2.85	2.82	2.78	2.74
5	2.70	2.67	2.63	2.60	2.56	2.53	2.50	2.46	2.43	2.40	2.37	2.34	2.31	2.28	2.25	2.22	2.19	2.16	2.13	2.10
6	2.07	2.05	2.02	1.99	1.97	1.94	1.92	1.89	1.87	1.85	1.82	1.80	1.78	1.75	1.73	1.71	1.69	1.67	1.65	1.63
7	1.61	1.59	1.57	1.55	1.53	1.51	1.49	1.48	1.46	1.44	1.42	1.41	1.48	1.46	1.44	1.43	1.41	1.39	1.38	1.36
8	1.34	1.33	1.31	1.30	1.28	1.27	1.25	1.24												
0	CONSERVATIVE MINERAL I										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
3	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
4	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
5	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
6	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
7	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
8	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31												
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17
2	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
3	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
4	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
5	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
6	0.19	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.21	0.21	0.21
7	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
8	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22												
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.71	1.73	1.75	1.76	1.77	1.79	1.80	1.81	1.82	1.82	1.83	1.84	1.85	1.85	1.86	1.86	1.87	1.87	1.88	1.88
2	2.00	2.00	2.00	2.01	2.01	2.01	2.02	2.02	2.02	2.03	2.03	2.03	2.03	2.04	2.04	2.04	2.04	2.05	2.05	2.05
3	2.05	2.05	2.06	2.06	2.06	2.06	2.06	2.06	2.07	2.07	2.07	2.07	2.07	2.07	2.08	2.08	2.08	2.08	2.08	2.08
4	2.08	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.11	2.11
5	2.11	2.11	2.11	2.11	2.11	2.11	2.11	2.11	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.13	2.13	2.13
6	2.13	2.14	2.15	2.16	2.16	2.17	2.18	2.19	2.19	2.20	2.21	2.21	2.22	2.23	2.24	2.24	2.25	2.25	2.26	2.27
7	2.27	2.28	2.29	2.29	2.30	2.30	2.31	2.32	2.32	2.33	2.33	2.34	2.31	2.32	2.32	2.33	2.33	2.34	2.35	2.35
8	2.36	2.37	2.37	2.38	2.38	2.39	2.39	2.40												

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 1  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN
-----	-----	-----	-------	-----	-------	------	------	--------	--------	--------

CRF_65A.OUT															
ORD	NUM	NUM	LOC	LOC	FLOW	SRCE	FLOW	VEL	TIME	DEPTH	WIDTH	VOLUME	AREA	AREA	COEF
			MILE	MILE	CFS	CFS	CFS	FPS	DAY	FT	FT	FT-3	FT-2	FT-2	FT-2/S
1	1	1	227.00	226.75	17250.10	0.00	0.10	0.243	0.063	3.18322306	3.30	93724920.0	29452760.0	71003.73	3.24
2	1	2	226.75	226.50	17250.20	0.00	0.10	0.243	0.063	3.18322306	3.365	93725816.0	29452806.0	71004.41	3.24
3	1	3	226.50	226.25	17250.30	0.00	0.10	0.243	0.063	3.18322306	3.398	93726704.0	29452850.0	71005.08	3.24
4	1	4	226.25	226.00	17250.40	0.00	0.10	0.243	0.063	3.18322306	3.436	93727592.0	29452898.0	71005.75	3.24
5	1	5	226.00	225.75	17250.50	0.00	0.10	0.243	0.063	3.18322306	3.471	93728488.0	29452946.0	71006.43	3.24
6	1	6	225.75	225.50	17250.60	0.00	0.10	0.243	0.063	3.18322306	3.506	93729368.0	29452992.0	71007.10	3.24
7	1	7	225.50	225.25	17250.70	0.00	0.10	0.243	0.063	3.18322306	3.541	93730264.0	29453038.0	71007.77	3.24
8	1	8	225.25	225.00	17250.80	0.00	0.10	0.243	0.063	3.18322306	3.574	93731152.0	29453082.0	71008.45	3.24
9	1	9	225.00	224.75	17250.90	0.00	0.10	0.243	0.063	3.18322306	3.611	93732040.0	29453130.0	71009.12	3.24
10	1	10	224.75	224.50	17251.00	0.00	0.10	0.243	0.063	3.18322306	3.646	93732928.0	29453178.0	71009.80	3.24
11	1	11	224.50	224.25	17251.10	0.00	0.10	0.243	0.063	3.18322306	3.684	93733816.0	29453226.0	71010.47	3.24
12	1	12	224.25	224.00	17251.20	0.00	0.10	0.243	0.063	3.18322306	3.717	93734704.0	29453270.0	71011.14	3.24
13	1	13	224.00	223.75	17251.29	0.00	0.10	0.243	0.063	3.18322306	3.752	93735600.0	29453316.0	71011.82	3.24
14	1	14	223.75	223.50	17251.39	0.00	0.10	0.243	0.063	3.18322306	3.787	93736480.0	29453364.0	71012.48	3.24
15	1	15	223.50	223.25	17251.49	0.00	0.10	0.243	0.063	3.18322306	3.822	93737376.0	29453410.0	71013.16	3.24
16	1	16	223.25	223.00	17251.59	0.00	0.10	0.243	0.063	3.18322306	3.855	93738264.0	29453454.0	71013.84	3.24
17	1	17	223.00	222.75	17251.69	0.00	0.10	0.243	0.063	3.18422306	3.893	93739152.0	29453502.0	71014.51	3.24
18	1	18	222.75	222.50	17251.79	0.00	0.10	0.243	0.063	3.18422306	3.926	93740040.0	29453546.0	71015.18	3.24
19	1	19	222.50	222.25	17251.89	0.00	0.10	0.243	0.063	3.18422306	3.963	93740936.0	29453596.0	71015.86	3.24
20	1	20	222.25	222.00	17251.99	0.00	0.10	0.243	0.063	3.18422306	3.998	93741816.0	29453642.0	71016.53	3.24
21	2	1	222.00	221.75	17321.72	69.63	0.10	0.242	0.063	3.20122331	3.576	94365152.0	29486132.0	71488.75	3.24
22	2	2	221.75	221.50	17321.82	0.00	0.10	0.242	0.063	3.20122331	3.611	94366040.0	29486178.0	71489.43	3.24
23	2	3	221.50	221.25	17321.92	0.00	0.10	0.242	0.063	3.20122331	3.646	94366936.0	29486224.0	71490.10	3.24
24	2	4	221.25	221.00	17322.02	0.00	0.10	0.242	0.063	3.20122331	3.682	94367824.0	29486272.0	71490.77	3.24
25	2	5	221.00	220.75	17322.12	0.00	0.10	0.242	0.063	3.20122331	3.715	94368712.0	29486316.0	71491.45	3.24
26	2	6	220.75	220.50	17322.22	0.00	0.10	0.242	0.063	3.20122331	3.750	94369608.0	29486362.0	71492.12	3.24
27	2	7	220.50	220.25	17322.32	0.00	0.10	0.242	0.063	3.20122331	3.787	94370504.0	29486410.0	71492.80	3.24
28	2	8	220.25	220.00	17322.42	0.00	0.10	0.242	0.063	3.20122331	3.822	94371392.0	29486458.0	71493.48	3.24
29	2	9	220.00	219.75	17322.52	0.00	0.10	0.242	0.063	3.20122331	3.857	94372288.0	29486504.0	71494.16	3.24
30	2	10	219.75	219.50	17322.62	0.00	0.10	0.242	0.063	3.20122331	3.891	94373176.0	29486548.0	71494.83	3.24
31	2	11	219.50	219.25	17322.72	0.00	0.10	0.242	0.063	3.20122331	3.926	94374064.0	29486594.0	71495.51	3.24
32	2	12	219.25	219.00	17322.82	0.00	0.10	0.242	0.063	3.20222331	3.963	94374960.0	29486644.0	71496.18	3.24
33	2	13	219.00	218.75	17322.92	0.00	0.10	0.242	0.063	3.20222331	3.996	94375848.0	29486686.0	71496.85	3.24
34	2	14	218.75	218.50	17323.02	0.00	0.10	0.242	0.063	3.20222332	3.031	94376736.0	29486734.0	71497.53	3.25
35	2	15	218.50	218.25	17323.12	0.00	0.10	0.242	0.063	3.20222332	3.066	94377640.0	29486780.0	71498.21	3.25
36	2	16	218.25	218.00	17323.22	0.00	0.10	0.242	0.063	3.20222332	3.102	94378528.0	29486826.0	71498.88	3.25
37	2	17	218.00	217.75	17323.32	0.00	0.10	0.242	0.063	3.20222332	3.139	94379416.0	29486876.0	71499.56	3.25
38	2	18	217.75	217.50	17323.42	0.00	0.10	0.242	0.063	3.20222332	3.172	94380312.0	29486920.0	71500.23	3.25
39	2	19	217.50	217.25	17323.52	0.00	0.10	0.242	0.063	3.20222332	3.207	94381200.0	29486966.0	71500.91	3.25
40	2	20	217.25	217.00	17323.62	0.00	0.10	0.242	0.063	3.20222332	3.242	94382088.0	29487012.0	71501.59	3.25
41	3	1	217.00	216.75	17323.71	0.00	0.10	0.242	0.063	3.20222332	3.277	94382984.0	29487058.0	71502.26	1.88
42	3	2	216.75	216.50	17323.81	0.00	0.10	0.242	0.063	3.20222332	3.312	94383872.0	29487106.0	71502.94	1.88
43	3	3	216.50	216.25	17323.91	0.00	0.10	0.242	0.063	3.20222332	3.348	94384768.0	29487152.0	71503.61	1.88

CRF\_65A.OUT

44	3	4	216.25	216.0017324.01	0.00	0.10	0.242	0.063	3.20222332.383	94385664.0	29487198.0	71504.29	1.88
45	3	5	216.00	215.7517324.11	0.00	0.10	0.242	0.063	3.20222332.418	94386552.0	29487244.0	71504.96	1.88
46	3	6	215.75	215.5017324.21	0.00	0.10	0.242	0.063	3.20222332.453	94387440.0	29487292.0	71505.64	1.88
47	3	7	215.50	215.2517324.31	0.00	0.10	0.242	0.063	3.20222332.488	94388336.0	29487338.0	71506.31	1.88
48	3	8	215.25	215.0017324.41	0.00	0.10	0.242	0.063	3.20222332.523	94389224.0	29487384.0	71506.99	1.88
49	3	9	215.00	214.7517324.51	0.00	0.10	0.242	0.063	3.20222332.557	94390112.0	29487428.0	71507.66	1.88
50	3	10	214.75	214.5017324.61	0.00	0.10	0.242	0.063	3.20222332.592	94391008.0	29487474.0	71508.34	1.88
51	3	11	214.50	214.2517324.71	0.00	0.10	0.242	0.063	3.20222332.627	94391896.0	29487520.0	71509.02	1.88
52	3	12	214.25	214.0017324.81	0.00	0.10	0.242	0.063	3.20222332.662	94392792.0	29487568.0	71509.69	1.88
53	3	13	214.00	213.7517324.91	0.00	0.10	0.242	0.063	3.20222332.699	94393688.0	29487616.0	71510.37	1.88
54	3	14	213.75	213.5017325.01	0.00	0.10	0.242	0.063	3.20222332.732	94394576.0	29487660.0	71511.05	1.88
55	3	15	213.50	213.2517325.11	0.00	0.10	0.242	0.063	3.20222332.770	94395472.0	29487710.0	71511.72	1.88
56	3	16	213.25	213.0017325.21	0.00	0.10	0.242	0.063	3.20222332.803	94396360.0	29487754.0	71512.39	1.88
57	3	17	213.00	212.7517325.31	0.00	0.10	0.242	0.063	3.20222332.838	94397248.0	29487800.0	71513.07	1.88
58	3	18	212.75	212.5017325.41	0.00	0.10	0.242	0.063	3.20222332.873	94398144.0	29487846.0	71513.74	1.88
59	3	19	212.50	212.2517325.51	0.00	0.10	0.242	0.063	3.20222332.908	94399032.0	29487892.0	71514.42	1.88
60	3	20	212.25	212.0017325.61	0.00	0.10	0.242	0.063	3.20222332.943	94399920.0	29487940.0	71515.09	1.88
61	4	1	212.00	211.7517325.71	0.00	0.10	0.242	0.063	3.20222332.979	94400816.0	29487986.0	71515.77	1.79
62	4	2	211.75	211.5017325.81	0.00	0.10	0.242	0.063	3.20222333.014	94401704.0	29488032.0	71516.45	1.79
63	4	3	211.50	211.2517325.91	0.00	0.10	0.242	0.063	3.20222333.049	94402600.0	29488078.0	71517.12	1.79
64	4	4	211.25	211.0017327.01	1.00	0.10	0.242	0.063	3.20322333.436	94412448.0	29488590.0	71524.58	1.79
65	4	5	211.00	210.7517327.11	0.00	0.10	0.242	0.063	3.20322333.471	94413336.0	29488636.0	71525.26	1.79

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5017327.21	0.00	0.10	0.242	0.063	3.20322333.506	94414224.0	29488682.0	71525.93	1.79		
67	4	7	210.50	210.2517327.30	0.00	0.10	0.242	0.063	3.20322333.541	94415120.0	29488730.0	71526.60	1.79		
68	4	8	210.25	210.0017327.40	0.00	0.10	0.242	0.063	3.20322333.574	94416008.0	29488774.0	71527.28	1.79		
69	4	9	210.00	209.7517327.50	0.00	0.10	0.242	0.063	3.20322333.609	94416904.0	29488820.0	71527.95	1.79		
70	4	10	209.75	209.5017327.60	0.00	0.10	0.242	0.063	3.20322333.646	94417800.0	29488868.0	71528.63	1.79		
71	4	11	209.50	209.2517327.70	0.00	0.10	0.242	0.063	3.20322333.682	94418688.0	29488916.0	71529.31	1.79		
72	4	12	209.25	209.0017327.80	0.00	0.10	0.242	0.063	3.20322333.717	94419576.0	29488962.0	71529.98	1.79		
73	4	13	209.00	208.7517327.90	0.00	0.10	0.242	0.063	3.20322333.750	94420472.0	29489006.0	71530.66	1.79		
74	4	14	208.75	208.5017328.00	0.00	0.10	0.242	0.063	3.20322333.785	94421360.0	29489052.0	71531.34	1.79		
75	4	15	208.50	208.2517328.10	0.00	0.10	0.242	0.063	3.20322333.822	94422256.0	29489100.0	71532.01	1.79		
76	4	16	208.25	208.0017328.20	0.00	0.10	0.242	0.063	3.20322333.855	94423144.0	29489144.0	71532.69	1.79		
77	4	17	208.00	207.7517328.30	0.00	0.10	0.242	0.063	3.20322333.891	94424040.0	29489192.0	71533.36	1.79		
78	4	18	207.75	207.5017328.50	0.10	0.10	0.242	0.063	3.20322333.959	94425816.0	29489282.0	71534.71	1.79		
79	4	19	207.50	207.2517328.60	0.00	0.10	0.242	0.063	3.20322333.996	94426712.0	29489330.0	71535.38	1.79		
80	4	20	207.25	207.0017328.70	0.00	0.10	0.242	0.063	3.20322334.031	94427608.0	29489378.0	71536.06	1.79		

81	5	1	207.00	206.7517328.80	0.00	0.10	0.242	0.063	3.20322334.066	94428496.0	29489424.0	71536.74	0.85
82	5	2	206.75	206.5017328.90	0.00	0.10	0.242	0.063	3.20322334.102	94429392.0	29489470.0	71537.41	0.85
83	5	3	206.50	206.2517329.00	0.00	0.10	0.242	0.063	3.20322334.137	94430280.0	29489516.0	71538.09	0.85
84	5	4	206.25	206.0017329.10	0.00	0.10	0.242	0.063	3.20322334.172	94431176.0	29489564.0	71538.77	0.85
85	5	5	206.00	205.7517329.20	0.00	0.10	0.242	0.063	3.20322334.207	94432064.0	29489610.0	71539.45	0.85
86	5	6	205.75	205.5017329.30	0.00	0.10	0.242	0.063	3.20322334.242	94432952.0	29489656.0	71540.12	0.85
87	5	7	205.50	205.2517329.40	0.00	0.10	0.242	0.063	3.20322334.275	94433848.0	29489700.0	71540.79	0.85
88	5	8	205.25	205.0017329.50	0.00	0.10	0.242	0.063	3.20322334.311	94434736.0	29489746.0	71541.47	0.85
89	5	9	205.00	204.7517329.60	0.00	0.10	0.242	0.063	3.20322334.348	94435632.0	29489796.0	71542.14	0.85
90	5	10	204.75	204.5017329.70	0.00	0.10	0.242	0.063	3.20322334.381	94436520.0	29489840.0	71542.82	0.85
91	5	11	204.50	204.2517329.79	0.00	0.10	0.242	0.063	3.20322334.416	94437416.0	29489886.0	71543.49	0.85
92	5	12	204.25	204.0017329.89	0.00	0.10	0.242	0.063	3.20322334.451	94438312.0	29489932.0	71544.17	0.85
93	5	13	204.00	203.7517329.99	0.00	0.10	0.242	0.063	3.20322334.486	94439200.0	29489978.0	71544.85	0.85
94	5	14	203.75	203.5017330.09	0.00	0.10	0.242	0.063	3.20322334.523	94440096.0	29490028.0	71545.52	0.85
95	5	15	203.50	203.2517330.19	0.00	0.10	0.242	0.063	3.20322334.557	94440984.0	29490072.0	71546.20	0.85
96	5	16	203.25	203.0017330.29	0.00	0.10	0.242	0.063	3.20322334.592	94441872.0	29490118.0	71546.87	0.85
97	5	17	203.00	202.7517331.39	1.00	0.10	0.242	0.063	3.20422334.979	94451720.0	29490630.0	71554.34	0.85
98	5	18	202.75	202.5017331.49	0.00	0.10	0.242	0.063	3.20422335.014	94452608.0	29490676.0	71555.01	0.85
99	5	19	202.50	202.2517331.59	0.00	0.10	0.242	0.063	3.20422335.049	94453504.0	29490722.0	71555.69	0.85
100	5	20	202.25	202.0017331.69	0.00	0.10	0.242	0.063	3.20422335.084	94454392.0	29490768.0	71556.36	0.85
101	6	1	202.00	201.7517331.79	0.00	0.10	0.242	0.063	3.20422335.119	94455288.0	29490816.0	71557.03	1.45
102	6	2	201.75	201.5017331.89	0.00	0.10	0.242	0.063	3.20422335.154	94456176.0	29490862.0	71557.71	1.45
103	6	3	201.50	201.2517331.99	0.00	0.10	0.242	0.063	3.20422335.187	94457072.0	29490906.0	71558.38	1.45
104	6	4	201.25	201.0017332.09	0.00	0.10	0.242	0.063	3.20422335.223	94457960.0	29490952.0	71559.06	1.45
105	6	5	201.00	200.7517332.19	0.00	0.10	0.242	0.063	3.20422335.260	94458856.0	29491002.0	71559.74	1.45
106	6	6	200.75	200.5017332.29	0.00	0.10	0.242	0.063	3.20422335.295	94459752.0	29491048.0	71560.41	1.45
107	6	7	200.50	200.2517332.39	0.00	0.10	0.242	0.063	3.20422335.330	94460640.0	29491094.0	71561.09	1.45
108	6	8	200.25	200.0017332.49	0.00	0.10	0.242	0.063	3.20422335.365	94461536.0	29491140.0	71561.77	1.45
109	6	9	200.00	199.7517332.59	0.00	0.10	0.242	0.063	3.20422335.398	94462424.0	29491184.0	71562.45	1.45
110	6	10	199.75	199.5017332.69	0.00	0.10	0.242	0.063	3.20422335.436	94463312.0	29491234.0	71563.12	1.45
111	6	11	199.50	199.2517332.79	0.00	0.10	0.242	0.063	3.20422335.471	94464208.0	29491280.0	71563.80	1.45
112	6	12	199.25	199.0017332.89	0.00	0.10	0.242	0.063	3.20422335.504	94465096.0	29491324.0	71564.47	1.45
113	6	13	199.00	198.7517333.09	0.10	0.10	0.242	0.063	3.20422335.574	94466880.0	29491416.0	71565.82	1.45
114	6	14	198.75	198.5017333.19	0.00	0.10	0.242	0.063	3.20422335.609	94467776.0	29491464.0	71566.49	1.45
115	6	15	198.50	198.2517333.29	0.00	0.10	0.242	0.063	3.20422335.645	94468664.0	29491510.0	71567.17	1.45
116	6	16	198.25	198.0017333.38	0.00	0.10	0.242	0.063	3.20422335.680	94469560.0	29491556.0	71567.84	1.45
117	6	17	198.00	197.7517333.48	0.00	0.10	0.242	0.063	3.20422335.715	94470448.0	29491602.0	71568.52	1.45
118	6	18	197.75	197.5017333.58	0.00	0.10	0.242	0.063	3.20422335.748	94471336.0	29491646.0	71569.20	1.45
119	6	19	197.50	197.2517333.68	0.00	0.10	0.242	0.063	3.20422335.785	94472232.0	29491696.0	71569.87	1.45
120	6	20	197.25	197.0017333.78	0.00	0.10	0.242	0.063	3.20422335.820	94473120.0	29491742.0	71570.55	1.45
121	7	1	197.00	196.7517333.98	0.10	0.10	0.242	0.063	3.20422335.891	94474912.0	29491836.0	71571.91	0.60
122	7	2	196.75	196.5017334.08	0.00	0.10	0.242	0.063	3.20422335.926	94475800.0	29491882.0	71572.58	0.60
123	7	3	196.50	196.2517334.18	0.00	0.10	0.242	0.063	3.20422335.961	94476696.0	29491928.0	71573.26	0.60
124	7	4	196.25	196.0017334.28	0.00	0.10	0.242	0.063	3.20422335.996	94477584.0	29491974.0	71573.93	0.60

CRF\_65A.OUT

125	7	5	196.00	195.7517334.38	0.00	0.10	0.242	0.063	3.20422336.031	94478480.0	29492020.0	71574.60	0.60
126	7	6	195.75	195.5017334.48	0.00	0.10	0.242	0.063	3.20422336.064	94479368.0	29492064.0	71575.28	0.60
127	7	7	195.50	195.2517334.58	0.00	0.10	0.242	0.063	3.20422336.100	94480264.0	29492112.0	71575.95	0.60
128	7	8	195.25	195.0017334.68	0.00	0.10	0.242	0.063	3.20522336.135	94481152.0	29492158.0	71576.63	0.60
129	7	9	195.00	194.7517334.78	0.00	0.10	0.242	0.063	3.20522336.170	94482048.0	29492204.0	71577.30	0.60
130	7	10	194.75	194.5017334.88	0.00	0.10	0.242	0.063	3.20522336.205	94482936.0	29492250.0	71577.98	0.60

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL				BOTTOM	X-SECT	DSPRSN
ORD	NUM	NUM	LOC	LOC	FLOW	SRCE	TIME	DEPTH	WIDTH	VOLUME	AREA	AREA	COEF
			MILE	MILE	CFS	CFS	DAY	FT	FT	FT-3	FT-2	FT-2	FT-2/S
131	7	11	194.50	194.2517334.98	0.00	0.10	0.242	0.063	3.20522336.240	94483832.0	29492298.0	71578.66	0.60
132	7	12	194.25	194.0017335.08	0.00	0.10	0.242	0.063	3.20522336.275	94484720.0	29492344.0	71579.34	0.60
133	7	13	194.00	193.7517557.18	222.00	0.10	0.240	0.064	3.26122414.041	96481840.0	29595144.0	73092.30	0.60
134	7	14	193.75	193.5017557.28	0.00	0.10	0.240	0.064	3.26122414.074	96482736.0	29595188.0	73092.98	0.60
135	7	15	193.50	193.2517557.38	0.00	0.10	0.240	0.064	3.26122414.109	96483640.0	29595234.0	73093.66	0.60
136	7	16	193.25	193.0017557.48	0.00	0.10	0.240	0.064	3.26122414.145	96484536.0	29595280.0	73094.34	0.60
137	7	17	193.00	192.7517557.58	0.00	0.10	0.240	0.064	3.26122414.180	96485440.0	29595326.0	73095.03	0.60
138	7	18	192.75	192.5017557.68	0.00	0.10	0.240	0.064	3.26122414.215	96486336.0	29595372.0	73095.71	0.60
139	7	19	192.50	192.2517557.78	0.00	0.10	0.240	0.064	3.26122414.248	96487232.0	29595416.0	73096.39	0.60
140	7	20	192.25	192.0017557.87	0.00	0.10	0.240	0.064	3.26122414.283	96488136.0	29595464.0	73097.07	0.60
141	8	1	192.00	191.7517558.89	0.77	0.25	0.240	0.064	3.26122414.639	96497344.0	29595934.0	73104.05	0.60
142	8	2	191.75	191.5017559.14	0.00	0.25	0.240	0.064	3.26222414.725	96499600.0	29596046.0	73105.76	0.60
143	8	3	191.50	191.2517559.39	0.00	0.25	0.240	0.064	3.26222414.812	96501856.0	29596164.0	73107.47	0.60
144	8	4	191.25	191.0017559.64	0.00	0.25	0.240	0.064	3.26222414.900	96504112.0	29596280.0	73109.18	0.60
145	8	5	191.00	190.7517559.89	0.00	0.25	0.240	0.064	3.26222414.986	96506368.0	29596392.0	73110.88	0.60
146	8	6	190.75	190.5017560.14	0.00	0.25	0.240	0.064	3.26222415.074	96508632.0	29596510.0	73112.59	0.60
147	8	7	190.50	190.2517560.39	0.00	0.25	0.240	0.064	3.26222415.160	96510880.0	29596622.0	73114.30	0.60
148	8	8	190.25	190.0017560.64	0.00	0.25	0.240	0.064	3.26222415.248	96513144.0	29596738.0	73116.02	0.60

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D



CRF\_65A.OUT

3	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
4	6	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
---	---	------	---	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------





CRF\_65A.OUT

7	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
7	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
1	1	87.40	1.24	0.00	0.00	3.47	4.27	0.25	0.04	0.04	0.18	0.52	0.03	0.02	0.04	0.00	0.00	8.27
1	2	87.40	1.24	0.00	0.00	3.54	4.25	0.25	0.04	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.14
1	3	87.40	1.24	0.00	0.00	3.60	4.22	0.24	0.05	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.02

CRF\_65A.OUT

1	4	87.40	1.24	0.00	0.00	3.67	4.20	0.24	0.05	0.03	0.19	0.52	0.03	0.02	0.04	0.00	0.00	7.90
1	5	87.40	1.24	0.00	0.00	3.73	4.18	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.78
1	6	87.40	1.24	0.00	0.00	3.79	4.16	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.66
1	7	87.40	1.24	0.00	0.00	3.84	4.14	0.23	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.54
1	8	87.40	1.24	0.00	0.00	3.90	4.12	0.23	0.05	0.02	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.43
1	9	87.40	1.24	0.00	0.00	3.95	4.10	0.23	0.05	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.32
1	10	87.40	1.24	0.00	0.00	4.00	4.07	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.21
1	11	87.40	1.24	0.00	0.00	4.05	4.05	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.10
1	12	87.40	1.24	0.00	0.00	4.10	4.03	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.00
1	13	87.40	1.24	0.00	0.00	4.15	4.01	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.89
1	14	87.40	1.24	0.00	0.00	4.19	3.99	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.79
1	15	87.40	1.24	0.00	0.00	4.23	3.97	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.69
1	16	87.40	1.24	0.00	0.00	4.27	3.95	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.59
1	17	87.40	1.24	0.00	0.00	4.31	3.93	0.21	0.07	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.50
1	18	87.40	1.24	0.00	0.00	4.35	3.91	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.40
1	19	87.40	1.24	0.00	0.00	4.39	3.89	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.31
1	20	87.40	1.24	0.00	0.00	4.42	3.88	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.22
2	1	87.40	1.31	0.00	0.00	4.45	4.71	0.22	0.08	0.01	0.22	0.54	0.03	0.02	0.05	0.00	0.00	6.11
2	2	87.40	1.31	0.00	0.00	4.48	4.68	0.21	0.08	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	6.03
2	3	87.40	1.31	0.00	0.00	4.51	4.66	0.21	0.08	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.94
2	4	87.40	1.31	0.00	0.00	4.53	4.64	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.86
2	5	87.40	1.31	0.00	0.00	4.56	4.61	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.78
2	6	87.40	1.31	0.00	0.00	4.58	4.59	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.70
2	7	87.40	1.31	0.00	0.00	4.61	4.56	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.62
2	8	87.40	1.31	0.00	0.00	4.63	4.54	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.54
2	9	87.40	1.31	0.00	0.00	4.65	4.52	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.47
2	10	87.40	1.31	0.00	0.00	4.67	4.49	0.20	0.09	0.01	0.23	0.53	0.03	0.02	0.05	0.00	0.00	5.39
2	11	87.40	1.31	0.00	0.00	4.69	4.47	0.20	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.32
2	12	87.40	1.31	0.00	0.00	4.71	4.45	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.25
2	13	87.40	1.31	0.00	0.00	4.73	4.42	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.17
2	14	87.40	1.31	0.00	0.00	4.75	4.40	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.10
2	15	87.40	1.31	0.00	0.00	4.77	4.38	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.03
2	16	87.40	1.31	0.00	0.00	4.78	4.36	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.97
2	17	87.40	1.31	0.00	0.00	4.80	4.33	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.90
2	18	87.40	1.31	0.00	0.00	4.82	4.31	0.18	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.83
2	19	87.40	1.31	0.00	0.00	4.83	4.29	0.18	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.77
2	20	87.40	1.31	0.00	0.00	4.85	4.27	0.18	0.09	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.70
3	1	87.40	1.31	0.00	0.00	4.86	4.25	0.18	0.09	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.64
3	2	87.40	1.31	0.00	0.00	4.87	4.22	0.18	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.57
3	3	87.40	1.31	0.00	0.00	4.89	4.20	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.51
3	4	87.40	1.31	0.00	0.00	4.90	4.18	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.45
3	5	87.40	1.31	0.00	0.00	4.91	4.16	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.39
3	6	87.40	1.31	0.00	0.00	4.92	4.14	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.33
3	7	87.40	1.31	0.00	0.00	4.94	4.12	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.27
3	8	87.40	1.31	0.00	0.00	4.95	4.10	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.22
3	9	87.40	1.31	0.00	0.00	4.96	4.07	0.17	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.16

CRF\_65A.OUT

3	10	87.40	1.31	0.00	0.00	4.97	4.05	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.10
3	11	87.40	1.31	0.00	0.00	4.98	4.03	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.05
3	12	87.40	1.31	0.00	0.00	4.99	4.01	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.99
3	13	87.40	1.31	0.00	0.00	5.00	3.99	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.94
3	14	87.40	1.31	0.00	0.00	5.01	3.97	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.89
3	15	87.40	1.31	0.00	0.00	5.01	3.95	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.83
3	16	87.40	1.31	0.00	0.00	5.02	3.93	0.15	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.78
3	17	87.40	1.31	0.00	0.00	5.03	3.91	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.73
3	18	87.40	1.31	0.00	0.00	5.04	3.89	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.68
3	19	87.40	1.31	0.00	0.00	5.05	3.87	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.63
3	20	87.40	1.31	0.00	0.00	5.05	3.85	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.58

4	1	87.40	1.31	0.00	0.00	5.04	3.83	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.54
4	2	87.40	1.31	0.00	0.00	5.02	3.81	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.49
4	3	87.40	1.31	0.00	0.00	5.00	3.79	0.14	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.44
4	4	87.40	1.31	0.00	0.00	4.99	3.77	0.14	0.10	0.01	0.27	0.53	0.03	0.02	0.04	0.00	0.00	3.40
4	5	87.40	1.31	0.00	0.00	4.97	3.75	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.35

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	87.40	1.31	0.00	0.00	4.96	3.73	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.31
4	7	87.40	1.31	0.00	0.00	4.94	3.71	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.26
4	8	87.40	1.31	0.00	0.00	4.93	3.69	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.22
4	9	87.40	1.31	0.00	0.00	4.92	3.67	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.18
4	10	87.40	1.31	0.00	0.00	4.91	3.66	0.13	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.13
4	11	87.40	1.31	0.00	0.00	4.90	3.64	0.13	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.09
4	12	87.40	1.31	0.00	0.00	4.88	3.62	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	3.05
4	13	87.40	1.31	0.00	0.00	4.87	3.60	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	3.01
4	14	87.40	1.31	0.00	0.00	4.86	3.58	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.97
4	15	87.40	1.31	0.00	0.00	4.86	3.56	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.93
4	16	87.40	1.31	0.00	0.00	4.85	3.54	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.89
4	17	87.40	1.31	0.00	0.00	4.84	3.53	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.85
4	18	87.40	1.31	0.00	0.00	4.83	3.51	0.12	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.82
4	19	87.40	1.31	0.00	0.00	4.82	3.49	0.12	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.78
4	20	87.40	1.31	0.00	0.00	4.81	3.47	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.74
5	1	87.40	1.31	0.00	0.00	4.81	3.45	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.70
5	2	87.40	1.31	0.00	0.00	4.80	3.44	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.67
5	3	87.40	1.31	0.00	0.00	4.79	3.42	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.63
5	4	87.40	1.31	0.00	0.00	4.79	3.40	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.60

CRF\_65A.OUT

5	5	87.40	1.31	0.00	0.00	4.78	3.38	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.56
5	6	87.40	1.31	0.00	0.00	4.78	3.37	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.53
5	7	87.40	1.31	0.00	0.00	4.77	3.35	0.11	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.50
5	8	87.40	1.31	0.00	0.00	4.77	3.33	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.46
5	9	87.40	1.31	0.00	0.00	4.76	3.31	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.43
5	10	87.40	1.31	0.00	0.00	4.76	3.30	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.40
5	11	87.40	1.31	0.00	0.00	4.75	3.28	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.37
5	12	87.40	1.31	0.00	0.00	4.75	3.26	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.34
5	13	87.40	1.31	0.00	0.00	4.75	3.25	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.31
5	14	87.40	1.31	0.00	0.00	4.74	3.23	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.28
5	15	87.40	1.31	0.00	0.00	4.74	3.21	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.25
5	16	87.40	1.31	0.00	0.00	4.74	3.20	0.11	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.22
5	17	87.40	1.31	0.00	0.00	4.74	3.18	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.19
5	18	87.40	1.31	0.00	0.00	4.73	3.16	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.16
5	19	87.40	1.31	0.00	0.00	4.73	3.15	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.13
5	20	87.40	1.31	0.00	0.00	4.73	3.13	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.10

6	1	87.40	1.31	0.00	0.00	4.73	3.12	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.07
6	2	87.40	1.31	0.00	0.00	4.72	3.10	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.05
6	3	87.40	1.31	0.00	0.00	4.72	3.08	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.02
6	4	87.40	1.31	0.00	0.00	4.72	3.07	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.99
6	5	87.40	1.31	0.00	0.00	4.72	3.05	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.97
6	6	87.40	1.31	0.00	0.00	4.72	3.04	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.94
6	7	87.40	1.31	0.00	0.00	4.72	3.02	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.92
6	8	87.40	1.31	0.00	0.00	4.72	3.00	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.89
6	9	87.40	1.31	0.00	0.00	4.72	2.99	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.87
6	10	87.40	1.31	0.00	0.00	4.71	2.97	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.85
6	11	87.40	1.31	0.00	0.00	4.71	2.96	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.82
6	12	87.40	1.31	0.00	0.00	4.71	2.94	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.80
6	13	87.40	1.31	0.00	0.00	4.71	2.93	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.78
6	14	87.40	1.31	0.00	0.00	4.71	2.91	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.75
6	15	87.40	1.31	0.00	0.00	4.71	2.90	0.09	0.08	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.73
6	16	87.40	1.31	0.00	0.00	4.71	2.88	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.71
6	17	87.40	1.31	0.00	0.00	4.71	2.87	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.69
6	18	87.40	1.31	0.00	0.00	4.71	2.85	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.67
6	19	87.40	1.31	0.00	0.00	4.71	2.84	0.08	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.65
6	20	87.40	1.31	0.00	0.00	4.71	2.82	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.63

7	1	87.40	1.31	0.00	0.00	4.74	2.81	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.61
7	2	87.40	1.31	0.00	0.00	4.76	2.80	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.59
7	3	87.40	1.31	0.00	0.00	4.79	2.78	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.57
7	4	87.40	1.31	0.00	0.00	4.81	2.77	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.55
7	5	87.40	1.31	0.00	0.00	4.83	2.75	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.53
7	6	87.40	1.31	0.00	0.00	4.85	2.74	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.51
7	7	87.40	1.31	0.00	0.00	4.87	2.72	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.49
7	8	87.40	1.31	0.00	0.00	4.89	2.71	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.48
7	9	87.40	1.31	0.00	0.00	4.91	2.70	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.46
7	10	87.40	1.31	0.00	0.00	4.93	2.68	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.44

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	87.40	1.31	0.00	0.00	4.95	2.67	0.07	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.42
7	12	87.40	1.31	0.00	0.00	4.97	2.65	0.07	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.41
7	13	87.40	1.31	0.00	0.00	4.99	2.64	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.48
7	14	87.40	1.31	0.00	0.00	5.00	2.63	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.46
7	15	87.40	1.31	0.00	0.00	5.02	2.62	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.44
7	16	87.40	1.31	0.00	0.00	5.04	2.60	0.08	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.43
7	17	87.40	1.31	0.00	0.00	5.05	2.59	0.08	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.41
7	18	87.40	1.31	0.00	0.00	5.07	2.57	0.07	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.39
7	19	87.40	1.31	0.00	0.00	5.08	2.56	0.07	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.38
7	20	87.40	1.31	0.00	0.00	5.10	2.55	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.36
8	1	87.40	1.31	0.00	0.00	5.11	2.54	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.34
8	2	87.40	1.31	0.00	0.00	5.12	2.52	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.33
8	3	87.40	1.31	0.00	0.00	5.13	2.51	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.31
8	4	87.40	1.31	0.00	0.00	5.15	2.50	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.30
8	5	87.40	1.31	0.00	0.00	5.16	2.49	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.28
8	6	87.40	1.31	0.00	0.00	5.17	2.47	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.27
8	7	87.40	1.31	0.00	0.00	5.18	2.46	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.25
8	8	87.40	1.31	0.00	0.00	5.19	2.45	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.24

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN NITRGN *	FACTORS PHSPRS *
1	1	1	8.27	0.16	0.08	1.03	1.71	0.06	0.50	0.18	4.23	0.11	0.53	0.65
2	1	2	8.14	0.16	0.08	1.03	1.73	0.07	0.50	0.19	4.23	0.11	0.54	0.65
3	1	3	8.02	0.16	0.08	1.03	1.75	0.07	0.50	0.19	4.23	0.11	0.54	0.65
4	1	4	7.90	0.16	0.08	1.03	1.76	0.07	0.50	0.19	4.22	0.11	0.55	0.65
5	1	5	7.78	0.16	0.08	1.03	1.77	0.07	0.50	0.20	4.22	0.11	0.55	0.65

									CRF_65A.OUT					
6	1	6	7.66	0.16	0.08	1.03	1.79	0.07	0.50	0.20	4.22	0.11	0.56	0.65
7	1	7	7.54	0.16	0.08	1.03	1.80	0.07	0.50	0.20	4.21	0.11	0.56	0.65
8	1	8	7.43	0.16	0.08	1.03	1.81	0.07	0.50	0.21	4.21	0.11	0.56	0.65
9	1	9	7.32	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
10	1	10	7.21	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
11	1	11	7.10	0.17	0.08	1.03	1.83	0.06	0.50	0.22	4.20	0.11	0.57	0.64
12	1	12	7.00	0.17	0.08	1.03	1.84	0.06	0.50	0.22	4.20	0.11	0.58	0.64
13	1	13	6.89	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
14	1	14	6.79	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
15	1	15	6.69	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
16	1	16	6.59	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
17	1	17	6.50	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.19	0.11	0.59	0.64
18	1	18	6.40	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.18	0.11	0.59	0.64
19	1	19	6.31	0.17	0.08	1.03	1.88	0.06	0.50	0.23	4.18	0.11	0.59	0.64
20	1	20	6.22	0.17	0.08	1.03	1.88	0.06	0.50	0.24	4.18	0.11	0.59	0.64
21	2	1	6.11	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.18	0.11	0.61	0.66
22	2	2	6.03	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.18	0.11	0.61	0.66
23	2	3	5.94	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.17	0.11	0.61	0.66
24	2	4	5.86	0.18	0.08	1.03	2.01	0.06	0.50	0.27	4.17	0.11	0.61	0.66
25	2	5	5.78	0.18	0.08	1.03	2.01	0.06	0.50	0.27	4.17	0.11	0.61	0.66
26	2	6	5.70	0.18	0.08	1.03	2.01	0.06	0.50	0.28	4.17	0.11	0.61	0.66
27	2	7	5.62	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.61	0.66
28	2	8	5.54	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.62	0.66
29	2	9	5.47	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.62	0.66
30	2	10	5.39	0.18	0.08	1.03	2.03	0.06	0.50	0.28	4.16	0.11	0.62	0.66
31	2	11	5.32	0.18	0.08	1.03	2.03	0.06	0.50	0.28	4.16	0.11	0.62	0.66
32	2	12	5.25	0.19	0.08	1.03	2.03	0.06	0.50	0.28	4.15	0.11	0.62	0.66
33	2	13	5.17	0.19	0.08	1.03	2.03	0.06	0.50	0.28	4.15	0.11	0.62	0.65
34	2	14	5.10	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.62	0.65
35	2	15	5.03	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.62	0.65
36	2	16	4.97	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.63	0.65
37	2	17	4.90	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.63	0.65
38	2	18	4.83	0.19	0.08	1.03	2.05	0.06	0.50	0.28	4.14	0.11	0.63	0.65
39	2	19	4.77	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
40	2	20	4.70	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
41	3	1	4.64	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
42	3	2	4.57	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
43	3	3	4.51	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.14	0.11	0.63	0.65
44	3	4	4.45	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.63	0.65
45	3	5	4.39	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.63	0.65
46	3	6	4.33	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.64	0.65
47	3	7	4.27	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.64	0.65
48	3	8	4.22	0.19	0.08	1.03	2.06	0.05	0.50	0.27	4.13	0.11	0.64	0.64
49	3	9	4.16	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.13	0.11	0.64	0.64
50	3	10	4.10	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
51	3	11	4.05	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64

CRF_65A.OUT														
52	3	12	3.99	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
53	3	13	3.94	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
54	3	14	3.89	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
55	3	15	3.83	0.19	0.08	1.03	2.08	0.05	0.50	0.27	4.12	0.11	0.64	0.64
56	3	16	3.78	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.12	0.11	0.64	0.64
57	3	17	3.73	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
58	3	18	3.68	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
59	3	19	3.63	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
60	3	20	3.58	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
61	4	1	3.54	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
62	4	2	3.49	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
63	4	3	3.44	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
64	4	4	3.40	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
65	4	5	3.35	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N			ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.31	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
67	4	7	3.26	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
68	4	8	3.22	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
69	4	9	3.18	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
70	4	10	3.13	0.19	0.08	1.03	2.10	0.04	0.50	0.26	4.10	0.11	0.66	0.63
71	4	11	3.09	0.19	0.08	1.03	2.10	0.04	0.50	0.26	4.10	0.11	0.66	0.63
72	4	12	3.05	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.10	0.11	0.66	0.63
73	4	13	3.01	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
74	4	14	2.97	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
75	4	15	2.93	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
76	4	16	2.89	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
77	4	17	2.85	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
78	4	18	2.82	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
79	4	19	2.78	0.19	0.08	1.03	2.11	0.03	0.50	0.25	4.09	0.11	0.66	0.63
80	4	20	2.74	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
81	5	1	2.70	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
82	5	2	2.67	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
83	5	3	2.63	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63
84	5	4	2.60	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63
85	5	5	2.56	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63



									CRF_65A.OUT					
86	5	6	2.53	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.67	0.62
87	5	7	2.50	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.67	0.62
88	5	8	2.46	0.19	0.08	1.03	2.11	0.03	0.50	0.23	4.08	0.11	0.67	0.62
89	5	9	2.43	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
90	5	10	2.40	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
91	5	11	2.37	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
92	5	12	2.34	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
93	5	13	2.31	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
94	5	14	2.28	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
95	5	15	2.25	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
96	5	16	2.22	0.19	0.08	1.03	2.12	0.03	0.50	0.22	4.07	0.11	0.67	0.62
97	5	17	2.19	0.19	0.08	1.03	2.12	0.03	0.50	0.22	4.07	0.11	0.67	0.62
98	5	18	2.16	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
99	5	19	2.13	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
100	5	20	2.10	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
101	6	1	2.07	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
102	6	2	2.05	0.20	0.08	1.03	2.14	0.03	0.50	0.22	4.07	0.11	0.67	0.62
103	6	3	2.02	0.20	0.08	1.03	2.15	0.03	0.50	0.22	4.07	0.11	0.67	0.63
104	6	4	1.99	0.20	0.08	1.03	2.16	0.03	0.50	0.21	4.07	0.11	0.67	0.63
105	6	5	1.97	0.20	0.08	1.03	2.16	0.03	0.50	0.21	4.07	0.11	0.68	0.63
106	6	6	1.94	0.20	0.08	1.03	2.17	0.02	0.50	0.21	4.06	0.11	0.68	0.63
107	6	7	1.92	0.20	0.08	1.03	2.18	0.02	0.50	0.21	4.06	0.11	0.68	0.63
108	6	8	1.89	0.20	0.08	1.03	2.19	0.02	0.50	0.21	4.06	0.11	0.68	0.63
109	6	9	1.87	0.20	0.08	1.03	2.19	0.02	0.50	0.21	4.06	0.11	0.68	0.63
110	6	10	1.85	0.20	0.08	1.03	2.20	0.02	0.50	0.21	4.06	0.11	0.68	0.64
111	6	11	1.82	0.20	0.08	1.03	2.21	0.02	0.50	0.21	4.06	0.11	0.68	0.64
112	6	12	1.80	0.20	0.08	1.03	2.21	0.02	0.50	0.20	4.06	0.11	0.68	0.64
113	6	13	1.78	0.20	0.08	1.03	2.22	0.02	0.50	0.20	4.06	0.11	0.68	0.64
114	6	14	1.75	0.20	0.08	1.03	2.23	0.02	0.50	0.20	4.06	0.11	0.68	0.64
115	6	15	1.73	0.20	0.08	1.03	2.24	0.02	0.50	0.20	4.06	0.11	0.68	0.64
116	6	16	1.71	0.20	0.08	1.03	2.24	0.02	0.50	0.20	4.06	0.11	0.68	0.64
117	6	17	1.69	0.20	0.08	1.03	2.25	0.02	0.50	0.20	4.06	0.11	0.68	0.65
118	6	18	1.67	0.21	0.08	1.03	2.25	0.02	0.50	0.20	4.06	0.11	0.68	0.65
119	6	19	1.65	0.21	0.08	1.03	2.26	0.02	0.50	0.19	4.06	0.11	0.68	0.65
120	6	20	1.63	0.21	0.08	1.03	2.27	0.02	0.50	0.19	4.06	0.11	0.68	0.65
121	7	1	1.61	0.21	0.08	1.03	2.27	0.02	0.50	0.19	4.05	0.11	0.68	0.65
122	7	2	1.59	0.21	0.08	1.03	2.28	0.02	0.50	0.19	4.05	0.11	0.68	0.65
123	7	3	1.57	0.21	0.08	1.03	2.29	0.02	0.50	0.19	4.05	0.11	0.68	0.65
124	7	4	1.55	0.21	0.08	1.03	2.29	0.02	0.50	0.19	4.05	0.11	0.68	0.66
125	7	5	1.53	0.21	0.08	1.03	2.30	0.02	0.50	0.19	4.05	0.11	0.68	0.66
126	7	6	1.51	0.21	0.08	1.03	2.30	0.02	0.50	0.19	4.05	0.11	0.68	0.66
127	7	7	1.49	0.21	0.08	1.03	2.31	0.02	0.50	0.18	4.05	0.11	0.68	0.66
128	7	8	1.48	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.66
129	7	9	1.46	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.66
130	7	10	1.44	0.21	0.08	1.03	2.33	0.02	0.50	0.18	4.05	0.11	0.69	0.66

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS											
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.42	0.21	0.08	1.03	2.33	0.02	0.50	0.18	4.05	0.11	0.69	0.66
132	7	12	1.41	0.21	0.08	1.03	2.34	0.02	0.50	0.18	4.05	0.11	0.69	0.67
133	7	13	1.48	0.21	0.08	1.03	2.31	0.02	0.50	0.18	4.05	0.11	0.69	0.67
134	7	14	1.46	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.67
135	7	15	1.44	0.21	0.08	1.03	2.32	0.02	0.50	0.17	4.05	0.11	0.69	0.67
136	7	16	1.43	0.21	0.08	1.03	2.33	0.02	0.50	0.17	4.05	0.11	0.69	0.67
137	7	17	1.41	0.21	0.08	1.03	2.33	0.02	0.50	0.17	4.05	0.11	0.69	0.67
138	7	18	1.39	0.21	0.08	1.03	2.34	0.02	0.50	0.17	4.05	0.11	0.69	0.68
139	7	19	1.38	0.21	0.08	1.03	2.35	0.02	0.50	0.17	4.05	0.11	0.69	0.68
140	7	20	1.36	0.21	0.08	1.03	2.35	0.02	0.50	0.17	4.05	0.11	0.69	0.68
141	8	1	1.34	0.22	0.08	1.03	2.36	0.02	0.50	0.17	4.05	0.11	0.69	0.68
142	8	2	1.33	0.22	0.08	1.03	2.37	0.02	0.50	0.17	4.05	0.11	0.69	0.68
143	8	3	1.31	0.22	0.08	1.03	2.37	0.02	0.50	0.17	4.05	0.11	0.69	0.68
144	8	4	1.30	0.22	0.08	1.03	2.38	0.02	0.50	0.16	4.05	0.11	0.69	0.68
145	8	5	1.28	0.22	0.08	1.03	2.38	0.02	0.50	0.16	4.05	0.11	0.69	0.68
146	8	6	1.27	0.22	0.08	1.03	2.39	0.02	0.50	0.16	4.04	0.11	0.69	0.69
147	8	7	1.25	0.22	0.08	1.03	2.39	0.02	0.50	0.16	4.04	0.11	0.69	0.69
148	8	8	1.24	0.22	0.08	1.03	2.40	0.02	0.50	0.16	4.04	0.11	0.69	0.69

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

ELE ORD	RCH NUM	ELE NUM	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)												
			TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	87.40	7.46	3.47	3.99	0.00	1.00	54.07	2.58	-0.35	-0.03	0.06	-0.03	-0.08
2	1	2	87.40	7.46	3.54	3.92	0.00	1.00	0.00	2.53	-0.35	-0.03	0.07	-0.04	-0.07
3	1	3	87.40	7.46	3.60	3.85	0.00	1.00	0.00	2.49	-0.35	-0.03	0.07	-0.04	-0.07
4	1	4	87.40	7.46	3.67	3.79	0.00	1.00	0.00	2.45	-0.34	-0.03	0.07	-0.04	-0.06
5	1	5	87.40	7.46	3.73	3.73	0.00	1.00	0.00	2.41	-0.34	-0.03	0.07	-0.04	-0.06

									CRF_65A.OUT						
6	1	6	87.40	7.46	3.79	3.67	0.00	1.00	0.00	2.37	-0.34	-0.03	0.07	-0.04	-0.05
7	1	7	87.40	7.46	3.84	3.61	0.00	1.00	0.00	2.33	-0.34	-0.03	0.07	-0.04	-0.05
8	1	8	87.40	7.46	3.90	3.56	0.00	1.00	0.00	2.30	-0.34	-0.03	0.07	-0.04	-0.05
9	1	9	87.40	7.46	3.95	3.51	0.00	1.00	0.00	2.26	-0.34	-0.03	0.07	-0.04	-0.04
10	1	10	87.40	7.46	4.00	3.45	0.00	1.00	0.00	2.23	-0.33	-0.03	0.07	-0.05	-0.04
11	1	11	87.40	7.46	4.05	3.41	0.00	1.00	0.00	2.20	-0.33	-0.03	0.06	-0.05	-0.04
12	1	12	87.40	7.46	4.10	3.36	0.00	1.00	0.00	2.17	-0.33	-0.03	0.06	-0.05	-0.04
13	1	13	87.40	7.46	4.15	3.31	0.00	1.00	0.00	2.14	-0.33	-0.03	0.06	-0.05	-0.03
14	1	14	87.40	7.46	4.19	3.27	0.00	1.00	0.00	2.11	-0.33	-0.03	0.06	-0.05	-0.03
15	1	15	87.40	7.46	4.23	3.23	0.00	1.00	0.00	2.08	-0.33	-0.03	0.06	-0.05	-0.03
16	1	16	87.40	7.46	4.27	3.18	0.00	1.00	0.00	2.06	-0.32	-0.03	0.06	-0.05	-0.03
17	1	17	87.40	7.46	4.31	3.14	0.00	1.00	0.00	2.03	-0.32	-0.03	0.06	-0.05	-0.03
18	1	18	87.40	7.46	4.35	3.11	0.00	1.00	0.00	2.01	-0.32	-0.03	0.06	-0.05	-0.03
19	1	19	87.40	7.46	4.39	3.07	0.00	1.00	0.00	1.98	-0.32	-0.03	0.06	-0.05	-0.03
20	1	20	87.40	7.46	4.42	3.04	0.00	1.00	0.00	1.96	-0.32	-0.03	0.06	-0.06	-0.03
21	2	1	87.40	7.46	4.45	3.01	0.00	1.00	0.22	1.94	-0.39	-0.03	0.07	-0.07	-0.03
22	2	2	87.40	7.46	4.48	2.98	0.00	1.00	0.00	1.92	-0.38	-0.03	0.07	-0.07	-0.03
23	2	3	87.40	7.46	4.51	2.95	0.00	1.00	0.00	1.91	-0.38	-0.03	0.07	-0.07	-0.03
24	2	4	87.40	7.46	4.53	2.93	0.00	1.00	0.00	1.89	-0.38	-0.03	0.06	-0.07	-0.03
25	2	5	87.40	7.46	4.56	2.90	0.00	1.00	0.00	1.87	-0.38	-0.03	0.06	-0.07	-0.03
26	2	6	87.40	7.46	4.58	2.88	0.00	1.00	0.00	1.86	-0.38	-0.03	0.06	-0.07	-0.02
27	2	7	87.40	7.46	4.61	2.85	0.00	1.00	0.00	1.84	-0.37	-0.03	0.06	-0.07	-0.02
28	2	8	87.40	7.46	4.63	2.83	0.00	1.00	0.00	1.83	-0.37	-0.03	0.06	-0.07	-0.02
29	2	9	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.37	-0.03	0.06	-0.07	-0.02
30	2	10	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.37	-0.03	0.06	-0.07	-0.02
31	2	11	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.37	-0.03	0.06	-0.07	-0.02
32	2	12	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.36	-0.03	0.06	-0.07	-0.02
33	2	13	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.36	-0.03	0.06	-0.07	-0.02
34	2	14	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.36	-0.03	0.06	-0.07	-0.02
35	2	15	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.36	-0.03	0.06	-0.07	-0.02
36	2	16	87.40	7.46	4.78	2.67	0.00	1.00	0.00	1.73	-0.36	-0.03	0.06	-0.08	-0.02
37	2	17	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.36	-0.03	0.06	-0.08	-0.02
38	2	18	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.71	-0.35	-0.03	0.06	-0.08	-0.02
39	2	19	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.35	-0.03	0.05	-0.08	-0.02
40	2	20	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.69	-0.35	-0.03	0.05	-0.08	-0.02
41	3	1	87.40	7.46	4.86	2.60	0.00	1.00	0.00	1.68	-0.35	-0.03	0.05	-0.08	-0.02
42	3	2	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.35	-0.03	0.05	-0.08	-0.03
43	3	3	87.40	7.46	4.89	2.57	0.00	1.00	0.00	1.66	-0.34	-0.03	0.05	-0.08	-0.03
44	3	4	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.34	-0.03	0.05	-0.08	-0.03
45	3	5	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.64	-0.34	-0.03	0.05	-0.08	-0.03
46	3	6	87.40	7.46	4.92	2.53	0.00	1.00	0.00	1.64	-0.34	-0.03	0.05	-0.08	-0.03
47	3	7	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.34	-0.03	0.05	-0.08	-0.03
48	3	8	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.34	-0.03	0.05	-0.08	-0.03
49	3	9	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.61	-0.33	-0.03	0.05	-0.08	-0.03
50	3	10	87.40	7.46	4.97	2.49	0.00	1.00	0.00	1.61	-0.33	-0.03	0.05	-0.08	-0.03
51	3	11	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.33	-0.03	0.05	-0.08	-0.03

										CRF_65A.OUT					
52	3	12	87.40	7.46	4.99	2.47	0.00	1.00	0.00	1.60	-0.33	-0.03	0.05	-0.08	-0.03
53	3	13	87.40	7.46	5.00	2.46	0.00	1.00	0.00	1.59	-0.33	-0.03	0.05	-0.08	-0.03
54	3	14	87.40	7.46	5.01	2.45	0.00	1.00	0.00	1.58	-0.33	-0.03	0.05	-0.08	-0.03
55	3	15	87.40	7.46	5.01	2.44	0.00	1.00	0.00	1.58	-0.32	-0.03	0.05	-0.08	-0.03
56	3	16	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.32	-0.03	0.04	-0.08	-0.03
57	3	17	87.40	7.46	5.03	2.43	0.00	1.00	0.00	1.57	-0.32	-0.03	0.04	-0.08	-0.03
58	3	18	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.32	-0.03	0.04	-0.08	-0.03
59	3	19	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.56	-0.32	-0.03	0.04	-0.08	-0.03
60	3	20	87.40	7.46	5.05	2.40	0.00	1.00	0.00	1.55	-0.32	-0.03	0.04	-0.08	-0.03
61	4	1	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.31	-0.04	0.04	-0.08	-0.03
62	4	2	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.31	-0.04	0.04	-0.08	-0.03
63	4	3	87.40	7.46	5.00	2.46	0.00	1.00	0.00	1.59	-0.31	-0.04	0.04	-0.08	-0.03
64	4	4	87.40	7.46	4.99	2.47	0.00	1.00	0.01	1.60	-0.31	-0.04	0.04	-0.08	-0.03
65	4	5	87.40	7.46	4.97	2.49	0.00	1.00	0.00	1.61	-0.31	-0.04	0.04	-0.08	-0.03

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

										COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)					
ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
66	4	6	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.61	-0.31	-0.04	0.04	-0.08	-0.03
67	4	7	87.40	7.46	4.94	2.51	0.00	1.00	0.00	1.62	-0.30	-0.04	0.04	-0.08	-0.03
68	4	8	87.40	7.46	4.93	2.53	0.00	1.00	0.00	1.63	-0.30	-0.04	0.04	-0.08	-0.03
69	4	9	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.30	-0.04	0.04	-0.08	-0.03
70	4	10	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.65	-0.30	-0.04	0.04	-0.08	-0.03
71	4	11	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.30	-0.04	0.04	-0.08	-0.03
72	4	12	87.40	7.46	4.88	2.57	0.00	1.00	0.00	1.66	-0.30	-0.04	0.04	-0.08	-0.03
73	4	13	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.30	-0.04	0.04	-0.08	-0.03
74	4	14	87.40	7.46	4.86	2.59	0.00	1.00	0.00	1.67	-0.29	-0.04	0.04	-0.08	-0.03
75	4	15	87.40	7.46	4.86	2.60	0.00	1.00	0.00	1.68	-0.29	-0.04	0.04	-0.08	-0.03
76	4	16	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.69	-0.29	-0.04	0.03	-0.08	-0.03
77	4	17	87.40	7.46	4.84	2.62	0.00	1.00	0.00	1.69	-0.29	-0.04	0.03	-0.08	-0.03
78	4	18	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.29	-0.04	0.03	-0.08	-0.03
79	4	19	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.29	-0.04	0.03	-0.08	-0.03
80	4	20	87.40	7.46	4.81	2.64	0.00	1.00	0.00	1.71	-0.28	-0.04	0.03	-0.08	-0.03
81	5	1	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.28	-0.04	0.03	-0.08	-0.03
82	5	2	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.28	-0.04	0.03	-0.08	-0.03
83	5	3	87.40	7.46	4.79	2.66	0.00	1.00	0.00	1.72	-0.28	-0.04	0.03	-0.08	-0.03
84	5	4	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.28	-0.04	0.03	-0.08	-0.03
85	5	5	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.28	-0.04	0.03	-0.08	-0.03

CRF\_65A.OUT

86	5	6	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.28	-0.04	0.03	-0.08	-0.03
87	5	7	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.73	-0.27	-0.04	0.03	-0.08	-0.03
88	5	8	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.27	-0.04	0.03	-0.08	-0.03
89	5	9	87.40	7.46	4.76	2.70	0.00	1.00	0.00	1.74	-0.27	-0.04	0.03	-0.08	-0.03
90	5	10	87.40	7.46	4.76	2.70	0.00	1.00	0.00	1.74	-0.27	-0.04	0.03	-0.08	-0.03
91	5	11	87.40	7.46	4.75	2.70	0.00	1.00	0.00	1.75	-0.27	-0.04	0.03	-0.08	-0.03
92	5	12	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.27	-0.04	0.03	-0.08	-0.03
93	5	13	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.27	-0.04	0.03	-0.07	-0.03
94	5	14	87.40	7.46	4.74	2.71	0.00	1.00	0.00	1.75	-0.27	-0.04	0.03	-0.07	-0.03
95	5	15	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.75	-0.26	-0.04	0.03	-0.07	-0.03
96	5	16	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.03
97	5	17	87.40	7.46	4.74	2.72	0.00	1.00	0.01	1.76	-0.26	-0.04	0.03	-0.07	-0.03
98	5	18	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.03
99	5	19	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.03
100	5	20	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.03
101	6	1	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.02
102	6	2	87.40	7.46	4.72	2.73	0.00	1.00	0.00	1.77	-0.25	-0.04	0.03	-0.07	-0.02
103	6	3	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.03	-0.07	-0.02
104	6	4	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.03	-0.07	-0.02
105	6	5	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.03	-0.07	-0.02
106	6	6	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.02	-0.07	-0.02
107	6	7	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.02	-0.07	-0.02
108	6	8	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.02	-0.07	-0.02
109	6	9	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.02	-0.07	-0.02
110	6	10	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
111	6	11	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
112	6	12	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
113	6	13	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
114	6	14	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
115	6	15	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
116	6	16	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
117	6	17	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
118	6	18	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.23	-0.04	0.02	-0.07	-0.02
119	6	19	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.23	-0.04	0.02	-0.07	-0.02
120	6	20	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.23	-0.04	0.02	-0.07	-0.02
121	7	1	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.76	-0.23	-0.03	0.02	-0.07	-0.02
122	7	2	87.40	7.46	4.76	2.69	0.00	1.00	0.00	1.74	-0.23	-0.03	0.02	-0.07	-0.02
123	7	3	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.23	-0.03	0.02	-0.07	-0.02
124	7	4	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.23	-0.03	0.02	-0.07	-0.02
125	7	5	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.23	-0.03	0.02	-0.07	-0.02
126	7	6	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.68	-0.22	-0.03	0.02	-0.07	-0.02
127	7	7	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.22	-0.03	0.02	-0.06	-0.02
128	7	8	87.40	7.46	4.89	2.56	0.00	1.00	0.00	1.66	-0.22	-0.03	0.02	-0.06	-0.02
129	7	9	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.64	-0.22	-0.03	0.02	-0.06	-0.02
130	7	10	87.40	7.46	4.93	2.53	0.00	1.00	0.00	1.63	-0.22	-0.03	0.02	-0.06	-0.02

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.22	-0.03	0.02	-0.06	-0.02
132	7	12	87.40	7.46	4.97	2.49	0.00	1.00	0.00	1.61	-0.22	-0.03	0.02	-0.06	-0.02
133	7	13	87.40	7.46	4.99	2.47	0.00	1.00	1.07	1.60	-0.22	-0.03	0.02	-0.06	-0.02
134	7	14	87.40	7.46	5.00	2.45	0.00	1.00	0.00	1.58	-0.22	-0.03	0.02	-0.06	-0.02
135	7	15	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.21	-0.03	0.02	-0.06	-0.02
136	7	16	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.21	-0.03	0.02	-0.06	-0.02
137	7	17	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.55	-0.21	-0.03	0.02	-0.06	-0.02
138	7	18	87.40	7.46	5.07	2.39	0.00	1.00	0.00	1.54	-0.21	-0.03	0.02	-0.06	-0.02
139	7	19	87.40	7.46	5.08	2.38	0.00	1.00	0.00	1.53	-0.21	-0.03	0.02	-0.06	-0.02
140	7	20	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.53	-0.21	-0.03	0.02	-0.06	-0.02
141	8	1	87.40	7.46	5.11	2.35	0.00	1.00	0.00	1.52	-0.21	-0.03	0.02	-0.06	-0.02
142	8	2	87.40	7.46	5.12	2.34	0.00	1.00	0.00	1.51	-0.21	-0.03	0.02	-0.06	-0.02
143	8	3	87.40	7.46	5.13	2.32	0.00	1.00	0.00	1.50	-0.21	-0.03	0.02	-0.06	-0.02
144	8	4	87.40	7.46	5.15	2.31	0.00	1.00	0.00	1.49	-0.20	-0.03	0.02	-0.06	-0.02
145	8	5	87.40	7.46	5.16	2.30	0.00	1.00	0.00	1.49	-0.20	-0.03	0.02	-0.06	-0.02
146	8	6	87.40	7.46	5.17	2.29	0.00	1.00	0.00	1.48	-0.20	-0.03	0.02	-0.06	-0.02
147	8	7	87.40	7.46	5.18	2.28	0.00	1.00	0.00	1.47	-0.20	-0.03	0.02	-0.06	-0.02
148	8	8	87.40	7.46	5.19	2.27	0.00	1.00	0.00	1.46	-0.20	-0.03	0.02	-0.06	-0.02

CRF\_65B.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR  
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)  
 TITLE03 YES CONSERVATIVE MINERAL I  
 TITLE04 NO CONSERVATIVE MINERAL II  
 TITLE05 NO CONSERVATIVE MINERAL III  
 TITLE06 NO TEMPERATURE  
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L  
 TITLE08 YES ALGAE AS CHL-A IN UG/L  
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L  
 TITLE10 (ORGANIC-P; DISSOLVED-P)  
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L  
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)  
 TITLE13 YES DISSOLVED OXYGEN IN MG/L  
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML  
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0





CRF\_65B.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	2.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	3.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	4.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	5.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	6.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	7.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	8.0	87.4	3.40	4.29	1.24

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	2.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	3.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	4.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	5.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	6.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	7.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	8.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	2.8	1.24

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	2.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	3.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	4.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	5.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	6.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	7.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019

CRF\_65B.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 17250 87.4 3.40 4.29 1.24
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 69.63 86.9 3.50 419.7 37.62
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.24
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.24
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF\_65B.dat

1

CRF\_65B.OUT  
\* \* \* QUAL-2E STREAM QUALITY ROUTING MODEL \* \* \*  
\* \* \* EPA/NCASI VERSION \* \* \*

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03 YES	CONSERVATIVE MINERAL I
TITLE04 NO	CONSERVATIVE MINERAL II
TITLE05 NO	CONSERVATIVE MINERAL III
TITLE06 NO	TEMPERATURE
TITLE07 YES	BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08 YES	ALGAE AS CHL-A IN UG/L
TITLE09 YES	PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11 YES	NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13 YES	DISSOLVED OXYGEN IN MG/L
TITLE14 NO	FECAL COLIFORMS IN NO./100 ML
TITLE15 NO	ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRF\_65B.OUT

N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0200	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

0     \$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE	RATE CODE	THETA VALUE
-----------	-----------	-------------

0     \$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER AND IDENT	R. MI/KM	R. MI/KM
STREAM REACH	1.0                REACH 1    FRO	227.0    TO	222.0
STREAM REACH	2.0                REACH 2    FRO	222.0    TO	217.0
STREAM REACH	3.0                REACH 3    FRO	217.0    TO	212.0
STREAM REACH	4.0                REACH 4    FRO	212.0    TO	207.0
STREAM REACH	5.0                REACH 5    FRO	207.0    TO	202.0
STREAM REACH	6.0                REACH 6    FRO	202.0    TO	197.0
STREAM REACH	7.0                REACH 7    FRO	197.0    TO	192.0
STREAM REACH	8.0                REACH 8    FRO	192.0    TO	190.0
ENDATA2	0.0	0.0	0.0

0     \$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER OF AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	2.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	3.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	4.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	5.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	6.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	7.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	8.	1.	3.0	1.	0.	0. 0. 0. 0.
ENDATA3	0.	0.	0.0	0.	0.	0. 0. 0. 0.

0     \$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL FLAGS
FLAG FIELD	1.	20.	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	2.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	3.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	5.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
ENDATA4	0.	0.	0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.

0     \$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CRF\_65B.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	2.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	3.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	4.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	5.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	6.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	7.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	8.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	2.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	3.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	4.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	5.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	6.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	7.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	8.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE                      JUNCTION ORDER AND IDENT                      UPSTRM    JUNCTION                      TRIB

0            ENDATA9            0.            0.            0.  
\$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	17250.00	87.40	3.40	4.29	1.24	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	69.63	86.90	3.50	419.70	37.62	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	1.24	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	1.24	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	7.	BAYOU BARTH	0.00	222.00	85.10	5.40	2.80	1.24	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	1.24	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$



		CRF_65B.OUT																		
		CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI										
0	ENDATA13	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																		
	\$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$																			
		CARD TYPE	CHL-A	ORG-N	NH3-N	NO2-N	NH3-N	ORG-P	DIS-P											
1	ENDATA13A	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																		
0		CONSERVATIVE MINERAL I										ITERATION 1								
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
3	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
4	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
5	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
6	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
7	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
8	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38

		BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1								
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.89
2	5.51	5.48	5.46	5.43	5.40	5.37	5.34	5.32	5.29	5.26	5.24	5.21	5.18	5.16	5.13	5.10	5.08	5.05	5.02	5.00
3	4.97	4.95	4.92	4.90	4.87	4.85	4.82	4.80	4.77	4.75	4.72	4.70	4.67	4.65	4.63	4.60	4.58	4.55	4.53	4.51
4	4.48	4.46	4.44	4.42	4.39	4.37	4.35	4.33	4.30	4.28	4.26	4.24	4.22	4.19	4.17	4.15	4.13	4.11	4.09	4.07
5	4.04	4.02	4.00	3.98	3.96	3.94	3.92	3.90	3.88	3.86	3.84	3.82	3.80	3.78	3.76	3.74	3.72	3.70	3.69	3.67
6	3.65	3.63	3.61	3.59	3.57	3.55	3.54	3.52	3.50	3.48	3.46	3.45	3.43	3.41	3.39	3.38	3.36	3.34	3.32	3.31
7	3.29	3.27	3.26	3.24	3.22	3.21	3.19	3.17	3.16	3.14	3.12	3.11	3.09	3.07	3.06	3.04	3.02	3.01	2.99	2.98
8	2.96	2.95	2.93	2.92	2.90	2.89	2.87	2.86												

STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

		VARIABLE	ITERATION		NUMBER OF NONCONVERGENT ELEMENTS															
		ALGAE AS CHL-A IN UG/L																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.27	8.14	8.01	7.89	7.76	7.64	7.52	7.41	7.29	7.18	7.07	6.96	6.85	6.74	6.63	6.53	6.43	6.33	6.23	6.13
2	6.02	5.92	5.83	5.74	5.65	5.56	5.48	5.39	5.31	5.22	5.14	5.06	4.98	4.91	4.83	4.75	4.68	4.61	4.53	4.46
3	4.39	4.33	4.26	4.19	4.13	4.06	4.00	3.94	3.88	3.82	3.76	3.70	3.64	3.58	3.53	3.47	3.42	3.36	3.31	3.26
4	3.21	3.16	3.11	3.06	3.01	2.97	2.92	2.88	2.83	2.79	2.74	2.70	2.66	2.62	2.58	2.54	2.50	2.46	2.42	2.38
5	2.34	2.31	2.27	2.24	2.20	2.17	2.13	2.10	2.07	2.04	2.00	1.97	1.94	1.91	1.88	1.85	1.82	1.79	1.77	1.74
6	1.71	1.69	1.66	1.63	1.61	1.58	1.56	1.53	1.51	1.49	1.46	1.44	1.42	1.40	1.37	1.35	1.33	1.31	1.29	1.27
7	1.25	1.23	1.21	1.19	1.17	1.16	1.14	1.12	1.10	1.09	1.07	1.05	1.13	1.11	1.09	1.08	1.06	1.04	1.03	1.01

CRF\_65B.OUT

		8	1.00	0.98	0.96	0.95	0.93	0.92	0.91	0.89											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21
2	0.22	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15
4	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12
5	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10
6	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07	0.07
2	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.10	0.10	0.10
3	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
8	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01

CRF_65B.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.25	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.27
4	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30	0.30	0.30
5	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.32	0.33
6	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35
7	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37	0.38
8	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.39												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.14	4.18	4.23	4.27	4.31	4.34	4.38	4.41
2	4.44	4.46	4.48	4.50	4.53	4.55	4.57	4.59	4.60	4.62	4.64	4.66	4.67	4.69	4.70	4.72	4.73	4.75	4.76	4.77
3	4.78	4.80	4.81	4.82	4.83	4.84	4.85	4.86	4.87	4.88	4.89	4.89	4.90	4.91	4.92	4.93	4.93	4.94	4.95	4.96
4	4.94	4.92	4.90	4.89	4.87	4.86	4.84	4.83	4.82	4.80	4.79	4.78	4.77	4.76	4.75	4.74	4.73	4.73	4.72	4.71
5	4.70	4.70	4.69	4.69	4.68	4.67	4.67	4.67	4.66	4.66	4.65	4.65	4.65	4.64	4.64	4.64	4.64	4.63	4.63	4.63
6	4.63	4.63	4.63	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62
7	4.65	4.67	4.70	4.72	4.74	4.76	4.78	4.80	4.82	4.84	4.86	4.88	4.90	4.92	4.94	4.95	4.97	4.98	5.00	5.01
8	5.03	5.04	5.05	5.06	5.08	5.09	5.10	5.11												
ALGAE GROWTH RATE						1		141												
ALGAE GROWTH RATE						2		47												
ALGAE GROWTH RATE						3		0												
ALGAE GROWTH RATE						4		0												

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

- 
1. LIGHT AVERAGING OPTION. LAVOPT= 2  
METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS  
SOURCE OF SOLAR VALUES: DATA TYPE 1A  
DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 ( 204.613 LANGLEYS)  
NUMBER OF DAYLIGHT HOURS: 13.0  
PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A  
MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL\*FN\*FP

1		DISSOLVED OXYGEN IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.15	4.19	4.23	4.27	4.31	4.35	4.39	4.42
2	4.44	4.47	4.49	4.52	4.54	4.56	4.58	4.60	4.62	4.64	4.66	4.67	4.69	4.71	4.72	4.74	4.75	4.77	4.78	4.79
3	4.81	4.82	4.83	4.84	4.85	4.86	4.87	4.88	4.89	4.90	4.91	4.92	4.93	4.94	4.95	4.95	4.96	4.97	4.98	4.98
4	4.96	4.95	4.93	4.91	4.90	4.88	4.87	4.86	4.84	4.83	4.82	4.81	4.80	4.79	4.78	4.77	4.76	4.75	4.75	4.74
5	4.73	4.73	4.72	4.71	4.71	4.70	4.70	4.69	4.69	4.68	4.68	4.68	4.67	4.67	4.67	4.66	4.66	4.66	4.66	4.65
6	4.65	4.65	4.65	4.65	4.65	4.65	4.65	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.65
7	4.67	4.70	4.72	4.74	4.77	4.79	4.81	4.83	4.85	4.87	4.88	4.90	4.92	4.94	4.96	4.97	4.99	5.01	5.02	5.03
8	5.05	5.06	5.07	5.09	5.10	5.11	5.12	5.13												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.89
2	5.51	5.48	5.46	5.43	5.40	5.37	5.34	5.32	5.29	5.26	5.24	5.21	5.18	5.16	5.13	5.10	5.08	5.05	5.02	5.00
3	4.97	4.95	4.92	4.90	4.87	4.85	4.82	4.80	4.77	4.75	4.72	4.70	4.67	4.65	4.63	4.60	4.58	4.55	4.53	4.51
4	4.48	4.46	4.44	4.42	4.39	4.37	4.35	4.33	4.30	4.28	4.26	4.24	4.22	4.19	4.17	4.15	4.13	4.11	4.09	4.07
5	4.04	4.02	4.00	3.98	3.96	3.94	3.92	3.90	3.88	3.86	3.84	3.82	3.80	3.78	3.76	3.74	3.72	3.70	3.69	3.67
6	3.65	3.63	3.61	3.59	3.57	3.55	3.54	3.52	3.50	3.48	3.46	3.45	3.43	3.41	3.39	3.38	3.36	3.34	3.32	3.31
7	3.29	3.27	3.26	3.24	3.22	3.21	3.19	3.17	3.16	3.14	3.12	3.11	3.09	3.07	3.06	3.04	3.02	3.01	2.99	2.98
8	2.96	2.95	2.93	2.92	2.90	2.89	2.87	2.86												
0		ORGANIC NITROGEN AS N IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
2	0.22	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15
4	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12
5	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10
6	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07												
0		AMMONIA AS N IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
3	0.09	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08

CRF_65B.OUT																				
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07
	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07											
0	NITRITE AS N IN MG/L										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01											
0	NITRATE AS N IN MG/L										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27
4	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30
5	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.32
6	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35
7	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37
8	0.37	0.37	0.37	0.37	0.38	0.38	0.38	0.38												
0	ORGANIC PHOSPHORUS AS P IN MG/L										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02												
0	DISSOLVED PHOSPHORUS AS P IN MG/L										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02												
0	ALGAE AS CHL-A IN UG/L										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.27	8.14	8.02	7.90	7.78	7.66	7.54	7.43	7.32	7.21	7.10	7.00	6.89	6.79	6.69	6.59	6.50	6.40	6.31	6.22

CRF_65B.OUT																				
2	6.11	6.03	5.94	5.86	5.78	5.70	5.62	5.54	5.47	5.39	5.32	5.25	5.17	5.10	5.03	4.97	4.90	4.83	4.77	4.70
3	4.64	4.57	4.51	4.45	4.39	4.33	4.27	4.22	4.16	4.10	4.05	3.99	3.94	3.89	3.83	3.78	3.73	3.68	3.63	3.58
4	3.54	3.49	3.44	3.40	3.35	3.31	3.26	3.22	3.18	3.13	3.09	3.05	3.01	2.97	2.93	2.89	2.85	2.82	2.78	2.74
5	2.70	2.67	2.63	2.60	2.56	2.53	2.50	2.46	2.43	2.40	2.37	2.34	2.31	2.28	2.25	2.22	2.19	2.16	2.13	2.10
6	2.07	2.05	2.02	1.99	1.97	1.94	1.92	1.89	1.87	1.85	1.82	1.80	1.78	1.75	1.73	1.71	1.69	1.67	1.65	1.63
7	1.61	1.59	1.57	1.55	1.53	1.51	1.49	1.48	1.46	1.44	1.42	1.41	1.48	1.46	1.44	1.43	1.41	1.39	1.38	1.36
8	1.34	1.33	1.31	1.30	1.28	1.27	1.25	1.24												
0	CONSERVATIVE MINERAL I										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
3	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
4	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
5	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
6	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
7	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
8	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17
2	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
3	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
4	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
5	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
6	0.19	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.21	0.21	0.21
7	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
8	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.71	1.73	1.75	1.76	1.77	1.79	1.80	1.81	1.82	1.82	1.83	1.84	1.85	1.85	1.86	1.86	1.87	1.87	1.88	1.88
2	2.00	2.00	2.00	2.01	2.01	2.01	2.02	2.02	2.02	2.03	2.03	2.03	2.03	2.04	2.04	2.04	2.04	2.05	2.05	2.05
3	2.05	2.05	2.06	2.06	2.06	2.06	2.06	2.06	2.07	2.07	2.07	2.07	2.07	2.07	2.08	2.08	2.08	2.08	2.08	2.08
4	2.08	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.11	2.11
5	2.11	2.11	2.11	2.11	2.11	2.11	2.11	2.11	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.13	2.13	2.13
6	2.13	2.14	2.15	2.16	2.16	2.17	2.18	2.19	2.19	2.20	2.21	2.21	2.22	2.23	2.24	2.24	2.25	2.25	2.26	2.27
7	2.27	2.28	2.29	2.29	2.30	2.30	2.31	2.32	2.32	2.33	2.33	2.34	2.31	2.32	2.32	2.33	2.33	2.34	2.35	2.35
8	2.36	2.37	2.37	2.38	2.38	2.39	2.39	2.40												

1  
 STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL  
 OUTPUT PAGE NUMBER 1  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE RCH ELE BEGIN END POINT INCR TRVL BOTTOM X-SECT DSPRSN

CRF\_65B.OUT

ORD	NUM	NUM	LOC MILE	LOC MILE	FLOW CFS	SRCE CFS	FLOW CFS	VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	AREA FT-2	AREA FT-2	COEF FT-2/S
1	1	1	227.00	226.7517250.10	0.00	0.10	0.243	0.063	3.18322306.330	93724920.0	29452760.0	71003.73	3.24		
2	1	2	226.75	226.5017250.20	0.00	0.10	0.243	0.063	3.18322306.365	93725816.0	29452806.0	71004.41	3.24		
3	1	3	226.50	226.2517250.30	0.00	0.10	0.243	0.063	3.18322306.398	93726704.0	29452850.0	71005.08	3.24		
4	1	4	226.25	226.0017250.40	0.00	0.10	0.243	0.063	3.18322306.436	93727592.0	29452898.0	71005.75	3.24		
5	1	5	226.00	225.7517250.50	0.00	0.10	0.243	0.063	3.18322306.471	93728488.0	29452946.0	71006.43	3.24		
6	1	6	225.75	225.5017250.60	0.00	0.10	0.243	0.063	3.18322306.506	93729368.0	29452992.0	71007.10	3.24		
7	1	7	225.50	225.2517250.70	0.00	0.10	0.243	0.063	3.18322306.541	93730264.0	29453038.0	71007.77	3.24		
8	1	8	225.25	225.0017250.80	0.00	0.10	0.243	0.063	3.18322306.574	93731152.0	29453082.0	71008.45	3.24		
9	1	9	225.00	224.7517250.90	0.00	0.10	0.243	0.063	3.18322306.611	93732040.0	29453130.0	71009.12	3.24		
10	1	10	224.75	224.5017251.00	0.00	0.10	0.243	0.063	3.18322306.646	93732928.0	29453178.0	71009.80	3.24		
11	1	11	224.50	224.2517251.10	0.00	0.10	0.243	0.063	3.18322306.684	93733816.0	29453226.0	71010.47	3.24		
12	1	12	224.25	224.0017251.20	0.00	0.10	0.243	0.063	3.18322306.717	93734704.0	29453270.0	71011.14	3.24		
13	1	13	224.00	223.7517251.29	0.00	0.10	0.243	0.063	3.18322306.752	93735600.0	29453316.0	71011.82	3.24		
14	1	14	223.75	223.5017251.39	0.00	0.10	0.243	0.063	3.18322306.787	93736480.0	29453364.0	71012.48	3.24		
15	1	15	223.50	223.2517251.49	0.00	0.10	0.243	0.063	3.18322306.822	93737376.0	29453410.0	71013.16	3.24		
16	1	16	223.25	223.0017251.59	0.00	0.10	0.243	0.063	3.18322306.855	93738264.0	29453454.0	71013.84	3.24		
17	1	17	223.00	222.7517251.69	0.00	0.10	0.243	0.063	3.18422306.893	93739152.0	29453502.0	71014.51	3.24		
18	1	18	222.75	222.5017251.79	0.00	0.10	0.243	0.063	3.18422306.926	93740040.0	29453546.0	71015.18	3.24		
19	1	19	222.50	222.2517251.89	0.00	0.10	0.243	0.063	3.18422306.963	93740936.0	29453596.0	71015.86	3.24		
20	1	20	222.25	222.0017251.99	0.00	0.10	0.243	0.063	3.18422306.998	93741816.0	29453642.0	71016.53	3.24		
21	2	1	222.00	221.7517321.72	69.63	0.10	0.242	0.063	3.20122331.576	94365152.0	29486132.0	71488.75	3.24		
22	2	2	221.75	221.5017321.82	0.00	0.10	0.242	0.063	3.20122331.611	94366040.0	29486178.0	71489.43	3.24		
23	2	3	221.50	221.2517321.92	0.00	0.10	0.242	0.063	3.20122331.646	94366936.0	29486224.0	71490.10	3.24		
24	2	4	221.25	221.0017322.02	0.00	0.10	0.242	0.063	3.20122331.682	94367824.0	29486272.0	71490.77	3.24		
25	2	5	221.00	220.7517322.12	0.00	0.10	0.242	0.063	3.20122331.715	94368712.0	29486316.0	71491.45	3.24		
26	2	6	220.75	220.5017322.22	0.00	0.10	0.242	0.063	3.20122331.750	94369608.0	29486362.0	71492.12	3.24		
27	2	7	220.50	220.2517322.32	0.00	0.10	0.242	0.063	3.20122331.787	94370504.0	29486410.0	71492.80	3.24		
28	2	8	220.25	220.0017322.42	0.00	0.10	0.242	0.063	3.20122331.822	94371392.0	29486458.0	71493.48	3.24		
29	2	9	220.00	219.7517322.52	0.00	0.10	0.242	0.063	3.20122331.857	94372288.0	29486504.0	71494.16	3.24		
30	2	10	219.75	219.5017322.62	0.00	0.10	0.242	0.063	3.20122331.891	94373176.0	29486548.0	71494.83	3.24		
31	2	11	219.50	219.2517322.72	0.00	0.10	0.242	0.063	3.20122331.926	94374064.0	29486594.0	71495.51	3.24		
32	2	12	219.25	219.0017322.82	0.00	0.10	0.242	0.063	3.20222331.963	94374960.0	29486644.0	71496.18	3.24		
33	2	13	219.00	218.7517322.92	0.00	0.10	0.242	0.063	3.20222331.996	94375848.0	29486686.0	71496.85	3.24		
34	2	14	218.75	218.5017323.02	0.00	0.10	0.242	0.063	3.20222332.031	94376736.0	29486734.0	71497.53	3.25		
35	2	15	218.50	218.2517323.12	0.00	0.10	0.242	0.063	3.20222332.066	94377640.0	29486780.0	71498.21	3.25		
36	2	16	218.25	218.0017323.22	0.00	0.10	0.242	0.063	3.20222332.102	94378528.0	29486826.0	71498.88	3.25		
37	2	17	218.00	217.7517323.32	0.00	0.10	0.242	0.063	3.20222332.139	94379416.0	29486876.0	71499.56	3.25		
38	2	18	217.75	217.5017323.42	0.00	0.10	0.242	0.063	3.20222332.172	94380312.0	29486920.0	71500.23	3.25		
39	2	19	217.50	217.2517323.52	0.00	0.10	0.242	0.063	3.20222332.207	94381200.0	29486966.0	71500.91	3.25		
40	2	20	217.25	217.0017323.62	0.00	0.10	0.242	0.063	3.20222332.242	94382088.0	29487012.0	71501.59	3.25		
41	3	1	217.00	216.7517323.71	0.00	0.10	0.242	0.063	3.20222332.277	94382984.0	29487058.0	71502.26	1.88		
42	3	2	216.75	216.5017323.81	0.00	0.10	0.242	0.063	3.20222332.312	94383872.0	29487106.0	71502.94	1.88		
43	3	3	216.50	216.2517323.91	0.00	0.10	0.242	0.063	3.20222332.348	94384768.0	29487152.0	71503.61	1.88		

CRF\_65B.OUT

44	3	4	216.25	216.0017324.01	0.00	0.10	0.242	0.063	3.20222332.383	94385664.0	29487198.0	71504.29	1.88
45	3	5	216.00	215.7517324.11	0.00	0.10	0.242	0.063	3.20222332.418	94386552.0	29487244.0	71504.96	1.88
46	3	6	215.75	215.5017324.21	0.00	0.10	0.242	0.063	3.20222332.453	94387440.0	29487292.0	71505.64	1.88
47	3	7	215.50	215.2517324.31	0.00	0.10	0.242	0.063	3.20222332.488	94388336.0	29487338.0	71506.31	1.88
48	3	8	215.25	215.0017324.41	0.00	0.10	0.242	0.063	3.20222332.523	94389224.0	29487384.0	71506.99	1.88
49	3	9	215.00	214.7517324.51	0.00	0.10	0.242	0.063	3.20222332.557	94390112.0	29487428.0	71507.66	1.88
50	3	10	214.75	214.5017324.61	0.00	0.10	0.242	0.063	3.20222332.592	94391008.0	29487474.0	71508.34	1.88
51	3	11	214.50	214.2517324.71	0.00	0.10	0.242	0.063	3.20222332.627	94391896.0	29487520.0	71509.02	1.88
52	3	12	214.25	214.0017324.81	0.00	0.10	0.242	0.063	3.20222332.662	94392792.0	29487568.0	71509.69	1.88
53	3	13	214.00	213.7517324.91	0.00	0.10	0.242	0.063	3.20222332.699	94393688.0	29487616.0	71510.37	1.88
54	3	14	213.75	213.5017325.01	0.00	0.10	0.242	0.063	3.20222332.732	94394576.0	29487660.0	71511.05	1.88
55	3	15	213.50	213.2517325.11	0.00	0.10	0.242	0.063	3.20222332.770	94395472.0	29487710.0	71511.72	1.88
56	3	16	213.25	213.0017325.21	0.00	0.10	0.242	0.063	3.20222332.803	94396360.0	29487754.0	71512.39	1.88
57	3	17	213.00	212.7517325.31	0.00	0.10	0.242	0.063	3.20222332.838	94397248.0	29487800.0	71513.07	1.88
58	3	18	212.75	212.5017325.41	0.00	0.10	0.242	0.063	3.20222332.873	94398144.0	29487846.0	71513.74	1.88
59	3	19	212.50	212.2517325.51	0.00	0.10	0.242	0.063	3.20222332.908	94399032.0	29487892.0	71514.42	1.88
60	3	20	212.25	212.0017325.61	0.00	0.10	0.242	0.063	3.20222332.943	94399920.0	29487940.0	71515.09	1.88
61	4	1	212.00	211.7517325.71	0.00	0.10	0.242	0.063	3.20222332.979	94400816.0	29487986.0	71515.77	1.79
62	4	2	211.75	211.5017325.81	0.00	0.10	0.242	0.063	3.20222333.014	94401704.0	29488032.0	71516.45	1.79
63	4	3	211.50	211.2517325.91	0.00	0.10	0.242	0.063	3.20222333.049	94402600.0	29488078.0	71517.12	1.79
64	4	4	211.25	211.0017327.01	1.00	0.10	0.242	0.063	3.20322333.436	94412448.0	29488590.0	71524.58	1.79
65	4	5	211.00	210.7517327.11	0.00	0.10	0.242	0.063	3.20322333.471	94413336.0	29488636.0	71525.26	1.79

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5017327.21	0.00	0.10	0.242	0.063	3.20322333.506	94414224.0	29488682.0	71525.93	1.79		
67	4	7	210.50	210.2517327.30	0.00	0.10	0.242	0.063	3.20322333.541	94415120.0	29488730.0	71526.60	1.79		
68	4	8	210.25	210.0017327.40	0.00	0.10	0.242	0.063	3.20322333.574	94416008.0	29488774.0	71527.28	1.79		
69	4	9	210.00	209.7517327.50	0.00	0.10	0.242	0.063	3.20322333.609	94416904.0	29488820.0	71527.95	1.79		
70	4	10	209.75	209.5017327.60	0.00	0.10	0.242	0.063	3.20322333.646	94417800.0	29488868.0	71528.63	1.79		
71	4	11	209.50	209.2517327.70	0.00	0.10	0.242	0.063	3.20322333.682	94418688.0	29488916.0	71529.31	1.79		
72	4	12	209.25	209.0017327.80	0.00	0.10	0.242	0.063	3.20322333.717	94419576.0	29488962.0	71529.98	1.79		
73	4	13	209.00	208.7517327.90	0.00	0.10	0.242	0.063	3.20322333.750	94420472.0	29489006.0	71530.66	1.79		
74	4	14	208.75	208.5017328.00	0.00	0.10	0.242	0.063	3.20322333.785	94421360.0	29489052.0	71531.34	1.79		
75	4	15	208.50	208.2517328.10	0.00	0.10	0.242	0.063	3.20322333.822	94422256.0	29489100.0	71532.01	1.79		
76	4	16	208.25	208.0017328.20	0.00	0.10	0.242	0.063	3.20322333.855	94423144.0	29489144.0	71532.69	1.79		
77	4	17	208.00	207.7517328.30	0.00	0.10	0.242	0.063	3.20322333.891	94424040.0	29489192.0	71533.36	1.79		
78	4	18	207.75	207.5017328.50	0.10	0.10	0.242	0.063	3.20322333.959	94425816.0	29489282.0	71534.71	1.79		
79	4	19	207.50	207.2517328.60	0.00	0.10	0.242	0.063	3.20322333.996	94426712.0	29489330.0	71535.38	1.79		
80	4	20	207.25	207.0017328.70	0.00	0.10	0.242	0.063	3.20322334.031	94427608.0	29489378.0	71536.06	1.79		



81	5	1	207.00	206.7517328.80	0.00	0.10	0.242	0.063	3.20322334.066	94428496.0	29489424.0	71536.74	0.85
82	5	2	206.75	206.5017328.90	0.00	0.10	0.242	0.063	3.20322334.102	94429392.0	29489470.0	71537.41	0.85
83	5	3	206.50	206.2517329.00	0.00	0.10	0.242	0.063	3.20322334.137	94430280.0	29489516.0	71538.09	0.85
84	5	4	206.25	206.0017329.10	0.00	0.10	0.242	0.063	3.20322334.172	94431176.0	29489564.0	71538.77	0.85
85	5	5	206.00	205.7517329.20	0.00	0.10	0.242	0.063	3.20322334.207	94432064.0	29489610.0	71539.45	0.85
86	5	6	205.75	205.5017329.30	0.00	0.10	0.242	0.063	3.20322334.242	94432952.0	29489656.0	71540.12	0.85
87	5	7	205.50	205.2517329.40	0.00	0.10	0.242	0.063	3.20322334.275	94433848.0	29489700.0	71540.79	0.85
88	5	8	205.25	205.0017329.50	0.00	0.10	0.242	0.063	3.20322334.311	94434736.0	29489746.0	71541.47	0.85
89	5	9	205.00	204.7517329.60	0.00	0.10	0.242	0.063	3.20322334.348	94435632.0	29489796.0	71542.14	0.85
90	5	10	204.75	204.5017329.70	0.00	0.10	0.242	0.063	3.20322334.381	94436520.0	29489840.0	71542.82	0.85
91	5	11	204.50	204.2517329.79	0.00	0.10	0.242	0.063	3.20322334.416	94437416.0	29489886.0	71543.49	0.85
92	5	12	204.25	204.0017329.89	0.00	0.10	0.242	0.063	3.20322334.451	94438312.0	29489932.0	71544.17	0.85
93	5	13	204.00	203.7517329.99	0.00	0.10	0.242	0.063	3.20322334.486	94439200.0	29489978.0	71544.85	0.85
94	5	14	203.75	203.5017330.09	0.00	0.10	0.242	0.063	3.20322334.523	94440096.0	29490028.0	71545.52	0.85
95	5	15	203.50	203.2517330.19	0.00	0.10	0.242	0.063	3.20322334.557	94440984.0	29490072.0	71546.20	0.85
96	5	16	203.25	203.0017330.29	0.00	0.10	0.242	0.063	3.20322334.592	94441872.0	29490118.0	71546.87	0.85
97	5	17	203.00	202.7517331.39	1.00	0.10	0.242	0.063	3.20422334.979	94451720.0	29490630.0	71554.34	0.85
98	5	18	202.75	202.5017331.49	0.00	0.10	0.242	0.063	3.20422335.014	94452608.0	29490676.0	71555.01	0.85
99	5	19	202.50	202.2517331.59	0.00	0.10	0.242	0.063	3.20422335.049	94453504.0	29490722.0	71555.69	0.85
100	5	20	202.25	202.0017331.69	0.00	0.10	0.242	0.063	3.20422335.084	94454392.0	29490768.0	71556.36	0.85
101	6	1	202.00	201.7517331.79	0.00	0.10	0.242	0.063	3.20422335.119	94455288.0	29490816.0	71557.03	1.45
102	6	2	201.75	201.5017331.89	0.00	0.10	0.242	0.063	3.20422335.154	94456176.0	29490862.0	71557.71	1.45
103	6	3	201.50	201.2517331.99	0.00	0.10	0.242	0.063	3.20422335.187	94457072.0	29490906.0	71558.38	1.45
104	6	4	201.25	201.0017332.09	0.00	0.10	0.242	0.063	3.20422335.223	94457960.0	29490952.0	71559.06	1.45
105	6	5	201.00	200.7517332.19	0.00	0.10	0.242	0.063	3.20422335.260	94458856.0	29491002.0	71559.74	1.45
106	6	6	200.75	200.5017332.29	0.00	0.10	0.242	0.063	3.20422335.295	94459752.0	29491048.0	71560.41	1.45
107	6	7	200.50	200.2517332.39	0.00	0.10	0.242	0.063	3.20422335.330	94460640.0	29491094.0	71561.09	1.45
108	6	8	200.25	200.0017332.49	0.00	0.10	0.242	0.063	3.20422335.365	94461536.0	29491140.0	71561.77	1.45
109	6	9	200.00	199.7517332.59	0.00	0.10	0.242	0.063	3.20422335.398	94462424.0	29491184.0	71562.45	1.45
110	6	10	199.75	199.5017332.69	0.00	0.10	0.242	0.063	3.20422335.436	94463312.0	29491234.0	71563.12	1.45
111	6	11	199.50	199.2517332.79	0.00	0.10	0.242	0.063	3.20422335.471	94464208.0	29491280.0	71563.80	1.45
112	6	12	199.25	199.0017332.89	0.00	0.10	0.242	0.063	3.20422335.504	94465096.0	29491324.0	71564.47	1.45
113	6	13	199.00	198.7517333.09	0.10	0.10	0.242	0.063	3.20422335.574	94466880.0	29491416.0	71565.82	1.45
114	6	14	198.75	198.5017333.19	0.00	0.10	0.242	0.063	3.20422335.609	94467776.0	29491464.0	71566.49	1.45
115	6	15	198.50	198.2517333.29	0.00	0.10	0.242	0.063	3.20422335.645	94468664.0	29491510.0	71567.17	1.45
116	6	16	198.25	198.0017333.38	0.00	0.10	0.242	0.063	3.20422335.680	94469560.0	29491556.0	71567.84	1.45
117	6	17	198.00	197.7517333.48	0.00	0.10	0.242	0.063	3.20422335.715	94470448.0	29491602.0	71568.52	1.45
118	6	18	197.75	197.5017333.58	0.00	0.10	0.242	0.063	3.20422335.748	94471336.0	29491646.0	71569.20	1.45
119	6	19	197.50	197.2517333.68	0.00	0.10	0.242	0.063	3.20422335.785	94472232.0	29491696.0	71569.87	1.45
120	6	20	197.25	197.0017333.78	0.00	0.10	0.242	0.063	3.20422335.820	94473120.0	29491742.0	71570.55	1.45
121	7	1	197.00	196.7517333.98	0.10	0.10	0.242	0.063	3.20422335.891	94474912.0	29491836.0	71571.91	0.60
122	7	2	196.75	196.5017334.08	0.00	0.10	0.242	0.063	3.20422335.926	94475800.0	29491882.0	71572.58	0.60
123	7	3	196.50	196.2517334.18	0.00	0.10	0.242	0.063	3.20422335.961	94476696.0	29491928.0	71573.26	0.60
124	7	4	196.25	196.0017334.28	0.00	0.10	0.242	0.063	3.20422335.996	94477584.0	29491974.0	71573.93	0.60

CRF_65B.OUT													
125	7	5	196.00	195.7517334.38	0.00	0.10	0.242	0.063	3.20422336.031	94478480.0	29492020.0	71574.60	0.60
126	7	6	195.75	195.5017334.48	0.00	0.10	0.242	0.063	3.20422336.064	94479368.0	29492064.0	71575.28	0.60
127	7	7	195.50	195.2517334.58	0.00	0.10	0.242	0.063	3.20422336.100	94480264.0	29492112.0	71575.95	0.60
128	7	8	195.25	195.0017334.68	0.00	0.10	0.242	0.063	3.20522336.135	94481152.0	29492158.0	71576.63	0.60
129	7	9	195.00	194.7517334.78	0.00	0.10	0.242	0.063	3.20522336.170	94482048.0	29492204.0	71577.30	0.60
130	7	10	194.75	194.5017334.88	0.00	0.10	0.242	0.063	3.20522336.205	94482936.0	29492250.0	71577.98	0.60

1

STREAM QUALITY SIMULATION OUTPUT PAGE NUMBER 3  
 QUAL-2E STREAM QUALITY ROUTING MODEL EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL		BOTTOM	X-SECT	DSPRSN		
ORD	NUM	NUM	LOC	LOC	FLOW	SRCE	TIME	DEPTH	WIDTH	VOLUME	AREA	AREA	COEF
			LOC	LOC	SRCE	SRCE	TIME	DEPTH	WIDTH	VOLUME	AREA	AREA	COEF
			MILE	MILE	CFS	CFS	DAY	FT	FT	FT-3	FT-2	FT-2	FT-2/S
131	7	11	194.50	194.2517334.98	0.00	0.10	0.242	0.063	3.20522336.240	94483832.0	29492298.0	71578.66	0.60
132	7	12	194.25	194.0017335.08	0.00	0.10	0.242	0.063	3.20522336.275	94484720.0	29492344.0	71579.34	0.60
133	7	13	194.00	193.7517557.18	222.00	0.10	0.240	0.064	3.26122414.041	96481840.0	29595144.0	73092.30	0.60
134	7	14	193.75	193.5017557.28	0.00	0.10	0.240	0.064	3.26122414.074	96482736.0	29595188.0	73092.98	0.60
135	7	15	193.50	193.2517557.38	0.00	0.10	0.240	0.064	3.26122414.109	96483640.0	29595234.0	73093.66	0.60
136	7	16	193.25	193.0017557.48	0.00	0.10	0.240	0.064	3.26122414.145	96484536.0	29595280.0	73094.34	0.60
137	7	17	193.00	192.7517557.58	0.00	0.10	0.240	0.064	3.26122414.180	96485440.0	29595326.0	73095.03	0.60
138	7	18	192.75	192.5017557.68	0.00	0.10	0.240	0.064	3.26122414.215	96486336.0	29595372.0	73095.71	0.60
139	7	19	192.50	192.2517557.78	0.00	0.10	0.240	0.064	3.26122414.248	96487232.0	29595416.0	73096.39	0.60
140	7	20	192.25	192.0017557.87	0.00	0.10	0.240	0.064	3.26122414.283	96488136.0	29595464.0	73097.07	0.60
141	8	1	192.00	191.7517558.89	0.77	0.25	0.240	0.064	3.26122414.639	96497344.0	29595934.0	73104.05	0.60
142	8	2	191.75	191.5017559.14	0.00	0.25	0.240	0.064	3.26222414.725	96499600.0	29596046.0	73105.76	0.60
143	8	3	191.50	191.2517559.39	0.00	0.25	0.240	0.064	3.26222414.812	96501856.0	29596164.0	73107.47	0.60
144	8	4	191.25	191.0017559.64	0.00	0.25	0.240	0.064	3.26222414.900	96504112.0	29596280.0	73109.18	0.60
145	8	5	191.00	190.7517559.89	0.00	0.25	0.240	0.064	3.26222414.986	96506368.0	29596392.0	73110.88	0.60
146	8	6	190.75	190.5017560.14	0.00	0.25	0.240	0.064	3.26222415.074	96508632.0	29596510.0	73112.59	0.60
147	8	7	190.50	190.2517560.39	0.00	0.25	0.240	0.064	3.26222415.160	96510880.0	29596622.0	73114.30	0.60
148	8	8	190.25	190.0017560.64	0.00	0.25	0.240	0.064	3.26222415.248	96513144.0	29596738.0	73116.02	0.60

1

STREAM QUALITY SIMULATION OUTPUT PAGE NUMBER 4  
 QUAL-2E STREAM QUALITY ROUTING MODEL EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D



CRF\_65B.OUT

3	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
4	6	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
---	---	------	---	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------



CRF\_65B.OUT

7	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
7	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
1	1	87.40	1.24	0.00	0.00	3.47	4.27	0.25	0.04	0.04	0.18	0.52	0.03	0.02	0.04	0.00	0.00	8.27
1	2	87.40	1.24	0.00	0.00	3.54	4.25	0.25	0.04	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.14
1	3	87.40	1.24	0.00	0.00	3.60	4.22	0.24	0.05	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.02

CRF\_65B.OUT

1	4	87.40	1.24	0.00	0.00	3.67	4.20	0.24	0.05	0.03	0.19	0.52	0.03	0.02	0.04	0.00	0.00	7.90
1	5	87.40	1.24	0.00	0.00	3.73	4.18	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.78
1	6	87.40	1.24	0.00	0.00	3.79	4.16	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.66
1	7	87.40	1.24	0.00	0.00	3.84	4.14	0.23	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.54
1	8	87.40	1.24	0.00	0.00	3.90	4.12	0.23	0.05	0.02	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.43
1	9	87.40	1.24	0.00	0.00	3.95	4.10	0.23	0.05	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.32
1	10	87.40	1.24	0.00	0.00	4.00	4.07	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.21
1	11	87.40	1.24	0.00	0.00	4.05	4.05	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.10
1	12	87.40	1.24	0.00	0.00	4.10	4.03	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.00
1	13	87.40	1.24	0.00	0.00	4.15	4.01	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.89
1	14	87.40	1.24	0.00	0.00	4.19	3.99	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.79
1	15	87.40	1.24	0.00	0.00	4.23	3.97	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.69
1	16	87.40	1.24	0.00	0.00	4.27	3.95	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.59
1	17	87.40	1.24	0.00	0.00	4.31	3.93	0.21	0.07	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.50
1	18	87.40	1.24	0.00	0.00	4.35	3.91	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.40
1	19	87.40	1.24	0.00	0.00	4.39	3.89	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.31
1	20	87.40	1.24	0.00	0.00	4.42	3.89	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.22
2	1	87.40	1.39	0.00	0.00	4.44	5.51	0.22	0.08	0.01	0.22	0.54	0.03	0.02	0.05	0.00	0.00	6.11
2	2	87.40	1.39	0.00	0.00	4.47	5.48	0.21	0.08	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	6.03
2	3	87.40	1.39	0.00	0.00	4.49	5.46	0.21	0.08	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.94
2	4	87.40	1.39	0.00	0.00	4.52	5.43	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.86
2	5	87.40	1.39	0.00	0.00	4.54	5.40	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.78
2	6	87.40	1.39	0.00	0.00	4.56	5.37	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.70
2	7	87.40	1.39	0.00	0.00	4.58	5.34	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.62
2	8	87.40	1.39	0.00	0.00	4.60	5.32	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.54
2	9	87.40	1.39	0.00	0.00	4.62	5.29	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.47
2	10	87.40	1.39	0.00	0.00	4.64	5.26	0.20	0.09	0.01	0.23	0.53	0.03	0.02	0.05	0.00	0.00	5.39
2	11	87.40	1.39	0.00	0.00	4.66	5.24	0.20	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.32
2	12	87.40	1.39	0.00	0.00	4.67	5.21	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.25
2	13	87.40	1.39	0.00	0.00	4.69	5.18	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.17
2	14	87.40	1.39	0.00	0.00	4.71	5.16	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.10
2	15	87.40	1.39	0.00	0.00	4.72	5.13	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.03
2	16	87.40	1.39	0.00	0.00	4.74	5.10	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.97
2	17	87.40	1.39	0.00	0.00	4.75	5.08	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.90
2	18	87.40	1.39	0.00	0.00	4.77	5.05	0.18	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.83
2	19	87.40	1.39	0.00	0.00	4.78	5.02	0.18	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.77
2	20	87.40	1.39	0.00	0.00	4.79	5.00	0.18	0.09	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.70
3	1	87.40	1.39	0.00	0.00	4.81	4.97	0.18	0.09	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.64
3	2	87.40	1.39	0.00	0.00	4.82	4.95	0.18	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.57
3	3	87.40	1.39	0.00	0.00	4.83	4.92	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.51
3	4	87.40	1.39	0.00	0.00	4.84	4.90	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.45
3	5	87.40	1.39	0.00	0.00	4.85	4.87	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.39
3	6	87.40	1.39	0.00	0.00	4.86	4.85	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.33
3	7	87.40	1.39	0.00	0.00	4.87	4.82	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.27
3	8	87.40	1.39	0.00	0.00	4.88	4.80	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.22
3	9	87.40	1.39	0.00	0.00	4.89	4.77	0.17	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.16

CRF\_65B.OUT

3	10	87.40	1.39	0.00	0.00	4.90	4.75	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.10
3	11	87.40	1.39	0.00	0.00	4.91	4.72	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.05
3	12	87.40	1.39	0.00	0.00	4.92	4.70	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.99
3	13	87.40	1.39	0.00	0.00	4.93	4.67	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.94
3	14	87.40	1.39	0.00	0.00	4.94	4.65	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.89
3	15	87.40	1.39	0.00	0.00	4.95	4.63	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.83
3	16	87.40	1.39	0.00	0.00	4.95	4.60	0.15	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.78
3	17	87.40	1.39	0.00	0.00	4.96	4.58	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.73
3	18	87.40	1.39	0.00	0.00	4.97	4.55	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.68
3	19	87.40	1.39	0.00	0.00	4.98	4.53	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.63
3	20	87.40	1.39	0.00	0.00	4.98	4.51	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.58
4	1	87.40	1.39	0.00	0.00	4.96	4.48	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.54
4	2	87.40	1.39	0.00	0.00	4.95	4.46	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.49
4	3	87.40	1.39	0.00	0.00	4.93	4.44	0.14	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.44
4	4	87.40	1.39	0.00	0.00	4.91	4.42	0.14	0.10	0.01	0.27	0.53	0.03	0.02	0.04	0.00	0.00	3.40
4	5	87.40	1.39	0.00	0.00	4.90	4.39	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.35

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	87.40	1.39	0.00	0.00	4.88	4.37	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.31
4	7	87.40	1.39	0.00	0.00	4.87	4.35	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.26
4	8	87.40	1.39	0.00	0.00	4.86	4.33	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.22
4	9	87.40	1.39	0.00	0.00	4.84	4.30	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.18
4	10	87.40	1.39	0.00	0.00	4.83	4.28	0.13	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.13
4	11	87.40	1.39	0.00	0.00	4.82	4.26	0.13	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.09
4	12	87.40	1.39	0.00	0.00	4.81	4.24	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	3.05
4	13	87.40	1.39	0.00	0.00	4.80	4.22	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	3.01
4	14	87.40	1.39	0.00	0.00	4.79	4.19	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.97
4	15	87.40	1.39	0.00	0.00	4.78	4.17	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.93
4	16	87.40	1.39	0.00	0.00	4.77	4.15	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.89
4	17	87.40	1.39	0.00	0.00	4.76	4.13	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.85
4	18	87.40	1.39	0.00	0.00	4.75	4.11	0.12	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.82
4	19	87.40	1.39	0.00	0.00	4.75	4.09	0.12	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.78
4	20	87.40	1.39	0.00	0.00	4.74	4.07	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.74
5	1	87.40	1.39	0.00	0.00	4.73	4.04	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.70
5	2	87.40	1.39	0.00	0.00	4.73	4.02	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.67
5	3	87.40	1.39	0.00	0.00	4.72	4.00	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.63
5	4	87.40	1.39	0.00	0.00	4.71	3.98	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.60



CRF\_65B.OUT

5	5	87.40	1.39	0.00	0.00	4.71	3.96	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.56
5	6	87.40	1.39	0.00	0.00	4.70	3.94	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.53
5	7	87.40	1.39	0.00	0.00	4.70	3.92	0.11	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.50
5	8	87.40	1.39	0.00	0.00	4.69	3.90	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.46
5	9	87.40	1.39	0.00	0.00	4.69	3.88	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.43
5	10	87.40	1.39	0.00	0.00	4.68	3.86	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.40
5	11	87.40	1.39	0.00	0.00	4.68	3.84	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.37
5	12	87.40	1.39	0.00	0.00	4.68	3.82	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.34
5	13	87.40	1.39	0.00	0.00	4.67	3.80	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.31
5	14	87.40	1.39	0.00	0.00	4.67	3.78	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.28
5	15	87.40	1.39	0.00	0.00	4.67	3.76	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.25
5	16	87.40	1.39	0.00	0.00	4.66	3.74	0.11	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.22
5	17	87.40	1.39	0.00	0.00	4.66	3.72	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.19
5	18	87.40	1.39	0.00	0.00	4.66	3.70	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.16
5	19	87.40	1.39	0.00	0.00	4.66	3.69	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.13
5	20	87.40	1.39	0.00	0.00	4.65	3.67	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.10

6	1	87.40	1.39	0.00	0.00	4.65	3.65	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.07
6	2	87.40	1.39	0.00	0.00	4.65	3.63	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.05
6	3	87.40	1.39	0.00	0.00	4.65	3.61	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.02
6	4	87.40	1.39	0.00	0.00	4.65	3.59	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.99
6	5	87.40	1.39	0.00	0.00	4.65	3.57	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.97
6	6	87.40	1.39	0.00	0.00	4.65	3.55	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.94
6	7	87.40	1.39	0.00	0.00	4.65	3.54	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.92
6	8	87.40	1.39	0.00	0.00	4.64	3.52	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.89
6	9	87.40	1.39	0.00	0.00	4.64	3.50	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.87
6	10	87.40	1.39	0.00	0.00	4.64	3.48	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.85
6	11	87.40	1.39	0.00	0.00	4.64	3.46	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.82
6	12	87.40	1.39	0.00	0.00	4.64	3.45	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.80
6	13	87.40	1.39	0.00	0.00	4.64	3.43	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.78
6	14	87.40	1.39	0.00	0.00	4.64	3.41	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.75
6	15	87.40	1.39	0.00	0.00	4.64	3.39	0.09	0.08	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.73
6	16	87.40	1.39	0.00	0.00	4.64	3.38	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.71
6	17	87.40	1.39	0.00	0.00	4.64	3.36	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.69
6	18	87.40	1.39	0.00	0.00	4.64	3.34	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.67
6	19	87.40	1.39	0.00	0.00	4.64	3.32	0.08	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.65
6	20	87.40	1.39	0.00	0.00	4.65	3.31	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.63

7	1	87.40	1.39	0.00	0.00	4.67	3.29	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.61
7	2	87.40	1.39	0.00	0.00	4.70	3.27	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.59
7	3	87.40	1.39	0.00	0.00	4.72	3.26	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.57
7	4	87.40	1.39	0.00	0.00	4.74	3.24	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.55
7	5	87.40	1.39	0.00	0.00	4.77	3.22	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.53
7	6	87.40	1.39	0.00	0.00	4.79	3.21	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.51
7	7	87.40	1.39	0.00	0.00	4.81	3.19	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.49
7	8	87.40	1.39	0.00	0.00	4.83	3.17	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.48
7	9	87.40	1.39	0.00	0.00	4.85	3.16	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.46
7	10	87.40	1.39	0.00	0.00	4.87	3.14	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.44

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH	ELE	TEMP	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	DEG-F				MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
7	11	87.40	1.39	0.00	0.00	4.88	3.12	0.07	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.42
7	12	87.40	1.39	0.00	0.00	4.90	3.11	0.07	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.41
7	13	87.40	1.38	0.00	0.00	4.92	3.09	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.48
7	14	87.40	1.38	0.00	0.00	4.94	3.07	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.46
7	15	87.40	1.38	0.00	0.00	4.96	3.06	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.44
7	16	87.40	1.38	0.00	0.00	4.97	3.04	0.08	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.43
7	17	87.40	1.38	0.00	0.00	4.99	3.02	0.08	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.41
7	18	87.40	1.38	0.00	0.00	5.01	3.01	0.07	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.39
7	19	87.40	1.38	0.00	0.00	5.02	2.99	0.07	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.38
7	20	87.40	1.38	0.00	0.00	5.03	2.98	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.36
8	1	87.40	1.38	0.00	0.00	5.05	2.96	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.34
8	2	87.40	1.38	0.00	0.00	5.06	2.95	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.33
8	3	87.40	1.38	0.00	0.00	5.07	2.93	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.31
8	4	87.40	1.38	0.00	0.00	5.09	2.92	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.30
8	5	87.40	1.38	0.00	0.00	5.10	2.90	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.28
8	6	87.40	1.38	0.00	0.00	5.11	2.89	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.27
8	7	87.40	1.38	0.00	0.00	5.12	2.87	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.25
8	8	87.40	1.38	0.00	0.00	5.13	2.86	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.24

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE	RCH	ELE	CHLA	ALGY	ALGY	ALGY	A P/R	NET	NH3	NH3-N	LIGHT	ALGAE GROWTH RATE ATTEN FACTORS		
ORD	NUM	NUM	UG/L	GRWTH	RESP	SETT	RATIO	P-R	PREF	FRACT	EXTCO	LIGHT	NITRGN	PHSPRS
				1/DAY	1/DAY	FT/DA	*	MG/L-D	*	N-UPTKE	1/FT	*	*	*
1	1	1	8.27	0.16	0.08	1.03	1.71	0.06	0.50	0.18	4.23	0.11	0.53	0.65
2	1	2	8.14	0.16	0.08	1.03	1.73	0.07	0.50	0.19	4.23	0.11	0.54	0.65
3	1	3	8.02	0.16	0.08	1.03	1.75	0.07	0.50	0.19	4.23	0.11	0.54	0.65
4	1	4	7.90	0.16	0.08	1.03	1.76	0.07	0.50	0.19	4.22	0.11	0.55	0.65
5	1	5	7.78	0.16	0.08	1.03	1.77	0.07	0.50	0.20	4.22	0.11	0.55	0.65

									CRF_65B.OUT					
6	1	6	7.66	0.16	0.08	1.03	1.79	0.07	0.50	0.20	4.22	0.11	0.56	0.65
7	1	7	7.54	0.16	0.08	1.03	1.80	0.07	0.50	0.20	4.21	0.11	0.56	0.65
8	1	8	7.43	0.16	0.08	1.03	1.81	0.07	0.50	0.21	4.21	0.11	0.56	0.65
9	1	9	7.32	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
10	1	10	7.21	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
11	1	11	7.10	0.17	0.08	1.03	1.83	0.06	0.50	0.22	4.20	0.11	0.57	0.64
12	1	12	7.00	0.17	0.08	1.03	1.84	0.06	0.50	0.22	4.20	0.11	0.58	0.64
13	1	13	6.89	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
14	1	14	6.79	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
15	1	15	6.69	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
16	1	16	6.59	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
17	1	17	6.50	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.19	0.11	0.59	0.64
18	1	18	6.40	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.18	0.11	0.59	0.64
19	1	19	6.31	0.17	0.08	1.03	1.88	0.06	0.50	0.23	4.18	0.11	0.59	0.64
20	1	20	6.22	0.17	0.08	1.03	1.88	0.06	0.50	0.24	4.18	0.11	0.59	0.64
21	2	1	6.11	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.18	0.11	0.61	0.66
22	2	2	6.03	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.18	0.11	0.61	0.66
23	2	3	5.94	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.17	0.11	0.61	0.66
24	2	4	5.86	0.18	0.08	1.03	2.01	0.06	0.50	0.27	4.17	0.11	0.61	0.66
25	2	5	5.78	0.18	0.08	1.03	2.01	0.06	0.50	0.27	4.17	0.11	0.61	0.66
26	2	6	5.70	0.18	0.08	1.03	2.01	0.06	0.50	0.28	4.17	0.11	0.61	0.66
27	2	7	5.62	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.61	0.66
28	2	8	5.54	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.62	0.66
29	2	9	5.47	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.62	0.66
30	2	10	5.39	0.18	0.08	1.03	2.03	0.06	0.50	0.28	4.16	0.11	0.62	0.66
31	2	11	5.32	0.18	0.08	1.03	2.03	0.06	0.50	0.28	4.16	0.11	0.62	0.66
32	2	12	5.25	0.19	0.08	1.03	2.03	0.06	0.50	0.28	4.15	0.11	0.62	0.66
33	2	13	5.17	0.19	0.08	1.03	2.03	0.06	0.50	0.28	4.15	0.11	0.62	0.65
34	2	14	5.10	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.62	0.65
35	2	15	5.03	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.62	0.65
36	2	16	4.97	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.63	0.65
37	2	17	4.90	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.63	0.65
38	2	18	4.83	0.19	0.08	1.03	2.05	0.06	0.50	0.28	4.14	0.11	0.63	0.65
39	2	19	4.77	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
40	2	20	4.70	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
41	3	1	4.64	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
42	3	2	4.57	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
43	3	3	4.51	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.14	0.11	0.63	0.65
44	3	4	4.45	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.63	0.65
45	3	5	4.39	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.63	0.65
46	3	6	4.33	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.64	0.65
47	3	7	4.27	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.64	0.65
48	3	8	4.22	0.19	0.08	1.03	2.06	0.05	0.50	0.27	4.13	0.11	0.64	0.64
49	3	9	4.16	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.13	0.11	0.64	0.64
50	3	10	4.10	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
51	3	11	4.05	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64

CRF_65B.OUT														
52	3	12	3.99	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
53	3	13	3.94	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
54	3	14	3.89	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
55	3	15	3.83	0.19	0.08	1.03	2.08	0.05	0.50	0.27	4.12	0.11	0.64	0.64
56	3	16	3.78	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.12	0.11	0.64	0.64
57	3	17	3.73	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
58	3	18	3.68	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
59	3	19	3.63	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
60	3	20	3.58	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
61	4	1	3.54	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
62	4	2	3.49	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
63	4	3	3.44	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
64	4	4	3.40	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
65	4	5	3.35	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N			ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.31	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
67	4	7	3.26	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
68	4	8	3.22	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
69	4	9	3.18	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
70	4	10	3.13	0.19	0.08	1.03	2.10	0.04	0.50	0.26	4.10	0.11	0.66	0.63
71	4	11	3.09	0.19	0.08	1.03	2.10	0.04	0.50	0.26	4.10	0.11	0.66	0.63
72	4	12	3.05	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.10	0.11	0.66	0.63
73	4	13	3.01	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
74	4	14	2.97	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
75	4	15	2.93	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
76	4	16	2.89	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
77	4	17	2.85	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
78	4	18	2.82	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
79	4	19	2.78	0.19	0.08	1.03	2.11	0.03	0.50	0.25	4.09	0.11	0.66	0.63
80	4	20	2.74	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
81	5	1	2.70	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
82	5	2	2.67	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
83	5	3	2.63	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63
84	5	4	2.60	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63
85	5	5	2.56	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63

									CRF_65B.OUT					
86	5	6	2.53	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.67	0.62
87	5	7	2.50	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.67	0.62
88	5	8	2.46	0.19	0.08	1.03	2.11	0.03	0.50	0.23	4.08	0.11	0.67	0.62
89	5	9	2.43	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
90	5	10	2.40	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
91	5	11	2.37	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
92	5	12	2.34	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
93	5	13	2.31	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
94	5	14	2.28	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
95	5	15	2.25	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
96	5	16	2.22	0.19	0.08	1.03	2.12	0.03	0.50	0.22	4.07	0.11	0.67	0.62
97	5	17	2.19	0.19	0.08	1.03	2.12	0.03	0.50	0.22	4.07	0.11	0.67	0.62
98	5	18	2.16	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
99	5	19	2.13	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
100	5	20	2.10	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
101	6	1	2.07	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
102	6	2	2.05	0.20	0.08	1.03	2.14	0.03	0.50	0.22	4.07	0.11	0.67	0.62
103	6	3	2.02	0.20	0.08	1.03	2.15	0.03	0.50	0.22	4.07	0.11	0.67	0.63
104	6	4	1.99	0.20	0.08	1.03	2.16	0.03	0.50	0.21	4.07	0.11	0.67	0.63
105	6	5	1.97	0.20	0.08	1.03	2.16	0.03	0.50	0.21	4.07	0.11	0.68	0.63
106	6	6	1.94	0.20	0.08	1.03	2.17	0.02	0.50	0.21	4.06	0.11	0.68	0.63
107	6	7	1.92	0.20	0.08	1.03	2.18	0.02	0.50	0.21	4.06	0.11	0.68	0.63
108	6	8	1.89	0.20	0.08	1.03	2.19	0.02	0.50	0.21	4.06	0.11	0.68	0.63
109	6	9	1.87	0.20	0.08	1.03	2.19	0.02	0.50	0.21	4.06	0.11	0.68	0.63
110	6	10	1.85	0.20	0.08	1.03	2.20	0.02	0.50	0.21	4.06	0.11	0.68	0.64
111	6	11	1.82	0.20	0.08	1.03	2.21	0.02	0.50	0.21	4.06	0.11	0.68	0.64
112	6	12	1.80	0.20	0.08	1.03	2.21	0.02	0.50	0.20	4.06	0.11	0.68	0.64
113	6	13	1.78	0.20	0.08	1.03	2.22	0.02	0.50	0.20	4.06	0.11	0.68	0.64
114	6	14	1.75	0.20	0.08	1.03	2.23	0.02	0.50	0.20	4.06	0.11	0.68	0.64
115	6	15	1.73	0.20	0.08	1.03	2.24	0.02	0.50	0.20	4.06	0.11	0.68	0.64
116	6	16	1.71	0.20	0.08	1.03	2.24	0.02	0.50	0.20	4.06	0.11	0.68	0.64
117	6	17	1.69	0.20	0.08	1.03	2.25	0.02	0.50	0.20	4.06	0.11	0.68	0.65
118	6	18	1.67	0.21	0.08	1.03	2.25	0.02	0.50	0.20	4.06	0.11	0.68	0.65
119	6	19	1.65	0.21	0.08	1.03	2.26	0.02	0.50	0.19	4.06	0.11	0.68	0.65
120	6	20	1.63	0.21	0.08	1.03	2.27	0.02	0.50	0.19	4.06	0.11	0.68	0.65
121	7	1	1.61	0.21	0.08	1.03	2.27	0.02	0.50	0.19	4.05	0.11	0.68	0.65
122	7	2	1.59	0.21	0.08	1.03	2.28	0.02	0.50	0.19	4.05	0.11	0.68	0.65
123	7	3	1.57	0.21	0.08	1.03	2.29	0.02	0.50	0.19	4.05	0.11	0.68	0.65
124	7	4	1.55	0.21	0.08	1.03	2.29	0.02	0.50	0.19	4.05	0.11	0.68	0.66
125	7	5	1.53	0.21	0.08	1.03	2.30	0.02	0.50	0.19	4.05	0.11	0.68	0.66
126	7	6	1.51	0.21	0.08	1.03	2.30	0.02	0.50	0.19	4.05	0.11	0.68	0.66
127	7	7	1.49	0.21	0.08	1.03	2.31	0.02	0.50	0.18	4.05	0.11	0.68	0.66
128	7	8	1.48	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.66
129	7	9	1.46	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.66
130	7	10	1.44	0.21	0.08	1.03	2.33	0.02	0.50	0.18	4.05	0.11	0.69	0.66

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS											
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.42	0.21	0.08	1.03	2.33	0.02	0.50	0.18	4.05	0.11	0.69	0.66
132	7	12	1.41	0.21	0.08	1.03	2.34	0.02	0.50	0.18	4.05	0.11	0.69	0.67
133	7	13	1.48	0.21	0.08	1.03	2.31	0.02	0.50	0.18	4.05	0.11	0.69	0.67
134	7	14	1.46	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.67
135	7	15	1.44	0.21	0.08	1.03	2.32	0.02	0.50	0.17	4.05	0.11	0.69	0.67
136	7	16	1.43	0.21	0.08	1.03	2.33	0.02	0.50	0.17	4.05	0.11	0.69	0.67
137	7	17	1.41	0.21	0.08	1.03	2.33	0.02	0.50	0.17	4.05	0.11	0.69	0.67
138	7	18	1.39	0.21	0.08	1.03	2.34	0.02	0.50	0.17	4.05	0.11	0.69	0.68
139	7	19	1.38	0.21	0.08	1.03	2.35	0.02	0.50	0.17	4.05	0.11	0.69	0.68
140	7	20	1.36	0.21	0.08	1.03	2.35	0.02	0.50	0.17	4.05	0.11	0.69	0.68
141	8	1	1.34	0.22	0.08	1.03	2.36	0.02	0.50	0.17	4.05	0.11	0.69	0.68
142	8	2	1.33	0.22	0.08	1.03	2.37	0.02	0.50	0.17	4.05	0.11	0.69	0.68
143	8	3	1.31	0.22	0.08	1.03	2.37	0.02	0.50	0.17	4.05	0.11	0.69	0.68
144	8	4	1.30	0.22	0.08	1.03	2.38	0.02	0.50	0.16	4.05	0.11	0.69	0.68
145	8	5	1.28	0.22	0.08	1.03	2.38	0.02	0.50	0.16	4.05	0.11	0.69	0.68
146	8	6	1.27	0.22	0.08	1.03	2.39	0.02	0.50	0.16	4.04	0.11	0.69	0.69
147	8	7	1.25	0.22	0.08	1.03	2.39	0.02	0.50	0.16	4.04	0.11	0.69	0.69
148	8	8	1.24	0.22	0.08	1.03	2.40	0.02	0.50	0.16	4.04	0.11	0.69	0.69

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

ELE ORD	RCH NUM	ELE NUM	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)												
			TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	87.40	7.46	3.47	3.99	0.00	1.00	54.07	2.58	-0.35	-0.03	0.06	-0.03	-0.08
2	1	2	87.40	7.46	3.54	3.92	0.00	1.00	0.00	2.53	-0.35	-0.03	0.07	-0.04	-0.07
3	1	3	87.40	7.46	3.60	3.85	0.00	1.00	0.00	2.49	-0.35	-0.03	0.07	-0.04	-0.07
4	1	4	87.40	7.46	3.67	3.79	0.00	1.00	0.00	2.45	-0.34	-0.03	0.07	-0.04	-0.06
5	1	5	87.40	7.46	3.73	3.73	0.00	1.00	0.00	2.41	-0.34	-0.03	0.07	-0.04	-0.06

									CRF_65B.OUT						
6	1	6	87.40	7.46	3.79	3.67	0.00	1.00	0.00	2.37	-0.34	-0.03	0.07	-0.04	-0.05
7	1	7	87.40	7.46	3.84	3.61	0.00	1.00	0.00	2.33	-0.34	-0.03	0.07	-0.04	-0.05
8	1	8	87.40	7.46	3.90	3.56	0.00	1.00	0.00	2.30	-0.34	-0.03	0.07	-0.04	-0.05
9	1	9	87.40	7.46	3.95	3.51	0.00	1.00	0.00	2.26	-0.34	-0.03	0.07	-0.04	-0.04
10	1	10	87.40	7.46	4.00	3.45	0.00	1.00	0.00	2.23	-0.33	-0.03	0.07	-0.05	-0.04
11	1	11	87.40	7.46	4.05	3.41	0.00	1.00	0.00	2.20	-0.33	-0.03	0.06	-0.05	-0.04
12	1	12	87.40	7.46	4.10	3.36	0.00	1.00	0.00	2.17	-0.33	-0.03	0.06	-0.05	-0.04
13	1	13	87.40	7.46	4.15	3.31	0.00	1.00	0.00	2.14	-0.33	-0.03	0.06	-0.05	-0.03
14	1	14	87.40	7.46	4.19	3.27	0.00	1.00	0.00	2.11	-0.33	-0.03	0.06	-0.05	-0.03
15	1	15	87.40	7.46	4.23	3.23	0.00	1.00	0.00	2.08	-0.33	-0.03	0.06	-0.05	-0.03
16	1	16	87.40	7.46	4.27	3.18	0.00	1.00	0.00	2.06	-0.32	-0.03	0.06	-0.05	-0.03
17	1	17	87.40	7.46	4.31	3.14	0.00	1.00	0.00	2.03	-0.32	-0.03	0.06	-0.05	-0.03
18	1	18	87.40	7.46	4.35	3.11	0.00	1.00	0.00	2.01	-0.32	-0.03	0.06	-0.05	-0.03
19	1	19	87.40	7.46	4.39	3.07	0.00	1.00	0.00	1.98	-0.32	-0.03	0.06	-0.05	-0.03
20	1	20	87.40	7.46	4.42	3.04	0.00	1.00	0.00	1.96	-0.32	-0.03	0.06	-0.06	-0.03
21	2	1	87.40	7.46	4.44	3.01	0.00	1.00	0.22	1.95	-0.45	-0.03	0.07	-0.07	-0.03
22	2	2	87.40	7.46	4.47	2.99	0.00	1.00	0.00	1.93	-0.45	-0.03	0.07	-0.07	-0.03
23	2	3	87.40	7.46	4.49	2.96	0.00	1.00	0.00	1.91	-0.45	-0.03	0.07	-0.07	-0.03
24	2	4	87.40	7.46	4.52	2.94	0.00	1.00	0.00	1.90	-0.45	-0.03	0.06	-0.07	-0.03
25	2	5	87.40	7.46	4.54	2.92	0.00	1.00	0.00	1.88	-0.44	-0.03	0.06	-0.07	-0.03
26	2	6	87.40	7.46	4.56	2.90	0.00	1.00	0.00	1.87	-0.44	-0.03	0.06	-0.07	-0.02
27	2	7	87.40	7.46	4.58	2.88	0.00	1.00	0.00	1.86	-0.44	-0.03	0.06	-0.07	-0.02
28	2	8	87.40	7.46	4.60	2.86	0.00	1.00	0.00	1.84	-0.44	-0.03	0.06	-0.07	-0.02
29	2	9	87.40	7.46	4.62	2.84	0.00	1.00	0.00	1.83	-0.43	-0.03	0.06	-0.07	-0.02
30	2	10	87.40	7.46	4.64	2.82	0.00	1.00	0.00	1.82	-0.43	-0.03	0.06	-0.07	-0.02
31	2	11	87.40	7.46	4.66	2.80	0.00	1.00	0.00	1.81	-0.43	-0.03	0.06	-0.07	-0.02
32	2	12	87.40	7.46	4.67	2.78	0.00	1.00	0.00	1.80	-0.43	-0.03	0.06	-0.07	-0.02
33	2	13	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.43	-0.03	0.06	-0.07	-0.02
34	2	14	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.78	-0.42	-0.03	0.06	-0.07	-0.02
35	2	15	87.40	7.46	4.72	2.73	0.00	1.00	0.00	1.77	-0.42	-0.03	0.06	-0.07	-0.02
36	2	16	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.76	-0.42	-0.03	0.06	-0.08	-0.02
37	2	17	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.42	-0.03	0.06	-0.08	-0.02
38	2	18	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.41	-0.03	0.06	-0.08	-0.02
39	2	19	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.41	-0.03	0.05	-0.08	-0.02
40	2	20	87.40	7.46	4.79	2.66	0.00	1.00	0.00	1.72	-0.41	-0.03	0.05	-0.08	-0.02
41	3	1	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.41	-0.03	0.05	-0.08	-0.02
42	3	2	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.41	-0.03	0.05	-0.08	-0.03
43	3	3	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.40	-0.03	0.05	-0.08	-0.03
44	3	4	87.40	7.46	4.84	2.62	0.00	1.00	0.00	1.69	-0.40	-0.03	0.05	-0.08	-0.03
45	3	5	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.68	-0.40	-0.03	0.05	-0.08	-0.03
46	3	6	87.40	7.46	4.86	2.59	0.00	1.00	0.00	1.68	-0.40	-0.03	0.05	-0.08	-0.03
47	3	7	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.40	-0.03	0.05	-0.08	-0.03
48	3	8	87.40	7.46	4.88	2.57	0.00	1.00	0.00	1.66	-0.39	-0.03	0.05	-0.08	-0.03
49	3	9	87.40	7.46	4.89	2.56	0.00	1.00	0.00	1.66	-0.39	-0.03	0.05	-0.08	-0.03
50	3	10	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.39	-0.03	0.05	-0.08	-0.03
51	3	11	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.64	-0.39	-0.03	0.05	-0.08	-0.03

											CRF_65B.OUT				
52	3	12	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.39	-0.03	0.05	-0.08	-0.03
53	3	13	87.40	7.46	4.93	2.53	0.00	1.00	0.00	1.63	-0.38	-0.03	0.05	-0.08	-0.03
54	3	14	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.38	-0.03	0.05	-0.08	-0.03
55	3	15	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.38	-0.03	0.05	-0.08	-0.03
56	3	16	87.40	7.46	4.95	2.50	0.00	1.00	0.00	1.62	-0.38	-0.03	0.04	-0.08	-0.03
57	3	17	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.61	-0.38	-0.03	0.04	-0.08	-0.03
58	3	18	87.40	7.46	4.97	2.49	0.00	1.00	0.00	1.61	-0.37	-0.03	0.04	-0.08	-0.03
59	3	19	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.37	-0.03	0.04	-0.08	-0.03
60	3	20	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.37	-0.03	0.04	-0.08	-0.03
61	4	1	87.40	7.46	4.96	2.49	0.00	1.00	0.00	1.61	-0.37	-0.04	0.04	-0.08	-0.03
62	4	2	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.37	-0.04	0.04	-0.08	-0.03
63	4	3	87.40	7.46	4.93	2.53	0.00	1.00	0.00	1.63	-0.36	-0.04	0.04	-0.08	-0.03
64	4	4	87.40	7.46	4.91	2.54	0.00	1.00	0.01	1.64	-0.36	-0.04	0.04	-0.08	-0.03
65	4	5	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.36	-0.04	0.04	-0.08	-0.03

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

											COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)					
ELE	RCH	ELE	DO		DO	DAM	NIT	F-FNCTN		OXYGN	C-BOD	SOD	NET			
ORD	NUM	NUM	TEMP	SAT	DO	DEF	INPUT	INHIB	INPUT	REAIR			P-R	NH3-N	NO2-N	
			DEG-F	MG/L	MG/L	MG/L	MG/L	FACT								
66	4	6	87.40	7.46	4.88	2.57	0.00	1.00	0.00	1.66	-0.36	-0.04	0.04	-0.08	-0.03	
67	4	7	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.36	-0.04	0.04	-0.08	-0.03	
68	4	8	87.40	7.46	4.86	2.60	0.00	1.00	0.00	1.68	-0.35	-0.04	0.04	-0.08	-0.03	
69	4	9	87.40	7.46	4.84	2.61	0.00	1.00	0.00	1.69	-0.35	-0.04	0.04	-0.08	-0.03	
70	4	10	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.35	-0.04	0.04	-0.08	-0.03	
71	4	11	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.35	-0.04	0.04	-0.08	-0.03	
72	4	12	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.35	-0.04	0.04	-0.08	-0.03	
73	4	13	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.35	-0.04	0.04	-0.08	-0.03	
74	4	14	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.34	-0.04	0.04	-0.08	-0.03	
75	4	15	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.34	-0.04	0.04	-0.08	-0.03	
76	4	16	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.34	-0.04	0.03	-0.08	-0.03	
77	4	17	87.40	7.46	4.76	2.70	0.00	1.00	0.00	1.74	-0.34	-0.04	0.03	-0.08	-0.03	
78	4	18	87.40	7.46	4.75	2.70	0.00	1.00	0.00	1.75	-0.34	-0.04	0.03	-0.08	-0.03	
79	4	19	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.34	-0.04	0.03	-0.08	-0.03	
80	4	20	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.76	-0.33	-0.04	0.03	-0.08	-0.03	
81	5	1	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.33	-0.04	0.03	-0.08	-0.03	
82	5	2	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.33	-0.04	0.03	-0.08	-0.03	
83	5	3	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.33	-0.04	0.03	-0.08	-0.03	
84	5	4	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.33	-0.04	0.03	-0.08	-0.03	
85	5	5	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.78	-0.33	-0.04	0.03	-0.08	-0.03	



CRF\_65B.OUT

86	5	6	87.40	7.46	4.70	2.76	0.00	1.00	0.00	1.78	-0.32	-0.04	0.03	-0.08	-0.03
87	5	7	87.40	7.46	4.70	2.76	0.00	1.00	0.00	1.78	-0.32	-0.04	0.03	-0.08	-0.03
88	5	8	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.32	-0.04	0.03	-0.08	-0.03
89	5	9	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.32	-0.04	0.03	-0.08	-0.03
90	5	10	87.40	7.46	4.68	2.77	0.00	1.00	0.00	1.79	-0.32	-0.04	0.03	-0.08	-0.03
91	5	11	87.40	7.46	4.68	2.78	0.00	1.00	0.00	1.79	-0.32	-0.04	0.03	-0.08	-0.03
92	5	12	87.40	7.46	4.68	2.78	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.08	-0.03
93	5	13	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.07	-0.03
94	5	14	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.07	-0.03
95	5	15	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.07	-0.03
96	5	16	87.40	7.46	4.66	2.79	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.07	-0.03
97	5	17	87.40	7.46	4.66	2.80	0.00	1.00	0.01	1.81	-0.31	-0.04	0.03	-0.07	-0.03
98	5	18	87.40	7.46	4.66	2.80	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.03
99	5	19	87.40	7.46	4.66	2.80	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.03
100	5	20	87.40	7.46	4.65	2.80	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.03
101	6	1	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.02
102	6	2	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.02
103	6	3	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.02
104	6	4	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.29	-0.04	0.03	-0.07	-0.02
105	6	5	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.29	-0.04	0.03	-0.07	-0.02
106	6	6	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
107	6	7	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
108	6	8	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
109	6	9	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
110	6	10	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
111	6	11	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
112	6	12	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
113	6	13	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
114	6	14	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
115	6	15	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
116	6	16	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
117	6	17	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
118	6	18	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.27	-0.04	0.02	-0.07	-0.02
119	6	19	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.27	-0.04	0.02	-0.07	-0.02
120	6	20	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.82	-0.27	-0.04	0.02	-0.07	-0.02
121	7	1	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.27	-0.03	0.02	-0.07	-0.02
122	7	2	87.40	7.46	4.70	2.76	0.00	1.00	0.00	1.78	-0.27	-0.03	0.02	-0.07	-0.02
123	7	3	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.27	-0.03	0.02	-0.07	-0.02
124	7	4	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.75	-0.27	-0.03	0.02	-0.07	-0.02
125	7	5	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.26	-0.03	0.02	-0.07	-0.02
126	7	6	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.73	-0.26	-0.03	0.02	-0.07	-0.02
127	7	7	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.26	-0.03	0.02	-0.06	-0.02
128	7	8	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.26	-0.03	0.02	-0.06	-0.02
129	7	9	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.69	-0.26	-0.03	0.02	-0.06	-0.02
130	7	10	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.26	-0.03	0.02	-0.06	-0.02

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	87.40	7.46	4.88	2.57	0.00	1.00	0.00	1.66	-0.26	-0.03	0.02	-0.06	-0.02
132	7	12	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.26	-0.03	0.02	-0.06	-0.02
133	7	13	87.40	7.46	4.92	2.53	0.00	1.00	1.07	1.64	-0.25	-0.03	0.02	-0.06	-0.02
134	7	14	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.25	-0.03	0.02	-0.06	-0.02
135	7	15	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.61	-0.25	-0.03	0.02	-0.06	-0.02
136	7	16	87.40	7.46	4.97	2.48	0.00	1.00	0.00	1.60	-0.25	-0.03	0.02	-0.06	-0.02
137	7	17	87.40	7.46	4.99	2.47	0.00	1.00	0.00	1.59	-0.25	-0.03	0.02	-0.06	-0.02
138	7	18	87.40	7.46	5.01	2.45	0.00	1.00	0.00	1.58	-0.25	-0.03	0.02	-0.06	-0.02
139	7	19	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.25	-0.03	0.02	-0.06	-0.02
140	7	20	87.40	7.46	5.03	2.42	0.00	1.00	0.00	1.57	-0.24	-0.03	0.02	-0.06	-0.02
141	8	1	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.56	-0.24	-0.03	0.02	-0.06	-0.02
142	8	2	87.40	7.46	5.06	2.40	0.00	1.00	0.00	1.55	-0.24	-0.03	0.02	-0.06	-0.02
143	8	3	87.40	7.46	5.07	2.38	0.00	1.00	0.00	1.54	-0.24	-0.03	0.02	-0.06	-0.02
144	8	4	87.40	7.46	5.09	2.37	0.00	1.00	0.00	1.53	-0.24	-0.03	0.02	-0.06	-0.02
145	8	5	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.52	-0.24	-0.03	0.02	-0.06	-0.02
146	8	6	87.40	7.46	5.11	2.35	0.00	1.00	0.00	1.52	-0.24	-0.03	0.02	-0.06	-0.02
147	8	7	87.40	7.46	5.12	2.34	0.00	1.00	0.00	1.51	-0.24	-0.03	0.02	-0.06	-0.02
148	8	8	87.40	7.46	5.13	2.33	0.00	1.00	0.00	1.50	-0.23	-0.03	0.02	-0.06	-0.02

```

TITLE01      GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02      CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03  YES  CONSERVATIVE MINERAL  I
TITLE04  NO   CONSERVATIVE MINERAL  II
TITLE05  NO   CONSERVATIVE MINERAL  III
TITLE06  NO   TEMPERATURE
TITLE07  YES  BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08  YES  ALGAE AS CHL-A IN UG/L
TITLE09  YES  PHOSPHORUS CYCLE AS P IN MG/L
TITLE10      (ORGANIC-P; DISSOLVED-P)
TITLE11  YES  NITROGEN CYCLE AS N IN MG/L
TITLE12      (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13  YES  DISSOLVED OXYGEN IN MG/L
TITLE14  NO   FECAL COLIFORMS IN NO./100 ML
TITLE15  NO   ARBITRARY NON-CONSERVATIVE  BOD    MG/L
ENDTITLE
LIST DATA INPUT
WRITE OPTIONAL SUMMARY
NO FLOW AUGMENTATION
STEADY STATE
NO TRAPEZOIDAL X-SECTIONS
NO PRINT LCD/SOLAR DATA
NO PLOT DO AND BOD
FIXED DNSTM CONC (YES=1)=          0      ULT BOD CONV RATE COEF          0
INPUT METRIC (YES=1)   =          0      OUTPUT METRIC (YES=1)   =          0
NUMBER OF REACHES     =          8      NUMBER OF JUNCTIONS    =          0
NUM OF HEADWATERS    =          1      NUMBER OF POINT LOADS  =          8
TIME STEP (HOURS)     =          1      LNTH COMP ELEMENT (DX)=          0.25
MAXIMUM ROUTE TIME (HRS)=          250   TIME INC. FOR RPT2 (HRS)=          1
LATITUDE OF BASIN (DEG) =          33.0  LONGITUDE OF BASIN (DEG)=          92.0
STANDARD MERIDIAN (DEG) =          90.0  DAY OF YEAR START TIME =          190.0
EVAP. COEFF. (AE)     =          0.00001  EVAP. COEF. (BE)      =          0.00010
ELEV OF BASIN (ELEV)  =          60      DUST ATTENUATION COEF. =          0.13
ENDATA1
O UPTAKE BY NH3 OXID(MG O/MG N)=    3.43  O UPTAKE BY NO2 OXID(MG O/MG N)=    1.14
O PROD BY ALGAE (MG O/MG A)   =    1.8   O UPTAKE BY ALGAE (MG O/MG A)   =    2.00
N CONTENT OF ALGAE (MG N/MG A) =    .085  P CONTENT OF ALGAE (MG P/MG A) =    0.015

```



CRF\_65C.dat

HYDRAULICS RCH=	1.0	38.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	2.0	38.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	3.0	22.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	4.0	21.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	5.0	10.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	6.0	17.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	7.0	7.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	8.0	7.0	128.756	-.643	4.994E-6	1.37	.035

ENDATA5

REACT COEF RCH=	1.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	2.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	3.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	4.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	5.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	6.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	7.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	8.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4

ENDATA6

N AND P COEF RCH=	1.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	2.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	3.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	4.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1 RCH=	1.0	87.4	3.40	4.29	1.24
---------------------	-----	------	------	------	------

```

INITIAL COND-1 RCH= 2.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 3.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 4.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 5.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 6.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 7.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 8.0 87.4 3.40 4.29 1.24
ENDATA7
INITIAL COND-2 RCH= 1.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 2.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 3.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 4.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 5.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 6.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 7.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 8.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
ENDATA7A
INCR INFLOW-1 RCH= 1.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 2.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 3.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 4.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 5.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 6.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 7.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 8.0 2.0 88.7 5.95 2.8 1.24
ENDATA8
INCR INFLOW-2 RCH= 1.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 2.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 3.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 4.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 5.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 6.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 7.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 8.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 17250 87.4 3.40 4.29 1.24

```

CRF\_65C.dat

```

ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 0.000 86.9 3.50 218.3 18.75
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.24
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.24
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF\_65C.dat



1

CRF\_65C.OUT  
\* \* \* QUAL-2E STREAM QUALITY ROUTING MODEL \* \* \*  
\* \* \* EPA/NCASI VERSION \* \* \*

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03	YES CONSERVATIVE MINERAL I
TITLE04	NO CONSERVATIVE MINERAL II
TITLE05	NO CONSERVATIVE MINERAL III
TITLE06	NO TEMPERATURE
TITLE07	YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08	YES ALGAE AS CHL-A IN UG/L
TITLE09	YES PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11	YES NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13	YES DISSOLVED OXYGEN IN MG/L
TITLE14	NO FECAL COLIFORMS IN NO./100 ML
TITLE15	NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500

		CRF_65C.OUT	
N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0200	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

0 \$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE RATE CODE THETA VALUE

0 \$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER AND IDENT	R. MI/KM	R. MI/KM
STREAM REACH	1.0 REACH 1 FRO	227.0 TO	222.0
STREAM REACH	2.0 REACH 2 FRO	222.0 TO	217.0
STREAM REACH	3.0 REACH 3 FRO	217.0 TO	212.0
STREAM REACH	4.0 REACH 4 FRO	212.0 TO	207.0
STREAM REACH	5.0 REACH 5 FRO	207.0 TO	202.0
STREAM REACH	6.0 REACH 6 FRO	202.0 TO	197.0
STREAM REACH	7.0 REACH 7 FRO	197.0 TO	192.0
STREAM REACH	8.0 REACH 8 FRO	192.0 TO	190.0
ENDATA2	0.0	0.0	0.0

0 \$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER OF AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	2.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	3.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	4.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	5.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	6.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	7.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	8.	1.	3.0	1.	0.	0. 0. 0. 0.
ENDATA3	0.	0.	0.0	0.	0.	0. 0. 0. 0.

0 \$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH ELEMENTS/REACH	COMPUTATIONAL FLAGS
FLAG FIELD	1. 20.	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	2. 20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	3. 20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	4. 20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	5. 20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	6. 20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	7. 20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	8. 8.	6.2.2.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
ENDATA4	0. 0.	0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.

0 \$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CRF\_65C.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	2.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	3.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	4.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	5.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	6.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	7.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	8.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	2.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	3.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	4.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	5.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	6.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	7.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	8.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE                      JUNCTION ORDER AND IDENT                      UPSTRM    JUNCTION                      TRIB

```

                                CRF_65C.OUT
ENDATA9          0.          0.          0.
0  $$$ DATA TYPE 10 (HEADWATER SOURCES) $$$

CARD TYPE      HDWTR      NAME          FLOW      TEMP      D.O.      BOD      CM-1      CM-2      CM-3
              ORDER
HEADWTR-1      1.      OUACHITA RIVER  17250.00   87.40     3.40     4.29     1.24     0.00     0.00
ENDATA10       0.          0.00     0.00     0.00     0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS,
                    COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) $$$

CARD TYPE      HDWTR      ANC      COLI      CHL-A      ORG-N      NH3-N      NO2-N      NO3-N      ORG-P      DIS-P
              ORDER
HEADWTR-2      1.      0.00     0.00     8.40     0.25     0.04     0.05     0.18     0.03     0.02
ENDATA10A      0.      0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) $$$

CARD TYPE      POINT
              LOAD      NAME          EFF      FLOW      TEMP      D.O.      BOD      CM-1      CM-2      CM-3
              ORDER
POINTLD-1      1.      COFFEE CREEK  0.00     0.00     86.90     3.50     218.30   18.75     0.00     0.00
POINTLD-1      2.      PIERRE CREEK  0.00     1.00     88.70     5.50     5.00     1.24     0.00     0.00
POINTLD-1      3.      POSSUM BAYOU  0.00     0.10     88.70     5.50     2.80     1.24     0.00     0.00
POINTLD-1      4.      BAYOUDEBUTTE 0.00     1.00     88.70     5.50     5.00     1.24     0.00     0.00
POINTLD-1      5.      BOGGY BAYOU   0.00     0.10     88.70     5.50     2.80     1.24     0.00     0.00
POINTLD-1      6.      PAWPAW BAYOU  0.00     0.10     88.70     5.50     2.80     1.24     0.00     0.00
POINTLD-1      7.      BAYOU BARTH0  0.00     222.00     85.10     5.40     2.80     1.24     0.00     0.00
POINTLD-1      8.      STERLINGTONW 0.00     0.77     88.70     3.00     60.00     1.24     0.00     0.00
ENDATA11       0.          0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS,
                    COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) $$$

CARD TYPE      POINT
              LOAD      ANC      COLI      CHL-A      ORG-N      NH3-N      NO2-N      NO3-N      ORG-P      DIS-P
              ORDER
POINTLD-2      1.      0.00     0.00     1.00     2.73     3.56     0.10     0.40     0.22     0.59
POINTLD-2      2.      0.00     0.00     1.00     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      3.      0.00     0.00     1.00     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      4.      0.00     0.00     1.00     5.00     5.00     0.10     0.40     0.07     1.00
POINTLD-2      5.      0.00     0.00     2.80     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      6.      0.00     0.00     1.00     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      7.      0.00     0.00     8.40     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      8.      0.00     0.00     10.00    12.00    12.00     0.10     2.00     1.00     3.00
ENDATA11A      0.      0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 12 (DAM CHARACTERISTICS) $$$

              DAM      RCH      ELE      ADAM      BDAM      FDAM      HDAM

ENDATA12          0.      0.      0.      0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) $$$

```

CARD TYPE TEMP D.O. BOD CM-1 CM-2 CM-3 ANC COLI  
 ENDATA13 DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED  
 \$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$

CARD TYPE CHL-A ORG-N NH3-N NO2-N NH3-N ORG-P DIS-P  
 ENDATA13A DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

1  
 0

RCH/CL	CONSERVATIVE MINERAL I										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
2	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
3	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
4	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
5	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
6	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
7	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
8	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	

0

RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	
2	3.85	3.83	3.81	3.79	3.77	3.75	3.73	3.71	3.69	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.55	3.53	3.51	
3	3.47	3.46	3.44	3.42	3.40	3.39	3.37	3.35	3.33	3.32	3.30	3.28	3.27	3.25	3.23	3.22	3.20	3.18	3.17	
4	3.13	3.12	3.10	3.09	3.07	3.05	3.04	3.02	3.01	2.99	2.98	2.96	2.95	2.93	2.92	2.90	2.89	2.87	2.86	
5	2.83	2.81	2.80	2.78	2.77	2.76	2.74	2.73	2.71	2.70	2.69	2.67	2.66	2.64	2.63	2.62	2.60	2.59	2.58	
6	2.55	2.54	2.52	2.51	2.50	2.49	2.47	2.46	2.45	2.44	2.42	2.41	2.40	2.39	2.37	2.36	2.35	2.34	2.32	
7	2.30	2.29	2.28	2.27	2.25	2.24	2.23	2.22	2.21	2.20	2.19	2.17	2.17	2.16	2.15	2.14	2.13	2.12	2.10	
8	2.09	2.07	2.06	2.05	2.04	2.03	2.02	2.01												

1  
 STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:  
 -----

VARIABLE	ITERATION	NUMBER OF NONCONVERGENT ELEMENTS																		
		ALGAE AS CHL-A IN UG/L										ITERATION 1								
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.27	8.14	8.01	7.89	7.76	7.64	7.52	7.41	7.29	7.18	7.07	6.96	6.85	6.74	6.63	6.53	6.43	6.33	6.23	
2	6.04	5.94	5.85	5.76	5.67	5.58	5.49	5.41	5.32	5.24	5.16	5.08	5.00	4.92	4.84	4.77	4.69	4.62	4.55	
3	4.41	4.34	4.27	4.20	4.14	4.07	4.01	3.95	3.89	3.83	3.77	3.71	3.65	3.59	3.54	3.48	3.43	3.37	3.32	
4	3.22	3.17	3.12	3.07	3.02	2.97	2.93	2.88	2.84	2.79	2.75	2.71	2.66	2.62	2.58	2.54	2.50	2.46	2.42	
5	2.35	2.31	2.28	2.24	2.21	2.17	2.14	2.10	2.07	2.04	2.01	1.98	1.95	1.92	1.89	1.86	1.83	1.80	1.77	
6	1.72	1.69	1.66	1.64	1.61	1.59	1.56	1.54	1.51	1.49	1.47	1.44	1.42	1.40	1.38	1.35	1.33	1.31	1.29	
7	1.25	1.23	1.21	1.19	1.18	1.16	1.14	1.12	1.10	1.09	1.07	1.05	1.13	1.11	1.09	1.08	1.06	1.04	1.03	

CRF\_65C.OUT

		8	1.00	0.98	0.97	0.95	0.94	0.92	0.91	0.89											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21
2	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18	0.18	0.17	0.17	0.17	0.17
3	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14
4	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
5	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
6	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
4	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
5	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08
6	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01

CRF_65C.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
3	0.24	0.24	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
4	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29
5	0.29	0.29	0.29	0.29	0.29	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31
6	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34
7	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36
8	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.14	4.18	4.23	4.27	4.31	4.34	4.38	4.41
2	4.45	4.48	4.51	4.54	4.57	4.60	4.62	4.65	4.67	4.70	4.72	4.74	4.76	4.78	4.80	4.82	4.84	4.86	4.87	4.89
3	4.90	4.92	4.93	4.95	4.96	4.97	4.99	5.00	5.01	5.02	5.03	5.04	5.05	5.06	5.07	5.08	5.09	5.10	5.10	5.11
4	5.09	5.08	5.06	5.05	5.03	5.02	5.00	4.99	4.98	4.97	4.96	4.94	4.93	4.92	4.91	4.91	4.90	4.89	4.88	4.87
5	4.87	4.86	4.85	4.85	4.84	4.84	4.83	4.83	4.82	4.82	4.81	4.81	4.80	4.80	4.80	4.79	4.79	4.79	4.79	4.78
6	4.78	4.78	4.78	4.78	4.77	4.77	4.77	4.77	4.77	4.77	4.77	4.77	4.77	4.76	4.76	4.76	4.76	4.76	4.76	4.76
7	4.79	4.81	4.84	4.86	4.88	4.90	4.92	4.94	4.96	4.98	5.00	5.01	5.03	5.05	5.07	5.08	5.10	5.11	5.13	5.14
8	5.15	5.16	5.18	5.19	5.20	5.21	5.22	5.23												
ALGAE GROWTH RATE						1			141											
ALGAE GROWTH RATE						2			32											
ALGAE GROWTH RATE						3			0											
ALGAE GROWTH RATE						4			0											

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

- 
1. LIGHT AVERAGING OPTION. LAVOPT= 2  
METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS  
SOURCE OF SOLAR VALUES: DATA TYPE 1A  
DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 ( 204.613 LANGLEYS)  
NUMBER OF DAYLIGHT HOURS: 13.0  
PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A  
MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2



SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL\*FN\*FP

1		DISSOLVED OXYGEN IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.15	4.19	4.23	4.27	4.31	4.35	4.39	4.42
2	4.46	4.49	4.52	4.55	4.58	4.61	4.63	4.66	4.69	4.71	4.73	4.75	4.78	4.80	4.82	4.84	4.85	4.87	4.89	4.90
3	4.92	4.94	4.95	4.96	4.98	4.99	5.00	5.02	5.03	5.04	5.05	5.06	5.07	5.08	5.09	5.10	5.11	5.12	5.12	5.13
4	5.11	5.10	5.08	5.07	5.05	5.04	5.02	5.01	5.00	4.99	4.97	4.96	4.95	4.94	4.93	4.92	4.92	4.91	4.90	4.89
5	4.89	4.88	4.87	4.87	4.86	4.85	4.85	4.84	4.84	4.83	4.83	4.83	4.82	4.82	4.82	4.81	4.81	4.81	4.80	4.80
6	4.80	4.80	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.78	4.78	4.78	4.78	4.78	4.78	4.78	4.78	4.78	4.78
7	4.80	4.83	4.85	4.87	4.90	4.92	4.94	4.96	4.98	4.99	5.01	5.03	5.05	5.07	5.08	5.10	5.11	5.13	5.14	5.15
8	5.17	5.18	5.19	5.20	5.22	5.23	5.24	5.25												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.87
2	3.85	3.83	3.81	3.79	3.77	3.75	3.73	3.71	3.69	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.55	3.53	3.51	3.49
3	3.47	3.46	3.44	3.42	3.40	3.39	3.37	3.35	3.33	3.32	3.30	3.28	3.27	3.25	3.23	3.22	3.20	3.18	3.17	3.15
4	3.13	3.12	3.10	3.09	3.07	3.05	3.04	3.02	3.01	2.99	2.98	2.96	2.95	2.93	2.92	2.90	2.89	2.87	2.86	2.84
5	2.83	2.81	2.80	2.78	2.77	2.76	2.74	2.73	2.71	2.70	2.69	2.67	2.66	2.64	2.63	2.62	2.60	2.59	2.58	2.56
6	2.55	2.54	2.52	2.51	2.50	2.49	2.47	2.46	2.45	2.44	2.42	2.41	2.40	2.39	2.37	2.36	2.35	2.34	2.32	2.31
7	2.30	2.29	2.28	2.27	2.25	2.24	2.23	2.22	2.21	2.20	2.19	2.17	2.17	2.16	2.15	2.14	2.13	2.12	2.10	2.09
8	2.09	2.07	2.06	2.05	2.04	2.03	2.02	2.01												
0		ORGANIC NITROGEN AS N IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
2	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18	0.18	0.17	0.17	0.17
3	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.14	0.14	0.14
4	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.12	0.12
5	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
6	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07												
0		AMMONIA AS N IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
4	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
5	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
6	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08

																				CRF_65C.OUT																						
	7	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07		8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07												
0		NITRITE AS N IN MG/L																		ITERATION 4																						
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																					
	1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01		2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01		4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01		6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01		8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
0		NITRATE AS N IN MG/L																		ITERATION 4																						
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																					
	1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22		2	0.22	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	
	3	0.24	0.24	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26		4	0.26	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	
	5	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31		6	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.33	
	7	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.35	0.35		8	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.35	0.35	0.35	
0		ORGANIC PHOSPHORUS AS P IN MG/L																		ITERATION 4																						
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																					
	1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03		2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03		4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03		6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02		8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L																		ITERATION 4																						
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																					
	1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02		2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02		4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01		6	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02		8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ALGAE AS CHL-A IN UG/L																		ITERATION 4																						
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																					
	1	8.27	8.14	8.02	7.90	7.78	7.66	7.54	7.43	7.32	7.21	7.10	7.00	6.89	6.79	6.69	6.59	6.50	6.40	6.31	6.22		2																			

CRF_65C.OUT																				
2	6.13	6.04	5.95	5.86	5.78	5.69	5.61	5.53	5.45	5.37	5.30	5.22	5.14	5.07	5.00	4.93	4.86	4.79	4.72	4.65
3	4.58	4.52	4.45	4.39	4.33	4.27	4.21	4.15	4.09	4.03	3.97	3.92	3.86	3.81	3.75	3.70	3.65	3.60	3.54	3.49
4	3.45	3.40	3.35	3.30	3.26	3.21	3.16	3.12	3.08	3.03	2.99	2.95	2.91	2.87	2.83	2.79	2.75	2.71	2.67	2.63
5	2.60	2.56	2.52	2.49	2.45	2.42	2.39	2.35	2.32	2.29	2.26	2.22	2.19	2.16	2.13	2.10	2.07	2.04	2.02	1.99
6	1.96	1.93	1.91	1.88	1.85	1.83	1.80	1.78	1.76	1.73	1.71	1.69	1.66	1.64	1.62	1.60	1.58	1.56	1.54	1.52
7	1.50	1.48	1.46	1.44	1.42	1.40	1.38	1.37	1.35	1.33	1.32	1.30	1.37	1.35	1.34	1.32	1.31	1.29	1.27	1.26
8	1.24	1.23	1.21	1.20	1.18	1.17	1.16	1.14												
0	CONSERVATIVE MINERAL I										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
3	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
4	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
5	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
6	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
7	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
8	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17
2	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
3	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
4	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
5	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
6	0.18	0.18	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.20	0.20	0.20
7	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.21
8	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.71	1.73	1.75	1.76	1.77	1.79	1.80	1.81	1.82	1.82	1.83	1.84	1.85	1.85	1.86	1.86	1.87	1.87	1.88	1.88
2	1.89	1.89	1.89	1.90	1.90	1.90	1.91	1.91	1.91	1.91	1.92	1.92	1.92	1.92	1.93	1.93	1.93	1.93	1.93	1.94
3	1.94	1.94	1.94	1.94	1.94	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
4	1.97	1.97	1.97	1.97	1.97	1.97	1.97	1.97	1.97	1.97	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98
5	1.98	1.98	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	2.00	2.00	2.00	2.00
6	2.01	2.02	2.03	2.03	2.04	2.05	2.06	2.07	2.07	2.08	2.09	2.10	2.11	2.11	2.12	2.13	2.13	2.14	2.15	2.16
7	2.16	2.17	2.18	2.18	2.19	2.20	2.20	2.21	2.21	2.22	2.23	2.23	2.21	2.22	2.22	2.23	2.24	2.24	2.25	2.25
8	2.27	2.27	2.28	2.28	2.29	2.29	2.30	2.30												

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 1  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE RCH ELE BEGIN END POINT INCR TRVL BOTTOM X-SECT DSPRSN

CRF\_65C.OUT

ORD	NUM	NUM	LOC MILE	LOC MILE	FLOW CFS	SRCE CFS	FLOW CFS	VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	AREA FT-2	AREA FT-2	COEF FT-2/S
1	1	1	227.00	226.7517250.10	0.00	0.10	0.243	0.063	3.18322306.330	93724920.0	29452760.0	71003.73	3.24		
2	1	2	226.75	226.5017250.20	0.00	0.10	0.243	0.063	3.18322306.365	93725816.0	29452806.0	71004.41	3.24		
3	1	3	226.50	226.2517250.30	0.00	0.10	0.243	0.063	3.18322306.398	93726704.0	29452850.0	71005.08	3.24		
4	1	4	226.25	226.0017250.40	0.00	0.10	0.243	0.063	3.18322306.436	93727592.0	29452898.0	71005.75	3.24		
5	1	5	226.00	225.7517250.50	0.00	0.10	0.243	0.063	3.18322306.471	93728488.0	29452946.0	71006.43	3.24		
6	1	6	225.75	225.5017250.60	0.00	0.10	0.243	0.063	3.18322306.506	93729368.0	29452992.0	71007.10	3.24		
7	1	7	225.50	225.2517250.70	0.00	0.10	0.243	0.063	3.18322306.541	93730264.0	29453038.0	71007.77	3.24		
8	1	8	225.25	225.0017250.80	0.00	0.10	0.243	0.063	3.18322306.574	93731152.0	29453082.0	71008.45	3.24		
9	1	9	225.00	224.7517250.90	0.00	0.10	0.243	0.063	3.18322306.611	93732040.0	29453130.0	71009.12	3.24		
10	1	10	224.75	224.5017251.00	0.00	0.10	0.243	0.063	3.18322306.646	93732928.0	29453178.0	71009.80	3.24		
11	1	11	224.50	224.2517251.10	0.00	0.10	0.243	0.063	3.18322306.684	93733816.0	29453226.0	71010.47	3.24		
12	1	12	224.25	224.0017251.20	0.00	0.10	0.243	0.063	3.18322306.717	93734704.0	29453270.0	71011.14	3.24		
13	1	13	224.00	223.7517251.29	0.00	0.10	0.243	0.063	3.18322306.752	93735600.0	29453316.0	71011.82	3.24		
14	1	14	223.75	223.5017251.39	0.00	0.10	0.243	0.063	3.18322306.787	93736480.0	29453364.0	71012.48	3.24		
15	1	15	223.50	223.2517251.49	0.00	0.10	0.243	0.063	3.18322306.822	93737376.0	29453410.0	71013.16	3.24		
16	1	16	223.25	223.0017251.59	0.00	0.10	0.243	0.063	3.18322306.855	93738264.0	29453454.0	71013.84	3.24		
17	1	17	223.00	222.7517251.69	0.00	0.10	0.243	0.063	3.18422306.893	93739152.0	29453502.0	71014.51	3.24		
18	1	18	222.75	222.5017251.79	0.00	0.10	0.243	0.063	3.18422306.926	93740040.0	29453546.0	71015.18	3.24		
19	1	19	222.50	222.2517251.89	0.00	0.10	0.243	0.063	3.18422306.963	93740936.0	29453596.0	71015.86	3.24		
20	1	20	222.25	222.0017251.99	0.00	0.10	0.243	0.063	3.18422306.998	93741816.0	29453642.0	71016.53	3.24		
21	2	1	222.00	221.7517252.09	0.00	0.10	0.243	0.063	3.18422307.033	93742712.0	29453688.0	71017.20	3.24		
22	2	2	221.75	221.5017252.19	0.00	0.10	0.243	0.063	3.18422307.070	93743600.0	29453738.0	71017.88	3.24		
23	2	3	221.50	221.2517252.29	0.00	0.10	0.243	0.063	3.18422307.104	93744488.0	29453782.0	71018.55	3.24		
24	2	4	221.25	221.0017252.39	0.00	0.10	0.243	0.063	3.18422307.139	93745384.0	29453828.0	71019.23	3.24		
25	2	5	221.00	220.7517252.49	0.00	0.10	0.243	0.063	3.18422307.174	93746264.0	29453874.0	71019.90	3.24		
26	2	6	220.75	220.5017252.59	0.00	0.10	0.243	0.063	3.18422307.209	93747160.0	29453920.0	71020.58	3.24		
27	2	7	220.50	220.2517252.69	0.00	0.10	0.243	0.063	3.18422307.244	93748048.0	29453968.0	71021.25	3.24		
28	2	8	220.25	220.0017252.79	0.00	0.10	0.243	0.063	3.18422307.279	93748936.0	29454014.0	71021.92	3.24		
29	2	9	220.00	219.7517252.89	0.00	0.10	0.243	0.063	3.18422307.314	93749824.0	29454060.0	71022.59	3.24		
30	2	10	219.75	219.5017252.99	0.00	0.10	0.243	0.063	3.18422307.350	93750712.0	29454106.0	71023.27	3.24		
31	2	11	219.50	219.2517253.09	0.00	0.10	0.243	0.063	3.18422307.385	93751600.0	29454154.0	71023.94	3.24		
32	2	12	219.25	219.0017253.19	0.00	0.10	0.243	0.063	3.18422307.420	93752496.0	29454200.0	71024.62	3.24		
33	2	13	219.00	218.7517253.29	0.00	0.10	0.243	0.063	3.18422307.455	93753384.0	29454246.0	71025.29	3.24		
34	2	14	218.75	218.5017253.39	0.00	0.10	0.243	0.063	3.18422307.490	93754272.0	29454292.0	71025.96	3.24		
35	2	15	218.50	218.2517253.49	0.00	0.10	0.243	0.063	3.18422307.525	93755160.0	29454340.0	71026.63	3.24		
36	2	16	218.25	218.0017253.59	0.00	0.10	0.243	0.063	3.18422307.561	93756048.0	29454386.0	71027.31	3.24		
37	2	17	218.00	217.7517253.69	0.00	0.10	0.243	0.063	3.18422307.596	93756936.0	29454432.0	71027.98	3.24		
38	2	18	217.75	217.5017253.79	0.00	0.10	0.243	0.063	3.18422307.631	93757832.0	29454478.0	71028.66	3.24		
39	2	19	217.50	217.2517253.88	0.00	0.10	0.243	0.063	3.18422307.666	93758720.0	29454526.0	71029.33	3.24		
40	2	20	217.25	217.0017253.98	0.00	0.10	0.243	0.063	3.18422307.701	93759608.0	29454572.0	71030.01	3.24		
41	3	1	217.00	216.7517254.08	0.00	0.10	0.243	0.063	3.18422307.736	93760496.0	29454618.0	71030.68	1.87		
42	3	2	216.75	216.5017254.18	0.00	0.10	0.243	0.063	3.18422307.771	93761384.0	29454664.0	71031.35	1.87		
43	3	3	216.50	216.2517254.28	0.00	0.10	0.243	0.063	3.18422307.807	93762272.0	29454710.0	71032.02	1.87		

CRF\_65C.OUT

44	3	4	216.25	216.0017254.38	0.00	0.10	0.243	0.063	3.18422307.842	93763168.0	29454758.0	71032.70	1.87
45	3	5	216.00	215.7517254.48	0.00	0.10	0.243	0.063	3.18422307.875	93764048.0	29454802.0	71033.37	1.87
46	3	6	215.75	215.5017254.58	0.00	0.10	0.243	0.063	3.18422307.912	93764944.0	29454850.0	71034.05	1.87
47	3	7	215.50	215.2517254.68	0.00	0.10	0.243	0.063	3.18422307.947	93765832.0	29454896.0	71034.72	1.87
48	3	8	215.25	215.0017254.78	0.00	0.10	0.243	0.063	3.18422307.982	93766720.0	29454944.0	71035.40	1.87
49	3	9	215.00	214.7517254.88	0.00	0.10	0.243	0.063	3.18422308.018	93767608.0	29454990.0	71036.07	1.87
50	3	10	214.75	214.5017254.98	0.00	0.10	0.243	0.063	3.18422308.053	93768504.0	29455036.0	71036.74	1.88
51	3	11	214.50	214.2517255.08	0.00	0.10	0.243	0.063	3.18422308.086	93769384.0	29455080.0	71037.41	1.88
52	3	12	214.25	214.0017255.18	0.00	0.10	0.243	0.063	3.18422308.123	93770280.0	29455130.0	71038.09	1.88
53	3	13	214.00	213.7517255.28	0.00	0.10	0.243	0.063	3.18422308.156	93771168.0	29455174.0	71038.77	1.88
54	3	14	213.75	213.5017255.38	0.00	0.10	0.243	0.063	3.18422308.193	93772056.0	29455222.0	71039.44	1.88
55	3	15	213.50	213.2517255.48	0.00	0.10	0.243	0.063	3.18422308.229	93772944.0	29455268.0	71040.11	1.88
56	3	16	213.25	213.0017255.58	0.00	0.10	0.243	0.063	3.18522308.264	93773840.0	29455316.0	71040.79	1.88
57	3	17	213.00	212.7517255.68	0.00	0.10	0.243	0.063	3.18522308.299	93774720.0	29455362.0	71041.46	1.88
58	3	18	212.75	212.5017255.78	0.00	0.10	0.243	0.063	3.18522308.334	93775616.0	29455408.0	71042.13	1.88
59	3	19	212.50	212.2517255.88	0.00	0.10	0.243	0.063	3.18522308.367	93776504.0	29455452.0	71042.80	1.88
60	3	20	212.25	212.0017255.98	0.00	0.10	0.243	0.063	3.18522308.404	93777392.0	29455502.0	71043.48	1.88
61	4	1	212.00	211.7517256.08	0.00	0.10	0.243	0.063	3.18522308.437	93778280.0	29455544.0	71044.16	1.79
62	4	2	211.75	211.5017256.18	0.00	0.10	0.243	0.063	3.18522308.475	93779176.0	29455594.0	71044.83	1.79
63	4	3	211.50	211.2517256.28	0.00	0.10	0.243	0.063	3.18522308.510	93780056.0	29455640.0	71045.50	1.79
64	4	4	211.25	211.0017257.37	1.00	0.10	0.243	0.063	3.18522308.898	93789880.0	29456154.0	71052.94	1.79
65	4	5	211.00	210.7517257.47	0.00	0.10	0.243	0.063	3.18522308.934	93790768.0	29456200.0	71053.62	1.79

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5017257.57	0.00	0.10	0.243	0.063	3.18522308.969	93791656.0	29456248.0	71054.29	1.79		
67	4	7	210.50	210.2517257.67	0.00	0.10	0.243	0.063	3.18522309.004	93792552.0	29456294.0	71054.96	1.79		
68	4	8	210.25	210.0017257.77	0.00	0.10	0.243	0.063	3.18522309.037	93793440.0	29456338.0	71055.63	1.79		
69	4	9	210.00	209.7517257.87	0.00	0.10	0.243	0.063	3.18522309.074	93794328.0	29456386.0	71056.31	1.79		
70	4	10	209.75	209.5017257.97	0.00	0.10	0.243	0.063	3.18522309.107	93795216.0	29456430.0	71056.98	1.79		
71	4	11	209.50	209.2517258.07	0.00	0.10	0.243	0.063	3.18522309.145	93796112.0	29456480.0	71057.66	1.79		
72	4	12	209.25	209.0017258.17	0.00	0.10	0.243	0.063	3.18522309.180	93796992.0	29456526.0	71058.33	1.79		
73	4	13	209.00	208.7517258.27	0.00	0.10	0.243	0.063	3.18522309.215	93797888.0	29456572.0	71059.01	1.79		
74	4	14	208.75	208.5017258.37	0.00	0.10	0.243	0.063	3.18522309.248	93798776.0	29456616.0	71059.68	1.79		
75	4	15	208.50	208.2517258.47	0.00	0.10	0.243	0.063	3.18522309.285	93799664.0	29456666.0	71060.35	1.79		
76	4	16	208.25	208.0017258.57	0.00	0.10	0.243	0.063	3.18522309.318	93800552.0	29456710.0	71061.02	1.79		
77	4	17	208.00	207.7517258.67	0.00	0.10	0.243	0.063	3.18522309.355	93801448.0	29456758.0	71061.70	1.79		
78	4	18	207.75	207.5017258.87	0.10	0.10	0.243	0.063	3.18522309.426	93803224.0	29456852.0	71063.05	1.79		
79	4	19	207.50	207.2517258.97	0.00	0.10	0.243	0.063	3.18522309.461	93804112.0	29456898.0	71063.72	1.79		
80	4	20	207.25	207.0017259.07	0.00	0.10	0.243	0.063	3.18522309.496	93805008.0	29456944.0	71064.40	1.79		

81	5	1	207.00	206.7517259.17	0.00	0.10	0.243	0.063	3.18522309.529	93805888.0	29456988.0	71065.07	0.85
82	5	2	206.75	206.5017259.27	0.00	0.10	0.243	0.063	3.18522309.566	93806784.0	29457038.0	71065.74	0.85
83	5	3	206.50	206.2517259.37	0.00	0.10	0.243	0.063	3.18522309.602	93807672.0	29457084.0	71066.41	0.85
84	5	4	206.25	206.0017259.47	0.00	0.10	0.243	0.063	3.18522309.637	93808560.0	29457130.0	71067.09	0.85
85	5	5	206.00	205.7517259.57	0.00	0.10	0.243	0.063	3.18622309.672	93809448.0	29457176.0	71067.77	0.85
86	5	6	205.75	205.5017259.67	0.00	0.10	0.243	0.063	3.18622309.707	93810344.0	29457224.0	71068.44	0.85
87	5	7	205.50	205.2517259.77	0.00	0.10	0.243	0.063	3.18622309.740	93811232.0	29457266.0	71069.11	0.85
88	5	8	205.25	205.0017259.87	0.00	0.10	0.243	0.063	3.18622309.775	93812112.0	29457314.0	71069.78	0.85
89	5	9	205.00	204.7517259.96	0.00	0.10	0.243	0.063	3.18622309.811	93813008.0	29457360.0	71070.46	0.85
90	5	10	204.75	204.5017260.06	0.00	0.10	0.243	0.063	3.18622309.848	93813896.0	29457408.0	71071.13	0.85
91	5	11	204.50	204.2517260.16	0.00	0.10	0.243	0.063	3.18622309.883	93814784.0	29457456.0	71071.81	0.85
92	5	12	204.25	204.0017260.26	0.00	0.10	0.243	0.063	3.18622309.916	93815672.0	29457500.0	71072.48	0.85
93	5	13	204.00	203.7517260.36	0.00	0.10	0.243	0.063	3.18622309.953	93816568.0	29457548.0	71073.16	0.85
94	5	14	203.75	203.5017260.46	0.00	0.10	0.243	0.063	3.18622309.986	93817456.0	29457592.0	71073.83	0.85
95	5	15	203.50	203.2517260.56	0.00	0.10	0.243	0.063	3.18622310.021	93818344.0	29457638.0	71074.51	0.85
96	5	16	203.25	203.0017260.66	0.00	0.10	0.243	0.063	3.18622310.059	93819232.0	29457688.0	71075.18	0.85
97	5	17	203.00	202.7517261.76	1.00	0.10	0.243	0.063	3.18622310.445	93829056.0	29458200.0	71082.62	0.85
98	5	18	202.75	202.5017261.86	0.00	0.10	0.243	0.063	3.18622310.480	93829944.0	29458246.0	71083.29	0.85
99	5	19	202.50	202.2517261.96	0.00	0.10	0.243	0.063	3.18622310.516	93830832.0	29458292.0	71083.97	0.85
100	5	20	202.25	202.0017262.06	0.00	0.10	0.243	0.063	3.18622310.551	93831720.0	29458338.0	71084.64	0.85
101	6	1	202.00	201.7517262.16	0.00	0.10	0.243	0.063	3.18622310.588	93832616.0	29458388.0	71085.31	1.45
102	6	2	201.75	201.5017262.26	0.00	0.10	0.243	0.063	3.18622310.621	93833504.0	29458432.0	71085.98	1.45
103	6	3	201.50	201.2517262.36	0.00	0.10	0.243	0.063	3.18622310.658	93834392.0	29458480.0	71086.66	1.45
104	6	4	201.25	201.0017262.46	0.00	0.10	0.243	0.063	3.18622310.691	93835280.0	29458524.0	71087.34	1.45
105	6	5	201.00	200.7517262.56	0.00	0.10	0.243	0.063	3.18622310.727	93836176.0	29458570.0	71088.01	1.45
106	6	6	200.75	200.5017262.66	0.00	0.10	0.243	0.063	3.18622310.762	93837064.0	29458618.0	71088.68	1.45
107	6	7	200.50	200.2517262.76	0.00	0.10	0.243	0.063	3.18622310.799	93837952.0	29458666.0	71089.36	1.45
108	6	8	200.25	200.0017262.86	0.00	0.10	0.243	0.063	3.18622310.832	93838840.0	29458710.0	71090.03	1.45
109	6	9	200.00	199.7517262.96	0.00	0.10	0.243	0.063	3.18622310.867	93839728.0	29458756.0	71090.70	1.45
110	6	10	199.75	199.5017263.06	0.00	0.10	0.243	0.063	3.18622310.902	93840624.0	29458804.0	71091.38	1.45
111	6	11	199.50	199.2517263.16	0.00	0.10	0.243	0.063	3.18622310.937	93841504.0	29458850.0	71092.05	1.45
112	6	12	199.25	199.0017263.26	0.00	0.10	0.243	0.063	3.18622310.973	93842400.0	29458896.0	71092.73	1.45
113	6	13	199.00	198.7517263.46	0.10	0.10	0.243	0.063	3.18622311.043	93844184.0	29458990.0	71094.08	1.45
114	6	14	198.75	198.5017263.55	0.00	0.10	0.243	0.063	3.18722311.078	93845064.0	29459036.0	71094.75	1.45
115	6	15	198.50	198.2517263.65	0.00	0.10	0.243	0.063	3.18722311.113	93845960.0	29459082.0	71095.42	1.45
116	6	16	198.25	198.0017263.75	0.00	0.10	0.243	0.063	3.18722311.148	93846848.0	29459128.0	71096.09	1.45
117	6	17	198.00	197.7517263.85	0.00	0.10	0.243	0.063	3.18722311.186	93847736.0	29459178.0	71096.77	1.45
118	6	18	197.75	197.5017263.95	0.00	0.10	0.243	0.063	3.18722311.219	93848624.0	29459222.0	71097.45	1.45
119	6	19	197.50	197.2517264.05	0.00	0.10	0.243	0.063	3.18722311.254	93849512.0	29459268.0	71098.12	1.45
120	6	20	197.25	197.0017264.15	0.00	0.10	0.243	0.063	3.18722311.289	93850408.0	29459314.0	71098.79	1.45
121	7	1	197.00	196.7517264.35	0.10	0.10	0.243	0.063	3.18722311.361	93852184.0	29459410.0	71100.14	0.60
122	7	2	196.75	196.5017264.45	0.00	0.10	0.243	0.063	3.18722311.395	93853072.0	29459454.0	71100.81	0.60
123	7	3	196.50	196.2517264.55	0.00	0.10	0.243	0.063	3.18722311.430	93853968.0	29459500.0	71101.49	0.60
124	7	4	196.25	196.0017264.65	0.00	0.10	0.243	0.063	3.18722311.465	93854856.0	29459546.0	71102.16	0.60

CRF_65C.OUT													
125	7	5	196.00	195.7517264.75	0.00	0.10	0.243	0.063	3.18722311.500	93855744.0	29459594.0	71102.84	0.60
126	7	6	195.75	195.5017264.85	0.00	0.10	0.243	0.063	3.18722311.535	93856632.0	29459640.0	71103.51	0.60
127	7	7	195.50	195.2517264.95	0.00	0.10	0.243	0.063	3.18722311.572	93857528.0	29459688.0	71104.19	0.60
128	7	8	195.25	195.0017265.05	0.00	0.10	0.243	0.063	3.18722311.605	93858416.0	29459732.0	71104.86	0.60
129	7	9	195.00	194.7517265.15	0.00	0.10	0.243	0.063	3.18722311.639	93859304.0	29459776.0	71105.53	0.60
130	7	10	194.75	194.5017265.25	0.00	0.10	0.243	0.063	3.18722311.676	93860192.0	29459826.0	71106.21	0.60

1

STREAM QUALITY SIMULATION OUTPUT PAGE NUMBER 3  
 QUAL-2E STREAM QUALITY ROUTING MODEL EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN			
ORD	NUM	NUM	LOC	LOC	FLOW	SRCE	TIME	DEPTH	WIDTH	VOLUME			
			LOC	LOC	FLOW	SRCE	TIME	DEPTH	WIDTH	VOLUME			
			MILE	MILE	CFS	CFS	DAY	FT	FT	FT-3			
								FT-2	FT-2	FT-2/S			
131	7	11	194.50	194.2517265.35	0.00	0.10	0.243	0.063	3.18722311.711	93861080.0	29459872.0	71106.88	0.60
132	7	12	194.25	194.0017265.45	0.00	0.10	0.243	0.063	3.18722311.746	93861976.0	29459918.0	71107.55	0.60
133	7	13	194.00	193.7517487.55	222.00	0.10	0.241	0.063	3.24322389.736	95853960.0	29563014.0	72616.64	0.60
134	7	14	193.75	193.5017487.65	0.00	0.10	0.241	0.063	3.24322389.771	95854856.0	29563060.0	72617.32	0.60
135	7	15	193.50	193.2517487.75	0.00	0.10	0.241	0.063	3.24322389.807	95855752.0	29563108.0	72617.99	0.60
136	7	16	193.25	193.0017487.85	0.00	0.10	0.241	0.063	3.24322389.842	95856648.0	29563154.0	72618.67	0.60
137	7	17	193.00	192.7517487.95	0.00	0.10	0.241	0.063	3.24322389.877	95857544.0	29563200.0	72619.35	0.60
138	7	18	192.75	192.5017488.04	0.00	0.10	0.241	0.063	3.24322389.912	95858448.0	29563246.0	72620.04	0.60
139	7	19	192.50	192.2517488.14	0.00	0.10	0.241	0.063	3.24322389.947	95859344.0	29563294.0	72620.72	0.60
140	7	20	192.25	192.0017488.24	0.00	0.10	0.241	0.063	3.24322389.980	95860240.0	29563336.0	72621.39	0.60
141	8	1	192.00	191.7517489.26	0.77	0.25	0.241	0.063	3.24422390.338	95869424.0	29563810.0	72628.35	0.60
142	8	2	191.75	191.5017489.51	0.00	0.25	0.241	0.063	3.24422390.424	95871672.0	29563924.0	72630.05	0.60
143	8	3	191.50	191.2517489.76	0.00	0.25	0.241	0.063	3.24422390.512	95873928.0	29564040.0	72631.77	0.60
144	8	4	191.25	191.0017490.01	0.00	0.25	0.241	0.063	3.24422390.598	95876176.0	29564152.0	72633.47	0.60
145	8	5	191.00	190.7517490.26	0.00	0.25	0.241	0.063	3.24422390.687	95878432.0	29564272.0	72635.17	0.60
146	8	6	190.75	190.5017490.51	0.00	0.25	0.241	0.063	3.24422390.773	95880680.0	29564386.0	72636.87	0.60
147	8	7	190.50	190.2517490.76	0.00	0.25	0.241	0.063	3.24422390.861	95882936.0	29564502.0	72638.59	0.60
148	8	8	190.25	190.0017491.01	0.00	0.25	0.241	0.063	3.24422390.949	95885184.0	29564618.0	72640.29	0.60

1

STREAM QUALITY SIMULATION OUTPUT PAGE NUMBER 4  
 QUAL-2E STREAM QUALITY ROUTING MODEL EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D





CRF\_65C.OUT

3	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
4	6	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
---	---	------	---	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------



CRF\_65C.OUT

7	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
7	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
1	1	87.40	1.24	0.00	0.00	3.47	4.27	0.25	0.04	0.04	0.18	0.52	0.03	0.02	0.04	0.00	0.00	8.27
1	2	87.40	1.24	0.00	0.00	3.54	4.25	0.25	0.04	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.14
1	3	87.40	1.24	0.00	0.00	3.60	4.22	0.24	0.05	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.02

CRF\_65C.OUT

1	4	87.40	1.24	0.00	0.00	3.67	4.20	0.24	0.05	0.03	0.19	0.52	0.03	0.02	0.04	0.00	0.00	7.90
1	5	87.40	1.24	0.00	0.00	3.73	4.18	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.78
1	6	87.40	1.24	0.00	0.00	3.79	4.16	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.66
1	7	87.40	1.24	0.00	0.00	3.84	4.14	0.23	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.54
1	8	87.40	1.24	0.00	0.00	3.90	4.12	0.23	0.05	0.02	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.43
1	9	87.40	1.24	0.00	0.00	3.95	4.10	0.23	0.05	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.32
1	10	87.40	1.24	0.00	0.00	4.00	4.07	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.21
1	11	87.40	1.24	0.00	0.00	4.05	4.05	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.10
1	12	87.40	1.24	0.00	0.00	4.10	4.03	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.00
1	13	87.40	1.24	0.00	0.00	4.15	4.01	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.89
1	14	87.40	1.24	0.00	0.00	4.19	3.99	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.79
1	15	87.40	1.24	0.00	0.00	4.23	3.97	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.69
1	16	87.40	1.24	0.00	0.00	4.27	3.95	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.59
1	17	87.40	1.24	0.00	0.00	4.31	3.93	0.21	0.07	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.50
1	18	87.40	1.24	0.00	0.00	4.35	3.91	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.40
1	19	87.40	1.24	0.00	0.00	4.39	3.89	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.31
1	20	87.40	1.24	0.00	0.00	4.42	3.87	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.22
2	1	87.40	1.24	0.00	0.00	4.46	3.85	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.13
2	2	87.40	1.24	0.00	0.00	4.49	3.83	0.20	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.04
2	3	87.40	1.24	0.00	0.00	4.52	3.81	0.20	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.95
2	4	87.40	1.24	0.00	0.00	4.55	3.79	0.20	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.86
2	5	87.40	1.24	0.00	0.00	4.58	3.77	0.20	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.78
2	6	87.40	1.24	0.00	0.00	4.61	3.75	0.20	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.69
2	7	87.40	1.24	0.00	0.00	4.63	3.73	0.19	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.61
2	8	87.40	1.24	0.00	0.00	4.66	3.71	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.53
2	9	87.40	1.24	0.00	0.00	4.69	3.69	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.45
2	10	87.40	1.24	0.00	0.00	4.71	3.68	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.37
2	11	87.40	1.24	0.00	0.00	4.73	3.66	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.30
2	12	87.40	1.24	0.00	0.00	4.75	3.64	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.22
2	13	87.40	1.24	0.00	0.00	4.78	3.62	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	5.14
2	14	87.40	1.24	0.00	0.00	4.80	3.60	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	5.07
2	15	87.40	1.24	0.00	0.00	4.82	3.58	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	5.00
2	16	87.40	1.24	0.00	0.00	4.84	3.56	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.93
2	17	87.40	1.24	0.00	0.00	4.85	3.55	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.86
2	18	87.40	1.24	0.00	0.00	4.87	3.53	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.79
2	19	87.40	1.24	0.00	0.00	4.89	3.51	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.72
2	20	87.40	1.24	0.00	0.00	4.90	3.49	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.65
3	1	87.40	1.24	0.00	0.00	4.92	3.47	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.58
3	2	87.40	1.24	0.00	0.00	4.94	3.46	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.52
3	3	87.40	1.24	0.00	0.00	4.95	3.44	0.17	0.08	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.45
3	4	87.40	1.24	0.00	0.00	4.96	3.42	0.17	0.08	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.39
3	5	87.40	1.24	0.00	0.00	4.98	3.40	0.16	0.08	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.33
3	6	87.40	1.24	0.00	0.00	4.99	3.39	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.27
3	7	87.40	1.24	0.00	0.00	5.00	3.37	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.21
3	8	87.40	1.24	0.00	0.00	5.02	3.35	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.15
3	9	87.40	1.24	0.00	0.00	5.03	3.33	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.09

CRF\_65C.OUT

3	10	87.40	1.24	0.00	0.00	5.04	3.32	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.03
3	11	87.40	1.24	0.00	0.00	5.05	3.30	0.15	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	3.97
3	12	87.40	1.24	0.00	0.00	5.06	3.28	0.15	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	3.92
3	13	87.40	1.24	0.00	0.00	5.07	3.27	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.86
3	14	87.40	1.24	0.00	0.00	5.08	3.25	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.81
3	15	87.40	1.24	0.00	0.00	5.09	3.23	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.75
3	16	87.40	1.24	0.00	0.00	5.10	3.22	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.70
3	17	87.40	1.24	0.00	0.00	5.11	3.20	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.65
3	18	87.40	1.24	0.00	0.00	5.12	3.18	0.14	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.60
3	19	87.40	1.24	0.00	0.00	5.12	3.17	0.14	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.54
3	20	87.40	1.24	0.00	0.00	5.13	3.15	0.14	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.49

4	1	87.40	1.24	0.00	0.00	5.11	3.13	0.14	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.45
4	2	87.40	1.24	0.00	0.00	5.10	3.12	0.14	0.09	0.01	0.27	0.51	0.03	0.02	0.04	0.00	0.00	3.40
4	3	87.40	1.24	0.00	0.00	5.08	3.10	0.14	0.09	0.01	0.27	0.51	0.03	0.02	0.04	0.00	0.00	3.35
4	4	87.40	1.24	0.00	0.00	5.07	3.09	0.14	0.09	0.01	0.27	0.51	0.03	0.02	0.04	0.00	0.00	3.30
4	5	87.40	1.24	0.00	0.00	5.05	3.07	0.14	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.26

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	87.40	1.24	0.00	0.00	5.04	3.05	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.21
4	7	87.40	1.24	0.00	0.00	5.02	3.04	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.16
4	8	87.40	1.24	0.00	0.00	5.01	3.02	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.12
4	9	87.40	1.24	0.00	0.00	5.00	3.01	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.08
4	10	87.40	1.24	0.00	0.00	4.99	2.99	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.03
4	11	87.40	1.24	0.00	0.00	4.97	2.98	0.13	0.09	0.01	0.28	0.50	0.03	0.02	0.04	0.00	0.00	2.99
4	12	87.40	1.24	0.00	0.00	4.96	2.96	0.13	0.09	0.01	0.28	0.50	0.03	0.02	0.04	0.00	0.00	2.95
4	13	87.40	1.24	0.00	0.00	4.95	2.95	0.13	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.91
4	14	87.40	1.24	0.00	0.00	4.94	2.93	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.87
4	15	87.40	1.24	0.00	0.00	4.93	2.92	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.83
4	16	87.40	1.24	0.00	0.00	4.92	2.90	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.79
4	17	87.40	1.24	0.00	0.00	4.92	2.89	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.75
4	18	87.40	1.24	0.00	0.00	4.91	2.87	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.71
4	19	87.40	1.24	0.00	0.00	4.90	2.86	0.12	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.67
4	20	87.40	1.24	0.00	0.00	4.89	2.84	0.12	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.63
5	1	87.40	1.24	0.00	0.00	4.89	2.83	0.12	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.60
5	2	87.40	1.24	0.00	0.00	4.88	2.81	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.56
5	3	87.40	1.24	0.00	0.00	4.87	2.80	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.52
5	4	87.40	1.24	0.00	0.00	4.87	2.78	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.49

CRF\_65C.OUT

5	5	87.40	1.24	0.00	0.00	4.86	2.77	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.45
5	6	87.40	1.24	0.00	0.00	4.85	2.76	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.42
5	7	87.40	1.24	0.00	0.00	4.85	2.74	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.39
5	8	87.40	1.24	0.00	0.00	4.84	2.73	0.11	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.35
5	9	87.40	1.24	0.00	0.00	4.84	2.71	0.11	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.32
5	10	87.40	1.24	0.00	0.00	4.83	2.70	0.11	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.29
5	11	87.40	1.24	0.00	0.00	4.83	2.69	0.11	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.26
5	12	87.40	1.24	0.00	0.00	4.83	2.67	0.10	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.22
5	13	87.40	1.24	0.00	0.00	4.82	2.66	0.10	0.08	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.19
5	14	87.40	1.24	0.00	0.00	4.82	2.64	0.10	0.08	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.16
5	15	87.40	1.24	0.00	0.00	4.82	2.63	0.10	0.08	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.13
5	16	87.40	1.24	0.00	0.00	4.81	2.62	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	2.10
5	17	87.40	1.24	0.00	0.00	4.81	2.60	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	2.07
5	18	87.40	1.24	0.00	0.00	4.81	2.59	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	2.04
5	19	87.40	1.24	0.00	0.00	4.80	2.58	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	2.02
5	20	87.40	1.24	0.00	0.00	4.80	2.56	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.99
6	1	87.40	1.24	0.00	0.00	4.80	2.55	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.96
6	2	87.40	1.24	0.00	0.00	4.80	2.54	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.93
6	3	87.40	1.24	0.00	0.00	4.79	2.52	0.09	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.91
6	4	87.40	1.24	0.00	0.00	4.79	2.51	0.09	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.88
6	5	87.40	1.24	0.00	0.00	4.79	2.50	0.09	0.08	0.01	0.32	0.50	0.03	0.01	0.04	0.00	0.00	1.85
6	6	87.40	1.24	0.00	0.00	4.79	2.49	0.09	0.08	0.01	0.32	0.50	0.03	0.01	0.04	0.00	0.00	1.83
6	7	87.40	1.24	0.00	0.00	4.79	2.47	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.80
6	8	87.40	1.24	0.00	0.00	4.79	2.46	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.78
6	9	87.40	1.24	0.00	0.00	4.79	2.45	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.76
6	10	87.40	1.24	0.00	0.00	4.78	2.44	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.73
6	11	87.40	1.24	0.00	0.00	4.78	2.42	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.71
6	12	87.40	1.24	0.00	0.00	4.78	2.41	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.69
6	13	87.40	1.24	0.00	0.00	4.78	2.40	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.66
6	14	87.40	1.24	0.00	0.00	4.78	2.39	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.64
6	15	87.40	1.24	0.00	0.00	4.78	2.37	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.62
6	16	87.40	1.24	0.00	0.00	4.78	2.36	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.60
6	17	87.40	1.24	0.00	0.00	4.78	2.35	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.58
6	18	87.40	1.24	0.00	0.00	4.78	2.34	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.56
6	19	87.40	1.24	0.00	0.00	4.78	2.32	0.08	0.08	0.01	0.33	0.50	0.02	0.02	0.04	0.00	0.00	1.54
6	20	87.40	1.24	0.00	0.00	4.78	2.31	0.08	0.08	0.01	0.33	0.50	0.02	0.02	0.04	0.00	0.00	1.52
7	1	87.40	1.24	0.00	0.00	4.80	2.30	0.08	0.08	0.01	0.33	0.50	0.02	0.02	0.04	0.00	0.00	1.50
7	2	87.40	1.24	0.00	0.00	4.83	2.29	0.08	0.08	0.01	0.33	0.50	0.02	0.02	0.04	0.00	0.00	1.48
7	3	87.40	1.24	0.00	0.00	4.85	2.28	0.08	0.08	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.46
7	4	87.40	1.24	0.00	0.00	4.87	2.27	0.08	0.08	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.44
7	5	87.40	1.24	0.00	0.00	4.90	2.25	0.08	0.08	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.42
7	6	87.40	1.24	0.00	0.00	4.92	2.24	0.08	0.08	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.40
7	7	87.40	1.24	0.00	0.00	4.94	2.23	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.38
7	8	87.40	1.24	0.00	0.00	4.96	2.22	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.37
7	9	87.40	1.24	0.00	0.00	4.98	2.21	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.35
7	10	87.40	1.24	0.00	0.00	4.99	2.20	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.33

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	87.40	1.24	0.00	0.00	5.01	2.19	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.32
7	12	87.40	1.24	0.00	0.00	5.03	2.17	0.07	0.07	0.01	0.35	0.50	0.02	0.02	0.04	0.00	0.00	1.30
7	13	87.40	1.24	0.00	0.00	5.05	2.17	0.08	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.37
7	14	87.40	1.24	0.00	0.00	5.07	2.16	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.35
7	15	87.40	1.24	0.00	0.00	5.08	2.15	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.34
7	16	87.40	1.24	0.00	0.00	5.10	2.14	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.32
7	17	87.40	1.24	0.00	0.00	5.11	2.13	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.31
7	18	87.40	1.24	0.00	0.00	5.13	2.12	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.29
7	19	87.40	1.24	0.00	0.00	5.14	2.10	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.27
7	20	87.40	1.24	0.00	0.00	5.15	2.09	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.26
8	1	87.40	1.24	0.00	0.00	5.17	2.09	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.24
8	2	87.40	1.24	0.00	0.00	5.18	2.07	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.23
8	3	87.40	1.24	0.00	0.00	5.19	2.06	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.21
8	4	87.40	1.24	0.00	0.00	5.20	2.05	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.20
8	5	87.40	1.24	0.00	0.00	5.22	2.04	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.18
8	6	87.40	1.24	0.00	0.00	5.23	2.03	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.17
8	7	87.40	1.24	0.00	0.00	5.24	2.02	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.16
8	8	87.40	1.24	0.00	0.00	5.25	2.01	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.14

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN NITRGN *	FACTORS PHSPRS *
1	1	1	8.27	0.16	0.08	1.03	1.71	0.06	0.50	0.18	4.23	0.11	0.53	0.65
2	1	2	8.14	0.16	0.08	1.03	1.73	0.07	0.50	0.19	4.23	0.11	0.54	0.65
3	1	3	8.02	0.16	0.08	1.03	1.75	0.07	0.50	0.19	4.23	0.11	0.54	0.65
4	1	4	7.90	0.16	0.08	1.03	1.76	0.07	0.50	0.19	4.22	0.11	0.55	0.65
5	1	5	7.78	0.16	0.08	1.03	1.77	0.07	0.50	0.20	4.22	0.11	0.55	0.65

									CRF_65C.OUT					
6	1	6	7.66	0.16	0.08	1.03	1.79	0.07	0.50	0.20	4.22	0.11	0.56	0.65
7	1	7	7.54	0.16	0.08	1.03	1.80	0.07	0.50	0.20	4.21	0.11	0.56	0.65
8	1	8	7.43	0.16	0.08	1.03	1.81	0.07	0.50	0.21	4.21	0.11	0.56	0.65
9	1	9	7.32	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
10	1	10	7.21	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
11	1	11	7.10	0.17	0.08	1.03	1.83	0.06	0.50	0.22	4.20	0.11	0.57	0.64
12	1	12	7.00	0.17	0.08	1.03	1.84	0.06	0.50	0.22	4.20	0.11	0.58	0.64
13	1	13	6.89	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
14	1	14	6.79	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
15	1	15	6.69	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
16	1	16	6.59	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
17	1	17	6.50	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.19	0.11	0.59	0.64
18	1	18	6.40	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.18	0.11	0.59	0.64
19	1	19	6.31	0.17	0.08	1.03	1.88	0.06	0.50	0.23	4.18	0.11	0.59	0.64
20	1	20	6.22	0.17	0.08	1.03	1.88	0.06	0.50	0.24	4.18	0.11	0.59	0.64
21	2	1	6.13	0.17	0.08	1.03	1.89	0.06	0.50	0.24	4.18	0.11	0.59	0.64
22	2	2	6.04	0.17	0.08	1.03	1.89	0.06	0.50	0.24	4.18	0.11	0.60	0.63
23	2	3	5.95	0.17	0.08	1.03	1.89	0.06	0.50	0.24	4.17	0.11	0.60	0.63
24	2	4	5.86	0.17	0.08	1.03	1.90	0.06	0.50	0.24	4.17	0.11	0.60	0.63
25	2	5	5.78	0.17	0.08	1.03	1.90	0.06	0.50	0.24	4.17	0.11	0.60	0.63
26	2	6	5.69	0.17	0.08	1.03	1.90	0.06	0.50	0.24	4.17	0.11	0.60	0.63
27	2	7	5.61	0.17	0.08	1.03	1.91	0.06	0.50	0.25	4.16	0.11	0.60	0.63
28	2	8	5.53	0.17	0.08	1.03	1.91	0.05	0.50	0.25	4.16	0.11	0.60	0.63
29	2	9	5.45	0.17	0.08	1.03	1.91	0.05	0.50	0.25	4.16	0.11	0.61	0.63
30	2	10	5.37	0.17	0.08	1.03	1.91	0.05	0.50	0.25	4.16	0.11	0.61	0.63
31	2	11	5.30	0.17	0.08	1.03	1.92	0.05	0.50	0.25	4.16	0.11	0.61	0.63
32	2	12	5.22	0.17	0.08	1.03	1.92	0.05	0.50	0.25	4.15	0.11	0.61	0.63
33	2	13	5.14	0.18	0.08	1.03	1.92	0.05	0.50	0.25	4.15	0.11	0.61	0.63
34	2	14	5.07	0.18	0.08	1.03	1.92	0.05	0.50	0.25	4.15	0.11	0.61	0.62
35	2	15	5.00	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.15	0.11	0.61	0.62
36	2	16	4.93	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.15	0.11	0.61	0.62
37	2	17	4.86	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.14	0.11	0.62	0.62
38	2	18	4.79	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.14	0.11	0.62	0.62
39	2	19	4.72	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.14	0.11	0.62	0.62
40	2	20	4.65	0.18	0.08	1.03	1.94	0.05	0.50	0.25	4.14	0.11	0.62	0.62
41	3	1	4.58	0.18	0.08	1.03	1.94	0.05	0.50	0.25	4.14	0.11	0.62	0.62
42	3	2	4.52	0.18	0.08	1.03	1.94	0.05	0.50	0.25	4.14	0.11	0.62	0.62
43	3	3	4.45	0.18	0.08	1.03	1.94	0.05	0.50	0.26	4.13	0.11	0.62	0.62
44	3	4	4.39	0.18	0.08	1.03	1.94	0.05	0.50	0.26	4.13	0.11	0.62	0.62
45	3	5	4.33	0.18	0.08	1.03	1.94	0.04	0.50	0.26	4.13	0.11	0.62	0.62
46	3	6	4.27	0.18	0.08	1.03	1.95	0.04	0.50	0.26	4.13	0.11	0.62	0.62
47	3	7	4.21	0.18	0.08	1.03	1.95	0.04	0.50	0.26	4.13	0.11	0.63	0.62
48	3	8	4.15	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.13	0.11	0.63	0.61
49	3	9	4.09	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.12	0.11	0.63	0.61
50	3	10	4.03	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.12	0.11	0.63	0.61
51	3	11	3.97	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.12	0.11	0.63	0.61



CRF_65C.OUT														
52	3	12	3.92	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.12	0.11	0.63	0.61
53	3	13	3.86	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.12	0.11	0.63	0.61
54	3	14	3.81	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.12	0.11	0.63	0.61
55	3	15	3.75	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.63	0.61
56	3	16	3.70	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.63	0.61
57	3	17	3.65	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.63	0.61
58	3	18	3.60	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.64	0.61
59	3	19	3.54	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.64	0.61
60	3	20	3.49	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.64	0.61
61	4	1	3.45	0.18	0.08	1.03	1.97	0.04	0.50	0.25	4.11	0.11	0.64	0.61
62	4	2	3.40	0.18	0.08	1.03	1.97	0.04	0.50	0.25	4.11	0.11	0.64	0.61
63	4	3	3.35	0.18	0.08	1.03	1.97	0.04	0.50	0.25	4.10	0.11	0.64	0.61
64	4	4	3.30	0.18	0.08	1.03	1.97	0.03	0.50	0.25	4.10	0.11	0.64	0.60
65	4	5	3.26	0.18	0.08	1.03	1.97	0.03	0.50	0.25	4.10	0.11	0.64	0.60

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N		LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *		LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.21	0.18	0.08	1.03	1.97	0.03	0.50	0.25	4.10	0.11	0.64	0.60
67	4	7	3.16	0.18	0.08	1.03	1.97	0.03	0.50	0.25	4.10	0.11	0.64	0.60
68	4	8	3.12	0.18	0.08	1.03	1.97	0.03	0.50	0.24	4.10	0.11	0.64	0.60
69	4	9	3.08	0.18	0.08	1.03	1.97	0.03	0.50	0.24	4.10	0.11	0.64	0.60
70	4	10	3.03	0.18	0.08	1.03	1.97	0.03	0.50	0.24	4.10	0.11	0.64	0.60
71	4	11	2.99	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
72	4	12	2.95	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
73	4	13	2.91	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
74	4	14	2.87	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
75	4	15	2.83	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
76	4	16	2.79	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
77	4	17	2.75	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
78	4	18	2.71	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
79	4	19	2.67	0.18	0.08	1.03	1.98	0.03	0.50	0.23	4.09	0.11	0.65	0.60
80	4	20	2.63	0.18	0.08	1.03	1.98	0.03	0.50	0.23	4.08	0.11	0.65	0.60
81	5	1	2.60	0.18	0.08	1.03	1.98	0.03	0.50	0.23	4.08	0.11	0.65	0.60
82	5	2	2.56	0.18	0.08	1.03	1.98	0.03	0.50	0.23	4.08	0.11	0.65	0.60
83	5	3	2.52	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.65	0.59
84	5	4	2.49	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.65	0.59
85	5	5	2.45	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.65	0.59

CRF\_65C.OUT

86	5	6	2.42	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.66	0.59
87	5	7	2.39	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.66	0.59
88	5	8	2.35	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.66	0.59
89	5	9	2.32	0.18	0.08	1.03	1.99	0.03	0.50	0.22	4.08	0.11	0.66	0.59
90	5	10	2.29	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
91	5	11	2.26	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
92	5	12	2.22	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
93	5	13	2.19	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
94	5	14	2.16	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
95	5	15	2.13	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
96	5	16	2.10	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
97	5	17	2.07	0.18	0.08	1.03	2.00	0.02	0.50	0.22	4.07	0.11	0.66	0.59
98	5	18	2.04	0.18	0.08	1.03	2.00	0.02	0.50	0.21	4.07	0.11	0.66	0.59
99	5	19	2.02	0.18	0.08	1.03	2.00	0.02	0.50	0.21	4.07	0.11	0.66	0.59
100	5	20	1.99	0.18	0.08	1.03	2.00	0.02	0.50	0.21	4.07	0.11	0.66	0.59
101	6	1	1.96	0.18	0.08	1.03	2.01	0.02	0.50	0.21	4.07	0.11	0.66	0.59
102	6	2	1.93	0.18	0.08	1.03	2.02	0.02	0.50	0.21	4.06	0.11	0.66	0.59
103	6	3	1.91	0.18	0.08	1.03	2.03	0.02	0.50	0.21	4.06	0.11	0.66	0.59
104	6	4	1.88	0.19	0.08	1.03	2.03	0.02	0.50	0.21	4.06	0.11	0.66	0.60
105	6	5	1.85	0.19	0.08	1.03	2.04	0.02	0.50	0.21	4.06	0.11	0.67	0.60
106	6	6	1.83	0.19	0.08	1.03	2.05	0.02	0.50	0.21	4.06	0.11	0.67	0.60
107	6	7	1.80	0.19	0.08	1.03	2.06	0.02	0.50	0.20	4.06	0.11	0.67	0.60
108	6	8	1.78	0.19	0.08	1.03	2.07	0.02	0.50	0.20	4.06	0.11	0.67	0.60
109	6	9	1.76	0.19	0.08	1.03	2.07	0.02	0.50	0.20	4.06	0.11	0.67	0.61
110	6	10	1.73	0.19	0.08	1.03	2.08	0.02	0.50	0.20	4.06	0.11	0.67	0.61
111	6	11	1.71	0.19	0.08	1.03	2.09	0.02	0.50	0.20	4.06	0.11	0.67	0.61
112	6	12	1.69	0.19	0.08	1.03	2.10	0.02	0.50	0.20	4.06	0.11	0.67	0.61
113	6	13	1.66	0.19	0.08	1.03	2.11	0.02	0.50	0.20	4.06	0.11	0.67	0.61
114	6	14	1.64	0.19	0.08	1.03	2.11	0.02	0.50	0.20	4.06	0.11	0.67	0.61
115	6	15	1.62	0.19	0.08	1.03	2.12	0.02	0.50	0.19	4.06	0.11	0.67	0.62
116	6	16	1.60	0.19	0.08	1.03	2.13	0.02	0.50	0.19	4.05	0.11	0.67	0.62
117	6	17	1.58	0.19	0.08	1.03	2.13	0.02	0.50	0.19	4.05	0.11	0.67	0.62
118	6	18	1.56	0.20	0.08	1.03	2.14	0.02	0.50	0.19	4.05	0.11	0.67	0.62
119	6	19	1.54	0.20	0.08	1.03	2.15	0.02	0.50	0.19	4.05	0.11	0.67	0.62
120	6	20	1.52	0.20	0.08	1.03	2.16	0.02	0.50	0.19	4.05	0.11	0.67	0.62
121	7	1	1.50	0.20	0.08	1.03	2.16	0.02	0.50	0.19	4.05	0.11	0.67	0.63
122	7	2	1.48	0.20	0.08	1.03	2.17	0.02	0.50	0.19	4.05	0.11	0.67	0.63
123	7	3	1.46	0.20	0.08	1.03	2.18	0.02	0.50	0.18	4.05	0.11	0.67	0.63
124	7	4	1.44	0.20	0.08	1.03	2.18	0.02	0.50	0.18	4.05	0.11	0.67	0.63
125	7	5	1.42	0.20	0.08	1.03	2.19	0.02	0.50	0.18	4.05	0.11	0.67	0.63
126	7	6	1.40	0.20	0.08	1.03	2.20	0.02	0.50	0.18	4.05	0.11	0.67	0.63
127	7	7	1.38	0.20	0.08	1.03	2.20	0.02	0.50	0.18	4.05	0.11	0.67	0.63
128	7	8	1.37	0.20	0.08	1.03	2.21	0.02	0.50	0.18	4.05	0.11	0.68	0.64
129	7	9	1.35	0.20	0.08	1.03	2.21	0.02	0.50	0.18	4.05	0.11	0.68	0.64
130	7	10	1.33	0.20	0.08	1.03	2.22	0.02	0.50	0.18	4.05	0.11	0.68	0.64

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS											
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.32	0.20	0.08	1.03	2.23	0.02	0.50	0.18	4.05	0.11	0.68	0.64
132	7	12	1.30	0.20	0.08	1.03	2.23	0.02	0.50	0.17	4.05	0.11	0.68	0.64
133	7	13	1.37	0.20	0.08	1.03	2.21	0.02	0.50	0.17	4.05	0.11	0.68	0.65
134	7	14	1.35	0.20	0.08	1.03	2.22	0.02	0.50	0.17	4.05	0.11	0.68	0.65
135	7	15	1.34	0.20	0.08	1.03	2.22	0.02	0.50	0.17	4.05	0.11	0.68	0.65
136	7	16	1.32	0.20	0.08	1.03	2.23	0.02	0.50	0.17	4.05	0.11	0.68	0.65
137	7	17	1.31	0.20	0.08	1.03	2.24	0.02	0.50	0.17	4.05	0.11	0.68	0.65
138	7	18	1.29	0.20	0.08	1.03	2.24	0.02	0.50	0.17	4.05	0.11	0.68	0.65
139	7	19	1.27	0.20	0.08	1.03	2.25	0.02	0.50	0.17	4.04	0.11	0.68	0.65
140	7	20	1.26	0.21	0.08	1.03	2.25	0.02	0.50	0.16	4.04	0.11	0.68	0.65
141	8	1	1.24	0.21	0.08	1.03	2.27	0.02	0.50	0.16	4.04	0.11	0.68	0.66
142	8	2	1.23	0.21	0.08	1.03	2.27	0.02	0.50	0.16	4.04	0.11	0.68	0.66
143	8	3	1.21	0.21	0.08	1.03	2.28	0.02	0.50	0.16	4.04	0.11	0.68	0.66
144	8	4	1.20	0.21	0.08	1.03	2.28	0.02	0.50	0.16	4.04	0.11	0.68	0.66
145	8	5	1.18	0.21	0.08	1.03	2.29	0.02	0.50	0.16	4.04	0.11	0.68	0.66
146	8	6	1.17	0.21	0.08	1.03	2.29	0.02	0.50	0.16	4.04	0.11	0.68	0.66
147	8	7	1.16	0.21	0.08	1.03	2.30	0.02	0.50	0.16	4.04	0.11	0.68	0.66
148	8	8	1.14	0.21	0.08	1.03	2.30	0.02	0.50	0.16	4.04	0.11	0.68	0.67

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

ELE ORD	RCH NUM	ELE NUM	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)												
			TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	87.40	7.46	3.47	3.99	0.00	1.00	54.07	2.58	-0.35	-0.03	0.06	-0.03	-0.08
2	1	2	87.40	7.46	3.54	3.92	0.00	1.00	0.00	2.53	-0.35	-0.03	0.07	-0.04	-0.07
3	1	3	87.40	7.46	3.60	3.85	0.00	1.00	0.00	2.49	-0.35	-0.03	0.07	-0.04	-0.07
4	1	4	87.40	7.46	3.67	3.79	0.00	1.00	0.00	2.45	-0.34	-0.03	0.07	-0.04	-0.06
5	1	5	87.40	7.46	3.73	3.73	0.00	1.00	0.00	2.41	-0.34	-0.03	0.07	-0.04	-0.06

									CRF_65C.OUT						
6	1	6	87.40	7.46	3.79	3.67	0.00	1.00	0.00	2.37	-0.34	-0.03	0.07	-0.04	-0.05
7	1	7	87.40	7.46	3.84	3.61	0.00	1.00	0.00	2.33	-0.34	-0.03	0.07	-0.04	-0.05
8	1	8	87.40	7.46	3.90	3.56	0.00	1.00	0.00	2.30	-0.34	-0.03	0.07	-0.04	-0.05
9	1	9	87.40	7.46	3.95	3.51	0.00	1.00	0.00	2.26	-0.34	-0.03	0.07	-0.04	-0.04
10	1	10	87.40	7.46	4.00	3.45	0.00	1.00	0.00	2.23	-0.33	-0.03	0.07	-0.05	-0.04
11	1	11	87.40	7.46	4.05	3.41	0.00	1.00	0.00	2.20	-0.33	-0.03	0.06	-0.05	-0.04
12	1	12	87.40	7.46	4.10	3.36	0.00	1.00	0.00	2.17	-0.33	-0.03	0.06	-0.05	-0.04
13	1	13	87.40	7.46	4.15	3.31	0.00	1.00	0.00	2.14	-0.33	-0.03	0.06	-0.05	-0.03
14	1	14	87.40	7.46	4.19	3.27	0.00	1.00	0.00	2.11	-0.33	-0.03	0.06	-0.05	-0.03
15	1	15	87.40	7.46	4.23	3.23	0.00	1.00	0.00	2.08	-0.33	-0.03	0.06	-0.05	-0.03
16	1	16	87.40	7.46	4.27	3.18	0.00	1.00	0.00	2.06	-0.32	-0.03	0.06	-0.05	-0.03
17	1	17	87.40	7.46	4.31	3.14	0.00	1.00	0.00	2.03	-0.32	-0.03	0.06	-0.05	-0.03
18	1	18	87.40	7.46	4.35	3.11	0.00	1.00	0.00	2.01	-0.32	-0.03	0.06	-0.05	-0.03
19	1	19	87.40	7.46	4.39	3.07	0.00	1.00	0.00	1.98	-0.32	-0.03	0.06	-0.05	-0.03
20	1	20	87.40	7.46	4.42	3.04	0.00	1.00	0.00	1.96	-0.32	-0.03	0.06	-0.06	-0.03
21	2	1	87.40	7.46	4.46	3.00	0.00	1.00	0.00	1.94	-0.32	-0.03	0.06	-0.06	-0.03
22	2	2	87.40	7.46	4.49	2.97	0.00	1.00	0.00	1.92	-0.31	-0.03	0.06	-0.06	-0.02
23	2	3	87.40	7.46	4.52	2.94	0.00	1.00	0.00	1.90	-0.31	-0.03	0.06	-0.06	-0.02
24	2	4	87.40	7.46	4.55	2.91	0.00	1.00	0.00	1.88	-0.31	-0.03	0.06	-0.06	-0.02
25	2	5	87.40	7.46	4.58	2.88	0.00	1.00	0.00	1.86	-0.31	-0.03	0.06	-0.06	-0.02
26	2	6	87.40	7.46	4.61	2.85	0.00	1.00	0.00	1.84	-0.31	-0.03	0.06	-0.06	-0.02
27	2	7	87.40	7.46	4.63	2.82	0.00	1.00	0.00	1.82	-0.31	-0.03	0.06	-0.06	-0.02
28	2	8	87.40	7.46	4.66	2.80	0.00	1.00	0.00	1.81	-0.30	-0.03	0.05	-0.06	-0.02
29	2	9	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.30	-0.03	0.05	-0.06	-0.02
30	2	10	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.30	-0.03	0.05	-0.06	-0.02
31	2	11	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.30	-0.03	0.05	-0.06	-0.02
32	2	12	87.40	7.46	4.75	2.70	0.00	1.00	0.00	1.75	-0.30	-0.03	0.05	-0.06	-0.02
33	2	13	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.30	-0.03	0.05	-0.06	-0.02
34	2	14	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.30	-0.03	0.05	-0.06	-0.02
35	2	15	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.71	-0.29	-0.03	0.05	-0.06	-0.02
36	2	16	87.40	7.46	4.84	2.62	0.00	1.00	0.00	1.69	-0.29	-0.03	0.05	-0.07	-0.02
37	2	17	87.40	7.46	4.85	2.60	0.00	1.00	0.00	1.68	-0.29	-0.03	0.05	-0.07	-0.02
38	2	18	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.29	-0.03	0.05	-0.07	-0.02
39	2	19	87.40	7.46	4.89	2.57	0.00	1.00	0.00	1.66	-0.29	-0.03	0.05	-0.07	-0.02
40	2	20	87.40	7.46	4.90	2.55	0.00	1.00	0.00	1.65	-0.29	-0.03	0.05	-0.07	-0.02
41	3	1	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.29	-0.03	0.05	-0.07	-0.02
42	3	2	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.28	-0.03	0.05	-0.07	-0.02
43	3	3	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.28	-0.03	0.05	-0.07	-0.02
44	3	4	87.40	7.46	4.96	2.49	0.00	1.00	0.00	1.61	-0.28	-0.03	0.05	-0.07	-0.02
45	3	5	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.28	-0.03	0.04	-0.07	-0.02
46	3	6	87.40	7.46	4.99	2.47	0.00	1.00	0.00	1.59	-0.28	-0.03	0.04	-0.07	-0.02
47	3	7	87.40	7.46	5.00	2.45	0.00	1.00	0.00	1.59	-0.28	-0.03	0.04	-0.07	-0.02
48	3	8	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.58	-0.27	-0.03	0.04	-0.07	-0.02
49	3	9	87.40	7.46	5.03	2.43	0.00	1.00	0.00	1.57	-0.27	-0.03	0.04	-0.07	-0.02
50	3	10	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.27	-0.03	0.04	-0.07	-0.02
51	3	11	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.56	-0.27	-0.03	0.04	-0.07	-0.02

										CRF_65C.OUT					
52	3	12	87.40	7.46	5.06	2.40	0.00	1.00	0.00	1.55	-0.27	-0.03	0.04	-0.07	-0.02
53	3	13	87.40	7.46	5.07	2.39	0.00	1.00	0.00	1.54	-0.27	-0.03	0.04	-0.07	-0.02
54	3	14	87.40	7.46	5.08	2.38	0.00	1.00	0.00	1.54	-0.27	-0.03	0.04	-0.07	-0.02
55	3	15	87.40	7.46	5.09	2.37	0.00	1.00	0.00	1.53	-0.27	-0.03	0.04	-0.07	-0.02
56	3	16	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.52	-0.26	-0.03	0.04	-0.07	-0.02
57	3	17	87.40	7.46	5.11	2.35	0.00	1.00	0.00	1.52	-0.26	-0.03	0.04	-0.07	-0.02
58	3	18	87.40	7.46	5.12	2.34	0.00	1.00	0.00	1.51	-0.26	-0.03	0.04	-0.07	-0.02
59	3	19	87.40	7.46	5.12	2.34	0.00	1.00	0.00	1.51	-0.26	-0.03	0.04	-0.07	-0.02
60	3	20	87.40	7.46	5.13	2.33	0.00	1.00	0.00	1.50	-0.26	-0.03	0.04	-0.07	-0.02
61	4	1	87.40	7.46	5.11	2.34	0.00	1.00	0.00	1.51	-0.26	-0.04	0.04	-0.07	-0.02
62	4	2	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.53	-0.26	-0.04	0.04	-0.07	-0.02
63	4	3	87.40	7.46	5.08	2.38	0.00	1.00	0.00	1.54	-0.25	-0.04	0.04	-0.07	-0.02
64	4	4	87.40	7.46	5.07	2.39	0.00	1.00	0.01	1.55	-0.25	-0.04	0.03	-0.07	-0.02
65	4	5	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.55	-0.25	-0.04	0.03	-0.07	-0.02

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

										COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)					
ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
66	4	6	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.25	-0.04	0.03	-0.07	-0.02
67	4	7	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.25	-0.04	0.03	-0.07	-0.02
68	4	8	87.40	7.46	5.01	2.45	0.00	1.00	0.00	1.58	-0.25	-0.04	0.03	-0.07	-0.02
69	4	9	87.40	7.46	5.00	2.46	0.00	1.00	0.00	1.59	-0.25	-0.04	0.03	-0.07	-0.02
70	4	10	87.40	7.46	4.99	2.47	0.00	1.00	0.00	1.60	-0.25	-0.04	0.03	-0.07	-0.02
71	4	11	87.40	7.46	4.97	2.48	0.00	1.00	0.00	1.60	-0.24	-0.04	0.03	-0.07	-0.02
72	4	12	87.40	7.46	4.96	2.49	0.00	1.00	0.00	1.61	-0.24	-0.04	0.03	-0.07	-0.02
73	4	13	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.24	-0.04	0.03	-0.07	-0.02
74	4	14	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.62	-0.24	-0.04	0.03	-0.07	-0.02
75	4	15	87.40	7.46	4.93	2.52	0.00	1.00	0.00	1.63	-0.24	-0.04	0.03	-0.07	-0.02
76	4	16	87.40	7.46	4.92	2.53	0.00	1.00	0.00	1.64	-0.24	-0.04	0.03	-0.07	-0.02
77	4	17	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.24	-0.04	0.03	-0.07	-0.02
78	4	18	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.65	-0.24	-0.04	0.03	-0.07	-0.02
79	4	19	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.23	-0.04	0.03	-0.07	-0.02
80	4	20	87.40	7.46	4.89	2.57	0.00	1.00	0.00	1.66	-0.23	-0.04	0.03	-0.07	-0.02
81	5	1	87.40	7.46	4.89	2.57	0.00	1.00	0.00	1.66	-0.23	-0.04	0.03	-0.07	-0.02
82	5	2	87.40	7.46	4.88	2.58	0.00	1.00	0.00	1.67	-0.23	-0.04	0.03	-0.07	-0.02
83	5	3	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.23	-0.04	0.03	-0.07	-0.02
84	5	4	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.23	-0.04	0.03	-0.07	-0.02
85	5	5	87.40	7.46	4.86	2.60	0.00	1.00	0.00	1.68	-0.23	-0.04	0.03	-0.07	-0.02

CRF\_65C.OUT

86	5	6	87.40	7.46	4.85	2.60	0.00	1.00	0.00	1.68	-0.23	-0.04	0.03	-0.07	-0.02
87	5	7	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.68	-0.22	-0.04	0.03	-0.07	-0.02
88	5	8	87.40	7.46	4.84	2.61	0.00	1.00	0.00	1.69	-0.22	-0.04	0.03	-0.07	-0.02
89	5	9	87.40	7.46	4.84	2.62	0.00	1.00	0.00	1.69	-0.22	-0.04	0.03	-0.07	-0.02
90	5	10	87.40	7.46	4.83	2.62	0.00	1.00	0.00	1.69	-0.22	-0.04	0.02	-0.07	-0.02
91	5	11	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.22	-0.04	0.02	-0.07	-0.02
92	5	12	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.22	-0.04	0.02	-0.07	-0.02
93	5	13	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.22	-0.04	0.02	-0.07	-0.02
94	5	14	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.22	-0.04	0.02	-0.07	-0.02
95	5	15	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.71	-0.22	-0.04	0.02	-0.07	-0.02
96	5	16	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.21	-0.04	0.02	-0.07	-0.02
97	5	17	87.40	7.46	4.81	2.65	0.00	1.00	0.01	1.71	-0.21	-0.04	0.02	-0.07	-0.02
98	5	18	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.21	-0.04	0.02	-0.07	-0.02
99	5	19	87.40	7.46	4.80	2.65	0.00	1.00	0.00	1.71	-0.21	-0.04	0.02	-0.07	-0.02
100	5	20	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
101	6	1	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
102	6	2	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
103	6	3	87.40	7.46	4.79	2.66	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
104	6	4	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
105	6	5	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
106	6	6	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.20	-0.04	0.02	-0.07	-0.02
107	6	7	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.20	-0.04	0.02	-0.07	-0.02
108	6	8	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.07	-0.02
109	6	9	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.07	-0.02
110	6	10	87.40	7.46	4.78	2.67	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.07	-0.02
111	6	11	87.40	7.46	4.78	2.67	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.07	-0.02
112	6	12	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.06	-0.02
113	6	13	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.06	-0.02
114	6	14	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.06	-0.02
115	6	15	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
116	6	16	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
117	6	17	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
118	6	18	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
119	6	19	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
120	6	20	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
121	7	1	87.40	7.46	4.80	2.65	0.00	1.00	0.00	1.71	-0.19	-0.03	0.02	-0.06	-0.02
122	7	2	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.19	-0.03	0.02	-0.06	-0.02
123	7	3	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.68	-0.19	-0.03	0.02	-0.06	-0.02
124	7	4	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.19	-0.03	0.02	-0.06	-0.02
125	7	5	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.18	-0.03	0.02	-0.06	-0.02
126	7	6	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.18	-0.03	0.02	-0.06	-0.02
127	7	7	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.18	-0.03	0.02	-0.06	-0.02
128	7	8	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.62	-0.18	-0.03	0.02	-0.06	-0.02
129	7	9	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.18	-0.03	0.02	-0.06	-0.02
130	7	10	87.40	7.46	4.99	2.46	0.00	1.00	0.00	1.59	-0.18	-0.03	0.02	-0.06	-0.02

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	87.40	7.46	5.01	2.45	0.00	1.00	0.00	1.58	-0.18	-0.03	0.02	-0.06	-0.02
132	7	12	87.40	7.46	5.03	2.43	0.00	1.00	0.00	1.57	-0.18	-0.03	0.02	-0.06	-0.02
133	7	13	87.40	7.46	5.05	2.41	0.00	1.00	1.08	1.56	-0.18	-0.03	0.02	-0.06	-0.02
134	7	14	87.40	7.46	5.07	2.39	0.00	1.00	0.00	1.54	-0.18	-0.03	0.02	-0.06	-0.02
135	7	15	87.40	7.46	5.08	2.38	0.00	1.00	0.00	1.53	-0.18	-0.03	0.02	-0.06	-0.02
136	7	16	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.52	-0.18	-0.03	0.02	-0.06	-0.02
137	7	17	87.40	7.46	5.11	2.35	0.00	1.00	0.00	1.51	-0.17	-0.03	0.02	-0.06	-0.02
138	7	18	87.40	7.46	5.13	2.33	0.00	1.00	0.00	1.51	-0.17	-0.03	0.02	-0.06	-0.02
139	7	19	87.40	7.46	5.14	2.32	0.00	1.00	0.00	1.50	-0.17	-0.03	0.02	-0.06	-0.02
140	7	20	87.40	7.46	5.15	2.30	0.00	1.00	0.00	1.49	-0.17	-0.03	0.02	-0.06	-0.02
141	8	1	87.40	7.46	5.17	2.29	0.00	1.00	0.00	1.48	-0.17	-0.03	0.02	-0.06	-0.02
142	8	2	87.40	7.46	5.18	2.28	0.00	1.00	0.00	1.47	-0.17	-0.03	0.02	-0.06	-0.02
143	8	3	87.40	7.46	5.19	2.27	0.00	1.00	0.00	1.46	-0.17	-0.03	0.02	-0.06	-0.02
144	8	4	87.40	7.46	5.20	2.25	0.00	1.00	0.00	1.46	-0.17	-0.03	0.02	-0.06	-0.02
145	8	5	87.40	7.46	5.22	2.24	0.00	1.00	0.00	1.45	-0.17	-0.03	0.02	-0.06	-0.02
146	8	6	87.40	7.46	5.23	2.23	0.00	1.00	0.00	1.44	-0.17	-0.03	0.02	-0.06	-0.02
147	8	7	87.40	7.46	5.24	2.22	0.00	1.00	0.00	1.43	-0.17	-0.03	0.02	-0.06	-0.02
148	8	8	87.40	7.46	5.25	2.21	0.00	1.00	0.00	1.43	-0.17	-0.03	0.02	-0.05	-0.02

CRF\_75A.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR  
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)  
 TITLE03 YES CONSERVATIVE MINERAL I  
 TITLE04 NO CONSERVATIVE MINERAL II  
 TITLE05 NO CONSERVATIVE MINERAL III  
 TITLE06 NO TEMPERATURE  
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L  
 TITLE08 YES ALGAE AS CHL-A IN UG/L  
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L  
 TITLE10 (ORGANIC-P; DISSOLVED-P)  
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L  
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)  
 TITLE13 YES DISSOLVED OXYGEN IN MG/L  
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML  
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0





CRF\_75A.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	2.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	3.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	4.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	5.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	6.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	7.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	8.0	81.3	5.40	5.60	1.77

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	2.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	3.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	4.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	5.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	6.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	7.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	8.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	5.6	1.77

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	2.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	3.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	4.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	5.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	6.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	7.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014

CRF\_75A.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 46364 81.3 5.40 5.60 1.77
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 69.63 86.9 3.50 218.3 18.75
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.77
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.77
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF\_75A.dat

1

CRF\_75A.OUT  
\* \* \* QUAL-2E STREAM QUALITY ROUTING MODEL \* \* \*  
\* \* \* EPA/NCASI VERSION \* \* \*

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03	YES CONSERVATIVE MINERAL I
TITLE04	NO CONSERVATIVE MINERAL II
TITLE05	NO CONSERVATIVE MINERAL III
TITLE06	NO TEMPERATURE
TITLE07	YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08	YES ALGAE AS CHL-A IN UG/L
TITLE09	YES PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11	YES NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13	YES DISSOLVED OXYGEN IN MG/L
TITLE14	NO FECAL COLIFORMS IN NO./100 ML
TITLE15	NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500



CRF\_75A.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SPO4
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CRF\_75A.OUT

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	2.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	3.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	4.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	5.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	6.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	7.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	8.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	2.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	3.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	4.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	5.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	6.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	7.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	8.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE                      JUNCTION ORDER AND IDENT                      UPSTRM    JUNCTION                      TRIB



0           ENDATA9                   0.                   0.                   0.  
 \$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	46364.00	81.30	5.40	5.60	1.77	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	69.63	86.90	3.50	218.30	18.75	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	1.77	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	1.77	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	7.	BAYOU BARTH0	0.00	222.00	85.10	5.40	2.80	1.77	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	1.77	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0           \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

CARD TYPE TEMP D.O. BOD CM-1 CM-2 CM-3 ANC COLI  
 ENDATA13 DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED  
 \$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$

CARD TYPE CHL-A ORG-N NH3-N NO2-N NH3-N ORG-P DIS-P  
 ENDATA13A DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

1  
0

RCH/CL	CONSERVATIVE MINERAL I																			ITERATION 1	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	
2	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
3	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
4	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
5	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
6	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
7	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
8	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	

0

RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L																			ITERATION 1	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.75	
2	5.02	4.98	4.94	4.90	4.86	4.82	4.78	4.74	4.70	4.66	4.62	4.58	4.54	4.51	4.47	4.43	4.40	4.36	4.32	4.29	
3	4.25	4.22	4.18	4.15	4.11	4.08	4.05	4.01	3.98	3.95	3.91	3.88	3.85	3.82	3.79	3.75	3.72	3.69	3.66	3.63	
4	3.60	3.57	3.54	3.51	3.48	3.46	3.43	3.40	3.37	3.34	3.31	3.29	3.26	3.23	3.21	3.18	3.15	3.13	3.10	3.08	
5	3.05	3.03	3.00	2.98	2.95	2.93	2.90	2.88	2.85	2.83	2.81	2.78	2.76	2.74	2.72	2.69	2.67	2.65	2.63	2.60	
6	2.58	2.56	2.54	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.38	2.36	2.34	2.32	2.30	2.28	2.26	2.24	2.22	2.21	
7	2.19	2.17	2.15	2.13	2.12	2.10	2.08	2.06	2.05	2.03	2.01	2.00	1.98	1.97	1.95	1.93	1.92	1.90	1.89	1.87	
8	1.86	1.84	1.83	1.81	1.80	1.78	1.77	1.75													

1  
 STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:  
 -----

RCH/CL	VARIABLE	ITERATION	NUMBER OF NONCONVERGENT ELEMENTS																	
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	8.28	8.16	8.04	7.93	7.81	7.70	7.59	7.48	7.37	7.26	7.16	7.06	6.95	6.85	6.75	6.66	6.56	6.47	6.37	6.28
2	6.18	6.09	6.00	5.92	5.83	5.75	5.67	5.58	5.50	5.42	5.35	5.27	5.19	5.12	5.04	4.97	4.90	4.83	4.76	4.69
3	4.62	4.56	4.49	4.43	4.36	4.30	4.24	4.18	4.12	4.06	4.00	3.94	3.88	3.83	3.77	3.72	3.66	3.61	3.56	3.51
4	3.46	3.41	3.36	3.31	3.26	3.21	3.17	3.12	3.08	3.03	2.99	2.95	2.90	2.86	2.82	2.78	2.74	2.70	2.66	2.62
5	2.58	2.55	2.51	2.47	2.44	2.40	2.37	2.33	2.30	2.27	2.23	2.20	2.17	2.14	2.11	2.08	2.05	2.02	1.99	1.96
6	1.93	1.90	1.88	1.85	1.82	1.80	1.77	1.74	1.72	1.69	1.67	1.65	1.62	1.60	1.58	1.55	1.53	1.51	1.49	1.47
7	1.44	1.42	1.40	1.38	1.36	1.34	1.32	1.30	1.29	1.27	1.25	1.23	1.25	1.23	1.21	1.19	1.18	1.16	1.14	1.13

		8	1.11	1.09	1.08	1.06	1.05	1.03	1.02	1.00											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.32	0.32	0.31	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
2	0.24	0.24	0.24	0.23	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13
4	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
6	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05
7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04
8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.10
2	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.13	0.13
3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12
4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11
5	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06
8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02

CRF_75A.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	20	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	
2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19	
3	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.23	0.23	0.23	0.23	0.24	0.24	0.24	
4	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.30	
5	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.34	0.34	
6	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.38	0.38	
7	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.41	0.41	0.41	0.41	
8	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.42												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.42	5.44	5.46	5.47	5.49	5.51	5.52	5.54	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.66	5.67	5.69	5.70	
2	5.72	5.73	5.74	5.74	5.75	5.76	5.77	5.78	5.79	5.80	5.80	5.81	5.82	5.83	5.84	5.85	5.85	5.86	5.87	
3	5.89	5.89	5.90	5.91	5.92	5.93	5.93	5.94	5.95	5.96	5.97	5.97	5.98	5.99	6.00	6.01	6.01	6.02	6.03	
4	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.04	6.04	6.04	6.04	6.04	6.05	6.05	
5	6.06	6.06	6.06	6.07	6.07	6.08	6.08	6.08	6.09	6.09	6.10	6.10	6.11	6.11	6.12	6.12	6.13	6.13	6.14	
6	6.15	6.15	6.16	6.17	6.17	6.18	6.18	6.19	6.19	6.20	6.21	6.21	6.22	6.22	6.23	6.23	6.24	6.25	6.26	
7	6.27	6.29	6.30	6.32	6.33	6.35	6.36	6.37	6.39	6.40	6.41	6.42	6.43	6.44	6.45	6.47	6.48	6.49	6.50	
8	6.52	6.53	6.54	6.55	6.56	6.57	6.58	6.58												
ALGAE GROWTH RATE						1		124												
ALGAE GROWTH RATE						2		0												
ALGAE GROWTH RATE						3		0												

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 ( 204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 13.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL\*FN\*FP

1		DISSOLVED OXYGEN IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	5.42	5.44	5.46	5.47	5.49	5.51	5.53	5.54	5.56	5.58	5.59	5.61	5.62	5.64	5.65	5.66	5.68	5.69	5.70	5.72
	2	5.72	5.73	5.74	5.75	5.76	5.77	5.78	5.79	5.80	5.81	5.82	5.82	5.83	5.84	5.85	5.86	5.87	5.87	5.88	5.89
	3	5.90	5.91	5.92	5.92	5.93	5.94	5.95	5.96	5.96	5.97	5.98	5.99	5.99	6.00	6.01	6.02	6.03	6.03	6.04	6.05
	4	6.05	6.05	6.04	6.04	6.04	6.04	6.04	6.04	6.04	6.04	6.05	6.05	6.05	6.05	6.05	6.05	6.06	6.06	6.06	6.07
	5	6.07	6.07	6.08	6.08	6.08	6.09	6.09	6.10	6.10	6.10	6.11	6.11	6.12	6.12	6.13	6.13	6.14	6.14	6.15	6.15
	6	6.16	6.16	6.17	6.18	6.18	6.19	6.19	6.20	6.20	6.20	6.21	6.21	6.22	6.23	6.24	6.24	6.25	6.25	6.26	6.27
	7	6.28	6.30	6.31	6.33	6.34	6.36	6.37	6.38	6.39	6.41	6.42	6.43	6.44	6.45	6.46	6.47	6.48	6.49	6.51	6.52
	8	6.53	6.54	6.55	6.55	6.56	6.57	6.58	6.59												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.75
	2	5.02	4.98	4.94	4.90	4.86	4.82	4.78	4.74	4.70	4.66	4.62	4.58	4.54	4.51	4.47	4.43	4.40	4.36	4.32	4.29
	3	4.25	4.22	4.18	4.15	4.11	4.08	4.05	4.01	3.98	3.95	3.91	3.88	3.85	3.82	3.79	3.75	3.72	3.69	3.66	3.63
	4	3.60	3.57	3.54	3.51	3.48	3.46	3.43	3.40	3.37	3.34	3.31	3.29	3.26	3.23	3.21	3.18	3.15	3.13	3.10	3.08
	5	3.05	3.03	3.00	2.98	2.95	2.93	2.90	2.88	2.85	2.83	2.81	2.78	2.76	2.74	2.72	2.69	2.67	2.65	2.63	2.60
	6	2.58	2.56	2.54	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.38	2.36	2.34	2.32	2.30	2.28	2.26	2.24	2.22	2.21
	7	2.19	2.17	2.15	2.13	2.12	2.10	2.08	2.06	2.05	2.03	2.01	2.00	1.98	1.97	1.95	1.93	1.92	1.90	1.89	1.87
	8	1.86	1.84	1.83	1.81	1.80	1.78	1.77	1.75												
0		ORGANIC NITROGEN AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.32	0.32	0.32	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
	2	0.24	0.24	0.24	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18
	3	0.18	0.18	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13
	4	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10
	5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07
	6	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05
	7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04
	8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04											
0		AMMONIA AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10
	2	0.11	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13
	3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12
	4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11
	5	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09
	6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
	7	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06

CRF\_75A.OUT

		8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	
		NITRITE AS N IN MG/L								ITERATION 3											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
0	NITRATE AS N IN MG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.14
	2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19	0.19
	3	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.23	0.23	0.23	0.24	0.24	0.24	0.24
	4	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29
	5	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.34	0.34
	6	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37	0.38
	7	0.38	0.38	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.40	0.40	0.41	0.41	0.41	0.41
	8	0.41	0.41	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.40	0.40	0.40	0.40	0.40	0.41	0.41	0.41
0	ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	ALGAE AS CHL-A IN UG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	8.28	8.16	8.05	7.93	7.82	7.71	7.60	7.50	7.39	7.29	7.19	7.09	6.99	6.89	6.80	6.71	6.61	6.52	6.43	6.35
	2	6.25	6.17	6.09	6.01	5.92	5.85	5.77	5.69	5.61	5.54	5.47	5.39	5.32	5.25	5.18	5.11	5.05	4.98	4.91	4.85

CRF\_75A.OUT

3	4.79	4.72	4.66	4.60	4.54	4.48	4.42	4.36	4.31	4.25	4.20	4.14	4.09	4.03	3.98	3.93	3.88	3.83	3.78	3.73
4	3.68	3.63	3.59	3.54	3.50	3.45	3.41	3.36	3.32	3.28	3.23	3.19	3.15	3.11	3.07	3.03	2.99	2.95	2.92	2.88
5	2.84	2.81	2.77	2.73	2.70	2.66	2.63	2.60	2.56	2.53	2.50	2.47	2.43	2.40	2.37	2.34	2.31	2.28	2.25	2.23
6	2.20	2.17	2.14	2.12	2.09	2.06	2.04	2.01	1.99	1.96	1.94	1.91	1.89	1.87	1.84	1.82	1.80	1.78	1.75	1.73
7	1.71	1.69	1.67	1.65	1.63	1.61	1.59	1.57	1.55	1.54	1.52	1.50	1.51	1.50	1.48	1.46	1.44	1.43	1.41	1.39
8	1.38	1.36	1.34	1.33	1.31	1.30	1.28													

0 CONSERVATIVE MINERAL I ITERATION 3

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
2	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
3	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
4	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
5	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
6	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
7	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
8	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80												

0 ALGAE GROWTH RATES IN PER DAY ARE ITERATION 3

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
5	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
6	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
7	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
8	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05												

0 PHOTOSYNTHESIS-RESPIRATION RATIOS ARE ITERATION 3

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.33	0.34	0.34	0.35	0.35	0.36	0.36	0.37	0.37	0.38	0.38	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.41
2	0.42	0.43	0.43	0.43	0.43	0.43	0.44	0.44	0.44	0.44	0.44	0.45	0.45	0.45	0.45	0.45	0.45	0.46	0.46	0.46
3	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
4	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50
5	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.51	0.51	0.51	0.51
6	0.51	0.52	0.52	0.52	0.53	0.53	0.53	0.54	0.54	0.54	0.55	0.55	0.55	0.56	0.56	0.56	0.57	0.57	0.57	0.57
7	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.60	0.60	0.60	0.60	0.60	0.60	0.61	0.61	0.61	0.61	0.61	0.62
8	0.62	0.62	0.62	0.62	0.63	0.63	0.63	0.63												

1  
 STREAM QUALITY SIMULATION OUTPUT PAGE NUMBER 1  
 QUAL-2E STREAM QUALITY ROUTING MODEL EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN
ORD	NUM	NUM	LOC	LOC	SRCE	FLOW	TIME	AREA	AREA	COEF
							VEL	DEPTH	WIDTH	VOLUME

75' Flood Scenario - Monthly Average - Output

													CRF_75A.OUT		
			MILE	MILE	CFS	CFS	CFS	FPS	DAY	FT	FT	FT-3	FT-2	FT-2	FT-2/S
1	1	1	227.00	226.7546364.10	0.00	0.10	0.129	0.119	12.33429218.080	475711104.0	38600428.0	360387.19	5.30		
2	1	2	226.75	226.5046364.20	0.00	0.10	0.129	0.119	12.33429218.098	475712800.0	38600452.0	360388.50	5.30		
3	1	3	226.50	226.2546364.30	0.00	0.10	0.129	0.119	12.33429218.115	475714528.0	38600476.0	360389.78	5.30		
4	1	4	226.25	226.0046364.41	0.00	0.10	0.129	0.119	12.33529218.131	475716224.0	38600496.0	360391.06	5.30		
5	1	5	226.00	225.7546364.51	0.00	0.10	0.129	0.119	12.33529218.146	475717920.0	38600516.0	360392.37	5.30		
6	1	6	225.75	225.5046364.61	0.00	0.10	0.129	0.119	12.33529218.164	475719616.0	38600540.0	360393.66	5.30		
7	1	7	225.50	225.2546364.71	0.00	0.10	0.129	0.119	12.33529218.184	475721376.0	38600564.0	360395.00	5.30		
8	1	8	225.25	225.0046364.81	0.00	0.10	0.129	0.119	12.33529218.203	475723072.0	38600592.0	360396.28	5.30		
9	1	9	225.00	224.7546364.91	0.00	0.10	0.129	0.119	12.33529218.219	475724800.0	38600612.0	360397.56	5.30		
10	1	10	224.75	224.5046365.02	0.00	0.10	0.129	0.119	12.33529218.236	475726496.0	38600636.0	360398.84	5.30		
11	1	11	224.50	224.2546365.12	0.00	0.10	0.129	0.119	12.33529218.252	475728192.0	38600656.0	360400.16	5.30		
12	1	12	224.25	224.0046365.22	0.00	0.10	0.129	0.119	12.33529218.270	475729888.0	38600680.0	360401.44	5.30		
13	1	13	224.00	223.7546365.32	0.00	0.10	0.129	0.119	12.33529218.291	475731648.0	38600708.0	360402.78	5.30		
14	1	14	223.75	223.5046365.42	0.00	0.10	0.129	0.119	12.33529218.307	475733344.0	38600728.0	360404.06	5.30		
15	1	15	223.50	223.2546365.52	0.00	0.10	0.129	0.119	12.33529218.324	475735072.0	38600752.0	360405.34	5.30		
16	1	16	223.25	223.0046365.62	0.00	0.10	0.129	0.119	12.33529218.340	475736768.0	38600772.0	360406.66	5.30		
17	1	17	223.00	222.7546365.73	0.00	0.10	0.129	0.119	12.33529218.357	475738464.0	38600796.0	360407.94	5.30		
18	1	18	222.75	222.5046365.83	0.00	0.10	0.129	0.119	12.33529218.373	475740160.0	38600816.0	360409.22	5.30		
19	1	19	222.50	222.2546365.93	0.00	0.10	0.129	0.119	12.33529218.395	475741920.0	38600844.0	360410.56	5.30		
20	1	20	222.25	222.0046366.03	0.00	0.10	0.129	0.119	12.33529218.412	475743648.0	38600868.0	360411.84	5.30		
21	2	1	222.00	221.7546435.76	69.63	0.10	0.129	0.119	12.36129230.400	476919712.0	38616760.0	361302.81	5.30		
22	2	2	221.75	221.5046435.86	0.00	0.10	0.129	0.119	12.36129230.416	476921408.0	38616780.0	361304.09	5.30		
23	2	3	221.50	221.2546435.96	0.00	0.10	0.129	0.119	12.36129230.434	476923136.0	38616804.0	361305.41	5.30		
24	2	4	221.25	221.0046436.07	0.00	0.10	0.129	0.119	12.36129230.451	476924832.0	38616828.0	361306.69	5.30		
25	2	5	221.00	220.7546436.17	0.00	0.10	0.129	0.119	12.36129230.473	476926592.0	38616856.0	361308.03	5.30		
26	2	6	220.75	220.5046436.27	0.00	0.10	0.129	0.119	12.36129230.488	476928288.0	38616876.0	361309.31	5.30		
27	2	7	220.50	220.2546436.37	0.00	0.10	0.129	0.119	12.36129230.506	476930016.0	38616900.0	361310.62	5.30		
28	2	8	220.25	220.0046436.47	0.00	0.10	0.129	0.119	12.36129230.521	476931712.0	38616920.0	361311.91	5.30		
29	2	9	220.00	219.7546436.57	0.00	0.10	0.129	0.119	12.36129230.539	476933408.0	38616944.0	361313.19	5.30		
30	2	10	219.75	219.5046436.68	0.00	0.10	0.129	0.119	12.36129230.557	476935136.0	38616968.0	361314.50	5.30		
31	2	11	219.50	219.2546436.78	0.00	0.10	0.129	0.119	12.36129230.574	476936832.0	38616992.0	361315.78	5.30		
32	2	12	219.25	219.0046436.88	0.00	0.10	0.129	0.119	12.36129230.592	476938528.0	38617016.0	361317.06	5.30		
33	2	13	219.00	218.7546436.98	0.00	0.10	0.129	0.119	12.36129230.611	476940320.0	38617040.0	361318.41	5.30		
34	2	14	218.75	218.5046437.08	0.00	0.10	0.129	0.119	12.36129230.627	476942016.0	38617060.0	361319.72	5.30		
35	2	15	218.50	218.2546437.18	0.00	0.10	0.129	0.119	12.36129230.645	476943712.0	38617084.0	361321.00	5.30		
36	2	16	218.25	218.0046437.29	0.00	0.10	0.129	0.119	12.36129230.664	476945440.0	38617108.0	361322.28	5.30		
37	2	17	218.00	217.7546437.39	0.00	0.10	0.129	0.119	12.36129230.680	476947136.0	38617132.0	361323.59	5.30		
38	2	18	217.75	217.5046437.49	0.00	0.10	0.129	0.119	12.36129230.697	476948832.0	38617152.0	361324.87	5.30		
39	2	19	217.50	217.2546437.59	0.00	0.10	0.129	0.119	12.36129230.713	476950560.0	38617176.0	361326.16	5.30		
40	2	20	217.25	217.0046437.69	0.00	0.10	0.129	0.119	12.36129230.730	476952256.0	38617196.0	361327.47	5.30		
41	3	1	217.00	216.7546437.79	0.00	0.10	0.129	0.119	12.36129230.750	476954016.0	38617224.0	361328.81	3.07		
42	3	2	216.75	216.5046437.89	0.00	0.10	0.129	0.119	12.36129230.770	476955712.0	38617248.0	361330.09	3.07		
43	3	3	216.50	216.2546438.00	0.00	0.10	0.129	0.119	12.36129230.785	476957440.0	38617272.0	361331.37	3.07		
44	3	4	216.25	216.0046438.10	0.00	0.10	0.129	0.119	12.36129230.803	476959136.0	38617292.0	361332.69	3.07		



CRF\_75A.OUT

45	3	5	216.00	215.7546438.20	0.00	0.10	0.129	0.119	12.36129230.818	476960832.0	38617316.0	361333.97	3.07
46	3	6	215.75	215.5046438.30	0.00	0.10	0.129	0.119	12.36129230.836	476962560.0	38617336.0	361335.25	3.07
47	3	7	215.50	215.2546438.40	0.00	0.10	0.129	0.119	12.36129230.852	476964256.0	38617360.0	361336.56	3.07
48	3	8	215.25	215.0046438.50	0.00	0.10	0.129	0.119	12.36229230.875	476966016.0	38617388.0	361337.91	3.07
49	3	9	215.00	214.7546438.61	0.00	0.10	0.129	0.119	12.36229230.891	476967712.0	38617412.0	361339.19	3.07
50	3	10	214.75	214.5046438.71	0.00	0.10	0.129	0.119	12.36229230.908	476969440.0	38617432.0	361340.47	3.07
51	3	11	214.50	214.2546438.81	0.00	0.10	0.129	0.119	12.36229230.924	476971136.0	38617456.0	361341.78	3.07
52	3	12	214.25	214.0046438.91	0.00	0.10	0.129	0.119	12.36229230.941	476972832.0	38617476.0	361343.06	3.07
53	3	13	214.00	213.7546439.01	0.00	0.10	0.129	0.119	12.36229230.957	476974560.0	38617500.0	361344.34	3.07
54	3	14	213.75	213.5046439.11	0.00	0.10	0.129	0.119	12.36229230.977	476976256.0	38617524.0	361345.66	3.07
55	3	15	213.50	213.2546439.21	0.00	0.10	0.129	0.119	12.36229230.992	476977952.0	38617544.0	361346.94	3.07
56	3	16	213.25	213.0046439.32	0.00	0.10	0.129	0.119	12.36229231.014	476979712.0	38617572.0	361348.28	3.07
57	3	17	213.00	212.7546439.42	0.00	0.10	0.129	0.119	12.36229231.029	476981440.0	38617592.0	361349.56	3.07
58	3	18	212.75	212.5046439.52	0.00	0.10	0.129	0.119	12.36229231.047	476983136.0	38617616.0	361350.87	3.07
59	3	19	212.50	212.2546439.62	0.00	0.10	0.129	0.119	12.36229231.062	476984832.0	38617636.0	361352.16	3.07
60	3	20	212.25	212.0046439.72	0.00	0.10	0.129	0.119	12.36229231.082	476986560.0	38617664.0	361353.44	3.07

61	4	1	212.00	211.7546439.82	0.00	0.10	0.129	0.119	12.36229231.098	476988256.0	38617684.0	361354.75	2.93
62	4	2	211.75	211.5046439.93	0.00	0.10	0.129	0.119	12.36229231.115	476989952.0	38617708.0	361356.03	2.93
63	4	3	211.50	211.2546440.03	0.00	0.10	0.129	0.119	12.36229231.131	476991680.0	38617728.0	361357.34	2.93
64	4	4	211.25	211.0046441.13	1.00	0.10	0.129	0.119	12.36229231.322	477010304.0	38617984.0	361371.44	2.93
65	4	5	211.00	210.7546441.23	0.00	0.10	0.129	0.119	12.36329231.340	477012000.0	38618004.0	361372.72	2.93

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	INCR SRCE CFS	TRVL FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5046441.33	0.00	0.10	0.129	0.119	12.36329231.357	477013696.0	38618028.0	361374.03	2.93		
67	4	7	210.50	210.2546441.43	0.00	0.10	0.129	0.119	12.36329231.373	477015424.0	38618048.0	361375.31	2.93		
68	4	8	210.25	210.0046441.54	0.00	0.10	0.129	0.119	12.36329231.391	477017120.0	38618072.0	361376.59	2.93		
69	4	9	210.00	209.7546441.64	0.00	0.10	0.129	0.119	12.36329231.412	477018880.0	38618100.0	361377.94	2.93		
70	4	10	209.75	209.5046441.74	0.00	0.10	0.129	0.119	12.36329231.430	477020576.0	38618124.0	361379.22	2.93		
71	4	11	209.50	209.2546441.84	0.00	0.10	0.129	0.119	12.36329231.445	477022304.0	38618144.0	361380.53	2.93		
72	4	12	209.25	209.0046441.94	0.00	0.10	0.129	0.119	12.36329231.463	477024000.0	38618168.0	361381.81	2.93		
73	4	13	209.00	208.7546442.04	0.00	0.10	0.129	0.119	12.36329231.479	477025696.0	38618188.0	361383.12	2.93		
74	4	14	208.75	208.5046442.14	0.00	0.10	0.129	0.119	12.36329231.496	477027424.0	38618212.0	361384.41	2.93		
75	4	15	208.50	208.2546442.25	0.00	0.10	0.129	0.119	12.36329231.514	477029120.0	38618236.0	361385.69	2.93		
76	4	16	208.25	208.0046442.35	0.00	0.10	0.129	0.119	12.36329231.535	477030880.0	38618264.0	361387.03	2.93		
77	4	17	208.00	207.7546442.45	0.00	0.10	0.129	0.119	12.36329231.551	477032576.0	38618284.0	361388.31	2.93		
78	4	18	207.75	207.5046442.65	0.10	0.10	0.129	0.119	12.36329231.584	477035904.0	38618328.0	361390.84	2.93		
79	4	19	207.50	207.2546442.75	0.00	0.10	0.129	0.119	12.36329231.604	477037664.0	38618356.0	361392.19	2.93		
80	4	20	207.25	207.0046442.85	0.00	0.10	0.129	0.119	12.36329231.619	477039392.0	38618376.0	361393.47	2.93		

CRF\_75A.OUT

81	5	1	207.00	206.7546442.95	0.00	0.10	0.129	0.119	12.36329231.637	477041088.0	38618400.0	361394.75	1.40
82	5	2	206.75	206.5046443.05	0.00	0.10	0.129	0.119	12.36329231.652	477042784.0	38618420.0	361396.06	1.40
83	5	3	206.50	206.2546443.16	0.00	0.10	0.129	0.119	12.36329231.672	477044512.0	38618444.0	361397.34	1.40
84	5	4	206.25	206.0046443.26	0.00	0.10	0.129	0.119	12.36329231.689	477046208.0	38618468.0	361398.62	1.40
85	5	5	206.00	205.7546443.36	0.00	0.10	0.129	0.119	12.36329231.705	477047904.0	38618488.0	361399.94	1.40
86	5	6	205.75	205.5046443.46	0.00	0.10	0.129	0.119	12.36329231.723	477049632.0	38618512.0	361401.22	1.40
87	5	7	205.50	205.2546443.56	0.00	0.10	0.129	0.119	12.36329231.742	477051392.0	38618540.0	361402.56	1.40
88	5	8	205.25	205.0046443.66	0.00	0.10	0.129	0.119	12.36329231.758	477053088.0	38618560.0	361403.84	1.40
89	5	9	205.00	204.7546443.77	0.00	0.10	0.129	0.119	12.36329231.775	477054784.0	38618584.0	361405.16	1.40
90	5	10	204.75	204.5046443.87	0.00	0.10	0.129	0.119	12.36329231.795	477056512.0	38618608.0	361406.44	1.40
91	5	11	204.50	204.2546443.97	0.00	0.10	0.129	0.119	12.36429231.811	477058208.0	38618628.0	361407.72	1.40
92	5	12	204.25	204.0046444.07	0.00	0.10	0.129	0.119	12.36429231.828	477059904.0	38618652.0	361409.03	1.40
93	5	13	204.00	203.7546444.17	0.00	0.10	0.129	0.119	12.36429231.844	477061632.0	38618672.0	361410.31	1.40
94	5	14	203.75	203.5046444.27	0.00	0.10	0.129	0.119	12.36429231.861	477063328.0	38618696.0	361411.62	1.40
95	5	15	203.50	203.2546444.37	0.00	0.10	0.129	0.119	12.36429231.881	477065088.0	38618724.0	361412.94	1.40
96	5	16	203.25	203.0046444.48	0.00	0.10	0.129	0.119	12.36429231.900	477066784.0	38618748.0	361414.25	1.40
97	5	17	203.00	202.7546445.58	1.00	0.10	0.129	0.119	12.36429232.086	477085376.0	38618996.0	361428.31	1.40
98	5	18	202.75	202.5046445.68	0.00	0.10	0.129	0.119	12.36429232.105	477087072.0	38619020.0	361429.59	1.40
99	5	19	202.50	202.2546445.78	0.00	0.10	0.129	0.119	12.36429232.121	477088768.0	38619040.0	361430.87	1.40
100	5	20	202.25	202.0046445.88	0.00	0.10	0.129	0.119	12.36429232.141	477090528.0	38619068.0	361432.22	1.40

101	6	1	202.00	201.7546445.98	0.00	0.10	0.129	0.119	12.36429232.158	477092256.0	38619092.0	361433.53	2.37
102	6	2	201.75	201.5046446.09	0.00	0.10	0.129	0.119	12.36429232.174	477093952.0	38619112.0	361434.81	2.37
103	6	3	201.50	201.2546446.19	0.00	0.10	0.129	0.119	12.36429232.191	477095648.0	38619136.0	361436.09	2.37
104	6	4	201.25	201.0046446.29	0.00	0.10	0.129	0.119	12.36429232.207	477097376.0	38619156.0	361437.41	2.37
105	6	5	201.00	200.7546446.39	0.00	0.10	0.129	0.119	12.36429232.227	477099072.0	38619180.0	361438.69	2.37
106	6	6	200.75	200.5046446.49	0.00	0.10	0.129	0.119	12.36429232.244	477100768.0	38619204.0	361440.00	2.37
107	6	7	200.50	200.2546446.59	0.00	0.10	0.129	0.119	12.36429232.260	477102496.0	38619224.0	361441.28	2.37
108	6	8	200.25	200.0046446.70	0.00	0.10	0.129	0.119	12.36529232.279	477104256.0	38619252.0	361442.62	2.37
109	6	9	200.00	199.7546446.80	0.00	0.10	0.129	0.119	12.36529232.297	477105952.0	38619276.0	361443.91	2.37
110	6	10	199.75	199.5046446.90	0.00	0.10	0.129	0.119	12.36529232.314	477107680.0	38619296.0	361445.19	2.37
111	6	11	199.50	199.2546447.00	0.00	0.10	0.129	0.119	12.36529232.332	477109376.0	38619320.0	361446.50	2.37
112	6	12	199.25	199.0046447.10	0.00	0.10	0.129	0.119	12.36529232.350	477111072.0	38619344.0	361447.78	2.37
113	6	13	199.00	198.7546447.30	0.10	0.10	0.129	0.119	12.36529232.385	477114464.0	38619392.0	361450.34	2.37
114	6	14	198.75	198.5046447.40	0.00	0.10	0.129	0.119	12.36529232.400	477116160.0	38619412.0	361451.62	2.37
115	6	15	198.50	198.2546447.50	0.00	0.10	0.129	0.119	12.36529232.418	477117856.0	38619436.0	361452.94	2.37
116	6	16	198.25	198.0046447.61	0.00	0.10	0.129	0.119	12.36529232.434	477119584.0	38619456.0	361454.22	2.37
117	6	17	198.00	197.7546447.71	0.00	0.10	0.129	0.119	12.36529232.451	477121280.0	38619480.0	361455.53	2.37
118	6	18	197.75	197.5046447.81	0.00	0.10	0.129	0.119	12.36529232.471	477123040.0	38619504.0	361456.84	2.37
119	6	19	197.50	197.2546447.91	0.00	0.10	0.129	0.119	12.36529232.490	477124736.0	38619532.0	361458.16	2.37
120	6	20	197.25	197.0046448.01	0.00	0.10	0.129	0.119	12.36529232.508	477126464.0	38619552.0	361459.44	2.37

121	7	1	197.00	196.7546448.21	0.10	0.10	0.129	0.119	12.36529232.539	477129824.0	38619596.0	361462.00	0.98
122	7	2	196.75	196.5046448.31	0.00	0.10	0.129	0.119	12.36529232.559	477131552.0	38619620.0	361463.28	0.98
123	7	3	196.50	196.2546448.41	0.00	0.10	0.129	0.119	12.36529232.576	477133248.0	38619644.0	361464.59	0.98
124	7	4	196.25	196.0046448.52	0.00	0.10	0.129	0.119	12.36529232.592	477134944.0	38619664.0	361465.87	0.98
125	7	5	196.00	195.7546448.62	0.00	0.10	0.129	0.119	12.36529232.609	477136672.0	38619688.0	361467.16	0.98

CRF_75A.OUT													
126	7	6	195.75	195.5046448.72	0.00	0.10	0.129	0.119	12.36529232.625	477138368.0	38619708.0	361468.47	0.98
127	7	7	195.50	195.2546448.82	0.00	0.10	0.128	0.119	12.36529232.643	477140064.0	38619732.0	361469.75	0.98
128	7	8	195.25	195.0046448.92	0.00	0.10	0.128	0.119	12.36529232.662	477141792.0	38619760.0	361471.06	0.98
129	7	9	195.00	194.7546449.02	0.00	0.10	0.128	0.119	12.36529232.682	477143552.0	38619784.0	361472.37	0.98
130	7	10	194.75	194.5046449.12	0.00	0.10	0.128	0.119	12.36529232.697	477145248.0	38619804.0	361473.69	0.98

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	INCR SRCE CFS	TRVL FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
131	7	11	194.50	194.2546449.23	0.00	0.10	0.128	0.119	12.36529232.715	477146976.0	38619828.0	361474.97	0.98		
132	7	12	194.25	194.0046449.33	0.00	0.10	0.128	0.119	12.36529232.730	477148672.0	38619848.0	361476.25	0.98		
133	7	13	194.00	193.7546671.43	222.00	0.10	0.128	0.119	12.44729270.824	480902944.0	38670348.0	364320.41	0.98		
134	7	14	193.75	193.5046671.53	0.00	0.10	0.128	0.119	12.44729270.840	480904672.0	38670368.0	364321.72	0.98		
135	7	15	193.50	193.2546671.63	0.00	0.10	0.128	0.119	12.44729270.857	480906400.0	38670392.0	364323.03	0.98		
136	7	16	193.25	193.0046671.73	0.00	0.10	0.128	0.119	12.44729270.879	480908160.0	38670420.0	364324.37	0.98		
137	7	17	193.00	192.7546671.84	0.00	0.10	0.128	0.119	12.44729270.895	480909888.0	38670440.0	364325.66	0.98		
138	7	18	192.75	192.5046671.94	0.00	0.10	0.128	0.119	12.44729270.912	480911584.0	38670464.0	364326.97	0.98		
139	7	19	192.50	192.2546672.04	0.00	0.10	0.128	0.119	12.44729270.932	480913312.0	38670488.0	364328.28	0.98		
140	7	20	192.25	192.0046672.14	0.00	0.10	0.128	0.119	12.44729270.949	480915040.0	38670512.0	364329.56	0.98		
141	8	1	192.00	191.7546673.16	0.77	0.25	0.128	0.119	12.44729271.119	480932256.0	38670736.0	364342.62	0.98		
142	8	2	191.75	191.5046673.41	0.00	0.25	0.128	0.119	12.44729271.164	480936512.0	38670796.0	364345.84	0.98		
143	8	3	191.50	191.2546673.66	0.00	0.25	0.128	0.119	12.44729271.207	480940768.0	38670856.0	364349.06	0.98		
144	8	4	191.25	191.0046673.91	0.00	0.25	0.128	0.119	12.44729271.250	480944960.0	38670912.0	364352.25	0.98		
145	8	5	191.00	190.7546674.16	0.00	0.25	0.128	0.119	12.44829271.293	480949216.0	38670968.0	364355.47	0.98		
146	8	6	190.75	190.5046674.41	0.00	0.25	0.128	0.119	12.44829271.334	480953408.0	38671024.0	364358.66	0.98		
147	8	7	190.50	190.2546674.66	0.00	0.25	0.128	0.119	12.44829271.377	480957664.0	38671080.0	364361.87	0.98		
148	8	8	190.25	190.0046674.91	0.00	0.25	0.128	0.119	12.44829271.424	480961920.0	38671140.0	364365.09	0.98		

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
1	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00



CRF\_75A.OUT

3	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
4	6	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00



CRF_75A.OUT																			
7	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH	ELE	TEMP	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	DEG-F				MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
1	1	81.30	1.77	0.00	0.00	5.42	5.55	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.28
1	2	81.30	1.77	0.00	0.00	5.44	5.51	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.16
1	3	81.30	1.77	0.00	0.00	5.46	5.46	0.32	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	8.05
1	4	81.30	1.77	0.00	0.00	5.47	5.42	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.93

CRF\_75A.OUT

1	5	81.30	1.77	0.00	0.00	5.49	5.37	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.82
1	6	81.30	1.77	0.00	0.00	5.51	5.33	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.71
1	7	81.30	1.77	0.00	0.00	5.53	5.28	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.60
1	8	81.30	1.77	0.00	0.00	5.54	5.24	0.29	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.50
1	9	81.30	1.77	0.00	0.00	5.56	5.20	0.29	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.39
1	10	81.30	1.77	0.00	0.00	5.58	5.15	0.28	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.29
1	11	81.30	1.77	0.00	0.00	5.59	5.11	0.28	0.08	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.19
1	12	81.30	1.77	0.00	0.00	5.61	5.07	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.09
1	13	81.30	1.77	0.00	0.00	5.62	5.03	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.99
1	14	81.30	1.77	0.00	0.00	5.64	4.99	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.89
1	15	81.30	1.77	0.00	0.00	5.65	4.94	0.26	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.80
1	16	81.30	1.77	0.00	0.00	5.66	4.90	0.26	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.71
1	17	81.30	1.77	0.00	0.00	5.68	4.86	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.61
1	18	81.30	1.77	0.00	0.00	5.69	4.82	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.52
1	19	81.30	1.77	0.00	0.00	5.70	4.78	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.43
1	20	81.30	1.77	0.00	0.00	5.72	4.75	0.24	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.35
2	1	81.30	1.80	0.00	0.00	5.72	5.02	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.25
2	2	81.30	1.80	0.00	0.00	5.73	4.98	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.17
2	3	81.30	1.80	0.00	0.00	5.74	4.94	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.09
2	4	81.30	1.80	0.00	0.00	5.75	4.90	0.23	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.01
2	5	81.30	1.80	0.00	0.00	5.76	4.86	0.23	0.12	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	5.92
2	6	81.30	1.80	0.00	0.00	5.77	4.82	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.85
2	7	81.30	1.80	0.00	0.00	5.78	4.78	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.77
2	8	81.30	1.80	0.00	0.00	5.79	4.74	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.69
2	9	81.30	1.80	0.00	0.00	5.80	4.70	0.21	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.61
2	10	81.30	1.80	0.00	0.00	5.81	4.66	0.21	0.12	0.01	0.17	0.51	0.02	0.01	0.04	0.00	0.00	5.54
2	11	81.30	1.80	0.00	0.00	5.82	4.62	0.21	0.12	0.01	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.47
2	12	81.30	1.80	0.00	0.00	5.82	4.58	0.21	0.12	0.01	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.39
2	13	81.30	1.80	0.00	0.00	5.83	4.54	0.20	0.12	0.02	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.32
2	14	81.30	1.80	0.00	0.00	5.84	4.51	0.20	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.25
2	15	81.30	1.80	0.00	0.00	5.85	4.47	0.20	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.18
2	16	81.30	1.80	0.00	0.00	5.86	4.43	0.19	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.11
2	17	81.30	1.80	0.00	0.00	5.87	4.40	0.19	0.13	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.05
2	18	81.30	1.80	0.00	0.00	5.87	4.36	0.19	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.98
2	19	81.30	1.80	0.00	0.00	5.88	4.32	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.91
2	20	81.30	1.80	0.00	0.00	5.89	4.29	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.85
3	1	81.30	1.80	0.00	0.00	5.90	4.25	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.79
3	2	81.30	1.80	0.00	0.00	5.91	4.22	0.18	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.72
3	3	81.30	1.80	0.00	0.00	5.92	4.18	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.66
3	4	81.30	1.80	0.00	0.00	5.92	4.15	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.60
3	5	81.30	1.80	0.00	0.00	5.93	4.11	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.54
3	6	81.30	1.80	0.00	0.00	5.94	4.08	0.17	0.13	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.48
3	7	81.30	1.80	0.00	0.00	5.95	4.05	0.16	0.13	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.42
3	8	81.30	1.80	0.00	0.00	5.96	4.01	0.16	0.13	0.02	0.21	0.52	0.03	0.01	0.04	0.00	0.00	4.36
3	9	81.30	1.80	0.00	0.00	5.96	3.98	0.16	0.13	0.02	0.21	0.52	0.03	0.01	0.04	0.00	0.00	4.31
3	10	81.30	1.80	0.00	0.00	5.97	3.95	0.16	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.25



CRF\_75A.OUT

3	11	81.30	1.80	0.00	0.00	5.98	3.91	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.20
3	12	81.30	1.80	0.00	0.00	5.99	3.88	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.14
3	13	81.30	1.80	0.00	0.00	5.99	3.85	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.09
3	14	81.30	1.80	0.00	0.00	6.00	3.82	0.15	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	4.03
3	15	81.30	1.80	0.00	0.00	6.01	3.79	0.14	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	3.98
3	16	81.30	1.80	0.00	0.00	6.02	3.75	0.14	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	3.93
3	17	81.30	1.80	0.00	0.00	6.03	3.72	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.88
3	18	81.30	1.80	0.00	0.00	6.03	3.69	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.83
3	19	81.30	1.80	0.00	0.00	6.04	3.66	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.78
3	20	81.30	1.80	0.00	0.00	6.05	3.63	0.13	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.73
4	1	81.30	1.80	0.00	0.00	6.05	3.60	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.68
4	2	81.30	1.80	0.00	0.00	6.05	3.57	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.63
4	3	81.30	1.80	0.00	0.00	6.04	3.54	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.59
4	4	81.30	1.80	0.00	0.00	6.04	3.51	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.54
4	5	81.30	1.80	0.00	0.00	6.04	3.48	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.50

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	81.30	1.80	0.00	0.00	6.04	3.46	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.45
4	7	81.30	1.80	0.00	0.00	6.04	3.43	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.41
4	8	81.30	1.80	0.00	0.00	6.04	3.40	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.36
4	9	81.30	1.80	0.00	0.00	6.04	3.37	0.12	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.32
4	10	81.30	1.80	0.00	0.00	6.04	3.34	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.28
4	11	81.30	1.80	0.00	0.00	6.05	3.31	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.23
4	12	81.30	1.80	0.00	0.00	6.05	3.29	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.19
4	13	81.30	1.80	0.00	0.00	6.05	3.26	0.11	0.12	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.15
4	14	81.30	1.80	0.00	0.00	6.05	3.23	0.11	0.12	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.11
4	15	81.30	1.80	0.00	0.00	6.05	3.21	0.11	0.11	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.07
4	16	81.30	1.80	0.00	0.00	6.05	3.18	0.10	0.11	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.03
4	17	81.30	1.80	0.00	0.00	6.06	3.15	0.10	0.11	0.02	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.99
4	18	81.30	1.80	0.00	0.00	6.06	3.13	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.95
4	19	81.30	1.80	0.00	0.00	6.06	3.10	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.92
4	20	81.30	1.80	0.00	0.00	6.07	3.08	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.88
5	1	81.30	1.80	0.00	0.00	6.07	3.05	0.10	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.84
5	2	81.30	1.80	0.00	0.00	6.07	3.03	0.10	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.81
5	3	81.30	1.80	0.00	0.00	6.08	3.00	0.09	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.77
5	4	81.30	1.80	0.00	0.00	6.08	2.98	0.09	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.73
5	5	81.30	1.80	0.00	0.00	6.08	2.95	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.70

CRF\_75A.OUT

5	6	81.30	1.80	0.00	0.00	6.09	2.93	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.66
5	7	81.30	1.80	0.00	0.00	6.09	2.90	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.63
5	8	81.30	1.80	0.00	0.00	6.10	2.88	0.09	0.10	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.60
5	9	81.30	1.80	0.00	0.00	6.10	2.85	0.09	0.10	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.56
5	10	81.30	1.80	0.00	0.00	6.10	2.83	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.53
5	11	81.30	1.80	0.00	0.00	6.11	2.81	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.50
5	12	81.30	1.80	0.00	0.00	6.11	2.78	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.47
5	13	81.30	1.80	0.00	0.00	6.12	2.76	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.43
5	14	81.30	1.80	0.00	0.00	6.12	2.74	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.40
5	15	81.30	1.80	0.00	0.00	6.13	2.72	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.37
5	16	81.30	1.80	0.00	0.00	6.13	2.69	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.34
5	17	81.30	1.80	0.00	0.00	6.14	2.67	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.31
5	18	81.30	1.80	0.00	0.00	6.14	2.65	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.28
5	19	81.30	1.80	0.00	0.00	6.15	2.63	0.07	0.10	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.25
5	20	81.30	1.80	0.00	0.00	6.15	2.60	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.23
6	1	81.30	1.80	0.00	0.00	6.16	2.58	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.20
6	2	81.30	1.80	0.00	0.00	6.16	2.56	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.17
6	3	81.30	1.80	0.00	0.00	6.17	2.54	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.14
6	4	81.30	1.80	0.00	0.00	6.18	2.52	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.12
6	5	81.30	1.80	0.00	0.00	6.18	2.50	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.09
6	6	81.30	1.80	0.00	0.00	6.19	2.48	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.06
6	7	81.30	1.80	0.00	0.00	6.19	2.46	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.04
6	8	81.30	1.80	0.00	0.00	6.20	2.44	0.06	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.01
6	9	81.30	1.80	0.00	0.00	6.20	2.42	0.06	0.09	0.01	0.36	0.52	0.03	0.01	0.04	0.00	0.00	1.99
6	10	81.30	1.80	0.00	0.00	6.21	2.40	0.06	0.09	0.01	0.36	0.52	0.03	0.02	0.04	0.00	0.00	1.96
6	11	81.30	1.80	0.00	0.00	6.21	2.38	0.06	0.09	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.94
6	12	81.30	1.80	0.00	0.00	6.22	2.36	0.06	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.91
6	13	81.30	1.80	0.00	0.00	6.23	2.34	0.06	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.89
6	14	81.30	1.80	0.00	0.00	6.23	2.32	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.87
6	15	81.30	1.80	0.00	0.00	6.24	2.30	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.84
6	16	81.30	1.80	0.00	0.00	6.24	2.28	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.82
6	17	81.30	1.80	0.00	0.00	6.25	2.26	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.80
6	18	81.30	1.80	0.00	0.00	6.25	2.24	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.78
6	19	81.30	1.80	0.00	0.00	6.26	2.22	0.05	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.75
6	20	81.30	1.80	0.00	0.00	6.27	2.21	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.73
7	1	81.30	1.80	0.00	0.00	6.28	2.19	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.71
7	2	81.30	1.80	0.00	0.00	6.30	2.17	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.69
7	3	81.30	1.80	0.00	0.00	6.31	2.15	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.67
7	4	81.30	1.80	0.00	0.00	6.33	2.13	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.65
7	5	81.30	1.80	0.00	0.00	6.34	2.12	0.05	0.07	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.63
7	6	81.30	1.80	0.00	0.00	6.36	2.10	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.61
7	7	81.30	1.80	0.00	0.00	6.37	2.08	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.59
7	8	81.30	1.80	0.00	0.00	6.38	2.06	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.57
7	9	81.30	1.80	0.00	0.00	6.39	2.05	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.55
7	10	81.30	1.80	0.00	0.00	6.41	2.03	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.54

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	81.30	1.80	0.00	0.00	6.42	2.01	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.52
7	12	81.30	1.80	0.00	0.00	6.43	2.00	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.50
7	13	81.30	1.80	0.00	0.00	6.44	1.98	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.51
7	14	81.30	1.80	0.00	0.00	6.45	1.97	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.50
7	15	81.30	1.80	0.00	0.00	6.46	1.95	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.48
7	16	81.30	1.80	0.00	0.00	6.47	1.93	0.04	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.46
7	17	81.30	1.80	0.00	0.00	6.48	1.92	0.04	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.44
7	18	81.30	1.80	0.00	0.00	6.49	1.90	0.04	0.07	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.43
7	19	81.30	1.80	0.00	0.00	6.51	1.89	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.41
7	20	81.30	1.80	0.00	0.00	6.52	1.87	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.39
8	1	81.30	1.80	0.00	0.00	6.53	1.86	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.38
8	2	81.30	1.80	0.00	0.00	6.54	1.84	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.36
8	3	81.30	1.80	0.00	0.00	6.55	1.83	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.34
8	4	81.30	1.80	0.00	0.00	6.55	1.81	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.33
8	5	81.30	1.80	0.00	0.00	6.56	1.80	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.31
8	6	81.30	1.80	0.00	0.00	6.57	1.78	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.30
8	7	81.30	1.80	0.00	0.00	6.58	1.77	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.28
8	8	81.30	1.80	0.00	0.00	6.59	1.75	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.27

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN FACTORS NITRGN *	PHSPRS *
1	1	1	8.28	0.02	0.07	0.95	0.32	-0.05	0.50	0.33	4.23	0.03	0.43	0.58
2	1	2	8.16	0.03	0.07	0.95	0.33	-0.05	0.50	0.34	4.23	0.03	0.44	0.58
3	1	3	8.05	0.03	0.07	0.95	0.34	-0.05	0.50	0.35	4.23	0.03	0.45	0.58
4	1	4	7.93	0.03	0.07	0.95	0.34	-0.05	0.50	0.36	4.22	0.03	0.46	0.58
5	1	5	7.82	0.03	0.07	0.95	0.35	-0.05	0.50	0.36	4.22	0.03	0.47	0.58
6	1	6	7.71	0.03	0.07	0.95	0.35	-0.05	0.50	0.37	4.22	0.03	0.48	0.58

									CRF_75A.OUT					
7	1	7	7.60	0.03	0.07	0.95	0.36	-0.05	0.50	0.38	4.22	0.03	0.49	0.58
8	1	8	7.50	0.03	0.07	0.95	0.36	-0.04	0.50	0.38	4.21	0.03	0.49	0.58
9	1	9	7.39	0.03	0.07	0.95	0.37	-0.04	0.50	0.39	4.21	0.03	0.50	0.58
10	1	10	7.29	0.03	0.07	0.95	0.37	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
11	1	11	7.19	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
12	1	12	7.09	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.20	0.03	0.52	0.58
13	1	13	6.99	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.52	0.58
14	1	14	6.89	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
15	1	15	6.80	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
16	1	16	6.71	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.19	0.03	0.54	0.58
17	1	17	6.61	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
18	1	18	6.52	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
19	1	19	6.43	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.55	0.58
20	1	20	6.35	0.03	0.07	0.95	0.41	-0.04	0.50	0.42	4.18	0.03	0.55	0.58
21	2	1	6.25	0.03	0.07	0.95	0.42	-0.03	0.50	0.43	4.18	0.03	0.56	0.59
22	2	2	6.17	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.18	0.03	0.56	0.59
23	2	3	6.09	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.18	0.03	0.57	0.59
24	2	4	6.01	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.57	0.59
25	2	5	5.92	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.57	0.59
26	2	6	5.85	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
27	2	7	5.77	0.03	0.07	0.95	0.44	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
28	2	8	5.69	0.03	0.07	0.95	0.44	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
29	2	9	5.61	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
30	2	10	5.54	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
31	2	11	5.47	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
32	2	12	5.39	0.03	0.07	0.95	0.45	-0.03	0.50	0.42	4.16	0.03	0.59	0.58
33	2	13	5.32	0.03	0.07	0.95	0.45	-0.03	0.50	0.42	4.16	0.03	0.60	0.58
34	2	14	5.25	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
35	2	15	5.18	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
36	2	16	5.11	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
37	2	17	5.05	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.61	0.58
38	2	18	4.98	0.04	0.07	0.95	0.46	-0.03	0.50	0.40	4.15	0.03	0.61	0.58
39	2	19	4.91	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.15	0.03	0.61	0.58
40	2	20	4.85	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.14	0.03	0.61	0.58
41	3	1	4.79	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.14	0.03	0.62	0.58
42	3	2	4.72	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
43	3	3	4.66	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
44	3	4	4.60	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
45	3	5	4.54	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.14	0.03	0.62	0.58
46	3	6	4.48	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.62	0.58
47	3	7	4.42	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.63	0.58
48	3	8	4.36	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.63	0.58
49	3	9	4.31	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
50	3	10	4.25	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
51	3	11	4.20	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
52	3	12	4.14	0.04	0.07	0.95	0.47	-0.02	0.50	0.36	4.13	0.03	0.64	0.58

CRF_75A.OUT														
53	3	13	4.09	0.04	0.07	0.95	0.48	-0.02	0.50	0.36	4.12	0.03	0.64	0.58
54	3	14	4.03	0.04	0.07	0.95	0.48	-0.02	0.50	0.36	4.12	0.03	0.64	0.58
55	3	15	3.98	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
56	3	16	3.93	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
57	3	17	3.88	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
58	3	18	3.83	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.12	0.03	0.64	0.58
59	3	19	3.78	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.12	0.03	0.65	0.58
60	3	20	3.73	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.11	0.03	0.65	0.58
61	4	1	3.68	0.04	0.07	0.95	0.48	-0.02	0.50	0.33	4.11	0.03	0.65	0.58
62	4	2	3.63	0.04	0.07	0.95	0.48	-0.02	0.50	0.33	4.11	0.03	0.65	0.58
63	4	3	3.59	0.04	0.07	0.95	0.49	-0.02	0.50	0.33	4.11	0.03	0.65	0.57
64	4	4	3.54	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57
65	4	5	3.50	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N		LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *		LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.45	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57
67	4	7	3.41	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.11	0.03	0.66	0.57
68	4	8	3.36	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.10	0.03	0.66	0.57
69	4	9	3.32	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.10	0.03	0.66	0.57
70	4	10	3.28	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
71	4	11	3.23	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
72	4	12	3.19	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
73	4	13	3.15	0.04	0.07	0.95	0.49	-0.01	0.50	0.30	4.10	0.03	0.66	0.57
74	4	14	3.11	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.66	0.57
75	4	15	3.07	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.66	0.57
76	4	16	3.03	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.67	0.57
77	4	17	2.99	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
78	4	18	2.95	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
79	4	19	2.92	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
80	4	20	2.88	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
81	5	1	2.84	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
82	5	2	2.81	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
83	5	3	2.77	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
84	5	4	2.73	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57
85	5	5	2.70	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57
86	5	6	2.66	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57

CRF\_75A.OUT

87	5	7	2.63	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.67	0.57
88	5	8	2.60	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
89	5	9	2.56	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
90	5	10	2.53	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
91	5	11	2.50	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
92	5	12	2.47	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
93	5	13	2.43	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
94	5	14	2.40	0.04	0.07	0.95	0.50	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
95	5	15	2.37	0.04	0.07	0.95	0.50	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
96	5	16	2.34	0.04	0.07	0.95	0.51	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
97	5	17	2.31	0.04	0.07	0.95	0.51	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
98	5	18	2.28	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
99	5	19	2.25	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
100	5	20	2.23	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
101	6	1	2.20	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
102	6	2	2.17	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.57
103	6	3	2.14	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.58
104	6	4	2.12	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.58
105	6	5	2.09	0.04	0.07	0.95	0.53	-0.01	0.50	0.21	4.07	0.03	0.69	0.59
106	6	6	2.06	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
107	6	7	2.04	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
108	6	8	2.01	0.04	0.07	0.95	0.54	-0.01	0.50	0.20	4.07	0.03	0.69	0.60
109	6	9	1.99	0.04	0.07	0.95	0.54	-0.01	0.50	0.20	4.07	0.03	0.69	0.60
110	6	10	1.96	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.07	0.03	0.69	0.60
111	6	11	1.94	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
112	6	12	1.91	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
113	6	13	1.89	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
114	6	14	1.87	0.04	0.07	0.95	0.56	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
115	6	15	1.84	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
116	6	16	1.82	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
117	6	17	1.80	0.04	0.07	0.95	0.57	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
118	6	18	1.78	0.04	0.07	0.95	0.57	-0.01	0.50	0.18	4.06	0.03	0.69	0.63
119	6	19	1.75	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
120	6	20	1.73	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
121	7	1	1.71	0.04	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.63
122	7	2	1.69	0.05	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.64
123	7	3	1.67	0.05	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.64
124	7	4	1.65	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.06	0.03	0.70	0.64
125	7	5	1.63	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.06	0.03	0.70	0.64
126	7	6	1.61	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.64
127	7	7	1.59	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.65
128	7	8	1.57	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.65
129	7	9	1.55	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
130	7	10	1.54	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.65

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGAE GROWTH RATE			A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
				GRWTH 1/DAY	RESP 1/DAY	SETT FT/DA						LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.52	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
132	7	12	1.50	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
133	7	13	1.51	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
134	7	14	1.50	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
135	7	15	1.48	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
136	7	16	1.46	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
137	7	17	1.44	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
138	7	18	1.43	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
139	7	19	1.41	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
140	7	20	1.39	0.05	0.07	0.95	0.62	-0.01	0.50	0.13	4.05	0.03	0.70	0.67
141	8	1	1.38	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
142	8	2	1.36	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
143	8	3	1.34	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
144	8	4	1.33	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
145	8	5	1.31	0.05	0.07	0.95	0.63	0.00	0.50	0.13	4.05	0.03	0.70	0.68
146	8	6	1.30	0.05	0.07	0.95	0.63	0.00	0.50	0.13	4.05	0.03	0.70	0.68
147	8	7	1.28	0.05	0.07	0.95	0.63	0.00	0.50	0.12	4.05	0.03	0.70	0.68
148	8	8	1.27	0.05	0.07	0.95	0.63	0.00	0.50	0.12	4.04	0.03	0.70	0.69

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO			DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
				SAT MG/L	DO MG/L	DO DEF MG/L			F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	81.30	7.91	5.42	2.49	0.00	1.00	45.47	0.89	-0.39	-0.01	-0.05	-0.03	-0.04
2	1	2	81.30	7.91	5.44	2.48	0.00	1.00	0.00	0.89	-0.39	-0.01	-0.05	-0.03	-0.03
3	1	3	81.30	7.91	5.46	2.46	0.00	1.00	0.00	0.88	-0.38	-0.01	-0.05	-0.04	-0.03
4	1	4	81.30	7.91	5.47	2.44	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
5	1	5	81.30	7.91	5.49	2.42	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
6	1	6	81.30	7.91	5.51	2.40	0.00	1.00	0.00	0.86	-0.37	-0.01	-0.05	-0.04	-0.02

									CRF_75A.OUT						
7	1	7	81.30	7.91	5.53	2.39	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.05	-0.04	-0.02
8	1	8	81.30	7.91	5.54	2.37	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.04	-0.05	-0.02
9	1	9	81.30	7.91	5.56	2.35	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
10	1	10	81.30	7.91	5.58	2.34	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
11	1	11	81.30	7.91	5.59	2.32	0.00	1.00	0.00	0.83	-0.36	-0.01	-0.04	-0.05	-0.02
12	1	12	81.30	7.91	5.61	2.31	0.00	1.00	0.00	0.82	-0.36	-0.01	-0.04	-0.05	-0.02
13	1	13	81.30	7.91	5.62	2.29	0.00	1.00	0.00	0.82	-0.35	-0.01	-0.04	-0.06	-0.02
14	1	14	81.30	7.91	5.64	2.28	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
15	1	15	81.30	7.91	5.65	2.26	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
16	1	16	81.30	7.91	5.66	2.25	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
17	1	17	81.30	7.91	5.68	2.23	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
18	1	18	81.30	7.91	5.69	2.22	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
19	1	19	81.30	7.91	5.70	2.21	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
20	1	20	81.30	7.91	5.72	2.20	0.00	1.00	0.00	0.79	-0.33	-0.01	-0.04	-0.06	-0.02
21	2	1	81.30	7.91	5.72	2.19	0.00	1.00	0.04	0.78	-0.35	-0.01	-0.03	-0.07	-0.02
22	2	2	81.30	7.91	5.73	2.18	0.00	1.00	0.00	0.78	-0.35	-0.01	-0.03	-0.07	-0.02
23	2	3	81.30	7.91	5.74	2.17	0.00	1.00	0.00	0.78	-0.35	-0.01	-0.03	-0.07	-0.02
24	2	4	81.30	7.91	5.75	2.16	0.00	1.00	0.00	0.77	-0.34	-0.01	-0.03	-0.07	-0.02
25	2	5	81.30	7.91	5.76	2.15	0.00	1.00	0.00	0.77	-0.34	-0.01	-0.03	-0.07	-0.02
26	2	6	81.30	7.91	5.77	2.14	0.00	1.00	0.00	0.77	-0.34	-0.01	-0.03	-0.07	-0.02
27	2	7	81.30	7.91	5.78	2.13	0.00	1.00	0.00	0.76	-0.34	-0.01	-0.03	-0.07	-0.02
28	2	8	81.30	7.91	5.79	2.12	0.00	1.00	0.00	0.76	-0.33	-0.01	-0.03	-0.07	-0.02
29	2	9	81.30	7.91	5.80	2.12	0.00	1.00	0.00	0.76	-0.33	-0.01	-0.03	-0.07	-0.02
30	2	10	81.30	7.91	5.81	2.11	0.00	1.00	0.00	0.75	-0.33	-0.01	-0.03	-0.07	-0.02
31	2	11	81.30	7.91	5.82	2.10	0.00	1.00	0.00	0.75	-0.32	-0.01	-0.03	-0.08	-0.02
32	2	12	81.30	7.91	5.82	2.09	0.00	1.00	0.00	0.75	-0.32	-0.01	-0.03	-0.08	-0.02
33	2	13	81.30	7.91	5.83	2.08	0.00	1.00	0.00	0.74	-0.32	-0.01	-0.03	-0.08	-0.02
34	2	14	81.30	7.91	5.84	2.07	0.00	1.00	0.00	0.74	-0.32	-0.01	-0.03	-0.08	-0.02
35	2	15	81.30	7.91	5.85	2.06	0.00	1.00	0.00	0.74	-0.31	-0.01	-0.03	-0.08	-0.02
36	2	16	81.30	7.91	5.86	2.06	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.03	-0.08	-0.02
37	2	17	81.30	7.91	5.87	2.05	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.03	-0.08	-0.02
38	2	18	81.30	7.91	5.87	2.04	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.03	-0.08	-0.02
39	2	19	81.30	7.91	5.88	2.03	0.00	1.00	0.00	0.73	-0.30	-0.01	-0.02	-0.08	-0.03
40	2	20	81.30	7.91	5.89	2.02	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
41	3	1	81.30	7.91	5.90	2.01	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
42	3	2	81.30	7.91	5.91	2.01	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
43	3	3	81.30	7.91	5.92	2.00	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
44	3	4	81.30	7.91	5.92	1.99	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
45	3	5	81.30	7.91	5.93	1.98	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
46	3	6	81.30	7.91	5.94	1.97	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
47	3	7	81.30	7.91	5.95	1.97	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.03
48	3	8	81.30	7.91	5.96	1.96	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.03
49	3	9	81.30	7.91	5.96	1.95	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.03
50	3	10	81.30	7.91	5.97	1.94	0.00	1.00	0.00	0.69	-0.28	-0.01	-0.02	-0.08	-0.03
51	3	11	81.30	7.91	5.98	1.93	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.03
52	3	12	81.30	7.91	5.99	1.93	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.03



										CRF_75A.OUT					
53	3	13	81.30	7.91	5.99	1.92	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.03
54	3	14	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
55	3	15	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
56	3	16	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
57	3	17	81.30	7.91	6.03	1.89	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03
58	3	18	81.30	7.91	6.03	1.88	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03
59	3	19	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03
60	3	20	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03
61	4	1	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
62	4	2	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
63	4	3	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
64	4	4	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
65	4	5	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.03

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE	RCH	ELE	DO	DO	DO	DAM	NIT	F-FUNCTN	OXYGN	C-BOD	SOD	NET	NH3-N	NO2-N	
ORD	NUM	NUM	TEMP	SAT	MG/L	MG/L	DEF	INPUT	REAIR	MG/L	MG/L	P-R			
			DEG-F	MG/L			MG/L	MG/L							
66	4	6	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.03
67	4	7	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.03
68	4	8	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.03
69	4	9	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.02
70	4	10	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.02	-0.07	-0.02
71	4	11	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.02	-0.07	-0.02
72	4	12	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.02	-0.07	-0.02
73	4	13	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
74	4	14	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
75	4	15	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
76	4	16	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
77	4	17	81.30	7.91	6.06	1.86	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
78	4	18	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
79	4	19	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
80	4	20	81.30	7.91	6.07	1.85	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
81	5	1	81.30	7.91	6.07	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.07	-0.02
82	5	2	81.30	7.91	6.07	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.07	-0.02
83	5	3	81.30	7.91	6.08	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.07	-0.02
84	5	4	81.30	7.91	6.08	1.83	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.07	-0.02
85	5	5	81.30	7.91	6.08	1.83	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
86	5	6	81.30	7.91	6.09	1.83	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02

									CRF_75A.OUT						
87	5	7	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.07	-0.02
88	5	8	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
89	5	9	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
90	5	10	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
91	5	11	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.06	-0.02
92	5	12	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.06	-0.02
93	5	13	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
94	5	14	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
95	5	15	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
96	5	16	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
97	5	17	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
98	5	18	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
99	5	19	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
100	5	20	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
101	6	1	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
102	6	2	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
103	6	3	81.30	7.91	6.17	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
104	6	4	81.30	7.91	6.18	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
105	6	5	81.30	7.91	6.18	1.73	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
106	6	6	81.30	7.91	6.19	1.73	0.00	1.00	0.00	0.62	-0.17	-0.01	-0.01	-0.06	-0.02
107	6	7	81.30	7.91	6.19	1.72	0.00	1.00	0.00	0.62	-0.17	-0.01	-0.01	-0.06	-0.02
108	6	8	81.30	7.91	6.20	1.72	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
109	6	9	81.30	7.91	6.20	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
110	6	10	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
111	6	11	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
112	6	12	81.30	7.91	6.22	1.69	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
113	6	13	81.30	7.91	6.23	1.69	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
114	6	14	81.30	7.91	6.23	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
115	6	15	81.30	7.91	6.24	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
116	6	16	81.30	7.91	6.24	1.67	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
117	6	17	81.30	7.91	6.25	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
118	6	18	81.30	7.91	6.25	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
119	6	19	81.30	7.91	6.26	1.65	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
120	6	20	81.30	7.91	6.27	1.65	0.00	1.00	0.00	0.59	-0.15	-0.01	-0.01	-0.05	-0.02
121	7	1	81.30	7.91	6.28	1.63	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
122	7	2	81.30	7.91	6.30	1.62	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
123	7	3	81.30	7.91	6.31	1.60	0.00	1.00	0.00	0.57	-0.15	-0.01	-0.01	-0.05	-0.02
124	7	4	81.30	7.91	6.33	1.59	0.00	1.00	0.00	0.57	-0.15	-0.01	-0.01	-0.05	-0.02
125	7	5	81.30	7.91	6.34	1.57	0.00	1.00	0.00	0.56	-0.15	-0.01	-0.01	-0.05	-0.02
126	7	6	81.30	7.91	6.36	1.56	0.00	1.00	0.00	0.56	-0.15	-0.01	-0.01	-0.05	-0.02
127	7	7	81.30	7.91	6.37	1.54	0.00	1.00	0.00	0.55	-0.15	-0.01	-0.01	-0.05	-0.02
128	7	8	81.30	7.91	6.38	1.53	0.00	1.00	0.00	0.55	-0.14	-0.01	-0.01	-0.04	-0.02
129	7	9	81.30	7.91	6.39	1.52	0.00	1.00	0.00	0.54	-0.14	-0.01	-0.01	-0.04	-0.02
130	7	10	81.30	7.91	6.41	1.51	0.00	1.00	0.00	0.54	-0.14	-0.01	-0.01	-0.04	-0.02

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO			DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
				SAT MG/L	DO MG/L	DO DEF MG/L			F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	81.30	7.91	6.42	1.49	0.00	1.00	0.00	0.53	-0.14	-0.01	-0.01	-0.04	-0.02
132	7	12	81.30	7.91	6.43	1.48	0.00	1.00	0.00	0.53	-0.14	-0.01	-0.01	-0.04	-0.02
133	7	13	81.30	7.91	6.44	1.47	0.00	1.00	0.22	0.53	-0.14	-0.01	-0.01	-0.04	-0.02
134	7	14	81.30	7.91	6.45	1.46	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.02
135	7	15	81.30	7.91	6.46	1.45	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.02
136	7	16	81.30	7.91	6.47	1.44	0.00	1.00	0.00	0.51	-0.14	-0.01	-0.01	-0.04	-0.01
137	7	17	81.30	7.91	6.48	1.43	0.00	1.00	0.00	0.51	-0.13	-0.01	-0.01	-0.04	-0.01
138	7	18	81.30	7.91	6.49	1.42	0.00	1.00	0.00	0.51	-0.13	-0.01	-0.01	-0.04	-0.01
139	7	19	81.30	7.91	6.51	1.41	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
140	7	20	81.30	7.91	6.52	1.40	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
141	8	1	81.30	7.91	6.53	1.39	0.00	1.00	0.00	0.50	-0.13	-0.01	0.00	-0.04	-0.01
142	8	2	81.30	7.91	6.54	1.38	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
143	8	3	81.30	7.91	6.55	1.37	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
144	8	4	81.30	7.91	6.55	1.36	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
145	8	5	81.30	7.91	6.56	1.35	0.00	1.00	0.00	0.48	-0.13	-0.01	0.00	-0.04	-0.01
146	8	6	81.30	7.91	6.57	1.34	0.00	1.00	0.00	0.48	-0.13	-0.01	0.00	-0.04	-0.01
147	8	7	81.30	7.91	6.58	1.33	0.00	1.00	0.00	0.48	-0.12	-0.01	0.00	-0.04	-0.01
148	8	8	81.30	7.91	6.59	1.32	0.00	1.00	0.00	0.47	-0.12	-0.01	0.00	-0.04	-0.01

CRF\_75B.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR  
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)  
 TITLE03 YES CONSERVATIVE MINERAL I  
 TITLE04 NO CONSERVATIVE MINERAL II  
 TITLE05 NO CONSERVATIVE MINERAL III  
 TITLE06 NO TEMPERATURE  
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L  
 TITLE08 YES ALGAE AS CHL-A IN UG/L  
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L  
 TITLE10 (ORGANIC-P; DISSOLVED-P)  
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L  
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)  
 TITLE13 YES DISSOLVED OXYGEN IN MG/L  
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML  
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0



CRF\_75B.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	2.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	3.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	4.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	5.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	6.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	7.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	8.0	81.3	5.40	5.60	1.77

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	2.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	3.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	4.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	5.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	6.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	7.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	8.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	5.6	1.77

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	2.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	3.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	4.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	5.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	6.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	7.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014

CRF\_75B.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 46364 81.3 5.40 5.60 1.77
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 69.63 86.9 3.50 419.7 37.62
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.77
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.77
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF\_75B.dat



1

CRF\_75B.OUT  
 \* \* \* QUAL-2E STREAM QUALITY ROUTING MODEL \* \* \*  
 \* \* \* EPA/NCASI VERSION \* \* \*

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03 YES	CONSERVATIVE MINERAL I
TITLE04 NO	CONSERVATIVE MINERAL II
TITLE05 NO	CONSERVATIVE MINERAL III
TITLE06 NO	TEMPERATURE
TITLE07 YES	BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08 YES	ALGAE AS CHL-A IN UG/L
TITLE09 YES	PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11 YES	NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13 YES	DISSOLVED OXYGEN IN MG/L
TITLE14 NO	FECAL COLIFORMS IN NO./100 ML
TITLE15 NO	ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE	CARD TYPE
LIST DATA INPUT	0.00000
WRITE OPTIONAL SUMMARY	0.00000
NO FLOW AUGMENTATION	0.00000
STEADY STATE	0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000
NO PRINT LCD/SOLAR DATA	0.00000
NO PLOT DO AND BOD	0.00000
FIXED DNSTM CONC (YES=1)=	0.00000
INPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000
NUM OF HEADWATERS =	1.00000
TIME STEP (HOURS) =	1.00000
MAXIMUM ROUTE TIME (HRS)=	250.00000
LATITUDE OF BASIN (DEG) =	33.00000
STANDARD MERIDIAN (DEG) =	90.00000
EVAP. COEFF. (AE) =	0.00001
ELEV OF BASIN (ELEV) =	60.00000
ENDATA1	0.00000
ULT BOD CONV RATE COEF	0.23000
OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF JUNCTIONS =	0.00000
NUMBER OF POINT LOADS =	8.00000
LNTH COMP ELEMENT (DX)=	0.25000
TIME INC. FOR RPT2 (HRS)=	1.00000
LONGITUDE OF BASIN (DEG)=	92.00000
DAY OF YEAR START TIME =	190.00000
EVAP. COEF. (BE) =	0.00010
DUST ATTENUATION COEF. =	0.13000
	0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE	CARD TYPE
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300
O PROD BY ALGAE (MG O/MG A) =	1.8000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000
O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRF\_75B.OUT

N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0200	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

0 \$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE RATE CODE THETA VALUE

0 \$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER AND IDENT	R. MI/KM	R. MI/KM
STREAM REACH	1.0 REACH 1 FRO	227.0 TO	222.0
STREAM REACH	2.0 REACH 2 FRO	222.0 TO	217.0
STREAM REACH	3.0 REACH 3 FRO	217.0 TO	212.0
STREAM REACH	4.0 REACH 4 FRO	212.0 TO	207.0
STREAM REACH	5.0 REACH 5 FRO	207.0 TO	202.0
STREAM REACH	6.0 REACH 6 FRO	202.0 TO	197.0
STREAM REACH	7.0 REACH 7 FRO	197.0 TO	192.0
STREAM REACH	8.0 REACH 8 FRO	192.0 TO	190.0
ENDATA2	0.0	0.0	0.0

0 \$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER OF AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0.
STREAM REACH	2.	1.	3.0	1.	0.	0.
STREAM REACH	3.	1.	3.0	1.	0.	0.
STREAM REACH	4.	1.	3.0	1.	0.	0.
STREAM REACH	5.	1.	3.0	1.	0.	0.
STREAM REACH	6.	1.	3.0	1.	0.	0.
STREAM REACH	7.	1.	3.0	1.	0.	0.
STREAM REACH	8.	1.	3.0	1.	0.	0.
ENDATA3	0.	0.	0.0	0.	0.	0.

0 \$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL FLAGS
FLAG FIELD	1.	20.	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	2.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	3.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.
FLAG FIELD	5.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
ENDATA4	0.	0.	0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.

0 \$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CRF\_75B.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CRF\_75B.OUT

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	2.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	3.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	4.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	5.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	6.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	7.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	8.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	2.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	3.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	4.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	5.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	6.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	7.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	8.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE                      JUNCTION ORDER AND IDENT                      UPSTRM    JUNCTION                      TRIB

0            ENDATA9            0.            0.            0.  
 \$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	46364.00	81.30	5.40	5.60	1.77	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	69.63	86.90	3.50	419.70	37.62	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	1.77	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	1.77	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	7.	BAYOU BARTH	0.00	222.00	85.10	5.40	2.80	1.77	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	1.77	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

CRF\_75B.OUT

	CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
--	-----------	------	------	-----	------	------	------	-----	------

0      ENDATA13                      DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED  
 \$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$

	CARD TYPE	CHL-A	ORG-N	NH3-N	NO2-N	NH3-N	ORG-P	DIS-P
--	-----------	-------	-------	-------	-------	-------	-------	-------

1      ENDATA13A                      DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

		CONSERVATIVE MINERAL I										ITERATION 1									
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

1	1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	2	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	3	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	4	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	5	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	6	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	7	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	8	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82

		BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1									
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

1	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.76
	2	5.32	5.28	5.23	5.19	5.15	5.10	5.06	5.02	4.98	4.94	4.90	4.86	4.82	4.78	4.74	4.70	4.66	4.62	4.58	4.54
	3	4.51	4.47	4.43	4.40	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.95	3.91	3.88	3.85
	4	3.82	3.78	3.75	3.72	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.43	3.40	3.37	3.34	3.31	3.29	3.26
	5	3.23	3.21	3.18	3.15	3.13	3.10	3.07	3.05	3.02	3.00	2.97	2.95	2.93	2.90	2.88	2.85	2.83	2.81	2.78	2.76
	6	2.74	2.71	2.69	2.67	2.65	2.63	2.60	2.58	2.56	2.54	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.38	2.36	2.34
	7	2.32	2.30	2.28	2.26	2.24	2.22	2.21	2.19	2.17	2.15	2.13	2.12	2.10	2.08	2.07	2.05	2.03	2.02	2.00	1.98
	8	1.97	1.95	1.93	1.92	1.90	1.89	1.87	1.86												

1      STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:  
 -----

				NUMBER OF NONCONVERGENT ELEMENTS										ITERATION 1							
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

1	1	8.28	8.16	8.04	7.93	7.81	7.70	7.59	7.48	7.37	7.26	7.16	7.06	6.95	6.85	6.75	6.66	6.56	6.47	6.37	6.28
	2	6.18	6.09	6.00	5.92	5.83	5.75	5.67	5.58	5.50	5.42	5.35	5.27	5.19	5.12	5.04	4.97	4.90	4.83	4.76	4.69
	3	4.62	4.56	4.49	4.43	4.36	4.30	4.24	4.18	4.12	4.06	4.00	3.94	3.88	3.83	3.77	3.72	3.66	3.61	3.56	3.51
	4	3.46	3.41	3.36	3.31	3.26	3.21	3.17	3.12	3.08	3.03	2.99	2.95	2.90	2.86	2.82	2.78	2.74	2.70	2.66	2.62
	5	2.58	2.55	2.51	2.47	2.44	2.40	2.37	2.33	2.30	2.27	2.23	2.20	2.17	2.14	2.11	2.08	2.05	2.02	1.99	1.96
	6	1.93	1.90	1.88	1.85	1.82	1.80	1.77	1.74	1.72	1.69	1.67	1.65	1.62	1.60	1.58	1.55	1.53	1.51	1.49	1.47
	7	1.44	1.42	1.40	1.38	1.36	1.34	1.32	1.30	1.29	1.27	1.25	1.23	1.25	1.23	1.21	1.19	1.18	1.16	1.14	1.13

		8	1.11	1.09	1.08	1.06	1.05	1.03	1.02	1.00											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.32	0.32	0.31	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
2	0.24	0.24	0.24	0.23	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13
4	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
6	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05
7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04
8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.10
2	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.13	0.13
3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12
4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11
5	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06
8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02

CRF_75B.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	20	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	
2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19	
3	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.23	0.23	0.23	0.23	0.24	0.24	0.24	
4	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	
5	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.34	0.34	
6	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.38	0.38	
7	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.41	0.41	0.41	
8	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.42												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.42	5.44	5.46	5.47	5.49	5.51	5.52	5.54	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.66	5.67	5.69	5.70	
2	5.71	5.72	5.73	5.74	5.74	5.75	5.76	5.76	5.77	5.78	5.78	5.79	5.80	5.81	5.81	5.82	5.83	5.83	5.84	
3	5.86	5.86	5.87	5.88	5.88	5.89	5.90	5.91	5.91	5.92	5.93	5.94	5.94	5.95	5.96	5.97	5.97	5.98	5.99	
4	6.00	5.99	5.99	5.99	5.99	5.99	5.99	5.99	5.99	5.99	5.99	5.99	6.00	6.00	6.00	6.00	6.01	6.01	6.01	
5	6.02	6.02	6.03	6.03	6.03	6.04	6.04	6.05	6.05	6.06	6.06	6.07	6.07	6.08	6.08	6.09	6.09	6.10	6.11	
6	6.11	6.12	6.13	6.13	6.14	6.14	6.15	6.15	6.16	6.17	6.17	6.18	6.18	6.19	6.20	6.20	6.21	6.21	6.22	
7	6.24	6.26	6.27	6.29	6.30	6.32	6.33	6.34	6.36	6.37	6.38	6.40	6.40	6.42	6.43	6.44	6.45	6.46	6.47	
8	6.49	6.50	6.51	6.52	6.53	6.54	6.55	6.56												
ALGAE GROWTH RATE						1			124											
ALGAE GROWTH RATE						2			0											
ALGAE GROWTH RATE						3			0											

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 ( 204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 13.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2



SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL\*FN\*FP

1		DISSOLVED OXYGEN IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	5.42	5.44	5.46	5.47	5.49	5.51	5.53	5.54	5.56	5.58	5.59	5.61	5.62	5.64	5.65	5.66	5.68	5.69	5.70	5.72
	2	5.72	5.73	5.74	5.74	5.75	5.76	5.77	5.77	5.78	5.79	5.79	5.80	5.81	5.82	5.82	5.83	5.84	5.85	5.85	5.86
	3	5.87	5.87	5.88	5.89	5.90	5.90	5.91	5.92	5.93	5.93	5.94	5.95	5.96	5.97	5.97	5.98	5.99	6.00	6.00	6.01
	4	6.01	6.01	6.01	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.01	6.01	6.01	6.01	6.01	6.02	6.02	6.02	6.02	6.03
	5	6.03	6.03	6.04	6.04	6.05	6.05	6.05	6.06	6.06	6.07	6.07	6.08	6.08	6.09	6.09	6.10	6.10	6.11	6.11	6.12
	6	6.12	6.13	6.14	6.14	6.15	6.15	6.16	6.16	6.17	6.18	6.18	6.19	6.19	6.20	6.21	6.21	6.22	6.22	6.23	6.24
	7	6.25	6.27	6.28	6.30	6.31	6.33	6.34	6.35	6.37	6.38	6.39	6.40	6.41	6.42	6.43	6.45	6.46	6.47	6.48	6.49
	8	6.50	6.51	6.52	6.53	6.54	6.55	6.56	6.57												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.76
	2	5.32	5.28	5.23	5.19	5.15	5.10	5.06	5.02	4.98	4.94	4.90	4.86	4.82	4.78	4.74	4.70	4.66	4.62	4.58	4.54
	3	4.51	4.47	4.43	4.40	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.95	3.91	3.88	3.85
	4	3.82	3.78	3.75	3.72	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.43	3.40	3.37	3.34	3.31	3.29	3.26
	5	3.23	3.21	3.18	3.15	3.13	3.10	3.07	3.05	3.02	3.00	2.97	2.95	2.93	2.90	2.88	2.85	2.83	2.81	2.78	2.76
	6	2.74	2.71	2.69	2.67	2.65	2.63	2.60	2.58	2.56	2.54	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.38	2.36	2.34
	7	2.32	2.30	2.28	2.26	2.24	2.22	2.21	2.19	2.17	2.15	2.13	2.12	2.10	2.08	2.07	2.05	2.03	2.02	2.00	1.98
	8	1.97	1.95	1.93	1.92	1.90	1.89	1.87	1.86												
0		ORGANIC NITROGEN AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.32	0.32	0.32	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
	2	0.24	0.24	0.24	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18
	3	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13
	4	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10
	5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07
	6	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05
	7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04
	8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04												
0		AMMONIA AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10
	2	0.11	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13
	3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12
	4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11
	5	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09
	6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
	7	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06

CRF\_75B.OUT

		8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	
		NITRITE AS N IN MG/L								ITERATION 3											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
0	NITRATE AS N IN MG/L								ITERATION 3												
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.14
	2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19	0.19
	3	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.23	0.23	0.23	0.24	0.24	0.24	0.24
	4	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29
	5	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.34	0.34
	6	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37	0.38
	7	0.38	0.38	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.41	0.41	0.41
	8	0.41	0.41	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.42	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43
0	ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 3												
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 3												
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	ALGAE AS CHL-A IN UG/L								ITERATION 3												
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	8.28	8.16	8.05	7.93	7.82	7.71	7.60	7.50	7.39	7.29	7.19	7.09	6.99	6.89	6.80	6.71	6.61	6.52	6.43	6.35
	2	6.25	6.17	6.09	6.01	5.92	5.85	5.77	5.69	5.61	5.54	5.47	5.39	5.32	5.25	5.18	5.11	5.05	4.98	4.91	4.85

CRF_75B.OUT																				
3	4.79	4.72	4.66	4.60	4.54	4.48	4.42	4.36	4.31	4.25	4.20	4.14	4.09	4.03	3.98	3.93	3.88	3.83	3.78	3.73
4	3.68	3.63	3.59	3.54	3.50	3.45	3.41	3.36	3.32	3.28	3.23	3.19	3.15	3.11	3.07	3.03	2.99	2.95	2.92	2.88
5	2.84	2.81	2.77	2.73	2.70	2.66	2.63	2.60	2.56	2.53	2.50	2.47	2.43	2.40	2.37	2.34	2.31	2.28	2.25	2.23
6	2.20	2.17	2.14	2.12	2.09	2.06	2.04	2.01	1.99	1.96	1.94	1.91	1.89	1.87	1.84	1.82	1.80	1.78	1.75	1.73
7	1.71	1.69	1.67	1.65	1.63	1.61	1.59	1.57	1.55	1.54	1.52	1.50	1.51	1.50	1.48	1.46	1.44	1.43	1.41	1.39
8	1.38	1.36	1.34	1.33	1.31	1.30	1.28	1.27												
0	CONSERVATIVE MINERAL I										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
2	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
3	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
4	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
5	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
6	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
7	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
8	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
5	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
6	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
7	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
8	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.33	0.34	0.34	0.35	0.35	0.36	0.36	0.37	0.37	0.38	0.38	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.41
2	0.42	0.43	0.43	0.43	0.43	0.43	0.44	0.44	0.44	0.44	0.44	0.45	0.45	0.45	0.45	0.45	0.45	0.46	0.46	0.46
3	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
4	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50
5	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.51	0.51	0.51	0.51
6	0.51	0.52	0.52	0.52	0.53	0.53	0.53	0.54	0.54	0.54	0.55	0.55	0.55	0.56	0.56	0.56	0.57	0.57	0.57	0.57
7	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.60	0.60	0.60	0.60	0.60	0.60	0.61	0.61	0.61	0.61	0.61	0.62
8	0.62	0.62	0.62	0.62	0.63	0.63	0.63	0.63												

1  
 STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL  
 OUTPUT PAGE NUMBER 1  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN
ORD	NUM	NUM	LOC	LOC	SRCE	FLOW	TIME	AREA	AREA	COEF
						FLOW	VEL	DEPTH	WIDTH	VOLUME

75' Flood Scenario - Daily Maximum Output

													CRF_75B.OUT	
		MILE	MILE	CFS	CFS	CFS	FPS	DAY	FT	FT	FT-3	FT-2	FT-2	FT-2/S
1	1	1	227.00	226.7546364.10	0.00	0.10	0.129	0.119	12.33429218.080	475711104.0	38600428.0	360387.19	5.30	
2	1	2	226.75	226.5046364.20	0.00	0.10	0.129	0.119	12.33429218.098	475712800.0	38600452.0	360388.50	5.30	
3	1	3	226.50	226.2546364.30	0.00	0.10	0.129	0.119	12.33429218.115	475714528.0	38600476.0	360389.78	5.30	
4	1	4	226.25	226.0046364.41	0.00	0.10	0.129	0.119	12.33529218.131	475716224.0	38600496.0	360391.06	5.30	
5	1	5	226.00	225.7546364.51	0.00	0.10	0.129	0.119	12.33529218.146	475717920.0	38600516.0	360392.37	5.30	
6	1	6	225.75	225.5046364.61	0.00	0.10	0.129	0.119	12.33529218.164	475719616.0	38600540.0	360393.66	5.30	
7	1	7	225.50	225.2546364.71	0.00	0.10	0.129	0.119	12.33529218.184	475721376.0	38600564.0	360395.00	5.30	
8	1	8	225.25	225.0046364.81	0.00	0.10	0.129	0.119	12.33529218.203	475723072.0	38600592.0	360396.28	5.30	
9	1	9	225.00	224.7546364.91	0.00	0.10	0.129	0.119	12.33529218.219	475724800.0	38600612.0	360397.56	5.30	
10	1	10	224.75	224.5046365.02	0.00	0.10	0.129	0.119	12.33529218.236	475726496.0	38600636.0	360398.84	5.30	
11	1	11	224.50	224.2546365.12	0.00	0.10	0.129	0.119	12.33529218.252	475728192.0	38600656.0	360400.16	5.30	
12	1	12	224.25	224.0046365.22	0.00	0.10	0.129	0.119	12.33529218.270	475729888.0	38600680.0	360401.44	5.30	
13	1	13	224.00	223.7546365.32	0.00	0.10	0.129	0.119	12.33529218.291	475731648.0	38600708.0	360402.78	5.30	
14	1	14	223.75	223.5046365.42	0.00	0.10	0.129	0.119	12.33529218.307	475733344.0	38600728.0	360404.06	5.30	
15	1	15	223.50	223.2546365.52	0.00	0.10	0.129	0.119	12.33529218.324	475735072.0	38600752.0	360405.34	5.30	
16	1	16	223.25	223.0046365.62	0.00	0.10	0.129	0.119	12.33529218.340	475736768.0	38600772.0	360406.66	5.30	
17	1	17	223.00	222.7546365.73	0.00	0.10	0.129	0.119	12.33529218.357	475738464.0	38600796.0	360407.94	5.30	
18	1	18	222.75	222.5046365.83	0.00	0.10	0.129	0.119	12.33529218.373	475740160.0	38600816.0	360409.22	5.30	
19	1	19	222.50	222.2546365.93	0.00	0.10	0.129	0.119	12.33529218.395	475741920.0	38600844.0	360410.56	5.30	
20	1	20	222.25	222.0046366.03	0.00	0.10	0.129	0.119	12.33529218.412	475743648.0	38600868.0	360411.84	5.30	
21	2	1	222.00	221.7546435.76	69.63	0.10	0.129	0.119	12.36129230.400	476919712.0	38616760.0	361302.81	5.30	
22	2	2	221.75	221.5046435.86	0.00	0.10	0.129	0.119	12.36129230.416	476921408.0	38616780.0	361304.09	5.30	
23	2	3	221.50	221.2546435.96	0.00	0.10	0.129	0.119	12.36129230.434	476923136.0	38616804.0	361305.41	5.30	
24	2	4	221.25	221.0046436.07	0.00	0.10	0.129	0.119	12.36129230.451	476924832.0	38616828.0	361306.69	5.30	
25	2	5	221.00	220.7546436.17	0.00	0.10	0.129	0.119	12.36129230.473	476926592.0	38616856.0	361308.03	5.30	
26	2	6	220.75	220.5046436.27	0.00	0.10	0.129	0.119	12.36129230.488	476928288.0	38616876.0	361309.31	5.30	
27	2	7	220.50	220.2546436.37	0.00	0.10	0.129	0.119	12.36129230.506	476930016.0	38616900.0	361310.62	5.30	
28	2	8	220.25	220.0046436.47	0.00	0.10	0.129	0.119	12.36129230.521	476931712.0	38616920.0	361311.91	5.30	
29	2	9	220.00	219.7546436.57	0.00	0.10	0.129	0.119	12.36129230.539	476933408.0	38616944.0	361313.19	5.30	
30	2	10	219.75	219.5046436.68	0.00	0.10	0.129	0.119	12.36129230.557	476935136.0	38616968.0	361314.50	5.30	
31	2	11	219.50	219.2546436.78	0.00	0.10	0.129	0.119	12.36129230.574	476936832.0	38616992.0	361315.78	5.30	
32	2	12	219.25	219.0046436.88	0.00	0.10	0.129	0.119	12.36129230.592	476938528.0	38617016.0	361317.06	5.30	
33	2	13	219.00	218.7546436.98	0.00	0.10	0.129	0.119	12.36129230.611	476940320.0	38617040.0	361318.41	5.30	
34	2	14	218.75	218.5046437.08	0.00	0.10	0.129	0.119	12.36129230.627	476942016.0	38617060.0	361319.72	5.30	
35	2	15	218.50	218.2546437.18	0.00	0.10	0.129	0.119	12.36129230.645	476943712.0	38617084.0	361321.00	5.30	
36	2	16	218.25	218.0046437.29	0.00	0.10	0.129	0.119	12.36129230.664	476945440.0	38617108.0	361322.28	5.30	
37	2	17	218.00	217.7546437.39	0.00	0.10	0.129	0.119	12.36129230.680	476947136.0	38617132.0	361323.59	5.30	
38	2	18	217.75	217.5046437.49	0.00	0.10	0.129	0.119	12.36129230.697	476948832.0	38617152.0	361324.87	5.30	
39	2	19	217.50	217.2546437.59	0.00	0.10	0.129	0.119	12.36129230.713	476950560.0	38617176.0	361326.16	5.30	
40	2	20	217.25	217.0046437.69	0.00	0.10	0.129	0.119	12.36129230.730	476952256.0	38617196.0	361327.47	5.30	
41	3	1	217.00	216.7546437.79	0.00	0.10	0.129	0.119	12.36129230.750	476954016.0	38617224.0	361328.81	3.07	
42	3	2	216.75	216.5046437.89	0.00	0.10	0.129	0.119	12.36129230.770	476955712.0	38617248.0	361330.09	3.07	
43	3	3	216.50	216.2546438.00	0.00	0.10	0.129	0.119	12.36129230.785	476957440.0	38617272.0	361331.37	3.07	
44	3	4	216.25	216.0046438.10	0.00	0.10	0.129	0.119	12.36129230.803	476959136.0	38617292.0	361332.69	3.07	

CRF\_75B.OUT

45	3	5	216.00	215.7546438.20	0.00	0.10	0.129	0.119	12.36129230.818	476960832.0	38617316.0	361333.97	3.07
46	3	6	215.75	215.5046438.30	0.00	0.10	0.129	0.119	12.36129230.836	476962560.0	38617336.0	361335.25	3.07
47	3	7	215.50	215.2546438.40	0.00	0.10	0.129	0.119	12.36129230.852	476964256.0	38617360.0	361336.56	3.07
48	3	8	215.25	215.0046438.50	0.00	0.10	0.129	0.119	12.36229230.875	476966016.0	38617388.0	361337.91	3.07
49	3	9	215.00	214.7546438.61	0.00	0.10	0.129	0.119	12.36229230.891	476967712.0	38617412.0	361339.19	3.07
50	3	10	214.75	214.5046438.71	0.00	0.10	0.129	0.119	12.36229230.908	476969440.0	38617432.0	361340.47	3.07
51	3	11	214.50	214.2546438.81	0.00	0.10	0.129	0.119	12.36229230.924	476971136.0	38617456.0	361341.78	3.07
52	3	12	214.25	214.0046438.91	0.00	0.10	0.129	0.119	12.36229230.941	476972832.0	38617476.0	361343.06	3.07
53	3	13	214.00	213.7546439.01	0.00	0.10	0.129	0.119	12.36229230.957	476974560.0	38617500.0	361344.34	3.07
54	3	14	213.75	213.5046439.11	0.00	0.10	0.129	0.119	12.36229230.977	476976256.0	38617524.0	361345.66	3.07
55	3	15	213.50	213.2546439.21	0.00	0.10	0.129	0.119	12.36229230.992	476977952.0	38617544.0	361346.94	3.07
56	3	16	213.25	213.0046439.32	0.00	0.10	0.129	0.119	12.36229231.014	476979712.0	38617572.0	361348.28	3.07
57	3	17	213.00	212.7546439.42	0.00	0.10	0.129	0.119	12.36229231.029	476981440.0	38617592.0	361349.56	3.07
58	3	18	212.75	212.5046439.52	0.00	0.10	0.129	0.119	12.36229231.047	476983136.0	38617616.0	361350.87	3.07
59	3	19	212.50	212.2546439.62	0.00	0.10	0.129	0.119	12.36229231.062	476984832.0	38617636.0	361352.16	3.07
60	3	20	212.25	212.0046439.72	0.00	0.10	0.129	0.119	12.36229231.082	476986560.0	38617664.0	361353.44	3.07
61	4	1	212.00	211.7546439.82	0.00	0.10	0.129	0.119	12.36229231.098	476988256.0	38617684.0	361354.75	2.93
62	4	2	211.75	211.5046439.93	0.00	0.10	0.129	0.119	12.36229231.115	476989952.0	38617708.0	361356.03	2.93
63	4	3	211.50	211.2546440.03	0.00	0.10	0.129	0.119	12.36229231.131	476991680.0	38617728.0	361357.34	2.93
64	4	4	211.25	211.0046441.13	1.00	0.10	0.129	0.119	12.36229231.322	477010304.0	38617984.0	361371.44	2.93
65	4	5	211.00	210.7546441.23	0.00	0.10	0.129	0.119	12.36329231.340	477012000.0	38618004.0	361372.72	2.93

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5046441.33	0.00	0.10	0.129	0.119	12.36329231.357	477013696.0	38618028.0	361374.03	2.93		
67	4	7	210.50	210.2546441.43	0.00	0.10	0.129	0.119	12.36329231.373	477015424.0	38618048.0	361375.31	2.93		
68	4	8	210.25	210.0046441.54	0.00	0.10	0.129	0.119	12.36329231.391	477017120.0	38618072.0	361376.59	2.93		
69	4	9	210.00	209.7546441.64	0.00	0.10	0.129	0.119	12.36329231.412	477018880.0	38618100.0	361377.94	2.93		
70	4	10	209.75	209.5046441.74	0.00	0.10	0.129	0.119	12.36329231.430	477020576.0	38618124.0	361379.22	2.93		
71	4	11	209.50	209.2546441.84	0.00	0.10	0.129	0.119	12.36329231.445	477022304.0	38618144.0	361380.53	2.93		
72	4	12	209.25	209.0046441.94	0.00	0.10	0.129	0.119	12.36329231.463	477024000.0	38618168.0	361381.81	2.93		
73	4	13	209.00	208.7546442.04	0.00	0.10	0.129	0.119	12.36329231.479	477025696.0	38618188.0	361383.12	2.93		
74	4	14	208.75	208.5046442.14	0.00	0.10	0.129	0.119	12.36329231.496	477027424.0	38618212.0	361384.41	2.93		
75	4	15	208.50	208.2546442.25	0.00	0.10	0.129	0.119	12.36329231.514	477029120.0	38618236.0	361385.69	2.93		
76	4	16	208.25	208.0046442.35	0.00	0.10	0.129	0.119	12.36329231.535	477030880.0	38618264.0	361387.03	2.93		
77	4	17	208.00	207.7546442.45	0.00	0.10	0.129	0.119	12.36329231.551	477032576.0	38618284.0	361388.31	2.93		
78	4	18	207.75	207.5046442.65	0.10	0.10	0.129	0.119	12.36329231.584	477035904.0	38618328.0	361390.84	2.93		
79	4	19	207.50	207.2546442.75	0.00	0.10	0.129	0.119	12.36329231.604	477037664.0	38618356.0	361392.19	2.93		
80	4	20	207.25	207.0046442.85	0.00	0.10	0.129	0.119	12.36329231.619	477039392.0	38618376.0	361393.47	2.93		

CRF\_75B.OUT

81	5	1	207.00	206.7546442.95	0.00	0.10	0.129	0.119	12.36329231.637	477041088.0	38618400.0	361394.75	1.40
82	5	2	206.75	206.5046443.05	0.00	0.10	0.129	0.119	12.36329231.652	477042784.0	38618420.0	361396.06	1.40
83	5	3	206.50	206.2546443.16	0.00	0.10	0.129	0.119	12.36329231.672	477044512.0	38618444.0	361397.34	1.40
84	5	4	206.25	206.0046443.26	0.00	0.10	0.129	0.119	12.36329231.689	477046208.0	38618468.0	361398.62	1.40
85	5	5	206.00	205.7546443.36	0.00	0.10	0.129	0.119	12.36329231.705	477047904.0	38618488.0	361399.94	1.40
86	5	6	205.75	205.5046443.46	0.00	0.10	0.129	0.119	12.36329231.723	477049632.0	38618512.0	361401.22	1.40
87	5	7	205.50	205.2546443.56	0.00	0.10	0.129	0.119	12.36329231.742	477051392.0	38618540.0	361402.56	1.40
88	5	8	205.25	205.0046443.66	0.00	0.10	0.129	0.119	12.36329231.758	477053088.0	38618560.0	361403.84	1.40
89	5	9	205.00	204.7546443.77	0.00	0.10	0.129	0.119	12.36329231.775	477054784.0	38618584.0	361405.16	1.40
90	5	10	204.75	204.5046443.87	0.00	0.10	0.129	0.119	12.36329231.795	477056512.0	38618608.0	361406.44	1.40
91	5	11	204.50	204.2546443.97	0.00	0.10	0.129	0.119	12.36429231.811	477058208.0	38618628.0	361407.72	1.40
92	5	12	204.25	204.0046444.07	0.00	0.10	0.129	0.119	12.36429231.828	477059904.0	38618652.0	361409.03	1.40
93	5	13	204.00	203.7546444.17	0.00	0.10	0.129	0.119	12.36429231.844	477061632.0	38618672.0	361410.31	1.40
94	5	14	203.75	203.5046444.27	0.00	0.10	0.129	0.119	12.36429231.861	477063328.0	38618696.0	361411.62	1.40
95	5	15	203.50	203.2546444.37	0.00	0.10	0.129	0.119	12.36429231.881	477065088.0	38618724.0	361412.94	1.40
96	5	16	203.25	203.0046444.48	0.00	0.10	0.129	0.119	12.36429231.900	477066784.0	38618748.0	361414.25	1.40
97	5	17	203.00	202.7546445.58	1.00	0.10	0.129	0.119	12.36429232.086	477085376.0	38618996.0	361428.31	1.40
98	5	18	202.75	202.5046445.68	0.00	0.10	0.129	0.119	12.36429232.105	477087072.0	38619020.0	361429.59	1.40
99	5	19	202.50	202.2546445.78	0.00	0.10	0.129	0.119	12.36429232.121	477088768.0	38619040.0	361430.87	1.40
100	5	20	202.25	202.0046445.88	0.00	0.10	0.129	0.119	12.36429232.141	477090528.0	38619068.0	361432.22	1.40
101	6	1	202.00	201.7546445.98	0.00	0.10	0.129	0.119	12.36429232.158	477092256.0	38619092.0	361433.53	2.37
102	6	2	201.75	201.5046446.09	0.00	0.10	0.129	0.119	12.36429232.174	477093952.0	38619112.0	361434.81	2.37
103	6	3	201.50	201.2546446.19	0.00	0.10	0.129	0.119	12.36429232.191	477095648.0	38619136.0	361436.09	2.37
104	6	4	201.25	201.0046446.29	0.00	0.10	0.129	0.119	12.36429232.207	477097376.0	38619156.0	361437.41	2.37
105	6	5	201.00	200.7546446.39	0.00	0.10	0.129	0.119	12.36429232.227	477099072.0	38619180.0	361438.69	2.37
106	6	6	200.75	200.5046446.49	0.00	0.10	0.129	0.119	12.36429232.244	477100768.0	38619204.0	361440.00	2.37
107	6	7	200.50	200.2546446.59	0.00	0.10	0.129	0.119	12.36429232.260	477102496.0	38619224.0	361441.28	2.37
108	6	8	200.25	200.0046446.70	0.00	0.10	0.129	0.119	12.36529232.279	477104256.0	38619252.0	361442.62	2.37
109	6	9	200.00	199.7546446.80	0.00	0.10	0.129	0.119	12.36529232.297	477105952.0	38619276.0	361443.91	2.37
110	6	10	199.75	199.5046446.90	0.00	0.10	0.129	0.119	12.36529232.314	477107680.0	38619296.0	361445.19	2.37
111	6	11	199.50	199.2546447.00	0.00	0.10	0.129	0.119	12.36529232.332	477109376.0	38619320.0	361446.50	2.37
112	6	12	199.25	199.0046447.10	0.00	0.10	0.129	0.119	12.36529232.350	477111072.0	38619344.0	361447.78	2.37
113	6	13	199.00	198.7546447.30	0.10	0.10	0.129	0.119	12.36529232.385	477114464.0	38619392.0	361450.34	2.37
114	6	14	198.75	198.5046447.40	0.00	0.10	0.129	0.119	12.36529232.400	477116160.0	38619412.0	361451.62	2.37
115	6	15	198.50	198.2546447.50	0.00	0.10	0.129	0.119	12.36529232.418	477117856.0	38619436.0	361452.94	2.37
116	6	16	198.25	198.0046447.61	0.00	0.10	0.129	0.119	12.36529232.434	477119584.0	38619456.0	361454.22	2.37
117	6	17	198.00	197.7546447.71	0.00	0.10	0.129	0.119	12.36529232.451	477121280.0	38619480.0	361455.53	2.37
118	6	18	197.75	197.5046447.81	0.00	0.10	0.129	0.119	12.36529232.471	477123040.0	38619504.0	361456.84	2.37
119	6	19	197.50	197.2546447.91	0.00	0.10	0.129	0.119	12.36529232.490	477124736.0	38619532.0	361458.16	2.37
120	6	20	197.25	197.0046448.01	0.00	0.10	0.129	0.119	12.36529232.508	477126464.0	38619552.0	361459.44	2.37
121	7	1	197.00	196.7546448.21	0.10	0.10	0.129	0.119	12.36529232.539	477129824.0	38619596.0	361462.00	0.98
122	7	2	196.75	196.5046448.31	0.00	0.10	0.129	0.119	12.36529232.559	477131552.0	38619620.0	361463.28	0.98
123	7	3	196.50	196.2546448.41	0.00	0.10	0.129	0.119	12.36529232.576	477133248.0	38619644.0	361464.59	0.98
124	7	4	196.25	196.0046448.52	0.00	0.10	0.129	0.119	12.36529232.592	477134944.0	38619664.0	361465.87	0.98
125	7	5	196.00	195.7546448.62	0.00	0.10	0.129	0.119	12.36529232.609	477136672.0	38619688.0	361467.16	0.98

CRF_75B.OUT													
126	7	6	195.75	195.5046448.72	0.00	0.10	0.129	0.119	12.36529232.625	477138368.0	38619708.0	361468.47	0.98
127	7	7	195.50	195.2546448.82	0.00	0.10	0.128	0.119	12.36529232.643	477140064.0	38619732.0	361469.75	0.98
128	7	8	195.25	195.0046448.92	0.00	0.10	0.128	0.119	12.36529232.662	477141792.0	38619760.0	361471.06	0.98
129	7	9	195.00	194.7546449.02	0.00	0.10	0.128	0.119	12.36529232.682	477143552.0	38619784.0	361472.37	0.98
130	7	10	194.75	194.5046449.12	0.00	0.10	0.128	0.119	12.36529232.697	477145248.0	38619804.0	361473.69	0.98

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	INCR SRCE CFS	TRVL FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
131	7	11	194.50	194.2546449.23	0.00	0.10	0.128	0.119	12.36529232.715	477146976.0	38619828.0	361474.97	0.98		
132	7	12	194.25	194.0046449.33	0.00	0.10	0.128	0.119	12.36529232.730	477148672.0	38619848.0	361476.25	0.98		
133	7	13	194.00	193.7546671.43	222.00	0.10	0.128	0.119	12.44729270.824	480902944.0	38670348.0	364320.41	0.98		
134	7	14	193.75	193.5046671.53	0.00	0.10	0.128	0.119	12.44729270.840	480904672.0	38670368.0	364321.72	0.98		
135	7	15	193.50	193.2546671.63	0.00	0.10	0.128	0.119	12.44729270.857	480906400.0	38670392.0	364323.03	0.98		
136	7	16	193.25	193.0046671.73	0.00	0.10	0.128	0.119	12.44729270.879	480908160.0	38670420.0	364324.37	0.98		
137	7	17	193.00	192.7546671.84	0.00	0.10	0.128	0.119	12.44729270.895	480909888.0	38670440.0	364325.66	0.98		
138	7	18	192.75	192.5046671.94	0.00	0.10	0.128	0.119	12.44729270.912	480911584.0	38670464.0	364326.97	0.98		
139	7	19	192.50	192.2546672.04	0.00	0.10	0.128	0.119	12.44729270.932	480913312.0	38670488.0	364328.28	0.98		
140	7	20	192.25	192.0046672.14	0.00	0.10	0.128	0.119	12.44729270.949	480915040.0	38670512.0	364329.56	0.98		
141	8	1	192.00	191.7546673.16	0.77	0.25	0.128	0.119	12.44729271.119	480932256.0	38670736.0	364342.62	0.98		
142	8	2	191.75	191.5046673.41	0.00	0.25	0.128	0.119	12.44729271.164	480936512.0	38670796.0	364345.84	0.98		
143	8	3	191.50	191.2546673.66	0.00	0.25	0.128	0.119	12.44729271.207	480940768.0	38670856.0	364349.06	0.98		
144	8	4	191.25	191.0046673.91	0.00	0.25	0.128	0.119	12.44729271.250	480944960.0	38670912.0	364352.25	0.98		
145	8	5	191.00	190.7546674.16	0.00	0.25	0.128	0.119	12.44829271.293	480949216.0	38670968.0	364355.47	0.98		
146	8	6	190.75	190.5046674.41	0.00	0.25	0.128	0.119	12.44829271.334	480953408.0	38671024.0	364358.66	0.98		
147	8	7	190.50	190.2546674.66	0.00	0.25	0.128	0.119	12.44829271.377	480957664.0	38671080.0	364361.87	0.98		
148	8	8	190.25	190.0046674.91	0.00	0.25	0.128	0.119	12.44829271.424	480961920.0	38671140.0	364365.09	0.98		

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
1	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00





CRF\_75B.OUT

3	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
4	6	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00



		CRF_75B.OUT																	
7	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH	ELE	TEMP	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	DEG-F				MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
1	1	81.30	1.77	0.00	0.00	5.42	5.55	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.28
1	2	81.30	1.77	0.00	0.00	5.44	5.51	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.16
1	3	81.30	1.77	0.00	0.00	5.46	5.46	0.32	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	8.05
1	4	81.30	1.77	0.00	0.00	5.47	5.42	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.93

CRF\_75B.OUT

1	5	81.30	1.77	0.00	0.00	5.49	5.37	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.82
1	6	81.30	1.77	0.00	0.00	5.51	5.33	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.71
1	7	81.30	1.77	0.00	0.00	5.53	5.28	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.60
1	8	81.30	1.77	0.00	0.00	5.54	5.24	0.29	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.50
1	9	81.30	1.77	0.00	0.00	5.56	5.20	0.29	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.39
1	10	81.30	1.77	0.00	0.00	5.58	5.15	0.28	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.29
1	11	81.30	1.77	0.00	0.00	5.59	5.11	0.28	0.08	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.19
1	12	81.30	1.77	0.00	0.00	5.61	5.07	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.09
1	13	81.30	1.77	0.00	0.00	5.62	5.03	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.99
1	14	81.30	1.77	0.00	0.00	5.64	4.99	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.89
1	15	81.30	1.77	0.00	0.00	5.65	4.94	0.26	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.80
1	16	81.30	1.77	0.00	0.00	5.66	4.90	0.26	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.71
1	17	81.30	1.77	0.00	0.00	5.68	4.86	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.61
1	18	81.30	1.77	0.00	0.00	5.69	4.82	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.52
1	19	81.30	1.77	0.00	0.00	5.70	4.78	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.43
1	20	81.30	1.77	0.00	0.00	5.72	4.76	0.24	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.35
2	1	81.30	1.82	0.00	0.00	5.72	5.32	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.25
2	2	81.30	1.82	0.00	0.00	5.73	5.28	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.17
2	3	81.30	1.82	0.00	0.00	5.74	5.23	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.09
2	4	81.30	1.82	0.00	0.00	5.74	5.19	0.23	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.01
2	5	81.30	1.82	0.00	0.00	5.75	5.15	0.23	0.12	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	5.92
2	6	81.30	1.82	0.00	0.00	5.76	5.10	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.85
2	7	81.30	1.82	0.00	0.00	5.77	5.06	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.77
2	8	81.30	1.82	0.00	0.00	5.77	5.02	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.69
2	9	81.30	1.82	0.00	0.00	5.78	4.98	0.21	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.61
2	10	81.30	1.82	0.00	0.00	5.79	4.94	0.21	0.12	0.01	0.17	0.51	0.02	0.01	0.04	0.00	0.00	5.54
2	11	81.30	1.82	0.00	0.00	5.79	4.90	0.21	0.12	0.01	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.47
2	12	81.30	1.82	0.00	0.00	5.80	4.86	0.21	0.12	0.01	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.39
2	13	81.30	1.82	0.00	0.00	5.81	4.82	0.20	0.12	0.02	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.32
2	14	81.30	1.82	0.00	0.00	5.82	4.78	0.20	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.25
2	15	81.30	1.82	0.00	0.00	5.82	4.74	0.20	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.18
2	16	81.30	1.82	0.00	0.00	5.83	4.70	0.19	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.11
2	17	81.30	1.82	0.00	0.00	5.84	4.66	0.19	0.13	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.05
2	18	81.30	1.82	0.00	0.00	5.85	4.62	0.19	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.98
2	19	81.30	1.82	0.00	0.00	5.85	4.58	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.91
2	20	81.30	1.82	0.00	0.00	5.86	4.54	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.85
3	1	81.30	1.82	0.00	0.00	5.87	4.51	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.79
3	2	81.30	1.82	0.00	0.00	5.87	4.47	0.18	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.72
3	3	81.30	1.82	0.00	0.00	5.88	4.43	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.66
3	4	81.30	1.82	0.00	0.00	5.89	4.40	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.60
3	5	81.30	1.82	0.00	0.00	5.90	4.36	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.54
3	6	81.30	1.82	0.00	0.00	5.90	4.32	0.17	0.13	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.48
3	7	81.30	1.82	0.00	0.00	5.91	4.29	0.16	0.13	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.42
3	8	81.30	1.82	0.00	0.00	5.92	4.25	0.16	0.13	0.02	0.21	0.52	0.03	0.01	0.04	0.00	0.00	4.36
3	9	81.30	1.82	0.00	0.00	5.93	4.22	0.16	0.13	0.02	0.21	0.52	0.03	0.01	0.04	0.00	0.00	4.31
3	10	81.30	1.82	0.00	0.00	5.93	4.18	0.16	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.25

CRF\_75B.OUT

3	11	81.30	1.82	0.00	0.00	5.94	4.15	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.20
3	12	81.30	1.82	0.00	0.00	5.95	4.11	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.14
3	13	81.30	1.82	0.00	0.00	5.96	4.08	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.09
3	14	81.30	1.82	0.00	0.00	5.97	4.04	0.15	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	4.03
3	15	81.30	1.82	0.00	0.00	5.97	4.01	0.14	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	3.98
3	16	81.30	1.82	0.00	0.00	5.98	3.98	0.14	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	3.93
3	17	81.30	1.82	0.00	0.00	5.99	3.95	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.88
3	18	81.30	1.82	0.00	0.00	6.00	3.91	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.83
3	19	81.30	1.82	0.00	0.00	6.00	3.88	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.78
3	20	81.30	1.82	0.00	0.00	6.01	3.85	0.13	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.73
4	1	81.30	1.82	0.00	0.00	6.01	3.82	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.68
4	2	81.30	1.82	0.00	0.00	6.01	3.78	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.63
4	3	81.30	1.82	0.00	0.00	6.01	3.75	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.59
4	4	81.30	1.82	0.00	0.00	6.00	3.72	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.54
4	5	81.30	1.82	0.00	0.00	6.00	3.69	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.50

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	81.30	1.82	0.00	0.00	6.00	3.66	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.45
4	7	81.30	1.82	0.00	0.00	6.00	3.63	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.41
4	8	81.30	1.82	0.00	0.00	6.00	3.60	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.36
4	9	81.30	1.82	0.00	0.00	6.00	3.57	0.12	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.32
4	10	81.30	1.82	0.00	0.00	6.00	3.54	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.28
4	11	81.30	1.82	0.00	0.00	6.01	3.51	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.23
4	12	81.30	1.82	0.00	0.00	6.01	3.48	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.19
4	13	81.30	1.82	0.00	0.00	6.01	3.45	0.11	0.12	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.15
4	14	81.30	1.82	0.00	0.00	6.01	3.43	0.11	0.12	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.11
4	15	81.30	1.82	0.00	0.00	6.01	3.40	0.11	0.11	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.07
4	16	81.30	1.82	0.00	0.00	6.02	3.37	0.10	0.11	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.03
4	17	81.30	1.82	0.00	0.00	6.02	3.34	0.10	0.11	0.02	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.99
4	18	81.30	1.82	0.00	0.00	6.02	3.31	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.95
4	19	81.30	1.82	0.00	0.00	6.02	3.29	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.92
4	20	81.30	1.82	0.00	0.00	6.03	3.26	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.88
5	1	81.30	1.82	0.00	0.00	6.03	3.23	0.10	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.84
5	2	81.30	1.82	0.00	0.00	6.03	3.21	0.10	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.81
5	3	81.30	1.82	0.00	0.00	6.04	3.18	0.09	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.77
5	4	81.30	1.82	0.00	0.00	6.04	3.15	0.09	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.73
5	5	81.30	1.82	0.00	0.00	6.05	3.13	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.70

CRF\_75B.OUT

5	6	81.30	1.82	0.00	0.00	6.05	3.10	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.66
5	7	81.30	1.82	0.00	0.00	6.05	3.07	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.63
5	8	81.30	1.82	0.00	0.00	6.06	3.05	0.09	0.10	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.60
5	9	81.30	1.82	0.00	0.00	6.06	3.02	0.09	0.10	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.56
5	10	81.30	1.82	0.00	0.00	6.07	3.00	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.53
5	11	81.30	1.82	0.00	0.00	6.07	2.97	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.50
5	12	81.30	1.82	0.00	0.00	6.08	2.95	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.47
5	13	81.30	1.82	0.00	0.00	6.08	2.93	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.43
5	14	81.30	1.82	0.00	0.00	6.09	2.90	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.40
5	15	81.30	1.82	0.00	0.00	6.09	2.88	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.37
5	16	81.30	1.82	0.00	0.00	6.10	2.85	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.34
5	17	81.30	1.82	0.00	0.00	6.10	2.83	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.31
5	18	81.30	1.82	0.00	0.00	6.11	2.81	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.28
5	19	81.30	1.82	0.00	0.00	6.11	2.78	0.07	0.10	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.25
5	20	81.30	1.82	0.00	0.00	6.12	2.76	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.23
6	1	81.30	1.82	0.00	0.00	6.12	2.74	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.20
6	2	81.30	1.82	0.00	0.00	6.13	2.71	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.17
6	3	81.30	1.82	0.00	0.00	6.14	2.69	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.14
6	4	81.30	1.82	0.00	0.00	6.14	2.67	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.12
6	5	81.30	1.82	0.00	0.00	6.15	2.65	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.09
6	6	81.30	1.82	0.00	0.00	6.15	2.63	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.06
6	7	81.30	1.82	0.00	0.00	6.16	2.60	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.04
6	8	81.30	1.82	0.00	0.00	6.16	2.58	0.06	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.01
6	9	81.30	1.82	0.00	0.00	6.17	2.56	0.06	0.09	0.01	0.36	0.52	0.03	0.01	0.04	0.00	0.00	1.99
6	10	81.30	1.82	0.00	0.00	6.18	2.54	0.06	0.09	0.01	0.36	0.52	0.03	0.02	0.04	0.00	0.00	1.96
6	11	81.30	1.82	0.00	0.00	6.18	2.52	0.06	0.09	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.94
6	12	81.30	1.82	0.00	0.00	6.19	2.50	0.06	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.91
6	13	81.30	1.82	0.00	0.00	6.19	2.48	0.06	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.89
6	14	81.30	1.82	0.00	0.00	6.20	2.46	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.87
6	15	81.30	1.82	0.00	0.00	6.21	2.44	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.84
6	16	81.30	1.82	0.00	0.00	6.21	2.42	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.82
6	17	81.30	1.82	0.00	0.00	6.22	2.40	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.80
6	18	81.30	1.82	0.00	0.00	6.22	2.38	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.78
6	19	81.30	1.82	0.00	0.00	6.23	2.36	0.05	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.75
6	20	81.30	1.82	0.00	0.00	6.24	2.34	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.73
7	1	81.30	1.82	0.00	0.00	6.25	2.32	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.71
7	2	81.30	1.82	0.00	0.00	6.27	2.30	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.69
7	3	81.30	1.82	0.00	0.00	6.28	2.28	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.67
7	4	81.30	1.82	0.00	0.00	6.30	2.26	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.65
7	5	81.30	1.82	0.00	0.00	6.31	2.24	0.05	0.07	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.63
7	6	81.30	1.82	0.00	0.00	6.33	2.22	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.61
7	7	81.30	1.82	0.00	0.00	6.34	2.21	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.59
7	8	81.30	1.82	0.00	0.00	6.35	2.19	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.57
7	9	81.30	1.82	0.00	0.00	6.37	2.17	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.55
7	10	81.30	1.82	0.00	0.00	6.38	2.15	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.54

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	81.30	1.82	0.00	0.00	6.39	2.13	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.52
7	12	81.30	1.82	0.00	0.00	6.40	2.12	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.50
7	13	81.30	1.82	0.00	0.00	6.41	2.10	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.51
7	14	81.30	1.82	0.00	0.00	6.42	2.08	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.50
7	15	81.30	1.82	0.00	0.00	6.43	2.07	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.48
7	16	81.30	1.82	0.00	0.00	6.45	2.05	0.04	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.46
7	17	81.30	1.82	0.00	0.00	6.46	2.03	0.04	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.44
7	18	81.30	1.82	0.00	0.00	6.47	2.02	0.04	0.07	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.43
7	19	81.30	1.82	0.00	0.00	6.48	2.00	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.41
7	20	81.30	1.82	0.00	0.00	6.49	1.98	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.39
8	1	81.30	1.82	0.00	0.00	6.50	1.97	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.38
8	2	81.30	1.82	0.00	0.00	6.51	1.95	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.36
8	3	81.30	1.82	0.00	0.00	6.52	1.93	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.34
8	4	81.30	1.82	0.00	0.00	6.53	1.92	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.33
8	5	81.30	1.82	0.00	0.00	6.54	1.90	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.31
8	6	81.30	1.82	0.00	0.00	6.55	1.89	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.30
8	7	81.30	1.82	0.00	0.00	6.56	1.87	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.28
8	8	81.30	1.82	0.00	0.00	6.57	1.86	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.27

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN FACTORS NITRGN *	PHSPRS *
1	1	1	8.28	0.02	0.07	0.95	0.32	-0.05	0.50	0.33	4.23	0.03	0.43	0.58
2	1	2	8.16	0.03	0.07	0.95	0.33	-0.05	0.50	0.34	4.23	0.03	0.44	0.58
3	1	3	8.05	0.03	0.07	0.95	0.34	-0.05	0.50	0.35	4.23	0.03	0.45	0.58
4	1	4	7.93	0.03	0.07	0.95	0.34	-0.05	0.50	0.36	4.22	0.03	0.46	0.58
5	1	5	7.82	0.03	0.07	0.95	0.35	-0.05	0.50	0.36	4.22	0.03	0.47	0.58
6	1	6	7.71	0.03	0.07	0.95	0.35	-0.05	0.50	0.37	4.22	0.03	0.48	0.58

									CRF_75B.OUT					
7	1	7	7.60	0.03	0.07	0.95	0.36	-0.05	0.50	0.38	4.22	0.03	0.49	0.58
8	1	8	7.50	0.03	0.07	0.95	0.36	-0.04	0.50	0.38	4.21	0.03	0.49	0.58
9	1	9	7.39	0.03	0.07	0.95	0.37	-0.04	0.50	0.39	4.21	0.03	0.50	0.58
10	1	10	7.29	0.03	0.07	0.95	0.37	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
11	1	11	7.19	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
12	1	12	7.09	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.20	0.03	0.52	0.58
13	1	13	6.99	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.52	0.58
14	1	14	6.89	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
15	1	15	6.80	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
16	1	16	6.71	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.19	0.03	0.54	0.58
17	1	17	6.61	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
18	1	18	6.52	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
19	1	19	6.43	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.55	0.58
20	1	20	6.35	0.03	0.07	0.95	0.41	-0.04	0.50	0.42	4.18	0.03	0.55	0.58
21	2	1	6.25	0.03	0.07	0.95	0.42	-0.03	0.50	0.43	4.18	0.03	0.56	0.59
22	2	2	6.17	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.18	0.03	0.56	0.59
23	2	3	6.09	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.18	0.03	0.57	0.59
24	2	4	6.01	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.57	0.59
25	2	5	5.92	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.57	0.59
26	2	6	5.85	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
27	2	7	5.77	0.03	0.07	0.95	0.44	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
28	2	8	5.69	0.03	0.07	0.95	0.44	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
29	2	9	5.61	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
30	2	10	5.54	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
31	2	11	5.47	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
32	2	12	5.39	0.03	0.07	0.95	0.45	-0.03	0.50	0.42	4.16	0.03	0.59	0.58
33	2	13	5.32	0.03	0.07	0.95	0.45	-0.03	0.50	0.42	4.16	0.03	0.60	0.58
34	2	14	5.25	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
35	2	15	5.18	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
36	2	16	5.11	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
37	2	17	5.05	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.61	0.58
38	2	18	4.98	0.04	0.07	0.95	0.46	-0.03	0.50	0.40	4.15	0.03	0.61	0.58
39	2	19	4.91	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.15	0.03	0.61	0.58
40	2	20	4.85	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.14	0.03	0.61	0.58
41	3	1	4.79	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.14	0.03	0.62	0.58
42	3	2	4.72	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
43	3	3	4.66	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
44	3	4	4.60	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
45	3	5	4.54	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.14	0.03	0.62	0.58
46	3	6	4.48	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.62	0.58
47	3	7	4.42	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.63	0.58
48	3	8	4.36	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.63	0.58
49	3	9	4.31	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
50	3	10	4.25	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
51	3	11	4.20	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
52	3	12	4.14	0.04	0.07	0.95	0.47	-0.02	0.50	0.36	4.13	0.03	0.64	0.58



CRF_75B.OUT														
53	3	13	4.09	0.04	0.07	0.95	0.48	-0.02	0.50	0.36	4.12	0.03	0.64	0.58
54	3	14	4.03	0.04	0.07	0.95	0.48	-0.02	0.50	0.36	4.12	0.03	0.64	0.58
55	3	15	3.98	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
56	3	16	3.93	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
57	3	17	3.88	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
58	3	18	3.83	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.12	0.03	0.64	0.58
59	3	19	3.78	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.12	0.03	0.65	0.58
60	3	20	3.73	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.11	0.03	0.65	0.58
61	4	1	3.68	0.04	0.07	0.95	0.48	-0.02	0.50	0.33	4.11	0.03	0.65	0.58
62	4	2	3.63	0.04	0.07	0.95	0.48	-0.02	0.50	0.33	4.11	0.03	0.65	0.58
63	4	3	3.59	0.04	0.07	0.95	0.49	-0.02	0.50	0.33	4.11	0.03	0.65	0.57
64	4	4	3.54	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57
65	4	5	3.50	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N		LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *		LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.45	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57
67	4	7	3.41	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.11	0.03	0.66	0.57
68	4	8	3.36	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.10	0.03	0.66	0.57
69	4	9	3.32	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.10	0.03	0.66	0.57
70	4	10	3.28	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
71	4	11	3.23	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
72	4	12	3.19	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
73	4	13	3.15	0.04	0.07	0.95	0.49	-0.01	0.50	0.30	4.10	0.03	0.66	0.57
74	4	14	3.11	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.66	0.57
75	4	15	3.07	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.66	0.57
76	4	16	3.03	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.67	0.57
77	4	17	2.99	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
78	4	18	2.95	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
79	4	19	2.92	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
80	4	20	2.88	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
81	5	1	2.84	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
82	5	2	2.81	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
83	5	3	2.77	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
84	5	4	2.73	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57
85	5	5	2.70	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57
86	5	6	2.66	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57

								CRF_75B.OUT						
87	5	7	2.63	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.67	0.57
88	5	8	2.60	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
89	5	9	2.56	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
90	5	10	2.53	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
91	5	11	2.50	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
92	5	12	2.47	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
93	5	13	2.43	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
94	5	14	2.40	0.04	0.07	0.95	0.50	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
95	5	15	2.37	0.04	0.07	0.95	0.50	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
96	5	16	2.34	0.04	0.07	0.95	0.51	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
97	5	17	2.31	0.04	0.07	0.95	0.51	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
98	5	18	2.28	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
99	5	19	2.25	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
100	5	20	2.23	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
101	6	1	2.20	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
102	6	2	2.17	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.57
103	6	3	2.14	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.58
104	6	4	2.12	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.58
105	6	5	2.09	0.04	0.07	0.95	0.53	-0.01	0.50	0.21	4.07	0.03	0.69	0.59
106	6	6	2.06	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
107	6	7	2.04	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
108	6	8	2.01	0.04	0.07	0.95	0.54	-0.01	0.50	0.20	4.07	0.03	0.69	0.60
109	6	9	1.99	0.04	0.07	0.95	0.54	-0.01	0.50	0.20	4.07	0.03	0.69	0.60
110	6	10	1.96	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.07	0.03	0.69	0.60
111	6	11	1.94	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
112	6	12	1.91	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
113	6	13	1.89	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
114	6	14	1.87	0.04	0.07	0.95	0.56	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
115	6	15	1.84	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
116	6	16	1.82	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
117	6	17	1.80	0.04	0.07	0.95	0.57	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
118	6	18	1.78	0.04	0.07	0.95	0.57	-0.01	0.50	0.18	4.06	0.03	0.69	0.63
119	6	19	1.75	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
120	6	20	1.73	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
121	7	1	1.71	0.04	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.63
122	7	2	1.69	0.05	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.64
123	7	3	1.67	0.05	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.64
124	7	4	1.65	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.06	0.03	0.70	0.64
125	7	5	1.63	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.06	0.03	0.70	0.64
126	7	6	1.61	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.64
127	7	7	1.59	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.65
128	7	8	1.57	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.65
129	7	9	1.55	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
130	7	10	1.54	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.65

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGAE GROWTH RATE			A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
				GRWTH 1/DAY	RESP 1/DAY	SETT FT/DA						LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.52	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
132	7	12	1.50	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
133	7	13	1.51	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
134	7	14	1.50	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
135	7	15	1.48	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
136	7	16	1.46	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
137	7	17	1.44	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
138	7	18	1.43	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
139	7	19	1.41	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
140	7	20	1.39	0.05	0.07	0.95	0.62	-0.01	0.50	0.13	4.05	0.03	0.70	0.67
141	8	1	1.38	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
142	8	2	1.36	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
143	8	3	1.34	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
144	8	4	1.33	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
145	8	5	1.31	0.05	0.07	0.95	0.63	0.00	0.50	0.13	4.05	0.03	0.70	0.68
146	8	6	1.30	0.05	0.07	0.95	0.63	0.00	0.50	0.13	4.05	0.03	0.70	0.68
147	8	7	1.28	0.05	0.07	0.95	0.63	0.00	0.50	0.12	4.05	0.03	0.70	0.68
148	8	8	1.27	0.05	0.07	0.95	0.63	0.00	0.50	0.12	4.04	0.03	0.70	0.69

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)											
				DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	81.30	7.91	5.42	2.49	0.00	1.00	45.47	0.89	-0.39	-0.01	-0.05	-0.03	-0.04
2	1	2	81.30	7.91	5.44	2.48	0.00	1.00	0.00	0.89	-0.39	-0.01	-0.05	-0.03	-0.03
3	1	3	81.30	7.91	5.46	2.46	0.00	1.00	0.00	0.88	-0.38	-0.01	-0.05	-0.04	-0.03
4	1	4	81.30	7.91	5.47	2.44	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
5	1	5	81.30	7.91	5.49	2.42	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
6	1	6	81.30	7.91	5.51	2.40	0.00	1.00	0.00	0.86	-0.37	-0.01	-0.05	-0.04	-0.02

									CRF_75B.OUT						
7	1	7	81.30	7.91	5.53	2.39	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.05	-0.04	-0.02
8	1	8	81.30	7.91	5.54	2.37	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.04	-0.05	-0.02
9	1	9	81.30	7.91	5.56	2.35	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
10	1	10	81.30	7.91	5.58	2.34	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
11	1	11	81.30	7.91	5.59	2.32	0.00	1.00	0.00	0.83	-0.36	-0.01	-0.04	-0.05	-0.02
12	1	12	81.30	7.91	5.61	2.31	0.00	1.00	0.00	0.82	-0.36	-0.01	-0.04	-0.05	-0.02
13	1	13	81.30	7.91	5.62	2.29	0.00	1.00	0.00	0.82	-0.35	-0.01	-0.04	-0.06	-0.02
14	1	14	81.30	7.91	5.64	2.28	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
15	1	15	81.30	7.91	5.65	2.26	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
16	1	16	81.30	7.91	5.66	2.25	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
17	1	17	81.30	7.91	5.68	2.23	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
18	1	18	81.30	7.91	5.69	2.22	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
19	1	19	81.30	7.91	5.70	2.21	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
20	1	20	81.30	7.91	5.72	2.20	0.00	1.00	0.00	0.79	-0.33	-0.01	-0.04	-0.06	-0.02
21	2	1	81.30	7.91	5.72	2.19	0.00	1.00	0.04	0.78	-0.37	-0.01	-0.03	-0.07	-0.02
22	2	2	81.30	7.91	5.73	2.18	0.00	1.00	0.00	0.78	-0.37	-0.01	-0.03	-0.07	-0.02
23	2	3	81.30	7.91	5.74	2.18	0.00	1.00	0.00	0.78	-0.37	-0.01	-0.03	-0.07	-0.02
24	2	4	81.30	7.91	5.74	2.17	0.00	1.00	0.00	0.78	-0.36	-0.01	-0.03	-0.07	-0.02
25	2	5	81.30	7.91	5.75	2.16	0.00	1.00	0.00	0.77	-0.36	-0.01	-0.03	-0.07	-0.02
26	2	6	81.30	7.91	5.76	2.16	0.00	1.00	0.00	0.77	-0.36	-0.01	-0.03	-0.07	-0.02
27	2	7	81.30	7.91	5.77	2.15	0.00	1.00	0.00	0.77	-0.36	-0.01	-0.03	-0.07	-0.02
28	2	8	81.30	7.91	5.77	2.14	0.00	1.00	0.00	0.77	-0.35	-0.01	-0.03	-0.07	-0.02
29	2	9	81.30	7.91	5.78	2.13	0.00	1.00	0.00	0.76	-0.35	-0.01	-0.03	-0.07	-0.02
30	2	10	81.30	7.91	5.79	2.13	0.00	1.00	0.00	0.76	-0.35	-0.01	-0.03	-0.07	-0.02
31	2	11	81.30	7.91	5.79	2.12	0.00	1.00	0.00	0.76	-0.34	-0.01	-0.03	-0.08	-0.02
32	2	12	81.30	7.91	5.80	2.11	0.00	1.00	0.00	0.75	-0.34	-0.01	-0.03	-0.08	-0.02
33	2	13	81.30	7.91	5.81	2.10	0.00	1.00	0.00	0.75	-0.34	-0.01	-0.03	-0.08	-0.02
34	2	14	81.30	7.91	5.82	2.10	0.00	1.00	0.00	0.75	-0.34	-0.01	-0.03	-0.08	-0.02
35	2	15	81.30	7.91	5.82	2.09	0.00	1.00	0.00	0.75	-0.33	-0.01	-0.03	-0.08	-0.02
36	2	16	81.30	7.91	5.83	2.08	0.00	1.00	0.00	0.74	-0.33	-0.01	-0.03	-0.08	-0.02
37	2	17	81.30	7.91	5.84	2.07	0.00	1.00	0.00	0.74	-0.33	-0.01	-0.03	-0.08	-0.02
38	2	18	81.30	7.91	5.85	2.07	0.00	1.00	0.00	0.74	-0.32	-0.01	-0.03	-0.08	-0.02
39	2	19	81.30	7.91	5.85	2.06	0.00	1.00	0.00	0.74	-0.32	-0.01	-0.02	-0.08	-0.03
40	2	20	81.30	7.91	5.86	2.05	0.00	1.00	0.00	0.73	-0.32	-0.01	-0.02	-0.08	-0.03
41	3	1	81.30	7.91	5.87	2.05	0.00	1.00	0.00	0.73	-0.32	-0.01	-0.02	-0.08	-0.03
42	3	2	81.30	7.91	5.87	2.04	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.02	-0.08	-0.03
43	3	3	81.30	7.91	5.88	2.03	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.02	-0.08	-0.03
44	3	4	81.30	7.91	5.89	2.02	0.00	1.00	0.00	0.72	-0.31	-0.01	-0.02	-0.08	-0.03
45	3	5	81.30	7.91	5.90	2.02	0.00	1.00	0.00	0.72	-0.31	-0.01	-0.02	-0.08	-0.03
46	3	6	81.30	7.91	5.90	2.01	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
47	3	7	81.30	7.91	5.91	2.00	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
48	3	8	81.30	7.91	5.92	1.99	0.00	1.00	0.00	0.71	-0.30	-0.01	-0.02	-0.08	-0.03
49	3	9	81.30	7.91	5.93	1.99	0.00	1.00	0.00	0.71	-0.30	-0.01	-0.02	-0.08	-0.03
50	3	10	81.30	7.91	5.93	1.98	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
51	3	11	81.30	7.91	5.94	1.97	0.00	1.00	0.00	0.70	-0.29	-0.01	-0.02	-0.08	-0.03
52	3	12	81.30	7.91	5.95	1.96	0.00	1.00	0.00	0.70	-0.29	-0.01	-0.02	-0.08	-0.03

										CRF_75B.OUT					
53	3	13	81.30	7.91	5.96	1.96	0.00	1.00	0.00	0.70	-0.29	-0.01	-0.02	-0.08	-0.03
54	3	14	81.30	7.91	5.97	1.95	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.03
55	3	15	81.30	7.91	5.97	1.94	0.00	1.00	0.00	0.69	-0.28	-0.01	-0.02	-0.08	-0.03
56	3	16	81.30	7.91	5.98	1.93	0.00	1.00	0.00	0.69	-0.28	-0.01	-0.02	-0.08	-0.03
57	3	17	81.30	7.91	5.99	1.92	0.00	1.00	0.00	0.69	-0.28	-0.01	-0.02	-0.08	-0.03
58	3	18	81.30	7.91	6.00	1.92	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.03
59	3	19	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
60	3	20	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
61	4	1	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
62	4	2	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
63	4	3	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
64	4	4	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
65	4	5	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.07	-0.03

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE	RCH	ELE	TEMP	DO	DO	DO	DAM	NIT	F-FUNCTN	OXYGN	C-BOD	SOD	NET	NH3-N	NO2-N
ORD	NUM	NUM	DEG-F	SAT	MG/L	MG/L	MG/L	INHIB	INPUT	REAIR			P-R		
66	4	6	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.07	-0.03
67	4	7	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.03
68	4	8	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.03
69	4	9	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.02
70	4	10	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.02
71	4	11	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.02
72	4	12	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.02	-0.07	-0.02
73	4	13	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.01	-0.07	-0.02
74	4	14	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.01	-0.07	-0.02
75	4	15	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.01	-0.07	-0.02
76	4	16	81.30	7.91	6.02	1.90	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.01	-0.07	-0.02
77	4	17	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.23	-0.01	-0.01	-0.07	-0.02
78	4	18	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.23	-0.01	-0.01	-0.07	-0.02
79	4	19	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.23	-0.01	-0.01	-0.07	-0.02
80	4	20	81.30	7.91	6.03	1.89	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
81	5	1	81.30	7.91	6.03	1.88	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
82	5	2	81.30	7.91	6.03	1.88	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
83	5	3	81.30	7.91	6.04	1.88	0.00	1.00	0.00	0.67	-0.22	-0.01	-0.01	-0.07	-0.02
84	5	4	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.22	-0.01	-0.01	-0.07	-0.02
85	5	5	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.22	-0.01	-0.01	-0.07	-0.02
86	5	6	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.22	-0.01	-0.01	-0.07	-0.02

CRF\_75B.OUT

87	5	7	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
88	5	8	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
89	5	9	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
90	5	10	81.30	7.91	6.07	1.85	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
91	5	11	81.30	7.91	6.07	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
92	5	12	81.30	7.91	6.08	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
93	5	13	81.30	7.91	6.08	1.83	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.06	-0.02
94	5	14	81.30	7.91	6.09	1.83	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
95	5	15	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
96	5	16	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
97	5	17	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
98	5	18	81.30	7.91	6.11	1.81	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
99	5	19	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.06	-0.02
100	5	20	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
101	6	1	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
102	6	2	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
103	6	3	81.30	7.91	6.14	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
104	6	4	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
105	6	5	81.30	7.91	6.15	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
106	6	6	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
107	6	7	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
108	6	8	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.05	-0.02
109	6	9	81.30	7.91	6.17	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.05	-0.02
110	6	10	81.30	7.91	6.18	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.05	-0.02
111	6	11	81.30	7.91	6.18	1.73	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.05	-0.02
112	6	12	81.30	7.91	6.19	1.73	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.05	-0.02
113	6	13	81.30	7.91	6.19	1.72	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
114	6	14	81.30	7.91	6.20	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
115	6	15	81.30	7.91	6.21	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
116	6	16	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
117	6	17	81.30	7.91	6.22	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
118	6	18	81.30	7.91	6.22	1.69	0.00	1.00	0.00	0.60	-0.17	-0.01	-0.01	-0.05	-0.02
119	6	19	81.30	7.91	6.23	1.68	0.00	1.00	0.00	0.60	-0.17	-0.01	-0.01	-0.05	-0.02
120	6	20	81.30	7.91	6.24	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
121	7	1	81.30	7.91	6.25	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
122	7	2	81.30	7.91	6.27	1.65	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
123	7	3	81.30	7.91	6.28	1.63	0.00	1.00	0.00	0.58	-0.16	-0.01	-0.01	-0.05	-0.02
124	7	4	81.30	7.91	6.30	1.62	0.00	1.00	0.00	0.58	-0.16	-0.01	-0.01	-0.05	-0.02
125	7	5	81.30	7.91	6.31	1.60	0.00	1.00	0.00	0.57	-0.16	-0.01	-0.01	-0.05	-0.02
126	7	6	81.30	7.91	6.33	1.59	0.00	1.00	0.00	0.57	-0.16	-0.01	-0.01	-0.05	-0.02
127	7	7	81.30	7.91	6.34	1.57	0.00	1.00	0.00	0.56	-0.15	-0.01	-0.01	-0.05	-0.02
128	7	8	81.30	7.91	6.35	1.56	0.00	1.00	0.00	0.56	-0.15	-0.01	-0.01	-0.04	-0.02
129	7	9	81.30	7.91	6.37	1.55	0.00	1.00	0.00	0.55	-0.15	-0.01	-0.01	-0.04	-0.02
130	7	10	81.30	7.91	6.38	1.53	0.00	1.00	0.00	0.55	-0.15	-0.01	-0.01	-0.04	-0.02

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
									F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	81.30	7.91	6.39	1.52	0.00	1.00	0.00	0.54	-0.15	-0.01	-0.01	-0.04	-0.02
132	7	12	81.30	7.91	6.40	1.51	0.00	1.00	0.00	0.54	-0.15	-0.01	-0.01	-0.04	-0.02
133	7	13	81.30	7.91	6.41	1.50	0.00	1.00	0.22	0.54	-0.15	-0.01	-0.01	-0.04	-0.02
134	7	14	81.30	7.91	6.42	1.49	0.00	1.00	0.00	0.53	-0.15	-0.01	-0.01	-0.04	-0.02
135	7	15	81.30	7.91	6.43	1.48	0.00	1.00	0.00	0.53	-0.15	-0.01	-0.01	-0.04	-0.02
136	7	16	81.30	7.91	6.45	1.47	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.01
137	7	17	81.30	7.91	6.46	1.46	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.01
138	7	18	81.30	7.91	6.47	1.45	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.01
139	7	19	81.30	7.91	6.48	1.43	0.00	1.00	0.00	0.51	-0.14	-0.01	-0.01	-0.04	-0.01
140	7	20	81.30	7.91	6.49	1.42	0.00	1.00	0.00	0.51	-0.14	-0.01	-0.01	-0.04	-0.01
141	8	1	81.30	7.91	6.50	1.41	0.00	1.00	0.00	0.51	-0.14	-0.01	0.00	-0.04	-0.01
142	8	2	81.30	7.91	6.51	1.40	0.00	1.00	0.00	0.50	-0.14	-0.01	0.00	-0.04	-0.01
143	8	3	81.30	7.91	6.52	1.39	0.00	1.00	0.00	0.50	-0.14	-0.01	0.00	-0.04	-0.01
144	8	4	81.30	7.91	6.53	1.38	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
145	8	5	81.30	7.91	6.54	1.37	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
146	8	6	81.30	7.91	6.55	1.37	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
147	8	7	81.30	7.91	6.56	1.36	0.00	1.00	0.00	0.48	-0.13	-0.01	0.00	-0.04	-0.01
148	8	8	81.30	7.91	6.57	1.35	0.00	1.00	0.00	0.48	-0.13	-0.01	0.00	-0.04	-0.01

CRF\_75C.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR  
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)  
 TITLE03 YES CONSERVATIVE MINERAL I  
 TITLE04 NO CONSERVATIVE MINERAL II  
 TITLE05 NO CONSERVATIVE MINERAL III  
 TITLE06 NO TEMPERATURE  
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L  
 TITLE08 YES ALGAE AS CHL-A IN UG/L  
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L  
 TITLE10 (ORGANIC-P; DISSOLVED-P)  
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L  
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)  
 TITLE13 YES DISSOLVED OXYGEN IN MG/L  
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML  
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0





CRF\_75C.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	2.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	3.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	4.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	5.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	6.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	7.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	8.0	81.3	5.40	5.60	1.77

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	2.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	3.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	4.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	5.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	6.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	7.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	8.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	5.6	1.77

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	2.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	3.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	4.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	5.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	6.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	7.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014

CRF\_75C.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 46364 81.3 5.40 5.60 1.77
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 0.000 86.9 3.50 218.3 18.75
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.77
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.77
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF\_75C.dat

1

CRF\_75C.OUT  
\* \* \* QUAL-2E STREAM QUALITY ROUTING MODEL \* \* \*  
\* \* \* EPA/NCASI VERSION \* \* \*

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03	YES CONSERVATIVE MINERAL I
TITLE04	NO CONSERVATIVE MINERAL II
TITLE05	NO CONSERVATIVE MINERAL III
TITLE06	NO TEMPERATURE
TITLE07	YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08	YES ALGAE AS CHL-A IN UG/L
TITLE09	YES PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11	YES NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13	YES DISSOLVED OXYGEN IN MG/L
TITLE14	NO FECAL COLIFORMS IN NO./100 ML
TITLE15	NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500



CRF\_75C.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CRF\_75C.OUT

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	2.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	3.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	4.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	5.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	6.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	7.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	8.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	2.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	3.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	4.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	5.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	6.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	7.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	8.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE                      JUNCTION ORDER AND IDENT                      UPSTRM    JUNCTION                      TRIB



0            ENDATA9            0.            0.            0.  
 \$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	46364.00	81.30	5.40	5.60	1.77	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	0.00	86.90	3.50	218.30	18.75	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	1.77	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	1.77	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	7.	BAYOU BARTH0	0.00	222.00	85.10	5.40	2.80	1.77	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	1.77	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0            \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

		CRF_75C.OUT																			
		CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI											
0	ENDATA13	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																			
0	\$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$																				
		CARD TYPE	CHL-A	ORG-N	NH3-N	NO2-N	NH3-N	ORG-P	DIS-P												
1	ENDATA13A	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																			
0		CONSERVATIVE MINERAL I										ITERATION 1									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	2	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	3	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	4	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	5	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	6	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	7	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	8	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77

0		BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.74
	2	4.70	4.67	4.63	4.59	4.55	4.51	4.48	4.44	4.40	4.37	4.33	4.29	4.26	4.22	4.19	4.15	4.12	4.08	4.05	4.02
	3	3.98	3.95	3.92	3.89	3.85	3.82	3.79	3.76	3.73	3.70	3.67	3.64	3.61	3.58	3.55	3.52	3.49	3.46	3.43	3.40
	4	3.38	3.35	3.32	3.29	3.26	3.24	3.21	3.18	3.16	3.13	3.11	3.08	3.06	3.03	3.00	2.98	2.96	2.93	2.91	2.88
	5	2.86	2.84	2.81	2.79	2.77	2.74	2.72	2.70	2.68	2.65	2.63	2.61	2.59	2.57	2.55	2.52	2.50	2.48	2.46	2.44
	6	2.42	2.40	2.38	2.36	2.34	2.32	2.30	2.28	2.27	2.25	2.23	2.21	2.19	2.17	2.16	2.14	2.12	2.10	2.09	2.07
	7	2.05	2.03	2.02	2.00	1.98	1.97	1.95	1.94	1.92	1.90	1.89	1.87	1.86	1.85	1.83	1.82	1.80	1.79	1.77	1.76
	8	1.74	1.73	1.71	1.70	1.69	1.67	1.66	1.64												

1  
 STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:  
 -----

		VARIABLE	ITERATION	NUMBER OF NONCONVERGENT ELEMENTS																	
0		ALGAE AS CHL-A IN UG/L										ITERATION 1									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	8.28	8.16	8.04	7.93	7.81	7.70	7.59	7.48	7.37	7.26	7.16	7.06	6.95	6.85	6.75	6.66	6.56	6.47	6.37	6.28
	2	6.19	6.10	6.01	5.93	5.84	5.76	5.67	5.59	5.51	5.43	5.35	5.27	5.20	5.12	5.05	4.98	4.90	4.83	4.76	4.70
	3	4.63	4.56	4.50	4.43	4.37	4.30	4.24	4.18	4.12	4.06	4.00	3.94	3.89	3.83	3.78	3.72	3.67	3.61	3.56	3.51
	4	3.46	3.41	3.36	3.31	3.26	3.22	3.17	3.13	3.08	3.04	2.99	2.95	2.91	2.86	2.82	2.78	2.74	2.70	2.66	2.62
	5	2.59	2.55	2.51	2.48	2.44	2.41	2.37	2.34	2.30	2.27	2.24	2.20	2.17	2.14	2.11	2.08	2.05	2.02	1.99	1.96
	6	1.93	1.91	1.88	1.85	1.82	1.80	1.77	1.75	1.72	1.70	1.67	1.65	1.62	1.60	1.58	1.56	1.53	1.51	1.49	1.47
	7	1.45	1.43	1.40	1.38	1.36	1.34	1.33	1.31	1.29	1.27	1.25	1.23	1.25	1.23	1.21	1.19	1.18	1.16	1.14	1.13

CRF\_75C.OUT

		8	1.11	1.10	1.08	1.06	1.05	1.03	1.02	1.00											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.32	0.32	0.31	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
2	0.24	0.24	0.23	0.23	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18	0.18
3	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13	0.13
4	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07
6	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05	0.05
7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04
8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.10
2	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
3	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11
5	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06
8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02

CRF_75C.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	20	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.14
2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19
3	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.23	0.23	0.23	0.24	0.24	0.24
4	0.24	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29
5	0.29	0.29	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33
6	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37
7	0.37	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.40	0.40	0.40
8	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.42												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.42	5.44	5.46	5.47	5.49	5.51	5.52	5.54	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.66	5.67	5.69	5.70	5.71
2	5.72	5.74	5.75	5.76	5.77	5.78	5.79	5.80	5.81	5.82	5.83	5.84	5.85	5.86	5.87	5.88	5.89	5.90	5.91	5.92
3	5.93	5.93	5.94	5.95	5.96	5.97	5.98	5.99	5.99	6.00	6.01	6.02	6.03	6.04	6.04	6.05	6.06	6.07	6.08	6.08
4	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.09	6.09	6.09	6.09	6.09	6.10	6.10
5	6.10	6.11	6.11	6.11	6.12	6.12	6.13	6.13	6.13	6.14	6.14	6.15	6.15	6.16	6.16	6.17	6.17	6.18	6.18	6.19
6	6.19	6.20	6.20	6.21	6.21	6.22	6.22	6.23	6.23	6.24	6.24	6.25	6.25	6.26	6.27	6.27	6.28	6.28	6.29	6.29
7	6.31	6.32	6.34	6.35	6.37	6.38	6.39	6.41	6.42	6.43	6.44	6.46	6.46	6.47	6.49	6.50	6.51	6.52	6.53	6.54
8	6.55	6.56	6.57	6.58	6.59	6.59	6.60	6.61												
ALGAE GROWTH RATE						1			117											
ALGAE GROWTH RATE						2			0											
ALGAE GROWTH RATE						3			0											

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 ( 204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 13.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL\*FN\*FP

1		DISSOLVED OXYGEN IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	5.42	5.44	5.46	5.47	5.49	5.51	5.53	5.54	5.56	5.58	5.59	5.61	5.62	5.64	5.65	5.66	5.68	5.69	5.70	5.72
2	2	5.73	5.74	5.75	5.77	5.78	5.79	5.80	5.81	5.82	5.83	5.84	5.85	5.86	5.87	5.88	5.89	5.90	5.91	5.92	5.93
3	3	5.94	5.95	5.96	5.96	5.97	5.98	5.99	6.00	6.01	6.02	6.02	6.03	6.04	6.05	6.06	6.06	6.07	6.08	6.09	6.10
4	4	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.10	6.10	6.10	6.10	6.10	6.11	6.11	6.11
5	5	6.11	6.12	6.12	6.12	6.13	6.13	6.14	6.14	6.14	6.15	6.15	6.16	6.16	6.17	6.17	6.18	6.18	6.18	6.19	6.19
6	6	6.20	6.20	6.21	6.21	6.22	6.23	6.23	6.24	6.24	6.25	6.25	6.26	6.26	6.27	6.27	6.28	6.28	6.29	6.30	6.30
7	7	6.32	6.33	6.35	6.36	6.37	6.39	6.40	6.41	6.43	6.44	6.45	6.46	6.47	6.48	6.49	6.50	6.51	6.52	6.54	6.55
8	8	6.56	6.56	6.57	6.58	6.59	6.60	6.61	6.62												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.74
2	2	4.70	4.67	4.63	4.59	4.55	4.51	4.48	4.44	4.40	4.37	4.33	4.29	4.26	4.22	4.19	4.15	4.12	4.08	4.05	4.02
3	3	3.98	3.95	3.92	3.89	3.85	3.82	3.79	3.76	3.73	3.70	3.67	3.64	3.61	3.58	3.55	3.52	3.49	3.46	3.43	3.40
4	4	3.38	3.35	3.32	3.29	3.26	3.24	3.21	3.18	3.16	3.13	3.11	3.08	3.06	3.03	3.00	2.98	2.96	2.93	2.91	2.88
5	5	2.86	2.84	2.81	2.79	2.77	2.74	2.72	2.70	2.68	2.65	2.63	2.61	2.59	2.57	2.55	2.52	2.50	2.48	2.46	2.44
6	6	2.42	2.40	2.38	2.36	2.34	2.32	2.30	2.28	2.27	2.25	2.23	2.21	2.19	2.17	2.16	2.14	2.12	2.10	2.09	2.07
7	7	2.05	2.03	2.02	2.00	1.98	1.97	1.95	1.94	1.92	1.90	1.89	1.87	1.86	1.85	1.83	1.82	1.80	1.79	1.77	1.76
8	8	1.74	1.73	1.71	1.70	1.69	1.67	1.66	1.64												
0		ORGANIC NITROGEN AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	0.32	0.32	0.32	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
2	2	0.24	0.24	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18	0.18
3	3	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13	0.13
4	4	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10
5	5	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
6	6	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05	0.05
7	7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04
8	8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04												
0		AMMONIA AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.10
2	2	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
3	3	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
4	4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11
5	5	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09
6	6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	7	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06

CRF\_75C.OUT

		8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	
		NITRITE AS N IN MG/L								ITERATION 3											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02
	3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
0	NITRATE AS N IN MG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.14
	2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19
	3	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.23	0.23	0.23	0.23	0.24	0.24
	4	0.24	0.24	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29
	5	0.29	0.29	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33
	6	0.33	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37
	7	0.37	0.37	0.37	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.40
	8	0.40	0.40	0.40	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.40	0.40	0.40	0.40	0.40	0.40
0	ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03
	3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	ALGAE AS CHL-A IN UG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	8.28	8.16	8.05	7.93	7.82	7.71	7.60	7.50	7.39	7.29	7.19	7.09	6.99	6.89	6.80	6.71	6.61	6.52	6.43	6.35
	2	6.26	6.18	6.09	6.01	5.93	5.85	5.77	5.69	5.62	5.54	5.47	5.39	5.32	5.25	5.18	5.11	5.04	4.98	4.91	4.84

CRF_75C.OUT																				
3	4.78	4.72	4.65	4.59	4.53	4.47	4.41	4.35	4.30	4.24	4.18	4.13	4.08	4.02	3.97	3.92	3.87	3.82	3.77	3.72
4	3.67	3.62	3.57	3.53	3.48	3.43	3.39	3.35	3.30	3.26	3.22	3.17	3.13	3.09	3.05	3.01	2.97	2.93	2.90	2.86
5	2.82	2.79	2.75	2.71	2.68	2.64	2.61	2.58	2.54	2.51	2.48	2.45	2.41	2.38	2.35	2.32	2.29	2.26	2.23	2.20
6	2.18	2.15	2.12	2.09	2.07	2.04	2.02	1.99	1.96	1.94	1.92	1.89	1.87	1.85	1.82	1.80	1.78	1.76	1.73	1.71
7	1.69	1.67	1.65	1.63	1.61	1.59	1.57	1.55	1.53	1.52	1.50	1.48	1.49	1.48	1.46	1.44	1.42	1.41	1.39	1.37
8	1.36	1.34	1.33	1.31	1.29	1.28	1.26	1.25												
0	CONSERVATIVE MINERAL I										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
2	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
3	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
4	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
5	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
6	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
7	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
8	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
5	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
6	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
7	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
8	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.33	0.34	0.34	0.35	0.35	0.36	0.36	0.37	0.37	0.38	0.38	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.41
2	0.41	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.43	0.43	0.43	0.43	0.43	0.44	0.44	0.44	0.44	0.44	0.44	0.45
3	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.47	0.47	0.47
4	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
5	0.48	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49
6	0.50	0.50	0.50	0.51	0.51	0.52	0.52	0.52	0.53	0.53	0.53	0.54	0.54	0.54	0.55	0.55	0.55	0.56	0.56	0.56
7	0.56	0.57	0.57	0.57	0.57	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.59	0.59	0.60	0.60	0.60	0.60	0.61
8	0.61	0.61	0.61	0.61	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62

1  
 STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL  
 OUTPUT PAGE NUMBER 1  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN
ORD	NUM	NUM	LOC	LOC	SRCE	FLOW	TIME	AREA	AREA	COEF
						VEL	DEPTH	WIDTH	VOLUME	

													CRF_75C.OUT	
		MILE	MILE	CFS	CFS	CFS	FPS	DAY	FT	FT	FT-3	FT-2	FT-2	FT-2/S
1	1	1	227.00	226.7546364.10	0.00	0.10	0.129	0.119	12.33429218.080	475711104.0	38600428.0	360387.19	5.30	
2	1	2	226.75	226.5046364.20	0.00	0.10	0.129	0.119	12.33429218.098	475712800.0	38600452.0	360388.50	5.30	
3	1	3	226.50	226.2546364.30	0.00	0.10	0.129	0.119	12.33429218.115	475714528.0	38600476.0	360389.78	5.30	
4	1	4	226.25	226.0046364.41	0.00	0.10	0.129	0.119	12.33529218.131	475716224.0	38600496.0	360391.06	5.30	
5	1	5	226.00	225.7546364.51	0.00	0.10	0.129	0.119	12.33529218.146	475717920.0	38600516.0	360392.37	5.30	
6	1	6	225.75	225.5046364.61	0.00	0.10	0.129	0.119	12.33529218.164	475719616.0	38600540.0	360393.66	5.30	
7	1	7	225.50	225.2546364.71	0.00	0.10	0.129	0.119	12.33529218.184	475721376.0	38600564.0	360395.00	5.30	
8	1	8	225.25	225.0046364.81	0.00	0.10	0.129	0.119	12.33529218.203	475723072.0	38600592.0	360396.28	5.30	
9	1	9	225.00	224.7546364.91	0.00	0.10	0.129	0.119	12.33529218.219	475724800.0	38600612.0	360397.56	5.30	
10	1	10	224.75	224.5046365.02	0.00	0.10	0.129	0.119	12.33529218.236	475726496.0	38600636.0	360398.84	5.30	
11	1	11	224.50	224.2546365.12	0.00	0.10	0.129	0.119	12.33529218.252	475728192.0	38600656.0	360400.16	5.30	
12	1	12	224.25	224.0046365.22	0.00	0.10	0.129	0.119	12.33529218.270	475729888.0	38600680.0	360401.44	5.30	
13	1	13	224.00	223.7546365.32	0.00	0.10	0.129	0.119	12.33529218.291	475731648.0	38600708.0	360402.78	5.30	
14	1	14	223.75	223.5046365.42	0.00	0.10	0.129	0.119	12.33529218.307	475733344.0	38600728.0	360404.06	5.30	
15	1	15	223.50	223.2546365.52	0.00	0.10	0.129	0.119	12.33529218.324	475735072.0	38600752.0	360405.34	5.30	
16	1	16	223.25	223.0046365.62	0.00	0.10	0.129	0.119	12.33529218.340	475736768.0	38600772.0	360406.66	5.30	
17	1	17	223.00	222.7546365.73	0.00	0.10	0.129	0.119	12.33529218.357	475738464.0	38600796.0	360407.94	5.30	
18	1	18	222.75	222.5046365.83	0.00	0.10	0.129	0.119	12.33529218.373	475740160.0	38600816.0	360409.22	5.30	
19	1	19	222.50	222.2546365.93	0.00	0.10	0.129	0.119	12.33529218.395	475741920.0	38600844.0	360410.56	5.30	
20	1	20	222.25	222.0046366.03	0.00	0.10	0.129	0.119	12.33529218.412	475743648.0	38600868.0	360411.84	5.30	
21	2	1	222.00	221.7546366.13	0.00	0.10	0.129	0.119	12.33529218.428	475745344.0	38600888.0	360413.12	5.30	
22	2	2	221.75	221.5046366.23	0.00	0.10	0.129	0.119	12.33529218.445	475747040.0	38600912.0	360414.44	5.30	
23	2	3	221.50	221.2546366.34	0.00	0.10	0.129	0.119	12.33529218.461	475748736.0	38600932.0	360415.72	5.30	
24	2	4	221.25	221.0046366.44	0.00	0.10	0.129	0.119	12.33529218.480	475750432.0	38600960.0	360417.00	5.30	
25	2	5	221.00	220.7546366.54	0.00	0.10	0.129	0.119	12.33529218.500	475752192.0	38600984.0	360418.34	5.30	
26	2	6	220.75	220.5046366.64	0.00	0.10	0.129	0.119	12.33529218.518	475753920.0	38601008.0	360419.62	5.30	
27	2	7	220.50	220.2546366.74	0.00	0.10	0.129	0.119	12.33529218.533	475755616.0	38601028.0	360420.91	5.30	
28	2	8	220.25	220.0046366.84	0.00	0.10	0.129	0.119	12.33529218.549	475757312.0	38601048.0	360422.22	5.30	
29	2	9	220.00	219.7546366.95	0.00	0.10	0.129	0.119	12.33529218.568	475759008.0	38601076.0	360423.50	5.30	
30	2	10	219.75	219.5046367.05	0.00	0.10	0.129	0.119	12.33529218.586	475760736.0	38601100.0	360424.78	5.30	
31	2	11	219.50	219.2546367.15	0.00	0.10	0.129	0.119	12.33629218.602	475762432.0	38601120.0	360426.09	5.30	
32	2	12	219.25	219.0046367.25	0.00	0.10	0.129	0.119	12.33629218.621	475764192.0	38601144.0	360427.41	5.30	
33	2	13	219.00	218.7546367.35	0.00	0.10	0.129	0.119	12.33629218.639	475765888.0	38601168.0	360428.72	5.30	
34	2	14	218.75	218.5046367.45	0.00	0.10	0.129	0.119	12.33629218.654	475767584.0	38601188.0	360430.00	5.30	
35	2	15	218.50	218.2546367.55	0.00	0.10	0.129	0.119	12.33629218.674	475769280.0	38601216.0	360431.28	5.30	
36	2	16	218.25	218.0046367.66	0.00	0.10	0.129	0.119	12.33629218.689	475771008.0	38601236.0	360432.56	5.30	
37	2	17	218.00	217.7546367.76	0.00	0.10	0.129	0.119	12.33629218.707	475772704.0	38601260.0	360433.87	5.30	
38	2	18	217.75	217.5046367.86	0.00	0.10	0.129	0.119	12.33629218.727	475774464.0	38601284.0	360435.19	5.30	
39	2	19	217.50	217.2546367.96	0.00	0.10	0.129	0.119	12.33629218.742	475776160.0	38601308.0	360436.50	5.30	
40	2	20	217.25	217.0046368.06	0.00	0.10	0.129	0.119	12.33629218.762	475777856.0	38601332.0	360437.78	5.30	
41	3	1	217.00	216.7546368.16	0.00	0.10	0.129	0.119	12.33629218.777	475779584.0	38601352.0	360439.06	3.07	
42	3	2	216.75	216.5046368.27	0.00	0.10	0.129	0.119	12.33629218.795	475781280.0	38601376.0	360440.37	3.07	
43	3	3	216.50	216.2546368.37	0.00	0.10	0.129	0.119	12.33629218.811	475782976.0	38601396.0	360441.66	3.07	
44	3	4	216.25	216.0046368.47	0.00	0.10	0.129	0.119	12.33629218.830	475784736.0	38601424.0	360442.97	3.07	



CRF\_75C.OUT

45	3	5	216.00	215.7546368.57	0.00	0.10	0.129	0.119	12.33629218.848	475786432.0	38601444.0	360444.28	3.07
46	3	6	215.75	215.5046368.67	0.00	0.10	0.129	0.119	12.33629218.867	475788128.0	38601472.0	360445.56	3.07
47	3	7	215.50	215.2546368.77	0.00	0.10	0.129	0.119	12.33629218.883	475789856.0	38601492.0	360446.84	3.07
48	3	8	215.25	215.0046368.87	0.00	0.10	0.129	0.119	12.33629218.898	475791552.0	38601512.0	360448.16	3.07
49	3	9	215.00	214.7546368.98	0.00	0.10	0.129	0.119	12.33629218.916	475793248.0	38601536.0	360449.44	3.07
50	3	10	214.75	214.5046369.08	0.00	0.10	0.129	0.119	12.33629218.932	475794944.0	38601556.0	360450.72	3.07
51	3	11	214.50	214.2546369.18	0.00	0.10	0.129	0.119	12.33629218.955	475796704.0	38601588.0	360452.06	3.07
52	3	12	214.25	214.0046369.28	0.00	0.10	0.129	0.119	12.33629218.971	475798432.0	38601608.0	360453.34	3.07
53	3	13	214.00	213.7546369.38	0.00	0.10	0.129	0.119	12.33629218.988	475800128.0	38601632.0	360454.62	3.07
54	3	14	213.75	213.5046369.48	0.00	0.10	0.129	0.119	12.33629219.004	475801824.0	38601652.0	360455.94	3.07
55	3	15	213.50	213.2546369.59	0.00	0.10	0.129	0.119	12.33629219.021	475803520.0	38601676.0	360457.22	3.07
56	3	16	213.25	213.0046369.69	0.00	0.10	0.129	0.119	12.33629219.039	475805248.0	38601700.0	360458.50	3.07
57	3	17	213.00	212.7546369.79	0.00	0.10	0.129	0.119	12.33629219.059	475807008.0	38601724.0	360459.84	3.07
58	3	18	212.75	212.5046369.89	0.00	0.10	0.129	0.119	12.33729219.076	475808704.0	38601748.0	360461.12	3.07
59	3	19	212.50	212.2546369.99	0.00	0.10	0.129	0.119	12.33729219.092	475810400.0	38601768.0	360462.44	3.07
60	3	20	212.25	212.0046370.09	0.00	0.10	0.129	0.119	12.33729219.109	475812096.0	38601792.0	360463.72	3.07
61	4	1	212.00	211.7546370.20	0.00	0.10	0.129	0.119	12.33729219.125	475813792.0	38601812.0	360465.00	2.93
62	4	2	211.75	211.5046370.30	0.00	0.10	0.129	0.119	12.33729219.145	475815520.0	38601840.0	360466.28	2.93
63	4	3	211.50	211.2546370.40	0.00	0.10	0.129	0.119	12.33729219.164	475817280.0	38601864.0	360467.62	2.93
64	4	4	211.25	211.0046371.50	1.00	0.10	0.129	0.119	12.33729219.352	475835808.0	38602112.0	360481.66	2.93
65	4	5	211.00	210.7546371.60	0.00	0.10	0.129	0.119	12.33729219.371	475837536.0	38602140.0	360483.00	2.93

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5046371.70	0.00	0.10	0.129	0.119	12.33729219.387	475839264.0	38602160.0	360484.28	2.93		
67	4	7	210.50	210.2546371.80	0.00	0.10	0.129	0.119	12.33729219.404	475840960.0	38602184.0	360485.56	2.93		
68	4	8	210.25	210.0046371.91	0.00	0.10	0.129	0.119	12.33729219.422	475842656.0	38602208.0	360486.87	2.93		
69	4	9	210.00	209.7546372.01	0.00	0.10	0.129	0.119	12.33729219.439	475844352.0	38602232.0	360488.16	2.93		
70	4	10	209.75	209.5046372.11	0.00	0.10	0.129	0.119	12.33729219.455	475846080.0	38602252.0	360489.44	2.93		
71	4	11	209.50	209.2546372.21	0.00	0.10	0.129	0.119	12.33729219.475	475847840.0	38602276.0	360490.78	2.93		
72	4	12	209.25	209.0046372.31	0.00	0.10	0.129	0.119	12.33729219.492	475849536.0	38602300.0	360492.06	2.93		
73	4	13	209.00	208.7546372.41	0.00	0.10	0.129	0.119	12.33729219.508	475851232.0	38602320.0	360493.37	2.93		
74	4	14	208.75	208.5046372.52	0.00	0.10	0.129	0.119	12.33729219.527	475852928.0	38602348.0	360494.66	2.93		
75	4	15	208.50	208.2546372.62	0.00	0.10	0.129	0.119	12.33729219.543	475854656.0	38602368.0	360495.94	2.93		
76	4	16	208.25	208.0046372.72	0.00	0.10	0.129	0.119	12.33829219.561	475856352.0	38602392.0	360497.22	2.93		
77	4	17	208.00	207.7546372.82	0.00	0.10	0.129	0.119	12.33829219.576	475858048.0	38602412.0	360498.53	2.93		
78	4	18	207.75	207.5046373.02	0.10	0.10	0.129	0.119	12.33829219.611	475861408.0	38602460.0	360501.06	2.93		
79	4	19	207.50	207.2546373.12	0.00	0.10	0.129	0.119	12.33829219.629	475863136.0	38602480.0	360502.37	2.93		
80	4	20	207.25	207.0046373.22	0.00	0.10	0.129	0.119	12.33829219.648	475864864.0	38602508.0	360503.69	2.93		

CRF\_75C.OUT

81	5	1	207.00	206.7546373.32	0.00	0.10	0.129	0.119	12.33829219.668	475866592.0	38602532.0	360505.00	1.39
82	5	2	206.75	206.5046373.43	0.00	0.10	0.129	0.119	12.33829219.684	475868288.0	38602556.0	360506.28	1.39
83	5	3	206.50	206.2546373.53	0.00	0.10	0.129	0.119	12.33829219.699	475869984.0	38602576.0	360507.56	1.39
84	5	4	206.25	206.0046373.63	0.00	0.10	0.129	0.119	12.33829219.717	475871680.0	38602600.0	360508.87	1.39
85	5	5	206.00	205.7546373.73	0.00	0.10	0.129	0.119	12.33829219.732	475873408.0	38602620.0	360510.16	1.39
86	5	6	205.75	205.5046373.83	0.00	0.10	0.129	0.119	12.33829219.756	475875168.0	38602648.0	360511.47	1.39
87	5	7	205.50	205.2546373.93	0.00	0.10	0.129	0.119	12.33829219.771	475876864.0	38602672.0	360512.78	1.39
88	5	8	205.25	205.0046374.04	0.00	0.10	0.129	0.119	12.33829219.789	475878560.0	38602692.0	360514.06	1.39
89	5	9	205.00	204.7546374.14	0.00	0.10	0.129	0.119	12.33829219.805	475880256.0	38602716.0	360515.34	1.39
90	5	10	204.75	204.5046374.24	0.00	0.10	0.129	0.119	12.33829219.822	475881984.0	38602736.0	360516.66	1.39
91	5	11	204.50	204.2546374.34	0.00	0.10	0.129	0.119	12.33829219.838	475883680.0	38602760.0	360517.94	1.39
92	5	12	204.25	204.0046374.44	0.00	0.10	0.129	0.119	12.33829219.857	475885376.0	38602784.0	360519.22	1.39
93	5	13	204.00	203.7546374.54	0.00	0.10	0.129	0.119	12.33829219.877	475887136.0	38602812.0	360520.56	1.39
94	5	14	203.75	203.5046374.64	0.00	0.10	0.129	0.119	12.33829219.893	475888832.0	38602832.0	360521.84	1.39
95	5	15	203.50	203.2546374.75	0.00	0.10	0.129	0.119	12.33829219.910	475890560.0	38602856.0	360523.16	1.39
96	5	16	203.25	203.0046374.85	0.00	0.10	0.129	0.119	12.33829219.926	475892256.0	38602876.0	360524.44	1.39
97	5	17	203.00	202.7546375.95	1.00	0.10	0.129	0.119	12.33929220.117	475910816.0	38603128.0	360538.50	1.39
98	5	18	202.75	202.5046376.05	0.00	0.10	0.129	0.119	12.33929220.133	475912544.0	38603148.0	360539.81	1.39
99	5	19	202.50	202.2546376.15	0.00	0.10	0.129	0.119	12.33929220.152	475914240.0	38603176.0	360541.09	1.39
100	5	20	202.25	202.0046376.25	0.00	0.10	0.129	0.119	12.33929220.168	475915936.0	38603196.0	360542.37	1.39
101	6	1	202.00	201.7546376.36	0.00	0.10	0.129	0.119	12.33929220.187	475917696.0	38603224.0	360543.72	2.37
102	6	2	201.75	201.5046376.46	0.00	0.10	0.129	0.119	12.33929220.205	475919392.0	38603244.0	360545.00	2.37
103	6	3	201.50	201.2546376.56	0.00	0.10	0.129	0.119	12.33929220.221	475921120.0	38603268.0	360546.28	2.37
104	6	4	201.25	201.0046376.66	0.00	0.10	0.129	0.119	12.33929220.240	475922816.0	38603292.0	360547.59	2.37
105	6	5	201.00	200.7546376.76	0.00	0.10	0.129	0.119	12.33929220.256	475924512.0	38603312.0	360548.87	2.37
106	6	6	200.75	200.5046376.86	0.00	0.10	0.129	0.119	12.33929220.273	475926208.0	38603336.0	360550.16	2.37
107	6	7	200.50	200.2546376.96	0.00	0.10	0.129	0.119	12.33929220.293	475927968.0	38603360.0	360551.50	2.37
108	6	8	200.25	200.0046377.07	0.00	0.10	0.129	0.119	12.33929220.309	475929696.0	38603384.0	360552.78	2.37
109	6	9	200.00	199.7546377.17	0.00	0.10	0.129	0.119	12.33929220.326	475931392.0	38603404.0	360554.09	2.37
110	6	10	199.75	199.5046377.27	0.00	0.10	0.129	0.119	12.33929220.346	475933088.0	38603432.0	360555.37	2.37
111	6	11	199.50	199.2546377.37	0.00	0.10	0.129	0.119	12.33929220.361	475934784.0	38603452.0	360556.66	2.37
112	6	12	199.25	199.0046377.47	0.00	0.10	0.129	0.119	12.33929220.377	475936512.0	38603472.0	360557.97	2.37
113	6	13	199.00	198.7546377.67	0.10	0.10	0.129	0.119	12.33929220.412	475939872.0	38603520.0	360560.50	2.37
114	6	14	198.75	198.5046377.77	0.00	0.10	0.129	0.119	12.33929220.430	475941568.0	38603544.0	360561.78	2.37
115	6	15	198.50	198.2546377.87	0.00	0.10	0.129	0.119	12.33929220.445	475943264.0	38603564.0	360563.09	2.37
116	6	16	198.25	198.0046377.98	0.00	0.10	0.129	0.119	12.33929220.467	475945024.0	38603592.0	360564.41	2.37
117	6	17	198.00	197.7546378.08	0.00	0.10	0.129	0.119	12.33929220.484	475946752.0	38603616.0	360565.72	2.37
118	6	18	197.75	197.5046378.18	0.00	0.10	0.129	0.119	12.34029220.502	475948448.0	38603640.0	360567.00	2.37
119	6	19	197.50	197.2546378.28	0.00	0.10	0.129	0.119	12.34029220.518	475950144.0	38603660.0	360568.28	2.37
120	6	20	197.25	197.0046378.38	0.00	0.10	0.129	0.119	12.34029220.535	475951840.0	38603684.0	360569.59	2.37
121	7	1	197.00	196.7546378.58	0.10	0.10	0.129	0.119	12.34029220.570	475955232.0	38603728.0	360572.12	0.98
122	7	2	196.75	196.5046378.68	0.00	0.10	0.129	0.119	12.34029220.586	475956928.0	38603752.0	360573.44	0.98
123	7	3	196.50	196.2546378.79	0.00	0.10	0.129	0.119	12.34029220.604	475958624.0	38603772.0	360574.72	0.98
124	7	4	196.25	196.0046378.89	0.00	0.10	0.129	0.119	12.34029220.625	475960384.0	38603804.0	360576.06	0.98
125	7	5	196.00	195.7546378.99	0.00	0.10	0.129	0.119	12.34029220.641	475962080.0	38603824.0	360577.34	0.98

CRF\_75C.OUT

126	7	6	195.75	195.5046379.09	0.00	0.10	0.129	0.119	12.34029220.658	475963808.0	38603848.0	360578.62	0.98
127	7	7	195.50	195.2546379.19	0.00	0.10	0.129	0.119	12.34029220.674	475965504.0	38603868.0	360579.91	0.98
128	7	8	195.25	195.0046379.29	0.00	0.10	0.129	0.119	12.34029220.691	475967200.0	38603892.0	360581.22	0.98
129	7	9	195.00	194.7546379.39	0.00	0.10	0.129	0.119	12.34029220.707	475968896.0	38603912.0	360582.50	0.98
130	7	10	194.75	194.5046379.50	0.00	0.10	0.129	0.119	12.34029220.727	475970624.0	38603936.0	360583.78	0.98

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* HYDRAULICS SUMMARY \*\*

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	INCR SRCE CFS	TRVL VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
131	7	11	194.50	194.2546379.60	0.00	0.10	0.129	0.119	12.34029220.746	475972352.0	38603964.0	360585.12	0.98	
132	7	12	194.25	194.0046379.70	0.00	0.10	0.129	0.119	12.34029220.764	475974080.0	38603984.0	360586.41	0.98	
133	7	13	194.00	193.7546601.80	222.00	0.10	0.128	0.119	12.42129258.896	479724736.0	38654536.0	363427.84	0.98	
134	7	14	193.75	193.5046601.90	0.00	0.10	0.128	0.119	12.42129258.914	479726464.0	38654560.0	363429.12	0.98	
135	7	15	193.50	193.2546602.00	0.00	0.10	0.128	0.119	12.42129258.930	479728160.0	38654580.0	363430.44	0.98	
136	7	16	193.25	193.0046602.11	0.00	0.10	0.128	0.119	12.42129258.947	479729888.0	38654604.0	363431.72	0.98	
137	7	17	193.00	192.7546602.21	0.00	0.10	0.128	0.119	12.42129258.967	479731648.0	38654628.0	363433.06	0.98	
138	7	18	192.75	192.5046602.31	0.00	0.10	0.128	0.119	12.42129258.984	479733376.0	38654652.0	363434.37	0.98	
139	7	19	192.50	192.2546602.41	0.00	0.10	0.128	0.119	12.42129259.002	479735072.0	38654676.0	363435.66	0.98	
140	7	20	192.25	192.0046602.51	0.00	0.10	0.128	0.119	12.42129259.021	479736800.0	38654700.0	363436.97	0.98	
141	8	1	192.00	191.7546603.53	0.77	0.25	0.128	0.119	12.42229259.193	479754048.0	38654928.0	363450.03	0.98	
142	8	2	191.75	191.5046603.78	0.00	0.25	0.128	0.119	12.42229259.236	479758240.0	38654984.0	363453.22	0.98	
143	8	3	191.50	191.2546604.03	0.00	0.25	0.128	0.119	12.42229259.279	479762464.0	38655044.0	363456.41	0.98	
144	8	4	191.25	191.0046604.28	0.00	0.25	0.128	0.119	12.42229259.322	479766720.0	38655100.0	363459.62	0.98	
145	8	5	191.00	190.7546604.53	0.00	0.25	0.128	0.119	12.42229259.363	479770912.0	38655152.0	363462.81	0.98	
146	8	6	190.75	190.5046604.78	0.00	0.25	0.128	0.119	12.42229259.408	479775168.0	38655212.0	363466.03	0.98	
147	8	7	190.50	190.2546605.03	0.00	0.25	0.128	0.119	12.42229259.451	479779392.0	38655272.0	363469.25	0.98	
148	8	8	190.25	190.0046605.28	0.00	0.25	0.128	0.119	12.42229259.494	479783648.0	38655328.0	363472.47	0.98	

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
1	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00



CRF\_75C.OUT

3	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
4	6	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00



		CRF_75C.OUT																	
7	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* REACTION COEFFICIENT SUMMARY \*\*

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH	ELE	TEMP	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	DEG-F				MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
1	1	81.30	1.77	0.00	0.00	5.42	5.55	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.28
1	2	81.30	1.77	0.00	0.00	5.44	5.51	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.16
1	3	81.30	1.77	0.00	0.00	5.46	5.46	0.32	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	8.05
1	4	81.30	1.77	0.00	0.00	5.47	5.42	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.93

CRF\_75C.OUT

1	5	81.30	1.77	0.00	0.00	5.49	5.37	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.82
1	6	81.30	1.77	0.00	0.00	5.51	5.33	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.71
1	7	81.30	1.77	0.00	0.00	5.53	5.28	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.60
1	8	81.30	1.77	0.00	0.00	5.54	5.24	0.29	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.50
1	9	81.30	1.77	0.00	0.00	5.56	5.20	0.29	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.39
1	10	81.30	1.77	0.00	0.00	5.58	5.15	0.28	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.29
1	11	81.30	1.77	0.00	0.00	5.59	5.11	0.28	0.08	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.19
1	12	81.30	1.77	0.00	0.00	5.61	5.07	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.09
1	13	81.30	1.77	0.00	0.00	5.62	5.03	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.99
1	14	81.30	1.77	0.00	0.00	5.64	4.99	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.89
1	15	81.30	1.77	0.00	0.00	5.65	4.94	0.26	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.80
1	16	81.30	1.77	0.00	0.00	5.66	4.90	0.26	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.71
1	17	81.30	1.77	0.00	0.00	5.68	4.86	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.61
1	18	81.30	1.77	0.00	0.00	5.69	4.82	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.52
1	19	81.30	1.77	0.00	0.00	5.70	4.78	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.43
1	20	81.30	1.77	0.00	0.00	5.72	4.74	0.24	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.35
2	1	81.30	1.77	0.00	0.00	5.73	4.70	0.24	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	6.26
2	2	81.30	1.77	0.00	0.00	5.74	4.67	0.24	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	6.18
2	3	81.30	1.77	0.00	0.00	5.75	4.63	0.23	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	6.09
2	4	81.30	1.77	0.00	0.00	5.77	4.59	0.23	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	6.01
2	5	81.30	1.77	0.00	0.00	5.78	4.55	0.22	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	5.93
2	6	81.30	1.77	0.00	0.00	5.79	4.51	0.22	0.11	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.85
2	7	81.30	1.77	0.00	0.00	5.80	4.48	0.22	0.11	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.77
2	8	81.30	1.77	0.00	0.00	5.81	4.44	0.21	0.11	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.69
2	9	81.30	1.77	0.00	0.00	5.82	4.40	0.21	0.12	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.62
2	10	81.30	1.77	0.00	0.00	5.83	4.37	0.21	0.12	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.54
2	11	81.30	1.77	0.00	0.00	5.84	4.33	0.21	0.12	0.01	0.17	0.50	0.02	0.01	0.04	0.00	0.00	5.47
2	12	81.30	1.77	0.00	0.00	5.85	4.29	0.20	0.12	0.01	0.17	0.50	0.02	0.01	0.04	0.00	0.00	5.39
2	13	81.30	1.77	0.00	0.00	5.86	4.26	0.20	0.12	0.01	0.17	0.50	0.02	0.01	0.04	0.00	0.00	5.32
2	14	81.30	1.77	0.00	0.00	5.87	4.22	0.20	0.12	0.01	0.17	0.50	0.02	0.01	0.04	0.00	0.00	5.25
2	15	81.30	1.77	0.00	0.00	5.88	4.19	0.19	0.12	0.01	0.18	0.50	0.02	0.01	0.04	0.00	0.00	5.18
2	16	81.30	1.77	0.00	0.00	5.89	4.15	0.19	0.12	0.01	0.18	0.50	0.02	0.01	0.04	0.00	0.00	5.11
2	17	81.30	1.77	0.00	0.00	5.90	4.12	0.19	0.12	0.01	0.18	0.50	0.03	0.01	0.04	0.00	0.00	5.04
2	18	81.30	1.77	0.00	0.00	5.91	4.08	0.18	0.12	0.02	0.18	0.50	0.03	0.01	0.04	0.00	0.00	4.98
2	19	81.30	1.77	0.00	0.00	5.92	4.05	0.18	0.12	0.02	0.19	0.50	0.03	0.01	0.04	0.00	0.00	4.91
2	20	81.30	1.77	0.00	0.00	5.93	4.02	0.18	0.12	0.02	0.19	0.50	0.03	0.01	0.04	0.00	0.00	4.84
3	1	81.30	1.77	0.00	0.00	5.94	3.98	0.18	0.12	0.02	0.19	0.50	0.03	0.01	0.04	0.00	0.00	4.78
3	2	81.30	1.77	0.00	0.00	5.95	3.95	0.17	0.12	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.72
3	3	81.30	1.77	0.00	0.00	5.96	3.92	0.17	0.12	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.65
3	4	81.30	1.77	0.00	0.00	5.96	3.89	0.17	0.12	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.59
3	5	81.30	1.77	0.00	0.00	5.97	3.85	0.17	0.12	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.53
3	6	81.30	1.77	0.00	0.00	5.98	3.82	0.16	0.12	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.47
3	7	81.30	1.77	0.00	0.00	5.99	3.79	0.16	0.12	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.41
3	8	81.30	1.77	0.00	0.00	6.00	3.76	0.16	0.12	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.35
3	9	81.30	1.77	0.00	0.00	6.01	3.73	0.16	0.12	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.30
3	10	81.30	1.77	0.00	0.00	6.02	3.70	0.15	0.12	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.24



CRF\_75C.OUT

3	11	81.30	1.77	0.00	0.00	6.02	3.67	0.15	0.12	0.02	0.22	0.51	0.03	0.01	0.04	0.00	0.00	4.18
3	12	81.30	1.77	0.00	0.00	6.03	3.64	0.15	0.12	0.02	0.22	0.51	0.03	0.01	0.04	0.00	0.00	4.13
3	13	81.30	1.77	0.00	0.00	6.04	3.61	0.15	0.12	0.02	0.22	0.51	0.03	0.01	0.04	0.00	0.00	4.08
3	14	81.30	1.77	0.00	0.00	6.05	3.58	0.14	0.12	0.02	0.22	0.51	0.03	0.01	0.04	0.00	0.00	4.02
3	15	81.30	1.77	0.00	0.00	6.06	3.55	0.14	0.12	0.02	0.23	0.51	0.03	0.01	0.04	0.00	0.00	3.97
3	16	81.30	1.77	0.00	0.00	6.06	3.52	0.14	0.12	0.02	0.23	0.51	0.03	0.01	0.04	0.00	0.00	3.92
3	17	81.30	1.77	0.00	0.00	6.07	3.49	0.14	0.12	0.02	0.23	0.51	0.03	0.01	0.04	0.00	0.00	3.87
3	18	81.30	1.77	0.00	0.00	6.08	3.46	0.14	0.12	0.02	0.23	0.51	0.03	0.01	0.04	0.00	0.00	3.82
3	19	81.30	1.77	0.00	0.00	6.09	3.43	0.13	0.12	0.02	0.24	0.51	0.03	0.01	0.04	0.00	0.00	3.77
3	20	81.30	1.77	0.00	0.00	6.10	3.40	0.13	0.12	0.02	0.24	0.51	0.03	0.01	0.04	0.00	0.00	3.72
4	1	81.30	1.77	0.00	0.00	6.09	3.38	0.13	0.12	0.02	0.24	0.51	0.03	0.01	0.04	0.00	0.00	3.67
4	2	81.30	1.77	0.00	0.00	6.09	3.35	0.13	0.12	0.02	0.24	0.51	0.03	0.01	0.04	0.00	0.00	3.62
4	3	81.30	1.77	0.00	0.00	6.09	3.32	0.13	0.12	0.02	0.25	0.51	0.03	0.01	0.04	0.00	0.00	3.57
4	4	81.30	1.77	0.00	0.00	6.09	3.29	0.12	0.12	0.02	0.25	0.51	0.03	0.01	0.04	0.00	0.00	3.53
4	5	81.30	1.77	0.00	0.00	6.09	3.26	0.12	0.12	0.02	0.25	0.51	0.03	0.01	0.04	0.00	0.00	3.48

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	81.30	1.77	0.00	0.00	6.09	3.24	0.12	0.12	0.02	0.25	0.51	0.03	0.01	0.04	0.00	0.00	3.43
4	7	81.30	1.77	0.00	0.00	6.09	3.21	0.12	0.12	0.02	0.26	0.51	0.03	0.01	0.04	0.00	0.00	3.39
4	8	81.30	1.77	0.00	0.00	6.09	3.18	0.12	0.12	0.02	0.26	0.51	0.03	0.01	0.04	0.00	0.00	3.35
4	9	81.30	1.77	0.00	0.00	6.09	3.16	0.11	0.12	0.02	0.26	0.51	0.03	0.01	0.04	0.00	0.00	3.30
4	10	81.30	1.77	0.00	0.00	6.09	3.13	0.11	0.11	0.02	0.26	0.51	0.03	0.01	0.04	0.00	0.00	3.26
4	11	81.30	1.77	0.00	0.00	6.09	3.11	0.11	0.11	0.02	0.27	0.51	0.03	0.01	0.04	0.00	0.00	3.22
4	12	81.30	1.77	0.00	0.00	6.09	3.08	0.11	0.11	0.01	0.27	0.51	0.03	0.01	0.04	0.00	0.00	3.17
4	13	81.30	1.77	0.00	0.00	6.10	3.06	0.11	0.11	0.01	0.27	0.51	0.03	0.01	0.04	0.00	0.00	3.13
4	14	81.30	1.77	0.00	0.00	6.10	3.03	0.11	0.11	0.01	0.27	0.51	0.03	0.01	0.04	0.00	0.00	3.09
4	15	81.30	1.77	0.00	0.00	6.10	3.00	0.10	0.11	0.01	0.28	0.51	0.03	0.01	0.04	0.00	0.00	3.05
4	16	81.30	1.77	0.00	0.00	6.10	2.98	0.10	0.11	0.01	0.28	0.51	0.03	0.01	0.04	0.00	0.00	3.01
4	17	81.30	1.77	0.00	0.00	6.10	2.96	0.10	0.11	0.01	0.28	0.51	0.03	0.01	0.04	0.00	0.00	2.97
4	18	81.30	1.77	0.00	0.00	6.11	2.93	0.10	0.11	0.01	0.28	0.51	0.03	0.01	0.04	0.00	0.00	2.93
4	19	81.30	1.77	0.00	0.00	6.11	2.91	0.10	0.11	0.01	0.29	0.51	0.03	0.01	0.04	0.00	0.00	2.90
4	20	81.30	1.77	0.00	0.00	6.11	2.88	0.10	0.11	0.01	0.29	0.51	0.03	0.01	0.04	0.00	0.00	2.86
5	1	81.30	1.77	0.00	0.00	6.11	2.86	0.10	0.11	0.01	0.29	0.51	0.03	0.01	0.04	0.00	0.00	2.82
5	2	81.30	1.77	0.00	0.00	6.12	2.84	0.09	0.11	0.01	0.29	0.51	0.03	0.01	0.04	0.00	0.00	2.79
5	3	81.30	1.77	0.00	0.00	6.12	2.81	0.09	0.11	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.75
5	4	81.30	1.77	0.00	0.00	6.12	2.79	0.09	0.11	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.71
5	5	81.30	1.77	0.00	0.00	6.13	2.77	0.09	0.10	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.68

CRF\_75C.OUT

5	6	81.30	1.77	0.00	0.00	6.13	2.74	0.09	0.10	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.64
5	7	81.30	1.77	0.00	0.00	6.14	2.72	0.09	0.10	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.61
5	8	81.30	1.77	0.00	0.00	6.14	2.70	0.09	0.10	0.01	0.31	0.51	0.03	0.01	0.04	0.00	0.00	2.58
5	9	81.30	1.77	0.00	0.00	6.14	2.68	0.08	0.10	0.01	0.31	0.51	0.03	0.01	0.04	0.00	0.00	2.54
5	10	81.30	1.77	0.00	0.00	6.15	2.65	0.08	0.10	0.01	0.31	0.51	0.03	0.01	0.04	0.00	0.00	2.51
5	11	81.30	1.77	0.00	0.00	6.15	2.63	0.08	0.10	0.01	0.31	0.51	0.03	0.01	0.04	0.00	0.00	2.48
5	12	81.30	1.77	0.00	0.00	6.16	2.61	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.45
5	13	81.30	1.77	0.00	0.00	6.16	2.59	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.41
5	14	81.30	1.77	0.00	0.00	6.17	2.57	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.38
5	15	81.30	1.77	0.00	0.00	6.17	2.55	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.35
5	16	81.30	1.77	0.00	0.00	6.18	2.52	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.32
5	17	81.30	1.77	0.00	0.00	6.18	2.50	0.08	0.10	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.29
5	18	81.30	1.77	0.00	0.00	6.18	2.48	0.07	0.09	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.26
5	19	81.30	1.77	0.00	0.00	6.19	2.46	0.07	0.09	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.23
5	20	81.30	1.77	0.00	0.00	6.19	2.44	0.07	0.09	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.20
6	1	81.30	1.77	0.00	0.00	6.20	2.42	0.07	0.09	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.18
6	2	81.30	1.77	0.00	0.00	6.20	2.40	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.15
6	3	81.30	1.77	0.00	0.00	6.21	2.38	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.12
6	4	81.30	1.77	0.00	0.00	6.21	2.36	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.09
6	5	81.30	1.77	0.00	0.00	6.22	2.34	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.07
6	6	81.30	1.77	0.00	0.00	6.23	2.32	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.04
6	7	81.30	1.77	0.00	0.00	6.23	2.30	0.06	0.09	0.01	0.35	0.51	0.03	0.01	0.04	0.00	0.00	2.02
6	8	81.30	1.77	0.00	0.00	6.24	2.28	0.06	0.09	0.01	0.35	0.51	0.03	0.01	0.04	0.00	0.00	1.99
6	9	81.30	1.77	0.00	0.00	6.24	2.27	0.06	0.09	0.01	0.35	0.51	0.03	0.01	0.04	0.00	0.00	1.96
6	10	81.30	1.77	0.00	0.00	6.25	2.25	0.06	0.08	0.01	0.35	0.51	0.02	0.01	0.04	0.00	0.00	1.94
6	11	81.30	1.77	0.00	0.00	6.25	2.23	0.06	0.08	0.01	0.35	0.51	0.02	0.01	0.04	0.00	0.00	1.92
6	12	81.30	1.77	0.00	0.00	6.26	2.21	0.06	0.08	0.01	0.36	0.51	0.02	0.01	0.04	0.00	0.00	1.89
6	13	81.30	1.77	0.00	0.00	6.26	2.19	0.06	0.08	0.01	0.36	0.51	0.02	0.01	0.04	0.00	0.00	1.87
6	14	81.30	1.77	0.00	0.00	6.27	2.17	0.06	0.08	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.85
6	15	81.30	1.77	0.00	0.00	6.27	2.16	0.06	0.08	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.82
6	16	81.30	1.77	0.00	0.00	6.28	2.14	0.06	0.08	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.80
6	17	81.30	1.77	0.00	0.00	6.28	2.12	0.06	0.08	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.78
6	18	81.30	1.77	0.00	0.00	6.29	2.10	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.76
6	19	81.30	1.77	0.00	0.00	6.30	2.09	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.73
6	20	81.30	1.77	0.00	0.00	6.30	2.07	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.71
7	1	81.30	1.77	0.00	0.00	6.32	2.05	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.69
7	2	81.30	1.77	0.00	0.00	6.33	2.03	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.67
7	3	81.30	1.77	0.00	0.00	6.35	2.02	0.05	0.07	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.65
7	4	81.30	1.77	0.00	0.00	6.36	2.00	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.63
7	5	81.30	1.77	0.00	0.00	6.37	1.98	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.61
7	6	81.30	1.77	0.00	0.00	6.39	1.97	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.59
7	7	81.30	1.77	0.00	0.00	6.40	1.95	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.57
7	8	81.30	1.77	0.00	0.00	6.41	1.94	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.55
7	9	81.30	1.77	0.00	0.00	6.43	1.92	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.53
7	10	81.30	1.77	0.00	0.00	6.44	1.90	0.05	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.52

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* WATER QUALITY VARIABLES \*\*

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	81.30	1.77	0.00	0.00	6.45	1.89	0.05	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.50
7	12	81.30	1.77	0.00	0.00	6.46	1.87	0.04	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.48
7	13	81.30	1.77	0.00	0.00	6.47	1.86	0.05	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.49
7	14	81.30	1.77	0.00	0.00	6.48	1.85	0.05	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.48
7	15	81.30	1.77	0.00	0.00	6.49	1.83	0.04	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.46
7	16	81.30	1.77	0.00	0.00	6.50	1.82	0.04	0.07	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.44
7	17	81.30	1.77	0.00	0.00	6.51	1.80	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.42
7	18	81.30	1.77	0.00	0.00	6.52	1.79	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.41
7	19	81.30	1.77	0.00	0.00	6.54	1.77	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.39
7	20	81.30	1.77	0.00	0.00	6.55	1.76	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.37
8	1	81.30	1.77	0.00	0.00	6.56	1.74	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.36
8	2	81.30	1.77	0.00	0.00	6.56	1.73	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.34
8	3	81.30	1.77	0.00	0.00	6.57	1.71	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.33
8	4	81.30	1.77	0.00	0.00	6.58	1.70	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.31
8	5	81.30	1.77	0.00	0.00	6.59	1.69	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.29
8	6	81.30	1.77	0.00	0.00	6.60	1.67	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.28
8	7	81.30	1.77	0.00	0.00	6.61	1.66	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.26
8	8	81.30	1.77	0.00	0.00	6.62	1.64	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.25

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN FACTORS NITRGN *	PHSPRS *
1	1	1	8.28	0.02	0.07	0.95	0.32	-0.05	0.50	0.33	4.23	0.03	0.43	0.58
2	1	2	8.16	0.03	0.07	0.95	0.33	-0.05	0.50	0.34	4.23	0.03	0.44	0.58
3	1	3	8.05	0.03	0.07	0.95	0.34	-0.05	0.50	0.35	4.23	0.03	0.45	0.58
4	1	4	7.93	0.03	0.07	0.95	0.34	-0.05	0.50	0.36	4.22	0.03	0.46	0.58
5	1	5	7.82	0.03	0.07	0.95	0.35	-0.05	0.50	0.36	4.22	0.03	0.47	0.58
6	1	6	7.71	0.03	0.07	0.95	0.35	-0.05	0.50	0.37	4.22	0.03	0.48	0.58

									CRF_75C.OUT					
7	1	7	7.60	0.03	0.07	0.95	0.36	-0.05	0.50	0.38	4.22	0.03	0.49	0.58
8	1	8	7.50	0.03	0.07	0.95	0.36	-0.04	0.50	0.38	4.21	0.03	0.49	0.58
9	1	9	7.39	0.03	0.07	0.95	0.37	-0.04	0.50	0.39	4.21	0.03	0.50	0.58
10	1	10	7.29	0.03	0.07	0.95	0.37	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
11	1	11	7.19	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
12	1	12	7.09	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.20	0.03	0.52	0.58
13	1	13	6.99	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.52	0.58
14	1	14	6.89	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
15	1	15	6.80	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
16	1	16	6.71	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.19	0.03	0.54	0.58
17	1	17	6.61	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
18	1	18	6.52	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
19	1	19	6.43	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.55	0.58
20	1	20	6.35	0.03	0.07	0.95	0.41	-0.04	0.50	0.42	4.18	0.03	0.55	0.57
21	2	1	6.26	0.03	0.07	0.95	0.41	-0.03	0.50	0.42	4.18	0.03	0.56	0.57
22	2	2	6.18	0.03	0.07	0.95	0.41	-0.03	0.50	0.42	4.18	0.03	0.56	0.57
23	2	3	6.09	0.03	0.07	0.95	0.41	-0.03	0.50	0.42	4.18	0.03	0.56	0.57
24	2	4	6.01	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.57	0.57
25	2	5	5.93	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.57	0.57
26	2	6	5.85	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.57	0.57
27	2	7	5.77	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.58	0.57
28	2	8	5.69	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.58	0.57
29	2	9	5.62	0.03	0.07	0.95	0.43	-0.03	0.50	0.42	4.16	0.03	0.58	0.57
30	2	10	5.54	0.03	0.07	0.95	0.43	-0.03	0.50	0.41	4.16	0.03	0.58	0.57
31	2	11	5.47	0.03	0.07	0.95	0.43	-0.03	0.50	0.41	4.16	0.03	0.59	0.57
32	2	12	5.39	0.03	0.07	0.95	0.43	-0.03	0.50	0.41	4.16	0.03	0.59	0.57
33	2	13	5.32	0.03	0.07	0.95	0.43	-0.03	0.50	0.41	4.16	0.03	0.59	0.57
34	2	14	5.25	0.03	0.07	0.95	0.44	-0.03	0.50	0.41	4.15	0.03	0.59	0.57
35	2	15	5.18	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.60	0.57
36	2	16	5.11	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.60	0.57
37	2	17	5.04	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.60	0.57
38	2	18	4.98	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.60	0.57
39	2	19	4.91	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.61	0.57
40	2	20	4.84	0.03	0.07	0.95	0.45	-0.03	0.50	0.39	4.14	0.03	0.61	0.57
41	3	1	4.78	0.03	0.07	0.95	0.45	-0.02	0.50	0.39	4.14	0.03	0.61	0.57
42	3	2	4.72	0.03	0.07	0.95	0.45	-0.02	0.50	0.39	4.14	0.03	0.61	0.57
43	3	3	4.65	0.04	0.07	0.95	0.45	-0.02	0.50	0.39	4.14	0.03	0.61	0.57
44	3	4	4.59	0.04	0.07	0.95	0.45	-0.02	0.50	0.38	4.14	0.03	0.62	0.57
45	3	5	4.53	0.04	0.07	0.95	0.45	-0.02	0.50	0.38	4.14	0.03	0.62	0.56
46	3	6	4.47	0.04	0.07	0.95	0.45	-0.02	0.50	0.38	4.13	0.03	0.62	0.56
47	3	7	4.41	0.04	0.07	0.95	0.45	-0.02	0.50	0.37	4.13	0.03	0.62	0.56
48	3	8	4.35	0.04	0.07	0.95	0.46	-0.02	0.50	0.37	4.13	0.03	0.62	0.56
49	3	9	4.30	0.04	0.07	0.95	0.46	-0.02	0.50	0.37	4.13	0.03	0.63	0.56
50	3	10	4.24	0.04	0.07	0.95	0.46	-0.02	0.50	0.36	4.13	0.03	0.63	0.56
51	3	11	4.18	0.04	0.07	0.95	0.46	-0.02	0.50	0.36	4.13	0.03	0.63	0.56
52	3	12	4.13	0.04	0.07	0.95	0.46	-0.02	0.50	0.36	4.13	0.03	0.63	0.56

CRF_75C.OUT														
53	3	13	4.08	0.04	0.07	0.95	0.46	-0.02	0.50	0.36	4.12	0.03	0.63	0.56
54	3	14	4.02	0.04	0.07	0.95	0.46	-0.02	0.50	0.35	4.12	0.03	0.63	0.56
55	3	15	3.97	0.04	0.07	0.95	0.46	-0.02	0.50	0.35	4.12	0.03	0.64	0.56
56	3	16	3.92	0.04	0.07	0.95	0.46	-0.02	0.50	0.35	4.12	0.03	0.64	0.56
57	3	17	3.87	0.04	0.07	0.95	0.46	-0.02	0.50	0.34	4.12	0.03	0.64	0.56
58	3	18	3.82	0.04	0.07	0.95	0.47	-0.02	0.50	0.34	4.12	0.03	0.64	0.56
59	3	19	3.77	0.04	0.07	0.95	0.47	-0.02	0.50	0.34	4.12	0.03	0.64	0.56
60	3	20	3.72	0.04	0.07	0.95	0.47	-0.02	0.50	0.33	4.11	0.03	0.64	0.56
61	4	1	3.67	0.04	0.07	0.95	0.47	-0.02	0.50	0.33	4.11	0.03	0.64	0.56
62	4	2	3.62	0.04	0.07	0.95	0.47	-0.02	0.50	0.33	4.11	0.03	0.65	0.56
63	4	3	3.57	0.04	0.07	0.95	0.47	-0.02	0.50	0.32	4.11	0.03	0.65	0.56
64	4	4	3.53	0.04	0.07	0.95	0.47	-0.02	0.50	0.32	4.11	0.03	0.65	0.56
65	4	5	3.48	0.04	0.07	0.95	0.47	-0.02	0.50	0.32	4.11	0.03	0.65	0.56

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11  
 EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	ALGAE DATA							ALGAE GROWTH RATE ATTEN FACTORS					
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *	
66	4	6	3.43	0.04	0.07	0.95	0.47	-0.02	0.50	0.32	4.11	0.03	0.65	0.56	
67	4	7	3.39	0.04	0.07	0.95	0.47	-0.02	0.50	0.31	4.11	0.03	0.65	0.56	
68	4	8	3.35	0.04	0.07	0.95	0.47	-0.02	0.50	0.31	4.10	0.03	0.65	0.56	
69	4	9	3.30	0.04	0.07	0.95	0.47	-0.02	0.50	0.31	4.10	0.03	0.65	0.56	
70	4	10	3.26	0.04	0.07	0.95	0.48	-0.02	0.50	0.30	4.10	0.03	0.65	0.56	
71	4	11	3.22	0.04	0.07	0.95	0.48	-0.02	0.50	0.30	4.10	0.03	0.66	0.56	
72	4	12	3.17	0.04	0.07	0.95	0.48	-0.02	0.50	0.30	4.10	0.03	0.66	0.56	
73	4	13	3.13	0.04	0.07	0.95	0.48	-0.02	0.50	0.29	4.10	0.03	0.66	0.56	
74	4	14	3.09	0.04	0.07	0.95	0.48	-0.02	0.50	0.29	4.10	0.03	0.66	0.56	
75	4	15	3.05	0.04	0.07	0.95	0.48	-0.01	0.50	0.29	4.10	0.03	0.66	0.56	
76	4	16	3.01	0.04	0.07	0.95	0.48	-0.01	0.50	0.28	4.09	0.03	0.66	0.56	
77	4	17	2.97	0.04	0.07	0.95	0.48	-0.01	0.50	0.28	4.09	0.03	0.66	0.56	
78	4	18	2.93	0.04	0.07	0.95	0.48	-0.01	0.50	0.28	4.09	0.03	0.66	0.55	
79	4	19	2.90	0.04	0.07	0.95	0.48	-0.01	0.50	0.28	4.09	0.03	0.66	0.55	
80	4	20	2.86	0.04	0.07	0.95	0.48	-0.01	0.50	0.27	4.09	0.03	0.66	0.55	
81	5	1	2.82	0.04	0.07	0.95	0.48	-0.01	0.50	0.27	4.09	0.03	0.67	0.55	
82	5	2	2.79	0.04	0.07	0.95	0.48	-0.01	0.50	0.27	4.09	0.03	0.67	0.55	
83	5	3	2.75	0.04	0.07	0.95	0.48	-0.01	0.50	0.26	4.09	0.03	0.67	0.55	
84	5	4	2.71	0.04	0.07	0.95	0.48	-0.01	0.50	0.26	4.09	0.03	0.67	0.55	
85	5	5	2.68	0.04	0.07	0.95	0.48	-0.01	0.50	0.26	4.09	0.03	0.67	0.55	
86	5	6	2.64	0.04	0.07	0.95	0.49	-0.01	0.50	0.26	4.08	0.03	0.67	0.55	

								CRF_75C.OUT						
87	5	7	2.61	0.04	0.07	0.95	0.49	-0.01	0.50	0.25	4.08	0.03	0.67	0.55
88	5	8	2.58	0.04	0.07	0.95	0.49	-0.01	0.50	0.25	4.08	0.03	0.67	0.55
89	5	9	2.54	0.04	0.07	0.95	0.49	-0.01	0.50	0.25	4.08	0.03	0.67	0.55
90	5	10	2.51	0.04	0.07	0.95	0.49	-0.01	0.50	0.24	4.08	0.03	0.67	0.55
91	5	11	2.48	0.04	0.07	0.95	0.49	-0.01	0.50	0.24	4.08	0.03	0.67	0.55
92	5	12	2.45	0.04	0.07	0.95	0.49	-0.01	0.50	0.24	4.08	0.03	0.67	0.55
93	5	13	2.41	0.04	0.07	0.95	0.49	-0.01	0.50	0.24	4.08	0.03	0.68	0.55
94	5	14	2.38	0.04	0.07	0.95	0.49	-0.01	0.50	0.23	4.08	0.03	0.68	0.55
95	5	15	2.35	0.04	0.07	0.95	0.49	-0.01	0.50	0.23	4.08	0.03	0.68	0.55
96	5	16	2.32	0.04	0.07	0.95	0.49	-0.01	0.50	0.23	4.08	0.03	0.68	0.55
97	5	17	2.29	0.04	0.07	0.95	0.49	-0.01	0.50	0.23	4.07	0.03	0.68	0.55
98	5	18	2.26	0.04	0.07	0.95	0.49	-0.01	0.50	0.22	4.07	0.03	0.68	0.55
99	5	19	2.23	0.04	0.07	0.95	0.49	-0.01	0.50	0.22	4.07	0.03	0.68	0.55
100	5	20	2.20	0.04	0.07	0.95	0.49	-0.01	0.50	0.22	4.07	0.03	0.68	0.55
101	6	1	2.18	0.04	0.07	0.95	0.50	-0.01	0.50	0.22	4.07	0.03	0.68	0.55
102	6	2	2.15	0.04	0.07	0.95	0.50	-0.01	0.50	0.21	4.07	0.03	0.68	0.56
103	6	3	2.12	0.04	0.07	0.95	0.50	-0.01	0.50	0.21	4.07	0.03	0.68	0.56
104	6	4	2.09	0.04	0.07	0.95	0.51	-0.01	0.50	0.21	4.07	0.03	0.68	0.57
105	6	5	2.07	0.04	0.07	0.95	0.51	-0.01	0.50	0.21	4.07	0.03	0.68	0.57
106	6	6	2.04	0.04	0.07	0.95	0.52	-0.01	0.50	0.20	4.07	0.03	0.68	0.57
107	6	7	2.02	0.04	0.07	0.95	0.52	-0.01	0.50	0.20	4.07	0.03	0.68	0.58
108	6	8	1.99	0.04	0.07	0.95	0.52	-0.01	0.50	0.20	4.07	0.03	0.68	0.58
109	6	9	1.96	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
110	6	10	1.94	0.04	0.07	0.95	0.53	-0.01	0.50	0.19	4.06	0.03	0.69	0.59
111	6	11	1.92	0.04	0.07	0.95	0.53	-0.01	0.50	0.19	4.06	0.03	0.69	0.59
112	6	12	1.89	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.06	0.03	0.69	0.59
113	6	13	1.87	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.06	0.03	0.69	0.60
114	6	14	1.85	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.06	0.03	0.69	0.60
115	6	15	1.82	0.04	0.07	0.95	0.55	-0.01	0.50	0.18	4.06	0.03	0.69	0.60
116	6	16	1.80	0.04	0.07	0.95	0.55	-0.01	0.50	0.18	4.06	0.03	0.69	0.61
117	6	17	1.78	0.04	0.07	0.95	0.55	-0.01	0.50	0.18	4.06	0.03	0.69	0.61
118	6	18	1.76	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.61
119	6	19	1.73	0.04	0.07	0.95	0.56	-0.01	0.50	0.17	4.06	0.03	0.69	0.62
120	6	20	1.71	0.04	0.07	0.95	0.56	-0.01	0.50	0.17	4.06	0.03	0.69	0.62
121	7	1	1.69	0.04	0.07	0.95	0.56	-0.01	0.50	0.17	4.06	0.03	0.69	0.62
122	7	2	1.67	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.62
123	7	3	1.65	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
124	7	4	1.63	0.04	0.07	0.95	0.57	-0.01	0.50	0.16	4.06	0.03	0.69	0.63
125	7	5	1.61	0.04	0.07	0.95	0.57	-0.01	0.50	0.16	4.05	0.03	0.69	0.63
126	7	6	1.59	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.05	0.03	0.69	0.63
127	7	7	1.57	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.05	0.03	0.69	0.64
128	7	8	1.55	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.05	0.03	0.69	0.64
129	7	9	1.53	0.05	0.07	0.95	0.58	-0.01	0.50	0.15	4.05	0.03	0.69	0.64
130	7	10	1.52	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.69	0.64

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* ALGAE DATA \*\*

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
												LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.50	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.70	0.64
132	7	12	1.48	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
133	7	13	1.49	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
134	7	14	1.48	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
135	7	15	1.46	0.05	0.07	0.95	0.59	-0.01	0.50	0.14	4.05	0.03	0.70	0.65
136	7	16	1.44	0.05	0.07	0.95	0.60	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
137	7	17	1.42	0.05	0.07	0.95	0.60	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
138	7	18	1.41	0.05	0.07	0.95	0.60	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
139	7	19	1.39	0.05	0.07	0.95	0.60	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
140	7	20	1.37	0.05	0.07	0.95	0.61	-0.01	0.50	0.13	4.05	0.03	0.70	0.66
141	8	1	1.36	0.05	0.07	0.95	0.61	0.00	0.50	0.13	4.05	0.03	0.70	0.67
142	8	2	1.34	0.05	0.07	0.95	0.61	0.00	0.50	0.13	4.05	0.03	0.70	0.67
143	8	3	1.33	0.05	0.07	0.95	0.61	0.00	0.50	0.13	4.05	0.03	0.70	0.67
144	8	4	1.31	0.05	0.07	0.95	0.61	0.00	0.50	0.13	4.05	0.03	0.70	0.67
145	8	5	1.29	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.67
146	8	6	1.28	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.67
147	8	7	1.26	0.05	0.07	0.95	0.62	0.00	0.50	0.12	4.04	0.03	0.70	0.68
148	8	8	1.25	0.05	0.07	0.95	0.62	0.00	0.50	0.12	4.04	0.03	0.70	0.68

1

STREAM QUALITY SIMULATION  
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13  
EPA/NCASI VERSION

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
									F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	81.30	7.91	5.42	2.49	0.00	1.00	45.47	0.89	-0.39	-0.01	-0.05	-0.03	-0.04
2	1	2	81.30	7.91	5.44	2.48	0.00	1.00	0.00	0.89	-0.39	-0.01	-0.05	-0.03	-0.03
3	1	3	81.30	7.91	5.46	2.46	0.00	1.00	0.00	0.88	-0.38	-0.01	-0.05	-0.04	-0.03
4	1	4	81.30	7.91	5.47	2.44	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
5	1	5	81.30	7.91	5.49	2.42	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
6	1	6	81.30	7.91	5.51	2.40	0.00	1.00	0.00	0.86	-0.37	-0.01	-0.05	-0.04	-0.02

									CRF_75C.OUT						
7	1	7	81.30	7.91	5.53	2.39	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.05	-0.04	-0.02
8	1	8	81.30	7.91	5.54	2.37	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.04	-0.05	-0.02
9	1	9	81.30	7.91	5.56	2.35	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
10	1	10	81.30	7.91	5.58	2.34	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
11	1	11	81.30	7.91	5.59	2.32	0.00	1.00	0.00	0.83	-0.36	-0.01	-0.04	-0.05	-0.02
12	1	12	81.30	7.91	5.61	2.31	0.00	1.00	0.00	0.82	-0.36	-0.01	-0.04	-0.05	-0.02
13	1	13	81.30	7.91	5.62	2.29	0.00	1.00	0.00	0.82	-0.35	-0.01	-0.04	-0.06	-0.02
14	1	14	81.30	7.91	5.64	2.28	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
15	1	15	81.30	7.91	5.65	2.26	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
16	1	16	81.30	7.91	5.66	2.25	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
17	1	17	81.30	7.91	5.68	2.23	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
18	1	18	81.30	7.91	5.69	2.22	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
19	1	19	81.30	7.91	5.70	2.21	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
20	1	20	81.30	7.91	5.72	2.20	0.00	1.00	0.00	0.78	-0.33	-0.01	-0.04	-0.06	-0.02
21	2	1	81.30	7.91	5.73	2.18	0.00	1.00	0.00	0.78	-0.33	-0.01	-0.03	-0.07	-0.02
22	2	2	81.30	7.91	5.74	2.17	0.00	1.00	0.00	0.78	-0.33	-0.01	-0.03	-0.07	-0.02
23	2	3	81.30	7.91	5.75	2.16	0.00	1.00	0.00	0.77	-0.32	-0.01	-0.03	-0.07	-0.02
24	2	4	81.30	7.91	5.77	2.15	0.00	1.00	0.00	0.77	-0.32	-0.01	-0.03	-0.07	-0.02
25	2	5	81.30	7.91	5.78	2.14	0.00	1.00	0.00	0.76	-0.32	-0.01	-0.03	-0.07	-0.02
26	2	6	81.30	7.91	5.79	2.12	0.00	1.00	0.00	0.76	-0.32	-0.01	-0.03	-0.07	-0.02
27	2	7	81.30	7.91	5.80	2.11	0.00	1.00	0.00	0.76	-0.31	-0.01	-0.03	-0.07	-0.02
28	2	8	81.30	7.91	5.81	2.10	0.00	1.00	0.00	0.75	-0.31	-0.01	-0.03	-0.07	-0.02
29	2	9	81.30	7.91	5.82	2.09	0.00	1.00	0.00	0.75	-0.31	-0.01	-0.03	-0.07	-0.02
30	2	10	81.30	7.91	5.83	2.08	0.00	1.00	0.00	0.74	-0.31	-0.01	-0.03	-0.07	-0.02
31	2	11	81.30	7.91	5.84	2.07	0.00	1.00	0.00	0.74	-0.30	-0.01	-0.03	-0.07	-0.02
32	2	12	81.30	7.91	5.85	2.06	0.00	1.00	0.00	0.74	-0.30	-0.01	-0.03	-0.07	-0.02
33	2	13	81.30	7.91	5.86	2.05	0.00	1.00	0.00	0.73	-0.30	-0.01	-0.03	-0.07	-0.02
34	2	14	81.30	7.91	5.87	2.04	0.00	1.00	0.00	0.73	-0.30	-0.01	-0.03	-0.07	-0.02
35	2	15	81.30	7.91	5.88	2.03	0.00	1.00	0.00	0.73	-0.29	-0.01	-0.03	-0.07	-0.02
36	2	16	81.30	7.91	5.89	2.02	0.00	1.00	0.00	0.72	-0.29	-0.01	-0.03	-0.07	-0.02
37	2	17	81.30	7.91	5.90	2.01	0.00	1.00	0.00	0.72	-0.29	-0.01	-0.03	-0.07	-0.02
38	2	18	81.30	7.91	5.91	2.00	0.00	1.00	0.00	0.72	-0.29	-0.01	-0.03	-0.08	-0.02
39	2	19	81.30	7.91	5.92	1.99	0.00	1.00	0.00	0.71	-0.28	-0.01	-0.03	-0.08	-0.02
40	2	20	81.30	7.91	5.93	1.98	0.00	1.00	0.00	0.71	-0.28	-0.01	-0.03	-0.08	-0.02
41	3	1	81.30	7.91	5.94	1.98	0.00	1.00	0.00	0.71	-0.28	-0.01	-0.02	-0.08	-0.02
42	3	2	81.30	7.91	5.95	1.97	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.02
43	3	3	81.30	7.91	5.96	1.96	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.02
44	3	4	81.30	7.91	5.96	1.95	0.00	1.00	0.00	0.70	-0.27	-0.01	-0.02	-0.08	-0.02
45	3	5	81.30	7.91	5.97	1.94	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.02
46	3	6	81.30	7.91	5.98	1.93	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.02
47	3	7	81.30	7.91	5.99	1.92	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.02
48	3	8	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
49	3	9	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
50	3	10	81.30	7.91	6.02	1.90	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
51	3	11	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
52	3	12	81.30	7.91	6.03	1.88	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03



										CRF_75C.OUT					
53	3	13	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
54	3	14	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
55	3	15	81.30	7.91	6.06	1.86	0.00	1.00	0.00	0.66	-0.25	-0.01	-0.02	-0.08	-0.03
56	3	16	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.25	-0.01	-0.02	-0.08	-0.03
57	3	17	81.30	7.91	6.07	1.84	0.00	1.00	0.00	0.66	-0.25	-0.01	-0.02	-0.07	-0.03
58	3	18	81.30	7.91	6.08	1.83	0.00	1.00	0.00	0.66	-0.24	-0.01	-0.02	-0.07	-0.03
59	3	19	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.24	-0.01	-0.02	-0.07	-0.03
60	3	20	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.24	-0.01	-0.02	-0.07	-0.02
61	4	1	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.24	-0.01	-0.02	-0.07	-0.02
62	4	2	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.24	-0.01	-0.02	-0.07	-0.02
63	4	3	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02
64	4	4	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02
65	4	5	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02

1

STREAM QUALITY SIMULATION  
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER  
 EPA/NCASI VERSION

14

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
66	4	6	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02
67	4	7	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02
68	4	8	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
69	4	9	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
70	4	10	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
71	4	11	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
72	4	12	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
73	4	13	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.02	-0.07	-0.02
74	4	14	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.02	-0.07	-0.02
75	4	15	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
76	4	16	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
77	4	17	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
78	4	18	81.30	7.91	6.11	1.81	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
79	4	19	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.07	-0.02
80	4	20	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
81	5	1	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
82	5	2	81.30	7.91	6.12	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
83	5	3	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
84	5	4	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
85	5	5	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
86	5	6	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02

CRF\_75C.OUT

87	5	7	81.30	7.91	6.14	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
88	5	8	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
89	5	9	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
90	5	10	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
91	5	11	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
92	5	12	81.30	7.91	6.16	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
93	5	13	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
94	5	14	81.30	7.91	6.17	1.75	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
95	5	15	81.30	7.91	6.17	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
96	5	16	81.30	7.91	6.18	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
97	5	17	81.30	7.91	6.18	1.73	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
98	5	18	81.30	7.91	6.18	1.73	0.00	1.00	0.00	0.62	-0.17	-0.01	-0.01	-0.06	-0.02
99	5	19	81.30	7.91	6.19	1.72	0.00	1.00	0.00	0.62	-0.17	-0.01	-0.01	-0.06	-0.02
100	5	20	81.30	7.91	6.19	1.72	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
101	6	1	81.30	7.91	6.20	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
102	6	2	81.30	7.91	6.20	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
103	6	3	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
104	6	4	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
105	6	5	81.30	7.91	6.22	1.69	0.00	1.00	0.00	0.61	-0.16	-0.01	-0.01	-0.05	-0.02
106	6	6	81.30	7.91	6.23	1.69	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
107	6	7	81.30	7.91	6.23	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
108	6	8	81.30	7.91	6.24	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
109	6	9	81.30	7.91	6.24	1.67	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
110	6	10	81.30	7.91	6.25	1.67	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
111	6	11	81.30	7.91	6.25	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
112	6	12	81.30	7.91	6.26	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
113	6	13	81.30	7.91	6.26	1.65	0.00	1.00	0.00	0.59	-0.15	-0.01	-0.01	-0.05	-0.02
114	6	14	81.30	7.91	6.27	1.64	0.00	1.00	0.00	0.59	-0.15	-0.01	-0.01	-0.05	-0.02
115	6	15	81.30	7.91	6.27	1.64	0.00	1.00	0.00	0.59	-0.15	-0.01	-0.01	-0.05	-0.02
116	6	16	81.30	7.91	6.28	1.63	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
117	6	17	81.30	7.91	6.28	1.63	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
118	6	18	81.30	7.91	6.29	1.62	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
119	6	19	81.30	7.91	6.30	1.62	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
120	6	20	81.30	7.91	6.30	1.61	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
121	7	1	81.30	7.91	6.32	1.60	0.00	1.00	0.00	0.57	-0.14	-0.01	-0.01	-0.05	-0.02
122	7	2	81.30	7.91	6.33	1.58	0.00	1.00	0.00	0.57	-0.14	-0.01	-0.01	-0.05	-0.02
123	7	3	81.30	7.91	6.35	1.57	0.00	1.00	0.00	0.56	-0.14	-0.01	-0.01	-0.05	-0.02
124	7	4	81.30	7.91	6.36	1.55	0.00	1.00	0.00	0.55	-0.14	-0.01	-0.01	-0.05	-0.02
125	7	5	81.30	7.91	6.37	1.54	0.00	1.00	0.00	0.55	-0.14	-0.01	-0.01	-0.05	-0.02
126	7	6	81.30	7.91	6.39	1.52	0.00	1.00	0.00	0.55	-0.14	-0.01	-0.01	-0.04	-0.02
127	7	7	81.30	7.91	6.40	1.51	0.00	1.00	0.00	0.54	-0.14	-0.01	-0.01	-0.04	-0.02
128	7	8	81.30	7.91	6.41	1.50	0.00	1.00	0.00	0.54	-0.14	-0.01	-0.01	-0.04	-0.02
129	7	9	81.30	7.91	6.43	1.49	0.00	1.00	0.00	0.53	-0.13	-0.01	-0.01	-0.04	-0.02
130	7	10	81.30	7.91	6.44	1.47	0.00	1.00	0.00	0.53	-0.13	-0.01	-0.01	-0.04	-0.02

1

\*\*\*\*\* STEADY STATE SIMULATION \*\*\*\*\*

\*\* DISSOLVED OXYGEN DATA \*\*

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
									F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	81.30	7.91	6.45	1.46	0.00	1.00	0.00	0.52	-0.13	-0.01	-0.01	-0.04	-0.02
132	7	12	81.30	7.91	6.46	1.45	0.00	1.00	0.00	0.52	-0.13	-0.01	-0.01	-0.04	-0.01
133	7	13	81.30	7.91	6.47	1.44	0.00	1.00	0.22	0.52	-0.13	-0.01	-0.01	-0.04	-0.02
134	7	14	81.30	7.91	6.48	1.43	0.00	1.00	0.00	0.51	-0.13	-0.01	-0.01	-0.04	-0.02
135	7	15	81.30	7.91	6.49	1.42	0.00	1.00	0.00	0.51	-0.13	-0.01	-0.01	-0.04	-0.01
136	7	16	81.30	7.91	6.50	1.41	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
137	7	17	81.30	7.91	6.51	1.40	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
138	7	18	81.30	7.91	6.52	1.39	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
139	7	19	81.30	7.91	6.54	1.38	0.00	1.00	0.00	0.49	-0.12	-0.01	-0.01	-0.04	-0.01
140	7	20	81.30	7.91	6.55	1.37	0.00	1.00	0.00	0.49	-0.12	-0.01	-0.01	-0.04	-0.01
141	8	1	81.30	7.91	6.56	1.36	0.00	1.00	0.00	0.49	-0.12	-0.01	0.00	-0.04	-0.01
142	8	2	81.30	7.91	6.56	1.35	0.00	1.00	0.00	0.48	-0.12	-0.01	0.00	-0.04	-0.01
143	8	3	81.30	7.91	6.57	1.34	0.00	1.00	0.00	0.48	-0.12	-0.01	0.00	-0.04	-0.01
144	8	4	81.30	7.91	6.58	1.33	0.00	1.00	0.00	0.48	-0.12	-0.01	0.00	-0.04	-0.01
145	8	5	81.30	7.91	6.59	1.32	0.00	1.00	0.00	0.47	-0.12	-0.01	0.00	-0.04	-0.01
146	8	6	81.30	7.91	6.60	1.31	0.00	1.00	0.00	0.47	-0.12	-0.01	0.00	-0.04	-0.01
147	8	7	81.30	7.91	6.61	1.30	0.00	1.00	0.00	0.47	-0.12	-0.01	0.00	-0.04	-0.01
148	8	8	81.30	7.91	6.62	1.29	0.00	1.00	0.00	0.46	-0.12	-0.01	0.00	-0.04	-0.01