



215 Jamestown Park, Suite 100 ◦ Brentwood, TN 37027 ◦ Phone (615) 373-8532

April 25, 2018

172488

Georgia-Pacific Crossett LLC, Crossett Paper Operations
100 Paper Mill Road
Crossett, Arkansas 71635

Sent via e-mail: Sarah.Ross@gpac.com

RE: Flood-Flow Modeling

Dear Ms. Ross:

This report supplants and combines previous versions of the flood flow modeling and the modeling basis documents. It includes new explanations for the data derivations.

AquAeTer, Inc. (AquAeTer) is pleased to present our findings of water quality modeling for two flood-flow conditions on the Ouachita River: 1) River stage 65 feet (ft) at Felsenthal Dam; and 2) River stage 75 ft at Felsenthal Dam. All elevations are given in the National Geodetic Vertical Datum of 1929 unless otherwise specified. The purpose of this modeling is to provide Georgia-Pacific (GP) with the results from a previously calibrated low-flow water quality model and previous water quality data¹ that was modified to estimate potential water quality effects during these two flood scenarios. It is our understanding that the Arkansas Department of Environmental Quality (ADEQ) has requested GP to determine if there are impacts from treated effluent discharged directly from Outfall 001 during these flood conditions.

AquAeTer utilized the existing approved water quality model for the Ouachita River, and modified it for these flood-flow conditions. Inputs expected during the flood-flow situations were used. New data were added to the model to represent water quality conditions that have been measured downstream from Felsenthal during the two critical months selected, i.e., May for 75 ft and June for 65 ft. All model files are provided in Attachment 1.

¹ Taylor, R.D., Borén, J.K., Davis, P.E., G.M., Corn, P.E., M.R. April 1993. "Dissolved Oxygen Use Attainability Analysis: Ouachita River from Felsenthal, AR to Sterlington, LA", AquAeTer, Inc., Brentwood, TN.

Taylor, R.D., Corn, P.E., M.R. 1996. "Dissolved Oxygen Use Attainability Analysis: Ouachita River from Felsenthal, AR to Sterlington, LA", AquAeTer, Inc., Brentwood, TN.

McCormick, S.T., Van Wurm, P.E., W., Smith, P.E., D.S., Corn, P.E., M.R., Bailey, S.K., Gathright, T., Starke, T.M. April 1999. "Total Maximum Daily Load Projections Ouachita River: Felsenthal Lock and Dam, Arkansas to Sterlington, LA", AquAeTer, Inc. and Georgia-Pacific Corporation. Brentwood, TN.


SUMMARY

Both flood scenarios show minimal impact to the Ouachita River for a non-conservative pollutant (dissolved oxygen) which resulted in an approximately 0.2 mg/L drop, and a conservative pollutant (copper) which resulted in a less than 0.15 microgram per liter ($\mu\text{g/L}$) increase in copper concentration. This matches historical measurements of DO concentrations in the Ouachita River during flooding conditions. We believe the water quality model described herein for the flood conditions modeled provides conservative predictions of water quality impacts. Due to the amount of river water and other flood flow conditions, we would not expect any significant impacts on water quality.

ORIGINAL MODEL

The model originally developed in QUAL2E and submitted to the ADEQ, Louisiana Department of Environmental Quality (LDEQ) and United States Environmental Protection Agency (USEPA) was retrieved from storage. The model was originally developed using WinQual, which ran on a version of Windows that is no longer used. The input deck was converted to work in the DOS-based QUAL-2E. The results were then compared and found to provide very similar results. The dissolved oxygen (DO) concentrations for the original model and the reimplemented model are presented in Figure 1. The maximum difference in the DO concentration between the model results is 0.01 milligram per liter (mg/L), which is less than the accuracy of DO measurements at ± 0.1 mg/L.

Figure 1. Comparison of Original Calibrated Model and Re-Implemented Model Results



FLOOD MODEL CONDITIONS

The original model was developed for low-flow conditions and was calibrated at a flow of 980 cubic feet per second (cfs). The flows for the two flood conditions analyzed are substantially greater. The gage at Felsenthal was analyzed to determine an appropriate flow at the 65' elevation flood condition. However, the gage is not capable of measuring flows when the stage exceeds 65'. Therefore, flow data acquired during flooding periods were used from upstream and downstream gages to estimate the flow at a flood elevation of 75'. The following is a list of the parameters that were changed for each model condition.

Flow

At the 65' Flood, a flow of 17,250 cfs was used. This represents the lower end of the range measured during a flood condition. The lower end of the range represents the highest potential to see an effect from the permitted discharge. At the 75' Flood, a flow of 46,364 cfs was used. As with the 65' flood condition, this represents a flow on the lower end of the range for flows calculated during this flood condition.


The flood flows were within the range measured or predicted at Felsenthal during the respective flood conditions for January 1, 2015 through June 30, 2016. At stages greater than 65' flood elevation, the Felsenthal gage no longer measures flow. For those days where the Felsenthal gage did not record flow, flows were projected by adding the flows from the following upstream gages. For comparison purposes, the Ouachita River at Felsenthal Lock and Dam is approximately 10,852 square miles. The ratio of flow per square mile was used to account for the increase in drainage area at Felsenthal.

- a. USGS 07362000 Ouachita River at Camden, AR
5,360 square miles;
- b. USGS 07362100 Smackover Creek near Smackover, AR
385 square miles;
- c. USGS 07362500 Moro Creek near Fordyce, AR
240 square miles;
- d. USGS 07363500 Saline River near Rye, AR,
2,100 square miles; and
- e. Total miles included in gages = 8,085 square miles.

River Morphology

The digital elevation map (DEM) data were downloaded from the United States Department of Agriculture Geospatial website. The DEM filename is 10.2.gda.4357299, which covers Felsenthal Dam, AR-LA. The metadata information and the data dictionary defining the terms are provided in Attachment 2. One transect was drawn for the 65' flood elevation and one transect was drawn for the 75' flood elevation, as shown in Figure 2. The co-ordinates shown on the figure represent the beginning and ending points for each transect.


Figure 2. Transects for Flood Elevation Profiles



Depth Coefficient and Exponent

The DEM data were used to develop the cross-sectional area of the River during each flood. The depth profile along each is presented in Figure 3. These data were derived from the DEM using the geographic information system by ESRI (ArcGIS). The profiles are slightly different due to the offset distance of the two transects.

Figure 3. Transect Profiles for Flood Elevations




The data derived from the transects shown in Figure 3 are presented in Table 1. The average depth at one cross-section for each flood condition was determined using the cross-sectional data derived from the

DEM data. For the depth, the flood condition flows and depths were plotted on a log-log plot and a trendline was fitted to the two datapoints, as shown in Figure 4. These values, along with a comparison to the original values used in the model are presented in Table 2. The two sets of coefficients and exponents are different due to the significantly different flow and river channel transect characteristics.

Table 1. DEM-Based Data

Parameter	65' Flood Condition	75' Flood Condition
Width	21,777 feet	28,457 feet
Average Depth	3.25 feet	12.62 feet

Figure 4. Depth versus Flow for Flood Conditions



The coefficient and exponent calculated for the depth versus flow are shown after being rounded in Figure 4. The model has a limitation on the number of characters that a single value can have. The values derived from the data presented in Figure 4 are rounded, which can lead to differences in the values predicted by the equation.

The differences in the values between the original data and the values calculated by the model for each are shown in Table 3.

Table 2. Depth Coefficient and Exponent

Reach	Original Model Coefficient	Original Model Exponent	Flood Model Coefficient	Flood Model Exponent
1	7.17	0.05	4.994×10^{-6}	1.37
2	7.17	0.05	4.994×10^{-6}	1.37
3	7.17	0.05	4.994×10^{-6}	1.37
4	8	0.05	4.994×10^{-6}	1.37
5	12	0.018	4.994×10^{-6}	1.37
6	12	0.018	4.994×10^{-6}	1.37
7	15.03	0.011	4.994×10^{-6}	1.37
8	15.03	0.011	4.994×10^{-6}	1.37

Table 3. Comparison Between Data-Based Depth Value and Model Calculated Depth Value Due to Rounding

Flow (cfs)	Data-Derived Depth Value	Model Coefficient	Model Exponent	Model Calculated Depth Value
17,250	3.25 ft	4.994×10^{-6}	1.37	3.18 ft
46,364	12.62 ft	4.994×10^{-6}	1.37	12.33 ft


Velocity Coefficient and Exponent

The calculated area was calculated by multiplying the width by the average depth. The flow was then divided by the area to derive an average velocity for each flood condition. The area and velocity for each flood condition are presented in Table 4.

Table 4. Area and Velocity Calculated Based on DEM Data

Parameter	65' Flood Condition	75' Flood Condition
Area	70,774 square feet	359,127 square feet
Average Velocity	0.24 feet per second	0.13 feet per second

Figure 5. Velocity versus Flow for Flood Conditions



For the velocity, the flood condition flows and velocities were plotted on a log-log plot and a trendline was fitted to the two datapoints, as shown in Figure 5. The coefficient and exponent calculated for the depth versus flow are also shown after being rounded in Figure 5. The model has a limitation on the number of characters that a single value can have. The values derived from the data presented in Figure 5 are rounded, which can lead to differences in the values predicted by the equation. These coefficient and exponent values, along with a comparison to the original values used in the model are presented in Table 5.

While there are differences in the velocity calculated based on the DEM data and the velocity calculated based on the model variables, the differences are less than 0.01 feet per second. The values for the data-based velocity values and the values calculated by the model are shown in Table 6.

Table 5. Velocity Coefficient and Exponent

Reach	Original Model Coefficient	Original Model Exponent	Flood Model Coefficient	Flood Model Exponent
1	0.00046	0.897	128.756	-0.643
2	0.00046	0.897	128.756	-0.643
3	0.00046	0.897	128.756	-0.643
4	0.00046	0.897	128.756	-0.643
5	0.00028	0.946	128.756	-0.643
6	0.00028	0.946	128.756	-0.643
7	0.00020	0.930	128.756	-0.643
8	0.00020	0.930	128.756	-0.643

Table 6. Comparison Between Data-Based Velocity Value and Model Calculated Velocity Value Due to Rounding

Flow (cfs)	Data-Derived Velocity Value	Model Coefficient	Model Exponent	Model Calculated Velocity Value
17,250	0.24 ft/sec	128.756	-0.643	0.24 ft/sec
46,364	0.13 ft/sec	128.756	-0.643	0.13 ft/sec

It is important to remember that the original model variables were based on a low-flow scenario modeling the situation where the River was contained within its banks. At the two different flood scenarios, the River is no longer contained within a defined channel: to the contrary, it is primarily flowing through overbank areas that are frequently forested, which in turns slows the water velocity in these areas. The overall average velocity is thus significantly affected by these areas. During normal non-flooded conditions, the River is roughly 300 feet wide. The two transects for these flood elevations are over 21,000 and 28,000 feet wide, for the two modeled flood conditions. The original low-flow variables for velocity developed for the river when it is in-channel, did not predict the non-channel flow conditions, as discussed below and shown in Table 7.

While the negative exponent is not intuitive for channel-based flow calculations, it is expected when the River leaves its banks. In the overbank areas near Felsenthal, there is an increase in cross-sectional area flowing through the forested areas as the River stage rises. Additionally, the downstream dam location near Sterlington begins having a greater impact on water backing up at these higher stages. Thus, outside of the channel at higher stage, the average velocity should slow down. An example of the River in a flood condition is shown in Figure 6. Additional pictures of the Ouachita River during flooded conditions are provided in Attachment 3.

Table 7. Evaluation of Velocity Coefficient and Exponent


Stage	Total Area (ft ²)	Flow (cfs)	Average Velocity Calculated by Area (ft/sec)	Average Velocity Calculated using Original Variables (ft/sec)	Average Velocity Calculated using Flood- Flow Variables (ft/sec)
65	70,774	17,250	0.24	0.07	0.24
75	359,127	46,364	0.13	0.073	0.13

Figure 6. Ouachita River in Flood (at an estimated 62 Feet elevation) Viewed from the Dike at Mossy Lake



Using the same transect cross-sectional data to determine the velocity of the flows during the period from January 1, 2015 through June 30, 2016, the peak average velocity does not occur during the flood conditions. For this calculation, all stages less than or equal to the 65' used the transect for the 65' flood condition, while all stages greater than 65' used the 75' flood condition. The daily flow value was divided by the cross-sectional area of the River for the same daily stage to determine the velocity. The estimated River velocity is presented in Figure 7.

Figure 7. Estimated Velocity for Flow on the Ouachita River



CBOD_u Deoxygenation Rate

The ultimate carbonaceous biochemical oxygen demand (CBOD_u) deoxygenation rate in the original model increased briefly after the addition of the discharge from Coffee Creek, from 0.05 to 0.075 day⁻¹. The River flow for the original calibrated model was 980 cfs and the Mill flow at 42.1 cfs represented approximately 4 percent of the downstream flow in the river. For the flooded condition, the effect of the treated effluent is expected to be minimal, based on a mass balance between the receiving stream and the Mill's loading which shows the Mill flow is less than about 0.25% of the River flow at the 65' flood condition. Therefore, the CBOD_u deoxygenation rate was kept constant for all reaches at 0.05 day⁻¹.

Reaeration Rate

The original model utilized the O'Connor and Dobbins reaeration method. However, the changes to the model depth and velocity to account for the flood conditions did not produce similar predicted reaeration since the effective depth changes for the two flood scenarios. During flood conditions, the reaeration rate is expected to increase due to the increased turbulence. However, the mechanics of the O'Connor-Dobbins equation result in an increase in predicted reaeration for

the 65' flood scenario while also calculating a decrease in predicted reaeration for the 75' flood scenario. The O'Connor-Dobbins equation is as follows:

$$k_2 = 12.9 \frac{U^{0.5}}{H^{1.5}} \quad 1$$

where: k_2 = reaeration rate, day⁻¹;
 U = velocity, feet per second; and,
 H = depth, feet

The depth and velocity are calculated based on the flow using the following equations, respectively. The coefficients and exponents used for the flood model were presented previously in Tables 2 and 5, respectively.

$$U = aQ^b \quad 2$$

$$H = cQ^d \quad 3$$

The calculation results are presented in the following table.

Table 8. O'Connor-Dobbins Reaeration Calculations for Flood Flow Conditions

PARAMETER	RESULT FOR 65' FLOOD	RESULT FOR 75' FLOOD
Q (cfs)	17,250	46,364
U (ft/sec)	0.24	0.13
H (ft)	3.25	12.62
k_2 (day ⁻¹)	1.09	0.103

The depth represents the average depth across the River. While the main channel of the River may be much deeper, the flood plain area brings the average down. Likewise, the velocity in the main channel is expected to be faster, but the velocity of the River moving through the flood plain will be impeded by the forests, which brings the average velocity down. Because of this, the O'Connor-Dobbins reaeration calculation was not used and an alternative approach was developed.

An alternative reaeration equation that is also accepted by the USEPA and is present in the QUAL2E model and newer models is the Tsivoglou-Neal reaeration rate equation. This equation relies on the water surface slope change. During low flows, the slope change on the Ouachita River was insignificant, resulting in unrealistic reaeration rates. For the flood flow, however, the change in slope between the Sterlington and Felsenthal gages is able to be used. The Tsivoglou-Neal reaeration rate equation is as follows:

$$k_2 = c * \frac{\Delta h}{TOT} \quad 4$$

where: k_2 = reaeration rate, day⁻¹;
 c = escape coefficient, ft⁻¹;
 Δh = change in water surface elevation, ft; and,
TOT = time of water travel, day.

The escape coefficient can be adjusted based on flow conditions based on empirical data. There is one measurement in Arkansas that was made on the Ouachita River in 1980² in a study completed for NCASI³⁴. One additional measurement was made on the Ouachita River, but was considered poor due to the hydraulic conditions occurring during the release. A similar swamp stream was tested by Law Engineering⁵. The Red River near Ashdown, Arkansas was also tested⁶. The “c” coefficient and flows for each of these studies is presented in Table 9.

Table 9. Escape Coefficients Measured

STREAM	“c”	FLOW (cfs)
Ouachita River (AR)	0.0396	850
Black Creek (SC)	0.0392	198
Red River (AR)	0.0822	4,600

These three studies were utilized to develop an empirical equation that relates the “c” coefficient to flow as follows:

$$c = 0.036e^{0.00018*Q} \quad 5$$

Combining Equations 4 and 5 yields the following:

$$k_2 = 0.036e^{0.00018*Q} * \frac{\Delta h}{TOT} \quad 6$$

For the 65’ Flood scenario, the parameters used to determine the reaeration rate are presented in Table 10. An

Table 10. Tsivoglou-Neal Reaeration Prediction

Parameter	Value
Q	17,250 cfs
Δh	5.2 ⁷ ft
TOT (days)	8 ⁸ days
k_2	0.5 day ⁻¹

² Neal, L.A. and Corn, M.R. 1980. “Reaeration Capacity Studies – Arkansas and Louisiana”. Law Engineering Testing Company, Marietta, Georgia.

³ NCASI. 1982. “An Assessment of the Limitations of the Radiotracer Technique in Measuring Stream Reaeration Rates”. Technical Bulletin No. 374. New York.

⁴ NCASI. 1982. “A Comparison of Reaeration Estimation Techniques for the Ouachita River Basin”. Technical Bulletin No. 375. New York.

⁵ Neal, L.A. and Corn, M.R. 1979. “Reaeration Capacity of Black Creek”. Law Engineering Testing Company, Marietta, Georgia.

⁶ Corn, M.R. 1991. “Assimilative Capacity Study of the Red River near Ashdown, Arkansas”. The Advent Group, Inc. Brentwood, TN.


⁷ Based on stage measured between Felsenthal and Sterlington during flooding.

⁸ At 0.24 ft/s in Model domain from ORM 222 to 190.

example of the stage between the two gages is presented in Figure 8.

This value was utilized as the reaeration rate for the 65' flood condition. This represents a substantial margin of safety over what the O'Connor-Dobbins equation would predict based on the conditions during the flood.

Figure 8. Flood Stage at Felsenthal and Sterlington



For the 75' Flood Scenario, the reaeration rate is expected to be slightly lower than the 65' Flood Scenario. This is based on the decreased slope and increased time of travel as more water backs up from Sterlington. For this reason, a value of 0.3 day^{-1} was selected for the reaeration rate. This was based on meeting similar trends from historic data collections collected during flooding conditions, as well as previous reaeration measurements on the Ouachita River.

The reaeration rates utilized for the flood flow scenarios simulated a flatter DO slope as has been measured on the Ouachita River during flood flows as later shown in Figure 9. Utilizing the O'Connor Dobbins equations for these flood conditions would result in widely variable DO predictions that deviate from the known DO trends.


Linear Algal Self-Shading (ft^{-1} per $\mu\text{g/L}$ Chlorophyll a) and Non-Algal Light Extinction

The initial run at the flooded condition failed to converge due to excessive algal growth. The linear algal self-shading parameter was adjusted from 0.0027 to 0.02. The non-algal light extinction coefficient was increased to 4 ft^{-1} for both flood models. These two parameters curtailed the algal population in the model, and allowed future model runs to converge. This is a reasonable assumption since algal activity would be expected to be significantly diminished during flood conditions.

Background DO Concentration

Based on the work AquAeTer performed for the Mill in developing a Use Attainability Analysis for the Ouachita River, we utilized a background DO concentration of 3.4 mg/L for the 65' flood scenario and 5.4 mg/L for the 75' flood scenario. These values were based on the data collected for June, representing the 65' flood condition, and May, representing the 75' flood condition. This is intended to represent a worst-case condition when the flooding has expanded into the stagnant water areas within the basin. This phenomenon was previously documented by AquAeTer, as shown in the Figure 9.

Figure 9. DO Data Originally Published in UAA⁹



Time of Year

In analyzing the frequency of flood events, floods at 65' or greater have occurred through June, while floods at 75' or greater have occurred through May. These two months were used for modeling purposes due to the potential for higher temperatures, which increases rates and decreases the amount of dissolved oxygen potentially present in the stream due to lower oxygen solubility at warmer temperatures.

Temperature

The original calibrated model was developed based on data collected during the field study. The temperature used was 88.7°F for the background river. The flooded conditions were evaluated to determine the most probable months for flooding. A temperature from that month was selected. The 65' flood model was run at a temperature of 87.4°F representing a June condition. For the 75' flood model, a temperature of 81.3°F was used representing a May condition. The initial

⁹ Taylor and M.R. Corn. 1996. "Dissolved Oxygen Use Attainability Analysis: Ouachita River from Felsenthal, AR to Sterlington, LA", AquAeTer, Inc., Brentwood, TN.


conditions and background River temperature were adjusted for both models. Other temperature inputs were not adjusted from the original model.

Effluent Data

An effluent flow rate of 45 million gallons per day (mgd) or 69.63 cfs was used for the effluent flowrate. For each flood stage, an average and a maximum loading model run was completed. For parameters that did not have permit conditions, the original model calibration was utilized.

The permit is based on 5-day biochemical oxygen demand (BOD₅). The monthly average loading specified in the permit is 24,155.4 lbs/day of BOD₅. The daily maximum loading specified in the permit is 46,453 lbs/day. At an effluent flowrate of 45 million gallons per day (mgd), or 69.63 cfs, the monthly average and daily maximum BOD₅ concentrations would be 64.4 and 123.8 mg/L, respectively. The model requires this to be

Figure 10. Relationship of BOD₅ Data to F-Factor



input as an ultimate carbonaceous biochemical oxygen demand (CBOD_u) concentration. The ratio of CBOD_u/BOD₅ is called the f-factor. The f-factor came from CBOD_u to BOD₅ f-factors developed at the Ashdown Mill when it was owned by Georgia-Pacific and which has been accepted by ADEQ previously for wasteload allocation work. The Ashdown Mill is now owned by Domtar. The f-factor data are shown in Figure 10. These data demonstrate a decreasing f-factor with increasing BOD₅. As effluent treatment increases (and BOD₅ concentrations go down), the percentage of recalcitrant CBOD_u increases. When effluent treatment efficiency is lower (and BOD₅ concentrations are higher), the percentage of labile CBOD_u remaining after treatment increases.

For the model, an f-factor of 3.4 was utilized. At a BOD₅ concentration of 64.4 mg/L, this results in a CBOD_u concentration of 218.3 mg/L for the monthly average condition. At a BOD₅ concentration of 123.8 mg/L, this results in a CBOD_u concentration of 420.9 mg/L for the daily maximum condition.

Copper

Copper was included in the model as a conservative mineral. There was not a significant dataset for hardness on the Ouachita River near Felsenthal. The average hardness for the background station was 21.3 mg/L as CaCO₃ for June and 22.5 mg/L for May, representing the 65' and 75' flood scenarios, respectively. At a hardness of 21.3 mg/L, the copper water quality standards are 3.96 µg/L and 3.03 µg/L for the CMC and CCC, respectively. At a hardness of 22.5 mg/L, the copper water quality standards are 4.17 µg/L and 3.17 µg/L for the CMC and CCC, respectively.

No Loading Condition

One model run for each flood scenario was completed in which the Mill discharge flowrate from the Aerated Stabilization Basin (ASB) was set to 0.

MODEL RESULTS

Both flood scenarios show minimal impact to the Ouachita River. The copper concentration for both flood scenarios also showed slight increases over the background concentration, but within the water quality standard for copper at the background hardness concentrations.

65' Flood Scenario

The results of the DO concentration at the 65' Flood Elevation are presented in Figure 11. A summary of the maximum delta DO concentration compared to the model run without the Mill's effluent is provided in Table 11. The difference in the DO concentration is within the accuracy of DO instrumentation, which is ±0.1 mg/L, which gives a potential swing of 0.2 mg/L.


The copper results for both permit conditions are also presented in Table 11. When using a river background concentration of 1.24 µg/L, the resulting downstream copper concentration would be much less than the water quality standard for both

Table 11. Results of 65' Model Scenario

Parameter	Units	At Average Permit Loading	At Maximum Permit Loading
DO, as Maximum Difference from Model Prediction without Mill	mg/L	0.08	0.16
Predicted Copper Increase Downstream from Mill	µg/L	0.07	0.15

flood scenarios modeled. The copper water quality standards are 3.96 $\mu\text{g/L}$ and 3.03 $\mu\text{g/L}$ for the CMC and CCC, respectively.

Figure 11. Predicted DO for 65' Flood Scenario



75' Flood Scenario


The results of the DO concentration at the 75' Flood Elevation are presented in Figure 12. A summary of the maximum delta DO concentration compared to the model run without the Mill's effluent is provided in Table 12. The difference in the DO concentration is within the accuracy of DO instrumentation, which is ± 0.1 mg/L, which gives a potential swing of 0.2 mg/L.

The predicted copper results for both permit conditions are also presented in Table 12. When using a river background concentration of 1.77 $\mu\text{g/L}$, the resulting downstream copper concentration would be much less than the water quality standard for copper for both flood scenarios modeled. The copper water quality standards are 4.17 $\mu\text{g/L}$ and 3.17 $\mu\text{g/L}$ for the CMC and CCC, respectively.

Table 12. Results of 75' Model Scenario

Parameter	Units	At Average Permit Loading	At Maximum Permit Loading
DO, as Maximum Difference from Model Prediction without Mill	mg/L	0.05	0.09
Predicted Copper Increase Downstream from Mill	µg/L	0.03	0.05

Figure 12. Predicted DO for 75' Flood Scenario



CLOSING

We appreciate the opportunity to work with you on this matter. If you have questions or comments pertaining to this letter, please contact us by telephone at (615) 373-8532, by FAX at (615) 373-8512, or by e-mail at jmcom@aquaeter.com or mcorn@aquaeter.com.

Regards,




John Michael Corn, P.E.
Project Manager



Michael R. Corn, P.E. (LA), BCEE
President

cc: Steve Kuhlman
Rachel Johnson,
Mayes Starke, Thomas.Starke@gapac.com
Paul Marotta, Ph.D., P.E. (AR), BCEE

CERTIFICATION



Paul J. Marotta, Ph.D., P.E. (AR) BCEE



Michael R. Corn, P.E. (LA), BCEE

ATTACHMENT 1
MODEL FILES

CROSSET5.DAT

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
 TITLE03 NO CONSERVATIVE MINERAL I
 TITLE04 NO CONSERVATIVE MINERAL II
 TITLE05 NO CONSERVATIVE MINERAL III
 TITLE06 NO TEMPERATURE
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
 TITLE08 YES ALGAE AS CHL-A IN UG/L
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L
 TITLE10 (ORGANIC-P; DISSOLVED-P)
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
 TITLE13 YES DISSOLVED OXYGEN IN MG/L
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	0.0027	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADT(BTU/FT2)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0

CROSSET5.DAT

STREAM REACH	2.0	REACH 2	FROM	222.0	TO	217.0
STREAM REACH	3.0	REACH 3	FROM	217.0	TO	212.0
STREAM REACH	4.0	REACH 4	FROM	212.0	TO	207.0
STREAM REACH	5.0	REACH 5	FROM	207.0	TO	202.0
STREAM REACH	6.0	REACH 6	FROM	202.0	TO	197.0
STREAM REACH	7.0	REACH 7	FROM	197.0	TO	192.0
STREAM REACH	8.0	REACH 8	FROM	192.0	TO	190.0

ENDATA2

STREAM REACH	1.0	1.0	3.0	1.0
STREAM REACH	2.0	1.0	3.0	1.0
STREAM REACH	3.0	1.0	3.0	1.0
STREAM REACH	4.0	1.0	3.0	1.0
STREAM REACH	5.0	1.0	3.0	1.0
STREAM REACH	6.0	1.0	3.0	1.0
STREAM REACH	7.0	1.0	3.0	1.0
STREAM REACH	8.0	1.0	3.0	1.0

ENDATA3

FLAG FIELD RCH=	1.0	20.0	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.						
FLAG FIELD RCH=	2.0	20.0	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.						
FLAG FIELD RCH=	3.0	20.0	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.						
FLAG FIELD RCH=	4.0	20.0	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.						
FLAG FIELD RCH=	5.0	20.0	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.						
FLAG FIELD RCH=	6.0	20.0	2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.						
FLAG FIELD RCH=	7.0	20.0	6.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.						
FLAG FIELD RCH=	8.0	8.0	6.2.2.2.2.2.2.5.						

ENDATA4

HYDRAULICS RCH=	1.0	38.0	.00046	.897	7.17000	.0500	.035
HYDRAULICS RCH=	2.0	38.0	.00046	.897	7.17000	.0500	.035
HYDRAULICS RCH=	3.0	22.0	.00046	.897	7.17000	.0500	.035
HYDRAULICS RCH=	4.0	21.0	.00046	.897	8.00000	.0500	.035
HYDRAULICS RCH=	5.0	10.0	.00028	.946	12.0000	.0180	.035
HYDRAULICS RCH=	6.0	17.0	.00028	.946	12.0000	.0180	.035
HYDRAULICS RCH=	7.0	7.0	.00020	.930	15.0300	.0110	.035
HYDRAULICS RCH=	8.0	7.0	.00020	.930	15.0300	.0110	.035

ENDATA5

ENDATA5A

REACT COEF RCH=	1.0	0.050	0.0	.0510	3.0	0	0.0000	0.00E-4
REACT COEF RCH=	2.0	0.075	0.0	.0510	3.0	0	0.0000	0.00E-4
REACT COEF RCH=	3.0	0.075	0.0	.0510	3.0	0	0.0000	0.00E-4
REACT COEF RCH=	4.0	0.075	0.0	.0710	3.0	0	0.0000	0.00E-4
REACT COEF RCH=	5.0	0.050	0.0	.0710	3.0	0	0.0000	0.00E-4
REACT COEF RCH=	6.0	0.050	0.0	.0710	3.0	0	0.0000	0.00E-4
REACT COEF RCH=	7.0	0.050	0.0	.0510	3.0	0	0.0000	0.00E-4
REACT COEF RCH=	8.0	0.050	0.0	.0510	3.0	0	0.0000	0.00E-4

ENDATA6

N AND P COEF RCH=	1.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	2.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	3.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0

CROSSET5.DAT

N AND P COEF	RCH=	4.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	0.57	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	0.90	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	0.60	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	0.72	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	0.77	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	0.71	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	0.50	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	0.50	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	2.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	3.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	4.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	5.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	6.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	7.0	88.7	5.95	3.75
INITIAL COND-1	RCH=	8.0	88.7	5.95	3.75

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	2.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	3.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	4.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	5.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	6.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	7.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04
INITIAL COND-2	RCH=	8.0	8.4	0.484	0.05	0.10	0.40	0.070	0.04

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	2.8
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	2.8

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	2.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	3.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	4.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	5.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	RCH=	6.0	0.00	0.484	0.05	0.10	0.40	0.07	0.04

CROSSET5.DAT

```

INCR INFLOW-2 RCH= 7.0 0.00 0.484 0.05 0.10 0.40 0.07 0.04
INCR INFLOW-2 RCH= 8.0 0.00 0.484 0.05 0.10 0.40 0.07 0.04
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 980 88.7 5.95 3.75
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.484 0.05 0.10 0.40 0.070 0.04
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 42.1 86.9 3.50 48.8
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.00 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CROSSET5.OUT

* * * QUAL-2E STREAM QUALITY ROUTING MODEL * * *
Version 3.22 -- May 1996

\$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03 NO	CONSERVATIVE MINERAL I
TITLE04 NO	CONSERVATIVE MINERAL II
TITLE05 NO	CONSERVATIVE MINERAL III
TITLE06 NO	TEMPERATURE
TITLE07 YES	BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08 YES	ALGAE AS CHL-A IN UG/L
TITLE09 YES	PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11 YES	NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13 YES	DISSOLVED OXYGEN IN MG/L
TITLE14 NO	FECAL COLIFORMS IN NO./100 ML
TITLE15 NO	ARBITRARY NON-CONSERVATIVE BOD MG/L
ENDTITLE	

\$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

\$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400

		CROSSETS.OUT	
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500
N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0027	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

\$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE	RATE CODE	THETA VALUE	
THETA(1)	BOD DECA	1.047	DFLT
THETA(2)	BOD SETT	1.024	DFLT
THETA(3)	OXY TRAN	1.024	DFLT
THETA(4)	SOD RATE	1.060	DFLT
THETA(5)	ORGN DEC	1.047	DFLT
THETA(6)	ORGN SET	1.024	DFLT
THETA(7)	NH3 DECA	1.083	DFLT
THETA(8)	NH3 SRCE	1.074	DFLT
THETA(9)	NO2 DECA	1.047	DFLT
THETA(10)	PORG DEC	1.047	DFLT
THETA(11)	PORG SET	1.024	DFLT
THETA(12)	DISP SRC	1.074	DFLT
THETA(13)	ALG GROW	1.047	DFLT
THETA(14)	ALG RESP	1.047	DFLT
THETA(15)	ALG SETT	1.024	DFLT
THETA(16)	COLI DEC	1.047	DFLT
THETA(17)	ANC DECA	1.000	DFLT
THETA(18)	ANC SETT	1.024	DFLT
THETA(19)	ANC SRCE	1.000	DFLT
ENDATA1B			

\$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER	AND IDENT		R. MI/KM		R. MI/KM
STREAM REACH	1.0	REACH 1	FRO	227.0	TO	222.0
STREAM REACH	2.0	REACH 2	FRO	222.0	TO	217.0
STREAM REACH	3.0	REACH 3	FRO	217.0	TO	212.0
STREAM REACH	4.0	REACH 4	FRO	212.0	TO	207.0
STREAM REACH	5.0	REACH 5	FRO	207.0	TO	202.0
STREAM REACH	6.0	REACH 6	FRO	202.0	TO	197.0
STREAM REACH	7.0	REACH 7	FRO	197.0	TO	192.0
STREAM REACH	8.0	REACH 8	FRO	192.0	TO	190.0
ENDATA2	0.0			0.0		0.0

CROSSETS.OUT

\$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER	OF	AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	2.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	3.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	4.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	5.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	6.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	7.	1.	3.0	1.	0.	0.	0.	0.
STREAM REACH	8.	1.	3.0	1.	0.	0.	0.	0.
ENDATA3	0.	0.	0.0	0.	0.	0.	0.	0.

\$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL	FLAGS
FLAG FIELD	1.	20.	1.2.	
FLAG FIELD	2.	20.	6.2.	
FLAG FIELD	3.	20.	2.	
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.	
FLAG FIELD	5.	20.	2.6.2.2.	
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.	
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.	
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	
ENDATA4	0.	0.	0.	

\$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	2.	38.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	3.	22.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	4.	21.00	0.000	0.897	8.000	0.050	0.035
HYDRAULICS	5.	10.00	0.000	0.946	12.000	0.018	0.035
HYDRAULICS	6.	17.00	0.000	0.946	12.000	0.018	0.035
HYDRAULICS	7.	7.00	0.000	0.930	15.030	0.011	0.035
HYDRAULICS	8.	7.00	0.000	0.930	15.030	0.011	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

\$\$\$ DATA TYPE 5A (STEADY STATE TEMPERATURE AND CLIMATOLOGY DATA) \$\$\$

CARD TYPE	REACH	ELEVATION	DUST COEF	CLOUD COVER	DRY BULB TEMP	WET BULB TEMP	ATM PRESSURE	WIND	SOLAR RAD ATTENUATION
ENDATA5A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8

					CROSSETS.OUT			
REACT COEF	1.	0.05	0.00	0.051	3.	0.00	0.000	0.00000
REACT COEF	2.	0.08	0.00	0.051	3.	0.00	0.000	0.00000
REACT COEF	3.	0.08	0.00	0.051	3.	0.00	0.000	0.00000
REACT COEF	4.	0.08	0.00	0.071	3.	0.00	0.000	0.00000
REACT COEF	5.	0.05	0.00	0.071	3.	0.00	0.000	0.00000
REACT COEF	6.	0.05	0.00	0.071	3.	0.00	0.000	0.00000
REACT COEF	7.	0.05	0.00	0.051	3.	0.00	0.000	0.00000
REACT COEF	8.	0.05	0.00	0.051	3.	0.00	0.000	0.00000
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000	0.00000

\$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKNO2	CKPORG	SETPORG	SPO4
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	0.57	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	0.90	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	0.60	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	0.72	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	0.77	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	0.71	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	0.50	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	0.50	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CROSSET5.OUT

\$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	2.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	3.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	4.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	5.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	6.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	7.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	8.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	2.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	3.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	4.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	5.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	6.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	7.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	8.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE	JUNCTION ORDER AND IDENT	UPSTRM	JUNCTION	TRIB
ENDATA9	0.	0.	0.	0.

\$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	980.00	88.70	5.95	3.75	0.00	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

CROSSET5.OUT

\$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00E+00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA10A	0.	0.00	0.00E+00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	42.10	86.90	3.50	48.80	0.00	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	0.00	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	0.00	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	7.	BAYOU BARTHO	0.00	222.00	85.10	5.40	2.80	0.00	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	0.00	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00E+00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00E+00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00E+00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00E+00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00E+00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00E+00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00E+00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00E+00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00E+00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

\$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
-----------	------	------	-----	------	------	------	-----	------

CROSSET5.OUT

ENDATA13 DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

\$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$

CARD TYPE CHL-A ORG-N NH3-N NO2-N NH3-N ORG-P DIS-P

ENDATA13A DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

↑

RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.73	3.71	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.52	3.50	3.48	3.46	3.44	3.42	3.40	3.38	3.36	3.38
2	5.16	5.12	5.07	5.03	4.99	4.95	4.91	4.87	4.82	4.78	4.74	4.70	4.66	4.63	4.59	4.55	4.51	4.47	4.43	4.40
3	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.94	3.91	3.88	3.84	3.81	3.78	3.75	3.72
4	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.42	3.39	3.36	3.34	3.31	3.28	3.25	3.23	3.20	3.17	3.15
5	3.13	3.11	3.09	3.07	3.05	3.03	3.01	2.99	2.97	2.95	2.93	2.91	2.89	2.87	2.86	2.84	2.82	2.80	2.78	2.77
6	2.75	2.73	2.71	2.70	2.68	2.66	2.64	2.63	2.61	2.59	2.58	2.56	2.54	2.53	2.51	2.49	2.48	2.46	2.45	2.43
7	2.41	2.39	2.36	2.34	2.31	2.29	2.27	2.25	2.22	2.20	2.18	2.16	2.25	2.23	2.21	2.20	2.18	2.16	2.14	2.12
8	2.14	2.12	2.10	2.09	2.07	2.05	2.04	2.02												

↑

STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

RCH/CL	VARIABLE	ITERATION	ALGAE AS CHL-A IN UG/L										NUMBER OF NONCONVERGENT ELEMENTS								
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	8.59	8.79	8.99	9.20	9.41	9.63	9.85	10.08	10.31	10.55	10.79	11.04	11.29	11.55	11.82	12.09	12.37	12.65	12.94	13.22	
2	12.87	13.00	13.13	13.27	13.41	13.55	13.69	13.83	13.98	14.12	14.27	14.42	14.56	14.72	14.87	15.02	15.18	15.34	15.50	15.66	
3	15.98	16.31	16.64	16.98	17.33	17.69	18.05	18.42	18.80	19.18	19.57	19.97	20.38	20.80	21.23	21.66	22.11	22.56	23.02	23.49	
4	23.80	24.12	24.44	24.74	25.07	25.40	25.74	26.08	26.43	26.78	27.13	27.49	27.86	28.23	28.60	28.98	29.37	29.75	30.15	30.55	
5	30.84	31.16	31.48	31.80	32.13	32.47	32.80	33.14	33.48	33.83	34.18	34.53	34.89	35.25	35.61	35.98	36.32	36.70	37.07	37.46	
6	37.91	38.37	38.83	39.30	39.77	40.25	40.74	41.23	41.73	42.23	42.74	43.25	43.77	44.30	44.83	45.37	45.92	46.47	47.03	47.60	
7	48.60	49.86	51.16	52.49	53.85	55.25	56.69	58.16	59.67	61.22	62.81	64.37	55.73	56.93	58.16	59.41	60.69	62.00	63.33	64.69	
8	66.04	67.46	68.90	70.37	71.87	73.41	74.98	76.56													

RCH/CL	ORGANIC PHOSPHORUS AS P IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
4	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
5	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09

CROSSETS.OUT

6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
8	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08

DISSOLVED PHOSPHORUS AS P IN MG/L

ITERATION 1

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
3	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

ORGANIC NITROGEN AS N IN MG/L

ITERATION 1

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.42	0.42	0.42	0.41	0.41	0.40	0.40	0.39	0.39	0.39
2	0.48	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.43	0.42	0.42	0.41	0.41	0.41	0.41	0.40	0.40
3	0.39	0.39	0.39	0.38	0.38	0.37	0.37	0.37	0.36	0.36	0.36	0.35	0.35	0.35	0.34	0.34	0.34	0.34	0.34	0.33	0.33
4	0.33	0.32	0.32	0.32	0.32	0.31	0.31	0.31	0.30	0.30	0.30	0.30	0.30	0.29	0.29	0.29	0.29	0.28	0.28	0.28	0.28
5	0.28	0.27	0.27	0.27	0.27	0.27	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24
6	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22
7	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
8	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24

AMMONIA AS N IN MG/L

ITERATION 1

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.11	0.11	0.11	0.11	0.11	0.12
2	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
3	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25
4	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23
5	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
6	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18	0.18
7	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
8	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13

NITRITE AS N IN MG/L

ITERATION 1

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
5	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02

CROSSETS.OUT

8 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02

RCH/CL	NITRATE AS N IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.41	0.42	0.42	0.43	0.44	0.44	0.44	0.45	0.45	0.45	0.46	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47
2	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50	0.51	0.51
3	0.51	0.51	0.51	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53
4	0.53	0.53	0.53	0.53	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
5	0.54	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55
6	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.54	0.54	0.54	0.54	0.54	0.53	0.53	0.53	0.53	0.53	0.53
7	0.52	0.52	0.51	0.50	0.50	0.49	0.48	0.48	0.47	0.46	0.45	0.44	0.43	0.43	0.42	0.41	0.41	0.40	0.39	0.39
8	0.38	0.37	0.36	0.35	0.34	0.34	0.33	0.32												

RCH/CL	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.94	5.94	5.93	5.93	5.93	5.93	5.93	5.93	5.94	5.94	5.95	5.95	5.96	5.97	5.98	5.99	6.00	6.02	6.03	6.04
2	5.90	5.87	5.83	5.80	5.77	5.74	5.71	5.68	5.65	5.63	5.60	5.58	5.55	5.53	5.51	5.49	5.47	5.45	5.43	5.42
3	5.42	5.42	5.43	5.44	5.44	5.45	5.46	5.48	5.49	5.50	5.52	5.54	5.55	5.57	5.60	5.62	5.64	5.67	5.69	5.72
4	5.72	5.72	5.72	5.72	5.72	5.72	5.72	5.73	5.73	5.74	5.74	5.75	5.76	5.77	5.78	5.79	5.81	5.82	5.84	5.85
5	5.86	5.86	5.87	5.88	5.88	5.89	5.90	5.91	5.92	5.93	5.95	5.96	5.97	5.99	6.00	6.02	6.03	6.05	6.07	6.09
6	6.11	6.14	6.17	6.20	6.23	6.26	6.29	6.33	6.36	6.40	6.43	6.47	6.51	6.54	6.58	6.62	6.66	6.71	6.75	6.79
7	6.88	7.00	7.12	7.25	7.39	7.52	7.66	7.81	7.96	8.11	8.27	8.43	8.61	8.83	9.05	9.27	9.55	9.89	10.29	10.75
8	9.02	9.16	9.30	9.45	9.60	9.75	9.91	10.07												

ALGAE GROWTH RATE	1	147
ALGAE GROWTH RATE	2	145
ALGAE GROWTH RATE	3	134
ALGAE GROWTH RATE	4	120
ALGAE GROWTH RATE	5	82
ALGAE GROWTH RATE	6	56
ALGAE GROWTH RATE	7	30
ALGAE GROWTH RATE	8	1
ALGAE GROWTH RATE	9	0
ALGAE GROWTH RATE	10	0

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 (204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 0.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

CROSSETS.OUT

2. LIGHT FUNCTION OPTION: LFNPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL*FN*FP

↑

RCH/CL	DISSOLVED OXYGEN IN MG/L										ITERATION 10									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.94	5.94	5.93	5.93	5.93	5.93	5.93	5.94	5.94	5.95	5.95	5.96	5.97	5.98	5.99	6.00	6.01	6.02	6.03	6.04
2	5.91	5.88	5.85	5.83	5.80	5.78	5.75	5.73	5.71	5.69	5.67	5.65	5.63	5.62	5.60	5.59	5.57	5.56	5.55	5.54
3	5.55	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.67	5.69	5.71	5.73	5.75	5.78	5.80	5.82	5.85	5.87	5.90	5.92
4	5.92	5.92	5.92	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.92	5.92
5	5.91	5.90	5.89	5.88	5.87	5.86	5.85	5.84	5.83	5.82	5.81	5.80	5.78	5.77	5.76	5.74	5.73	5.71	5.70	5.68
6	5.67	5.66	5.65	5.64	5.63	5.62	5.62	5.61	5.60	5.59	5.59	5.58	5.58	5.57	5.56	5.56	5.56	5.55	5.55	5.54
7	5.55	5.56	5.56	5.57	5.58	5.59	5.59	5.60	5.61	5.61	5.62	5.63	5.60	5.62	5.64	5.66	5.67	5.69	5.71	5.73
8	5.75	5.77	5.79	5.81	5.83	5.85	5.87	5.89												

RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 10									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.73	3.71	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.52	3.50	3.48	3.46	3.44	3.42	3.40	3.38	3.36	3.38
2	5.16	5.12	5.07	5.03	4.99	4.95	4.91	4.87	4.82	4.78	4.74	4.70	4.66	4.63	4.59	4.55	4.51	4.47	4.43	4.40
3	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.94	3.91	3.88	3.84	3.81	3.78	3.75	3.72
4	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.42	3.39	3.36	3.34	3.31	3.28	3.25	3.23	3.20	3.17	3.15
5	3.13	3.11	3.09	3.07	3.05	3.03	3.01	2.99	2.97	2.95	2.93	2.91	2.89	2.87	2.86	2.84	2.82	2.80	2.78	2.77
6	2.75	2.73	2.71	2.70	2.68	2.66	2.64	2.63	2.61	2.59	2.58	2.56	2.54	2.53	2.51	2.49	2.48	2.46	2.45	2.43
7	2.41	2.39	2.36	2.34	2.31	2.29	2.27	2.25	2.22	2.20	2.18	2.16	2.25	2.23	2.21	2.20	2.18	2.16	2.14	2.12
8	2.14	2.12	2.10	2.09	2.07	2.05	2.04	2.02												

RCH/CL	ORGANIC NITROGEN AS N IN MG/L										ITERATION 10									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.42	0.42	0.42	0.41	0.41	0.40	0.40	0.39	0.39
2	0.48	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.43	0.42	0.42	0.41	0.41	0.41	0.40	0.40
3	0.39	0.39	0.39	0.38	0.38	0.38	0.37	0.37	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.34	0.34	0.34	0.33	0.33
4	0.33	0.32	0.32	0.32	0.32	0.31	0.31	0.31	0.31	0.30	0.30	0.30	0.30	0.29	0.29	0.29	0.29	0.29	0.28	0.28
5	0.28	0.28	0.27	0.27	0.27	0.27	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24
6	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
7	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22
8	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21												

RCH/CL	AMMONIA AS N IN MG/L										ITERATION 10									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

CROSSETS.OUT

1	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.11	0.11	0.11	0.12
2	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23
4	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
5	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
6	0.19	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.16
7	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
8	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13

NITRITE AS N IN MG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02

NITRATE AS N IN MG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.41	0.42	0.42	0.43	0.44	0.44	0.44	0.45	0.45	0.46	0.46	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47
2	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50	0.51	0.51	0.51	0.51
3	0.52	0.52	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.54	0.54	0.54	0.54	0.54	0.54
4	0.54	0.54	0.54	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
5	0.57	0.57	0.57	0.57	0.57	0.57	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.59	0.59	0.60
6	0.60	0.60	0.60	0.60	0.60	0.60	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.62	0.62	0.62	0.62
7	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.63	0.63	0.63	0.63	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59
8	0.60	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59

ORGANIC PHOSPHORUS AS P IN MG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
4	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
5	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07

DISSOLVED PHOSPHORUS AS P IN MG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03

CROSSETS.OUT

2	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	
3	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.01	0.01
8	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01													

ALGAE AS CHL-A IN UG/L

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.60	8.80	9.00	9.21	9.43	9.65	9.88	10.11	10.35	10.59	10.84	11.09	11.35	11.61	11.87	12.14	12.42	12.69	12.98	13.25
2	12.94	13.12	13.30	13.49	13.67	13.86	14.05	14.25	14.44	14.64	14.84	15.04	15.24	15.44	15.65	15.86	16.07	16.28	16.49	16.71
3	17.10	17.49	17.89	18.29	18.70	19.12	19.54	19.96	20.39	20.82	21.26	21.70	22.14	22.59	23.04	23.50	23.95	24.41	24.87	25.33
4	25.64	25.94	26.25	26.53	26.84	27.14	27.45	27.75	28.05	28.35	28.64	28.94	29.23	29.52	29.80	30.08	30.36	30.63	30.90	31.16
5	31.33	31.52	31.70	31.87	32.03	32.19	32.35	32.50	32.64	32.77	32.90	33.01	33.13	33.23	33.32	33.40	33.47	33.55	33.62	33.69
6	33.79	33.88	33.98	34.08	34.18	34.28	34.39	34.49	34.59	34.69	34.80	34.90	35.00	35.10	35.21	35.31	35.42	35.52	35.62	35.73
7	35.94	36.21	36.47	36.73	36.98	37.23	37.47	37.71	37.95	38.18	38.40	38.58	33.59	33.89	34.19	34.48	34.77	35.05	35.34	35.62
8	35.91	36.22	36.52	36.82	37.11	37.40	37.68	37.95												

ALGAE GROWTH RATES IN PER DAY ARE

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.51	0.51	0.51	0.51	0.51	0.51
2	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.38
3	0.53	0.53	0.53	0.52	0.52	0.52	0.51	0.51	0.51	0.50	0.50	0.50	0.49	0.49	0.49	0.48	0.48	0.48	0.47	0.47
4	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.34	0.34	0.34	0.34	0.33	0.33	0.33	0.32	0.32	0.32	0.31	0.31	0.31
5	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19
6	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
7	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23
8	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22												

PHOTOSYNTHESIS-RESPIRATION RATIOS ARE

ITERATION 10

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.51	5.53	5.55	5.56	5.56	5.56	5.56	5.56	5.55	5.54	5.53	5.51	5.50	5.48	5.46	5.44	5.41	5.39	5.36	5.37
2	4.24	4.23	4.22	4.22	4.21	4.20	4.19	4.19	4.18	4.17	4.16	4.15	4.15	4.14	4.13	4.12	4.11	4.10	4.09	4.08
3	5.66	5.63	5.60	5.57	5.53	5.50	5.46	5.43	5.39	5.35	5.31	5.28	5.24	5.20	5.16	5.11	5.07	5.03	4.99	4.94
4	3.84	3.81	3.79	3.76	3.74	3.71	3.68	3.65	3.62	3.60	3.57	3.54	3.50	3.47	3.44	3.41	3.37	3.34	3.30	3.27
5	2.56	2.53	2.51	2.48	2.45	2.42	2.39	2.36	2.33	2.30	2.26	2.23	2.19	2.16	2.12	2.08	2.12	2.08	2.04	2.00
6	2.13	2.13	2.13	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.14	2.13	2.13
7	2.26	2.25	2.23	2.22	2.20	2.19	2.17	2.16	2.14	2.13	2.11	2.10	2.55	2.53	2.51	2.50	2.48	2.46	2.44	2.43
8	2.53	2.51	2.49	2.47	2.44	2.42	2.40	2.38												



CROSSETS.OUT
 ** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME K-FT-3	BOTTOM AREA K-FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
1	1	1	227.00	226.75	980.10	0.00	0.10	0.222	0.069	10.118	436.778	5833.34	603.26	4419.19	7.75
2	1	2	226.75	226.50	980.20	0.00	0.10	0.222	0.069	10.118	436.780	5833.40	603.26	4419.24	7.75
3	1	3	226.50	226.25	980.30	0.00	0.10	0.222	0.069	10.118	436.782	5833.46	603.26	4419.29	7.75
4	1	4	226.25	226.00	980.40	0.00	0.10	0.222	0.069	10.118	436.785	5833.52	603.27	4419.33	7.75
5	1	5	226.00	225.75	980.50	0.00	0.10	0.222	0.069	10.118	436.787	5833.58	603.27	4419.38	7.75
6	1	6	225.75	225.50	980.60	0.00	0.10	0.222	0.069	10.118	436.789	5833.64	603.27	4419.43	7.75
7	1	7	225.50	225.25	980.70	0.00	0.10	0.222	0.069	10.118	436.792	5833.70	603.28	4419.47	7.75
8	1	8	225.25	225.00	980.80	0.00	0.10	0.222	0.069	10.118	436.794	5833.76	603.28	4419.52	7.75
9	1	9	225.00	224.75	980.90	0.00	0.10	0.222	0.069	10.118	436.796	5833.82	603.28	4419.56	7.75
10	1	10	224.75	224.50	981.00	0.00	0.10	0.222	0.069	10.118	436.799	5833.89	603.29	4419.61	7.75
11	1	11	224.50	224.25	981.10	0.00	0.10	0.222	0.069	10.118	436.801	5833.95	603.29	4419.66	7.75
12	1	12	224.25	224.00	981.20	0.00	0.10	0.222	0.069	10.118	436.803	5834.01	603.29	4419.70	7.75
13	1	13	224.00	223.75	981.30	0.00	0.10	0.222	0.069	10.118	436.806	5834.07	603.30	4419.75	7.75
14	1	14	223.75	223.50	981.40	0.00	0.10	0.222	0.069	10.118	436.808	5834.13	603.30	4419.80	7.76
15	1	15	223.50	223.25	981.50	0.00	0.10	0.222	0.069	10.118	436.811	5834.19	603.30	4419.84	7.76
16	1	16	223.25	223.00	981.60	0.00	0.10	0.222	0.069	10.118	436.813	5834.25	603.31	4419.89	7.76
17	1	17	223.00	222.75	981.70	0.00	0.10	0.222	0.069	10.119	436.815	5834.31	603.31	4419.94	7.76
18	1	18	222.75	222.50	981.80	0.00	0.10	0.222	0.069	10.119	436.818	5834.38	603.31	4419.98	7.76
19	1	19	222.50	222.25	981.90	0.00	0.10	0.222	0.069	10.119	436.820	5834.44	603.32	4420.03	7.76
20	1	20	222.25	222.00	982.00	0.00	0.10	0.222	0.069	10.119	436.822	5834.50	603.32	4420.07	7.76
21	2	1	222.00	221.75	1024.20	42.10	0.10	0.231	0.066	10.140	437.798	5859.84	604.66	4439.27	8.07
22	2	2	221.75	221.50	1024.30	0.00	0.10	0.231	0.066	10.140	437.800	5859.90	604.67	4439.32	8.07
23	2	3	221.50	221.25	1024.40	0.00	0.10	0.231	0.066	10.140	437.802	5859.96	604.67	4439.36	8.07
24	2	4	221.25	221.00	1024.50	0.00	0.10	0.231	0.066	10.140	437.804	5860.02	604.67	4439.41	8.07
25	2	5	221.00	220.75	1024.60	0.00	0.10	0.231	0.066	10.140	437.807	5860.07	604.67	4439.45	8.08
26	2	6	220.75	220.50	1024.70	0.00	0.10	0.231	0.066	10.140	437.809	5860.13	604.68	4439.50	8.08
27	2	7	220.50	220.25	1024.80	0.00	0.10	0.231	0.066	10.140	437.811	5860.19	604.68	4439.54	8.08
28	2	8	220.25	220.00	1024.90	0.00	0.10	0.231	0.066	10.140	437.813	5860.25	604.68	4439.58	8.08
29	2	9	220.00	219.75	1025.00	0.00	0.10	0.231	0.066	10.140	437.816	5860.31	604.69	4439.63	8.08
30	2	10	219.75	219.50	1025.10	0.00	0.10	0.231	0.066	10.140	437.818	5860.37	604.69	4439.67	8.08
31	2	11	219.50	219.25	1025.20	0.00	0.10	0.231	0.066	10.141	437.820	5860.43	604.69	4439.72	8.08
32	2	12	219.25	219.00	1025.30	0.00	0.10	0.231	0.066	10.141	437.822	5860.49	604.70	4439.76	8.08
33	2	13	219.00	218.75	1025.40	0.00	0.10	0.231	0.066	10.141	437.825	5860.55	604.70	4439.81	8.08
34	2	14	218.75	218.50	1025.50	0.00	0.10	0.231	0.066	10.141	437.827	5860.60	604.70	4439.85	8.08
35	2	15	218.50	218.25	1025.60	0.00	0.10	0.231	0.066	10.141	437.829	5860.66	604.71	4439.90	8.08
36	2	16	218.25	218.00	1025.70	0.00	0.10	0.231	0.066	10.141	437.832	5860.72	604.71	4439.94	8.08
37	2	17	218.00	217.75	1025.80	0.00	0.10	0.231	0.066	10.141	437.834	5860.78	604.71	4439.99	8.08
38	2	18	217.75	217.50	1025.90	0.00	0.10	0.231	0.066	10.141	437.836	5860.84	604.72	4440.03	8.09
39	2	19	217.50	217.25	1026.00	0.00	0.10	0.231	0.066	10.141	437.838	5860.90	604.72	4440.07	8.09
40	2	20	217.25	217.00	1026.10	0.00	0.10	0.231	0.066	10.141	437.841	5860.96	604.72	4440.12	8.09

CROSSETS.OUT

41	3	1	217.00	216.75	1026.20	0.00	0.10	0.231	0.066	10.141	437.843	5861.02	604.72	4440.16	4.68
42	3	2	216.75	216.50	1026.30	0.00	0.10	0.231	0.066	10.141	437.845	5861.08	604.73	4440.21	4.68

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2
 Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME K-FT-3	BOTTOM AREA K-FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
43	3	3	216.50	216.25	1026.40	0.00	0.10	0.231	0.066	10.141	437.847	5861.13	604.73	4440.25	4.68
44	3	4	216.25	216.00	1026.50	0.00	0.10	0.231	0.066	10.141	437.850	5861.19	604.73	4440.30	4.68
45	3	5	216.00	215.75	1026.60	0.00	0.10	0.231	0.066	10.141	437.852	5861.25	604.74	4440.34	4.68
46	3	6	215.75	215.50	1026.70	0.00	0.10	0.231	0.066	10.141	437.854	5861.31	604.74	4440.39	4.68
47	3	7	215.50	215.25	1026.80	0.00	0.10	0.231	0.066	10.141	437.856	5861.37	604.74	4440.43	4.68
48	3	8	215.25	215.00	1026.90	0.00	0.10	0.231	0.066	10.141	437.859	5861.43	604.75	4440.48	4.69
49	3	9	215.00	214.75	1027.00	0.00	0.10	0.231	0.066	10.141	437.861	5861.49	604.75	4440.52	4.69
50	3	10	214.75	214.50	1027.10	0.00	0.10	0.231	0.066	10.141	437.863	5861.55	604.75	4440.56	4.69
51	3	11	214.50	214.25	1027.20	0.00	0.10	0.231	0.066	10.141	437.865	5861.60	604.76	4440.61	4.69
52	3	12	214.25	214.00	1027.30	0.00	0.10	0.231	0.066	10.142	437.868	5861.66	604.76	4440.65	4.69
53	3	13	214.00	213.75	1027.40	0.00	0.10	0.231	0.066	10.142	437.870	5861.72	604.76	4440.70	4.69
54	3	14	213.75	213.50	1027.50	0.00	0.10	0.231	0.066	10.142	437.872	5861.78	604.77	4440.74	4.69
55	3	15	213.50	213.25	1027.60	0.00	0.10	0.231	0.066	10.142	437.874	5861.84	604.77	4440.79	4.69
56	3	16	213.25	213.00	1027.70	0.00	0.10	0.231	0.066	10.142	437.877	5861.90	604.77	4440.83	4.69
57	3	17	213.00	212.75	1027.80	0.00	0.10	0.231	0.066	10.142	437.879	5861.96	604.77	4440.88	4.69
58	3	18	212.75	212.50	1027.90	0.00	0.10	0.231	0.066	10.142	437.881	5862.02	604.78	4440.92	4.69
59	3	19	212.50	212.25	1028.00	0.00	0.10	0.231	0.066	10.142	437.883	5862.07	604.78	4440.96	4.69
60	3	20	212.25	212.00	1028.10	0.00	0.10	0.232	0.066	10.142	437.886	5862.13	604.78	4441.01	4.69
61	4	1	212.00	211.75	1028.20	0.00	0.10	0.232	0.066	11.316	392.457	5862.19	547.92	4441.05	4.91
62	4	2	211.75	211.50	1028.30	0.00	0.10	0.232	0.066	11.316	392.459	5862.25	547.92	4441.10	4.91
63	4	3	211.50	211.25	1028.40	0.00	0.10	0.232	0.066	11.316	392.461	5862.31	547.92	4441.14	4.91
64	4	4	211.25	211.00	1029.50	1.00	0.10	0.232	0.066	11.317	392.483	5862.95	547.95	4441.63	4.91
65	4	5	211.00	210.75	1029.60	0.00	0.10	0.232	0.066	11.317	392.485	5863.01	547.96	4441.68	4.91
66	4	6	210.75	210.50	1029.70	0.00	0.10	0.232	0.066	11.317	392.487	5863.07	547.96	4441.72	4.91
67	4	7	210.50	210.25	1029.80	0.00	0.10	0.232	0.066	11.317	392.489	5863.13	547.96	4441.77	4.91
68	4	8	210.25	210.00	1029.90	0.00	0.10	0.232	0.066	11.317	392.491	5863.19	547.97	4441.81	4.91
69	4	9	210.00	209.75	1030.00	0.00	0.10	0.232	0.066	11.317	392.493	5863.25	547.97	4441.85	4.91
70	4	10	209.75	209.50	1030.10	0.00	0.10	0.232	0.066	11.317	392.495	5863.31	547.97	4441.90	4.91
71	4	11	209.50	209.25	1030.20	0.00	0.10	0.232	0.066	11.317	392.498	5863.36	547.97	4441.94	4.91
72	4	12	209.25	209.00	1030.30	0.00	0.10	0.232	0.066	11.317	392.500	5863.42	547.98	4441.99	4.91
73	4	13	209.00	208.75	1030.40	0.00	0.10	0.232	0.066	11.317	392.502	5863.48	547.98	4442.03	4.92
74	4	14	208.75	208.50	1030.50	0.00	0.10	0.232	0.066	11.317	392.504	5863.54	547.98	4442.08	4.92
75	4	15	208.50	208.25	1030.60	0.00	0.10	0.232	0.066	11.317	392.506	5863.60	547.99	4442.12	4.92
76	4	16	208.25	208.00	1030.70	0.00	0.10	0.232	0.066	11.317	392.508	5863.66	547.99	4442.16	4.92
77	4	17	208.00	207.75	1030.80	0.00	0.10	0.232	0.066	11.317	392.510	5863.72	547.99	4442.21	4.92

CROSSETS.OUT

78	4	18	207.75	207.50	1031.00	0.10	0.10	0.232	0.066	11.318	392.514	5863.83	548.00	4442.30	4.92
79	4	19	207.50	207.25	1031.10	0.00	0.10	0.232	0.066	11.318	392.516	5863.89	548.00	4442.34	4.92
80	4	20	207.25	207.00	1031.20	0.00	0.10	0.232	0.066	11.318	392.518	5863.95	548.00	4442.39	4.92
81	5	1	207.00	206.75	1031.30	0.00	0.10	0.199	0.077	13.596	382.070	6857.07	540.23	5194.75	2.33
82	5	2	206.75	206.50	1031.40	0.00	0.10	0.199	0.077	13.596	382.071	6857.11	540.23	5194.78	2.33
83	5	3	206.50	206.25	1031.50	0.00	0.10	0.199	0.077	13.596	382.072	6857.14	540.23	5194.81	2.33
84	5	4	206.25	206.00	1031.60	0.00	0.10	0.199	0.077	13.596	382.074	6857.18	540.23	5194.83	2.33

↑

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME K-FT-3	BOTTOM AREA K-FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
85	5	5	206.00	205.75	1031.70	0.00	0.10	0.199	0.077	13.596	382.075	6857.22	540.23	5194.86	2.33
86	5	6	205.75	205.50	1031.80	0.00	0.10	0.199	0.077	13.596	382.076	6857.25	540.24	5194.89	2.34
87	5	7	205.50	205.25	1031.90	0.00	0.10	0.199	0.077	13.596	382.078	6857.29	540.24	5194.91	2.34
88	5	8	205.25	205.00	1032.00	0.00	0.10	0.199	0.077	13.597	382.079	6857.32	540.24	5194.94	2.34
89	5	9	205.00	204.75	1032.10	0.00	0.10	0.199	0.077	13.597	382.080	6857.36	540.24	5194.97	2.34
90	5	10	204.75	204.50	1032.20	0.00	0.10	0.199	0.077	13.597	382.082	6857.40	540.24	5195.00	2.34
91	5	11	204.50	204.25	1032.30	0.00	0.10	0.199	0.077	13.597	382.083	6857.43	540.24	5195.02	2.34
92	5	12	204.25	204.00	1032.40	0.00	0.10	0.199	0.077	13.597	382.084	6857.47	540.25	5195.05	2.34
93	5	13	204.00	203.75	1032.50	0.00	0.10	0.199	0.077	13.597	382.086	6857.50	540.25	5195.08	2.34
94	5	14	203.75	203.50	1032.60	0.00	0.10	0.199	0.077	13.597	382.087	6857.54	540.25	5195.10	2.34
95	5	15	203.50	203.25	1032.70	0.00	0.10	0.199	0.077	13.597	382.088	6857.57	540.25	5195.13	2.34
96	5	16	203.25	203.00	1032.80	0.00	0.10	0.199	0.077	13.597	382.090	6857.61	540.25	5195.16	2.34
97	5	17	203.00	202.75	1033.90	1.00	0.10	0.199	0.077	13.597	382.104	6858.00	540.27	5195.46	2.34
98	5	18	202.75	202.50	1034.00	0.00	0.10	0.199	0.077	13.597	382.106	6858.04	540.28	5195.48	2.34
99	5	19	202.50	202.25	1034.10	0.00	0.10	0.199	0.077	13.597	382.107	6858.08	540.28	5195.51	2.34
100	5	20	202.25	202.00	1034.20	0.00	0.10	0.199	0.077	13.597	382.108	6858.11	540.28	5195.54	2.34
101	6	1	202.00	201.75	1034.30	0.00	0.10	0.199	0.077	13.597	382.110	6858.15	540.28	5195.57	3.98
102	6	2	201.75	201.50	1034.40	0.00	0.10	0.199	0.077	13.597	382.111	6858.18	540.28	5195.59	3.98
103	6	3	201.50	201.25	1034.50	0.00	0.10	0.199	0.077	13.597	382.112	6858.22	540.28	5195.62	3.98
104	6	4	201.25	201.00	1034.60	0.00	0.10	0.199	0.077	13.597	382.114	6858.25	540.29	5195.65	3.98
105	6	5	201.00	200.75	1034.70	0.00	0.10	0.199	0.077	13.597	382.115	6858.29	540.29	5195.67	3.98
106	6	6	200.75	200.50	1034.80	0.00	0.10	0.199	0.077	13.597	382.116	6858.33	540.29	5195.70	3.98
107	6	7	200.50	200.25	1034.90	0.00	0.10	0.199	0.077	13.597	382.118	6858.36	540.29	5195.73	3.98
108	6	8	200.25	200.00	1035.00	0.00	0.10	0.199	0.077	13.597	382.119	6858.40	540.29	5195.76	3.98
109	6	9	200.00	199.75	1035.10	0.00	0.10	0.199	0.077	13.597	382.120	6858.43	540.30	5195.78	3.98
110	6	10	199.75	199.50	1035.20	0.00	0.10	0.199	0.077	13.597	382.122	6858.47	540.30	5195.81	3.98
111	6	11	199.50	199.25	1035.30	0.00	0.10	0.199	0.077	13.597	382.123	6858.51	540.30	5195.84	3.98
112	6	12	199.25	199.00	1035.40	0.00	0.10	0.199	0.077	13.597	382.124	6858.54	540.30	5195.86	3.98

CROSSETS.OUT

113	6	13	199.00	198.75	1035.60	0.10	0.10	0.199	0.077	13.597	382.127	6858.61	540.30	5195.92	3.98
114	6	14	198.75	198.50	1035.70	0.00	0.10	0.199	0.077	13.597	382.128	6858.65	540.31	5195.95	3.98
115	6	15	198.50	198.25	1035.80	0.00	0.10	0.199	0.077	13.597	382.130	6858.68	540.31	5195.97	3.98
116	6	16	198.25	198.00	1035.90	0.00	0.10	0.199	0.077	13.597	382.131	6858.72	540.31	5196.00	3.98
117	6	17	198.00	197.75	1036.00	0.00	0.10	0.199	0.077	13.597	382.132	6858.76	540.31	5196.03	3.99
118	6	18	197.75	197.50	1036.10	0.00	0.10	0.199	0.077	13.597	382.134	6858.79	540.31	5196.05	3.99
119	6	19	197.50	197.25	1036.20	0.00	0.10	0.199	0.077	13.598	382.135	6858.83	540.32	5196.08	3.99
120	6	20	197.25	197.00	1036.30	0.00	0.10	0.199	0.077	13.598	382.136	6858.86	540.32	5196.11	3.99

121	7	1	197.00	196.75	1036.50	0.10	0.10	0.127	0.120	16.223	501.106	10730.84	704.29	8129.42	1.22
122	7	2	196.75	196.50	1036.60	0.00	0.10	0.128	0.120	16.223	501.109	10730.91	704.29	8129.48	1.22
123	7	3	196.50	196.25	1036.70	0.00	0.10	0.128	0.120	16.223	501.112	10730.98	704.30	8129.53	1.22
124	7	4	196.25	196.00	1036.80	0.00	0.10	0.128	0.120	16.223	501.114	10731.06	704.30	8129.59	1.22
125	7	5	196.00	195.75	1036.90	0.00	0.10	0.128	0.120	16.223	501.117	10731.13	704.30	8129.64	1.22
126	7	6	195.75	195.50	1037.00	0.00	0.10	0.128	0.120	16.223	501.120	10731.20	704.31	8129.70	1.22

▲

STREAM QUALITY SIMULATION

QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4

Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME K-FT-3	BOTTOM AREA K-FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
127	7	7	195.50	195.25	1037.10	0.00	0.10	0.128	0.120	16.223	501.123	10731.27	704.31	8129.75	1.22
128	7	8	195.25	195.00	1037.20	0.00	0.10	0.128	0.120	16.223	501.126	10731.35	704.32	8129.81	1.22
129	7	9	195.00	194.75	1037.30	0.00	0.10	0.128	0.120	16.223	501.129	10731.42	704.32	8129.86	1.22
130	7	10	194.75	194.50	1037.40	0.00	0.10	0.128	0.120	16.223	501.132	10731.49	704.32	8129.92	1.22
131	7	11	194.50	194.25	1037.50	0.00	0.10	0.128	0.120	16.223	501.134	10731.56	704.33	8129.97	1.22
132	7	12	194.25	194.00	1037.60	0.00	0.10	0.128	0.120	16.223	501.137	10731.64	704.33	8130.03	1.22
133	7	13	194.00	193.75	1259.70	222.00	0.10	0.153	0.100	16.258	506.905	10878.34	712.04	8241.17	1.46
134	7	14	193.75	193.50	1259.80	0.00	0.10	0.153	0.100	16.258	506.908	10878.40	712.04	8241.21	1.46
135	7	15	193.50	193.25	1259.90	0.00	0.10	0.153	0.100	16.258	506.910	10878.46	712.04	8241.26	1.46
136	7	16	193.25	193.00	1260.00	0.00	0.10	0.153	0.100	16.258	506.912	10878.52	712.04	8241.30	1.46
137	7	17	193.00	192.75	1260.10	0.00	0.10	0.153	0.100	16.258	506.915	10878.58	712.05	8241.35	1.46
138	7	18	192.75	192.50	1260.20	0.00	0.10	0.153	0.100	16.258	506.917	10878.64	712.05	8241.39	1.46
139	7	19	192.50	192.25	1260.30	0.00	0.10	0.153	0.100	16.258	506.919	10878.70	712.05	8241.44	1.46
140	7	20	192.25	192.00	1260.40	0.00	0.10	0.153	0.100	16.258	506.922	10878.76	712.06	8241.49	1.46
141	8	1	192.00	191.75	1261.42	0.77	0.25	0.153	0.100	16.258	506.946	10879.38	712.09	8241.95	1.46
142	8	2	191.75	191.50	1261.67	0.00	0.25	0.153	0.100	16.258	506.952	10879.53	712.10	8242.07	1.46
143	8	3	191.50	191.25	1261.92	0.00	0.25	0.153	0.100	16.258	506.958	10879.68	712.11	8242.18	1.46
144	8	4	191.25	191.00	1262.17	0.00	0.25	0.153	0.100	16.258	506.964	10879.83	712.11	8242.29	1.46
145	8	5	191.00	190.75	1262.42	0.00	0.25	0.153	0.100	16.258	506.970	10879.98	712.12	8242.41	1.46
146	8	6	190.75	190.50	1262.67	0.00	0.25	0.153	0.100	16.258	506.976	10880.13	712.13	8242.52	1.46
147	8	7	190.50	190.25	1262.92	0.00	0.25	0.153	0.100	16.258	506.982	10880.28	712.14	8242.64	1.46

148 8 8 190.25 190.00 1263.17 0.00 0.25 0.153 0.100 16.258 506.987 10880.43 712.15 8242.75 1.46



STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
1	1	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	2	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	3	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	4	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	5	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	6	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	7	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	8	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	9	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	10	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	11	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	12	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	13	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	14	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	15	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	16	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	17	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	18	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	19	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	20	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	1	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	2	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	3	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	4	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	5	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	6	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	7	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	8	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	9	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	10	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	11	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	12	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	13	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	14	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CROSSETS.OUT

2	15	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	16	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	17	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	18	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	19	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	20	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	1	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	2	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6
 Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
3	3	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	4	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	5	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	6	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	7	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	8	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.37	3	0.25	0.13	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	1	7.37	3	0.23	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	6	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CROSSETS.OUT

4	10	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.37	3	0.18	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	3	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	4	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT	K2 OPT	OXYGN REAIR	BOD DECAY	BOD SETT	SOD RATE	ORGN DECAY	ORGN SETT	NH3 DECAY	NH3 SRCE	NO2 DECAY	ORGP DECAY	ORGP SETT	DISP SRCE	COLI DECAY	ANC DECAY	ANC SETT	ANC SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
5	5	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	6	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	7	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	8	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	9	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	10	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	11	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	12	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	13	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	14	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	15	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	16	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	17	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	18	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	19	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	20	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	1	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	2	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	3	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	4	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

CROSSETS.OUT

6	5	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	6	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	7	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	8	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	9	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	10	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	11	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	12	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	13	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	14	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	15	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	16	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	17	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	18	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	19	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	20	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	1	7.37	3	0.12	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	2	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	3	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	4	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	5	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	6	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT	K2 OPT	OXYGN REAIR	BOD DECAY	BOD SETT	SOD RATE	ORGN DECAY	ORGN SETT	NH3 DECAY	NH3 MG/F2D	NO2 DECAY	ORGP DECAY	ORGP SETT	DISP MG/F2D	COLI DECAY	ANC DECAY	ANC SETT	ANC MG/F2D
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY		1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	7	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	8	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	11	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

CROSSETS.OUT

8	1	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

↑

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH	ELE	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	TEMP			MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
		DEG-F															
1	1	88.70	0.00	0.00	5.94	3.73	0.48	0.05	0.09	0.41	1.03	0.07	0.04	0.11.00E+00	0.00	8.60	
1	2	88.70	0.00	0.00	5.94	3.71	0.47	0.06	0.08	0.42	1.03	0.07	0.04	0.11.00E+00	0.00	8.80	
1	3	88.70	0.00	0.00	5.93	3.68	0.47	0.06	0.07	0.42	1.03	0.07	0.04	0.11.00E+00	0.00	9.00	
1	4	88.70	0.00	0.00	5.93	3.66	0.46	0.07	0.07	0.43	1.03	0.07	0.04	0.11.00E+00	0.00	9.21	
1	5	88.70	0.00	0.00	5.93	3.64	0.46	0.07	0.06	0.44	1.03	0.07	0.04	0.11.00E+00	0.00	9.43	
1	6	88.70	0.00	0.00	5.93	3.62	0.45	0.07	0.06	0.44	1.02	0.07	0.04	0.11.00E+00	0.00	9.65	
1	7	88.70	0.00	0.00	5.93	3.60	0.45	0.08	0.05	0.44	1.02	0.07	0.04	0.11.00E+00	0.00	9.88	
1	8	88.70	0.00	0.00	5.94	3.58	0.44	0.08	0.05	0.45	1.02	0.07	0.04	0.11.00E+00	0.00	10.11	
1	9	88.70	0.00	0.00	5.94	3.56	0.44	0.08	0.04	0.45	1.02	0.07	0.04	0.11.00E+00	0.00	10.35	
1	10	88.70	0.00	0.00	5.95	3.54	0.43	0.09	0.04	0.46	1.02	0.07	0.04	0.11.00E+00	0.00	10.59	
1	11	88.70	0.00	0.00	5.95	3.52	0.43	0.09	0.04	0.46	1.02	0.07	0.04	0.11.00E+00	0.00	10.84	
1	12	88.70	0.00	0.00	5.96	3.50	0.42	0.09	0.04	0.46	1.01	0.07	0.04	0.11.00E+00	0.00	11.09	
1	13	88.70	0.00	0.00	5.97	3.48	0.42	0.10	0.03	0.46	1.01	0.07	0.04	0.11.00E+00	0.00	11.35	
1	14	88.70	0.00	0.00	5.98	3.46	0.42	0.10	0.03	0.46	1.01	0.07	0.03	0.11.00E+00	0.00	11.61	
1	15	88.70	0.00	0.00	5.99	3.44	0.41	0.10	0.03	0.46	1.01	0.07	0.03	0.11.00E+00	0.00	11.87	
1	16	88.70	0.00	0.00	6.00	3.42	0.41	0.10	0.03	0.47	1.01	0.07	0.03	0.11.00E+00	0.00	12.14	
1	17	88.70	0.00	0.00	6.01	3.40	0.40	0.11	0.03	0.47	1.00	0.07	0.03	0.10.00E+00	0.00	12.42	
1	18	88.70	0.00	0.00	6.02	3.38	0.40	0.11	0.03	0.47	1.00	0.07	0.03	0.10.00E+00	0.00	12.69	
1	19	88.70	0.00	0.00	6.03	3.36	0.39	0.11	0.02	0.47	1.00	0.07	0.03	0.10.00E+00	0.00	12.98	
1	20	88.70	0.00	0.00	6.04	3.38	0.39	0.12	0.02	0.47	1.00	0.07	0.03	0.10.00E+00	0.00	13.25	
2	1	88.70	0.00	0.00	5.91	5.16	0.48	0.26	0.03	0.47	1.23	0.08	0.05	0.13.00E+00	0.00	12.94	
2	2	88.70	0.00	0.00	5.88	5.12	0.48	0.26	0.03	0.47	1.23	0.08	0.05	0.13.00E+00	0.00	13.12	
2	3	88.70	0.00	0.00	5.85	5.07	0.47	0.26	0.03	0.47	1.23	0.08	0.05	0.13.00E+00	0.00	13.30	
2	4	88.70	0.00	0.00	5.83	5.03	0.47	0.26	0.03	0.48	1.23	0.08	0.05	0.13.00E+00	0.00	13.49	
2	5	88.70	0.00	0.00	5.80	4.99	0.46	0.26	0.03	0.48	1.23	0.08	0.05	0.13.00E+00	0.00	13.67	
2	6	88.70	0.00	0.00	5.78	4.95	0.46	0.26	0.03	0.48	1.23	0.08	0.05	0.13.00E+00	0.00	13.86	

CROSSETS.OUT

2	7	88.70	0.00	0.00	0.00	5.75	4.91	0.45	0.26	0.03	0.48	1.22	0.08	0.05	0.13.00E+00	0.00	14.05
2	8	88.70	0.00	0.00	0.00	5.73	4.87	0.45	0.26	0.03	0.48	1.22	0.08	0.05	0.13.00E+00	0.00	14.25
2	9	88.70	0.00	0.00	0.00	5.71	4.82	0.44	0.26	0.03	0.49	1.22	0.08	0.05	0.13.00E+00	0.00	14.44
2	10	88.70	0.00	0.00	0.00	5.69	4.78	0.44	0.26	0.03	0.49	1.22	0.08	0.05	0.13.00E+00	0.00	14.64
2	11	88.70	0.00	0.00	0.00	5.67	4.74	0.43	0.26	0.03	0.49	1.22	0.08	0.05	0.13.00E+00	0.00	14.84
2	12	88.70	0.00	0.00	0.00	5.65	4.70	0.43	0.26	0.03	0.49	1.22	0.08	0.05	0.13.00E+00	0.00	15.04
2	13	88.70	0.00	0.00	0.00	5.63	4.66	0.43	0.26	0.04	0.50	1.21	0.08	0.05	0.13.00E+00	0.00	15.24
2	14	88.70	0.00	0.00	0.00	5.62	4.63	0.42	0.26	0.04	0.50	1.21	0.08	0.05	0.13.00E+00	0.00	15.44
2	15	88.70	0.00	0.00	0.00	5.60	4.59	0.42	0.26	0.04	0.50	1.21	0.08	0.05	0.13.00E+00	0.00	15.65
2	16	88.70	0.00	0.00	0.00	5.59	4.55	0.41	0.26	0.04	0.50	1.21	0.08	0.05	0.13.00E+00	0.00	15.86
2	17	88.70	0.00	0.00	0.00	5.57	4.51	0.41	0.25	0.04	0.51	1.21	0.08	0.05	0.13.00E+00	0.00	16.07
2	18	88.70	0.00	0.00	0.00	5.56	4.47	0.41	0.25	0.04	0.51	1.21	0.08	0.05	0.13.00E+00	0.00	16.28
2	19	88.70	0.00	0.00	0.00	5.55	4.43	0.40	0.25	0.04	0.51	1.20	0.08	0.05	0.13.00E+00	0.00	16.49
2	20	88.70	0.00	0.00	0.00	5.54	4.40	0.40	0.25	0.04	0.51	1.20	0.08	0.05	0.13.00E+00	0.00	16.71

3	1	88.70	0.00	0.00	0.00	5.55	4.36	0.39	0.25	0.04	0.52	1.20	0.08	0.05	0.13.00E+00	0.00	17.10
3	2	88.70	0.00	0.00	0.00	5.56	4.32	0.39	0.25	0.04	0.52	1.20	0.08	0.05	0.13.00E+00	0.00	17.49

↑

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
3	3	88.70	0.00	0.00	0.00	5.57	4.29	0.39	0.25	0.04	0.52	1.19	0.08	0.05	0.12.00E+00	0.00	17.89	
3	4	88.70	0.00	0.00	0.00	5.59	4.25	0.38	0.25	0.04	0.52	1.19	0.08	0.05	0.12.00E+00	0.00	18.29	
3	5	88.70	0.00	0.00	0.00	5.60	4.22	0.38	0.25	0.04	0.52	1.19	0.08	0.04	0.12.00E+00	0.00	18.70	
3	6	88.70	0.00	0.00	0.00	5.62	4.18	0.38	0.25	0.04	0.52	1.18	0.08	0.04	0.12.00E+00	0.00	19.12	
3	7	88.70	0.00	0.00	0.00	5.63	4.15	0.37	0.25	0.04	0.53	1.18	0.08	0.04	0.12.00E+00	0.00	19.54	
3	8	88.70	0.00	0.00	0.00	5.65	4.11	0.37	0.25	0.04	0.53	1.18	0.08	0.04	0.12.00E+00	0.00	19.96	
3	9	88.70	0.00	0.00	0.00	5.67	4.08	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12.00E+00	0.00	20.39	
3	10	88.70	0.00	0.00	0.00	5.69	4.04	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12.00E+00	0.00	20.82	
3	11	88.70	0.00	0.00	0.00	5.71	4.01	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12.00E+00	0.00	21.26	
3	12	88.70	0.00	0.00	0.00	5.73	3.98	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12.00E+00	0.00	21.70	
3	13	88.70	0.00	0.00	0.00	5.75	3.94	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12.00E+00	0.00	22.14	
3	14	88.70	0.00	0.00	0.00	5.78	3.91	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12.00E+00	0.00	22.59	
3	15	88.70	0.00	0.00	0.00	5.80	3.88	0.35	0.24	0.04	0.54	1.15	0.08	0.04	0.12.00E+00	0.00	23.04	
3	16	88.70	0.00	0.00	0.00	5.82	3.84	0.34	0.23	0.04	0.54	1.15	0.08	0.04	0.12.00E+00	0.00	23.50	
3	17	88.70	0.00	0.00	0.00	5.85	3.81	0.34	0.23	0.04	0.54	1.15	0.08	0.04	0.12.00E+00	0.00	23.95	
3	18	88.70	0.00	0.00	0.00	5.87	3.78	0.34	0.23	0.04	0.54	1.14	0.08	0.04	0.12.00E+00	0.00	24.41	
3	19	88.70	0.00	0.00	0.00	5.90	3.75	0.33	0.23	0.04	0.54	1.14	0.08	0.03	0.12.00E+00	0.00	24.87	
3	20	88.70	0.00	0.00	0.00	5.92	3.72	0.33	0.23	0.04	0.54	1.14	0.08	0.03	0.11.00E+00	0.00	25.33	

4	1	88.70	0.00	0.00	0.00	5.92	3.69	0.33	0.23	0.04	0.54	1.13	0.08	0.03	0.11.00E+00	0.00	25.64
---	---	-------	------	------	------	------	------	------	------	------	------	------	------	------	-------------	------	-------

CROSSETS.OUT

4	2	88.70	0.00	0.00	0.00	5.92	3.66	0.32	0.23	0.03	0.54	1.13	0.08	0.03	0.11.00E+00	0.00	25.94
4	3	88.70	0.00	0.00	0.00	5.92	3.63	0.32	0.23	0.03	0.54	1.13	0.08	0.03	0.11.00E+00	0.00	26.25
4	4	88.70	0.00	0.00	0.00	5.91	3.60	0.32	0.22	0.03	0.55	1.12	0.08	0.03	0.11.00E+00	0.00	26.53
4	5	88.70	0.00	0.00	0.00	5.91	3.57	0.32	0.22	0.03	0.55	1.12	0.08	0.03	0.11.00E+00	0.00	26.84
4	6	88.70	0.00	0.00	0.00	5.91	3.54	0.31	0.22	0.03	0.55	1.12	0.08	0.03	0.11.00E+00	0.00	27.14
4	7	88.70	0.00	0.00	0.00	5.91	3.51	0.31	0.22	0.03	0.55	1.12	0.08	0.03	0.11.00E+00	0.00	27.45
4	8	88.70	0.00	0.00	0.00	5.91	3.48	0.31	0.22	0.03	0.55	1.11	0.08	0.03	0.11.00E+00	0.00	27.75
4	9	88.70	0.00	0.00	0.00	5.91	3.45	0.31	0.22	0.03	0.55	1.11	0.08	0.03	0.11.00E+00	0.00	28.05
4	10	88.70	0.00	0.00	0.00	5.91	3.42	0.30	0.22	0.03	0.55	1.11	0.08	0.03	0.11.00E+00	0.00	28.35
4	11	88.70	0.00	0.00	0.00	5.91	3.39	0.30	0.22	0.03	0.55	1.11	0.08	0.03	0.11.00E+00	0.00	28.64
4	12	88.70	0.00	0.00	0.00	5.91	3.36	0.30	0.21	0.03	0.56	1.10	0.08	0.03	0.11.00E+00	0.00	28.94
4	13	88.70	0.00	0.00	0.00	5.91	3.34	0.30	0.21	0.03	0.56	1.10	0.08	0.03	0.11.00E+00	0.00	29.23
4	14	88.70	0.00	0.00	0.00	5.91	3.31	0.29	0.21	0.03	0.56	1.10	0.08	0.02	0.11.00E+00	0.00	29.52
4	15	88.70	0.00	0.00	0.00	5.91	3.28	0.29	0.21	0.03	0.56	1.10	0.08	0.02	0.11.00E+00	0.00	29.80
4	16	88.70	0.00	0.00	0.00	5.91	3.25	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11.00E+00	0.00	30.08
4	17	88.70	0.00	0.00	0.00	5.91	3.23	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11.00E+00	0.00	30.36
4	18	88.70	0.00	0.00	0.00	5.91	3.20	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11.00E+00	0.00	30.63
4	19	88.70	0.00	0.00	0.00	5.92	3.17	0.28	0.21	0.03	0.56	1.08	0.08	0.02	0.11.00E+00	0.00	30.90
4	20	88.70	0.00	0.00	0.00	5.92	3.15	0.28	0.21	0.03	0.56	1.08	0.08	0.02	0.11.00E+00	0.00	31.16
5	1	88.70	0.00	0.00	0.00	5.91	3.13	0.28	0.20	0.03	0.57	1.08	0.08	0.02	0.11.00E+00	0.00	31.33
5	2	88.70	0.00	0.00	0.00	5.90	3.11	0.28	0.20	0.03	0.57	1.08	0.08	0.02	0.10.00E+00	0.00	31.52
5	3	88.70	0.00	0.00	0.00	5.89	3.09	0.27	0.20	0.03	0.57	1.08	0.09	0.02	0.10.00E+00	0.00	31.70
5	4	88.70	0.00	0.00	0.00	5.88	3.07	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10.00E+00	0.00	31.87

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11
 Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH	ELE	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	TEMP			MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
		DEG-F															
5	5	88.70	0.00	0.00	0.00	5.87	3.05	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10.00E+00	0.00	32.03
5	6	88.70	0.00	0.00	0.00	5.86	3.03	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10.00E+00	0.00	32.19
5	7	88.70	0.00	0.00	0.00	5.85	3.01	0.26	0.20	0.03	0.58	1.07	0.09	0.02	0.10.00E+00	0.00	32.35
5	8	88.70	0.00	0.00	0.00	5.84	2.99	0.26	0.20	0.03	0.58	1.07	0.09	0.02	0.10.00E+00	0.00	32.50
5	9	88.70	0.00	0.00	0.00	5.83	2.97	0.26	0.19	0.03	0.58	1.06	0.09	0.02	0.10.00E+00	0.00	32.64
5	10	88.70	0.00	0.00	0.00	5.82	2.95	0.26	0.19	0.03	0.58	1.06	0.09	0.02	0.10.00E+00	0.00	32.77
5	11	88.70	0.00	0.00	0.00	5.81	2.93	0.26	0.19	0.03	0.58	1.06	0.09	0.01	0.10.00E+00	0.00	32.90
5	12	88.70	0.00	0.00	0.00	5.80	2.91	0.25	0.19	0.03	0.58	1.06	0.09	0.01	0.10.00E+00	0.00	33.01
5	13	88.70	0.00	0.00	0.00	5.78	2.89	0.25	0.19	0.03	0.58	1.06	0.09	0.01	0.10.00E+00	0.00	33.13
5	14	88.70	0.00	0.00	0.00	5.77	2.87	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10.00E+00	0.00	33.23
5	15	88.70	0.00	0.00	0.00	5.76	2.86	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10.00E+00	0.00	33.32
5	16	88.70	0.00	0.00	0.00	5.74	2.84	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10.00E+00	0.00	33.40
5	17	88.70	0.00	0.00	0.00	5.73	2.82	0.25	0.19	0.03	0.59	1.06	0.09	0.01	0.10.00E+00	0.00	33.47
5	18	88.70	0.00	0.00	0.00	5.71	2.80	0.25	0.19	0.03	0.59	1.06	0.09	0.01	0.10.00E+00	0.00	33.55

CROSSETS.OUT

5	19	88.70	0.00	0.00	0.00	5.70	2.78	0.24	0.19	0.03	0.59	1.06	0.09	0.01	0.10.00E+00	0.00	33.62
5	20	88.70	0.00	0.00	0.00	5.68	2.77	0.24	0.19	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	33.69
6	1	88.70	0.00	0.00	0.00	5.67	2.75	0.24	0.19	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	33.79
6	2	88.70	0.00	0.00	0.00	5.66	2.73	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	33.88
6	3	88.70	0.00	0.00	0.00	5.65	2.71	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	33.98
6	4	88.70	0.00	0.00	0.00	5.64	2.70	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	34.08
6	5	88.70	0.00	0.00	0.00	5.63	2.68	0.23	0.18	0.03	0.60	1.05	0.09	0.01	0.10.00E+00	0.00	34.18
6	6	88.70	0.00	0.00	0.00	5.62	2.66	0.23	0.18	0.03	0.60	1.04	0.09	0.01	0.10.00E+00	0.00	34.28
6	7	88.70	0.00	0.00	0.00	5.62	2.64	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10.00E+00	0.00	34.39
6	8	88.70	0.00	0.00	0.00	5.61	2.63	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10.00E+00	0.00	34.49
6	9	88.70	0.00	0.00	0.00	5.60	2.61	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10.00E+00	0.00	34.59
6	10	88.70	0.00	0.00	0.00	5.59	2.59	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10.00E+00	0.00	34.69
6	11	88.70	0.00	0.00	0.00	5.59	2.58	0.22	0.17	0.03	0.61	1.04	0.08	0.01	0.10.00E+00	0.00	34.80
6	12	88.70	0.00	0.00	0.00	5.58	2.56	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	34.90
6	13	88.70	0.00	0.00	0.00	5.58	2.54	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	35.00
6	14	88.70	0.00	0.00	0.00	5.57	2.53	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	35.10
6	15	88.70	0.00	0.00	0.00	5.56	2.51	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	35.21
6	16	88.70	0.00	0.00	0.00	5.56	2.49	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10.00E+00	0.00	35.31
6	17	88.70	0.00	0.00	0.00	5.56	2.48	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.42
6	18	88.70	0.00	0.00	0.00	5.55	2.46	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.52
6	19	88.70	0.00	0.00	0.00	5.55	2.45	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.62
6	20	88.70	0.00	0.00	0.00	5.54	2.43	0.21	0.16	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.73
7	1	88.70	0.00	0.00	0.00	5.55	2.41	0.21	0.16	0.03	0.62	1.02	0.08	0.01	0.09.00E+00	0.00	35.94
7	2	88.70	0.00	0.00	0.00	5.56	2.39	0.21	0.16	0.03	0.62	1.01	0.08	0.01	0.09.00E+00	0.00	36.21
7	3	88.70	0.00	0.00	0.00	5.56	2.36	0.20	0.16	0.02	0.62	1.01	0.08	0.01	0.09.00E+00	0.00	36.47
7	4	88.70	0.00	0.00	0.00	5.57	2.34	0.20	0.16	0.02	0.62	1.01	0.08	0.01	0.09.00E+00	0.00	36.73
7	5	88.70	0.00	0.00	0.00	5.58	2.31	0.20	0.16	0.02	0.62	1.00	0.08	0.01	0.09.00E+00	0.00	36.98
7	6	88.70	0.00	0.00	0.00	5.59	2.29	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09.00E+00	0.00	37.23

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 12
 Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH ELE	NUM NUM	TEMP	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
		DEG-F				MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
	7	7	88.70	0.00	0.00	0.00	5.59	2.27	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09.00E+00	0.00	37.47
	7	8	88.70	0.00	0.00	0.00	5.60	2.25	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09.00E+00	0.00	37.71
	7	9	88.70	0.00	0.00	0.00	5.61	2.22	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09.00E+00	0.00	37.95
	7	10	88.70	0.00	0.00	0.00	5.61	2.20	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09.00E+00	0.00	38.18
	7	11	88.70	0.00	0.00	0.00	5.62	2.18	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09.00E+00	0.00	38.40
	7	12	88.70	0.00	0.00	0.00	5.63	2.16	0.19	0.15	0.02	0.63	0.98	0.08	0.01	0.09.00E+00	0.00	38.58
	7	13	88.70	0.00	0.00	0.00	5.60	2.25	0.24	0.13	0.03	0.59	0.99	0.08	0.02	0.09.00E+00	0.00	33.59

CROSSETS.OUT

7	14	88.70	0.00	0.00	0.00	5.62	2.23	0.24	0.13	0.03	0.59	0.99	0.08	0.02	0.09.00E+00	0.00	33.89
7	15	88.70	0.00	0.00	0.00	5.64	2.21	0.23	0.13	0.03	0.59	0.98	0.07	0.02	0.09.00E+00	0.00	34.19
7	16	88.70	0.00	0.00	0.00	5.66	2.20	0.23	0.13	0.03	0.59	0.98	0.07	0.01	0.09.00E+00	0.00	34.48
7	17	88.70	0.00	0.00	0.00	5.67	2.18	0.23	0.13	0.03	0.59	0.98	0.07	0.01	0.09.00E+00	0.00	34.77
7	18	88.70	0.00	0.00	0.00	5.69	2.16	0.23	0.13	0.03	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	35.05
7	19	88.70	0.00	0.00	0.00	5.71	2.14	0.23	0.13	0.02	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	35.34
7	20	88.70	0.00	0.00	0.00	5.73	2.12	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	35.62
8	1	88.70	0.00	0.00	0.00	5.75	2.14	0.23	0.13	0.02	0.60	0.98	0.07	0.02	0.09.00E+00	0.00	35.91
8	2	88.70	0.00	0.00	0.00	5.77	2.12	0.23	0.13	0.02	0.59	0.98	0.07	0.02	0.09.00E+00	0.00	36.22
8	3	88.70	0.00	0.00	0.00	5.79	2.10	0.22	0.13	0.02	0.59	0.97	0.07	0.02	0.09.00E+00	0.00	36.52
8	4	88.70	0.00	0.00	0.00	5.81	2.09	0.22	0.13	0.02	0.59	0.97	0.07	0.02	0.09.00E+00	0.00	36.82
8	5	88.70	0.00	0.00	0.00	5.83	2.07	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	37.11
8	6	88.70	0.00	0.00	0.00	5.85	2.05	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09.00E+00	0.00	37.40
8	7	88.70	0.00	0.00	0.00	5.87	2.04	0.22	0.13	0.02	0.59	0.96	0.07	0.01	0.09.00E+00	0.00	37.68
8	8	88.70	0.00	0.00	0.00	5.89	2.02	0.21	0.13	0.02	0.59	0.96	0.07	0.01	0.09.00E+00	0.00	37.95



STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13
 Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	ALGAE DATA				A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA						LIGHT *	NITRGN *	PHSPRS *
1	1	1	8.60	0.52	0.08	1.05	5.51	0.44	0.50	0.12	0.66	0.22	0.70	0.80
2	1	2	8.80	0.52	0.08	1.05	5.53	0.45	0.50	0.12	0.66	0.22	0.70	0.80
3	1	3	9.00	0.52	0.08	1.05	5.55	0.46	0.50	0.13	0.67	0.22	0.71	0.80
4	1	4	9.21	0.52	0.08	1.05	5.56	0.48	0.50	0.13	0.67	0.22	0.71	0.79
5	1	5	9.43	0.52	0.08	1.05	5.56	0.49	0.50	0.14	0.67	0.22	0.72	0.79
6	1	6	9.65	0.52	0.08	1.05	5.56	0.50	0.50	0.14	0.67	0.22	0.72	0.79
7	1	7	9.88	0.52	0.08	1.05	5.56	0.51	0.50	0.15	0.67	0.22	0.72	0.79
8	1	8	10.11	0.52	0.08	1.05	5.56	0.52	0.50	0.15	0.67	0.22	0.73	0.79
9	1	9	10.35	0.52	0.08	1.05	5.55	0.53	0.50	0.16	0.68	0.22	0.73	0.79
10	1	10	10.59	0.52	0.08	1.05	5.54	0.54	0.50	0.16	0.68	0.21	0.73	0.79
11	1	11	10.84	0.52	0.08	1.05	5.53	0.56	0.50	0.17	0.68	0.21	0.73	0.78
12	1	12	11.09	0.52	0.08	1.05	5.51	0.57	0.50	0.17	0.68	0.21	0.73	0.78
13	1	13	11.35	0.52	0.08	1.05	5.50	0.58	0.50	0.17	0.68	0.21	0.74	0.78
14	1	14	11.61	0.52	0.08	1.05	5.48	0.59	0.50	0.18	0.69	0.21	0.74	0.78
15	1	15	11.87	0.51	0.08	1.05	5.46	0.60	0.50	0.18	0.69	0.21	0.74	0.78
16	1	16	12.14	0.51	0.08	1.05	5.44	0.61	0.50	0.18	0.69	0.21	0.74	0.77
17	1	17	12.42	0.51	0.08	1.05	5.41	0.62	0.50	0.19	0.69	0.21	0.74	0.77
18	1	18	12.69	0.51	0.08	1.05	5.39	0.63	0.50	0.19	0.69	0.21	0.74	0.77
19	1	19	12.98	0.51	0.08	1.05	5.36	0.64	0.50	0.19	0.70	0.21	0.74	0.77

CROSSETS.OUT														
20	1	20	13.25	0.51	0.08	1.05	5.37	0.65	0.50	0.20	0.70	0.21	0.75	0.77
21	2	1	12.94	0.40	0.08	1.05	4.24	0.47	0.50	0.35	1.03	0.14	0.78	0.85
22	2	2	13.12	0.40	0.08	1.05	4.23	0.48	0.50	0.35	1.03	0.14	0.78	0.84
23	2	3	13.30	0.40	0.08	1.05	4.22	0.48	0.50	0.35	1.03	0.14	0.78	0.84
24	2	4	13.49	0.40	0.08	1.05	4.22	0.49	0.50	0.35	1.03	0.14	0.79	0.84
25	2	5	13.67	0.40	0.08	1.05	4.21	0.50	0.50	0.35	1.03	0.14	0.79	0.84
26	2	6	13.86	0.40	0.08	1.05	4.20	0.50	0.50	0.35	1.03	0.14	0.79	0.84
27	2	7	14.05	0.40	0.08	1.05	4.19	0.51	0.50	0.35	1.03	0.14	0.79	0.84
28	2	8	14.25	0.39	0.08	1.05	4.19	0.51	0.50	0.35	1.04	0.14	0.79	0.84
29	2	9	14.44	0.39	0.08	1.05	4.18	0.52	0.50	0.35	1.04	0.14	0.79	0.84
30	2	10	14.64	0.39	0.08	1.05	4.17	0.52	0.50	0.34	1.04	0.14	0.79	0.84
31	2	11	14.84	0.39	0.08	1.05	4.16	0.53	0.50	0.34	1.04	0.14	0.79	0.84
32	2	12	15.04	0.39	0.08	1.05	4.15	0.54	0.50	0.34	1.04	0.14	0.79	0.84
33	2	13	15.24	0.39	0.08	1.05	4.15	0.54	0.50	0.34	1.04	0.14	0.79	0.83
34	2	14	15.44	0.39	0.08	1.05	4.14	0.55	0.50	0.34	1.04	0.14	0.79	0.83
35	2	15	15.65	0.39	0.08	1.05	4.13	0.55	0.50	0.34	1.05	0.14	0.79	0.83
36	2	16	15.86	0.39	0.08	1.05	4.12	0.56	0.50	0.34	1.05	0.14	0.79	0.83
37	2	17	16.07	0.39	0.08	1.05	4.11	0.56	0.50	0.33	1.05	0.14	0.79	0.83
38	2	18	16.28	0.39	0.08	1.05	4.10	0.57	0.50	0.33	1.05	0.14	0.79	0.83
39	2	19	16.49	0.39	0.08	1.05	4.09	0.58	0.50	0.33	1.05	0.14	0.79	0.83
40	2	20	16.71	0.38	0.08	1.05	4.08	0.58	0.50	0.33	1.05	0.14	0.79	0.83
41	3	1	17.10	0.53	0.08	1.05	5.66	0.90	0.50	0.33	0.76	0.19	0.79	0.82
42	3	2	17.49	0.53	0.08	1.05	5.63	0.92	0.50	0.33	0.76	0.19	0.79	0.82

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE					ATTEN FACTORS						
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
43	3	3	17.89	0.53	0.08	1.05	5.60	0.93	0.50	0.33	0.76	0.19	0.79	0.82
44	3	4	18.29	0.52	0.08	1.05	5.57	0.94	0.50	0.32	0.76	0.19	0.79	0.82
45	3	5	18.70	0.52	0.08	1.05	5.53	0.96	0.50	0.32	0.77	0.19	0.79	0.82
46	3	6	19.12	0.52	0.08	1.05	5.50	0.97	0.50	0.32	0.77	0.19	0.79	0.81
47	3	7	19.54	0.51	0.08	1.05	5.46	0.99	0.50	0.32	0.77	0.19	0.79	0.81
48	3	8	19.96	0.51	0.08	1.05	5.43	1.00	0.50	0.32	0.78	0.19	0.79	0.81
49	3	9	20.39	0.51	0.08	1.05	5.39	1.01	0.50	0.32	0.78	0.19	0.79	0.81
50	3	10	20.82	0.50	0.08	1.05	5.35	1.03	0.50	0.31	0.78	0.19	0.79	0.80
51	3	11	21.26	0.50	0.08	1.05	5.31	1.04	0.50	0.31	0.78	0.19	0.79	0.80
52	3	12	21.70	0.50	0.08	1.05	5.28	1.05	0.50	0.31	0.79	0.18	0.79	0.80
53	3	13	22.14	0.49	0.08	1.05	5.24	1.06	0.50	0.31	0.79	0.18	0.79	0.80

CROSSETS.OUT														
54	3	14	22.59	0.49	0.08	1.05	5.20	1.07	0.50	0.31	0.79	0.18	0.79	0.79
55	3	15	23.04	0.49	0.08	1.05	5.16	1.08	0.50	0.31	0.80	0.18	0.79	0.79
56	3	16	23.50	0.48	0.08	1.05	5.11	1.09	0.50	0.30	0.80	0.18	0.79	0.79
57	3	17	23.95	0.48	0.08	1.05	5.07	1.10	0.50	0.30	0.80	0.18	0.79	0.78
58	3	18	24.41	0.47	0.08	1.05	5.03	1.11	0.50	0.30	0.80	0.18	0.79	0.78
59	3	19	24.87	0.47	0.08	1.05	4.99	1.12	0.50	0.30	0.81	0.18	0.79	0.77
60	3	20	25.33	0.47	0.08	1.05	4.94	1.13	0.50	0.30	0.81	0.18	0.79	0.77
61	4	1	25.64	0.36	0.08	1.05	3.84	0.82	0.50	0.30	0.93	0.14	0.79	0.77
62	4	2	25.94	0.36	0.08	1.05	3.81	0.83	0.50	0.29	0.93	0.14	0.79	0.76
63	4	3	26.25	0.36	0.08	1.05	3.79	0.83	0.50	0.29	0.94	0.14	0.79	0.76
64	4	4	26.53	0.35	0.08	1.05	3.76	0.83	0.50	0.29	0.94	0.14	0.79	0.76
65	4	5	26.84	0.35	0.08	1.05	3.74	0.83	0.50	0.29	0.94	0.14	0.79	0.75
66	4	6	27.14	0.35	0.08	1.05	3.71	0.83	0.50	0.29	0.94	0.14	0.79	0.75
67	4	7	27.45	0.35	0.08	1.05	3.68	0.83	0.50	0.29	0.94	0.14	0.79	0.75
68	4	8	27.75	0.34	0.08	1.05	3.65	0.83	0.50	0.28	0.95	0.14	0.79	0.74
69	4	9	28.05	0.34	0.08	1.05	3.62	0.83	0.50	0.28	0.95	0.14	0.79	0.74
70	4	10	28.35	0.34	0.08	1.05	3.60	0.83	0.50	0.28	0.95	0.14	0.79	0.73
71	4	11	28.64	0.34	0.08	1.05	3.57	0.83	0.50	0.28	0.95	0.14	0.79	0.73
72	4	12	28.94	0.33	0.08	1.05	3.54	0.83	0.50	0.28	0.95	0.14	0.79	0.72
73	4	13	29.23	0.33	0.08	1.05	3.50	0.83	0.50	0.28	0.96	0.14	0.79	0.72
74	4	14	29.52	0.33	0.08	1.05	3.47	0.83	0.50	0.28	0.96	0.14	0.79	0.71
75	4	15	29.80	0.32	0.08	1.05	3.44	0.82	0.50	0.27	0.96	0.14	0.79	0.71
76	4	16	30.08	0.32	0.08	1.05	3.41	0.82	0.50	0.27	0.96	0.14	0.79	0.70
77	4	17	30.36	0.32	0.08	1.05	3.37	0.81	0.50	0.27	0.96	0.14	0.79	0.70
78	4	18	30.63	0.31	0.08	1.05	3.34	0.81	0.50	0.27	0.96	0.14	0.79	0.69
79	4	19	30.90	0.31	0.08	1.05	3.30	0.80	0.50	0.27	0.97	0.14	0.79	0.68
80	4	20	31.16	0.31	0.08	1.05	3.27	0.80	0.50	0.27	0.97	0.13	0.79	0.68
81	5	1	31.33	0.24	0.08	1.05	2.56	0.55	0.50	0.27	1.02	0.11	0.79	0.67
82	5	2	31.52	0.24	0.08	1.05	2.53	0.55	0.50	0.26	1.02	0.11	0.79	0.67
83	5	3	31.70	0.24	0.08	1.05	2.51	0.54	0.50	0.26	1.02	0.11	0.79	0.66
84	5	4	31.87	0.23	0.08	1.05	2.48	0.53	0.50	0.26	1.02	0.11	0.79	0.65

↑
 STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 15
 Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS					NH3-N			ALGAE GROWTH RATE ATTEN FACTORS			
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
85	5	5	32.03	0.23	0.08	1.05	2.45	0.53	0.50	0.26	1.02	0.11	0.79	0.65
86	5	6	32.19	0.23	0.08	1.05	2.42	0.52	0.50	0.26	1.02	0.11	0.79	0.64
87	5	7	32.35	0.23	0.08	1.05	2.39	0.51	0.50	0.26	1.03	0.11	0.79	0.63

CROSSETS.OUT														
88	5	8	32.50	0.22	0.08	1.05	2.36	0.50	0.50	0.25	1.03	0.11	0.79	0.62
89	5	9	32.64	0.22	0.08	1.05	2.33	0.49	0.50	0.25	1.03	0.11	0.79	0.62
90	5	10	32.77	0.22	0.08	1.05	2.30	0.48	0.50	0.25	1.03	0.11	0.79	0.61
91	5	11	32.90	0.21	0.08	1.05	2.26	0.47	0.50	0.25	1.03	0.11	0.79	0.60
92	5	12	33.01	0.21	0.08	1.05	2.23	0.46	0.50	0.25	1.03	0.11	0.79	0.59
93	5	13	33.13	0.21	0.08	1.05	2.19	0.45	0.50	0.25	1.03	0.11	0.79	0.58
94	5	14	33.23	0.20	0.08	1.05	2.16	0.43	0.50	0.24	1.03	0.11	0.79	0.57
95	5	15	33.32	0.20	0.08	1.05	2.12	0.42	0.50	0.24	1.03	0.11	0.80	0.56
96	5	16	33.40	0.20	0.08	1.05	2.08	0.41	0.50	0.24	1.03	0.11	0.80	0.55
97	5	17	33.47	0.20	0.08	1.05	2.12	0.42	0.50	0.24	1.03	0.11	0.80	0.56
98	5	18	33.55	0.20	0.08	1.05	2.08	0.41	0.50	0.24	1.03	0.11	0.80	0.55
99	5	19	33.62	0.19	0.08	1.05	2.04	0.40	0.50	0.24	1.03	0.11	0.80	0.54
100	5	20	33.69	0.19	0.08	1.05	2.00	0.38	0.50	0.24	1.03	0.11	0.80	0.53
101	6	1	33.79	0.20	0.08	1.05	2.13	0.43	0.50	0.24	0.97	0.11	0.80	0.53
102	6	2	33.88	0.20	0.08	1.05	2.13	0.43	0.50	0.24	0.97	0.11	0.80	0.53
103	6	3	33.98	0.20	0.08	1.05	2.13	0.44	0.50	0.23	0.98	0.11	0.80	0.53
104	6	4	34.08	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
105	6	5	34.18	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
106	6	6	34.28	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
107	6	7	34.39	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
108	6	8	34.49	0.20	0.08	1.05	2.14	0.45	0.50	0.23	0.98	0.11	0.80	0.54
109	6	9	34.59	0.20	0.08	1.05	2.14	0.45	0.50	0.23	0.98	0.11	0.80	0.54
110	6	10	34.69	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
111	6	11	34.80	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
112	6	12	34.90	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
113	6	13	35.00	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
114	6	14	35.10	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
115	6	15	35.21	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
116	6	16	35.31	0.20	0.08	1.05	2.14	0.46	0.50	0.22	0.98	0.11	0.80	0.54
117	6	17	35.42	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.98	0.11	0.80	0.54
118	6	18	35.52	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.98	0.11	0.80	0.54
119	6	19	35.62	0.20	0.08	1.05	2.13	0.46	0.50	0.21	0.99	0.11	0.80	0.54
120	6	20	35.73	0.20	0.08	1.05	2.13	0.46	0.50	0.21	0.99	0.11	0.80	0.54
121	7	1	35.94	0.21	0.08	1.05	2.26	0.51	0.50	0.21	0.78	0.12	0.80	0.54
122	7	2	36.21	0.21	0.08	1.05	2.25	0.51	0.50	0.21	0.78	0.12	0.80	0.54
123	7	3	36.47	0.21	0.08	1.05	2.23	0.51	0.50	0.20	0.78	0.12	0.80	0.53
124	7	4	36.73	0.21	0.08	1.05	2.22	0.51	0.50	0.20	0.78	0.12	0.80	0.53
125	7	5	36.98	0.21	0.08	1.05	2.20	0.50	0.50	0.20	0.78	0.12	0.80	0.53
126	7	6	37.23	0.21	0.08	1.05	2.19	0.50	0.50	0.20	0.78	0.12	0.80	0.53

^

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 16
 Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

CROSSETS5.OUT

ELE ORD	RCH NUM	ELE NUM	CROSSETS5.OUT									ALGAE GROWTH RATE ATTN FACTORS		
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
127	7	7	37.47	0.20	0.08	1.05	2.17	0.50	0.50	0.20	0.79	0.12	0.80	0.52
128	7	8	37.71	0.20	0.08	1.05	2.16	0.49	0.50	0.20	0.79	0.12	0.80	0.52
129	7	9	37.95	0.20	0.08	1.05	2.14	0.49	0.50	0.19	0.79	0.12	0.79	0.52
130	7	10	38.18	0.20	0.08	1.05	2.13	0.49	0.50	0.19	0.79	0.12	0.79	0.52
131	7	11	38.40	0.20	0.08	1.05	2.11	0.48	0.50	0.19	0.79	0.12	0.79	0.51
132	7	12	38.58	0.20	0.08	1.05	2.10	0.48	0.50	0.19	0.79	0.11	0.79	0.51
133	7	13	33.59	0.24	0.08	1.05	2.55	0.59	0.50	0.18	0.76	0.12	0.78	0.61
134	7	14	33.89	0.24	0.08	1.05	2.53	0.59	0.50	0.18	0.76	0.12	0.78	0.60
135	7	15	34.19	0.24	0.08	1.05	2.51	0.59	0.50	0.18	0.77	0.12	0.78	0.60
136	7	16	34.48	0.24	0.08	1.05	2.50	0.58	0.50	0.18	0.77	0.12	0.78	0.60
137	7	17	34.77	0.23	0.08	1.05	2.48	0.58	0.50	0.18	0.77	0.12	0.78	0.60
138	7	18	35.05	0.23	0.08	1.05	2.46	0.58	0.50	0.18	0.77	0.12	0.78	0.59
139	7	19	35.34	0.23	0.08	1.05	2.44	0.58	0.50	0.18	0.77	0.12	0.78	0.59
140	7	20	35.62	0.23	0.08	1.05	2.43	0.57	0.50	0.18	0.77	0.12	0.78	0.59
141	8	1	35.91	0.24	0.08	1.05	2.53	0.62	0.50	0.18	0.78	0.12	0.78	0.61
142	8	2	36.22	0.24	0.08	1.05	2.51	0.62	0.50	0.18	0.78	0.12	0.78	0.61
143	8	3	36.52	0.23	0.08	1.05	2.49	0.61	0.50	0.18	0.78	0.12	0.78	0.61
144	8	4	36.82	0.23	0.08	1.05	2.47	0.61	0.50	0.18	0.78	0.12	0.78	0.60
145	8	5	37.11	0.23	0.08	1.05	2.44	0.61	0.50	0.18	0.78	0.12	0.78	0.60
146	8	6	37.40	0.23	0.08	1.05	2.42	0.60	0.50	0.18	0.79	0.12	0.78	0.59
147	8	7	37.68	0.23	0.08	1.05	2.40	0.60	0.50	0.18	0.79	0.12	0.78	0.59
148	8	8	37.95	0.22	0.08	1.05	2.38	0.59	0.50	0.18	0.79	0.12	0.78	0.59

↑

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 17
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
									F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	88.70	7.37	5.94	1.42	0.00	1.00	86.37	0.35	-0.32	-0.35	0.44	-0.05	-0.17
2	1	2	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.31	-0.35	0.45	-0.05	-0.16
3	1	3	88.70	7.37	5.93	1.43	0.00	1.00	0.01	0.36	-0.31	-0.35	0.46	-0.05	-0.14
4	1	4	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.35	0.48	-0.06	-0.13
5	1	5	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.35	0.49	-0.06	-0.12
6	1	6	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.35	0.50	-0.06	-0.11
7	1	7	88.70	7.37	5.93	1.43	0.00	1.00	0.01	0.36	-0.31	-0.35	0.51	-0.07	-0.10

CROSSETS.OUT

8	1	8	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.30	-0.35	0.52	-0.07	-0.09
9	1	9	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.30	-0.35	0.53	-0.07	-0.08
10	1	10	88.70	7.37	5.95	1.42	0.00	1.00	0.01	0.35	-0.30	-0.35	0.54	-0.08	-0.08
11	1	11	88.70	7.37	5.95	1.41	0.00	1.00	0.01	0.35	-0.30	-0.35	0.56	-0.08	-0.07
12	1	12	88.70	7.37	5.96	1.41	0.00	1.00	0.01	0.35	-0.30	-0.35	0.57	-0.08	-0.07
13	1	13	88.70	7.37	5.97	1.40	0.00	1.00	0.01	0.35	-0.29	-0.35	0.58	-0.08	-0.06
14	1	14	88.70	7.37	5.98	1.39	0.00	1.00	0.01	0.35	-0.29	-0.35	0.59	-0.09	-0.06
15	1	15	88.70	7.37	5.99	1.38	0.00	1.00	0.01	0.34	-0.29	-0.35	0.60	-0.09	-0.06
16	1	16	88.70	7.37	6.00	1.37	0.00	1.00	0.01	0.34	-0.29	-0.35	0.61	-0.09	-0.05
17	1	17	88.70	7.37	6.01	1.36	0.00	1.00	0.01	0.34	-0.29	-0.35	0.62	-0.09	-0.05
18	1	18	88.70	7.37	6.02	1.35	0.00	1.00	0.01	0.34	-0.29	-0.35	0.63	-0.09	-0.05
19	1	19	88.70	7.37	6.03	1.33	0.00	1.00	0.01	0.33	-0.28	-0.35	0.64	-0.10	-0.05
20	1	20	88.70	7.37	6.04	1.32	0.00	1.00	0.01	0.33	-0.29	-0.35	0.65	-0.10	-0.05
21	2	1	88.70	7.37	5.91	1.46	0.00	1.00	2.18	0.37	-0.66	-0.35	0.47	-0.22	-0.05
22	2	2	88.70	7.37	5.88	1.49	0.00	1.00	0.01	0.38	-0.65	-0.35	0.48	-0.22	-0.06
23	2	3	88.70	7.37	5.85	1.51	0.00	1.00	0.01	0.38	-0.65	-0.35	0.48	-0.22	-0.06
24	2	4	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.39	-0.64	-0.35	0.49	-0.22	-0.06
25	2	5	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.40	-0.63	-0.35	0.50	-0.22	-0.06
26	2	6	88.70	7.37	5.78	1.59	0.00	1.00	0.01	0.40	-0.63	-0.35	0.50	-0.22	-0.06
27	2	7	88.70	7.37	5.75	1.61	0.00	1.00	0.01	0.41	-0.62	-0.35	0.51	-0.22	-0.06
28	2	8	88.70	7.37	5.73	1.64	0.00	1.00	0.01	0.41	-0.62	-0.35	0.51	-0.22	-0.06
29	2	9	88.70	7.37	5.71	1.66	0.00	1.00	0.01	0.42	-0.61	-0.35	0.52	-0.22	-0.07
30	2	10	88.70	7.37	5.69	1.68	0.00	1.00	0.01	0.43	-0.61	-0.35	0.52	-0.22	-0.07
31	2	11	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.43	-0.60	-0.35	0.53	-0.22	-0.07
32	2	12	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.43	-0.60	-0.35	0.54	-0.22	-0.07
33	2	13	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.44	-0.59	-0.35	0.54	-0.22	-0.07
34	2	14	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.44	-0.59	-0.35	0.55	-0.22	-0.07
35	2	15	88.70	7.37	5.60	1.76	0.00	1.00	0.01	0.45	-0.58	-0.35	0.55	-0.22	-0.07
36	2	16	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.45	-0.58	-0.35	0.56	-0.22	-0.07
37	2	17	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.45	-0.57	-0.35	0.56	-0.22	-0.07
38	2	18	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.46	-0.57	-0.35	0.57	-0.22	-0.07
39	2	19	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.46	-0.56	-0.35	0.58	-0.22	-0.07
40	2	20	88.70	7.37	5.54	1.83	0.00	1.00	0.01	0.46	-0.56	-0.35	0.58	-0.22	-0.07
41	3	1	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.46	-0.55	-0.35	0.90	-0.22	-0.07
42	3	2	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.46	-0.55	-0.35	0.92	-0.22	-0.07

▲

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 18
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE	RCH	ELE	DO	DO	DAM	NIT	F-FUNCTN	OXYGN	NET						
ORD	NUM	NUM	TEMP	SAT	DO	DEF	INPUT	INHIB	F-FACT	OXYGN	C-BOD	SOD	NET	NH3-N	NO2-N
			DEG-F	MG/L	MG/L	MG/L	MG/L	FACT	INPUT	REAIR			P-R		

CROSSETS.OUT

43	3	3	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.45	-0.55	-0.35	0.93	-0.22	-0.07
44	3	4	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.45	-0.54	-0.35	0.94	-0.21	-0.07
45	3	5	88.70	7.37	5.60	1.77	0.00	1.00	0.01	0.45	-0.54	-0.35	0.96	-0.21	-0.07
46	3	6	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.44	-0.53	-0.35	0.97	-0.21	-0.07
47	3	7	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.44	-0.53	-0.35	0.99	-0.21	-0.07
48	3	8	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.43	-0.52	-0.35	1.00	-0.21	-0.07
49	3	9	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.43	-0.52	-0.35	1.01	-0.21	-0.07
50	3	10	88.70	7.37	5.69	1.68	0.00	1.00	0.01	0.43	-0.51	-0.35	1.03	-0.21	-0.07
51	3	11	88.70	7.37	5.71	1.66	0.00	1.00	0.01	0.42	-0.51	-0.35	1.04	-0.21	-0.07
52	3	12	88.70	7.37	5.73	1.64	0.00	1.00	0.01	0.41	-0.51	-0.35	1.05	-0.21	-0.07
53	3	13	88.70	7.37	5.75	1.61	0.00	1.00	0.01	0.41	-0.50	-0.35	1.06	-0.21	-0.07
54	3	14	88.70	7.37	5.78	1.59	0.00	1.00	0.01	0.40	-0.50	-0.35	1.07	-0.20	-0.07
55	3	15	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.40	-0.49	-0.35	1.08	-0.20	-0.07
56	3	16	88.70	7.37	5.82	1.54	0.00	1.00	0.01	0.39	-0.49	-0.35	1.09	-0.20	-0.07
57	3	17	88.70	7.37	5.85	1.52	0.00	1.00	0.01	0.39	-0.49	-0.35	1.10	-0.20	-0.07
58	3	18	88.70	7.37	5.87	1.49	0.00	1.00	0.01	0.38	-0.48	-0.35	1.11	-0.20	-0.07
59	3	19	88.70	7.37	5.90	1.47	0.00	1.00	0.01	0.37	-0.48	-0.35	1.12	-0.20	-0.07
60	3	20	88.70	7.37	5.92	1.44	0.00	1.00	0.01	0.37	-0.47	-0.35	1.13	-0.20	-0.07
61	4	1	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.34	-0.47	-0.43	0.82	-0.20	-0.07
62	4	2	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.47	-0.43	0.83	-0.19	-0.07
63	4	3	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.46	-0.43	0.83	-0.19	-0.07
64	4	4	88.70	7.37	5.91	1.45	0.00	1.00	0.09	0.31	-0.46	-0.43	0.83	-0.19	-0.07
65	4	5	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.43	0.83	-0.19	-0.07
66	4	6	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.43	0.83	-0.19	-0.07
67	4	7	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.43	0.83	-0.19	-0.07
68	4	8	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.43	0.83	-0.19	-0.07
69	4	9	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.43	0.83	-0.19	-0.07
70	4	10	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.43	0.83	-0.19	-0.07
71	4	11	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.43	-0.43	0.83	-0.19	-0.06
72	4	12	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.43	-0.43	0.83	-0.18	-0.06
73	4	13	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.43	0.83	-0.18	-0.06
74	4	14	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.43	0.83	-0.18	-0.06
75	4	15	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.43	0.82	-0.18	-0.06
76	4	16	88.70	7.37	5.91	1.45	0.00	1.00	0.01	0.31	-0.41	-0.43	0.82	-0.18	-0.06
77	4	17	88.70	7.37	5.91	1.45	0.00	1.00	0.01	0.31	-0.41	-0.43	0.81	-0.18	-0.06
78	4	18	88.70	7.37	5.91	1.45	0.00	1.00	0.02	0.31	-0.41	-0.43	0.81	-0.18	-0.06
79	4	19	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.40	-0.43	0.80	-0.18	-0.06
80	4	20	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.40	-0.43	0.80	-0.18	-0.06
81	5	1	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.27	-0.27	-0.36	0.55	-0.18	-0.06
82	5	2	88.70	7.37	5.90	1.47	0.00	1.00	0.01	0.22	-0.26	-0.36	0.55	-0.17	-0.06
83	5	3	88.70	7.37	5.89	1.48	0.00	1.00	0.01	0.22	-0.26	-0.36	0.54	-0.17	-0.06
84	5	4	88.70	7.37	5.88	1.48	0.00	1.00	0.01	0.22	-0.26	-0.36	0.53	-0.17	-0.06



CROSSET5.OUT
 ***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)															
ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
85	5	5	88.70	7.37	5.87	1.49	0.00	1.00	0.01	0.23	-0.26	-0.36	0.53	-0.17	-0.06
86	5	6	88.70	7.37	5.86	1.50	0.00	1.00	0.01	0.23	-0.26	-0.36	0.52	-0.17	-0.06
87	5	7	88.70	7.37	5.85	1.51	0.00	1.00	0.01	0.23	-0.26	-0.36	0.51	-0.17	-0.06
88	5	8	88.70	7.37	5.84	1.52	0.00	1.00	0.01	0.23	-0.25	-0.36	0.50	-0.17	-0.06
89	5	9	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.23	-0.25	-0.36	0.49	-0.17	-0.06
90	5	10	88.70	7.37	5.82	1.55	0.00	1.00	0.01	0.23	-0.25	-0.36	0.48	-0.17	-0.06
91	5	11	88.70	7.37	5.81	1.56	0.00	1.00	0.01	0.24	-0.25	-0.36	0.47	-0.17	-0.06
92	5	12	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.24	-0.25	-0.36	0.46	-0.16	-0.06
93	5	13	88.70	7.37	5.78	1.58	0.00	1.00	0.01	0.24	-0.25	-0.36	0.45	-0.16	-0.06
94	5	14	88.70	7.37	5.77	1.60	0.00	1.00	0.01	0.24	-0.24	-0.36	0.43	-0.16	-0.06
95	5	15	88.70	7.37	5.76	1.61	0.00	1.00	0.01	0.24	-0.24	-0.36	0.42	-0.16	-0.06
96	5	16	88.70	7.37	5.74	1.62	0.00	1.00	0.01	0.25	-0.24	-0.36	0.41	-0.16	-0.06
97	5	17	88.70	7.37	5.73	1.64	0.00	1.00	0.08	0.25	-0.24	-0.36	0.42	-0.16	-0.06
98	5	18	88.70	7.37	5.71	1.65	0.00	1.00	0.01	0.25	-0.24	-0.36	0.41	-0.16	-0.06
99	5	19	88.70	7.37	5.70	1.67	0.00	1.00	0.01	0.25	-0.24	-0.36	0.40	-0.16	-0.06
100	5	20	88.70	7.37	5.68	1.68	0.00	1.00	0.01	0.25	-0.23	-0.36	0.38	-0.16	-0.06
101	6	1	88.70	7.37	5.67	1.69	0.00	1.00	0.01	0.26	-0.23	-0.36	0.43	-0.16	-0.06
102	6	2	88.70	7.37	5.66	1.70	0.00	1.00	0.01	0.26	-0.23	-0.36	0.43	-0.16	-0.05
103	6	3	88.70	7.37	5.65	1.71	0.00	1.00	0.01	0.26	-0.23	-0.36	0.44	-0.16	-0.05
104	6	4	88.70	7.37	5.64	1.72	0.00	1.00	0.01	0.26	-0.23	-0.36	0.44	-0.16	-0.05
105	6	5	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.26	-0.23	-0.36	0.44	-0.16	-0.05
106	6	6	88.70	7.37	5.62	1.74	0.00	1.00	0.01	0.26	-0.23	-0.36	0.44	-0.15	-0.05
107	6	7	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.27	-0.22	-0.36	0.44	-0.15	-0.05
108	6	8	88.70	7.37	5.61	1.76	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
109	6	9	88.70	7.37	5.60	1.77	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
110	6	10	88.70	7.37	5.59	1.77	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
111	6	11	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
112	6	12	88.70	7.37	5.58	1.79	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
113	6	13	88.70	7.37	5.58	1.79	0.00	1.00	0.01	0.27	-0.22	-0.36	0.45	-0.15	-0.05
114	6	14	88.70	7.37	5.57	1.80	0.00	1.00	0.01	0.27	-0.21	-0.36	0.45	-0.15	-0.05
115	6	15	88.70	7.37	5.56	1.80	0.00	1.00	0.01	0.27	-0.21	-0.36	0.45	-0.15	-0.05
116	6	16	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.27	-0.21	-0.36	0.46	-0.15	-0.05
117	6	17	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.27	-0.21	-0.36	0.46	-0.14	-0.05
118	6	18	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.28	-0.21	-0.36	0.46	-0.14	-0.05
119	6	19	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.28	-0.21	-0.36	0.46	-0.14	-0.05
120	6	20	88.70	7.37	5.54	1.82	0.00	1.00	0.01	0.28	-0.21	-0.36	0.46	-0.14	-0.05
121	7	1	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.22	-0.20	-0.22	0.51	-0.14	-0.05

CROSSETS.OUT															
122	7	2	88.70	7.37	5.56	1.81	0.00	1.00	0.00	0.17	-0.20	-0.22	0.51	-0.14	-0.05
123	7	3	88.70	7.37	5.56	1.80	0.00	1.00	0.00	0.17	-0.20	-0.22	0.51	-0.14	-0.05
124	7	4	88.70	7.37	5.57	1.80	0.00	1.00	0.00	0.17	-0.20	-0.22	0.51	-0.14	-0.05
125	7	5	88.70	7.37	5.58	1.79	0.00	1.00	0.00	0.17	-0.20	-0.22	0.50	-0.13	-0.05
126	7	6	88.70	7.37	5.59	1.78	0.00	1.00	0.00	0.17	-0.19	-0.22	0.50	-0.13	-0.05

↑

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 20
Version 3.22 -- May 1996

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)																
ELE	RCH	ELE	TEMP	DO	DO	DO	DAM	NIT	F-FUNCTN	OXYGN	C-BOD	SOD	NET	NH3-N	NO2-N	
ORD	NUM	NUM	DEG-F	SAT	MG/L	MG/L	MG/L	MG/L	INPUT	REAIR			P-R			
127	7	7	88.70	7.37	5.59	1.77	0.00	1.00	0.00	0.17	-0.19	-0.22	0.50	-0.13	-0.05	
128	7	8	88.70	7.37	5.60	1.77	0.00	1.00	0.00	0.16	-0.19	-0.22	0.49	-0.13	-0.05	
129	7	9	88.70	7.37	5.61	1.76	0.00	1.00	0.00	0.16	-0.19	-0.22	0.49	-0.13	-0.05	
130	7	10	88.70	7.37	5.61	1.75	0.00	1.00	0.00	0.16	-0.19	-0.22	0.49	-0.13	-0.04	
131	7	11	88.70	7.37	5.62	1.75	0.00	1.00	0.00	0.16	-0.18	-0.22	0.48	-0.13	-0.04	
132	7	12	88.70	7.37	5.63	1.74	0.00	1.00	0.00	0.16	-0.18	-0.22	0.48	-0.12	-0.04	
133	7	13	88.70	7.37	5.60	1.76	0.00	1.00	9.53	0.17	-0.19	-0.22	0.59	-0.11	-0.07	
134	7	14	88.70	7.37	5.62	1.75	0.00	1.00	0.00	0.18	-0.19	-0.22	0.59	-0.11	-0.06	
135	7	15	88.70	7.37	5.64	1.73	0.00	1.00	0.00	0.18	-0.19	-0.22	0.59	-0.11	-0.06	
136	7	16	88.70	7.37	5.66	1.71	0.00	1.00	0.00	0.17	-0.19	-0.22	0.58	-0.11	-0.05	
137	7	17	88.70	7.37	5.67	1.69	0.00	1.00	0.00	0.17	-0.18	-0.22	0.58	-0.11	-0.05	
138	7	18	88.70	7.37	5.69	1.68	0.00	1.00	0.00	0.17	-0.18	-0.22	0.58	-0.11	-0.05	
139	7	19	88.70	7.37	5.71	1.66	0.00	1.00	0.00	0.17	-0.18	-0.22	0.58	-0.11	-0.05	
140	7	20	88.70	7.37	5.73	1.64	0.00	1.00	0.00	0.17	-0.18	-0.22	0.57	-0.11	-0.05	
141	8	1	88.70	7.37	5.75	1.62	0.00	1.00	0.03	0.16	-0.18	-0.22	0.62	-0.12	-0.05	
142	8	2	88.70	7.37	5.77	1.60	0.00	1.00	0.01	0.16	-0.18	-0.22	0.62	-0.12	-0.04	
143	8	3	88.70	7.37	5.79	1.58	0.00	1.00	0.01	0.16	-0.18	-0.22	0.61	-0.11	-0.04	
144	8	4	88.70	7.37	5.81	1.56	0.00	1.00	0.01	0.16	-0.18	-0.22	0.61	-0.11	-0.04	
145	8	5	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.16	-0.18	-0.22	0.61	-0.11	-0.04	
146	8	6	88.70	7.37	5.85	1.52	0.00	1.00	0.01	0.15	-0.17	-0.22	0.60	-0.11	-0.04	
147	8	7	88.70	7.37	5.87	1.50	0.00	1.00	0.01	0.15	-0.17	-0.22	0.60	-0.11	-0.04	
148	8	8	88.70	7.37	5.89	1.48	0.00	1.00	0.01	0.15	-0.17	-0.22	0.59	-0.11	-0.04	

1

*** QUAL-2E STREAM QUALITY ROUTING MODEL ***
 *** EPA/NCASI VERSION ***

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03 NO	CONSERVATIVE MINERAL I
TITLE04 NO	CONSERVATIVE MINERAL II
TITLE05 NO	CONSERVATIVE MINERAL III
TITLE06 NO	TEMPERATURE
TITLE07 YES	BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08 YES	ALGAE AS CHL-A IN UG/L
TITLE09 YES	PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11 YES	NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13 YES	DISSOLVED OXYGEN IN MG/L
TITLE14 NO	FECAL COLIFORMS IN NO./100 ML
TITLE15 NO	ARBITRARY NON-CONSERVATIVE BOD MG/L

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRFL656B.OUT

N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0027	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

0 \$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE RATE CODE THETA VALUE

0 \$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER AND IDENT	R. MI/KM	R. MI/KM
STREAM REACH	1.0 REACH 1 FRO	227.0 TO	222.0
STREAM REACH	2.0 REACH 2 FRO	222.0 TO	217.0
STREAM REACH	3.0 REACH 3 FRO	217.0 TO	212.0
STREAM REACH	4.0 REACH 4 FRO	212.0 TO	207.0
STREAM REACH	5.0 REACH 5 FRO	207.0 TO	202.0
STREAM REACH	6.0 REACH 6 FRO	202.0 TO	197.0
STREAM REACH	7.0 REACH 7 FRO	197.0 TO	192.0
STREAM REACH	8.0 REACH 8 FRO	192.0 TO	190.0
ENDATA2	0.0	0.0	0.0

0 \$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER OF AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	2.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	3.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	4.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	5.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	6.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	7.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	8.	1.	3.0	1.	0.	0. 0. 0. 0.
ENDATA3	0.	0.	0.0	0.	0.	0. 0. 0. 0.

0 \$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL FLAGS
FLAG FIELD	1.	20.	1.2.
FLAG FIELD	2.	20.	6.2.
FLAG FIELD	3.	20.	2.
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.
FLAG FIELD	5.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
ENDATA4	0.	0.	0.

0 \$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CRFL656B.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	2.	38.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	3.	22.00	0.000	0.897	7.170	0.050	0.035
HYDRAULICS	4.	21.00	0.000	0.897	8.000	0.050	0.035
HYDRAULICS	5.	10.00	0.000	0.946	12.000	0.018	0.035
HYDRAULICS	6.	17.00	0.000	0.946	12.000	0.018	0.035
HYDRAULICS	7.	7.00	0.000	0.930	15.030	0.011	0.035
HYDRAULICS	8.	7.00	0.000	0.930	15.030	0.011	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	3.	0.00	0.000		0.00000	0.00
REACT COEF	2.	0.08	0.00	0.051	3.	0.00	0.000		0.00000	0.00
REACT COEF	3.	0.08	0.00	0.051	3.	0.00	0.000		0.00000	0.00
REACT COEF	4.	0.08	0.00	0.071	3.	0.00	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	3.	0.00	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	3.	0.00	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	3.	0.00	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	3.	0.00	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	0.57	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	0.90	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	0.60	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	0.72	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	0.77	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	0.71	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	0.50	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	0.50	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CRFL656B.OUT

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	88.70	5.95	3.75	0.00	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	2.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	3.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	4.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	5.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	6.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	7.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
INITIAL COND-2	8.	8.40	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	0.00	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	2.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	3.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	4.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	5.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	6.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	7.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
INCR INFLOW-2	8.	0.00	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE JUNCTION ORDER AND IDENT UPSTRM JUNCTION TRIB

0 ENDATA9 0. 0. 0.
 \$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	980.00	88.70	5.95	3.75	0.00	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	42.10	86.90	3.50	48.80	0.00	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	0.00	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	0.00	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	0.00	0.00	0.00
POINTLD-1	7.	BAYOU BARTH0	0.00	222.00	85.10	5.40	2.80	0.00	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	0.00	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

CRFL656B.OUT

CARD TYPE TEMP D.O. BOD CM-1 CM-2 CM-3 ANC COLI
 ENDATA13 DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED
 \$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$

CARD TYPE CHL-A ORG-N NH3-N NO2-N NH3-N ORG-P DIS-P
 ENDATA13A DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

1
0

RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L																			
	ITERATION 1																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.73	3.71	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.52	3.50	3.48	3.46	3.44	3.42	3.40	3.38	3.36	3.38
2	5.16	5.12	5.07	5.03	4.99	4.95	4.91	4.87	4.82	4.78	4.74	4.70	4.66	4.63	4.59	4.55	4.51	4.47	4.43	4.40
3	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.94	3.91	3.88	3.84	3.81	3.78	3.75	3.72
4	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.42	3.39	3.36	3.34	3.31	3.28	3.25	3.23	3.20	3.17	3.15
5	3.13	3.11	3.09	3.07	3.05	3.03	3.01	2.99	2.97	2.95	2.93	2.91	2.89	2.87	2.86	2.84	2.82	2.80	2.78	2.77
6	2.75	2.73	2.71	2.70	2.68	2.66	2.64	2.63	2.61	2.59	2.58	2.56	2.54	2.53	2.51	2.49	2.48	2.46	2.45	2.43
7	2.41	2.39	2.36	2.34	2.31	2.29	2.27	2.25	2.22	2.20	2.18	2.16	2.25	2.23	2.21	2.20	2.18	2.16	2.14	2.12
8	2.14	2.12	2.10	2.09	2.07	2.05	2.04	2.02												

1
 STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

VARIABLE	ITERATION	NUMBER OF NONCONVERGENT ELEMENTS																			
ALGAE AS CHL-A IN UG/L		ITERATION 1																			
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.59	8.79	8.99	9.20	9.41	9.63	9.85	10.08	10.31	10.55	10.79	11.04	11.29	11.55	11.82	12.09	12.37	12.65	12.94	13.22	
2	12.87	13.00	13.13	13.27	13.41	13.55	13.69	13.83	13.98	14.12	14.27	14.42	14.57	14.72	14.87	15.02	15.18	15.34	15.50	15.66	
3	15.98	16.31	16.64	16.98	17.33	17.69	18.05	18.42	18.80	19.18	19.57	19.97	20.38	20.80	21.23	21.66	22.11	22.56	23.02	23.49	
4	23.80	24.12	24.44	24.74	25.07	25.40	25.74	26.08	26.43	26.78	27.13	27.49	27.86	28.23	28.60	28.98	29.37	29.75	30.15	30.55	
5	30.84	31.16	31.48	31.80	32.13	32.47	32.80	33.14	33.48	33.83	34.18	34.53	34.89	35.25	35.61	35.98	36.32	36.70	37.07	37.46	
6	37.91	38.37	38.83	39.30	39.77	40.25	40.74	41.23	41.73	42.23	42.74	43.25	43.77	44.30	44.83	45.37	45.92	46.47	47.03	47.60	
7	48.60	49.86	51.16	52.49	53.85	55.25	56.69	58.16	59.67	61.22	62.81	64.37	65.93	67.53	69.16	70.81	72.49	74.19	75.91	77.66	
8	66.04	67.46	68.90	70.37	71.87	73.41	74.98	76.56													

0

RCH/CL	ORGANIC PHOSPHORUS AS P IN MG/L																			
	ITERATION 1																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
4	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
5	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08

CRFL656B.OUT

		0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08												
		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03
	2	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	3	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
	4	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02
	5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												

		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.42	0.42	0.42	0.41	0.41	0.40	0.40	0.39	0.39
	2	0.48	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.43	0.42	0.42	0.41	0.41	0.41	0.40	0.40
	3	0.39	0.39	0.39	0.38	0.38	0.37	0.37	0.37	0.36	0.36	0.36	0.35	0.35	0.35	0.34	0.34	0.34	0.34	0.33	0.33
	4	0.33	0.32	0.32	0.32	0.32	0.31	0.31	0.31	0.30	0.30	0.30	0.30	0.30	0.29	0.29	0.29	0.29	0.28	0.28	0.28
	5	0.28	0.27	0.27	0.27	0.27	0.27	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24
	6	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22
	7	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24
	8	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24												

		AMMONIA AS N IN MG/L								ITERATION 1											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.11	0.11	0.11	0.11	0.12
	2	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
	3	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25
	4	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23
	5	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
	6	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18
	7	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
	8	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13												

		NITRITE AS N IN MG/L								ITERATION 1											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
	2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
	3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
	4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
	5	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	7	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02												

		NITRATE AS N IN MG/L								ITERATION 1											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.41	0.42	0.42	0.43	0.44	0.44	0.44	0.45	0.45	0.45	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47	0.47
	2	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50	0.51	0.51

CRFL656B.OUT																				
0	DISSOLVED OXYGEN IN MG/L																			
RCH/CL	ITERATION 1																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
3	0.51	0.51	0.51	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.53	0.53	0.53	0.53
4	0.53	0.53	0.53	0.53	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
5	0.54	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55
6	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.53	0.53	0.53	0.53	0.53
7	0.52	0.52	0.51	0.50	0.50	0.49	0.48	0.48	0.47	0.46	0.45	0.44	0.43	0.43	0.42	0.41	0.41	0.40	0.39	0.39
8	0.38	0.37	0.36	0.35	0.34	0.34	0.33	0.32												
1	5.94	5.94	5.93	5.93	5.93	5.93	5.93	5.93	5.94	5.94	5.95	5.95	5.96	5.97	5.98	5.99	6.00	6.02	6.03	6.04
2	5.90	5.87	5.83	5.80	5.77	5.74	5.71	5.68	5.65	5.63	5.60	5.58	5.55	5.53	5.51	5.49	5.47	5.45	5.43	5.42
3	5.42	5.42	5.43	5.44	5.44	5.45	5.46	5.48	5.49	5.50	5.52	5.54	5.55	5.57	5.60	5.62	5.64	5.67	5.69	5.72
4	5.72	5.72	5.72	5.72	5.72	5.72	5.72	5.73	5.73	5.74	5.74	5.75	5.76	5.77	5.78	5.79	5.81	5.82	5.84	5.85
5	5.86	5.86	5.87	5.88	5.88	5.89	5.90	5.91	5.92	5.93	5.95	5.96	5.97	5.99	6.00	6.02	6.03	6.05	6.07	6.09
6	6.11	6.14	6.17	6.20	6.23	6.26	6.29	6.33	6.36	6.40	6.43	6.47	6.51	6.54	6.58	6.62	6.66	6.71	6.75	6.79
7	6.88	7.00	7.12	7.25	7.38	7.52	7.66	7.81	7.96	8.11	8.27	8.43	8.01	8.13	8.25	8.37	8.49	8.62	8.75	8.88
8	9.02	9.16	9.30	9.45	9.60	9.75	9.91	10.07												
ALGAE GROWTH RATE						1			122											
ALGAE GROWTH RATE						2			110											
ALGAE GROWTH RATE						3			37											
ALGAE GROWTH RATE						4			18											
ALGAE GROWTH RATE						5			0											
ALGAE GROWTH RATE						6			0											

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 (204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 13.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL*FN*FP

1
0

DISSOLVED OXYGEN IN MG/L

ITERATION 6

CRFL656B.OUT																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.94	5.94	5.93	5.93	5.93	5.93	5.93	5.94	5.94	5.95	5.95	5.96	5.97	5.98	5.99	6.00	6.01	6.02	6.03	6.04
2	5.91	5.88	5.85	5.83	5.80	5.78	5.75	5.73	5.71	5.69	5.67	5.65	5.63	5.62	5.60	5.59	5.57	5.56	5.55	5.54
3	5.55	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.67	5.69	5.71	5.73	5.75	5.78	5.80	5.82	5.85	5.87	5.90	5.92
4	5.92	5.92	5.92	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.92	5.92
5	5.91	5.90	5.89	5.88	5.87	5.86	5.85	5.84	5.83	5.82	5.81	5.80	5.78	5.77	5.76	5.74	5.73	5.71	5.70	5.68
6	5.67	5.66	5.65	5.64	5.63	5.62	5.62	5.61	5.60	5.59	5.59	5.58	5.57	5.57	5.56	5.56	5.55	5.55	5.55	5.54
7	5.55	5.56	5.57	5.57	5.58	5.59	5.60	5.60	5.61	5.62	5.63	5.63	5.61	5.63	5.64	5.66	5.68	5.69	5.71	5.73
8	5.75	5.77	5.79	5.81	5.83	5.85	5.87	5.88												
0	BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 6									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.73	3.71	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.52	3.50	3.48	3.46	3.44	3.42	3.40	3.38	3.36	3.38
2	5.16	5.12	5.07	5.03	4.99	4.95	4.91	4.87	4.82	4.78	4.74	4.70	4.66	4.63	4.59	4.55	4.51	4.47	4.43	4.40
3	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.94	3.91	3.88	3.84	3.81	3.78	3.75	3.72
4	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.42	3.39	3.36	3.34	3.31	3.28	3.25	3.23	3.20	3.17	3.15
5	3.13	3.11	3.09	3.07	3.05	3.03	3.01	2.99	2.97	2.95	2.93	2.91	2.89	2.87	2.86	2.84	2.82	2.80	2.78	2.77
6	2.75	2.73	2.71	2.70	2.68	2.66	2.64	2.63	2.61	2.59	2.58	2.56	2.54	2.53	2.51	2.49	2.48	2.46	2.45	2.43
7	2.41	2.39	2.36	2.34	2.31	2.29	2.27	2.25	2.22	2.20	2.18	2.16	2.25	2.23	2.21	2.20	2.18	2.16	2.14	2.12
8	2.14	2.12	2.10	2.09	2.07	2.05	2.04	2.02												
0	ORGANIC NITROGEN AS N IN MG/L										ITERATION 6									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.42	0.42	0.42	0.41	0.41	0.40	0.40	0.39	0.39
2	0.48	0.48	0.47	0.47	0.46	0.46	0.45	0.45	0.44	0.44	0.43	0.43	0.43	0.42	0.42	0.41	0.41	0.41	0.40	0.40
3	0.39	0.39	0.39	0.38	0.38	0.38	0.37	0.37	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.34	0.34	0.34	0.33	0.33
4	0.33	0.32	0.32	0.32	0.32	0.31	0.31	0.31	0.31	0.30	0.30	0.30	0.30	0.29	0.29	0.29	0.29	0.29	0.28	0.28
5	0.28	0.28	0.27	0.27	0.27	0.27	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24
6	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
7	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22
8	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21												
0	AMMONIA AS N IN MG/L										ITERATION 6									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.11	0.11	0.11	0.12
2	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.25	0.25	0.25	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23
4	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
5	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
6	0.19	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.16
7	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
8	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13												
0	NITRITE AS N IN MG/L										ITERATION 6									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03

CRFL656B.OUT																					
	5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	
	6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	
	7	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.02	
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02												
0		NITRATE AS N IN MG/L										ITERATION 6									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.41	0.42	0.42	0.43	0.44	0.44	0.44	0.45	0.45	0.46	0.46	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	
	2	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50	0.51	0.51	0.51	0.51	
	3	0.52	0.52	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.54	0.54	0.54	0.54	0.54	0.54	
	4	0.54	0.54	0.54	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	
	5	0.57	0.57	0.57	0.57	0.57	0.57	0.58	0.58	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.59	0.59	0.60	
	6	0.60	0.60	0.60	0.60	0.60	0.60	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.62	0.62	0.62	0.62	
	7	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.63	0.63	0.63	0.59	0.59	0.59	0.59	0.59	0.59	0.59	
	8	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59												
0		ORGANIC PHOSPHORUS AS P IN MG/L										ITERATION 6									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	
	2	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	3	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	4	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	5	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	
	6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	
	8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07												
0		DISSOLVED PHOSPHORUS AS P IN MG/L										ITERATION 6									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.03	
	2	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	
	3	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	
	4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	
	5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.01	0.01	
	8	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01												
0		ALGAE AS CHL-A IN UG/L										ITERATION 6									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	8.60	8.80	9.00	9.21	9.43	9.65	9.88	10.11	10.35	10.59	10.84	11.09	11.35	11.61	11.87	12.14	12.42	12.69	12.98	13.25
	2	12.94	13.12	13.30	13.48	13.67	13.86	14.05	14.24	14.44	14.64	14.83	15.04	15.24	15.44	15.65	15.86	16.07	16.28	16.49	16.71
	3	17.09	17.49	17.89	18.29	18.70	19.12	19.54	19.96	20.39	20.82	21.26	21.70	22.15	22.59	23.04	23.50	23.95	24.41	24.87	25.33
	4	25.64	25.95	26.26	26.54	26.84	27.15	27.45	27.75	28.05	28.35	28.65	28.94	29.23	29.52	29.81	30.09	30.36	30.63	30.90	31.16
	5	31.34	31.52	31.70	31.87	32.03	32.19	32.35	32.49	32.63	32.77	32.89	33.01	33.12	33.22	33.31	33.40	33.46	33.54	33.61	33.68
	6	33.78	33.87	33.97	34.07	34.17	34.27	34.37	34.48	34.58	34.68	34.79	34.89	34.99	35.10	35.20	35.31	35.41	35.52	35.62	35.73
	7	35.95	36.22	36.49	36.75	37.01	37.26	37.51	37.76	37.99	38.22	38.45	38.63	33.63	33.93	34.22	34.51	34.80	35.08	35.36	35.64
	8	35.93	36.23	36.53	36.82	37.11	37.39	37.67	37.93												
0		ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 6									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

CRFL656B.OUT

1	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.51	0.51	0.51	0.51	0.51	0.51
2	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39
3	0.53	0.53	0.53	0.52	0.52	0.52	0.51	0.51	0.51	0.50	0.50	0.50	0.49	0.49	0.49	0.48	0.48	0.47	0.47	0.47
4	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.34	0.34	0.34	0.34	0.33	0.33	0.33	0.32	0.32	0.32	0.31	0.31	0.31
5	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19
6	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
7	0.21	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.24	0.24	0.24	0.23	0.23	0.23	0.23
8	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22												

RCH/CL	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE								ITERATION 6											
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.51	5.53	5.55	5.56	5.56	5.56	5.56	5.56	5.55	5.54	5.53	5.51	5.50	5.48	5.46	5.44	5.41	5.39	5.36	5.37
2	4.24	4.23	4.22	4.21	4.21	4.20	4.19	4.19	4.18	4.17	4.16	4.15	4.15	4.14	4.13	4.12	4.11	4.10	4.09	4.08
3	5.66	5.63	5.60	5.57	5.53	5.50	5.46	5.43	5.39	5.35	5.32	5.28	5.24	5.20	5.16	5.12	5.07	5.03	4.99	4.94
4	3.84	3.81	3.79	3.76	3.73	3.71	3.68	3.65	3.62	3.60	3.57	3.54	3.50	3.47	3.44	3.41	3.37	3.34	3.30	3.26
5	2.56	2.53	2.51	2.48	2.45	2.42	2.39	2.36	2.33	2.30	2.26	2.23	2.19	2.16	2.12	2.08	2.12	2.08	2.04	2.00
6	2.13	2.13	2.14	2.14	2.14	2.14	2.14	2.14	2.15	2.15	2.15	2.15	2.15	2.14	2.14	2.14	2.14	2.14	2.14	2.13
7	2.26	2.25	2.24	2.22	2.21	2.19	2.17	2.16	2.14	2.12	2.11	2.09	2.54	2.53	2.51	2.49	2.47	2.46	2.44	2.42
8	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.37												

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 1
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
1	1	1	227.00	226.75	980.10	0.00	0.10	0.222	0.069	10.118	436.778	5833335.0	603257.1	4419.19	7.75
2	1	2	226.75	226.50	980.20	0.00	0.10	0.222	0.069	10.118	436.780	5833396.0	603260.4	4419.24	7.75
3	1	3	226.50	226.25	980.30	0.00	0.10	0.222	0.069	10.118	436.782	5833457.5	603263.6	4419.29	7.75
4	1	4	226.25	226.00	980.40	0.00	0.10	0.222	0.069	10.118	436.785	5833518.5	603266.9	4419.33	7.75
5	1	5	226.00	225.75	980.50	0.00	0.10	0.222	0.069	10.118	436.787	5833579.5	603270.1	4419.38	7.75
6	1	6	225.75	225.50	980.60	0.00	0.10	0.222	0.069	10.118	436.789	5833641.0	603273.4	4419.43	7.75
7	1	7	225.50	225.25	980.70	0.00	0.10	0.222	0.069	10.118	436.792	5833702.5	603276.6	4419.47	7.75
8	1	8	225.25	225.00	980.80	0.00	0.10	0.222	0.069	10.118	436.794	5833763.5	603279.9	4419.52	7.75
9	1	9	225.00	224.75	980.90	0.00	0.10	0.222	0.069	10.118	436.796	5833824.5	603283.1	4419.56	7.75
10	1	10	224.75	224.50	981.00	0.00	0.10	0.222	0.069	10.118	436.799	5833886.0	603286.4	4419.61	7.75
11	1	11	224.50	224.25	981.10	0.00	0.10	0.222	0.069	10.118	436.801	5833947.5	603289.6	4419.66	7.75
12	1	12	224.25	224.00	981.20	0.00	0.10	0.222	0.069	10.118	436.803	5834008.5	603292.9	4419.70	7.75
13	1	13	224.00	223.75	981.30	0.00	0.10	0.222	0.069	10.118	436.806	5834070.0	603296.1	4419.75	7.75
14	1	14	223.75	223.50	981.40	0.00	0.10	0.222	0.069	10.118	436.808	5834131.0	603299.4	4419.80	7.76
15	1	15	223.50	223.25	981.50	0.00	0.10	0.222	0.069	10.118	436.811	5834192.0	603302.6	4419.84	7.76
16	1	16	223.25	223.00	981.60	0.00	0.10	0.222	0.069	10.118	436.813	5834253.5	603305.9	4419.89	7.76
17	1	17	223.00	222.75	981.70	0.00	0.10	0.222	0.069	10.119	436.815	5834314.5	603309.1	4419.94	7.76

CRFL656B.OUT

18	1	18	222.75	222.50	981.80	0.00	0.10	0.222	0.069	10.119	436.818	5834375.5	603312.4	4419.98	7.76
19	1	19	222.50	222.25	981.90	0.00	0.10	0.222	0.069	10.119	436.820	5834437.0	603315.6	4420.03	7.76
20	1	20	222.25	222.00	982.00	0.00	0.10	0.222	0.069	10.119	436.822	5834498.0	603318.9	4420.07	7.76
21	2	1	222.00	221.75	1024.20	42.10	0.10	0.231	0.066	10.140	437.798	5859838.5	604662.4	4439.27	8.07
22	2	2	221.75	221.50	1024.30	0.00	0.10	0.231	0.066	10.140	437.800	5859897.5	604665.6	4439.32	8.07
23	2	3	221.50	221.25	1024.40	0.00	0.10	0.231	0.066	10.140	437.802	5859956.5	604668.6	4439.36	8.07
24	2	4	221.25	221.00	1024.50	0.00	0.10	0.231	0.066	10.140	437.804	5860015.5	604671.7	4439.41	8.07
25	2	5	221.00	220.75	1024.60	0.00	0.10	0.231	0.066	10.140	437.807	5860074.0	604674.9	4439.45	8.08
26	2	6	220.75	220.50	1024.70	0.00	0.10	0.231	0.066	10.140	437.809	5860133.5	604678.0	4439.50	8.08
27	2	7	220.50	220.25	1024.80	0.00	0.10	0.231	0.066	10.140	437.811	5860192.0	604681.1	4439.54	8.08
28	2	8	220.25	220.00	1024.90	0.00	0.10	0.231	0.066	10.140	437.813	5860250.5	604684.2	4439.58	8.08
29	2	9	220.00	219.75	1025.00	0.00	0.10	0.231	0.066	10.140	437.816	5860310.0	604687.4	4439.63	8.08
30	2	10	219.75	219.50	1025.10	0.00	0.10	0.231	0.066	10.140	437.818	5860368.5	604690.5	4439.67	8.08
31	2	11	219.50	219.25	1025.20	0.00	0.10	0.231	0.066	10.141	437.820	5860427.5	604693.6	4439.72	8.08
32	2	12	219.25	219.00	1025.30	0.00	0.10	0.231	0.066	10.141	437.822	5860486.5	604696.7	4439.76	8.08
33	2	13	219.00	218.75	1025.40	0.00	0.10	0.231	0.066	10.141	437.825	5860545.5	604699.8	4439.81	8.08
34	2	14	218.75	218.50	1025.50	0.00	0.10	0.231	0.066	10.141	437.827	5860604.0	604702.9	4439.85	8.08
35	2	15	218.50	218.25	1025.60	0.00	0.10	0.231	0.066	10.141	437.829	5860663.0	604706.1	4439.90	8.08
36	2	16	218.25	218.00	1025.70	0.00	0.10	0.231	0.066	10.141	437.832	5860721.5	604709.2	4439.94	8.08
37	2	17	218.00	217.75	1025.80	0.00	0.10	0.231	0.066	10.141	437.834	5860780.5	604712.3	4439.99	8.08
38	2	18	217.75	217.50	1025.90	0.00	0.10	0.231	0.066	10.141	437.836	5860839.5	604715.4	4440.03	8.09
39	2	19	217.50	217.25	1026.00	0.00	0.10	0.231	0.066	10.141	437.838	5860898.5	604718.5	4440.07	8.09
40	2	20	217.25	217.00	1026.10	0.00	0.10	0.231	0.066	10.141	437.841	5860957.0	604721.6	4440.12	8.09
41	3	1	217.00	216.75	1026.20	0.00	0.10	0.231	0.066	10.141	437.843	5861016.0	604724.7	4440.16	4.68
42	3	2	216.75	216.50	1026.30	0.00	0.10	0.231	0.066	10.141	437.845	5861075.0	604727.9	4440.21	4.68
43	3	3	216.50	216.25	1026.40	0.00	0.10	0.231	0.066	10.141	437.847	5861133.5	604730.9	4440.25	4.68
44	3	4	216.25	216.00	1026.50	0.00	0.10	0.231	0.066	10.141	437.850	5861192.5	604734.1	4440.30	4.68
45	3	5	216.00	215.75	1026.60	0.00	0.10	0.231	0.066	10.141	437.852	5861251.5	604737.2	4440.34	4.68
46	3	6	215.75	215.50	1026.70	0.00	0.10	0.231	0.066	10.141	437.854	5861310.0	604740.3	4440.39	4.68
47	3	7	215.50	215.25	1026.80	0.00	0.10	0.231	0.066	10.141	437.856	5861368.5	604743.4	4440.43	4.68
48	3	8	215.25	215.00	1026.90	0.00	0.10	0.231	0.066	10.141	437.859	5861427.5	604746.6	4440.48	4.69
49	3	9	215.00	214.75	1027.00	0.00	0.10	0.231	0.066	10.141	437.861	5861486.0	604749.7	4440.52	4.69
50	3	10	214.75	214.50	1027.10	0.00	0.10	0.231	0.066	10.141	437.863	5861545.0	604752.7	4440.56	4.69
51	3	11	214.50	214.25	1027.20	0.00	0.10	0.231	0.066	10.141	437.865	5861604.0	604755.9	4440.61	4.69
52	3	12	214.25	214.00	1027.30	0.00	0.10	0.231	0.066	10.142	437.868	5861662.5	604758.9	4440.65	4.69
53	3	13	214.00	213.75	1027.40	0.00	0.10	0.231	0.066	10.142	437.870	5861721.0	604762.1	4440.70	4.69
54	3	14	213.75	213.50	1027.50	0.00	0.10	0.231	0.066	10.142	437.872	5861780.0	604765.2	4440.74	4.69
55	3	15	213.50	213.25	1027.60	0.00	0.10	0.231	0.066	10.142	437.874	5861839.0	604768.3	4440.79	4.69
56	3	16	213.25	213.00	1027.70	0.00	0.10	0.231	0.066	10.142	437.877	5861897.5	604771.4	4440.83	4.69
57	3	17	213.00	212.75	1027.80	0.00	0.10	0.231	0.066	10.142	437.879	5861956.0	604774.6	4440.88	4.69
58	3	18	212.75	212.50	1027.90	0.00	0.10	0.231	0.066	10.142	437.881	5862015.0	604777.7	4440.92	4.69
59	3	19	212.50	212.25	1028.00	0.00	0.10	0.231	0.066	10.142	437.883	5862073.5	604780.7	4440.96	4.69
60	3	20	212.25	212.00	1028.10	0.00	0.10	0.232	0.066	10.142	437.886	5862132.5	604783.9	4441.01	4.69
61	4	1	212.00	211.75	1028.20	0.00	0.10	0.232	0.066	11.316	392.457	5862191.0	547917.7	4441.05	4.91

CRFL656B.OUT

62	4	2	211.75	211.50	1028.30	0.00	0.10	0.232	0.066	11.316	392.459	5862250.0	547920.5	4441.10	4.91
63	4	3	211.50	211.25	1028.40	0.00	0.10	0.232	0.066	11.316	392.461	5862308.5	547923.3	4441.14	4.91
64	4	4	211.25	211.00	1029.50	1.00	0.10	0.232	0.066	11.317	392.483	5862954.0	547954.2	4441.63	4.91
65	4	5	211.00	210.75	1029.60	0.00	0.10	0.232	0.066	11.317	392.485	5863012.5	547957.1	4441.68	4.91

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.50	1029.70	0.00	0.10	0.232	0.066	11.317	392.487	5863071.5	547959.9	4441.72	4.91
67	4	7	210.50	210.25	1029.80	0.00	0.10	0.232	0.066	11.317	392.489	5863130.0	547962.7	4441.77	4.91
68	4	8	210.25	210.00	1029.90	0.00	0.10	0.232	0.066	11.317	392.491	5863188.5	547965.5	4441.81	4.91
69	4	9	210.00	209.75	1030.00	0.00	0.10	0.232	0.066	11.317	392.493	5863247.0	547968.3	4441.85	4.91
70	4	10	209.75	209.50	1030.10	0.00	0.10	0.232	0.066	11.317	392.495	5863305.5	547971.1	4441.90	4.91
71	4	11	209.50	209.25	1030.20	0.00	0.10	0.232	0.066	11.317	392.498	5863364.5	547974.0	4441.94	4.91
72	4	12	209.25	209.00	1030.30	0.00	0.10	0.232	0.066	11.317	392.500	5863423.0	547976.7	4441.99	4.91
73	4	13	209.00	208.75	1030.40	0.00	0.10	0.232	0.066	11.317	392.502	5863481.5	547979.6	4442.03	4.92
74	4	14	208.75	208.50	1030.50	0.00	0.10	0.232	0.066	11.317	392.504	5863540.0	547982.4	4442.08	4.92
75	4	15	208.50	208.25	1030.60	0.00	0.10	0.232	0.066	11.317	392.506	5863598.5	547985.2	4442.12	4.92
76	4	16	208.25	208.00	1030.70	0.00	0.10	0.232	0.066	11.317	392.508	5863657.0	547988.0	4442.16	4.92
77	4	17	208.00	207.75	1030.80	0.00	0.10	0.232	0.066	11.317	392.510	5863716.0	547990.8	4442.21	4.92
78	4	18	207.75	207.50	1031.00	0.10	0.10	0.232	0.066	11.318	392.514	5863833.0	547996.4	4442.30	4.92
79	4	19	207.50	207.25	1031.10	0.00	0.10	0.232	0.066	11.318	392.516	5863891.5	547999.2	4442.34	4.92
80	4	20	207.25	207.00	1031.20	0.00	0.10	0.232	0.066	11.318	392.518	5863950.5	548002.0	4442.39	4.92
81	5	1	207.00	206.75	1031.30	0.00	0.10	0.199	0.077	13.596	382.070	6857071.5	540226.4	5194.75	2.33
82	5	2	206.75	206.50	1031.40	0.00	0.10	0.199	0.077	13.596	382.071	6857107.5	540228.2	5194.78	2.33
83	5	3	206.50	206.25	1031.50	0.00	0.10	0.199	0.077	13.596	382.072	6857143.5	540230.0	5194.81	2.33
84	5	4	206.25	206.00	1031.60	0.00	0.10	0.199	0.077	13.596	382.074	6857179.5	540231.9	5194.83	2.33
85	5	5	206.00	205.75	1031.70	0.00	0.10	0.199	0.077	13.596	382.075	6857215.5	540233.7	5194.86	2.33
86	5	6	205.75	205.50	1031.80	0.00	0.10	0.199	0.077	13.596	382.076	6857251.0	540235.4	5194.89	2.34
87	5	7	205.50	205.25	1031.90	0.00	0.10	0.199	0.077	13.596	382.078	6857287.0	540237.3	5194.91	2.34
88	5	8	205.25	205.00	1032.00	0.00	0.10	0.199	0.077	13.597	382.079	6857323.0	540239.1	5194.94	2.34
89	5	9	205.00	204.75	1032.10	0.00	0.10	0.199	0.077	13.597	382.080	6857359.0	540240.9	5194.97	2.34
90	5	10	204.75	204.50	1032.20	0.00	0.10	0.199	0.077	13.597	382.082	6857394.5	540242.7	5195.00	2.34
91	5	11	204.50	204.25	1032.30	0.00	0.10	0.199	0.077	13.597	382.083	6857430.5	540244.6	5195.02	2.34
92	5	12	204.25	204.00	1032.40	0.00	0.10	0.199	0.077	13.597	382.084	6857466.5	540246.4	5195.05	2.34
93	5	13	204.00	203.75	1032.50	0.00	0.10	0.199	0.077	13.597	382.086	6857502.5	540248.2	5195.08	2.34
94	5	14	203.75	203.50	1032.60	0.00	0.10	0.199	0.077	13.597	382.087	6857538.0	540250.0	5195.10	2.34
95	5	15	203.50	203.25	1032.70	0.00	0.10	0.199	0.077	13.597	382.088	6857573.5	540251.9	5195.13	2.34
96	5	16	203.25	203.00	1032.80	0.00	0.10	0.199	0.077	13.597	382.090	6857610.0	540253.7	5195.16	2.34
97	5	17	203.00	202.75	1033.90	1.00	0.10	0.199	0.077	13.597	382.104	6858004.0	540273.7	5195.46	2.34
98	5	18	202.75	202.50	1034.00	0.00	0.10	0.199	0.077	13.597	382.106	6858040.0	540275.6	5195.48	2.34

CRFL656B.OUT

99	5	19	202.50	202.25	1034.10	0.00	0.10	0.199	0.077	13.597	382.107	6858075.5	540277.3	5195.51	2.34
100	5	20	202.25	202.00	1034.20	0.00	0.10	0.199	0.077	13.597	382.108	6858111.5	540279.2	5195.54	2.34
101	6	1	202.00	201.75	1034.30	0.00	0.10	0.199	0.077	13.597	382.110	6858147.5	540280.9	5195.57	3.98
102	6	2	201.75	201.50	1034.40	0.00	0.10	0.199	0.077	13.597	382.111	6858183.0	540282.7	5195.59	3.98
103	6	3	201.50	201.25	1034.50	0.00	0.10	0.199	0.077	13.597	382.112	6858219.0	540284.6	5195.62	3.98
104	6	4	201.25	201.00	1034.60	0.00	0.10	0.199	0.077	13.597	382.114	6858254.5	540286.4	5195.65	3.98
105	6	5	201.00	200.75	1034.70	0.00	0.10	0.199	0.077	13.597	382.115	6858290.5	540288.2	5195.67	3.98
106	6	6	200.75	200.50	1034.80	0.00	0.10	0.199	0.077	13.597	382.116	6858326.0	540290.1	5195.70	3.98
107	6	7	200.50	200.25	1034.90	0.00	0.10	0.199	0.077	13.597	382.118	6858362.0	540291.9	5195.73	3.98
108	6	8	200.25	200.00	1035.00	0.00	0.10	0.199	0.077	13.597	382.119	6858398.0	540293.7	5195.76	3.98
109	6	9	200.00	199.75	1035.10	0.00	0.10	0.199	0.077	13.597	382.120	6858433.5	540295.5	5195.78	3.98
110	6	10	199.75	199.50	1035.20	0.00	0.10	0.199	0.077	13.597	382.122	6858469.5	540297.3	5195.81	3.98
111	6	11	199.50	199.25	1035.30	0.00	0.10	0.199	0.077	13.597	382.123	6858505.0	540299.1	5195.84	3.98
112	6	12	199.25	199.00	1035.40	0.00	0.10	0.199	0.077	13.597	382.124	6858541.0	540300.9	5195.86	3.98
113	6	13	199.00	198.75	1035.60	0.10	0.10	0.199	0.077	13.597	382.127	6858612.5	540304.6	5195.92	3.98
114	6	14	198.75	198.50	1035.70	0.00	0.10	0.199	0.077	13.597	382.128	6858648.0	540306.4	5195.95	3.98
115	6	15	198.50	198.25	1035.80	0.00	0.10	0.199	0.077	13.597	382.130	6858683.5	540308.2	5195.97	3.98
116	6	16	198.25	198.00	1035.90	0.00	0.10	0.199	0.077	13.597	382.131	6858719.5	540310.1	5196.00	3.98
117	6	17	198.00	197.75	1036.00	0.00	0.10	0.199	0.077	13.597	382.132	6858755.0	540311.8	5196.03	3.99
118	6	18	197.75	197.50	1036.10	0.00	0.10	0.199	0.077	13.597	382.134	6858791.0	540313.7	5196.05	3.99
119	6	19	197.50	197.25	1036.20	0.00	0.10	0.199	0.077	13.598	382.135	6858826.5	540315.4	5196.08	3.99
120	6	20	197.25	197.00	1036.30	0.00	0.10	0.199	0.077	13.598	382.136	6858862.5	540317.3	5196.11	3.99
121	7	1	197.00	196.75	1036.50	0.10	0.10	0.127	0.120	16.223	501.106	10730840.0	704288.4	8129.42	1.22
122	7	2	196.75	196.50	1036.60	0.00	0.10	0.128	0.120	16.223	501.109	10730912.0	704292.2	8129.48	1.22
123	7	3	196.50	196.25	1036.70	0.00	0.10	0.128	0.120	16.223	501.112	10730984.0	704296.0	8129.53	1.22
124	7	4	196.25	196.00	1036.80	0.00	0.10	0.128	0.120	16.223	501.114	10731057.0	704299.9	8129.59	1.22
125	7	5	196.00	195.75	1036.90	0.00	0.10	0.128	0.120	16.223	501.117	10731128.0	704303.6	8129.64	1.22
126	7	6	195.75	195.50	1037.00	0.00	0.10	0.128	0.120	16.223	501.120	10731201.0	704307.5	8129.70	1.22
127	7	7	195.50	195.25	1037.10	0.00	0.10	0.128	0.120	16.223	501.123	10731273.0	704311.2	8129.75	1.22
128	7	8	195.25	195.00	1037.20	0.00	0.10	0.128	0.120	16.223	501.126	10731346.0	704315.1	8129.81	1.22
129	7	9	195.00	194.75	1037.30	0.00	0.10	0.128	0.120	16.223	501.129	10731418.0	704318.9	8129.86	1.22
130	7	10	194.75	194.50	1037.40	0.00	0.10	0.128	0.120	16.223	501.132	10731491.0	704322.7	8129.92	1.22

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN					
ORD	NUM	NUM	LOC	LOC	FLOW	FLOW	TIME	AREA	AREA	COEF					
			LOC	LOC	SRCE	SRCE	DAY	FT-2	FT-2	FT-2/S					
			FT-2	FT-2	SRCE	SRCE	FT	FT-2	FT-2	FT-2/S					
			FT-2	FT-2	SRCE	SRCE	FT	FT-2	FT-2	FT-2/S					
			FT-2	FT-2	SRCE	SRCE	FT	FT-2	FT-2	FT-2/S					
			FT-2	FT-2	SRCE	SRCE	FT	FT-2	FT-2	FT-2/S					
			FT-2	FT-2	SRCE	SRCE	FT	FT-2	FT-2	FT-2/S					
			FT-2	FT-2	SRCE	SRCE	FT	FT-2	FT-2	FT-2/S					
			FT-2	FT-2	SRCE	SRCE	FT	FT-2	FT-2	FT-2/S					
131	7	11	194.50	194.25	1037.50	0.00	0.10	0.128	0.120	16.223	501.134	10731563.0	704326.5	8129.97	1.22
132	7	12	194.25	194.00	1037.60	0.00	0.10	0.128	0.120	16.223	501.137	10731636.0	704330.3	8130.03	1.22
133	7	13	194.00	193.75	1259.70	222.00	0.10	0.153	0.100	16.258	506.905	10878338.0	712035.4	8241.17	1.46

CRFL656B.OUT

134	7	14	193.75	193.50	1259.80	0.00	0.10	0.153	0.100	16.258	506.908	10878398.0	712038.6	8241.21	1.46
135	7	15	193.50	193.25	1259.90	0.00	0.10	0.153	0.100	16.258	506.910	10878458.0	712041.7	8241.26	1.46
136	7	16	193.25	193.00	1260.00	0.00	0.10	0.153	0.100	16.258	506.912	10878519.0	712044.9	8241.30	1.46
137	7	17	193.00	192.75	1260.10	0.00	0.10	0.153	0.100	16.258	506.915	10878579.0	712048.1	8241.35	1.46
138	7	18	192.75	192.50	1260.20	0.00	0.10	0.153	0.100	16.258	506.917	10878640.0	712051.2	8241.39	1.46
139	7	19	192.50	192.25	1260.30	0.00	0.10	0.153	0.100	16.258	506.919	10878701.0	712054.5	8241.44	1.46
140	7	20	192.25	192.00	1260.40	0.00	0.10	0.153	0.100	16.258	506.922	10878761.0	712057.6	8241.49	1.46
141	8	1	192.00	191.75	1261.42	0.77	0.25	0.153	0.100	16.258	506.946	10879377.0	712089.9	8241.95	1.46
142	8	2	191.75	191.50	1261.67	0.00	0.25	0.153	0.100	16.258	506.952	10879527.0	712097.9	8242.07	1.46
143	8	3	191.50	191.25	1261.92	0.00	0.25	0.153	0.100	16.258	506.958	10879678.0	712105.7	8242.18	1.46
144	8	4	191.25	191.00	1262.17	0.00	0.25	0.153	0.100	16.258	506.964	10879829.0	712113.7	8242.29	1.46
145	8	5	191.00	190.75	1262.42	0.00	0.25	0.153	0.100	16.258	506.970	10879980.0	712121.6	8242.41	1.46
146	8	6	190.75	190.50	1262.67	0.00	0.25	0.153	0.100	16.258	506.976	10880131.0	712129.4	8242.52	1.46
147	8	7	190.50	190.25	1262.92	0.00	0.25	0.153	0.100	16.258	506.982	10880281.0	712137.4	8242.64	1.46
148	8	8	190.25	190.00	1263.17	0.00	0.25	0.153	0.100	16.258	506.987	10880433.0	712145.4	8242.75	1.46

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT	K2 OPT	OXYGN REAIR	BOD DECAY	BOD SETT	SOD RATE	ORGN DECAY	ORGN SETT	NH3 DECAY	NH3 SRCE	NO2 DECAY	ORGP DECAY	ORGP SETT	DISP SRCE	COLI DECAY	ANC DECAY	ANC SETT	ANC SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
1	1	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	2	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	3	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	4	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	5	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	6	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	7	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	8	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	9	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	10	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	11	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	12	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	13	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	14	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	15	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	16	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	17	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	18	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	19	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	20	7.37	3	0.25	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CRFL656B.OUT

4 5 7.37 3 0.22 0.13 0.00 0.14 0.17 0.00 0.25 0.00 1.70 0.00 0.00 0.00 0.00 0.00 0.00 0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
4	6	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.37	3	0.22	0.13	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.37	3	0.18	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	3	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	4	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	5	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	6	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	7	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	8	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	9	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	10	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	11	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	12	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	13	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	14	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	15	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	16	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	17	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	18	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	19	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	20	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CRFL656B.OUT

6	1	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	2	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	3	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	4	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	5	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	6	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	7	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	8	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	9	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	10	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	11	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	12	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	13	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	14	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	15	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	16	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	17	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	18	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	19	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
6	20	7.37	3	0.15	0.08	0.00	0.14	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	1	7.37	3	0.12	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	2	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	3	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	4	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	5	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	6	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	7	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	8	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT	K2 OPT	OXYGN REAIR	BOD DECAY	BOD SETT	SOD RATE	ORGN DECAY	ORGN SETT	NH3 DECAY	NH3 SRCE	NO2 DECAY	ORGP DECAY	ORGP SETT	DISP SRCE	COLI DECAY	ANC DECAY	ANC SETT	ANC SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	11	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.37	3	0.09	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

CRFL656B.OUT

7	17	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.37	3	0.10	0.08	0.00	0.10	0.17	0.00	0.25	0.00	1.70	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH	ELE	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA	
NUM	NUM	TEMP			MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L	
		DEG-F																
1	1	88.70	0.00	0.00	0.00	5.94	3.73	0.48	0.05	0.09	0.41	1.03	0.07	0.04	0.11	0.00	0.00	8.60
1	2	88.70	0.00	0.00	0.00	5.94	3.71	0.47	0.06	0.08	0.42	1.03	0.07	0.04	0.11	0.00	0.00	8.80
1	3	88.70	0.00	0.00	0.00	5.93	3.68	0.47	0.06	0.07	0.42	1.03	0.07	0.04	0.11	0.00	0.00	9.00
1	4	88.70	0.00	0.00	0.00	5.93	3.66	0.46	0.07	0.07	0.43	1.03	0.07	0.04	0.11	0.00	0.00	9.21
1	5	88.70	0.00	0.00	0.00	5.93	3.64	0.46	0.07	0.06	0.44	1.03	0.07	0.04	0.11	0.00	0.00	9.43
1	6	88.70	0.00	0.00	0.00	5.93	3.62	0.45	0.07	0.06	0.44	1.02	0.07	0.04	0.11	0.00	0.00	9.65
1	7	88.70	0.00	0.00	0.00	5.93	3.60	0.45	0.08	0.05	0.44	1.02	0.07	0.04	0.11	0.00	0.00	9.88
1	8	88.70	0.00	0.00	0.00	5.94	3.58	0.44	0.08	0.05	0.45	1.02	0.07	0.04	0.11	0.00	0.00	10.11
1	9	88.70	0.00	0.00	0.00	5.94	3.56	0.44	0.08	0.04	0.45	1.02	0.07	0.04	0.11	0.00	0.00	10.35
1	10	88.70	0.00	0.00	0.00	5.95	3.54	0.43	0.09	0.04	0.46	1.02	0.07	0.04	0.11	0.00	0.00	10.59
1	11	88.70	0.00	0.00	0.00	5.95	3.52	0.43	0.09	0.04	0.46	1.02	0.07	0.04	0.11	0.00	0.00	10.84
1	12	88.70	0.00	0.00	0.00	5.96	3.50	0.42	0.09	0.04	0.46	1.01	0.07	0.04	0.11	0.00	0.00	11.09
1	13	88.70	0.00	0.00	0.00	5.97	3.48	0.42	0.10	0.03	0.46	1.01	0.07	0.04	0.11	0.00	0.00	11.35
1	14	88.70	0.00	0.00	0.00	5.98	3.46	0.42	0.10	0.03	0.46	1.01	0.07	0.03	0.11	0.00	0.00	11.61
1	15	88.70	0.00	0.00	0.00	5.99	3.44	0.41	0.10	0.03	0.46	1.01	0.07	0.03	0.11	0.00	0.00	11.87
1	16	88.70	0.00	0.00	0.00	6.00	3.42	0.41	0.10	0.03	0.47	1.01	0.07	0.03	0.11	0.00	0.00	12.14
1	17	88.70	0.00	0.00	0.00	6.01	3.40	0.40	0.11	0.03	0.47	1.00	0.07	0.03	0.10	0.00	0.00	12.42
1	18	88.70	0.00	0.00	0.00	6.02	3.38	0.40	0.11	0.03	0.47	1.00	0.07	0.03	0.10	0.00	0.00	12.69
1	19	88.70	0.00	0.00	0.00	6.03	3.36	0.39	0.11	0.02	0.47	1.00	0.07	0.03	0.10	0.00	0.00	12.98
1	20	88.70	0.00	0.00	0.00	6.04	3.38	0.39	0.12	0.02	0.47	1.00	0.07	0.03	0.10	0.00	0.00	13.25
2	1	88.70	0.00	0.00	0.00	5.91	5.16	0.48	0.26	0.03	0.47	1.23	0.08	0.05	0.13	0.00	0.00	12.94

CRFL656B.OUT

2	2	88.70	0.00	0.00	0.00	5.88	5.12	0.48	0.26	0.03	0.47	1.23	0.08	0.05	0.13	0.00	0.00	13.12
2	3	88.70	0.00	0.00	0.00	5.85	5.07	0.47	0.26	0.03	0.47	1.23	0.08	0.05	0.13	0.00	0.00	13.30
2	4	88.70	0.00	0.00	0.00	5.83	5.03	0.47	0.26	0.03	0.48	1.23	0.08	0.05	0.13	0.00	0.00	13.48
2	5	88.70	0.00	0.00	0.00	5.80	4.99	0.46	0.26	0.03	0.48	1.23	0.08	0.05	0.13	0.00	0.00	13.67
2	6	88.70	0.00	0.00	0.00	5.78	4.95	0.46	0.26	0.03	0.48	1.23	0.08	0.05	0.13	0.00	0.00	13.86
2	7	88.70	0.00	0.00	0.00	5.75	4.91	0.45	0.26	0.03	0.48	1.22	0.08	0.05	0.13	0.00	0.00	14.05
2	8	88.70	0.00	0.00	0.00	5.73	4.87	0.45	0.26	0.03	0.48	1.22	0.08	0.05	0.13	0.00	0.00	14.24
2	9	88.70	0.00	0.00	0.00	5.71	4.82	0.44	0.26	0.03	0.49	1.22	0.08	0.05	0.13	0.00	0.00	14.44
2	10	88.70	0.00	0.00	0.00	5.69	4.78	0.44	0.26	0.03	0.49	1.22	0.08	0.05	0.13	0.00	0.00	14.64
2	11	88.70	0.00	0.00	0.00	5.67	4.74	0.43	0.26	0.03	0.49	1.22	0.08	0.05	0.13	0.00	0.00	14.83
2	12	88.70	0.00	0.00	0.00	5.65	4.70	0.43	0.26	0.03	0.49	1.22	0.08	0.05	0.13	0.00	0.00	15.04
2	13	88.70	0.00	0.00	0.00	5.63	4.66	0.43	0.26	0.04	0.50	1.21	0.08	0.05	0.13	0.00	0.00	15.24
2	14	88.70	0.00	0.00	0.00	5.62	4.63	0.42	0.26	0.04	0.50	1.21	0.08	0.05	0.13	0.00	0.00	15.44
2	15	88.70	0.00	0.00	0.00	5.60	4.59	0.42	0.26	0.04	0.50	1.21	0.08	0.05	0.13	0.00	0.00	15.65
2	16	88.70	0.00	0.00	0.00	5.59	4.55	0.41	0.26	0.04	0.50	1.21	0.08	0.05	0.13	0.00	0.00	15.86
2	17	88.70	0.00	0.00	0.00	5.57	4.51	0.41	0.25	0.04	0.51	1.21	0.08	0.05	0.13	0.00	0.00	16.07
2	18	88.70	0.00	0.00	0.00	5.56	4.47	0.41	0.25	0.04	0.51	1.21	0.08	0.05	0.13	0.00	0.00	16.28
2	19	88.70	0.00	0.00	0.00	5.55	4.43	0.40	0.25	0.04	0.51	1.20	0.08	0.05	0.13	0.00	0.00	16.49
2	20	88.70	0.00	0.00	0.00	5.54	4.40	0.40	0.25	0.04	0.51	1.20	0.08	0.05	0.13	0.00	0.00	16.71
3	1	88.70	0.00	0.00	0.00	5.55	4.36	0.39	0.25	0.04	0.52	1.20	0.08	0.05	0.13	0.00	0.00	17.09
3	2	88.70	0.00	0.00	0.00	5.56	4.32	0.39	0.25	0.04	0.52	1.20	0.08	0.05	0.13	0.00	0.00	17.49
3	3	88.70	0.00	0.00	0.00	5.57	4.29	0.39	0.25	0.04	0.52	1.19	0.08	0.05	0.12	0.00	0.00	17.89
3	4	88.70	0.00	0.00	0.00	5.59	4.25	0.38	0.25	0.04	0.52	1.19	0.08	0.05	0.12	0.00	0.00	18.29
3	5	88.70	0.00	0.00	0.00	5.60	4.22	0.38	0.25	0.04	0.52	1.19	0.08	0.04	0.12	0.00	0.00	18.70
3	6	88.70	0.00	0.00	0.00	5.62	4.18	0.38	0.25	0.04	0.52	1.18	0.08	0.04	0.12	0.00	0.00	19.12
3	7	88.70	0.00	0.00	0.00	5.63	4.15	0.37	0.25	0.04	0.53	1.18	0.08	0.04	0.12	0.00	0.00	19.54
3	8	88.70	0.00	0.00	0.00	5.65	4.11	0.37	0.25	0.04	0.53	1.18	0.08	0.04	0.12	0.00	0.00	19.96
3	9	88.70	0.00	0.00	0.00	5.67	4.08	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12	0.00	0.00	20.39
3	10	88.70	0.00	0.00	0.00	5.69	4.04	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12	0.00	0.00	20.82
3	11	88.70	0.00	0.00	0.00	5.71	4.01	0.36	0.24	0.04	0.53	1.17	0.08	0.04	0.12	0.00	0.00	21.26
3	12	88.70	0.00	0.00	0.00	5.73	3.98	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12	0.00	0.00	21.70
3	13	88.70	0.00	0.00	0.00	5.75	3.94	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12	0.00	0.00	22.15
3	14	88.70	0.00	0.00	0.00	5.78	3.91	0.35	0.24	0.04	0.53	1.16	0.08	0.04	0.12	0.00	0.00	22.59
3	15	88.70	0.00	0.00	0.00	5.80	3.88	0.35	0.24	0.04	0.54	1.15	0.08	0.04	0.12	0.00	0.00	23.04
3	16	88.70	0.00	0.00	0.00	5.82	3.84	0.34	0.23	0.04	0.54	1.15	0.08	0.04	0.12	0.00	0.00	23.50
3	17	88.70	0.00	0.00	0.00	5.85	3.81	0.34	0.23	0.04	0.54	1.15	0.08	0.04	0.12	0.00	0.00	23.95
3	18	88.70	0.00	0.00	0.00	5.87	3.78	0.34	0.23	0.04	0.54	1.14	0.08	0.04	0.12	0.00	0.00	24.41
3	19	88.70	0.00	0.00	0.00	5.90	3.75	0.33	0.23	0.04	0.54	1.14	0.08	0.03	0.12	0.00	0.00	24.87
3	20	88.70	0.00	0.00	0.00	5.92	3.72	0.33	0.23	0.04	0.54	1.14	0.08	0.03	0.11	0.00	0.00	25.33
4	1	88.70	0.00	0.00	0.00	5.92	3.69	0.33	0.23	0.04	0.54	1.13	0.08	0.03	0.11	0.00	0.00	25.64
4	2	88.70	0.00	0.00	0.00	5.92	3.66	0.32	0.23	0.03	0.54	1.13	0.08	0.03	0.11	0.00	0.00	25.95
4	3	88.70	0.00	0.00	0.00	5.92	3.63	0.32	0.23	0.03	0.54	1.13	0.08	0.03	0.11	0.00	0.00	26.26
4	4	88.70	0.00	0.00	0.00	5.91	3.60	0.32	0.22	0.03	0.55	1.12	0.08	0.03	0.11	0.00	0.00	26.54
4	5	88.70	0.00	0.00	0.00	5.91	3.57	0.32	0.22	0.03	0.55	1.12	0.08	0.03	0.11	0.00	0.00	26.84

1

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	88.70	0.00	0.00	0.00	5.91	3.54	0.31	0.22	0.03	0.55	1.12	0.08	0.03	0.11	0.00	0.00	27.15
4	7	88.70	0.00	0.00	0.00	5.91	3.51	0.31	0.22	0.03	0.55	1.12	0.08	0.03	0.11	0.00	0.00	27.45
4	8	88.70	0.00	0.00	0.00	5.91	3.48	0.31	0.22	0.03	0.55	1.11	0.08	0.03	0.11	0.00	0.00	27.75
4	9	88.70	0.00	0.00	0.00	5.91	3.45	0.31	0.22	0.03	0.55	1.11	0.08	0.03	0.11	0.00	0.00	28.05
4	10	88.70	0.00	0.00	0.00	5.91	3.42	0.30	0.22	0.03	0.55	1.11	0.08	0.03	0.11	0.00	0.00	28.35
4	11	88.70	0.00	0.00	0.00	5.91	3.39	0.30	0.22	0.03	0.55	1.11	0.08	0.03	0.11	0.00	0.00	28.65
4	12	88.70	0.00	0.00	0.00	5.91	3.36	0.30	0.21	0.03	0.56	1.10	0.08	0.03	0.11	0.00	0.00	28.94
4	13	88.70	0.00	0.00	0.00	5.91	3.34	0.30	0.21	0.03	0.56	1.10	0.08	0.03	0.11	0.00	0.00	29.23
4	14	88.70	0.00	0.00	0.00	5.91	3.31	0.29	0.21	0.03	0.56	1.10	0.08	0.02	0.11	0.00	0.00	29.52
4	15	88.70	0.00	0.00	0.00	5.91	3.28	0.29	0.21	0.03	0.56	1.10	0.08	0.02	0.11	0.00	0.00	29.81
4	16	88.70	0.00	0.00	0.00	5.91	3.25	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11	0.00	0.00	30.09
4	17	88.70	0.00	0.00	0.00	5.91	3.23	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11	0.00	0.00	30.36
4	18	88.70	0.00	0.00	0.00	5.91	3.20	0.29	0.21	0.03	0.56	1.09	0.08	0.02	0.11	0.00	0.00	30.63
4	19	88.70	0.00	0.00	0.00	5.92	3.17	0.28	0.21	0.03	0.56	1.08	0.08	0.02	0.11	0.00	0.00	30.90
4	20	88.70	0.00	0.00	0.00	5.92	3.15	0.28	0.21	0.03	0.56	1.08	0.08	0.02	0.11	0.00	0.00	31.16
5	1	88.70	0.00	0.00	0.00	5.91	3.13	0.28	0.20	0.03	0.57	1.08	0.08	0.02	0.11	0.00	0.00	31.34
5	2	88.70	0.00	0.00	0.00	5.90	3.11	0.28	0.20	0.03	0.57	1.08	0.08	0.02	0.10	0.00	0.00	31.52
5	3	88.70	0.00	0.00	0.00	5.89	3.09	0.27	0.20	0.03	0.57	1.08	0.09	0.02	0.10	0.00	0.00	31.70
5	4	88.70	0.00	0.00	0.00	5.88	3.07	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10	0.00	0.00	31.87
5	5	88.70	0.00	0.00	0.00	5.87	3.05	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10	0.00	0.00	32.03
5	6	88.70	0.00	0.00	0.00	5.86	3.03	0.27	0.20	0.03	0.57	1.07	0.09	0.02	0.10	0.00	0.00	32.19
5	7	88.70	0.00	0.00	0.00	5.85	3.01	0.26	0.20	0.03	0.58	1.07	0.09	0.02	0.10	0.00	0.00	32.35
5	8	88.70	0.00	0.00	0.00	5.84	2.99	0.26	0.20	0.03	0.58	1.07	0.09	0.02	0.10	0.00	0.00	32.49
5	9	88.70	0.00	0.00	0.00	5.83	2.97	0.26	0.19	0.03	0.58	1.06	0.09	0.02	0.10	0.00	0.00	32.63
5	10	88.70	0.00	0.00	0.00	5.82	2.95	0.26	0.19	0.03	0.58	1.06	0.09	0.02	0.10	0.00	0.00	32.77
5	11	88.70	0.00	0.00	0.00	5.81	2.93	0.26	0.19	0.03	0.58	1.06	0.09	0.01	0.10	0.00	0.00	32.89
5	12	88.70	0.00	0.00	0.00	5.80	2.91	0.25	0.19	0.03	0.58	1.06	0.09	0.01	0.10	0.00	0.00	33.01
5	13	88.70	0.00	0.00	0.00	5.78	2.89	0.25	0.19	0.03	0.58	1.06	0.09	0.01	0.10	0.00	0.00	33.12
5	14	88.70	0.00	0.00	0.00	5.77	2.87	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10	0.00	0.00	33.22
5	15	88.70	0.00	0.00	0.00	5.76	2.86	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10	0.00	0.00	33.31
5	16	88.70	0.00	0.00	0.00	5.74	2.84	0.25	0.19	0.03	0.59	1.05	0.09	0.01	0.10	0.00	0.00	33.40
5	17	88.70	0.00	0.00	0.00	5.73	2.82	0.25	0.19	0.03	0.59	1.06	0.09	0.01	0.10	0.00	0.00	33.46
5	18	88.70	0.00	0.00	0.00	5.71	2.80	0.25	0.19	0.03	0.59	1.06	0.09	0.01	0.10	0.00	0.00	33.54
5	19	88.70	0.00	0.00	0.00	5.70	2.78	0.24	0.19	0.03	0.59	1.06	0.09	0.01	0.10	0.00	0.00	33.61
5	20	88.70	0.00	0.00	0.00	5.68	2.77	0.24	0.19	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	33.68
6	1	88.70	0.00	0.00	0.00	5.67	2.75	0.24	0.19	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	33.78
6	2	88.70	0.00	0.00	0.00	5.66	2.73	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	33.87

CRFL656B.OUT

6	3	88.70	0.00	0.00	0.00	5.65	2.71	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	33.97
6	4	88.70	0.00	0.00	0.00	5.64	2.70	0.24	0.18	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	34.07
6	5	88.70	0.00	0.00	0.00	5.63	2.68	0.23	0.18	0.03	0.60	1.05	0.09	0.01	0.10	0.00	0.00	34.17
6	6	88.70	0.00	0.00	0.00	5.62	2.66	0.23	0.18	0.03	0.60	1.04	0.09	0.01	0.10	0.00	0.00	34.27
6	7	88.70	0.00	0.00	0.00	5.62	2.64	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10	0.00	0.00	34.37
6	8	88.70	0.00	0.00	0.00	5.61	2.63	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10	0.00	0.00	34.48
6	9	88.70	0.00	0.00	0.00	5.60	2.61	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10	0.00	0.00	34.58
6	10	88.70	0.00	0.00	0.00	5.59	2.59	0.23	0.18	0.03	0.61	1.04	0.09	0.01	0.10	0.00	0.00	34.68
6	11	88.70	0.00	0.00	0.00	5.59	2.58	0.22	0.17	0.03	0.61	1.04	0.08	0.01	0.10	0.00	0.00	34.79
6	12	88.70	0.00	0.00	0.00	5.58	2.56	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	34.89
6	13	88.70	0.00	0.00	0.00	5.57	2.54	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	34.99
6	14	88.70	0.00	0.00	0.00	5.57	2.53	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	35.10
6	15	88.70	0.00	0.00	0.00	5.56	2.51	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	35.20
6	16	88.70	0.00	0.00	0.00	5.56	2.49	0.22	0.17	0.03	0.61	1.03	0.08	0.01	0.10	0.00	0.00	35.31
6	17	88.70	0.00	0.00	0.00	5.55	2.48	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.41
6	18	88.70	0.00	0.00	0.00	5.55	2.46	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.52
6	19	88.70	0.00	0.00	0.00	5.55	2.45	0.21	0.17	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.62
6	20	88.70	0.00	0.00	0.00	5.54	2.43	0.21	0.16	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.73
7	1	88.70	0.00	0.00	0.00	5.55	2.41	0.21	0.16	0.03	0.62	1.02	0.08	0.01	0.09	0.00	0.00	35.95
7	2	88.70	0.00	0.00	0.00	5.56	2.39	0.21	0.16	0.03	0.62	1.01	0.08	0.01	0.09	0.00	0.00	36.22
7	3	88.70	0.00	0.00	0.00	5.57	2.36	0.20	0.16	0.02	0.62	1.01	0.08	0.01	0.09	0.00	0.00	36.49
7	4	88.70	0.00	0.00	0.00	5.57	2.34	0.20	0.16	0.02	0.62	1.01	0.08	0.01	0.09	0.00	0.00	36.75
7	5	88.70	0.00	0.00	0.00	5.58	2.31	0.20	0.16	0.02	0.62	1.00	0.08	0.01	0.09	0.00	0.00	37.01
7	6	88.70	0.00	0.00	0.00	5.59	2.29	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09	0.00	0.00	37.26
7	7	88.70	0.00	0.00	0.00	5.60	2.27	0.20	0.15	0.02	0.62	1.00	0.08	0.01	0.09	0.00	0.00	37.51
7	8	88.70	0.00	0.00	0.00	5.60	2.25	0.20	0.15	0.02	0.62	0.99	0.08	0.01	0.09	0.00	0.00	37.76
7	9	88.70	0.00	0.00	0.00	5.61	2.22	0.19	0.15	0.02	0.62	0.99	0.08	0.01	0.09	0.00	0.00	37.99
7	10	88.70	0.00	0.00	0.00	5.62	2.20	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09	0.00	0.00	38.22

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH ELE	CM-1	CM-2	CM-3														ANC	
NUM NUM	TEMP			DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	BOD	CHLA		
	DEG-F			MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L		
7	11	88.70	0.00	0.00	0.00	5.63	2.18	0.19	0.15	0.02	0.63	0.99	0.08	0.01	0.09	0.00	0.00	38.45
7	12	88.70	0.00	0.00	0.00	5.63	2.16	0.19	0.15	0.02	0.63	0.98	0.08	0.01	0.09	0.00	0.00	38.63
7	13	88.70	0.00	0.00	0.00	5.61	2.25	0.24	0.13	0.03	0.59	0.99	0.08	0.02	0.09	0.00	0.00	33.63
7	14	88.70	0.00	0.00	0.00	5.63	2.23	0.24	0.13	0.03	0.59	0.99	0.08	0.02	0.09	0.00	0.00	33.93
7	15	88.70	0.00	0.00	0.00	5.64	2.21	0.23	0.13	0.03	0.59	0.98	0.07	0.02	0.09	0.00	0.00	34.22
7	16	88.70	0.00	0.00	0.00	5.66	2.20	0.23	0.13	0.03	0.59	0.98	0.07	0.01	0.09	0.00	0.00	34.51
7	17	88.70	0.00	0.00	0.00	5.68	2.18	0.23	0.13	0.03	0.59	0.98	0.07	0.01	0.09	0.00	0.00	34.80
7	18	88.70	0.00	0.00	0.00	5.69	2.16	0.23	0.13	0.03	0.59	0.97	0.07	0.01	0.09	0.00	0.00	35.08
7	19	88.70	0.00	0.00	0.00	5.71	2.14	0.23	0.13	0.02	0.59	0.97	0.07	0.01	0.09	0.00	0.00	35.36

CRFL656B.OUT

7	20	88.70	0.00	0.00	0.00	5.73	2.12	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09	0.00	0.00	35.64
8	1	88.70	0.00	0.00	0.00	5.75	2.14	0.23	0.13	0.02	0.59	0.98	0.07	0.02	0.09	0.00	0.00	35.93
8	2	88.70	0.00	0.00	0.00	5.77	2.12	0.23	0.13	0.02	0.59	0.98	0.07	0.02	0.09	0.00	0.00	36.23
8	3	88.70	0.00	0.00	0.00	5.79	2.10	0.22	0.13	0.02	0.59	0.97	0.07	0.02	0.09	0.00	0.00	36.53
8	4	88.70	0.00	0.00	0.00	5.81	2.09	0.22	0.13	0.02	0.59	0.97	0.07	0.02	0.09	0.00	0.00	36.82
8	5	88.70	0.00	0.00	0.00	5.83	2.07	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09	0.00	0.00	37.11
8	6	88.70	0.00	0.00	0.00	5.85	2.05	0.22	0.13	0.02	0.59	0.97	0.07	0.01	0.09	0.00	0.00	37.39
8	7	88.70	0.00	0.00	0.00	5.87	2.04	0.22	0.13	0.02	0.59	0.96	0.07	0.01	0.09	0.00	0.00	37.67
8	8	88.70	0.00	0.00	0.00	5.88	2.02	0.21	0.13	0.02	0.59	0.96	0.07	0.01	0.09	0.00	0.00	37.93

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE			A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS			
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY						ALGY SETT FT/DA	LIGHT *	NITRGN *	PHSPRS *
1	1	1	8.60	0.52	0.08	1.05	5.51	0.44	0.50	0.12	0.66	0.22	0.70	0.80
2	1	2	8.80	0.52	0.08	1.05	5.53	0.45	0.50	0.12	0.66	0.22	0.70	0.80
3	1	3	9.00	0.52	0.08	1.05	5.55	0.46	0.50	0.13	0.67	0.22	0.71	0.80
4	1	4	9.21	0.52	0.08	1.05	5.56	0.48	0.50	0.13	0.67	0.22	0.71	0.79
5	1	5	9.43	0.52	0.08	1.05	5.56	0.49	0.50	0.14	0.67	0.22	0.72	0.79
6	1	6	9.65	0.52	0.08	1.05	5.56	0.50	0.50	0.14	0.67	0.22	0.72	0.79
7	1	7	9.88	0.52	0.08	1.05	5.56	0.51	0.50	0.15	0.67	0.22	0.72	0.79
8	1	8	10.11	0.52	0.08	1.05	5.56	0.52	0.50	0.15	0.67	0.22	0.73	0.79
9	1	9	10.35	0.52	0.08	1.05	5.55	0.53	0.50	0.16	0.68	0.22	0.73	0.79
10	1	10	10.59	0.52	0.08	1.05	5.54	0.54	0.50	0.16	0.68	0.21	0.73	0.79
11	1	11	10.84	0.52	0.08	1.05	5.53	0.56	0.50	0.17	0.68	0.21	0.73	0.78
12	1	12	11.09	0.52	0.08	1.05	5.51	0.57	0.50	0.17	0.68	0.21	0.73	0.78
13	1	13	11.35	0.52	0.08	1.05	5.50	0.58	0.50	0.17	0.68	0.21	0.74	0.78
14	1	14	11.61	0.52	0.08	1.05	5.48	0.59	0.50	0.18	0.69	0.21	0.74	0.78
15	1	15	11.87	0.51	0.08	1.05	5.46	0.60	0.50	0.18	0.69	0.21	0.74	0.78
16	1	16	12.14	0.51	0.08	1.05	5.44	0.61	0.50	0.18	0.69	0.21	0.74	0.77
17	1	17	12.42	0.51	0.08	1.05	5.41	0.62	0.50	0.19	0.69	0.21	0.74	0.77
18	1	18	12.69	0.51	0.08	1.05	5.39	0.63	0.50	0.19	0.69	0.21	0.74	0.77
19	1	19	12.98	0.51	0.08	1.05	5.36	0.64	0.50	0.19	0.70	0.21	0.74	0.77
20	1	20	13.25	0.51	0.08	1.05	5.37	0.65	0.50	0.20	0.70	0.21	0.75	0.77
21	2	1	12.94	0.40	0.08	1.05	4.24	0.47	0.50	0.35	1.03	0.14	0.78	0.85
22	2	2	13.12	0.40	0.08	1.05	4.23	0.48	0.50	0.35	1.03	0.14	0.78	0.84
23	2	3	13.30	0.40	0.08	1.05	4.22	0.48	0.50	0.35	1.03	0.14	0.78	0.84

CRFL656B.OUT

24	2	4	13.48	0.40	0.08	1.05	4.21	0.49	0.50	0.35	1.03	0.14	0.79	0.84
25	2	5	13.67	0.40	0.08	1.05	4.21	0.50	0.50	0.35	1.03	0.14	0.79	0.84
26	2	6	13.86	0.40	0.08	1.05	4.20	0.50	0.50	0.35	1.03	0.14	0.79	0.84
27	2	7	14.05	0.40	0.08	1.05	4.19	0.51	0.50	0.35	1.03	0.14	0.79	0.84
28	2	8	14.24	0.39	0.08	1.05	4.19	0.51	0.50	0.35	1.04	0.14	0.79	0.84
29	2	9	14.44	0.39	0.08	1.05	4.18	0.52	0.50	0.35	1.04	0.14	0.79	0.84
30	2	10	14.64	0.39	0.08	1.05	4.17	0.52	0.50	0.34	1.04	0.14	0.79	0.84
31	2	11	14.83	0.39	0.08	1.05	4.16	0.53	0.50	0.34	1.04	0.14	0.79	0.84
32	2	12	15.04	0.39	0.08	1.05	4.15	0.54	0.50	0.34	1.04	0.14	0.79	0.84
33	2	13	15.24	0.39	0.08	1.05	4.15	0.54	0.50	0.34	1.04	0.14	0.79	0.83
34	2	14	15.44	0.39	0.08	1.05	4.14	0.55	0.50	0.34	1.04	0.14	0.79	0.83
35	2	15	15.65	0.39	0.08	1.05	4.13	0.55	0.50	0.34	1.05	0.14	0.79	0.83
36	2	16	15.86	0.39	0.08	1.05	4.12	0.56	0.50	0.34	1.05	0.14	0.79	0.83
37	2	17	16.07	0.39	0.08	1.05	4.11	0.56	0.50	0.33	1.05	0.14	0.79	0.83
38	2	18	16.28	0.39	0.08	1.05	4.10	0.57	0.50	0.33	1.05	0.14	0.79	0.83
39	2	19	16.49	0.39	0.08	1.05	4.09	0.58	0.50	0.33	1.05	0.14	0.79	0.83
40	2	20	16.71	0.38	0.08	1.05	4.08	0.58	0.50	0.33	1.05	0.14	0.79	0.83
41	3	1	17.09	0.53	0.08	1.05	5.66	0.90	0.50	0.33	0.76	0.19	0.79	0.82
42	3	2	17.49	0.53	0.08	1.05	5.63	0.92	0.50	0.33	0.76	0.19	0.79	0.82
43	3	3	17.89	0.53	0.08	1.05	5.60	0.93	0.50	0.33	0.76	0.19	0.79	0.82
44	3	4	18.29	0.52	0.08	1.05	5.57	0.94	0.50	0.32	0.76	0.19	0.79	0.82
45	3	5	18.70	0.52	0.08	1.05	5.53	0.96	0.50	0.32	0.77	0.19	0.79	0.82
46	3	6	19.12	0.52	0.08	1.05	5.50	0.97	0.50	0.32	0.77	0.19	0.79	0.81
47	3	7	19.54	0.51	0.08	1.05	5.46	0.99	0.50	0.32	0.77	0.19	0.79	0.81
48	3	8	19.96	0.51	0.08	1.05	5.43	1.00	0.50	0.32	0.78	0.19	0.79	0.81
49	3	9	20.39	0.51	0.08	1.05	5.39	1.01	0.50	0.32	0.78	0.19	0.79	0.81
50	3	10	20.82	0.50	0.08	1.05	5.35	1.03	0.50	0.31	0.78	0.19	0.79	0.80
51	3	11	21.26	0.50	0.08	1.05	5.32	1.04	0.50	0.31	0.78	0.19	0.79	0.80
52	3	12	21.70	0.50	0.08	1.05	5.28	1.05	0.50	0.31	0.79	0.18	0.79	0.80
53	3	13	22.15	0.49	0.08	1.05	5.24	1.06	0.50	0.31	0.79	0.18	0.79	0.80
54	3	14	22.59	0.49	0.08	1.05	5.20	1.07	0.50	0.31	0.79	0.18	0.79	0.79
55	3	15	23.04	0.49	0.08	1.05	5.16	1.08	0.50	0.31	0.80	0.18	0.79	0.79
56	3	16	23.50	0.48	0.08	1.05	5.12	1.09	0.50	0.30	0.80	0.18	0.79	0.79
57	3	17	23.95	0.48	0.08	1.05	5.07	1.10	0.50	0.30	0.80	0.18	0.79	0.78
58	3	18	24.41	0.47	0.08	1.05	5.03	1.11	0.50	0.30	0.80	0.18	0.79	0.78
59	3	19	24.87	0.47	0.08	1.05	4.99	1.12	0.50	0.30	0.81	0.18	0.79	0.77
60	3	20	25.33	0.47	0.08	1.05	4.94	1.13	0.50	0.30	0.81	0.18	0.79	0.77
61	4	1	25.64	0.36	0.08	1.05	3.84	0.82	0.50	0.30	0.93	0.14	0.79	0.77
62	4	2	25.95	0.36	0.08	1.05	3.81	0.83	0.50	0.29	0.93	0.14	0.79	0.76
63	4	3	26.26	0.36	0.08	1.05	3.79	0.83	0.50	0.29	0.94	0.14	0.79	0.76
64	4	4	26.54	0.35	0.08	1.05	3.76	0.83	0.50	0.29	0.94	0.14	0.79	0.76
65	4	5	26.84	0.35	0.08	1.05	3.73	0.83	0.50	0.29	0.94	0.14	0.79	0.75

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER
EPA/NCASI VERSION

11

***** STEADY STATE SIMULATION *****

Page 24

CRFL656B.OUT

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACTE N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
												LIGHT *	NITRGN *	PHSPRS *
66	4	6	27.15	0.35	0.08	1.05	3.71	0.83	0.50	0.29	0.94	0.14	0.79	0.75
67	4	7	27.45	0.35	0.08	1.05	3.68	0.83	0.50	0.29	0.94	0.14	0.79	0.75
68	4	8	27.75	0.34	0.08	1.05	3.65	0.83	0.50	0.28	0.95	0.14	0.79	0.74
69	4	9	28.05	0.34	0.08	1.05	3.62	0.83	0.50	0.28	0.95	0.14	0.79	0.74
70	4	10	28.35	0.34	0.08	1.05	3.60	0.83	0.50	0.28	0.95	0.14	0.79	0.73
71	4	11	28.65	0.34	0.08	1.05	3.57	0.83	0.50	0.28	0.95	0.14	0.79	0.73
72	4	12	28.94	0.33	0.08	1.05	3.54	0.83	0.50	0.28	0.95	0.14	0.79	0.72
73	4	13	29.23	0.33	0.08	1.05	3.50	0.83	0.50	0.28	0.96	0.14	0.79	0.72
74	4	14	29.52	0.33	0.08	1.05	3.47	0.83	0.50	0.28	0.96	0.14	0.79	0.71
75	4	15	29.81	0.32	0.08	1.05	3.44	0.82	0.50	0.27	0.96	0.14	0.79	0.71
76	4	16	30.09	0.32	0.08	1.05	3.41	0.82	0.50	0.27	0.96	0.14	0.79	0.70
77	4	17	30.36	0.32	0.08	1.05	3.37	0.81	0.50	0.27	0.96	0.14	0.79	0.70
78	4	18	30.63	0.31	0.08	1.05	3.34	0.81	0.50	0.27	0.96	0.14	0.79	0.69
79	4	19	30.90	0.31	0.08	1.05	3.30	0.80	0.50	0.27	0.97	0.14	0.79	0.68
80	4	20	31.16	0.31	0.08	1.05	3.26	0.80	0.50	0.27	0.97	0.13	0.79	0.68
81	5	1	31.34	0.24	0.08	1.05	2.56	0.55	0.50	0.27	1.02	0.11	0.79	0.67
82	5	2	31.52	0.24	0.08	1.05	2.53	0.55	0.50	0.26	1.02	0.11	0.79	0.67
83	5	3	31.70	0.24	0.08	1.05	2.51	0.54	0.50	0.26	1.02	0.11	0.79	0.66
84	5	4	31.87	0.23	0.08	1.05	2.48	0.53	0.50	0.26	1.02	0.11	0.79	0.65
85	5	5	32.03	0.23	0.08	1.05	2.45	0.53	0.50	0.26	1.02	0.11	0.79	0.65
86	5	6	32.19	0.23	0.08	1.05	2.42	0.52	0.50	0.26	1.02	0.11	0.79	0.64
87	5	7	32.35	0.23	0.08	1.05	2.39	0.51	0.50	0.26	1.03	0.11	0.79	0.63
88	5	8	32.49	0.22	0.08	1.05	2.36	0.50	0.50	0.25	1.03	0.11	0.79	0.62
89	5	9	32.63	0.22	0.08	1.05	2.33	0.49	0.50	0.25	1.03	0.11	0.79	0.62
90	5	10	32.77	0.22	0.08	1.05	2.30	0.48	0.50	0.25	1.03	0.11	0.79	0.61
91	5	11	32.89	0.21	0.08	1.05	2.26	0.47	0.50	0.25	1.03	0.11	0.79	0.60
92	5	12	33.01	0.21	0.08	1.05	2.23	0.46	0.50	0.25	1.03	0.11	0.79	0.59
93	5	13	33.12	0.21	0.08	1.05	2.19	0.45	0.50	0.25	1.03	0.11	0.79	0.58
94	5	14	33.22	0.20	0.08	1.05	2.16	0.43	0.50	0.24	1.03	0.11	0.79	0.57
95	5	15	33.31	0.20	0.08	1.05	2.12	0.42	0.50	0.24	1.03	0.11	0.80	0.56
96	5	16	33.40	0.20	0.08	1.05	2.08	0.41	0.50	0.24	1.03	0.11	0.80	0.55
97	5	17	33.46	0.20	0.08	1.05	2.12	0.42	0.50	0.24	1.03	0.11	0.80	0.56
98	5	18	33.54	0.20	0.08	1.05	2.08	0.41	0.50	0.24	1.03	0.11	0.80	0.55
99	5	19	33.61	0.19	0.08	1.05	2.04	0.40	0.50	0.24	1.03	0.11	0.80	0.54
100	5	20	33.68	0.19	0.08	1.05	2.00	0.38	0.50	0.24	1.03	0.11	0.80	0.53
101	6	1	33.78	0.20	0.08	1.05	2.13	0.43	0.50	0.24	0.97	0.11	0.80	0.53
102	6	2	33.87	0.20	0.08	1.05	2.13	0.43	0.50	0.24	0.97	0.11	0.80	0.53
103	6	3	33.97	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.97	0.11	0.80	0.53

CRFL656B.OUT

104	6	4	34.07	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
105	6	5	34.17	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
106	6	6	34.27	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
107	6	7	34.37	0.20	0.08	1.05	2.14	0.44	0.50	0.23	0.98	0.11	0.80	0.54
108	6	8	34.48	0.20	0.08	1.05	2.14	0.45	0.50	0.23	0.98	0.11	0.80	0.54
109	6	9	34.58	0.20	0.08	1.05	2.15	0.45	0.50	0.23	0.98	0.11	0.80	0.54
110	6	10	34.68	0.20	0.08	1.05	2.15	0.45	0.50	0.22	0.98	0.11	0.80	0.54
111	6	11	34.79	0.20	0.08	1.05	2.15	0.45	0.50	0.22	0.98	0.11	0.80	0.54
112	6	12	34.89	0.20	0.08	1.05	2.15	0.45	0.50	0.22	0.98	0.11	0.80	0.54
113	6	13	34.99	0.20	0.08	1.05	2.15	0.45	0.50	0.22	0.98	0.11	0.80	0.54
114	6	14	35.10	0.20	0.08	1.05	2.14	0.45	0.50	0.22	0.98	0.11	0.80	0.54
115	6	15	35.20	0.20	0.08	1.05	2.14	0.46	0.50	0.22	0.98	0.11	0.80	0.54
116	6	16	35.31	0.20	0.08	1.05	2.14	0.46	0.50	0.22	0.98	0.11	0.80	0.54
117	6	17	35.41	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.98	0.11	0.80	0.54
118	6	18	35.52	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.98	0.11	0.80	0.54
119	6	19	35.62	0.20	0.08	1.05	2.14	0.46	0.50	0.21	0.99	0.11	0.80	0.54
120	6	20	35.73	0.20	0.08	1.05	2.13	0.46	0.50	0.21	0.99	0.11	0.80	0.54
121	7	1	35.95	0.21	0.08	1.05	2.26	0.51	0.50	0.21	0.78	0.12	0.80	0.54
122	7	2	36.22	0.21	0.08	1.05	2.25	0.51	0.50	0.21	0.78	0.12	0.80	0.54
123	7	3	36.49	0.21	0.08	1.05	2.24	0.51	0.50	0.20	0.78	0.12	0.80	0.53
124	7	4	36.75	0.21	0.08	1.05	2.22	0.51	0.50	0.20	0.78	0.12	0.80	0.53
125	7	5	37.01	0.21	0.08	1.05	2.21	0.50	0.50	0.20	0.78	0.12	0.80	0.53
126	7	6	37.26	0.21	0.08	1.05	2.19	0.50	0.50	0.20	0.78	0.12	0.80	0.53
127	7	7	37.51	0.20	0.08	1.05	2.17	0.50	0.50	0.20	0.79	0.12	0.80	0.52
128	7	8	37.76	0.20	0.08	1.05	2.16	0.49	0.50	0.20	0.79	0.12	0.80	0.52
129	7	9	37.99	0.20	0.08	1.05	2.14	0.49	0.50	0.19	0.79	0.12	0.79	0.52
130	7	10	38.22	0.20	0.08	1.05	2.12	0.49	0.50	0.19	0.79	0.12	0.79	0.51

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 12
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE					ATTEN FACTORS						
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
131	7	11	38.45	0.20	0.08	1.05	2.11	0.48	0.50	0.19	0.79	0.11	0.79	0.51
132	7	12	38.63	0.20	0.08	1.05	2.09	0.48	0.50	0.19	0.79	0.11	0.79	0.51
133	7	13	33.63	0.24	0.08	1.05	2.54	0.59	0.50	0.18	0.76	0.12	0.78	0.61
134	7	14	33.93	0.24	0.08	1.05	2.53	0.59	0.50	0.18	0.76	0.12	0.78	0.60
135	7	15	34.22	0.24	0.08	1.05	2.51	0.58	0.50	0.18	0.77	0.12	0.78	0.60
136	7	16	34.51	0.23	0.08	1.05	2.49	0.58	0.50	0.18	0.77	0.12	0.78	0.60
137	7	17	34.80	0.23	0.08	1.05	2.47	0.58	0.50	0.18	0.77	0.12	0.78	0.60
138	7	18	35.08	0.23	0.08	1.05	2.46	0.58	0.50	0.18	0.77	0.12	0.78	0.59
139	7	19	35.36	0.23	0.08	1.05	2.44	0.58	0.50	0.18	0.77	0.12	0.78	0.59

CRFL656B.OUT

140	7	20	35.64	0.23	0.08	1.05	2.42	0.57	0.50	0.18	0.78	0.12	0.78	0.59
141	8	1	35.93	0.24	0.08	1.05	2.52	0.62	0.50	0.18	0.78	0.12	0.78	0.61
142	8	2	36.23	0.24	0.08	1.05	2.50	0.62	0.50	0.18	0.78	0.12	0.78	0.61
143	8	3	36.53	0.23	0.08	1.05	2.48	0.61	0.50	0.18	0.78	0.12	0.78	0.60
144	8	4	36.82	0.23	0.08	1.05	2.46	0.61	0.50	0.18	0.78	0.12	0.78	0.60
145	8	5	37.11	0.23	0.08	1.05	2.44	0.60	0.50	0.18	0.78	0.12	0.78	0.60
146	8	6	37.39	0.23	0.08	1.05	2.42	0.60	0.50	0.18	0.79	0.12	0.78	0.59
147	8	7	37.67	0.23	0.08	1.05	2.40	0.59	0.50	0.18	0.79	0.12	0.78	0.59
148	8	8	37.93	0.22	0.08	1.05	2.37	0.59	0.50	0.18	0.79	0.12	0.78	0.59

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	88.70	7.37	5.94	1.42	0.00	1.00	86.37	0.35	-0.32	-0.01	0.44	-0.05	-0.17
2	1	2	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.31	-0.01	0.45	-0.05	-0.16
3	1	3	88.70	7.37	5.93	1.43	0.00	1.00	0.01	0.36	-0.31	-0.01	0.46	-0.05	-0.14
4	1	4	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.01	0.48	-0.06	-0.13
5	1	5	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.01	0.49	-0.06	-0.12
6	1	6	88.70	7.37	5.93	1.44	0.00	1.00	0.01	0.36	-0.31	-0.01	0.50	-0.06	-0.11
7	1	7	88.70	7.37	5.93	1.43	0.00	1.00	0.01	0.36	-0.31	-0.01	0.51	-0.07	-0.10
8	1	8	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.30	-0.01	0.52	-0.07	-0.09
9	1	9	88.70	7.37	5.94	1.43	0.00	1.00	0.01	0.36	-0.30	-0.01	0.53	-0.07	-0.08
10	1	10	88.70	7.37	5.95	1.42	0.00	1.00	0.01	0.35	-0.30	-0.01	0.54	-0.08	-0.08
11	1	11	88.70	7.37	5.95	1.41	0.00	1.00	0.01	0.35	-0.30	-0.01	0.56	-0.08	-0.07
12	1	12	88.70	7.37	5.96	1.41	0.00	1.00	0.01	0.35	-0.30	-0.01	0.57	-0.08	-0.07
13	1	13	88.70	7.37	5.97	1.40	0.00	1.00	0.01	0.35	-0.29	-0.01	0.58	-0.08	-0.06
14	1	14	88.70	7.37	5.98	1.39	0.00	1.00	0.01	0.35	-0.29	-0.01	0.59	-0.09	-0.06
15	1	15	88.70	7.37	5.99	1.38	0.00	1.00	0.01	0.34	-0.29	-0.01	0.60	-0.09	-0.06
16	1	16	88.70	7.37	6.00	1.37	0.00	1.00	0.01	0.34	-0.29	-0.01	0.61	-0.09	-0.05
17	1	17	88.70	7.37	6.01	1.36	0.00	1.00	0.01	0.34	-0.29	-0.01	0.62	-0.09	-0.05
18	1	18	88.70	7.37	6.02	1.35	0.00	1.00	0.01	0.34	-0.29	-0.01	0.63	-0.09	-0.05
19	1	19	88.70	7.37	6.03	1.33	0.00	1.00	0.01	0.33	-0.28	-0.01	0.64	-0.10	-0.05
20	1	20	88.70	7.37	6.04	1.32	0.00	1.00	0.01	0.33	-0.29	-0.01	0.65	-0.10	-0.05
21	2	1	88.70	7.37	5.91	1.46	0.00	1.00	2.18	0.37	-0.66	-0.01	0.47	-0.22	-0.05
22	2	2	88.70	7.37	5.88	1.49	0.00	1.00	0.01	0.38	-0.65	-0.01	0.48	-0.22	-0.06
23	2	3	88.70	7.37	5.85	1.51	0.00	1.00	0.01	0.38	-0.65	-0.01	0.48	-0.22	-0.06

CRFL656B.OUT

24	2	4	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.39	-0.64	-0.01	0.49	-0.22	-0.06
25	2	5	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.40	-0.63	-0.01	0.50	-0.22	-0.06
26	2	6	88.70	7.37	5.78	1.59	0.00	1.00	0.01	0.40	-0.63	-0.01	0.50	-0.22	-0.06
27	2	7	88.70	7.37	5.75	1.61	0.00	1.00	0.01	0.41	-0.62	-0.01	0.51	-0.22	-0.06
28	2	8	88.70	7.37	5.73	1.64	0.00	1.00	0.01	0.41	-0.62	-0.01	0.51	-0.22	-0.06
29	2	9	88.70	7.37	5.71	1.66	0.00	1.00	0.01	0.42	-0.61	-0.01	0.52	-0.22	-0.07
30	2	10	88.70	7.37	5.69	1.68	0.00	1.00	0.01	0.43	-0.61	-0.01	0.52	-0.22	-0.07
31	2	11	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.43	-0.60	-0.01	0.53	-0.22	-0.07
32	2	12	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.43	-0.60	-0.01	0.54	-0.22	-0.07
33	2	13	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.44	-0.59	-0.01	0.54	-0.22	-0.07
34	2	14	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.44	-0.59	-0.01	0.55	-0.22	-0.07
35	2	15	88.70	7.37	5.60	1.76	0.00	1.00	0.01	0.45	-0.58	-0.01	0.55	-0.22	-0.07
36	2	16	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.45	-0.58	-0.01	0.56	-0.22	-0.07
37	2	17	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.45	-0.57	-0.01	0.56	-0.22	-0.07
38	2	18	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.46	-0.57	-0.01	0.57	-0.22	-0.07
39	2	19	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.46	-0.56	-0.01	0.58	-0.22	-0.07
40	2	20	88.70	7.37	5.54	1.83	0.00	1.00	0.01	0.46	-0.56	-0.01	0.58	-0.22	-0.07
41	3	1	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.46	-0.55	-0.01	0.90	-0.22	-0.07
42	3	2	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.46	-0.55	-0.01	0.92	-0.22	-0.07
43	3	3	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.45	-0.55	-0.01	0.93	-0.22	-0.07
44	3	4	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.45	-0.54	-0.01	0.94	-0.21	-0.07
45	3	5	88.70	7.37	5.60	1.77	0.00	1.00	0.01	0.45	-0.54	-0.01	0.96	-0.21	-0.07
46	3	6	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.44	-0.53	-0.01	0.97	-0.21	-0.07
47	3	7	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.44	-0.53	-0.01	0.99	-0.21	-0.07
48	3	8	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.43	-0.52	-0.01	1.00	-0.21	-0.07
49	3	9	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.43	-0.52	-0.01	1.01	-0.21	-0.07
50	3	10	88.70	7.37	5.69	1.68	0.00	1.00	0.01	0.43	-0.51	-0.01	1.03	-0.21	-0.07
51	3	11	88.70	7.37	5.71	1.66	0.00	1.00	0.01	0.42	-0.51	-0.01	1.04	-0.21	-0.07
52	3	12	88.70	7.37	5.73	1.64	0.00	1.00	0.01	0.41	-0.51	-0.01	1.05	-0.21	-0.07
53	3	13	88.70	7.37	5.75	1.61	0.00	1.00	0.01	0.41	-0.50	-0.01	1.06	-0.21	-0.07
54	3	14	88.70	7.37	5.78	1.59	0.00	1.00	0.01	0.40	-0.50	-0.01	1.07	-0.20	-0.07
55	3	15	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.40	-0.49	-0.01	1.08	-0.20	-0.07
56	3	16	88.70	7.37	5.82	1.54	0.00	1.00	0.01	0.39	-0.49	-0.01	1.09	-0.20	-0.07
57	3	17	88.70	7.37	5.85	1.52	0.00	1.00	0.01	0.39	-0.49	-0.01	1.10	-0.20	-0.07
58	3	18	88.70	7.37	5.87	1.49	0.00	1.00	0.01	0.38	-0.48	-0.01	1.11	-0.20	-0.07
59	3	19	88.70	7.37	5.90	1.47	0.00	1.00	0.01	0.37	-0.48	-0.01	1.12	-0.20	-0.07
60	3	20	88.70	7.37	5.92	1.44	0.00	1.00	0.01	0.37	-0.47	-0.01	1.13	-0.20	-0.07
61	4	1	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.34	-0.47	-0.01	0.82	-0.20	-0.07
62	4	2	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.47	-0.01	0.83	-0.19	-0.07
63	4	3	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.46	-0.01	0.83	-0.19	-0.07
64	4	4	88.70	7.37	5.91	1.45	0.00	1.00	0.09	0.31	-0.46	-0.01	0.83	-0.19	-0.07
65	4	5	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.01	0.83	-0.19	-0.07

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

Page 28

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
66	4	6	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.01	0.83	-0.19	-0.07
67	4	7	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.45	-0.01	0.83	-0.19	-0.07
68	4	8	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.01	0.83	-0.19	-0.07
69	4	9	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.01	0.83	-0.19	-0.07
70	4	10	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.44	-0.01	0.83	-0.19	-0.07
71	4	11	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.43	-0.01	0.83	-0.19	-0.06
72	4	12	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.43	-0.01	0.83	-0.18	-0.06
73	4	13	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.01	0.83	-0.18	-0.06
74	4	14	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.01	0.83	-0.18	-0.06
75	4	15	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.31	-0.42	-0.01	0.82	-0.18	-0.06
76	4	16	88.70	7.37	5.91	1.45	0.00	1.00	0.01	0.31	-0.41	-0.01	0.82	-0.18	-0.06
77	4	17	88.70	7.37	5.91	1.45	0.00	1.00	0.01	0.31	-0.41	-0.01	0.81	-0.18	-0.06
78	4	18	88.70	7.37	5.91	1.45	0.00	1.00	0.02	0.31	-0.41	-0.01	0.81	-0.18	-0.06
79	4	19	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.40	-0.01	0.80	-0.18	-0.06
80	4	20	88.70	7.37	5.92	1.45	0.00	1.00	0.01	0.31	-0.40	-0.01	0.80	-0.18	-0.06
81	5	1	88.70	7.37	5.91	1.46	0.00	1.00	0.01	0.27	-0.27	-0.01	0.55	-0.18	-0.06
82	5	2	88.70	7.37	5.90	1.47	0.00	1.00	0.01	0.22	-0.26	-0.01	0.55	-0.17	-0.06
83	5	3	88.70	7.37	5.89	1.48	0.00	1.00	0.01	0.22	-0.26	-0.01	0.54	-0.17	-0.06
84	5	4	88.70	7.37	5.88	1.48	0.00	1.00	0.01	0.22	-0.26	-0.01	0.53	-0.17	-0.06
85	5	5	88.70	7.37	5.87	1.49	0.00	1.00	0.01	0.23	-0.26	-0.01	0.53	-0.17	-0.06
86	5	6	88.70	7.37	5.86	1.50	0.00	1.00	0.01	0.23	-0.26	-0.01	0.52	-0.17	-0.06
87	5	7	88.70	7.37	5.85	1.51	0.00	1.00	0.01	0.23	-0.26	-0.01	0.51	-0.17	-0.06
88	5	8	88.70	7.37	5.84	1.52	0.00	1.00	0.01	0.23	-0.25	-0.01	0.50	-0.17	-0.06
89	5	9	88.70	7.37	5.83	1.54	0.00	1.00	0.01	0.23	-0.25	-0.01	0.49	-0.17	-0.06
90	5	10	88.70	7.37	5.82	1.55	0.00	1.00	0.01	0.23	-0.25	-0.01	0.48	-0.17	-0.06
91	5	11	88.70	7.37	5.81	1.56	0.00	1.00	0.01	0.24	-0.25	-0.01	0.47	-0.17	-0.06
92	5	12	88.70	7.37	5.80	1.57	0.00	1.00	0.01	0.24	-0.25	-0.01	0.46	-0.16	-0.06
93	5	13	88.70	7.37	5.78	1.58	0.00	1.00	0.01	0.24	-0.25	-0.01	0.45	-0.16	-0.06
94	5	14	88.70	7.37	5.77	1.60	0.00	1.00	0.01	0.24	-0.24	-0.01	0.43	-0.16	-0.06
95	5	15	88.70	7.37	5.76	1.61	0.00	1.00	0.01	0.24	-0.24	-0.01	0.42	-0.16	-0.06
96	5	16	88.70	7.37	5.74	1.63	0.00	1.00	0.01	0.25	-0.24	-0.01	0.41	-0.16	-0.06
97	5	17	88.70	7.37	5.73	1.64	0.00	1.00	0.08	0.25	-0.24	-0.01	0.42	-0.16	-0.06
98	5	18	88.70	7.37	5.71	1.65	0.00	1.00	0.01	0.25	-0.24	-0.01	0.41	-0.16	-0.06
99	5	19	88.70	7.37	5.70	1.67	0.00	1.00	0.01	0.25	-0.24	-0.01	0.40	-0.16	-0.06
100	5	20	88.70	7.37	5.68	1.68	0.00	1.00	0.01	0.26	-0.23	-0.01	0.38	-0.16	-0.06
101	6	1	88.70	7.37	5.67	1.70	0.00	1.00	0.01	0.26	-0.23	-0.01	0.43	-0.16	-0.06
102	6	2	88.70	7.37	5.66	1.71	0.00	1.00	0.01	0.26	-0.23	-0.01	0.43	-0.16	-0.05
103	6	3	88.70	7.37	5.65	1.72	0.00	1.00	0.01	0.26	-0.23	-0.01	0.44	-0.16	-0.05

CRFL656B.OUT

104	6	4	88.70	7.37	5.64	1.73	0.00	1.00	0.01	0.26	-0.23	-0.01	0.44	-0.16	-0.05
105	6	5	88.70	7.37	5.63	1.73	0.00	1.00	0.01	0.26	-0.23	-0.01	0.44	-0.16	-0.05
106	6	6	88.70	7.37	5.62	1.74	0.00	1.00	0.01	0.26	-0.23	-0.01	0.44	-0.15	-0.05
107	6	7	88.70	7.37	5.62	1.75	0.00	1.00	0.01	0.27	-0.22	-0.01	0.44	-0.15	-0.05
108	6	8	88.70	7.37	5.61	1.76	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
109	6	9	88.70	7.37	5.60	1.77	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
110	6	10	88.70	7.37	5.59	1.77	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
111	6	11	88.70	7.37	5.59	1.78	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
112	6	12	88.70	7.37	5.58	1.79	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
113	6	13	88.70	7.37	5.57	1.79	0.00	1.00	0.01	0.27	-0.22	-0.01	0.45	-0.15	-0.05
114	6	14	88.70	7.37	5.57	1.80	0.00	1.00	0.01	0.27	-0.21	-0.01	0.45	-0.15	-0.05
115	6	15	88.70	7.37	5.56	1.80	0.00	1.00	0.01	0.27	-0.21	-0.01	0.46	-0.15	-0.05
116	6	16	88.70	7.37	5.56	1.81	0.00	1.00	0.01	0.27	-0.21	-0.01	0.46	-0.15	-0.05
117	6	17	88.70	7.37	5.55	1.81	0.00	1.00	0.01	0.27	-0.21	-0.01	0.46	-0.14	-0.05
118	6	18	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.28	-0.21	-0.01	0.46	-0.14	-0.05
119	6	19	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.28	-0.21	-0.01	0.46	-0.14	-0.05
120	6	20	88.70	7.37	5.54	1.82	0.00	1.00	0.01	0.28	-0.21	-0.01	0.46	-0.14	-0.05
121	7	1	88.70	7.37	5.55	1.82	0.00	1.00	0.01	0.22	-0.20	-0.01	0.51	-0.14	-0.05
122	7	2	88.70	7.37	5.56	1.81	0.00	1.00	0.00	0.17	-0.20	-0.01	0.51	-0.14	-0.05
123	7	3	88.70	7.37	5.57	1.80	0.00	1.00	0.00	0.17	-0.20	-0.01	0.51	-0.14	-0.05
124	7	4	88.70	7.37	5.57	1.79	0.00	1.00	0.00	0.17	-0.20	-0.01	0.51	-0.14	-0.05
125	7	5	88.70	7.37	5.58	1.79	0.00	1.00	0.00	0.17	-0.20	-0.01	0.50	-0.13	-0.05
126	7	6	88.70	7.37	5.59	1.78	0.00	1.00	0.00	0.17	-0.19	-0.01	0.50	-0.13	-0.05
127	7	7	88.70	7.37	5.60	1.77	0.00	1.00	0.00	0.16	-0.19	-0.01	0.50	-0.13	-0.05
128	7	8	88.70	7.37	5.60	1.76	0.00	1.00	0.00	0.16	-0.19	-0.01	0.49	-0.13	-0.05
129	7	9	88.70	7.37	5.61	1.75	0.00	1.00	0.00	0.16	-0.19	-0.01	0.49	-0.13	-0.05
130	7	10	88.70	7.37	5.62	1.75	0.00	1.00	0.00	0.16	-0.19	-0.01	0.49	-0.13	-0.04

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 15
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	88.70	7.37	5.63	1.74	0.00	1.00	0.00	0.16	-0.18	-0.01	0.48	-0.13	-0.04
132	7	12	88.70	7.37	5.63	1.73	0.00	1.00	0.00	0.16	-0.18	-0.01	0.48	-0.12	-0.04
133	7	13	88.70	7.37	5.61	1.76	0.00	1.00	9.53	0.17	-0.19	-0.01	0.59	-0.11	-0.07
134	7	14	88.70	7.37	5.63	1.74	0.00	1.00	0.00	0.18	-0.19	-0.01	0.59	-0.11	-0.06
135	7	15	88.70	7.37	5.64	1.72	0.00	1.00	0.00	0.18	-0.19	-0.01	0.58	-0.11	-0.06
136	7	16	88.70	7.37	5.66	1.71	0.00	1.00	0.00	0.17	-0.19	-0.01	0.58	-0.11	-0.05
137	7	17	88.70	7.37	5.68	1.69	0.00	1.00	0.00	0.17	-0.18	-0.01	0.58	-0.11	-0.05
138	7	18	88.70	7.37	5.69	1.67	0.00	1.00	0.00	0.17	-0.18	-0.01	0.58	-0.11	-0.05
139	7	19	88.70	7.37	5.71	1.66	0.00	1.00	0.00	0.17	-0.18	-0.01	0.58	-0.11	-0.05

Page 30

										CRFL656B.OUT						
140	7	20	88.70	7.37	5.73	1.64	0.00	1.00		0.00	0.17	-0.18	-0.01	0.57	-0.11	-0.05
141	8	1	88.70	7.37	5.75	1.62	0.00	1.00		0.03	0.16	-0.18	-0.01	0.62	-0.12	-0.05
142	8	2	88.70	7.37	5.77	1.60	0.00	1.00		0.01	0.16	-0.18	-0.01	0.62	-0.12	-0.04
143	8	3	88.70	7.37	5.79	1.58	0.00	1.00		0.01	0.16	-0.18	-0.01	0.61	-0.11	-0.04
144	8	4	88.70	7.37	5.81	1.56	0.00	1.00		0.01	0.16	-0.18	-0.01	0.61	-0.11	-0.04
145	8	5	88.70	7.37	5.83	1.54	0.00	1.00		0.01	0.16	-0.18	-0.01	0.60	-0.11	-0.04
146	8	6	88.70	7.37	5.85	1.52	0.00	1.00		0.01	0.15	-0.17	-0.01	0.60	-0.11	-0.04
147	8	7	88.70	7.37	5.87	1.50	0.00	1.00		0.01	0.15	-0.17	-0.01	0.59	-0.11	-0.04
148	8	8	88.70	7.37	5.88	1.48	0.00	1.00		0.01	0.15	-0.17	-0.01	0.59	-0.11	-0.04

CRF_65A.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
 TITLE03 YES CONSERVATIVE MINERAL I
 TITLE04 NO CONSERVATIVE MINERAL II
 TITLE05 NO CONSERVATIVE MINERAL III
 TITLE06 NO TEMPERATURE
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
 TITLE08 YES ALGAE AS CHL-A IN UG/L
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L
 TITLE10 (ORGANIC-P; DISSOLVED-P)
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
 TITLE13 YES DISSOLVED OXYGEN IN MG/L
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0

CRF_65A.dat

STREAM REACH 2.0 REACH 2 FROM 222.0 TO 217.0
 STREAM REACH 3.0 REACH 3 FROM 217.0 TO 212.0
 STREAM REACH 4.0 REACH 4 FROM 212.0 TO 207.0
 STREAM REACH 5.0 REACH 5 FROM 207.0 TO 202.0
 STREAM REACH 6.0 REACH 6 FROM 202.0 TO 197.0
 STREAM REACH 7.0 REACH 7 FROM 197.0 TO 192.0
 STREAM REACH 8.0 REACH 8 FROM 192.0 TO 190.0

ENDATA2

STREAM REACH 1.0 1.0 3.0 1.0
 STREAM REACH 2.0 1.0 3.0 1.0
 STREAM REACH 3.0 1.0 3.0 1.0
 STREAM REACH 4.0 1.0 3.0 1.0
 STREAM REACH 5.0 1.0 3.0 1.0
 STREAM REACH 6.0 1.0 3.0 1.0
 STREAM REACH 7.0 1.0 3.0 1.0
 STREAM REACH 8.0 1.0 3.0 1.0

ENDATA3

FLAG FIELD RCH= 1.0 20.0 1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
 FLAG FIELD RCH= 2.0 20.0 6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
 FLAG FIELD RCH= 3.0 20.0 2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
 FLAG FIELD RCH= 4.0 20.0 2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.
 FLAG FIELD RCH= 5.0 20.0 2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.
 FLAG FIELD RCH= 6.0 20.0 2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
 FLAG FIELD RCH= 7.0 20.0 6.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
 FLAG FIELD RCH= 8.0 8.0 6.2.2.2.2.2.2.2.5.

ENDATA4

HYDRAULICS RCH= 1.0 38.0 128.756 -.643 4.994E-6 1.37 .035
 HYDRAULICS RCH= 2.0 38.0 128.756 -.643 4.994E-6 1.37 .035
 HYDRAULICS RCH= 3.0 22.0 128.756 -.643 4.994E-6 1.37 .035
 HYDRAULICS RCH= 4.0 21.0 128.756 -.643 4.994E-6 1.37 .035
 HYDRAULICS RCH= 5.0 10.0 128.756 -.643 4.994E-6 1.37 .035
 HYDRAULICS RCH= 6.0 17.0 128.756 -.643 4.994E-6 1.37 .035
 HYDRAULICS RCH= 7.0 7.0 128.756 -.643 4.994E-6 1.37 .035
 HYDRAULICS RCH= 8.0 7.0 128.756 -.643 4.994E-6 1.37 .035

ENDATA5

REACT COEF RCH= 1.0 0.050 0.0 .0510 1.0 0.50 0.0000 0.00E-4
 REACT COEF RCH= 2.0 0.050 0.0 .0510 1.0 0.50 0.0000 0.00E-4
 REACT COEF RCH= 3.0 0.050 0.0 .0510 1.0 0.50 0.0000 0.00E-4
 REACT COEF RCH= 4.0 0.050 0.0 .0710 1.0 0.50 0.0000 0.00E-4
 REACT COEF RCH= 5.0 0.050 0.0 .0710 1.0 0.50 0.0000 0.00E-4
 REACT COEF RCH= 6.0 0.050 0.0 .0710 1.0 0.50 0.0000 0.00E-4
 REACT COEF RCH= 7.0 0.050 0.0 .0510 1.0 0.50 0.0000 0.00E-4
 REACT COEF RCH= 8.0 0.050 0.0 .0510 1.0 0.50 0.0000 0.00E-4

ENDATA6

N AND P COEF RCH= 1.0 0.100 .00 0.100 0.0 1.0 .00 0.0 0.0
 N AND P COEF RCH= 2.0 0.100 .00 0.100 0.0 1.0 .00 0.0 0.0
 N AND P COEF RCH= 3.0 0.100 .00 0.100 0.0 1.0 .00 0.0 0.0
 N AND P COEF RCH= 4.0 0.100 .00 0.100 0.0 1.0 .00 0.0 0.0

CRF_65A.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	2.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	3.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	4.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	5.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	6.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	7.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	8.0	87.4	3.40	4.29	1.24

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	2.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	3.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	4.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	5.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	6.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	7.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	8.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	2.8	1.24

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	2.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	3.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	4.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	5.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	6.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	7.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019

CRF_65A.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 17250 87.4 3.40 4.29 1.24
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 69.63 86.9 3.50 218.3 18.75
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.24
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.24
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF_65A.dat

1

CRF_65A.OUT
*** QUAL-2E STREAM QUALITY ROUTING MODEL ***
*** EPA/NCASI VERSION ***

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03	YES CONSERVATIVE MINERAL I
TITLE04	NO CONSERVATIVE MINERAL II
TITLE05	NO CONSERVATIVE MINERAL III
TITLE06	NO TEMPERATURE
TITLE07	YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08	YES ALGAE AS CHL-A IN UG/L
TITLE09	YES PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11	YES NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13	YES DISSOLVED OXYGEN IN MG/L
TITLE14	NO FECAL COLIFORMS IN NO./100 ML
TITLE15	NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRF_65A.OUT

N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0200	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

0 \$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE RATE CODE THETA VALUE

0 \$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER AND IDENT	R. MI/KM	R. MI/KM
STREAM REACH	1.0 REACH 1 FRO	227.0 TO	222.0
STREAM REACH	2.0 REACH 2 FRO	222.0 TO	217.0
STREAM REACH	3.0 REACH 3 FRO	217.0 TO	212.0
STREAM REACH	4.0 REACH 4 FRO	212.0 TO	207.0
STREAM REACH	5.0 REACH 5 FRO	207.0 TO	202.0
STREAM REACH	6.0 REACH 6 FRO	202.0 TO	197.0
STREAM REACH	7.0 REACH 7 FRO	197.0 TO	192.0
STREAM REACH	8.0 REACH 8 FRO	192.0 TO	190.0
ENDATA2	0.0	0.0	0.0

0 \$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER OF AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	2.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	3.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	4.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	5.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	6.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	7.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	8.	1.	3.0	1.	0.	0. 0. 0. 0.
ENDATA3	0.	0.	0.0	0.	0.	0. 0. 0. 0.

0 \$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL FLAGS
FLAG FIELD	1.	20.	1.2.
FLAG FIELD	2.	20.	6.2.
FLAG FIELD	3.	20.	2.
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.
FLAG FIELD	5.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
ENDATA4	0.	0.	0.

0 \$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CRF_65A.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	2.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	3.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	4.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	5.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	6.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	7.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	8.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	2.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	3.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	4.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	5.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	6.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	7.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	8.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE JUNCTION ORDER AND IDENT UPSTRM JUNCTION TRIB

0 ENDATA9 0. 0. 0. 0.
 \$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	17250.00	87.40	3.40	4.29	1.24	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	69.63	86.90	3.50	218.30	18.75	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	1.24	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	1.24	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	7.	BAYOU BARTH	0.00	222.00	85.10	5.40	2.80	1.24	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	1.24	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

CARD TYPE	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
ENDATA13	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED							
\$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$								
CARD TYPE	CHL-A	ORG-N	NH3-N	NO2-N	NH3-N	ORG-P	DIS-P	
ENDATA13A	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED							

RCH/CL	CONSERVATIVE MINERAL I										ITERATION 1								
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
3	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
4	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
5	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
6	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
7	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
8	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31

STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

RCH/CL	ALGAE AS CHL-A IN UG/L										ITERATION 1								
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	8.27	8.14	8.01	7.89	7.76	7.64	7.52	7.41	7.29	7.18	7.07	6.96	6.85	6.74	6.63	6.53	6.43	6.33	6.23
2	6.02	5.92	5.83	5.74	5.65	5.56	5.48	5.39	5.31	5.22	5.14	5.06	4.98	4.91	4.83	4.75	4.68	4.61	4.53
3	4.39	4.33	4.26	4.19	4.13	4.06	4.00	3.94	3.88	3.82	3.76	3.70	3.64	3.58	3.53	3.47	3.42	3.36	3.31
4	3.21	3.16	3.11	3.06	3.01	2.97	2.92	2.88	2.83	2.79	2.74	2.70	2.66	2.62	2.58	2.54	2.50	2.46	2.42
5	2.34	2.31	2.27	2.24	2.20	2.17	2.13	2.10	2.07	2.04	2.00	1.97	1.94	1.91	1.88	1.85	1.82	1.79	1.77
6	1.71	1.69	1.66	1.63	1.61	1.58	1.56	1.53	1.51	1.49	1.46	1.44	1.42	1.40	1.37	1.35	1.33	1.31	1.29
7	1.25	1.23	1.21	1.19	1.17	1.16	1.14	1.12	1.10	1.09	1.07	1.05	1.13	1.11	1.09	1.08	1.06	1.04	1.03

CRF_65A.OUT

		8	1.00	0.98	0.96	0.95	0.93	0.92	0.91	0.89											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21
2	0.22	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15
4	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12
5	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10
6	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.10	0.10
3	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
8	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01

CRF_65A.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.25	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.27
4	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30	0.30	0.30
5	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.32	0.33
6	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35
7	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37	0.38
8	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.39												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.14	4.18	4.23	4.27	4.31	4.34	4.38	4.41
2	4.44	4.47	4.49	4.52	4.54	4.57	4.59	4.61	4.64	4.66	4.68	4.69	4.71	4.73	4.75	4.76	4.78	4.80	4.81	4.82
3	4.84	4.85	4.86	4.88	4.89	4.90	4.91	4.92	4.93	4.94	4.95	4.96	4.97	4.98	4.99	5.00	5.00	5.01	5.02	5.03
4	5.01	4.99	4.98	4.96	4.94	4.93	4.92	4.90	4.89	4.88	4.87	4.86	4.85	4.84	4.83	4.82	4.81	4.80	4.79	4.79
5	4.78	4.77	4.77	4.76	4.76	4.75	4.75	4.74	4.73	4.73	4.72	4.72	4.72	4.71	4.71	4.71	4.71	4.71	4.70	4.70
6	4.70	4.70	4.70	4.70	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69	4.69
7	4.72	4.74	4.76	4.79	4.81	4.83	4.85	4.87	4.89	4.91	4.93	4.94	4.97	4.98	5.00	5.01	5.03	5.05	5.06	5.07
8	5.09	5.10	5.11	5.12	5.14	5.15	5.16	5.17												
ALGAE GROWTH RATE						1		141												
ALGAE GROWTH RATE						2		47												
ALGAE GROWTH RATE						3		0												
ALGAE GROWTH RATE						4		0												

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 (204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 13.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL*FN*FP

1		DISSOLVED OXYGEN IN MG/L																		ITERATION 4	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.15	4.19	4.23	4.27	4.31	4.35	4.39	4.42
2	2	4.45	4.48	4.51	4.53	4.56	4.58	4.61	4.63	4.65	4.67	4.69	4.71	4.73	4.75	4.77	4.78	4.80	4.82	4.83	4.85
3	3	4.86	4.87	4.89	4.90	4.91	4.92	4.94	4.95	4.96	4.97	4.98	4.99	5.00	5.01	5.01	5.02	5.03	5.04	5.05	5.05
4	4	5.04	5.02	5.00	4.99	4.97	4.96	4.94	4.93	4.92	4.91	4.90	4.88	4.87	4.86	4.86	4.85	4.84	4.83	4.82	4.81
5	5	4.81	4.80	4.79	4.79	4.78	4.78	4.77	4.77	4.76	4.76	4.75	4.75	4.75	4.74	4.74	4.74	4.74	4.73	4.73	4.73
6	6	4.73	4.72	4.72	4.72	4.72	4.72	4.72	4.72	4.72	4.71	4.71	4.71	4.71	4.71	4.71	4.71	4.71	4.71	4.71	4.71
7	7	4.74	4.76	4.79	4.81	4.83	4.85	4.87	4.89	4.91	4.93	4.95	4.97	4.99	5.00	5.02	5.04	5.05	5.07	5.08	5.10
8	8	5.11	5.12	5.13	5.15	5.16	5.17	5.18	5.19												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		ITERATION 4	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.88
2	2	4.71	4.68	4.66	4.64	4.61	4.59	4.56	4.54	4.52	4.49	4.47	4.45	4.42	4.40	4.38	4.36	4.33	4.31	4.29	4.27
3	3	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.87	3.85
4	4	3.83	3.81	3.79	3.77	3.75	3.73	3.71	3.69	3.67	3.66	3.64	3.62	3.60	3.58	3.56	3.54	3.53	3.51	3.49	3.47
5	5	3.45	3.44	3.42	3.40	3.38	3.37	3.35	3.33	3.31	3.30	3.28	3.26	3.25	3.23	3.21	3.20	3.18	3.16	3.15	3.13
6	6	3.12	3.10	3.08	3.07	3.05	3.04	3.02	3.00	2.99	2.97	2.96	2.94	2.93	2.91	2.90	2.88	2.87	2.85	2.84	2.82
7	7	2.81	2.80	2.78	2.77	2.75	2.74	2.72	2.71	2.70	2.68	2.67	2.65	2.64	2.63	2.62	2.60	2.59	2.57	2.56	2.55
8	8	2.54	2.52	2.51	2.50	2.49	2.47	2.46	2.45												
0		ORGANIC NITROGEN AS N IN MG/L																		ITERATION 4	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
2	2	0.22	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18
3	3	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15
4	4	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12
5	5	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10
6	6	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08
7	7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
8	8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07												
0		AMMONIA AS N IN MG/L																		ITERATION 4	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	2	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
3	3	0.09	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4	4	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
5	5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08

CRF_65A.OUT																				
0	7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	
0	8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	
0	NITRITE AS N IN MG/L																		ITERATION 4	
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
0	NITRATE AS N IN MG/L																		ITERATION 4	
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27
4	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30
5	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32
6	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35
7	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37
8	0.37	0.37	0.37	0.37	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.37	0.37	0.37	0.37	0.37
0	ORGANIC PHOSPHORUS AS P IN MG/L																		ITERATION 4	
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	DISSOLVED PHOSPHORUS AS P IN MG/L																		ITERATION 4	
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	ALGAE AS CHL-A IN UG/L																		ITERATION 4	
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.27	8.14	8.02	7.90	7.78	7.66	7.54	7.43	7.32	7.21	7.10	7.00	6.89	6.79	6.69	6.59	6.50	6.40	6.31	6.22

CRF_65A.OUT																				
2	6.11	6.03	5.94	5.86	5.78	5.70	5.62	5.54	5.47	5.39	5.32	5.25	5.17	5.10	5.03	4.97	4.90	4.83	4.77	4.70
3	4.64	4.57	4.51	4.45	4.39	4.33	4.27	4.22	4.16	4.10	4.05	3.99	3.94	3.89	3.83	3.78	3.73	3.68	3.63	3.58
4	3.54	3.49	3.44	3.40	3.35	3.31	3.26	3.22	3.18	3.13	3.09	3.05	3.01	2.97	2.93	2.89	2.85	2.82	2.78	2.74
5	2.70	2.67	2.63	2.60	2.56	2.53	2.50	2.46	2.43	2.40	2.37	2.34	2.31	2.28	2.25	2.22	2.19	2.16	2.13	2.10
6	2.07	2.05	2.02	1.99	1.97	1.94	1.92	1.89	1.87	1.85	1.82	1.80	1.78	1.75	1.73	1.71	1.69	1.67	1.65	1.63
7	1.61	1.59	1.57	1.55	1.53	1.51	1.49	1.48	1.46	1.44	1.42	1.41	1.48	1.46	1.44	1.43	1.41	1.39	1.38	1.36
8	1.34	1.33	1.31	1.30	1.28	1.27	1.25	1.24												
0	CONSERVATIVE MINERAL I										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
3	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
4	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
5	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
6	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
7	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31
8	1.31	1.31	1.31	1.31	1.31	1.31	1.31	1.31												
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17
2	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
3	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
4	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
5	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
6	0.19	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.21	0.21	0.21
7	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
8	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22												
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.71	1.73	1.75	1.76	1.77	1.79	1.80	1.81	1.82	1.82	1.83	1.84	1.85	1.85	1.86	1.86	1.87	1.87	1.88	1.88
2	2.00	2.00	2.00	2.01	2.01	2.01	2.02	2.02	2.02	2.03	2.03	2.03	2.03	2.04	2.04	2.04	2.04	2.05	2.05	2.05
3	2.05	2.05	2.06	2.06	2.06	2.06	2.06	2.06	2.07	2.07	2.07	2.07	2.07	2.07	2.08	2.08	2.08	2.08	2.08	2.08
4	2.08	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.11	2.11
5	2.11	2.11	2.11	2.11	2.11	2.11	2.11	2.11	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.13	2.13	2.13
6	2.13	2.14	2.15	2.16	2.16	2.17	2.18	2.19	2.19	2.20	2.21	2.21	2.22	2.23	2.24	2.24	2.25	2.25	2.26	2.27
7	2.27	2.28	2.29	2.29	2.30	2.30	2.31	2.32	2.32	2.33	2.33	2.34	2.31	2.32	2.32	2.33	2.33	2.34	2.35	2.35
8	2.36	2.37	2.37	2.38	2.38	2.39	2.39	2.40												

1
 STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL
 OUTPUT PAGE NUMBER 1
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE RCH ELE BEGIN END POINT INCR TRVL BOTTOM X-SECT DSPRSN

CRF_65A.OUT

ORD	NUM	NUM	LOC MILE	LOC MILE	FLOW CFS	SRCE CFS	FLOW CFS	VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	AREA FT-2	AREA FT-2	COEF FT-2/S
1	1	1	227.00	226.7517250.10	0.00	0.10	0.243	0.063	3.18322306.330	93724920.0	29452760.0	71003.73	3.24		
2	1	2	226.75	226.5017250.20	0.00	0.10	0.243	0.063	3.18322306.365	93725816.0	29452806.0	71004.41	3.24		
3	1	3	226.50	226.2517250.30	0.00	0.10	0.243	0.063	3.18322306.398	93726704.0	29452850.0	71005.08	3.24		
4	1	4	226.25	226.0017250.40	0.00	0.10	0.243	0.063	3.18322306.436	93727592.0	29452898.0	71005.75	3.24		
5	1	5	226.00	225.7517250.50	0.00	0.10	0.243	0.063	3.18322306.471	93728488.0	29452946.0	71006.43	3.24		
6	1	6	225.75	225.5017250.60	0.00	0.10	0.243	0.063	3.18322306.506	93729368.0	29452992.0	71007.10	3.24		
7	1	7	225.50	225.2517250.70	0.00	0.10	0.243	0.063	3.18322306.541	93730264.0	29453038.0	71007.77	3.24		
8	1	8	225.25	225.0017250.80	0.00	0.10	0.243	0.063	3.18322306.574	93731152.0	29453082.0	71008.45	3.24		
9	1	9	225.00	224.7517250.90	0.00	0.10	0.243	0.063	3.18322306.611	93732040.0	29453130.0	71009.12	3.24		
10	1	10	224.75	224.5017251.00	0.00	0.10	0.243	0.063	3.18322306.646	93732928.0	29453178.0	71009.80	3.24		
11	1	11	224.50	224.2517251.10	0.00	0.10	0.243	0.063	3.18322306.684	93733816.0	29453226.0	71010.47	3.24		
12	1	12	224.25	224.0017251.20	0.00	0.10	0.243	0.063	3.18322306.717	93734704.0	29453270.0	71011.14	3.24		
13	1	13	224.00	223.7517251.29	0.00	0.10	0.243	0.063	3.18322306.752	93735600.0	29453316.0	71011.82	3.24		
14	1	14	223.75	223.5017251.39	0.00	0.10	0.243	0.063	3.18322306.787	93736480.0	29453364.0	71012.48	3.24		
15	1	15	223.50	223.2517251.49	0.00	0.10	0.243	0.063	3.18322306.822	93737376.0	29453410.0	71013.16	3.24		
16	1	16	223.25	223.0017251.59	0.00	0.10	0.243	0.063	3.18322306.855	93738264.0	29453454.0	71013.84	3.24		
17	1	17	223.00	222.7517251.69	0.00	0.10	0.243	0.063	3.18422306.893	93739152.0	29453502.0	71014.51	3.24		
18	1	18	222.75	222.5017251.79	0.00	0.10	0.243	0.063	3.18422306.926	93740040.0	29453546.0	71015.18	3.24		
19	1	19	222.50	222.2517251.89	0.00	0.10	0.243	0.063	3.18422306.963	93740936.0	29453596.0	71015.86	3.24		
20	1	20	222.25	222.0017251.99	0.00	0.10	0.243	0.063	3.18422306.998	93741816.0	29453642.0	71016.53	3.24		
21	2	1	222.00	221.7517321.72	69.63	0.10	0.242	0.063	3.20122331.576	94365152.0	29486132.0	71488.75	3.24		
22	2	2	221.75	221.5017321.82	0.00	0.10	0.242	0.063	3.20122331.611	94366040.0	29486178.0	71489.43	3.24		
23	2	3	221.50	221.2517321.92	0.00	0.10	0.242	0.063	3.20122331.646	94366936.0	29486224.0	71490.10	3.24		
24	2	4	221.25	221.0017322.02	0.00	0.10	0.242	0.063	3.20122331.682	94367824.0	29486272.0	71490.77	3.24		
25	2	5	221.00	220.7517322.12	0.00	0.10	0.242	0.063	3.20122331.715	94368712.0	29486316.0	71491.45	3.24		
26	2	6	220.75	220.5017322.22	0.00	0.10	0.242	0.063	3.20122331.750	94369608.0	29486362.0	71492.12	3.24		
27	2	7	220.50	220.2517322.32	0.00	0.10	0.242	0.063	3.20122331.787	94370504.0	29486410.0	71492.80	3.24		
28	2	8	220.25	220.0017322.42	0.00	0.10	0.242	0.063	3.20122331.822	94371392.0	29486458.0	71493.48	3.24		
29	2	9	220.00	219.7517322.52	0.00	0.10	0.242	0.063	3.20122331.857	94372288.0	29486504.0	71494.16	3.24		
30	2	10	219.75	219.5017322.62	0.00	0.10	0.242	0.063	3.20122331.891	94373176.0	29486548.0	71494.83	3.24		
31	2	11	219.50	219.2517322.72	0.00	0.10	0.242	0.063	3.20122331.926	94374064.0	29486594.0	71495.51	3.24		
32	2	12	219.25	219.0017322.82	0.00	0.10	0.242	0.063	3.20222331.963	94374960.0	29486644.0	71496.18	3.24		
33	2	13	219.00	218.7517322.92	0.00	0.10	0.242	0.063	3.20222331.996	94375848.0	29486686.0	71496.85	3.24		
34	2	14	218.75	218.5017323.02	0.00	0.10	0.242	0.063	3.20222332.031	94376736.0	29486734.0	71497.53	3.25		
35	2	15	218.50	218.2517323.12	0.00	0.10	0.242	0.063	3.20222332.066	94377640.0	29486780.0	71498.21	3.25		
36	2	16	218.25	218.0017323.22	0.00	0.10	0.242	0.063	3.20222332.102	94378528.0	29486826.0	71498.88	3.25		
37	2	17	218.00	217.7517323.32	0.00	0.10	0.242	0.063	3.20222332.139	94379416.0	29486876.0	71499.56	3.25		
38	2	18	217.75	217.5017323.42	0.00	0.10	0.242	0.063	3.20222332.172	94380312.0	29486920.0	71500.23	3.25		
39	2	19	217.50	217.2517323.52	0.00	0.10	0.242	0.063	3.20222332.207	94381200.0	29486966.0	71500.91	3.25		
40	2	20	217.25	217.0017323.62	0.00	0.10	0.242	0.063	3.20222332.242	94382088.0	29487012.0	71501.59	3.25		
41	3	1	217.00	216.7517323.71	0.00	0.10	0.242	0.063	3.20222332.277	94382984.0	29487058.0	71502.26	1.88		
42	3	2	216.75	216.5017323.81	0.00	0.10	0.242	0.063	3.20222332.312	94383872.0	29487106.0	71502.94	1.88		
43	3	3	216.50	216.2517323.91	0.00	0.10	0.242	0.063	3.20222332.348	94384768.0	29487152.0	71503.61	1.88		

CRF_65A.OUT

44	3	4	216.25	216.0017324.01	0.00	0.10	0.242	0.063	3.20222332.383	94385664.0	29487198.0	71504.29	1.88
45	3	5	216.00	215.7517324.11	0.00	0.10	0.242	0.063	3.20222332.418	94386552.0	29487244.0	71504.96	1.88
46	3	6	215.75	215.5017324.21	0.00	0.10	0.242	0.063	3.20222332.453	94387440.0	29487292.0	71505.64	1.88
47	3	7	215.50	215.2517324.31	0.00	0.10	0.242	0.063	3.20222332.488	94388336.0	29487338.0	71506.31	1.88
48	3	8	215.25	215.0017324.41	0.00	0.10	0.242	0.063	3.20222332.523	94389224.0	29487384.0	71506.99	1.88
49	3	9	215.00	214.7517324.51	0.00	0.10	0.242	0.063	3.20222332.557	94390112.0	29487428.0	71507.66	1.88
50	3	10	214.75	214.5017324.61	0.00	0.10	0.242	0.063	3.20222332.592	94391008.0	29487474.0	71508.34	1.88
51	3	11	214.50	214.2517324.71	0.00	0.10	0.242	0.063	3.20222332.627	94391896.0	29487520.0	71509.02	1.88
52	3	12	214.25	214.0017324.81	0.00	0.10	0.242	0.063	3.20222332.662	94392792.0	29487568.0	71509.69	1.88
53	3	13	214.00	213.7517324.91	0.00	0.10	0.242	0.063	3.20222332.699	94393688.0	29487616.0	71510.37	1.88
54	3	14	213.75	213.5017325.01	0.00	0.10	0.242	0.063	3.20222332.732	94394576.0	29487660.0	71511.05	1.88
55	3	15	213.50	213.2517325.11	0.00	0.10	0.242	0.063	3.20222332.770	94395472.0	29487710.0	71511.72	1.88
56	3	16	213.25	213.0017325.21	0.00	0.10	0.242	0.063	3.20222332.803	94396360.0	29487754.0	71512.39	1.88
57	3	17	213.00	212.7517325.31	0.00	0.10	0.242	0.063	3.20222332.838	94397248.0	29487800.0	71513.07	1.88
58	3	18	212.75	212.5017325.41	0.00	0.10	0.242	0.063	3.20222332.873	94398144.0	29487846.0	71513.74	1.88
59	3	19	212.50	212.2517325.51	0.00	0.10	0.242	0.063	3.20222332.908	94399032.0	29487892.0	71514.42	1.88
60	3	20	212.25	212.0017325.61	0.00	0.10	0.242	0.063	3.20222332.943	94399920.0	29487940.0	71515.09	1.88
61	4	1	212.00	211.7517325.71	0.00	0.10	0.242	0.063	3.20222332.979	94400816.0	29487986.0	71515.77	1.79
62	4	2	211.75	211.5017325.81	0.00	0.10	0.242	0.063	3.20222333.014	94401704.0	29488032.0	71516.45	1.79
63	4	3	211.50	211.2517325.91	0.00	0.10	0.242	0.063	3.20222333.049	94402600.0	29488078.0	71517.12	1.79
64	4	4	211.25	211.0017327.01	1.00	0.10	0.242	0.063	3.20322333.436	94412448.0	29488590.0	71524.58	1.79
65	4	5	211.00	210.7517327.11	0.00	0.10	0.242	0.063	3.20322333.471	94413336.0	29488636.0	71525.26	1.79

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5017327.21	0.00	0.10	0.242	0.063	3.20322333.506	94414224.0	29488682.0	71525.93	1.79		
67	4	7	210.50	210.2517327.30	0.00	0.10	0.242	0.063	3.20322333.541	94415120.0	29488730.0	71526.60	1.79		
68	4	8	210.25	210.0017327.40	0.00	0.10	0.242	0.063	3.20322333.574	94416008.0	29488774.0	71527.28	1.79		
69	4	9	210.00	209.7517327.50	0.00	0.10	0.242	0.063	3.20322333.609	94416904.0	29488820.0	71527.95	1.79		
70	4	10	209.75	209.5017327.60	0.00	0.10	0.242	0.063	3.20322333.646	94417800.0	29488868.0	71528.63	1.79		
71	4	11	209.50	209.2517327.70	0.00	0.10	0.242	0.063	3.20322333.682	94418688.0	29488916.0	71529.31	1.79		
72	4	12	209.25	209.0017327.80	0.00	0.10	0.242	0.063	3.20322333.717	94419576.0	29488962.0	71529.98	1.79		
73	4	13	209.00	208.7517327.90	0.00	0.10	0.242	0.063	3.20322333.750	94420472.0	29489006.0	71530.66	1.79		
74	4	14	208.75	208.5017328.00	0.00	0.10	0.242	0.063	3.20322333.785	94421360.0	29489052.0	71531.34	1.79		
75	4	15	208.50	208.2517328.10	0.00	0.10	0.242	0.063	3.20322333.822	94422256.0	29489100.0	71532.01	1.79		
76	4	16	208.25	208.0017328.20	0.00	0.10	0.242	0.063	3.20322333.855	94423144.0	29489144.0	71532.69	1.79		
77	4	17	208.00	207.7517328.30	0.00	0.10	0.242	0.063	3.20322333.891	94424040.0	29489192.0	71533.36	1.79		
78	4	18	207.75	207.5017328.50	0.10	0.10	0.242	0.063	3.20322333.959	94425816.0	29489282.0	71534.71	1.79		
79	4	19	207.50	207.2517328.60	0.00	0.10	0.242	0.063	3.20322333.996	94426712.0	29489330.0	71535.38	1.79		
80	4	20	207.25	207.0017328.70	0.00	0.10	0.242	0.063	3.20322334.031	94427608.0	29489378.0	71536.06	1.79		

81	5	1	207.00	206.7517328.80	0.00	0.10	0.242	0.063	3.20322334.066	94428496.0	29489424.0	71536.74	0.85
82	5	2	206.75	206.5017328.90	0.00	0.10	0.242	0.063	3.20322334.102	94429392.0	29489470.0	71537.41	0.85
83	5	3	206.50	206.2517329.00	0.00	0.10	0.242	0.063	3.20322334.137	94430280.0	29489516.0	71538.09	0.85
84	5	4	206.25	206.0017329.10	0.00	0.10	0.242	0.063	3.20322334.172	94431176.0	29489564.0	71538.77	0.85
85	5	5	206.00	205.7517329.20	0.00	0.10	0.242	0.063	3.20322334.207	94432064.0	29489610.0	71539.45	0.85
86	5	6	205.75	205.5017329.30	0.00	0.10	0.242	0.063	3.20322334.242	94432952.0	29489656.0	71540.12	0.85
87	5	7	205.50	205.2517329.40	0.00	0.10	0.242	0.063	3.20322334.275	94433848.0	29489700.0	71540.79	0.85
88	5	8	205.25	205.0017329.50	0.00	0.10	0.242	0.063	3.20322334.311	94434736.0	29489746.0	71541.47	0.85
89	5	9	205.00	204.7517329.60	0.00	0.10	0.242	0.063	3.20322334.348	94435632.0	29489796.0	71542.14	0.85
90	5	10	204.75	204.5017329.70	0.00	0.10	0.242	0.063	3.20322334.381	94436520.0	29489840.0	71542.82	0.85
91	5	11	204.50	204.2517329.79	0.00	0.10	0.242	0.063	3.20322334.416	94437416.0	29489886.0	71543.49	0.85
92	5	12	204.25	204.0017329.89	0.00	0.10	0.242	0.063	3.20322334.451	94438312.0	29489932.0	71544.17	0.85
93	5	13	204.00	203.7517329.99	0.00	0.10	0.242	0.063	3.20322334.486	94439200.0	29489978.0	71544.85	0.85
94	5	14	203.75	203.5017330.09	0.00	0.10	0.242	0.063	3.20322334.523	94440096.0	29490028.0	71545.52	0.85
95	5	15	203.50	203.2517330.19	0.00	0.10	0.242	0.063	3.20322334.557	94440984.0	29490072.0	71546.20	0.85
96	5	16	203.25	203.0017330.29	0.00	0.10	0.242	0.063	3.20322334.592	94441872.0	29490118.0	71546.87	0.85
97	5	17	203.00	202.7517331.39	1.00	0.10	0.242	0.063	3.20422334.979	94451720.0	29490630.0	71554.34	0.85
98	5	18	202.75	202.5017331.49	0.00	0.10	0.242	0.063	3.20422335.014	94452608.0	29490676.0	71555.01	0.85
99	5	19	202.50	202.2517331.59	0.00	0.10	0.242	0.063	3.20422335.049	94453504.0	29490722.0	71555.69	0.85
100	5	20	202.25	202.0017331.69	0.00	0.10	0.242	0.063	3.20422335.084	94454392.0	29490768.0	71556.36	0.85
101	6	1	202.00	201.7517331.79	0.00	0.10	0.242	0.063	3.20422335.119	94455288.0	29490816.0	71557.03	1.45
102	6	2	201.75	201.5017331.89	0.00	0.10	0.242	0.063	3.20422335.154	94456176.0	29490862.0	71557.71	1.45
103	6	3	201.50	201.2517331.99	0.00	0.10	0.242	0.063	3.20422335.187	94457072.0	29490906.0	71558.38	1.45
104	6	4	201.25	201.0017332.09	0.00	0.10	0.242	0.063	3.20422335.223	94457960.0	29490952.0	71559.06	1.45
105	6	5	201.00	200.7517332.19	0.00	0.10	0.242	0.063	3.20422335.260	94458856.0	29491002.0	71559.74	1.45
106	6	6	200.75	200.5017332.29	0.00	0.10	0.242	0.063	3.20422335.295	94459752.0	29491048.0	71560.41	1.45
107	6	7	200.50	200.2517332.39	0.00	0.10	0.242	0.063	3.20422335.330	94460640.0	29491094.0	71561.09	1.45
108	6	8	200.25	200.0017332.49	0.00	0.10	0.242	0.063	3.20422335.365	94461536.0	29491140.0	71561.77	1.45
109	6	9	200.00	199.7517332.59	0.00	0.10	0.242	0.063	3.20422335.398	94462424.0	29491184.0	71562.45	1.45
110	6	10	199.75	199.5017332.69	0.00	0.10	0.242	0.063	3.20422335.436	94463312.0	29491234.0	71563.12	1.45
111	6	11	199.50	199.2517332.79	0.00	0.10	0.242	0.063	3.20422335.471	94464208.0	29491280.0	71563.80	1.45
112	6	12	199.25	199.0017332.89	0.00	0.10	0.242	0.063	3.20422335.504	94465096.0	29491324.0	71564.47	1.45
113	6	13	199.00	198.7517333.09	0.10	0.10	0.242	0.063	3.20422335.574	94466880.0	29491416.0	71565.82	1.45
114	6	14	198.75	198.5017333.19	0.00	0.10	0.242	0.063	3.20422335.609	94467776.0	29491464.0	71566.49	1.45
115	6	15	198.50	198.2517333.29	0.00	0.10	0.242	0.063	3.20422335.645	94468664.0	29491510.0	71567.17	1.45
116	6	16	198.25	198.0017333.38	0.00	0.10	0.242	0.063	3.20422335.680	94469560.0	29491556.0	71567.84	1.45
117	6	17	198.00	197.7517333.48	0.00	0.10	0.242	0.063	3.20422335.715	94470448.0	29491602.0	71568.52	1.45
118	6	18	197.75	197.5017333.58	0.00	0.10	0.242	0.063	3.20422335.748	94471336.0	29491646.0	71569.20	1.45
119	6	19	197.50	197.2517333.68	0.00	0.10	0.242	0.063	3.20422335.785	94472232.0	29491696.0	71569.87	1.45
120	6	20	197.25	197.0017333.78	0.00	0.10	0.242	0.063	3.20422335.820	94473120.0	29491742.0	71570.55	1.45
121	7	1	197.00	196.7517333.98	0.10	0.10	0.242	0.063	3.20422335.891	94474912.0	29491836.0	71571.91	0.60
122	7	2	196.75	196.5017334.08	0.00	0.10	0.242	0.063	3.20422335.926	94475800.0	29491882.0	71572.58	0.60
123	7	3	196.50	196.2517334.18	0.00	0.10	0.242	0.063	3.20422335.961	94476696.0	29491928.0	71573.26	0.60
124	7	4	196.25	196.0017334.28	0.00	0.10	0.242	0.063	3.20422335.996	94477584.0	29491974.0	71573.93	0.60

CRF_65A.OUT

125	7	5	196.00	195.7517334.38	0.00	0.10	0.242	0.063	3.20422336.031	94478480.0	29492020.0	71574.60	0.60
126	7	6	195.75	195.5017334.48	0.00	0.10	0.242	0.063	3.20422336.064	94479368.0	29492064.0	71575.28	0.60
127	7	7	195.50	195.2517334.58	0.00	0.10	0.242	0.063	3.20422336.100	94480264.0	29492112.0	71575.95	0.60
128	7	8	195.25	195.0017334.68	0.00	0.10	0.242	0.063	3.20522336.135	94481152.0	29492158.0	71576.63	0.60
129	7	9	195.00	194.7517334.78	0.00	0.10	0.242	0.063	3.20522336.170	94482048.0	29492204.0	71577.30	0.60
130	7	10	194.75	194.5017334.88	0.00	0.10	0.242	0.063	3.20522336.205	94482936.0	29492250.0	71577.98	0.60

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	INCR SRCE CFS	TRVL VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
131	7	11	194.50	194.2517334.98	0.00	0.10	0.242	0.063	3.20522336.240	94483832.0	29492298.0	71578.66	0.60	
132	7	12	194.25	194.0017335.08	0.00	0.10	0.242	0.063	3.20522336.275	94484720.0	29492344.0	71579.34	0.60	
133	7	13	194.00	193.7517557.18	222.00	0.10	0.240	0.064	3.26122414.041	96481840.0	29595144.0	73092.30	0.60	
134	7	14	193.75	193.5017557.28	0.00	0.10	0.240	0.064	3.26122414.074	96482736.0	29595188.0	73092.98	0.60	
135	7	15	193.50	193.2517557.38	0.00	0.10	0.240	0.064	3.26122414.109	96483640.0	29595234.0	73093.66	0.60	
136	7	16	193.25	193.0017557.48	0.00	0.10	0.240	0.064	3.26122414.145	96484536.0	29595280.0	73094.34	0.60	
137	7	17	193.00	192.7517557.58	0.00	0.10	0.240	0.064	3.26122414.180	96485440.0	29595326.0	73095.03	0.60	
138	7	18	192.75	192.5017557.68	0.00	0.10	0.240	0.064	3.26122414.215	96486336.0	29595372.0	73095.71	0.60	
139	7	19	192.50	192.2517557.78	0.00	0.10	0.240	0.064	3.26122414.248	96487232.0	29595416.0	73096.39	0.60	
140	7	20	192.25	192.0017557.87	0.00	0.10	0.240	0.064	3.26122414.283	96488136.0	29595464.0	73097.07	0.60	
141	8	1	192.00	191.7517558.89	0.77	0.25	0.240	0.064	3.26122414.639	96497344.0	29595934.0	73104.05	0.60	
142	8	2	191.75	191.5017559.14	0.00	0.25	0.240	0.064	3.26222414.725	96499600.0	29596046.0	73105.76	0.60	
143	8	3	191.50	191.2517559.39	0.00	0.25	0.240	0.064	3.26222414.812	96501856.0	29596164.0	73107.47	0.60	
144	8	4	191.25	191.0017559.64	0.00	0.25	0.240	0.064	3.26222414.900	96504112.0	29596280.0	73109.18	0.60	
145	8	5	191.00	190.7517559.89	0.00	0.25	0.240	0.064	3.26222414.986	96506368.0	29596392.0	73110.88	0.60	
146	8	6	190.75	190.5017560.14	0.00	0.25	0.240	0.064	3.26222415.074	96508632.0	29596510.0	73112.59	0.60	
147	8	7	190.50	190.2517560.39	0.00	0.25	0.240	0.064	3.26222415.160	96510880.0	29596622.0	73114.30	0.60	
148	8	8	190.25	190.0017560.64	0.00	0.25	0.240	0.064	3.26222415.248	96513144.0	29596738.0	73116.02	0.60	

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
------------	------------	-------------------	-----------	-------------------------	-----------------------	----------------------	----------------------	------------------------	-----------------------	-----------------------	-----------------------	-----------------------	------------------------	-----------------------	------------------------	------------------------	-----------------------	----------------------	-----------------------

CRF_65A.OUT

3	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
4	6	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
---	---	------	---	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

CRF_65A.OUT

7	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
7	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
1	1	87.40	1.24	0.00	0.00	3.47	4.27	0.25	0.04	0.04	0.18	0.52	0.03	0.02	0.04	0.00	0.00	8.27
1	2	87.40	1.24	0.00	0.00	3.54	4.25	0.25	0.04	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.14
1	3	87.40	1.24	0.00	0.00	3.60	4.22	0.24	0.05	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.02

CRF_65A.OUT

1	4	87.40	1.24	0.00	0.00	3.67	4.20	0.24	0.05	0.03	0.19	0.52	0.03	0.02	0.04	0.00	0.00	7.90
1	5	87.40	1.24	0.00	0.00	3.73	4.18	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.78
1	6	87.40	1.24	0.00	0.00	3.79	4.16	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.66
1	7	87.40	1.24	0.00	0.00	3.84	4.14	0.23	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.54
1	8	87.40	1.24	0.00	0.00	3.90	4.12	0.23	0.05	0.02	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.43
1	9	87.40	1.24	0.00	0.00	3.95	4.10	0.23	0.05	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.32
1	10	87.40	1.24	0.00	0.00	4.00	4.07	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.21
1	11	87.40	1.24	0.00	0.00	4.05	4.05	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.10
1	12	87.40	1.24	0.00	0.00	4.10	4.03	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.00
1	13	87.40	1.24	0.00	0.00	4.15	4.01	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.89
1	14	87.40	1.24	0.00	0.00	4.19	3.99	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.79
1	15	87.40	1.24	0.00	0.00	4.23	3.97	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.69
1	16	87.40	1.24	0.00	0.00	4.27	3.95	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.59
1	17	87.40	1.24	0.00	0.00	4.31	3.93	0.21	0.07	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.50
1	18	87.40	1.24	0.00	0.00	4.35	3.91	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.40
1	19	87.40	1.24	0.00	0.00	4.39	3.89	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.31
1	20	87.40	1.24	0.00	0.00	4.42	3.88	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.22
2	1	87.40	1.31	0.00	0.00	4.45	4.71	0.22	0.08	0.01	0.22	0.54	0.03	0.02	0.05	0.00	0.00	6.11
2	2	87.40	1.31	0.00	0.00	4.48	4.68	0.21	0.08	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	6.03
2	3	87.40	1.31	0.00	0.00	4.51	4.66	0.21	0.08	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.94
2	4	87.40	1.31	0.00	0.00	4.53	4.64	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.86
2	5	87.40	1.31	0.00	0.00	4.56	4.61	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.78
2	6	87.40	1.31	0.00	0.00	4.58	4.59	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.70
2	7	87.40	1.31	0.00	0.00	4.61	4.56	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.62
2	8	87.40	1.31	0.00	0.00	4.63	4.54	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.54
2	9	87.40	1.31	0.00	0.00	4.65	4.52	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.47
2	10	87.40	1.31	0.00	0.00	4.67	4.49	0.20	0.09	0.01	0.23	0.53	0.03	0.02	0.05	0.00	0.00	5.39
2	11	87.40	1.31	0.00	0.00	4.69	4.47	0.20	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.32
2	12	87.40	1.31	0.00	0.00	4.71	4.45	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.25
2	13	87.40	1.31	0.00	0.00	4.73	4.42	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.17
2	14	87.40	1.31	0.00	0.00	4.75	4.40	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.10
2	15	87.40	1.31	0.00	0.00	4.77	4.38	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.03
2	16	87.40	1.31	0.00	0.00	4.78	4.36	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.97
2	17	87.40	1.31	0.00	0.00	4.80	4.33	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.90
2	18	87.40	1.31	0.00	0.00	4.82	4.31	0.18	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.83
2	19	87.40	1.31	0.00	0.00	4.83	4.29	0.18	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.77
2	20	87.40	1.31	0.00	0.00	4.85	4.27	0.18	0.09	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.70
3	1	87.40	1.31	0.00	0.00	4.86	4.25	0.18	0.09	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.64
3	2	87.40	1.31	0.00	0.00	4.87	4.22	0.18	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.57
3	3	87.40	1.31	0.00	0.00	4.89	4.20	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.51
3	4	87.40	1.31	0.00	0.00	4.90	4.18	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.45
3	5	87.40	1.31	0.00	0.00	4.91	4.16	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.39
3	6	87.40	1.31	0.00	0.00	4.92	4.14	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.33
3	7	87.40	1.31	0.00	0.00	4.94	4.12	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.27
3	8	87.40	1.31	0.00	0.00	4.95	4.10	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.22
3	9	87.40	1.31	0.00	0.00	4.96	4.07	0.17	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.16

CRF_65A.OUT

3	10	87.40	1.31	0.00	0.00	4.97	4.05	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.10
3	11	87.40	1.31	0.00	0.00	4.98	4.03	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.05
3	12	87.40	1.31	0.00	0.00	4.99	4.01	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.99
3	13	87.40	1.31	0.00	0.00	5.00	3.99	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.94
3	14	87.40	1.31	0.00	0.00	5.01	3.97	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.89
3	15	87.40	1.31	0.00	0.00	5.01	3.95	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.83
3	16	87.40	1.31	0.00	0.00	5.02	3.93	0.15	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.78
3	17	87.40	1.31	0.00	0.00	5.03	3.91	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.73
3	18	87.40	1.31	0.00	0.00	5.04	3.89	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.68
3	19	87.40	1.31	0.00	0.00	5.05	3.87	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.63
3	20	87.40	1.31	0.00	0.00	5.05	3.85	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.58

4	1	87.40	1.31	0.00	0.00	5.04	3.83	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.54
4	2	87.40	1.31	0.00	0.00	5.02	3.81	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.49
4	3	87.40	1.31	0.00	0.00	5.00	3.79	0.14	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.44
4	4	87.40	1.31	0.00	0.00	4.99	3.77	0.14	0.10	0.01	0.27	0.53	0.03	0.02	0.04	0.00	0.00	3.40
4	5	87.40	1.31	0.00	0.00	4.97	3.75	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.35

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	87.40	1.31	0.00	0.00	4.96	3.73	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.31
4	7	87.40	1.31	0.00	0.00	4.94	3.71	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.26
4	8	87.40	1.31	0.00	0.00	4.93	3.69	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.22
4	9	87.40	1.31	0.00	0.00	4.92	3.67	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.18
4	10	87.40	1.31	0.00	0.00	4.91	3.66	0.13	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.13
4	11	87.40	1.31	0.00	0.00	4.90	3.64	0.13	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.09
4	12	87.40	1.31	0.00	0.00	4.88	3.62	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	3.05
4	13	87.40	1.31	0.00	0.00	4.87	3.60	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	3.01
4	14	87.40	1.31	0.00	0.00	4.86	3.58	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.97
4	15	87.40	1.31	0.00	0.00	4.86	3.56	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.93
4	16	87.40	1.31	0.00	0.00	4.85	3.54	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.89
4	17	87.40	1.31	0.00	0.00	4.84	3.53	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.85
4	18	87.40	1.31	0.00	0.00	4.83	3.51	0.12	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.82
4	19	87.40	1.31	0.00	0.00	4.82	3.49	0.12	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.78
4	20	87.40	1.31	0.00	0.00	4.81	3.47	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.74
5	1	87.40	1.31	0.00	0.00	4.81	3.45	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.70
5	2	87.40	1.31	0.00	0.00	4.80	3.44	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.67
5	3	87.40	1.31	0.00	0.00	4.79	3.42	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.63
5	4	87.40	1.31	0.00	0.00	4.79	3.40	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.60

CRF_65A.OUT

5	5	87.40	1.31	0.00	0.00	4.78	3.38	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.56
5	6	87.40	1.31	0.00	0.00	4.78	3.37	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.53
5	7	87.40	1.31	0.00	0.00	4.77	3.35	0.11	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.50
5	8	87.40	1.31	0.00	0.00	4.77	3.33	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.46
5	9	87.40	1.31	0.00	0.00	4.76	3.31	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.43
5	10	87.40	1.31	0.00	0.00	4.76	3.30	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.40
5	11	87.40	1.31	0.00	0.00	4.75	3.28	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.37
5	12	87.40	1.31	0.00	0.00	4.75	3.26	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.34
5	13	87.40	1.31	0.00	0.00	4.75	3.25	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.31
5	14	87.40	1.31	0.00	0.00	4.74	3.23	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.28
5	15	87.40	1.31	0.00	0.00	4.74	3.21	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.25
5	16	87.40	1.31	0.00	0.00	4.74	3.20	0.11	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.22
5	17	87.40	1.31	0.00	0.00	4.74	3.18	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.19
5	18	87.40	1.31	0.00	0.00	4.73	3.16	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.16
5	19	87.40	1.31	0.00	0.00	4.73	3.15	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.13
5	20	87.40	1.31	0.00	0.00	4.73	3.13	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.10

6	1	87.40	1.31	0.00	0.00	4.73	3.12	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.07
6	2	87.40	1.31	0.00	0.00	4.72	3.10	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.05
6	3	87.40	1.31	0.00	0.00	4.72	3.08	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.02
6	4	87.40	1.31	0.00	0.00	4.72	3.07	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.99
6	5	87.40	1.31	0.00	0.00	4.72	3.05	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.97
6	6	87.40	1.31	0.00	0.00	4.72	3.04	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.94
6	7	87.40	1.31	0.00	0.00	4.72	3.02	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.92
6	8	87.40	1.31	0.00	0.00	4.72	3.00	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.89
6	9	87.40	1.31	0.00	0.00	4.72	2.99	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.87
6	10	87.40	1.31	0.00	0.00	4.71	2.97	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.85
6	11	87.40	1.31	0.00	0.00	4.71	2.96	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.82
6	12	87.40	1.31	0.00	0.00	4.71	2.94	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.80
6	13	87.40	1.31	0.00	0.00	4.71	2.93	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.78
6	14	87.40	1.31	0.00	0.00	4.71	2.91	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.75
6	15	87.40	1.31	0.00	0.00	4.71	2.90	0.09	0.08	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.73
6	16	87.40	1.31	0.00	0.00	4.71	2.88	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.71
6	17	87.40	1.31	0.00	0.00	4.71	2.87	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.69
6	18	87.40	1.31	0.00	0.00	4.71	2.85	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.67
6	19	87.40	1.31	0.00	0.00	4.71	2.84	0.08	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.65
6	20	87.40	1.31	0.00	0.00	4.71	2.82	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.63

7	1	87.40	1.31	0.00	0.00	4.74	2.81	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.61
7	2	87.40	1.31	0.00	0.00	4.76	2.80	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.59
7	3	87.40	1.31	0.00	0.00	4.79	2.78	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.57
7	4	87.40	1.31	0.00	0.00	4.81	2.77	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.55
7	5	87.40	1.31	0.00	0.00	4.83	2.75	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.53
7	6	87.40	1.31	0.00	0.00	4.85	2.74	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.51
7	7	87.40	1.31	0.00	0.00	4.87	2.72	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.49
7	8	87.40	1.31	0.00	0.00	4.89	2.71	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.48
7	9	87.40	1.31	0.00	0.00	4.91	2.70	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.46
7	10	87.40	1.31	0.00	0.00	4.93	2.68	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.44

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	87.40	1.31	0.00	0.00	4.95	2.67	0.07	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.42
7	12	87.40	1.31	0.00	0.00	4.97	2.65	0.07	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.41
7	13	87.40	1.31	0.00	0.00	4.99	2.64	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.48
7	14	87.40	1.31	0.00	0.00	5.00	2.63	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.46
7	15	87.40	1.31	0.00	0.00	5.02	2.62	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.44
7	16	87.40	1.31	0.00	0.00	5.04	2.60	0.08	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.43
7	17	87.40	1.31	0.00	0.00	5.05	2.59	0.08	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.41
7	18	87.40	1.31	0.00	0.00	5.07	2.57	0.07	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.39
7	19	87.40	1.31	0.00	0.00	5.08	2.56	0.07	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.38
7	20	87.40	1.31	0.00	0.00	5.10	2.55	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.36
8	1	87.40	1.31	0.00	0.00	5.11	2.54	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.34
8	2	87.40	1.31	0.00	0.00	5.12	2.52	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.33
8	3	87.40	1.31	0.00	0.00	5.13	2.51	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.31
8	4	87.40	1.31	0.00	0.00	5.15	2.50	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.30
8	5	87.40	1.31	0.00	0.00	5.16	2.49	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.28
8	6	87.40	1.31	0.00	0.00	5.17	2.47	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.27
8	7	87.40	1.31	0.00	0.00	5.18	2.46	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.25
8	8	87.40	1.31	0.00	0.00	5.19	2.45	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.24

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN NITRGN *	FACTORS PHSPRS *
1	1	1	8.27	0.16	0.08	1.03	1.71	0.06	0.50	0.18	4.23	0.11	0.53	0.65
2	1	2	8.14	0.16	0.08	1.03	1.73	0.07	0.50	0.19	4.23	0.11	0.54	0.65
3	1	3	8.02	0.16	0.08	1.03	1.75	0.07	0.50	0.19	4.23	0.11	0.54	0.65
4	1	4	7.90	0.16	0.08	1.03	1.76	0.07	0.50	0.19	4.22	0.11	0.55	0.65
5	1	5	7.78	0.16	0.08	1.03	1.77	0.07	0.50	0.20	4.22	0.11	0.55	0.65

									CRF_65A.OUT					
6	1	6	7.66	0.16	0.08	1.03	1.79	0.07	0.50	0.20	4.22	0.11	0.56	0.65
7	1	7	7.54	0.16	0.08	1.03	1.80	0.07	0.50	0.20	4.21	0.11	0.56	0.65
8	1	8	7.43	0.16	0.08	1.03	1.81	0.07	0.50	0.21	4.21	0.11	0.56	0.65
9	1	9	7.32	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
10	1	10	7.21	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
11	1	11	7.10	0.17	0.08	1.03	1.83	0.06	0.50	0.22	4.20	0.11	0.57	0.64
12	1	12	7.00	0.17	0.08	1.03	1.84	0.06	0.50	0.22	4.20	0.11	0.58	0.64
13	1	13	6.89	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
14	1	14	6.79	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
15	1	15	6.69	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
16	1	16	6.59	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
17	1	17	6.50	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.19	0.11	0.59	0.64
18	1	18	6.40	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.18	0.11	0.59	0.64
19	1	19	6.31	0.17	0.08	1.03	1.88	0.06	0.50	0.23	4.18	0.11	0.59	0.64
20	1	20	6.22	0.17	0.08	1.03	1.88	0.06	0.50	0.24	4.18	0.11	0.59	0.64
21	2	1	6.11	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.18	0.11	0.61	0.66
22	2	2	6.03	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.18	0.11	0.61	0.66
23	2	3	5.94	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.17	0.11	0.61	0.66
24	2	4	5.86	0.18	0.08	1.03	2.01	0.06	0.50	0.27	4.17	0.11	0.61	0.66
25	2	5	5.78	0.18	0.08	1.03	2.01	0.06	0.50	0.27	4.17	0.11	0.61	0.66
26	2	6	5.70	0.18	0.08	1.03	2.01	0.06	0.50	0.28	4.17	0.11	0.61	0.66
27	2	7	5.62	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.61	0.66
28	2	8	5.54	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.62	0.66
29	2	9	5.47	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.62	0.66
30	2	10	5.39	0.18	0.08	1.03	2.03	0.06	0.50	0.28	4.16	0.11	0.62	0.66
31	2	11	5.32	0.18	0.08	1.03	2.03	0.06	0.50	0.28	4.16	0.11	0.62	0.66
32	2	12	5.25	0.19	0.08	1.03	2.03	0.06	0.50	0.28	4.15	0.11	0.62	0.66
33	2	13	5.17	0.19	0.08	1.03	2.03	0.06	0.50	0.28	4.15	0.11	0.62	0.65
34	2	14	5.10	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.62	0.65
35	2	15	5.03	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.62	0.65
36	2	16	4.97	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.63	0.65
37	2	17	4.90	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.63	0.65
38	2	18	4.83	0.19	0.08	1.03	2.05	0.06	0.50	0.28	4.14	0.11	0.63	0.65
39	2	19	4.77	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
40	2	20	4.70	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
41	3	1	4.64	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
42	3	2	4.57	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
43	3	3	4.51	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.14	0.11	0.63	0.65
44	3	4	4.45	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.63	0.65
45	3	5	4.39	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.63	0.65
46	3	6	4.33	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.64	0.65
47	3	7	4.27	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.64	0.65
48	3	8	4.22	0.19	0.08	1.03	2.06	0.05	0.50	0.27	4.13	0.11	0.64	0.64
49	3	9	4.16	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.13	0.11	0.64	0.64
50	3	10	4.10	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
51	3	11	4.05	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64

CRF_65A.OUT														
52	3	12	3.99	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
53	3	13	3.94	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
54	3	14	3.89	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
55	3	15	3.83	0.19	0.08	1.03	2.08	0.05	0.50	0.27	4.12	0.11	0.64	0.64
56	3	16	3.78	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.12	0.11	0.64	0.64
57	3	17	3.73	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
58	3	18	3.68	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
59	3	19	3.63	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
60	3	20	3.58	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
61	4	1	3.54	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
62	4	2	3.49	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
63	4	3	3.44	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
64	4	4	3.40	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
65	4	5	3.35	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N			ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.31	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
67	4	7	3.26	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
68	4	8	3.22	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
69	4	9	3.18	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
70	4	10	3.13	0.19	0.08	1.03	2.10	0.04	0.50	0.26	4.10	0.11	0.66	0.63
71	4	11	3.09	0.19	0.08	1.03	2.10	0.04	0.50	0.26	4.10	0.11	0.66	0.63
72	4	12	3.05	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.10	0.11	0.66	0.63
73	4	13	3.01	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
74	4	14	2.97	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
75	4	15	2.93	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
76	4	16	2.89	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
77	4	17	2.85	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
78	4	18	2.82	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
79	4	19	2.78	0.19	0.08	1.03	2.11	0.03	0.50	0.25	4.09	0.11	0.66	0.63
80	4	20	2.74	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
81	5	1	2.70	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
82	5	2	2.67	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
83	5	3	2.63	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63
84	5	4	2.60	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63
85	5	5	2.56	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63

									CRF_65A.OUT					
86	5	6	2.53	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.67	0.62
87	5	7	2.50	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.67	0.62
88	5	8	2.46	0.19	0.08	1.03	2.11	0.03	0.50	0.23	4.08	0.11	0.67	0.62
89	5	9	2.43	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
90	5	10	2.40	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
91	5	11	2.37	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
92	5	12	2.34	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
93	5	13	2.31	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
94	5	14	2.28	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
95	5	15	2.25	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
96	5	16	2.22	0.19	0.08	1.03	2.12	0.03	0.50	0.22	4.07	0.11	0.67	0.62
97	5	17	2.19	0.19	0.08	1.03	2.12	0.03	0.50	0.22	4.07	0.11	0.67	0.62
98	5	18	2.16	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
99	5	19	2.13	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
100	5	20	2.10	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
101	6	1	2.07	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
102	6	2	2.05	0.20	0.08	1.03	2.14	0.03	0.50	0.22	4.07	0.11	0.67	0.62
103	6	3	2.02	0.20	0.08	1.03	2.15	0.03	0.50	0.22	4.07	0.11	0.67	0.63
104	6	4	1.99	0.20	0.08	1.03	2.16	0.03	0.50	0.21	4.07	0.11	0.67	0.63
105	6	5	1.97	0.20	0.08	1.03	2.16	0.03	0.50	0.21	4.07	0.11	0.68	0.63
106	6	6	1.94	0.20	0.08	1.03	2.17	0.02	0.50	0.21	4.06	0.11	0.68	0.63
107	6	7	1.92	0.20	0.08	1.03	2.18	0.02	0.50	0.21	4.06	0.11	0.68	0.63
108	6	8	1.89	0.20	0.08	1.03	2.19	0.02	0.50	0.21	4.06	0.11	0.68	0.63
109	6	9	1.87	0.20	0.08	1.03	2.19	0.02	0.50	0.21	4.06	0.11	0.68	0.63
110	6	10	1.85	0.20	0.08	1.03	2.20	0.02	0.50	0.21	4.06	0.11	0.68	0.64
111	6	11	1.82	0.20	0.08	1.03	2.21	0.02	0.50	0.21	4.06	0.11	0.68	0.64
112	6	12	1.80	0.20	0.08	1.03	2.21	0.02	0.50	0.20	4.06	0.11	0.68	0.64
113	6	13	1.78	0.20	0.08	1.03	2.22	0.02	0.50	0.20	4.06	0.11	0.68	0.64
114	6	14	1.75	0.20	0.08	1.03	2.23	0.02	0.50	0.20	4.06	0.11	0.68	0.64
115	6	15	1.73	0.20	0.08	1.03	2.24	0.02	0.50	0.20	4.06	0.11	0.68	0.64
116	6	16	1.71	0.20	0.08	1.03	2.24	0.02	0.50	0.20	4.06	0.11	0.68	0.64
117	6	17	1.69	0.20	0.08	1.03	2.25	0.02	0.50	0.20	4.06	0.11	0.68	0.65
118	6	18	1.67	0.21	0.08	1.03	2.25	0.02	0.50	0.20	4.06	0.11	0.68	0.65
119	6	19	1.65	0.21	0.08	1.03	2.26	0.02	0.50	0.19	4.06	0.11	0.68	0.65
120	6	20	1.63	0.21	0.08	1.03	2.27	0.02	0.50	0.19	4.06	0.11	0.68	0.65
121	7	1	1.61	0.21	0.08	1.03	2.27	0.02	0.50	0.19	4.05	0.11	0.68	0.65
122	7	2	1.59	0.21	0.08	1.03	2.28	0.02	0.50	0.19	4.05	0.11	0.68	0.65
123	7	3	1.57	0.21	0.08	1.03	2.29	0.02	0.50	0.19	4.05	0.11	0.68	0.65
124	7	4	1.55	0.21	0.08	1.03	2.29	0.02	0.50	0.19	4.05	0.11	0.68	0.66
125	7	5	1.53	0.21	0.08	1.03	2.30	0.02	0.50	0.19	4.05	0.11	0.68	0.66
126	7	6	1.51	0.21	0.08	1.03	2.30	0.02	0.50	0.19	4.05	0.11	0.68	0.66
127	7	7	1.49	0.21	0.08	1.03	2.31	0.02	0.50	0.18	4.05	0.11	0.68	0.66
128	7	8	1.48	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.66
129	7	9	1.46	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.66
130	7	10	1.44	0.21	0.08	1.03	2.33	0.02	0.50	0.18	4.05	0.11	0.69	0.66

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS											
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.42	0.21	0.08	1.03	2.33	0.02	0.50	0.18	4.05	0.11	0.69	0.66
132	7	12	1.41	0.21	0.08	1.03	2.34	0.02	0.50	0.18	4.05	0.11	0.69	0.67
133	7	13	1.48	0.21	0.08	1.03	2.31	0.02	0.50	0.18	4.05	0.11	0.69	0.67
134	7	14	1.46	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.67
135	7	15	1.44	0.21	0.08	1.03	2.32	0.02	0.50	0.17	4.05	0.11	0.69	0.67
136	7	16	1.43	0.21	0.08	1.03	2.33	0.02	0.50	0.17	4.05	0.11	0.69	0.67
137	7	17	1.41	0.21	0.08	1.03	2.33	0.02	0.50	0.17	4.05	0.11	0.69	0.67
138	7	18	1.39	0.21	0.08	1.03	2.34	0.02	0.50	0.17	4.05	0.11	0.69	0.68
139	7	19	1.38	0.21	0.08	1.03	2.35	0.02	0.50	0.17	4.05	0.11	0.69	0.68
140	7	20	1.36	0.21	0.08	1.03	2.35	0.02	0.50	0.17	4.05	0.11	0.69	0.68
141	8	1	1.34	0.22	0.08	1.03	2.36	0.02	0.50	0.17	4.05	0.11	0.69	0.68
142	8	2	1.33	0.22	0.08	1.03	2.37	0.02	0.50	0.17	4.05	0.11	0.69	0.68
143	8	3	1.31	0.22	0.08	1.03	2.37	0.02	0.50	0.17	4.05	0.11	0.69	0.68
144	8	4	1.30	0.22	0.08	1.03	2.38	0.02	0.50	0.16	4.05	0.11	0.69	0.68
145	8	5	1.28	0.22	0.08	1.03	2.38	0.02	0.50	0.16	4.05	0.11	0.69	0.68
146	8	6	1.27	0.22	0.08	1.03	2.39	0.02	0.50	0.16	4.04	0.11	0.69	0.69
147	8	7	1.25	0.22	0.08	1.03	2.39	0.02	0.50	0.16	4.04	0.11	0.69	0.69
148	8	8	1.24	0.22	0.08	1.03	2.40	0.02	0.50	0.16	4.04	0.11	0.69	0.69

1

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

ELE ORD	RCH NUM	ELE NUM	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)												
			TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	87.40	7.46	3.47	3.99	0.00	1.00	54.07	2.58	-0.35	-0.03	0.06	-0.03	-0.08
2	1	2	87.40	7.46	3.54	3.92	0.00	1.00	0.00	2.53	-0.35	-0.03	0.07	-0.04	-0.07
3	1	3	87.40	7.46	3.60	3.85	0.00	1.00	0.00	2.49	-0.35	-0.03	0.07	-0.04	-0.07
4	1	4	87.40	7.46	3.67	3.79	0.00	1.00	0.00	2.45	-0.34	-0.03	0.07	-0.04	-0.06
5	1	5	87.40	7.46	3.73	3.73	0.00	1.00	0.00	2.41	-0.34	-0.03	0.07	-0.04	-0.06

									CRF_65A.OUT						
6	1	6	87.40	7.46	3.79	3.67	0.00	1.00	0.00	2.37	-0.34	-0.03	0.07	-0.04	-0.05
7	1	7	87.40	7.46	3.84	3.61	0.00	1.00	0.00	2.33	-0.34	-0.03	0.07	-0.04	-0.05
8	1	8	87.40	7.46	3.90	3.56	0.00	1.00	0.00	2.30	-0.34	-0.03	0.07	-0.04	-0.05
9	1	9	87.40	7.46	3.95	3.51	0.00	1.00	0.00	2.26	-0.34	-0.03	0.07	-0.04	-0.04
10	1	10	87.40	7.46	4.00	3.45	0.00	1.00	0.00	2.23	-0.33	-0.03	0.07	-0.05	-0.04
11	1	11	87.40	7.46	4.05	3.41	0.00	1.00	0.00	2.20	-0.33	-0.03	0.06	-0.05	-0.04
12	1	12	87.40	7.46	4.10	3.36	0.00	1.00	0.00	2.17	-0.33	-0.03	0.06	-0.05	-0.04
13	1	13	87.40	7.46	4.15	3.31	0.00	1.00	0.00	2.14	-0.33	-0.03	0.06	-0.05	-0.03
14	1	14	87.40	7.46	4.19	3.27	0.00	1.00	0.00	2.11	-0.33	-0.03	0.06	-0.05	-0.03
15	1	15	87.40	7.46	4.23	3.23	0.00	1.00	0.00	2.08	-0.33	-0.03	0.06	-0.05	-0.03
16	1	16	87.40	7.46	4.27	3.18	0.00	1.00	0.00	2.06	-0.32	-0.03	0.06	-0.05	-0.03
17	1	17	87.40	7.46	4.31	3.14	0.00	1.00	0.00	2.03	-0.32	-0.03	0.06	-0.05	-0.03
18	1	18	87.40	7.46	4.35	3.11	0.00	1.00	0.00	2.01	-0.32	-0.03	0.06	-0.05	-0.03
19	1	19	87.40	7.46	4.39	3.07	0.00	1.00	0.00	1.98	-0.32	-0.03	0.06	-0.05	-0.03
20	1	20	87.40	7.46	4.42	3.04	0.00	1.00	0.00	1.96	-0.32	-0.03	0.06	-0.06	-0.03
21	2	1	87.40	7.46	4.45	3.01	0.00	1.00	0.22	1.94	-0.39	-0.03	0.07	-0.07	-0.03
22	2	2	87.40	7.46	4.48	2.98	0.00	1.00	0.00	1.92	-0.38	-0.03	0.07	-0.07	-0.03
23	2	3	87.40	7.46	4.51	2.95	0.00	1.00	0.00	1.91	-0.38	-0.03	0.07	-0.07	-0.03
24	2	4	87.40	7.46	4.53	2.93	0.00	1.00	0.00	1.89	-0.38	-0.03	0.06	-0.07	-0.03
25	2	5	87.40	7.46	4.56	2.90	0.00	1.00	0.00	1.87	-0.38	-0.03	0.06	-0.07	-0.03
26	2	6	87.40	7.46	4.58	2.88	0.00	1.00	0.00	1.86	-0.38	-0.03	0.06	-0.07	-0.02
27	2	7	87.40	7.46	4.61	2.85	0.00	1.00	0.00	1.84	-0.37	-0.03	0.06	-0.07	-0.02
28	2	8	87.40	7.46	4.63	2.83	0.00	1.00	0.00	1.83	-0.37	-0.03	0.06	-0.07	-0.02
29	2	9	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.37	-0.03	0.06	-0.07	-0.02
30	2	10	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.37	-0.03	0.06	-0.07	-0.02
31	2	11	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.37	-0.03	0.06	-0.07	-0.02
32	2	12	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.36	-0.03	0.06	-0.07	-0.02
33	2	13	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.36	-0.03	0.06	-0.07	-0.02
34	2	14	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.36	-0.03	0.06	-0.07	-0.02
35	2	15	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.36	-0.03	0.06	-0.07	-0.02
36	2	16	87.40	7.46	4.78	2.67	0.00	1.00	0.00	1.73	-0.36	-0.03	0.06	-0.08	-0.02
37	2	17	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.36	-0.03	0.06	-0.08	-0.02
38	2	18	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.71	-0.35	-0.03	0.06	-0.08	-0.02
39	2	19	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.35	-0.03	0.05	-0.08	-0.02
40	2	20	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.69	-0.35	-0.03	0.05	-0.08	-0.02
41	3	1	87.40	7.46	4.86	2.60	0.00	1.00	0.00	1.68	-0.35	-0.03	0.05	-0.08	-0.02
42	3	2	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.35	-0.03	0.05	-0.08	-0.03
43	3	3	87.40	7.46	4.89	2.57	0.00	1.00	0.00	1.66	-0.34	-0.03	0.05	-0.08	-0.03
44	3	4	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.34	-0.03	0.05	-0.08	-0.03
45	3	5	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.64	-0.34	-0.03	0.05	-0.08	-0.03
46	3	6	87.40	7.46	4.92	2.53	0.00	1.00	0.00	1.64	-0.34	-0.03	0.05	-0.08	-0.03
47	3	7	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.34	-0.03	0.05	-0.08	-0.03
48	3	8	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.34	-0.03	0.05	-0.08	-0.03
49	3	9	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.61	-0.33	-0.03	0.05	-0.08	-0.03
50	3	10	87.40	7.46	4.97	2.49	0.00	1.00	0.00	1.61	-0.33	-0.03	0.05	-0.08	-0.03
51	3	11	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.33	-0.03	0.05	-0.08	-0.03

										CRF_65A.OUT					
52	3	12	87.40	7.46	4.99	2.47	0.00	1.00	0.00	1.60	-0.33	-0.03	0.05	-0.08	-0.03
53	3	13	87.40	7.46	5.00	2.46	0.00	1.00	0.00	1.59	-0.33	-0.03	0.05	-0.08	-0.03
54	3	14	87.40	7.46	5.01	2.45	0.00	1.00	0.00	1.58	-0.33	-0.03	0.05	-0.08	-0.03
55	3	15	87.40	7.46	5.01	2.44	0.00	1.00	0.00	1.58	-0.32	-0.03	0.05	-0.08	-0.03
56	3	16	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.32	-0.03	0.04	-0.08	-0.03
57	3	17	87.40	7.46	5.03	2.43	0.00	1.00	0.00	1.57	-0.32	-0.03	0.04	-0.08	-0.03
58	3	18	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.32	-0.03	0.04	-0.08	-0.03
59	3	19	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.56	-0.32	-0.03	0.04	-0.08	-0.03
60	3	20	87.40	7.46	5.05	2.40	0.00	1.00	0.00	1.55	-0.32	-0.03	0.04	-0.08	-0.03
61	4	1	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.31	-0.04	0.04	-0.08	-0.03
62	4	2	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.31	-0.04	0.04	-0.08	-0.03
63	4	3	87.40	7.46	5.00	2.46	0.00	1.00	0.00	1.59	-0.31	-0.04	0.04	-0.08	-0.03
64	4	4	87.40	7.46	4.99	2.47	0.00	1.00	0.01	1.60	-0.31	-0.04	0.04	-0.08	-0.03
65	4	5	87.40	7.46	4.97	2.49	0.00	1.00	0.00	1.61	-0.31	-0.04	0.04	-0.08	-0.03

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

										COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)					
ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
66	4	6	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.61	-0.31	-0.04	0.04	-0.08	-0.03
67	4	7	87.40	7.46	4.94	2.51	0.00	1.00	0.00	1.62	-0.30	-0.04	0.04	-0.08	-0.03
68	4	8	87.40	7.46	4.93	2.53	0.00	1.00	0.00	1.63	-0.30	-0.04	0.04	-0.08	-0.03
69	4	9	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.30	-0.04	0.04	-0.08	-0.03
70	4	10	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.65	-0.30	-0.04	0.04	-0.08	-0.03
71	4	11	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.30	-0.04	0.04	-0.08	-0.03
72	4	12	87.40	7.46	4.88	2.57	0.00	1.00	0.00	1.66	-0.30	-0.04	0.04	-0.08	-0.03
73	4	13	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.30	-0.04	0.04	-0.08	-0.03
74	4	14	87.40	7.46	4.86	2.59	0.00	1.00	0.00	1.67	-0.29	-0.04	0.04	-0.08	-0.03
75	4	15	87.40	7.46	4.86	2.60	0.00	1.00	0.00	1.68	-0.29	-0.04	0.04	-0.08	-0.03
76	4	16	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.69	-0.29	-0.04	0.03	-0.08	-0.03
77	4	17	87.40	7.46	4.84	2.62	0.00	1.00	0.00	1.69	-0.29	-0.04	0.03	-0.08	-0.03
78	4	18	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.29	-0.04	0.03	-0.08	-0.03
79	4	19	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.29	-0.04	0.03	-0.08	-0.03
80	4	20	87.40	7.46	4.81	2.64	0.00	1.00	0.00	1.71	-0.28	-0.04	0.03	-0.08	-0.03
81	5	1	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.28	-0.04	0.03	-0.08	-0.03
82	5	2	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.28	-0.04	0.03	-0.08	-0.03
83	5	3	87.40	7.46	4.79	2.66	0.00	1.00	0.00	1.72	-0.28	-0.04	0.03	-0.08	-0.03
84	5	4	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.28	-0.04	0.03	-0.08	-0.03
85	5	5	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.28	-0.04	0.03	-0.08	-0.03

CRF_65A.OUT

86	5	6	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.28	-0.04	0.03	-0.08	-0.03
87	5	7	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.73	-0.27	-0.04	0.03	-0.08	-0.03
88	5	8	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.27	-0.04	0.03	-0.08	-0.03
89	5	9	87.40	7.46	4.76	2.70	0.00	1.00	0.00	1.74	-0.27	-0.04	0.03	-0.08	-0.03
90	5	10	87.40	7.46	4.76	2.70	0.00	1.00	0.00	1.74	-0.27	-0.04	0.03	-0.08	-0.03
91	5	11	87.40	7.46	4.75	2.70	0.00	1.00	0.00	1.75	-0.27	-0.04	0.03	-0.08	-0.03
92	5	12	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.27	-0.04	0.03	-0.08	-0.03
93	5	13	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.27	-0.04	0.03	-0.07	-0.03
94	5	14	87.40	7.46	4.74	2.71	0.00	1.00	0.00	1.75	-0.27	-0.04	0.03	-0.07	-0.03
95	5	15	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.75	-0.26	-0.04	0.03	-0.07	-0.03
96	5	16	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.03
97	5	17	87.40	7.46	4.74	2.72	0.00	1.00	0.01	1.76	-0.26	-0.04	0.03	-0.07	-0.03
98	5	18	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.03
99	5	19	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.03
100	5	20	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.03
101	6	1	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.26	-0.04	0.03	-0.07	-0.02
102	6	2	87.40	7.46	4.72	2.73	0.00	1.00	0.00	1.77	-0.25	-0.04	0.03	-0.07	-0.02
103	6	3	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.03	-0.07	-0.02
104	6	4	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.03	-0.07	-0.02
105	6	5	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.03	-0.07	-0.02
106	6	6	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.02	-0.07	-0.02
107	6	7	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.02	-0.07	-0.02
108	6	8	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.02	-0.07	-0.02
109	6	9	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.25	-0.04	0.02	-0.07	-0.02
110	6	10	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
111	6	11	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
112	6	12	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
113	6	13	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
114	6	14	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
115	6	15	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
116	6	16	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
117	6	17	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.24	-0.04	0.02	-0.07	-0.02
118	6	18	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.23	-0.04	0.02	-0.07	-0.02
119	6	19	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.23	-0.04	0.02	-0.07	-0.02
120	6	20	87.40	7.46	4.71	2.74	0.00	1.00	0.00	1.77	-0.23	-0.04	0.02	-0.07	-0.02
121	7	1	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.76	-0.23	-0.03	0.02	-0.07	-0.02
122	7	2	87.40	7.46	4.76	2.69	0.00	1.00	0.00	1.74	-0.23	-0.03	0.02	-0.07	-0.02
123	7	3	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.23	-0.03	0.02	-0.07	-0.02
124	7	4	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.23	-0.03	0.02	-0.07	-0.02
125	7	5	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.23	-0.03	0.02	-0.07	-0.02
126	7	6	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.68	-0.22	-0.03	0.02	-0.07	-0.02
127	7	7	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.22	-0.03	0.02	-0.06	-0.02
128	7	8	87.40	7.46	4.89	2.56	0.00	1.00	0.00	1.66	-0.22	-0.03	0.02	-0.06	-0.02
129	7	9	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.64	-0.22	-0.03	0.02	-0.06	-0.02
130	7	10	87.40	7.46	4.93	2.53	0.00	1.00	0.00	1.63	-0.22	-0.03	0.02	-0.06	-0.02

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.22	-0.03	0.02	-0.06	-0.02
132	7	12	87.40	7.46	4.97	2.49	0.00	1.00	0.00	1.61	-0.22	-0.03	0.02	-0.06	-0.02
133	7	13	87.40	7.46	4.99	2.47	0.00	1.00	1.07	1.60	-0.22	-0.03	0.02	-0.06	-0.02
134	7	14	87.40	7.46	5.00	2.45	0.00	1.00	0.00	1.58	-0.22	-0.03	0.02	-0.06	-0.02
135	7	15	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.21	-0.03	0.02	-0.06	-0.02
136	7	16	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.21	-0.03	0.02	-0.06	-0.02
137	7	17	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.55	-0.21	-0.03	0.02	-0.06	-0.02
138	7	18	87.40	7.46	5.07	2.39	0.00	1.00	0.00	1.54	-0.21	-0.03	0.02	-0.06	-0.02
139	7	19	87.40	7.46	5.08	2.38	0.00	1.00	0.00	1.53	-0.21	-0.03	0.02	-0.06	-0.02
140	7	20	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.53	-0.21	-0.03	0.02	-0.06	-0.02
141	8	1	87.40	7.46	5.11	2.35	0.00	1.00	0.00	1.52	-0.21	-0.03	0.02	-0.06	-0.02
142	8	2	87.40	7.46	5.12	2.34	0.00	1.00	0.00	1.51	-0.21	-0.03	0.02	-0.06	-0.02
143	8	3	87.40	7.46	5.13	2.32	0.00	1.00	0.00	1.50	-0.21	-0.03	0.02	-0.06	-0.02
144	8	4	87.40	7.46	5.15	2.31	0.00	1.00	0.00	1.49	-0.20	-0.03	0.02	-0.06	-0.02
145	8	5	87.40	7.46	5.16	2.30	0.00	1.00	0.00	1.49	-0.20	-0.03	0.02	-0.06	-0.02
146	8	6	87.40	7.46	5.17	2.29	0.00	1.00	0.00	1.48	-0.20	-0.03	0.02	-0.06	-0.02
147	8	7	87.40	7.46	5.18	2.28	0.00	1.00	0.00	1.47	-0.20	-0.03	0.02	-0.06	-0.02
148	8	8	87.40	7.46	5.19	2.27	0.00	1.00	0.00	1.46	-0.20	-0.03	0.02	-0.06	-0.02

CRF_65B.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
 TITLE03 YES CONSERVATIVE MINERAL I
 TITLE04 NO CONSERVATIVE MINERAL II
 TITLE05 NO CONSERVATIVE MINERAL III
 TITLE06 NO TEMPERATURE
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
 TITLE08 YES ALGAE AS CHL-A IN UG/L
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L
 TITLE10 (ORGANIC-P; DISSOLVED-P)
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
 TITLE13 YES DISSOLVED OXYGEN IN MG/L
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0

CRF_65B.dat

STREAM REACH	2.0	REACH 2	FROM	222.0	TO	217.0
STREAM REACH	3.0	REACH 3	FROM	217.0	TO	212.0
STREAM REACH	4.0	REACH 4	FROM	212.0	TO	207.0
STREAM REACH	5.0	REACH 5	FROM	207.0	TO	202.0
STREAM REACH	6.0	REACH 6	FROM	202.0	TO	197.0
STREAM REACH	7.0	REACH 7	FROM	197.0	TO	192.0
STREAM REACH	8.0	REACH 8	FROM	192.0	TO	190.0

ENDATA2

STREAM REACH		1.0	1.0	3.0	1.0
STREAM REACH		2.0	1.0	3.0	1.0
STREAM REACH		3.0	1.0	3.0	1.0
STREAM REACH		4.0	1.0	3.0	1.0
STREAM REACH		5.0	1.0	3.0	1.0
STREAM REACH		6.0	1.0	3.0	1.0
STREAM REACH		7.0	1.0	3.0	1.0
STREAM REACH		8.0	1.0	3.0	1.0

ENDATA3

FLAG FIELD RCH=	1.0	20.0	1.2.						
FLAG FIELD RCH=	2.0	20.0	6.2.						
FLAG FIELD RCH=	3.0	20.0	2.						
FLAG FIELD RCH=	4.0	20.0	2.2.2.6.2.						
FLAG FIELD RCH=	5.0	20.0	2.						
FLAG FIELD RCH=	6.0	20.0	2.						
FLAG FIELD RCH=	7.0	20.0	6.2.						
FLAG FIELD RCH=	8.0	8.0	6.2.2.2.2.2.2.2.5.						

ENDATA4

HYDRAULICS RCH=	1.0	38.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	2.0	38.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	3.0	22.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	4.0	21.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	5.0	10.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	6.0	17.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	7.0	7.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	8.0	7.0	128.756	-.643	4.994E-6	1.37	.035

ENDATA5

REACT COEF RCH=	1.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	2.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	3.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	4.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	5.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	6.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	7.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	8.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4

ENDATA6

N AND P COEF RCH=	1.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	2.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	3.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	4.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0

CRF_65B.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	2.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	3.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	4.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	5.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	6.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	7.0	87.4	3.40	4.29	1.24
INITIAL COND-1	RCH=	8.0	87.4	3.40	4.29	1.24

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	2.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	3.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	4.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	5.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	6.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	7.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019
INITIAL COND-2	RCH=	8.0	8.4	0.25	0.04	0.045	0.181	0.025	0.019

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	2.8	1.24
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	2.8	1.24

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	2.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	3.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	4.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	5.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	6.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019
INCR INFLOW-2	RCH=	7.0	0.00	0.250	0.04	0.045	0.181	0.025	0.019

CRF_65B.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 17250 87.4 3.40 4.29 1.24
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 69.63 86.9 3.50 419.7 37.62
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.24
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.24
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF_65B.dat

1

CRF_65B.OUT
 * * * QUAL-2E STREAM QUALITY ROUTING MODEL * * *
 * * * EPA/NCASI VERSION * * *

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03 YES	CONSERVATIVE MINERAL I
TITLE04 NO	CONSERVATIVE MINERAL II
TITLE05 NO	CONSERVATIVE MINERAL III
TITLE06 NO	TEMPERATURE
TITLE07 YES	BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08 YES	ALGAE AS CHL-A IN UG/L
TITLE09 YES	PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11 YES	NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13 YES	DISSOLVED OXYGEN IN MG/L
TITLE14 NO	FECAL COLIFORMS IN NO./100 ML
TITLE15 NO	ARBITRARY NON-CONSERVATIVE BOD MG/L

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE	CARD TYPE
LIST DATA INPUT	0.00000
WRITE OPTIONAL SUMMARY	0.00000
NO FLOW AUGMENTATION	0.00000
STEADY STATE	0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000
NO PRINT LCD/SOLAR DATA	0.00000
NO PLOT DO AND BOD	0.00000
FIXED DNSTM CONC (YES=1)=	0.00000
INPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000
NUM OF HEADWATERS =	1.00000
TIME STEP (HOURS) =	1.00000
MAXIMUM ROUTE TIME (HRS)=	250.00000
LATITUDE OF BASIN (DEG) =	33.00000
STANDARD MERIDIAN (DEG) =	90.00000
EVAP. COEFF. (AE) =	0.00001
ELEV OF BASIN (ELEV) =	60.00000
ENDATA1	0.00000
ULT BOD CONV RATE COEF	0.23000
OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF JUNCTIONS =	0.00000
NUMBER OF POINT LOADS =	8.00000
LNTH COMP ELEMENT (DX)=	0.25000
TIME INC. FOR RPT2 (HRS)=	1.00000
LONGITUDE OF BASIN (DEG)=	92.00000
DAY OF YEAR START TIME =	190.00000
EVAP. COEF. (BE) =	0.00010
DUST ATTENUATION COEF. =	0.13000
	0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE	CARD TYPE
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300
O PROD BY ALGAE (MG O/MG A) =	1.8000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000
O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRF_65B.OUT

N HALF SATURATION CONST (MG/L)= 0.2000 P HALF SATURATION CONST (MG/L)= 0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=) 0.0200 NLIN SHADE(1/FT-(UGCHA/L)**2/3)= 0.0165
LIGHT FUNCTION OPTION (LFOPT) = 2.0000 LIGHT SAT'N COEF (BTU/FT2-MIN) = 0.1000
DAILY AVERAGING OPTION (LAVOPT)= 2.0000 LIGHT AVERAGING FACTOR (AFACT) = 0.9200
NUMBER OF DAYLIGHT HOURS (DLH) = 13.0000 TOTAL DAILY SOLR RAD (BTU/FT-2)= 754.0000
ALGY GROWTH CALC OPTION(LGROPT)= 1.0000 ALGAL PREF FOR NH3-N (PREFN) = 0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)= 0.4400 NITRIFICATION INHIBITION COEF = 10.0000
ENDATA1A 0.0000 0.0000

0 \$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE RATE CODE THETA VALUE

0 \$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER AND IDENT	R. MI/KM	R. MI/KM
STREAM REACH	1.0 REACH 1 FRO	227.0 TO	222.0
STREAM REACH	2.0 REACH 2 FRO	222.0 TO	217.0
STREAM REACH	3.0 REACH 3 FRO	217.0 TO	212.0
STREAM REACH	4.0 REACH 4 FRO	212.0 TO	207.0
STREAM REACH	5.0 REACH 5 FRO	207.0 TO	202.0
STREAM REACH	6.0 REACH 6 FRO	202.0 TO	197.0
STREAM REACH	7.0 REACH 7 FRO	197.0 TO	192.0
STREAM REACH	8.0 REACH 8 FRO	192.0 TO	190.0
ENDATA2	0.0	0.0	0.0

0 \$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER OF AVAIL SOURCES
STREAM REACH	1.	1.	3.0	1.	0. 0. 0. 0. 0.
STREAM REACH	2.	1.	3.0	1.	0. 0. 0. 0. 0.
STREAM REACH	3.	1.	3.0	1.	0. 0. 0. 0. 0.
STREAM REACH	4.	1.	3.0	1.	0. 0. 0. 0. 0.
STREAM REACH	5.	1.	3.0	1.	0. 0. 0. 0. 0.
STREAM REACH	6.	1.	3.0	1.	0. 0. 0. 0. 0.
STREAM REACH	7.	1.	3.0	1.	0. 0. 0. 0. 0.
STREAM REACH	8.	1.	3.0	1.	0. 0. 0. 0. 0.
ENDATA3	0.	0.	0.0	0.	0. 0. 0. 0. 0.

0 \$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL FLAGS
FLAG FIELD	1.	20.	1.2.
FLAG FIELD	2.	20.	6.2.
FLAG FIELD	3.	20.	2.
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.
FLAG FIELD	5.	20.	2.6.2.2.2.
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.2.2.
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.2.2.
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
ENDATA4	0.	0.	0.

0 \$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CRF_65B.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	2.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	3.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	4.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	5.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	6.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	7.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	8.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	2.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	3.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	4.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	5.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	6.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	7.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	8.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE JUNCTION ORDER AND IDENT UPSTRM JUNCTION TRIB

0 ENDATA9 0. 0. 0.
 \$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	17250.00	87.40	3.40	4.29	1.24	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	69.63	86.90	3.50	419.70	37.62	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	1.24	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	1.24	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	1.24	0.00	0.00
POINTLD-1	7.	BAYOU BARTH	0.00	222.00	85.10	5.40	2.80	1.24	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	1.24	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

		CRF_65B.OUT																		
		CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI										
0	ENDATA13	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																		
	\$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$																			
		CARD TYPE	CHL-A	ORG-N	NH3-N	NO2-N	NH3-N	ORG-P	DIS-P											
1	ENDATA13A	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																		
0		CONSERVATIVE MINERAL I										ITERATION 1								
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
3	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
4	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
5	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
6	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
7	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
8	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38

		BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1								
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.89
2	5.51	5.48	5.46	5.43	5.40	5.37	5.34	5.32	5.29	5.26	5.24	5.21	5.18	5.16	5.13	5.10	5.08	5.05	5.02	5.00
3	4.97	4.95	4.92	4.90	4.87	4.85	4.82	4.80	4.77	4.75	4.72	4.70	4.67	4.65	4.63	4.60	4.58	4.55	4.53	4.51
4	4.48	4.46	4.44	4.42	4.39	4.37	4.35	4.33	4.30	4.28	4.26	4.24	4.22	4.19	4.17	4.15	4.13	4.11	4.09	4.07
5	4.04	4.02	4.00	3.98	3.96	3.94	3.92	3.90	3.88	3.86	3.84	3.82	3.80	3.78	3.76	3.74	3.72	3.70	3.69	3.67
6	3.65	3.63	3.61	3.59	3.57	3.55	3.54	3.52	3.50	3.48	3.46	3.45	3.43	3.41	3.39	3.38	3.36	3.34	3.32	3.31
7	3.29	3.27	3.26	3.24	3.22	3.21	3.19	3.17	3.16	3.14	3.12	3.11	3.09	3.07	3.06	3.04	3.02	3.01	2.99	2.98
8	2.96	2.95	2.93	2.92	2.90	2.89	2.87	2.86												

STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

		VARIABLE	ITERATION		NUMBER OF NONCONVERGENT ELEMENTS															
		ALGAE AS	CHL-A	IN	UG/L															
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.27	8.14	8.01	7.89	7.76	7.64	7.52	7.41	7.29	7.18	7.07	6.96	6.85	6.74	6.63	6.53	6.43	6.33	6.23	6.13
2	6.02	5.92	5.83	5.74	5.65	5.56	5.48	5.39	5.31	5.22	5.14	5.06	4.98	4.91	4.83	4.75	4.68	4.61	4.53	4.46
3	4.39	4.33	4.26	4.19	4.13	4.06	4.00	3.94	3.88	3.82	3.76	3.70	3.64	3.58	3.53	3.47	3.42	3.36	3.31	3.26
4	3.21	3.16	3.11	3.06	3.01	2.97	2.92	2.88	2.83	2.79	2.74	2.70	2.66	2.62	2.58	2.54	2.50	2.46	2.42	2.38
5	2.34	2.31	2.27	2.24	2.20	2.17	2.13	2.10	2.07	2.04	2.00	1.97	1.94	1.91	1.88	1.85	1.82	1.79	1.77	1.74
6	1.71	1.69	1.66	1.63	1.61	1.58	1.56	1.53	1.51	1.49	1.46	1.44	1.42	1.40	1.37	1.35	1.33	1.31	1.29	1.27
7	1.25	1.23	1.21	1.19	1.17	1.16	1.14	1.12	1.10	1.09	1.07	1.05	1.13	1.11	1.09	1.08	1.06	1.04	1.03	1.01

CRF_65B.OUT

0	8	1.00	0.98	0.96	0.95	0.93	0.92	0.91	0.89											
										ITERATION 1										
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ORGANIC PHOSPHORUS AS P IN MG/L																				
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
DISSOLVED PHOSPHORUS AS P IN MG/L																				
ITERATION 1																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
ORGANIC NITROGEN AS N IN MG/L																				
ITERATION 1																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
2	0.22	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15
4	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12
5	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10
6	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
AMMONIA AS N IN MG/L																				
ITERATION 1																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.10	0.10
3	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
8	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
NITRITE AS N IN MG/L																				
ITERATION 1																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01

CRF_65B.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.25	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.27
4	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30	0.30	0.30
5	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.32	0.33
6	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35
7	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.38
8	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.39												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.14	4.18	4.23	4.27	4.31	4.34	4.38	4.41
2	4.44	4.46	4.48	4.50	4.53	4.55	4.57	4.59	4.60	4.62	4.64	4.66	4.67	4.69	4.70	4.72	4.73	4.75	4.76	4.77
3	4.78	4.80	4.81	4.82	4.83	4.84	4.85	4.86	4.87	4.88	4.89	4.89	4.90	4.91	4.92	4.93	4.93	4.94	4.95	4.96
4	4.94	4.92	4.90	4.89	4.87	4.86	4.84	4.83	4.82	4.80	4.79	4.78	4.77	4.76	4.75	4.74	4.73	4.73	4.72	4.71
5	4.70	4.70	4.69	4.69	4.68	4.67	4.67	4.67	4.66	4.66	4.65	4.65	4.65	4.64	4.64	4.64	4.64	4.63	4.63	4.63
6	4.63	4.63	4.63	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62	4.62
7	4.65	4.67	4.70	4.72	4.74	4.76	4.78	4.80	4.82	4.84	4.86	4.88	4.90	4.92	4.94	4.95	4.97	4.98	5.00	5.01
8	5.03	5.04	5.05	5.06	5.08	5.09	5.10	5.11												
ALGAE GROWTH RATE						1		141												
ALGAE GROWTH RATE						2		47												
ALGAE GROWTH RATE						3		0												
ALGAE GROWTH RATE						4		0												

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

-
1. LIGHT AVERAGING OPTION. LAVOPT= 2
METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS
SOURCE OF SOLAR VALUES: DATA TYPE 1A
DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 (204.613 LANGLEYS)
NUMBER OF DAYLIGHT HOURS: 13.0
PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A
MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL*FN*FP

1		DISSOLVED OXYGEN IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.15	4.19	4.23	4.27	4.31	4.35	4.39	4.42
2	4.44	4.47	4.49	4.52	4.54	4.56	4.58	4.60	4.62	4.64	4.66	4.67	4.69	4.71	4.72	4.74	4.75	4.77	4.78	4.79
3	4.81	4.82	4.83	4.84	4.85	4.86	4.87	4.88	4.89	4.90	4.91	4.92	4.93	4.94	4.95	4.95	4.96	4.97	4.98	4.98
4	4.96	4.95	4.93	4.91	4.90	4.88	4.87	4.86	4.84	4.83	4.82	4.81	4.80	4.79	4.78	4.77	4.76	4.75	4.75	4.74
5	4.73	4.73	4.72	4.71	4.71	4.70	4.70	4.69	4.69	4.68	4.68	4.68	4.67	4.67	4.67	4.66	4.66	4.66	4.66	4.65
6	4.65	4.65	4.65	4.65	4.65	4.65	4.65	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.64	4.65
7	4.67	4.70	4.72	4.74	4.77	4.79	4.81	4.83	4.85	4.87	4.88	4.90	4.92	4.94	4.96	4.97	4.99	5.01	5.02	5.03
8	5.05	5.06	5.07	5.09	5.10	5.11	5.12	5.13												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.89
2	5.51	5.48	5.46	5.43	5.40	5.37	5.34	5.32	5.29	5.26	5.24	5.21	5.18	5.16	5.13	5.10	5.08	5.05	5.02	5.00
3	4.97	4.95	4.92	4.90	4.87	4.85	4.82	4.80	4.77	4.75	4.72	4.70	4.67	4.65	4.63	4.60	4.58	4.55	4.53	4.51
4	4.48	4.46	4.44	4.42	4.39	4.37	4.35	4.33	4.30	4.28	4.26	4.24	4.22	4.19	4.17	4.15	4.13	4.11	4.09	4.07
5	4.04	4.02	4.00	3.98	3.96	3.94	3.92	3.90	3.88	3.86	3.84	3.82	3.80	3.78	3.76	3.74	3.72	3.70	3.69	3.67
6	3.65	3.63	3.61	3.59	3.57	3.55	3.54	3.52	3.50	3.48	3.46	3.45	3.43	3.41	3.39	3.38	3.36	3.34	3.32	3.31
7	3.29	3.27	3.26	3.24	3.22	3.21	3.19	3.17	3.16	3.14	3.12	3.11	3.09	3.07	3.06	3.04	3.02	3.01	2.99	2.98
8	2.96	2.95	2.93	2.92	2.90	2.89	2.87	2.86												
0		ORGANIC NITROGEN AS N IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
2	0.22	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15
4	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12
5	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10
6	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07												
0		AMMONIA AS N IN MG/L																		
0		ITERATION 4																		
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
3	0.09	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08

CRF_65B.OUT																				
0																				
NITRITE AS N IN MG/L																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
ITERATION 4																				
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
0																				
NITRATE AS N IN MG/L																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.25
3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27
4	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30
5	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32
6	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35
7	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37
8	0.37	0.37	0.37	0.37	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.37	0.37	0.37	0.37	0.37
0																				
ORGANIC PHOSPHORUS AS P IN MG/L																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
7	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0																				
DISSOLVED PHOSPHORUS AS P IN MG/L																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0																				
ALGAE AS CHL-A IN UG/L																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.27	8.14	8.02	7.90	7.78	7.66	7.54	7.43	7.32	7.21	7.10	7.00	6.89	6.79	6.69	6.59	6.50	6.40	6.31	6.22

CRF_65B.OUT																				
2	6.11	6.03	5.94	5.86	5.78	5.70	5.62	5.54	5.47	5.39	5.32	5.25	5.17	5.10	5.03	4.97	4.90	4.83	4.77	4.70
3	4.64	4.57	4.51	4.45	4.39	4.33	4.27	4.22	4.16	4.10	4.05	3.99	3.94	3.89	3.83	3.78	3.73	3.68	3.63	3.58
4	3.54	3.49	3.44	3.40	3.35	3.31	3.26	3.22	3.18	3.13	3.09	3.05	3.01	2.97	2.93	2.89	2.85	2.82	2.78	2.74
5	2.70	2.67	2.63	2.60	2.56	2.53	2.50	2.46	2.43	2.40	2.37	2.34	2.31	2.28	2.25	2.22	2.19	2.16	2.13	2.10
6	2.07	2.05	2.02	1.99	1.97	1.94	1.92	1.89	1.87	1.85	1.82	1.80	1.78	1.75	1.73	1.71	1.69	1.67	1.65	1.63
7	1.61	1.59	1.57	1.55	1.53	1.51	1.49	1.48	1.46	1.44	1.42	1.41	1.48	1.46	1.44	1.43	1.41	1.39	1.38	1.36
8	1.34	1.33	1.31	1.30	1.28	1.27	1.25	1.24												
0	CONSERVATIVE MINERAL I										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
3	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
4	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
5	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
6	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
7	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39	1.39
8	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17
2	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
3	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
4	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
5	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
6	0.19	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.21	0.21	0.21
7	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
8	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.71	1.73	1.75	1.76	1.77	1.79	1.80	1.81	1.82	1.82	1.83	1.84	1.85	1.85	1.86	1.86	1.87	1.87	1.88	1.88
2	2.00	2.00	2.00	2.01	2.01	2.01	2.02	2.02	2.02	2.03	2.03	2.03	2.03	2.04	2.04	2.04	2.04	2.05	2.05	2.05
3	2.05	2.05	2.06	2.06	2.06	2.06	2.06	2.06	2.07	2.07	2.07	2.07	2.07	2.07	2.08	2.08	2.08	2.08	2.08	2.08
4	2.08	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.10	2.11	2.11
5	2.11	2.11	2.11	2.11	2.11	2.11	2.11	2.11	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.13	2.13	2.13
6	2.13	2.14	2.15	2.16	2.16	2.17	2.18	2.19	2.19	2.20	2.21	2.21	2.22	2.23	2.24	2.24	2.25	2.25	2.26	2.27
7	2.27	2.28	2.29	2.29	2.30	2.30	2.31	2.32	2.32	2.33	2.33	2.34	2.31	2.32	2.32	2.33	2.33	2.34	2.35	2.35
8	2.36	2.37	2.37	2.38	2.38	2.39	2.39	2.40												

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 1
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE RCH ELE BEGIN END POINT INCR TRVL BOTTOM X-SECT DSPRSN

CRF_65B.OUT

ORD	NUM	NUM	LOC MILE	LOC MILE	FLOW CFS	SRCE CFS	FLOW CFS	VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	AREA FT-2	AREA FT-2	COEF FT-2/S
1	1	1	227.00	226.7517250.10	0.00	0.10	0.243	0.063	3.18322306.330	93724920.0	29452760.0	71003.73	3.24		
2	1	2	226.75	226.5017250.20	0.00	0.10	0.243	0.063	3.18322306.365	93725816.0	29452806.0	71004.41	3.24		
3	1	3	226.50	226.2517250.30	0.00	0.10	0.243	0.063	3.18322306.398	93726704.0	29452850.0	71005.08	3.24		
4	1	4	226.25	226.0017250.40	0.00	0.10	0.243	0.063	3.18322306.436	93727592.0	29452898.0	71005.75	3.24		
5	1	5	226.00	225.7517250.50	0.00	0.10	0.243	0.063	3.18322306.471	93728488.0	29452946.0	71006.43	3.24		
6	1	6	225.75	225.5017250.60	0.00	0.10	0.243	0.063	3.18322306.506	93729368.0	29452992.0	71007.10	3.24		
7	1	7	225.50	225.2517250.70	0.00	0.10	0.243	0.063	3.18322306.541	93730264.0	29453038.0	71007.77	3.24		
8	1	8	225.25	225.0017250.80	0.00	0.10	0.243	0.063	3.18322306.574	93731152.0	29453082.0	71008.45	3.24		
9	1	9	225.00	224.7517250.90	0.00	0.10	0.243	0.063	3.18322306.611	93732040.0	29453130.0	71009.12	3.24		
10	1	10	224.75	224.5017251.00	0.00	0.10	0.243	0.063	3.18322306.646	93732928.0	29453178.0	71009.80	3.24		
11	1	11	224.50	224.2517251.10	0.00	0.10	0.243	0.063	3.18322306.684	93733816.0	29453226.0	71010.47	3.24		
12	1	12	224.25	224.0017251.20	0.00	0.10	0.243	0.063	3.18322306.717	93734704.0	29453270.0	71011.14	3.24		
13	1	13	224.00	223.7517251.29	0.00	0.10	0.243	0.063	3.18322306.752	93735600.0	29453316.0	71011.82	3.24		
14	1	14	223.75	223.5017251.39	0.00	0.10	0.243	0.063	3.18322306.787	93736480.0	29453364.0	71012.48	3.24		
15	1	15	223.50	223.2517251.49	0.00	0.10	0.243	0.063	3.18322306.822	93737376.0	29453410.0	71013.16	3.24		
16	1	16	223.25	223.0017251.59	0.00	0.10	0.243	0.063	3.18322306.855	93738264.0	29453454.0	71013.84	3.24		
17	1	17	223.00	222.7517251.69	0.00	0.10	0.243	0.063	3.18422306.893	93739152.0	29453502.0	71014.51	3.24		
18	1	18	222.75	222.5017251.79	0.00	0.10	0.243	0.063	3.18422306.926	93740040.0	29453546.0	71015.18	3.24		
19	1	19	222.50	222.2517251.89	0.00	0.10	0.243	0.063	3.18422306.963	93740936.0	29453596.0	71015.86	3.24		
20	1	20	222.25	222.0017251.99	0.00	0.10	0.243	0.063	3.18422306.998	93741816.0	29453642.0	71016.53	3.24		
21	2	1	222.00	221.7517321.72	69.63	0.10	0.242	0.063	3.20122331.576	94365152.0	29486132.0	71488.75	3.24		
22	2	2	221.75	221.5017321.82	0.00	0.10	0.242	0.063	3.20122331.611	94366040.0	29486178.0	71489.43	3.24		
23	2	3	221.50	221.2517321.92	0.00	0.10	0.242	0.063	3.20122331.646	94366936.0	29486224.0	71490.10	3.24		
24	2	4	221.25	221.0017322.02	0.00	0.10	0.242	0.063	3.20122331.682	94367824.0	29486272.0	71490.77	3.24		
25	2	5	221.00	220.7517322.12	0.00	0.10	0.242	0.063	3.20122331.715	94368712.0	29486316.0	71491.45	3.24		
26	2	6	220.75	220.5017322.22	0.00	0.10	0.242	0.063	3.20122331.750	94369608.0	29486362.0	71492.12	3.24		
27	2	7	220.50	220.2517322.32	0.00	0.10	0.242	0.063	3.20122331.787	94370504.0	29486410.0	71492.80	3.24		
28	2	8	220.25	220.0017322.42	0.00	0.10	0.242	0.063	3.20122331.822	94371392.0	29486458.0	71493.48	3.24		
29	2	9	220.00	219.7517322.52	0.00	0.10	0.242	0.063	3.20122331.857	94372288.0	29486504.0	71494.16	3.24		
30	2	10	219.75	219.5017322.62	0.00	0.10	0.242	0.063	3.20122331.891	94373176.0	29486548.0	71494.83	3.24		
31	2	11	219.50	219.2517322.72	0.00	0.10	0.242	0.063	3.20122331.926	94374064.0	29486594.0	71495.51	3.24		
32	2	12	219.25	219.0017322.82	0.00	0.10	0.242	0.063	3.20222331.963	94374960.0	29486644.0	71496.18	3.24		
33	2	13	219.00	218.7517322.92	0.00	0.10	0.242	0.063	3.20222331.996	94375848.0	29486686.0	71496.85	3.24		
34	2	14	218.75	218.5017323.02	0.00	0.10	0.242	0.063	3.20222332.031	94376736.0	29486734.0	71497.53	3.25		
35	2	15	218.50	218.2517323.12	0.00	0.10	0.242	0.063	3.20222332.066	94377640.0	29486780.0	71498.21	3.25		
36	2	16	218.25	218.0017323.22	0.00	0.10	0.242	0.063	3.20222332.102	94378528.0	29486826.0	71498.88	3.25		
37	2	17	218.00	217.7517323.32	0.00	0.10	0.242	0.063	3.20222332.139	94379416.0	29486876.0	71499.56	3.25		
38	2	18	217.75	217.5017323.42	0.00	0.10	0.242	0.063	3.20222332.172	94380312.0	29486920.0	71500.23	3.25		
39	2	19	217.50	217.2517323.52	0.00	0.10	0.242	0.063	3.20222332.207	94381200.0	29486966.0	71500.91	3.25		
40	2	20	217.25	217.0017323.62	0.00	0.10	0.242	0.063	3.20222332.242	94382088.0	29487012.0	71501.59	3.25		
41	3	1	217.00	216.7517323.71	0.00	0.10	0.242	0.063	3.20222332.277	94382984.0	29487058.0	71502.26	1.88		
42	3	2	216.75	216.5017323.81	0.00	0.10	0.242	0.063	3.20222332.312	94383872.0	29487106.0	71502.94	1.88		
43	3	3	216.50	216.2517323.91	0.00	0.10	0.242	0.063	3.20222332.348	94384768.0	29487152.0	71503.61	1.88		

CRF_65B.OUT

44	3	4	216.25	216.0017324.01	0.00	0.10	0.242	0.063	3.20222332.383	94385664.0	29487198.0	71504.29	1.88
45	3	5	216.00	215.7517324.11	0.00	0.10	0.242	0.063	3.20222332.418	94386552.0	29487244.0	71504.96	1.88
46	3	6	215.75	215.5017324.21	0.00	0.10	0.242	0.063	3.20222332.453	94387440.0	29487292.0	71505.64	1.88
47	3	7	215.50	215.2517324.31	0.00	0.10	0.242	0.063	3.20222332.488	94388336.0	29487338.0	71506.31	1.88
48	3	8	215.25	215.0017324.41	0.00	0.10	0.242	0.063	3.20222332.523	94389224.0	29487384.0	71506.99	1.88
49	3	9	215.00	214.7517324.51	0.00	0.10	0.242	0.063	3.20222332.557	94390112.0	29487428.0	71507.66	1.88
50	3	10	214.75	214.5017324.61	0.00	0.10	0.242	0.063	3.20222332.592	94391008.0	29487474.0	71508.34	1.88
51	3	11	214.50	214.2517324.71	0.00	0.10	0.242	0.063	3.20222332.627	94391896.0	29487520.0	71509.02	1.88
52	3	12	214.25	214.0017324.81	0.00	0.10	0.242	0.063	3.20222332.662	94392792.0	29487568.0	71509.69	1.88
53	3	13	214.00	213.7517324.91	0.00	0.10	0.242	0.063	3.20222332.699	94393688.0	29487616.0	71510.37	1.88
54	3	14	213.75	213.5017325.01	0.00	0.10	0.242	0.063	3.20222332.732	94394576.0	29487660.0	71511.05	1.88
55	3	15	213.50	213.2517325.11	0.00	0.10	0.242	0.063	3.20222332.770	94395472.0	29487710.0	71511.72	1.88
56	3	16	213.25	213.0017325.21	0.00	0.10	0.242	0.063	3.20222332.803	94396360.0	29487754.0	71512.39	1.88
57	3	17	213.00	212.7517325.31	0.00	0.10	0.242	0.063	3.20222332.838	94397248.0	29487800.0	71513.07	1.88
58	3	18	212.75	212.5017325.41	0.00	0.10	0.242	0.063	3.20222332.873	94398144.0	29487846.0	71513.74	1.88
59	3	19	212.50	212.2517325.51	0.00	0.10	0.242	0.063	3.20222332.908	94399032.0	29487892.0	71514.42	1.88
60	3	20	212.25	212.0017325.61	0.00	0.10	0.242	0.063	3.20222332.943	94399920.0	29487940.0	71515.09	1.88
61	4	1	212.00	211.7517325.71	0.00	0.10	0.242	0.063	3.20222332.979	94400816.0	29487986.0	71515.77	1.79
62	4	2	211.75	211.5017325.81	0.00	0.10	0.242	0.063	3.20222333.014	94401704.0	29488032.0	71516.45	1.79
63	4	3	211.50	211.2517325.91	0.00	0.10	0.242	0.063	3.20222333.049	94402600.0	29488078.0	71517.12	1.79
64	4	4	211.25	211.0017327.01	1.00	0.10	0.242	0.063	3.20322333.436	94412448.0	29488590.0	71524.58	1.79
65	4	5	211.00	210.7517327.11	0.00	0.10	0.242	0.063	3.20322333.471	94413336.0	29488636.0	71525.26	1.79

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5017327.21	0.00	0.10	0.242	0.063	3.20322333.506	94414224.0	29488682.0	71525.93	1.79		
67	4	7	210.50	210.2517327.30	0.00	0.10	0.242	0.063	3.20322333.541	94415120.0	29488730.0	71526.60	1.79		
68	4	8	210.25	210.0017327.40	0.00	0.10	0.242	0.063	3.20322333.574	94416008.0	29488774.0	71527.28	1.79		
69	4	9	210.00	209.7517327.50	0.00	0.10	0.242	0.063	3.20322333.609	94416904.0	29488820.0	71527.95	1.79		
70	4	10	209.75	209.5017327.60	0.00	0.10	0.242	0.063	3.20322333.646	94417800.0	29488868.0	71528.63	1.79		
71	4	11	209.50	209.2517327.70	0.00	0.10	0.242	0.063	3.20322333.682	94418688.0	29488916.0	71529.31	1.79		
72	4	12	209.25	209.0017327.80	0.00	0.10	0.242	0.063	3.20322333.717	94419576.0	29488962.0	71529.98	1.79		
73	4	13	209.00	208.7517327.90	0.00	0.10	0.242	0.063	3.20322333.750	94420472.0	29489006.0	71530.66	1.79		
74	4	14	208.75	208.5017328.00	0.00	0.10	0.242	0.063	3.20322333.785	94421360.0	29489052.0	71531.34	1.79		
75	4	15	208.50	208.2517328.10	0.00	0.10	0.242	0.063	3.20322333.822	94422256.0	29489100.0	71532.01	1.79		
76	4	16	208.25	208.0017328.20	0.00	0.10	0.242	0.063	3.20322333.855	94423144.0	29489144.0	71532.69	1.79		
77	4	17	208.00	207.7517328.30	0.00	0.10	0.242	0.063	3.20322333.891	94424040.0	29489192.0	71533.36	1.79		
78	4	18	207.75	207.5017328.50	0.10	0.10	0.242	0.063	3.20322333.959	94425816.0	29489282.0	71534.71	1.79		
79	4	19	207.50	207.2517328.60	0.00	0.10	0.242	0.063	3.20322333.996	94426712.0	29489330.0	71535.38	1.79		
80	4	20	207.25	207.0017328.70	0.00	0.10	0.242	0.063	3.20322334.031	94427608.0	29489378.0	71536.06	1.79		

81	5	1	207.00	206.7517328.80	0.00	0.10	0.242	0.063	3.20322334.066	94428496.0	29489424.0	71536.74	0.85
82	5	2	206.75	206.5017328.90	0.00	0.10	0.242	0.063	3.20322334.102	94429392.0	29489470.0	71537.41	0.85
83	5	3	206.50	206.2517329.00	0.00	0.10	0.242	0.063	3.20322334.137	94430280.0	29489516.0	71538.09	0.85
84	5	4	206.25	206.0017329.10	0.00	0.10	0.242	0.063	3.20322334.172	94431176.0	29489564.0	71538.77	0.85
85	5	5	206.00	205.7517329.20	0.00	0.10	0.242	0.063	3.20322334.207	94432064.0	29489610.0	71539.45	0.85
86	5	6	205.75	205.5017329.30	0.00	0.10	0.242	0.063	3.20322334.242	94432952.0	29489656.0	71540.12	0.85
87	5	7	205.50	205.2517329.40	0.00	0.10	0.242	0.063	3.20322334.275	94433848.0	29489700.0	71540.79	0.85
88	5	8	205.25	205.0017329.50	0.00	0.10	0.242	0.063	3.20322334.311	94434736.0	29489746.0	71541.47	0.85
89	5	9	205.00	204.7517329.60	0.00	0.10	0.242	0.063	3.20322334.348	94435632.0	29489796.0	71542.14	0.85
90	5	10	204.75	204.5017329.70	0.00	0.10	0.242	0.063	3.20322334.381	94436520.0	29489840.0	71542.82	0.85
91	5	11	204.50	204.2517329.79	0.00	0.10	0.242	0.063	3.20322334.416	94437416.0	29489886.0	71543.49	0.85
92	5	12	204.25	204.0017329.89	0.00	0.10	0.242	0.063	3.20322334.451	94438312.0	29489932.0	71544.17	0.85
93	5	13	204.00	203.7517329.99	0.00	0.10	0.242	0.063	3.20322334.486	94439200.0	29489978.0	71544.85	0.85
94	5	14	203.75	203.5017330.09	0.00	0.10	0.242	0.063	3.20322334.523	94440096.0	29490028.0	71545.52	0.85
95	5	15	203.50	203.2517330.19	0.00	0.10	0.242	0.063	3.20322334.557	94440984.0	29490072.0	71546.20	0.85
96	5	16	203.25	203.0017330.29	0.00	0.10	0.242	0.063	3.20322334.592	94441872.0	29490118.0	71546.87	0.85
97	5	17	203.00	202.7517331.39	1.00	0.10	0.242	0.063	3.20422334.979	94451720.0	29490630.0	71554.34	0.85
98	5	18	202.75	202.5017331.49	0.00	0.10	0.242	0.063	3.20422335.014	94452608.0	29490676.0	71555.01	0.85
99	5	19	202.50	202.2517331.59	0.00	0.10	0.242	0.063	3.20422335.049	94453504.0	29490722.0	71555.69	0.85
100	5	20	202.25	202.0017331.69	0.00	0.10	0.242	0.063	3.20422335.084	94454392.0	29490768.0	71556.36	0.85
101	6	1	202.00	201.7517331.79	0.00	0.10	0.242	0.063	3.20422335.119	94455288.0	29490816.0	71557.03	1.45
102	6	2	201.75	201.5017331.89	0.00	0.10	0.242	0.063	3.20422335.154	94456176.0	29490862.0	71557.71	1.45
103	6	3	201.50	201.2517331.99	0.00	0.10	0.242	0.063	3.20422335.187	94457072.0	29490906.0	71558.38	1.45
104	6	4	201.25	201.0017332.09	0.00	0.10	0.242	0.063	3.20422335.223	94457960.0	29490952.0	71559.06	1.45
105	6	5	201.00	200.7517332.19	0.00	0.10	0.242	0.063	3.20422335.260	94458856.0	29491002.0	71559.74	1.45
106	6	6	200.75	200.5017332.29	0.00	0.10	0.242	0.063	3.20422335.295	94459752.0	29491048.0	71560.41	1.45
107	6	7	200.50	200.2517332.39	0.00	0.10	0.242	0.063	3.20422335.330	94460640.0	29491094.0	71561.09	1.45
108	6	8	200.25	200.0017332.49	0.00	0.10	0.242	0.063	3.20422335.365	94461536.0	29491140.0	71561.77	1.45
109	6	9	200.00	199.7517332.59	0.00	0.10	0.242	0.063	3.20422335.398	94462424.0	29491184.0	71562.45	1.45
110	6	10	199.75	199.5017332.69	0.00	0.10	0.242	0.063	3.20422335.436	94463312.0	29491234.0	71563.12	1.45
111	6	11	199.50	199.2517332.79	0.00	0.10	0.242	0.063	3.20422335.471	94464208.0	29491280.0	71563.80	1.45
112	6	12	199.25	199.0017332.89	0.00	0.10	0.242	0.063	3.20422335.504	94465096.0	29491324.0	71564.47	1.45
113	6	13	199.00	198.7517333.09	0.10	0.10	0.242	0.063	3.20422335.574	94466880.0	29491416.0	71565.82	1.45
114	6	14	198.75	198.5017333.19	0.00	0.10	0.242	0.063	3.20422335.609	94467776.0	29491464.0	71566.49	1.45
115	6	15	198.50	198.2517333.29	0.00	0.10	0.242	0.063	3.20422335.645	94468664.0	29491510.0	71567.17	1.45
116	6	16	198.25	198.0017333.38	0.00	0.10	0.242	0.063	3.20422335.680	94469560.0	29491556.0	71567.84	1.45
117	6	17	198.00	197.7517333.48	0.00	0.10	0.242	0.063	3.20422335.715	94470448.0	29491602.0	71568.52	1.45
118	6	18	197.75	197.5017333.58	0.00	0.10	0.242	0.063	3.20422335.748	94471336.0	29491646.0	71569.20	1.45
119	6	19	197.50	197.2517333.68	0.00	0.10	0.242	0.063	3.20422335.785	94472232.0	29491696.0	71569.87	1.45
120	6	20	197.25	197.0017333.78	0.00	0.10	0.242	0.063	3.20422335.820	94473120.0	29491742.0	71570.55	1.45
121	7	1	197.00	196.7517333.98	0.10	0.10	0.242	0.063	3.20422335.891	94474912.0	29491836.0	71571.91	0.60
122	7	2	196.75	196.5017334.08	0.00	0.10	0.242	0.063	3.20422335.926	94475800.0	29491882.0	71572.58	0.60
123	7	3	196.50	196.2517334.18	0.00	0.10	0.242	0.063	3.20422335.961	94476696.0	29491928.0	71573.26	0.60
124	7	4	196.25	196.0017334.28	0.00	0.10	0.242	0.063	3.20422335.996	94477584.0	29491974.0	71573.93	0.60

CRF_65B.OUT													
125	7	5	196.00	195.7517334.38	0.00	0.10	0.242	0.063	3.20422336.031	94478480.0	29492020.0	71574.60	0.60
126	7	6	195.75	195.5017334.48	0.00	0.10	0.242	0.063	3.20422336.064	94479368.0	29492064.0	71575.28	0.60
127	7	7	195.50	195.2517334.58	0.00	0.10	0.242	0.063	3.20422336.100	94480264.0	29492112.0	71575.95	0.60
128	7	8	195.25	195.0017334.68	0.00	0.10	0.242	0.063	3.20522336.135	94481152.0	29492158.0	71576.63	0.60
129	7	9	195.00	194.7517334.78	0.00	0.10	0.242	0.063	3.20522336.170	94482048.0	29492204.0	71577.30	0.60
130	7	10	194.75	194.5017334.88	0.00	0.10	0.242	0.063	3.20522336.205	94482936.0	29492250.0	71577.98	0.60

1

STREAM QUALITY SIMULATION OUTPUT PAGE NUMBER 3
 QUAL-2E STREAM QUALITY ROUTING MODEL EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL				BOTTOM	X-SECT	DSPRSN
ORD	NUM	NUM	LOC	LOC	FLOW	SRCE	VEL	DEPTH	WIDTH	VOLUME	AREA	AREA	COEF
			MILE	MILE	CFS	CFS	FPS	FT	FT	FT-3	FT-2	FT-2	FT-2/S
131	7	11	194.50	194.2517334.98	0.00	0.10	0.242	0.063	3.20522336.240	94483832.0	29492298.0	71578.66	0.60
132	7	12	194.25	194.0017335.08	0.00	0.10	0.242	0.063	3.20522336.275	94484720.0	29492344.0	71579.34	0.60
133	7	13	194.00	193.7517557.18	222.00	0.10	0.240	0.064	3.26122414.041	96481840.0	29595144.0	73092.30	0.60
134	7	14	193.75	193.5017557.28	0.00	0.10	0.240	0.064	3.26122414.074	96482736.0	29595188.0	73092.98	0.60
135	7	15	193.50	193.2517557.38	0.00	0.10	0.240	0.064	3.26122414.109	96483640.0	29595234.0	73093.66	0.60
136	7	16	193.25	193.0017557.48	0.00	0.10	0.240	0.064	3.26122414.145	96484536.0	29595280.0	73094.34	0.60
137	7	17	193.00	192.7517557.58	0.00	0.10	0.240	0.064	3.26122414.180	96485440.0	29595326.0	73095.03	0.60
138	7	18	192.75	192.5017557.68	0.00	0.10	0.240	0.064	3.26122414.215	96486336.0	29595372.0	73095.71	0.60
139	7	19	192.50	192.2517557.78	0.00	0.10	0.240	0.064	3.26122414.248	96487232.0	29595416.0	73096.39	0.60
140	7	20	192.25	192.0017557.87	0.00	0.10	0.240	0.064	3.26122414.283	96488136.0	29595464.0	73097.07	0.60
141	8	1	192.00	191.7517558.89	0.77	0.25	0.240	0.064	3.26122414.639	96497344.0	29595934.0	73104.05	0.60
142	8	2	191.75	191.5017559.14	0.00	0.25	0.240	0.064	3.26222414.725	96499600.0	29596046.0	73105.76	0.60
143	8	3	191.50	191.2517559.39	0.00	0.25	0.240	0.064	3.26222414.812	96501856.0	29596164.0	73107.47	0.60
144	8	4	191.25	191.0017559.64	0.00	0.25	0.240	0.064	3.26222414.900	96504112.0	29596280.0	73109.18	0.60
145	8	5	191.00	190.7517559.89	0.00	0.25	0.240	0.064	3.26222414.986	96506368.0	29596392.0	73110.88	0.60
146	8	6	190.75	190.5017560.14	0.00	0.25	0.240	0.064	3.26222415.074	96508632.0	29596510.0	73112.59	0.60
147	8	7	190.50	190.2517560.39	0.00	0.25	0.240	0.064	3.26222415.160	96510880.0	29596622.0	73114.30	0.60
148	8	8	190.25	190.0017560.64	0.00	0.25	0.240	0.064	3.26222415.248	96513144.0	29596738.0	73116.02	0.60

1

STREAM QUALITY SIMULATION OUTPUT PAGE NUMBER 4
 QUAL-2E STREAM QUALITY ROUTING MODEL EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D

CRF_65B.OUT

3	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
4	6	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
---	---	------	---	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

CRF_65B.OUT

7	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
7	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
1	1	87.40	1.24	0.00	0.00	3.47	4.27	0.25	0.04	0.04	0.18	0.52	0.03	0.02	0.04	0.00	0.00	8.27
1	2	87.40	1.24	0.00	0.00	3.54	4.25	0.25	0.04	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.14
1	3	87.40	1.24	0.00	0.00	3.60	4.22	0.24	0.05	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.02

CRF_65B.OUT

1	4	87.40	1.24	0.00	0.00	3.67	4.20	0.24	0.05	0.03	0.19	0.52	0.03	0.02	0.04	0.00	0.00	7.90
1	5	87.40	1.24	0.00	0.00	3.73	4.18	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.78
1	6	87.40	1.24	0.00	0.00	3.79	4.16	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.66
1	7	87.40	1.24	0.00	0.00	3.84	4.14	0.23	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.54
1	8	87.40	1.24	0.00	0.00	3.90	4.12	0.23	0.05	0.02	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.43
1	9	87.40	1.24	0.00	0.00	3.95	4.10	0.23	0.05	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.32
1	10	87.40	1.24	0.00	0.00	4.00	4.07	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.21
1	11	87.40	1.24	0.00	0.00	4.05	4.05	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.10
1	12	87.40	1.24	0.00	0.00	4.10	4.03	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.00
1	13	87.40	1.24	0.00	0.00	4.15	4.01	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.89
1	14	87.40	1.24	0.00	0.00	4.19	3.99	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.79
1	15	87.40	1.24	0.00	0.00	4.23	3.97	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.69
1	16	87.40	1.24	0.00	0.00	4.27	3.95	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.59
1	17	87.40	1.24	0.00	0.00	4.31	3.93	0.21	0.07	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.50
1	18	87.40	1.24	0.00	0.00	4.35	3.91	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.40
1	19	87.40	1.24	0.00	0.00	4.39	3.89	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.31
1	20	87.40	1.24	0.00	0.00	4.42	3.89	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.22
2	1	87.40	1.39	0.00	0.00	4.44	5.51	0.22	0.08	0.01	0.22	0.54	0.03	0.02	0.05	0.00	0.00	6.11
2	2	87.40	1.39	0.00	0.00	4.47	5.48	0.21	0.08	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	6.03
2	3	87.40	1.39	0.00	0.00	4.49	5.46	0.21	0.08	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.94
2	4	87.40	1.39	0.00	0.00	4.52	5.43	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.86
2	5	87.40	1.39	0.00	0.00	4.54	5.40	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.78
2	6	87.40	1.39	0.00	0.00	4.56	5.37	0.21	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.70
2	7	87.40	1.39	0.00	0.00	4.58	5.34	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.62
2	8	87.40	1.39	0.00	0.00	4.60	5.32	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.54
2	9	87.40	1.39	0.00	0.00	4.62	5.29	0.20	0.09	0.01	0.23	0.54	0.03	0.02	0.05	0.00	0.00	5.47
2	10	87.40	1.39	0.00	0.00	4.64	5.26	0.20	0.09	0.01	0.23	0.53	0.03	0.02	0.05	0.00	0.00	5.39
2	11	87.40	1.39	0.00	0.00	4.66	5.24	0.20	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.32
2	12	87.40	1.39	0.00	0.00	4.67	5.21	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.25
2	13	87.40	1.39	0.00	0.00	4.69	5.18	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.17
2	14	87.40	1.39	0.00	0.00	4.71	5.16	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.10
2	15	87.40	1.39	0.00	0.00	4.72	5.13	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	5.03
2	16	87.40	1.39	0.00	0.00	4.74	5.10	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.97
2	17	87.40	1.39	0.00	0.00	4.75	5.08	0.19	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.90
2	18	87.40	1.39	0.00	0.00	4.77	5.05	0.18	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.83
2	19	87.40	1.39	0.00	0.00	4.78	5.02	0.18	0.09	0.01	0.24	0.53	0.03	0.02	0.05	0.00	0.00	4.77
2	20	87.40	1.39	0.00	0.00	4.79	5.00	0.18	0.09	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.70
3	1	87.40	1.39	0.00	0.00	4.81	4.97	0.18	0.09	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.64
3	2	87.40	1.39	0.00	0.00	4.82	4.95	0.18	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.57
3	3	87.40	1.39	0.00	0.00	4.83	4.92	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.51
3	4	87.40	1.39	0.00	0.00	4.84	4.90	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.45
3	5	87.40	1.39	0.00	0.00	4.85	4.87	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.39
3	6	87.40	1.39	0.00	0.00	4.86	4.85	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.33
3	7	87.40	1.39	0.00	0.00	4.87	4.82	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.27
3	8	87.40	1.39	0.00	0.00	4.88	4.80	0.17	0.10	0.01	0.25	0.53	0.03	0.02	0.05	0.00	0.00	4.22
3	9	87.40	1.39	0.00	0.00	4.89	4.77	0.17	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.16

CRF_65B.OUT

3	10	87.40	1.39	0.00	0.00	4.90	4.75	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.10
3	11	87.40	1.39	0.00	0.00	4.91	4.72	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	4.05
3	12	87.40	1.39	0.00	0.00	4.92	4.70	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.99
3	13	87.40	1.39	0.00	0.00	4.93	4.67	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.94
3	14	87.40	1.39	0.00	0.00	4.94	4.65	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.89
3	15	87.40	1.39	0.00	0.00	4.95	4.63	0.16	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.83
3	16	87.40	1.39	0.00	0.00	4.95	4.60	0.15	0.10	0.01	0.26	0.53	0.03	0.02	0.05	0.00	0.00	3.78
3	17	87.40	1.39	0.00	0.00	4.96	4.58	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.73
3	18	87.40	1.39	0.00	0.00	4.97	4.55	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.68
3	19	87.40	1.39	0.00	0.00	4.98	4.53	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.63
3	20	87.40	1.39	0.00	0.00	4.98	4.51	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.58
4	1	87.40	1.39	0.00	0.00	4.96	4.48	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.54
4	2	87.40	1.39	0.00	0.00	4.95	4.46	0.15	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.49
4	3	87.40	1.39	0.00	0.00	4.93	4.44	0.14	0.10	0.01	0.27	0.53	0.03	0.02	0.05	0.00	0.00	3.44
4	4	87.40	1.39	0.00	0.00	4.91	4.42	0.14	0.10	0.01	0.27	0.53	0.03	0.02	0.04	0.00	0.00	3.40
4	5	87.40	1.39	0.00	0.00	4.90	4.39	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.35

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	87.40	1.39	0.00	0.00	4.88	4.37	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.31
4	7	87.40	1.39	0.00	0.00	4.87	4.35	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.26
4	8	87.40	1.39	0.00	0.00	4.86	4.33	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.22
4	9	87.40	1.39	0.00	0.00	4.84	4.30	0.14	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.18
4	10	87.40	1.39	0.00	0.00	4.83	4.28	0.13	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.13
4	11	87.40	1.39	0.00	0.00	4.82	4.26	0.13	0.10	0.01	0.28	0.53	0.03	0.02	0.04	0.00	0.00	3.09
4	12	87.40	1.39	0.00	0.00	4.81	4.24	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	3.05
4	13	87.40	1.39	0.00	0.00	4.80	4.22	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	3.01
4	14	87.40	1.39	0.00	0.00	4.79	4.19	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.97
4	15	87.40	1.39	0.00	0.00	4.78	4.17	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.93
4	16	87.40	1.39	0.00	0.00	4.77	4.15	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.89
4	17	87.40	1.39	0.00	0.00	4.76	4.13	0.13	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.85
4	18	87.40	1.39	0.00	0.00	4.75	4.11	0.12	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.82
4	19	87.40	1.39	0.00	0.00	4.75	4.09	0.12	0.10	0.01	0.29	0.53	0.03	0.02	0.04	0.00	0.00	2.78
4	20	87.40	1.39	0.00	0.00	4.74	4.07	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.74
5	1	87.40	1.39	0.00	0.00	4.73	4.04	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.70
5	2	87.40	1.39	0.00	0.00	4.73	4.02	0.12	0.10	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.67
5	3	87.40	1.39	0.00	0.00	4.72	4.00	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.63
5	4	87.40	1.39	0.00	0.00	4.71	3.98	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.60

CRF_65B.OUT

5	5	87.40	1.39	0.00	0.00	4.71	3.96	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.56
5	6	87.40	1.39	0.00	0.00	4.70	3.94	0.12	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.53
5	7	87.40	1.39	0.00	0.00	4.70	3.92	0.11	0.09	0.01	0.30	0.53	0.03	0.02	0.04	0.00	0.00	2.50
5	8	87.40	1.39	0.00	0.00	4.69	3.90	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.46
5	9	87.40	1.39	0.00	0.00	4.69	3.88	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.43
5	10	87.40	1.39	0.00	0.00	4.68	3.86	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.40
5	11	87.40	1.39	0.00	0.00	4.68	3.84	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.37
5	12	87.40	1.39	0.00	0.00	4.68	3.82	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.34
5	13	87.40	1.39	0.00	0.00	4.67	3.80	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.31
5	14	87.40	1.39	0.00	0.00	4.67	3.78	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.28
5	15	87.40	1.39	0.00	0.00	4.67	3.76	0.11	0.09	0.01	0.31	0.53	0.03	0.02	0.04	0.00	0.00	2.25
5	16	87.40	1.39	0.00	0.00	4.66	3.74	0.11	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.22
5	17	87.40	1.39	0.00	0.00	4.66	3.72	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.19
5	18	87.40	1.39	0.00	0.00	4.66	3.70	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.16
5	19	87.40	1.39	0.00	0.00	4.66	3.69	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.13
5	20	87.40	1.39	0.00	0.00	4.65	3.67	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.10
6	1	87.40	1.39	0.00	0.00	4.65	3.65	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.07
6	2	87.40	1.39	0.00	0.00	4.65	3.63	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.05
6	3	87.40	1.39	0.00	0.00	4.65	3.61	0.10	0.09	0.01	0.32	0.53	0.03	0.02	0.04	0.00	0.00	2.02
6	4	87.40	1.39	0.00	0.00	4.65	3.59	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.99
6	5	87.40	1.39	0.00	0.00	4.65	3.57	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.97
6	6	87.40	1.39	0.00	0.00	4.65	3.55	0.10	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.94
6	7	87.40	1.39	0.00	0.00	4.65	3.54	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.92
6	8	87.40	1.39	0.00	0.00	4.64	3.52	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.89
6	9	87.40	1.39	0.00	0.00	4.64	3.50	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.87
6	10	87.40	1.39	0.00	0.00	4.64	3.48	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.85
6	11	87.40	1.39	0.00	0.00	4.64	3.46	0.09	0.09	0.01	0.33	0.53	0.03	0.02	0.04	0.00	0.00	1.82
6	12	87.40	1.39	0.00	0.00	4.64	3.45	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.80
6	13	87.40	1.39	0.00	0.00	4.64	3.43	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.78
6	14	87.40	1.39	0.00	0.00	4.64	3.41	0.09	0.09	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.75
6	15	87.40	1.39	0.00	0.00	4.64	3.39	0.09	0.08	0.01	0.34	0.53	0.03	0.02	0.04	0.00	0.00	1.73
6	16	87.40	1.39	0.00	0.00	4.64	3.38	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.71
6	17	87.40	1.39	0.00	0.00	4.64	3.36	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.69
6	18	87.40	1.39	0.00	0.00	4.64	3.34	0.09	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.67
6	19	87.40	1.39	0.00	0.00	4.64	3.32	0.08	0.08	0.01	0.34	0.52	0.03	0.02	0.04	0.00	0.00	1.65
6	20	87.40	1.39	0.00	0.00	4.65	3.31	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.63
7	1	87.40	1.39	0.00	0.00	4.67	3.29	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.61
7	2	87.40	1.39	0.00	0.00	4.70	3.27	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.59
7	3	87.40	1.39	0.00	0.00	4.72	3.26	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.57
7	4	87.40	1.39	0.00	0.00	4.74	3.24	0.08	0.08	0.01	0.35	0.52	0.03	0.02	0.04	0.00	0.00	1.55
7	5	87.40	1.39	0.00	0.00	4.77	3.22	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.53
7	6	87.40	1.39	0.00	0.00	4.79	3.21	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.51
7	7	87.40	1.39	0.00	0.00	4.81	3.19	0.08	0.08	0.01	0.35	0.52	0.02	0.02	0.04	0.00	0.00	1.49
7	8	87.40	1.39	0.00	0.00	4.83	3.17	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.48
7	9	87.40	1.39	0.00	0.00	4.85	3.16	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.46
7	10	87.40	1.39	0.00	0.00	4.87	3.14	0.08	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.44

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH	ELE	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA	
NUM	NUM	TEMP			MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L	
		DEG-F																
7	11	87.40	1.39	0.00	0.00	4.88	3.12	0.07	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.42
7	12	87.40	1.39	0.00	0.00	4.90	3.11	0.07	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.41
7	13	87.40	1.38	0.00	0.00	4.92	3.09	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.48
7	14	87.40	1.38	0.00	0.00	4.94	3.07	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.46
7	15	87.40	1.38	0.00	0.00	4.96	3.06	0.08	0.08	0.01	0.36	0.53	0.02	0.02	0.04	0.00	0.00	1.44
7	16	87.40	1.38	0.00	0.00	4.97	3.04	0.08	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.43
7	17	87.40	1.38	0.00	0.00	4.99	3.02	0.08	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.41
7	18	87.40	1.38	0.00	0.00	5.01	3.01	0.07	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.39
7	19	87.40	1.38	0.00	0.00	5.02	2.99	0.07	0.08	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.38
7	20	87.40	1.38	0.00	0.00	5.03	2.98	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.36
8	1	87.40	1.38	0.00	0.00	5.05	2.96	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.34
8	2	87.40	1.38	0.00	0.00	5.06	2.95	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.33
8	3	87.40	1.38	0.00	0.00	5.07	2.93	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.31
8	4	87.40	1.38	0.00	0.00	5.09	2.92	0.07	0.07	0.01	0.37	0.53	0.02	0.02	0.04	0.00	0.00	1.30
8	5	87.40	1.38	0.00	0.00	5.10	2.90	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.28
8	6	87.40	1.38	0.00	0.00	5.11	2.89	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.27
8	7	87.40	1.38	0.00	0.00	5.12	2.87	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.25
8	8	87.40	1.38	0.00	0.00	5.13	2.86	0.07	0.07	0.01	0.38	0.53	0.02	0.02	0.04	0.00	0.00	1.24

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE	RCH	ELE	ALGY	ALGY	ALGY	A P/R	NET	NH3	NH3-N	LIGHT	ALGAE GROWTH RATE ATTEN FACTORS			
ORD	NUM	NUM	CHLA	GRWTH	RESP	RATIO	P-R	PREF	FRACT	EXTCO	LIGHT	NITRGN	PHSPRS	
			UG/L	1/DAY	1/DAY	*	MG/L-D	*	*	1/FT	*	*	*	
1	1	1	8.27	0.16	0.08	1.03	1.71	0.06	0.50	0.18	4.23	0.11	0.53	0.65
2	1	2	8.14	0.16	0.08	1.03	1.73	0.07	0.50	0.19	4.23	0.11	0.54	0.65
3	1	3	8.02	0.16	0.08	1.03	1.75	0.07	0.50	0.19	4.23	0.11	0.54	0.65
4	1	4	7.90	0.16	0.08	1.03	1.76	0.07	0.50	0.19	4.22	0.11	0.55	0.65
5	1	5	7.78	0.16	0.08	1.03	1.77	0.07	0.50	0.20	4.22	0.11	0.55	0.65

									CRF_65B.OUT					
6	1	6	7.66	0.16	0.08	1.03	1.79	0.07	0.50	0.20	4.22	0.11	0.56	0.65
7	1	7	7.54	0.16	0.08	1.03	1.80	0.07	0.50	0.20	4.21	0.11	0.56	0.65
8	1	8	7.43	0.16	0.08	1.03	1.81	0.07	0.50	0.21	4.21	0.11	0.56	0.65
9	1	9	7.32	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
10	1	10	7.21	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
11	1	11	7.10	0.17	0.08	1.03	1.83	0.06	0.50	0.22	4.20	0.11	0.57	0.64
12	1	12	7.00	0.17	0.08	1.03	1.84	0.06	0.50	0.22	4.20	0.11	0.58	0.64
13	1	13	6.89	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
14	1	14	6.79	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
15	1	15	6.69	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
16	1	16	6.59	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
17	1	17	6.50	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.19	0.11	0.59	0.64
18	1	18	6.40	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.18	0.11	0.59	0.64
19	1	19	6.31	0.17	0.08	1.03	1.88	0.06	0.50	0.23	4.18	0.11	0.59	0.64
20	1	20	6.22	0.17	0.08	1.03	1.88	0.06	0.50	0.24	4.18	0.11	0.59	0.64
21	2	1	6.11	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.18	0.11	0.61	0.66
22	2	2	6.03	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.18	0.11	0.61	0.66
23	2	3	5.94	0.18	0.08	1.03	2.00	0.07	0.50	0.27	4.17	0.11	0.61	0.66
24	2	4	5.86	0.18	0.08	1.03	2.01	0.06	0.50	0.27	4.17	0.11	0.61	0.66
25	2	5	5.78	0.18	0.08	1.03	2.01	0.06	0.50	0.27	4.17	0.11	0.61	0.66
26	2	6	5.70	0.18	0.08	1.03	2.01	0.06	0.50	0.28	4.17	0.11	0.61	0.66
27	2	7	5.62	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.61	0.66
28	2	8	5.54	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.62	0.66
29	2	9	5.47	0.18	0.08	1.03	2.02	0.06	0.50	0.28	4.16	0.11	0.62	0.66
30	2	10	5.39	0.18	0.08	1.03	2.03	0.06	0.50	0.28	4.16	0.11	0.62	0.66
31	2	11	5.32	0.18	0.08	1.03	2.03	0.06	0.50	0.28	4.16	0.11	0.62	0.66
32	2	12	5.25	0.19	0.08	1.03	2.03	0.06	0.50	0.28	4.15	0.11	0.62	0.66
33	2	13	5.17	0.19	0.08	1.03	2.03	0.06	0.50	0.28	4.15	0.11	0.62	0.65
34	2	14	5.10	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.62	0.65
35	2	15	5.03	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.62	0.65
36	2	16	4.97	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.63	0.65
37	2	17	4.90	0.19	0.08	1.03	2.04	0.06	0.50	0.28	4.15	0.11	0.63	0.65
38	2	18	4.83	0.19	0.08	1.03	2.05	0.06	0.50	0.28	4.14	0.11	0.63	0.65
39	2	19	4.77	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
40	2	20	4.70	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
41	3	1	4.64	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
42	3	2	4.57	0.19	0.08	1.03	2.05	0.05	0.50	0.28	4.14	0.11	0.63	0.65
43	3	3	4.51	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.14	0.11	0.63	0.65
44	3	4	4.45	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.63	0.65
45	3	5	4.39	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.63	0.65
46	3	6	4.33	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.64	0.65
47	3	7	4.27	0.19	0.08	1.03	2.06	0.05	0.50	0.28	4.13	0.11	0.64	0.65
48	3	8	4.22	0.19	0.08	1.03	2.06	0.05	0.50	0.27	4.13	0.11	0.64	0.64
49	3	9	4.16	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.13	0.11	0.64	0.64
50	3	10	4.10	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
51	3	11	4.05	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64

CRF_65B.OUT														
52	3	12	3.99	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
53	3	13	3.94	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
54	3	14	3.89	0.19	0.08	1.03	2.07	0.05	0.50	0.27	4.12	0.11	0.64	0.64
55	3	15	3.83	0.19	0.08	1.03	2.08	0.05	0.50	0.27	4.12	0.11	0.64	0.64
56	3	16	3.78	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.12	0.11	0.64	0.64
57	3	17	3.73	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
58	3	18	3.68	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
59	3	19	3.63	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
60	3	20	3.58	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
61	4	1	3.54	0.19	0.08	1.03	2.08	0.04	0.50	0.27	4.11	0.11	0.65	0.64
62	4	2	3.49	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
63	4	3	3.44	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
64	4	4	3.40	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.11	0.11	0.65	0.64
65	4	5	3.35	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N			ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.31	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
67	4	7	3.26	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
68	4	8	3.22	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
69	4	9	3.18	0.19	0.08	1.03	2.09	0.04	0.50	0.26	4.10	0.11	0.65	0.63
70	4	10	3.13	0.19	0.08	1.03	2.10	0.04	0.50	0.26	4.10	0.11	0.66	0.63
71	4	11	3.09	0.19	0.08	1.03	2.10	0.04	0.50	0.26	4.10	0.11	0.66	0.63
72	4	12	3.05	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.10	0.11	0.66	0.63
73	4	13	3.01	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
74	4	14	2.97	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
75	4	15	2.93	0.19	0.08	1.03	2.10	0.04	0.50	0.25	4.09	0.11	0.66	0.63
76	4	16	2.89	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
77	4	17	2.85	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
78	4	18	2.82	0.19	0.08	1.03	2.10	0.03	0.50	0.25	4.09	0.11	0.66	0.63
79	4	19	2.78	0.19	0.08	1.03	2.11	0.03	0.50	0.25	4.09	0.11	0.66	0.63
80	4	20	2.74	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
81	5	1	2.70	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
82	5	2	2.67	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.09	0.11	0.66	0.63
83	5	3	2.63	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63
84	5	4	2.60	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63
85	5	5	2.56	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.66	0.63

									CRF_65B.OUT					
86	5	6	2.53	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.67	0.62
87	5	7	2.50	0.19	0.08	1.03	2.11	0.03	0.50	0.24	4.08	0.11	0.67	0.62
88	5	8	2.46	0.19	0.08	1.03	2.11	0.03	0.50	0.23	4.08	0.11	0.67	0.62
89	5	9	2.43	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
90	5	10	2.40	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
91	5	11	2.37	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
92	5	12	2.34	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.08	0.11	0.67	0.62
93	5	13	2.31	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
94	5	14	2.28	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
95	5	15	2.25	0.19	0.08	1.03	2.12	0.03	0.50	0.23	4.07	0.11	0.67	0.62
96	5	16	2.22	0.19	0.08	1.03	2.12	0.03	0.50	0.22	4.07	0.11	0.67	0.62
97	5	17	2.19	0.19	0.08	1.03	2.12	0.03	0.50	0.22	4.07	0.11	0.67	0.62
98	5	18	2.16	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
99	5	19	2.13	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
100	5	20	2.10	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
101	6	1	2.07	0.19	0.08	1.03	2.13	0.03	0.50	0.22	4.07	0.11	0.67	0.62
102	6	2	2.05	0.20	0.08	1.03	2.14	0.03	0.50	0.22	4.07	0.11	0.67	0.62
103	6	3	2.02	0.20	0.08	1.03	2.15	0.03	0.50	0.22	4.07	0.11	0.67	0.63
104	6	4	1.99	0.20	0.08	1.03	2.16	0.03	0.50	0.21	4.07	0.11	0.67	0.63
105	6	5	1.97	0.20	0.08	1.03	2.16	0.03	0.50	0.21	4.07	0.11	0.68	0.63
106	6	6	1.94	0.20	0.08	1.03	2.17	0.02	0.50	0.21	4.06	0.11	0.68	0.63
107	6	7	1.92	0.20	0.08	1.03	2.18	0.02	0.50	0.21	4.06	0.11	0.68	0.63
108	6	8	1.89	0.20	0.08	1.03	2.19	0.02	0.50	0.21	4.06	0.11	0.68	0.63
109	6	9	1.87	0.20	0.08	1.03	2.19	0.02	0.50	0.21	4.06	0.11	0.68	0.63
110	6	10	1.85	0.20	0.08	1.03	2.20	0.02	0.50	0.21	4.06	0.11	0.68	0.64
111	6	11	1.82	0.20	0.08	1.03	2.21	0.02	0.50	0.21	4.06	0.11	0.68	0.64
112	6	12	1.80	0.20	0.08	1.03	2.21	0.02	0.50	0.20	4.06	0.11	0.68	0.64
113	6	13	1.78	0.20	0.08	1.03	2.22	0.02	0.50	0.20	4.06	0.11	0.68	0.64
114	6	14	1.75	0.20	0.08	1.03	2.23	0.02	0.50	0.20	4.06	0.11	0.68	0.64
115	6	15	1.73	0.20	0.08	1.03	2.24	0.02	0.50	0.20	4.06	0.11	0.68	0.64
116	6	16	1.71	0.20	0.08	1.03	2.24	0.02	0.50	0.20	4.06	0.11	0.68	0.64
117	6	17	1.69	0.20	0.08	1.03	2.25	0.02	0.50	0.20	4.06	0.11	0.68	0.65
118	6	18	1.67	0.21	0.08	1.03	2.25	0.02	0.50	0.20	4.06	0.11	0.68	0.65
119	6	19	1.65	0.21	0.08	1.03	2.26	0.02	0.50	0.19	4.06	0.11	0.68	0.65
120	6	20	1.63	0.21	0.08	1.03	2.27	0.02	0.50	0.19	4.06	0.11	0.68	0.65
121	7	1	1.61	0.21	0.08	1.03	2.27	0.02	0.50	0.19	4.05	0.11	0.68	0.65
122	7	2	1.59	0.21	0.08	1.03	2.28	0.02	0.50	0.19	4.05	0.11	0.68	0.65
123	7	3	1.57	0.21	0.08	1.03	2.29	0.02	0.50	0.19	4.05	0.11	0.68	0.65
124	7	4	1.55	0.21	0.08	1.03	2.29	0.02	0.50	0.19	4.05	0.11	0.68	0.66
125	7	5	1.53	0.21	0.08	1.03	2.30	0.02	0.50	0.19	4.05	0.11	0.68	0.66
126	7	6	1.51	0.21	0.08	1.03	2.30	0.02	0.50	0.19	4.05	0.11	0.68	0.66
127	7	7	1.49	0.21	0.08	1.03	2.31	0.02	0.50	0.18	4.05	0.11	0.68	0.66
128	7	8	1.48	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.66
129	7	9	1.46	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.66
130	7	10	1.44	0.21	0.08	1.03	2.33	0.02	0.50	0.18	4.05	0.11	0.69	0.66

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS											
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.42	0.21	0.08	1.03	2.33	0.02	0.50	0.18	4.05	0.11	0.69	0.66
132	7	12	1.41	0.21	0.08	1.03	2.34	0.02	0.50	0.18	4.05	0.11	0.69	0.67
133	7	13	1.48	0.21	0.08	1.03	2.31	0.02	0.50	0.18	4.05	0.11	0.69	0.67
134	7	14	1.46	0.21	0.08	1.03	2.32	0.02	0.50	0.18	4.05	0.11	0.69	0.67
135	7	15	1.44	0.21	0.08	1.03	2.32	0.02	0.50	0.17	4.05	0.11	0.69	0.67
136	7	16	1.43	0.21	0.08	1.03	2.33	0.02	0.50	0.17	4.05	0.11	0.69	0.67
137	7	17	1.41	0.21	0.08	1.03	2.33	0.02	0.50	0.17	4.05	0.11	0.69	0.67
138	7	18	1.39	0.21	0.08	1.03	2.34	0.02	0.50	0.17	4.05	0.11	0.69	0.68
139	7	19	1.38	0.21	0.08	1.03	2.35	0.02	0.50	0.17	4.05	0.11	0.69	0.68
140	7	20	1.36	0.21	0.08	1.03	2.35	0.02	0.50	0.17	4.05	0.11	0.69	0.68
141	8	1	1.34	0.22	0.08	1.03	2.36	0.02	0.50	0.17	4.05	0.11	0.69	0.68
142	8	2	1.33	0.22	0.08	1.03	2.37	0.02	0.50	0.17	4.05	0.11	0.69	0.68
143	8	3	1.31	0.22	0.08	1.03	2.37	0.02	0.50	0.17	4.05	0.11	0.69	0.68
144	8	4	1.30	0.22	0.08	1.03	2.38	0.02	0.50	0.16	4.05	0.11	0.69	0.68
145	8	5	1.28	0.22	0.08	1.03	2.38	0.02	0.50	0.16	4.05	0.11	0.69	0.68
146	8	6	1.27	0.22	0.08	1.03	2.39	0.02	0.50	0.16	4.04	0.11	0.69	0.69
147	8	7	1.25	0.22	0.08	1.03	2.39	0.02	0.50	0.16	4.04	0.11	0.69	0.69
148	8	8	1.24	0.22	0.08	1.03	2.40	0.02	0.50	0.16	4.04	0.11	0.69	0.69

1

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

ELE ORD	RCH NUM	ELE NUM	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)												
			TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	87.40	7.46	3.47	3.99	0.00	1.00	54.07	2.58	-0.35	-0.03	0.06	-0.03	-0.08
2	1	2	87.40	7.46	3.54	3.92	0.00	1.00	0.00	2.53	-0.35	-0.03	0.07	-0.04	-0.07
3	1	3	87.40	7.46	3.60	3.85	0.00	1.00	0.00	2.49	-0.35	-0.03	0.07	-0.04	-0.07
4	1	4	87.40	7.46	3.67	3.79	0.00	1.00	0.00	2.45	-0.34	-0.03	0.07	-0.04	-0.06
5	1	5	87.40	7.46	3.73	3.73	0.00	1.00	0.00	2.41	-0.34	-0.03	0.07	-0.04	-0.06

									CRF_65B.OUT						
6	1	6	87.40	7.46	3.79	3.67	0.00	1.00	0.00	2.37	-0.34	-0.03	0.07	-0.04	-0.05
7	1	7	87.40	7.46	3.84	3.61	0.00	1.00	0.00	2.33	-0.34	-0.03	0.07	-0.04	-0.05
8	1	8	87.40	7.46	3.90	3.56	0.00	1.00	0.00	2.30	-0.34	-0.03	0.07	-0.04	-0.05
9	1	9	87.40	7.46	3.95	3.51	0.00	1.00	0.00	2.26	-0.34	-0.03	0.07	-0.04	-0.04
10	1	10	87.40	7.46	4.00	3.45	0.00	1.00	0.00	2.23	-0.33	-0.03	0.07	-0.05	-0.04
11	1	11	87.40	7.46	4.05	3.41	0.00	1.00	0.00	2.20	-0.33	-0.03	0.06	-0.05	-0.04
12	1	12	87.40	7.46	4.10	3.36	0.00	1.00	0.00	2.17	-0.33	-0.03	0.06	-0.05	-0.04
13	1	13	87.40	7.46	4.15	3.31	0.00	1.00	0.00	2.14	-0.33	-0.03	0.06	-0.05	-0.03
14	1	14	87.40	7.46	4.19	3.27	0.00	1.00	0.00	2.11	-0.33	-0.03	0.06	-0.05	-0.03
15	1	15	87.40	7.46	4.23	3.23	0.00	1.00	0.00	2.08	-0.33	-0.03	0.06	-0.05	-0.03
16	1	16	87.40	7.46	4.27	3.18	0.00	1.00	0.00	2.06	-0.32	-0.03	0.06	-0.05	-0.03
17	1	17	87.40	7.46	4.31	3.14	0.00	1.00	0.00	2.03	-0.32	-0.03	0.06	-0.05	-0.03
18	1	18	87.40	7.46	4.35	3.11	0.00	1.00	0.00	2.01	-0.32	-0.03	0.06	-0.05	-0.03
19	1	19	87.40	7.46	4.39	3.07	0.00	1.00	0.00	1.98	-0.32	-0.03	0.06	-0.05	-0.03
20	1	20	87.40	7.46	4.42	3.04	0.00	1.00	0.00	1.96	-0.32	-0.03	0.06	-0.06	-0.03
21	2	1	87.40	7.46	4.44	3.01	0.00	1.00	0.22	1.95	-0.45	-0.03	0.07	-0.07	-0.03
22	2	2	87.40	7.46	4.47	2.99	0.00	1.00	0.00	1.93	-0.45	-0.03	0.07	-0.07	-0.03
23	2	3	87.40	7.46	4.49	2.96	0.00	1.00	0.00	1.91	-0.45	-0.03	0.07	-0.07	-0.03
24	2	4	87.40	7.46	4.52	2.94	0.00	1.00	0.00	1.90	-0.45	-0.03	0.06	-0.07	-0.03
25	2	5	87.40	7.46	4.54	2.92	0.00	1.00	0.00	1.88	-0.44	-0.03	0.06	-0.07	-0.03
26	2	6	87.40	7.46	4.56	2.90	0.00	1.00	0.00	1.87	-0.44	-0.03	0.06	-0.07	-0.02
27	2	7	87.40	7.46	4.58	2.88	0.00	1.00	0.00	1.86	-0.44	-0.03	0.06	-0.07	-0.02
28	2	8	87.40	7.46	4.60	2.86	0.00	1.00	0.00	1.84	-0.44	-0.03	0.06	-0.07	-0.02
29	2	9	87.40	7.46	4.62	2.84	0.00	1.00	0.00	1.83	-0.43	-0.03	0.06	-0.07	-0.02
30	2	10	87.40	7.46	4.64	2.82	0.00	1.00	0.00	1.82	-0.43	-0.03	0.06	-0.07	-0.02
31	2	11	87.40	7.46	4.66	2.80	0.00	1.00	0.00	1.81	-0.43	-0.03	0.06	-0.07	-0.02
32	2	12	87.40	7.46	4.67	2.78	0.00	1.00	0.00	1.80	-0.43	-0.03	0.06	-0.07	-0.02
33	2	13	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.43	-0.03	0.06	-0.07	-0.02
34	2	14	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.78	-0.42	-0.03	0.06	-0.07	-0.02
35	2	15	87.40	7.46	4.72	2.73	0.00	1.00	0.00	1.77	-0.42	-0.03	0.06	-0.07	-0.02
36	2	16	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.76	-0.42	-0.03	0.06	-0.08	-0.02
37	2	17	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.42	-0.03	0.06	-0.08	-0.02
38	2	18	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.41	-0.03	0.06	-0.08	-0.02
39	2	19	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.41	-0.03	0.05	-0.08	-0.02
40	2	20	87.40	7.46	4.79	2.66	0.00	1.00	0.00	1.72	-0.41	-0.03	0.05	-0.08	-0.02
41	3	1	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.41	-0.03	0.05	-0.08	-0.02
42	3	2	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.41	-0.03	0.05	-0.08	-0.03
43	3	3	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.40	-0.03	0.05	-0.08	-0.03
44	3	4	87.40	7.46	4.84	2.62	0.00	1.00	0.00	1.69	-0.40	-0.03	0.05	-0.08	-0.03
45	3	5	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.68	-0.40	-0.03	0.05	-0.08	-0.03
46	3	6	87.40	7.46	4.86	2.59	0.00	1.00	0.00	1.68	-0.40	-0.03	0.05	-0.08	-0.03
47	3	7	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.40	-0.03	0.05	-0.08	-0.03
48	3	8	87.40	7.46	4.88	2.57	0.00	1.00	0.00	1.66	-0.39	-0.03	0.05	-0.08	-0.03
49	3	9	87.40	7.46	4.89	2.56	0.00	1.00	0.00	1.66	-0.39	-0.03	0.05	-0.08	-0.03
50	3	10	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.39	-0.03	0.05	-0.08	-0.03
51	3	11	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.64	-0.39	-0.03	0.05	-0.08	-0.03

											CRF_65B.OUT				
52	3	12	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.39	-0.03	0.05	-0.08	-0.03
53	3	13	87.40	7.46	4.93	2.53	0.00	1.00	0.00	1.63	-0.38	-0.03	0.05	-0.08	-0.03
54	3	14	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.38	-0.03	0.05	-0.08	-0.03
55	3	15	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.38	-0.03	0.05	-0.08	-0.03
56	3	16	87.40	7.46	4.95	2.50	0.00	1.00	0.00	1.62	-0.38	-0.03	0.04	-0.08	-0.03
57	3	17	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.61	-0.38	-0.03	0.04	-0.08	-0.03
58	3	18	87.40	7.46	4.97	2.49	0.00	1.00	0.00	1.61	-0.37	-0.03	0.04	-0.08	-0.03
59	3	19	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.37	-0.03	0.04	-0.08	-0.03
60	3	20	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.37	-0.03	0.04	-0.08	-0.03
61	4	1	87.40	7.46	4.96	2.49	0.00	1.00	0.00	1.61	-0.37	-0.04	0.04	-0.08	-0.03
62	4	2	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.37	-0.04	0.04	-0.08	-0.03
63	4	3	87.40	7.46	4.93	2.53	0.00	1.00	0.00	1.63	-0.36	-0.04	0.04	-0.08	-0.03
64	4	4	87.40	7.46	4.91	2.54	0.00	1.00	0.01	1.64	-0.36	-0.04	0.04	-0.08	-0.03
65	4	5	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.36	-0.04	0.04	-0.08	-0.03

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

											COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)					
ELE	RCH	ELE			DO	DO	DAM	NIT								
ORD	NUM	NUM	TEMP	DO	DEF	INPUT	INHIB	F-FNCTN	OXYGN	C-BOD	SOD	NET	NH3-N	NO2-N		
			DEG-F	MG/L	MG/L	MG/L	FACT	INPUT	REAIR			P-R				
66	4	6	87.40	7.46	4.88	2.57	0.00	1.00	0.00	1.66	-0.36	-0.04	0.04	-0.08	-0.03	
67	4	7	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.36	-0.04	0.04	-0.08	-0.03	
68	4	8	87.40	7.46	4.86	2.60	0.00	1.00	0.00	1.68	-0.35	-0.04	0.04	-0.08	-0.03	
69	4	9	87.40	7.46	4.84	2.61	0.00	1.00	0.00	1.69	-0.35	-0.04	0.04	-0.08	-0.03	
70	4	10	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.35	-0.04	0.04	-0.08	-0.03	
71	4	11	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.35	-0.04	0.04	-0.08	-0.03	
72	4	12	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.35	-0.04	0.04	-0.08	-0.03	
73	4	13	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.35	-0.04	0.04	-0.08	-0.03	
74	4	14	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.34	-0.04	0.04	-0.08	-0.03	
75	4	15	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.34	-0.04	0.04	-0.08	-0.03	
76	4	16	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.34	-0.04	0.03	-0.08	-0.03	
77	4	17	87.40	7.46	4.76	2.70	0.00	1.00	0.00	1.74	-0.34	-0.04	0.03	-0.08	-0.03	
78	4	18	87.40	7.46	4.75	2.70	0.00	1.00	0.00	1.75	-0.34	-0.04	0.03	-0.08	-0.03	
79	4	19	87.40	7.46	4.75	2.71	0.00	1.00	0.00	1.75	-0.34	-0.04	0.03	-0.08	-0.03	
80	4	20	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.76	-0.33	-0.04	0.03	-0.08	-0.03	
81	5	1	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.33	-0.04	0.03	-0.08	-0.03	
82	5	2	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.33	-0.04	0.03	-0.08	-0.03	
83	5	3	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.33	-0.04	0.03	-0.08	-0.03	
84	5	4	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.33	-0.04	0.03	-0.08	-0.03	
85	5	5	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.78	-0.33	-0.04	0.03	-0.08	-0.03	

CRF_65B.OUT

86	5	6	87.40	7.46	4.70	2.76	0.00	1.00	0.00	1.78	-0.32	-0.04	0.03	-0.08	-0.03
87	5	7	87.40	7.46	4.70	2.76	0.00	1.00	0.00	1.78	-0.32	-0.04	0.03	-0.08	-0.03
88	5	8	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.32	-0.04	0.03	-0.08	-0.03
89	5	9	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.32	-0.04	0.03	-0.08	-0.03
90	5	10	87.40	7.46	4.68	2.77	0.00	1.00	0.00	1.79	-0.32	-0.04	0.03	-0.08	-0.03
91	5	11	87.40	7.46	4.68	2.78	0.00	1.00	0.00	1.79	-0.32	-0.04	0.03	-0.08	-0.03
92	5	12	87.40	7.46	4.68	2.78	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.08	-0.03
93	5	13	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.07	-0.03
94	5	14	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.07	-0.03
95	5	15	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.07	-0.03
96	5	16	87.40	7.46	4.66	2.79	0.00	1.00	0.00	1.80	-0.31	-0.04	0.03	-0.07	-0.03
97	5	17	87.40	7.46	4.66	2.80	0.00	1.00	0.01	1.81	-0.31	-0.04	0.03	-0.07	-0.03
98	5	18	87.40	7.46	4.66	2.80	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.03
99	5	19	87.40	7.46	4.66	2.80	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.03
100	5	20	87.40	7.46	4.65	2.80	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.03
101	6	1	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.02
102	6	2	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.02
103	6	3	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.30	-0.04	0.03	-0.07	-0.02
104	6	4	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.29	-0.04	0.03	-0.07	-0.02
105	6	5	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.81	-0.29	-0.04	0.03	-0.07	-0.02
106	6	6	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
107	6	7	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
108	6	8	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
109	6	9	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
110	6	10	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.29	-0.04	0.02	-0.07	-0.02
111	6	11	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
112	6	12	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
113	6	13	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
114	6	14	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
115	6	15	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
116	6	16	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
117	6	17	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.28	-0.04	0.02	-0.07	-0.02
118	6	18	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.27	-0.04	0.02	-0.07	-0.02
119	6	19	87.40	7.46	4.64	2.81	0.00	1.00	0.00	1.82	-0.27	-0.04	0.02	-0.07	-0.02
120	6	20	87.40	7.46	4.65	2.81	0.00	1.00	0.00	1.82	-0.27	-0.04	0.02	-0.07	-0.02
121	7	1	87.40	7.46	4.67	2.79	0.00	1.00	0.00	1.80	-0.27	-0.03	0.02	-0.07	-0.02
122	7	2	87.40	7.46	4.70	2.76	0.00	1.00	0.00	1.78	-0.27	-0.03	0.02	-0.07	-0.02
123	7	3	87.40	7.46	4.72	2.74	0.00	1.00	0.00	1.77	-0.27	-0.03	0.02	-0.07	-0.02
124	7	4	87.40	7.46	4.74	2.72	0.00	1.00	0.00	1.75	-0.27	-0.03	0.02	-0.07	-0.02
125	7	5	87.40	7.46	4.77	2.69	0.00	1.00	0.00	1.74	-0.26	-0.03	0.02	-0.07	-0.02
126	7	6	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.73	-0.26	-0.03	0.02	-0.07	-0.02
127	7	7	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.26	-0.03	0.02	-0.06	-0.02
128	7	8	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.26	-0.03	0.02	-0.06	-0.02
129	7	9	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.69	-0.26	-0.03	0.02	-0.06	-0.02
130	7	10	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.26	-0.03	0.02	-0.06	-0.02

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	87.40	7.46	4.88	2.57	0.00	1.00	0.00	1.66	-0.26	-0.03	0.02	-0.06	-0.02
132	7	12	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.26	-0.03	0.02	-0.06	-0.02
133	7	13	87.40	7.46	4.92	2.53	0.00	1.00	1.07	1.64	-0.25	-0.03	0.02	-0.06	-0.02
134	7	14	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.25	-0.03	0.02	-0.06	-0.02
135	7	15	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.61	-0.25	-0.03	0.02	-0.06	-0.02
136	7	16	87.40	7.46	4.97	2.48	0.00	1.00	0.00	1.60	-0.25	-0.03	0.02	-0.06	-0.02
137	7	17	87.40	7.46	4.99	2.47	0.00	1.00	0.00	1.59	-0.25	-0.03	0.02	-0.06	-0.02
138	7	18	87.40	7.46	5.01	2.45	0.00	1.00	0.00	1.58	-0.25	-0.03	0.02	-0.06	-0.02
139	7	19	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.25	-0.03	0.02	-0.06	-0.02
140	7	20	87.40	7.46	5.03	2.42	0.00	1.00	0.00	1.57	-0.24	-0.03	0.02	-0.06	-0.02
141	8	1	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.56	-0.24	-0.03	0.02	-0.06	-0.02
142	8	2	87.40	7.46	5.06	2.40	0.00	1.00	0.00	1.55	-0.24	-0.03	0.02	-0.06	-0.02
143	8	3	87.40	7.46	5.07	2.38	0.00	1.00	0.00	1.54	-0.24	-0.03	0.02	-0.06	-0.02
144	8	4	87.40	7.46	5.09	2.37	0.00	1.00	0.00	1.53	-0.24	-0.03	0.02	-0.06	-0.02
145	8	5	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.52	-0.24	-0.03	0.02	-0.06	-0.02
146	8	6	87.40	7.46	5.11	2.35	0.00	1.00	0.00	1.52	-0.24	-0.03	0.02	-0.06	-0.02
147	8	7	87.40	7.46	5.12	2.34	0.00	1.00	0.00	1.51	-0.24	-0.03	0.02	-0.06	-0.02
148	8	8	87.40	7.46	5.13	2.33	0.00	1.00	0.00	1.50	-0.23	-0.03	0.02	-0.06	-0.02

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
 TITLE03 YES CONSERVATIVE MINERAL I
 TITLE04 NO CONSERVATIVE MINERAL II
 TITLE05 NO CONSERVATIVE MINERAL III
 TITLE06 NO TEMPERATURE
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
 TITLE08 YES ALGAE AS CHL-A IN UG/L
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L
 TITLE10 (ORGANIC-P; DISSOLVED-P)
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
 TITLE13 YES DISSOLVED OXYGEN IN MG/L
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L
 ENDTITLE
 LIST DATA INPUT
 WRITE OPTIONAL SUMMARY
 NO FLOW AUGMENTATION
 STEADY STATE
 NO TRAPEZOIDAL X-SECTIONS
 NO PRINT LCD/SOLAR DATA
 NO PLOT DO AND BOD
 FIXED DNSTM CONC (YES=1)= 0 ULT BOD CONV RATE COEF 0
 INPUT METRIC (YES=1) = 0 OUTPUT METRIC (YES=1) = 0
 NUMBER OF REACHES = 8 NUMBER OF JUNCTIONS = 0
 NUM OF HEADWATERS = 1 NUMBER OF POINT LOADS = 8
 TIME STEP (HOURS) = 1 LNTH COMP ELEMENT (DX)= 0.25
 MAXIMUM ROUTE TIME (HRS)= 250 TIME INC. FOR RPT2 (HRS)= 1
 LATITUDE OF BASIN (DEG) = 33.0 LONGITUDE OF BASIN (DEG)= 92.0
 STANDARD MERIDIAN (DEG) = 90.0 DAY OF YEAR START TIME = 190.0
 EVAP. COEFF. (AE) = 0.00001 EVAP. COEF. (BE) = 0.00010
 ELEV OF BASIN (ELEV) = 60 DUST ATTENUATION COEF. = 0.13
 ENDDATA1
 O UPTAKE BY NH3 OXID(MG O/MG N)= 3.43 O UPTAKE BY NO2 OXID(MG O/MG N)= 1.14
 O PROD BY ALGAE (MG O/MG A) = 1.8 O UPTAKE BY ALGAE (MG O/MG A) = 2.00
 N CONTENT OF ALGAE (MG N/MG A) = .085 P CONTENT OF ALGAE (MG P/MG A) = 0.015

CRF_65C.dat

HYDRAULICS RCH=	1.0	38.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	2.0	38.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	3.0	22.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	4.0	21.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	5.0	10.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	6.0	17.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	7.0	7.0	128.756	-.643	4.994E-6	1.37	.035
HYDRAULICS RCH=	8.0	7.0	128.756	-.643	4.994E-6	1.37	.035

ENDATA5

REACT COEF RCH=	1.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	2.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	3.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	4.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	5.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	6.0	0.050	0.0	.0710	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	7.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4
REACT COEF RCH=	8.0	0.050	0.0	.0510	1.0	0.50	0.0000	0.00E-4

ENDATA6

N AND P COEF RCH=	1.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	2.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	3.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	4.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1 RCH=	1.0	87.4	3.40	4.29	1.24
---------------------	-----	------	------	------	------

```

INITIAL COND-1 RCH= 2.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 3.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 4.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 5.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 6.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 7.0 87.4 3.40 4.29 1.24
INITIAL COND-1 RCH= 8.0 87.4 3.40 4.29 1.24
ENDATA7
INITIAL COND-2 RCH= 1.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 2.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 3.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 4.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 5.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 6.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 7.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
INITIAL COND-2 RCH= 8.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
ENDATA7A
INCR INFLOW-1 RCH= 1.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 2.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 3.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 4.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 5.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 6.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 7.0 2.0 88.7 5.95 2.8 1.24
INCR INFLOW-1 RCH= 8.0 2.0 88.7 5.95 2.8 1.24
ENDATA8
INCR INFLOW-2 RCH= 1.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 2.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 3.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 4.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 5.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 6.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 7.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
INCR INFLOW-2 RCH= 8.0 0.00 0.250 0.04 0.045 0.181 0.025 0.019
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 17250 87.4 3.40 4.29 1.24

```

```

ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.25 0.04 0.045 0.181 0.025 0.019
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 0.000 86.9 3.50 218.3 18.75
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.24
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.24
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.24
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.24
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF_65C.dat

1

CRF_65C.OUT
* * * QUAL-2E STREAM QUALITY ROUTING MODEL * * *
* * * EPA/NCASI VERSION * * *

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03	YES CONSERVATIVE MINERAL I
TITLE04	NO CONSERVATIVE MINERAL II
TITLE05	NO CONSERVATIVE MINERAL III
TITLE06	NO TEMPERATURE
TITLE07	YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08	YES ALGAE AS CHL-A IN UG/L
TITLE09	YES PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11	YES NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13	YES DISSOLVED OXYGEN IN MG/L
TITLE14	NO FECAL COLIFORMS IN NO./100 ML
TITLE15	NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRF_65C.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.50	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.50	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SPO4
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	87.40	3.40	4.29	1.24	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	2.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	3.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	4.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	5.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	6.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	7.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
INITIAL COND-2	8.	8.40	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	2.80	1.24	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	2.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	3.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	4.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	5.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	6.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	7.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
INCR INFLOW-2	8.	0.00	0.25	0.04	0.05	0.18	0.03	0.02
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE JUNCTION ORDER AND IDENT UPSTRM JUNCTION TRIB

```

                                CRF_65C.OUT
ENDATA9          0.          0.          0.
0  $$$ DATA TYPE 10 (HEADWATER SOURCES) $$$

CARD TYPE      HDWTR      NAME          FLOW      TEMP      D.O.      BOD      CM-1      CM-2      CM-3
              ORDER
HEADWTR-1      1.      OUACHITA RIVER  17250.00   87.40     3.40     4.29     1.24     0.00     0.00
ENDATA10      0.          0.00     0.00     0.00     0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS,
              COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) $$$

CARD TYPE      HDWTR      ANC      COLI      CHL-A      ORG-N      NH3-N      NO2-N      NO3-N      ORG-P      DIS-P
              ORDER
HEADWTR-2      1.      0.00     0.00     8.40     0.25     0.04     0.05     0.18     0.03     0.02
ENDATA10A     0.      0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) $$$

CARD TYPE      POINT
              LOAD      NAME          EFF      FLOW      TEMP      D.O.      BOD      CM-1      CM-2      CM-3
              ORDER
POINTLD-1      1.      COFFEE CREEK  0.00     0.00     86.90     3.50     218.30   18.75     0.00     0.00
POINTLD-1      2.      PIERRE CREEK  0.00     1.00     88.70     5.50     5.00     1.24     0.00     0.00
POINTLD-1      3.      POSSUM BAYOU  0.00     0.10     88.70     5.50     2.80     1.24     0.00     0.00
POINTLD-1      4.      BAYOUDEBUTTE 0.00     1.00     88.70     5.50     5.00     1.24     0.00     0.00
POINTLD-1      5.      BOGGY BAYOU  0.00     0.10     88.70     5.50     2.80     1.24     0.00     0.00
POINTLD-1      6.      PAWPAW BAYOU 0.00     0.10     88.70     5.50     2.80     1.24     0.00     0.00
POINTLD-1      7.      BAYOU BARTH  0.00     222.00     85.10     5.40     2.80     1.24     0.00     0.00
POINTLD-1      8.      STERLINGTONW 0.00     0.77     88.70     3.00     60.00     1.24     0.00     0.00
ENDATA11     0.          0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS,
              COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) $$$

CARD TYPE      POINT
              LOAD      ANC      COLI      CHL-A      ORG-N      NH3-N      NO2-N      NO3-N      ORG-P      DIS-P
              ORDER
POINTLD-2      1.      0.00     0.00     1.00     2.73     3.56     0.10     0.40     0.22     0.59
POINTLD-2      2.      0.00     0.00     1.00     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      3.      0.00     0.00     1.00     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      4.      0.00     0.00     1.00     5.00     5.00     0.10     0.40     0.07     1.00
POINTLD-2      5.      0.00     0.00     2.80     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      6.      0.00     0.00     1.00     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      7.      0.00     0.00     8.40     0.48     0.05     0.10     0.40     0.07     0.04
POINTLD-2      8.      0.00     0.00     10.00    12.00    12.00     0.10     2.00     1.00     3.00
ENDATA11A     0.      0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 12 (DAM CHARACTERISTICS) $$$

              DAM      RCH      ELE      ADAM      BDAM      FDAM      HDAM

ENDATA12          0.      0.      0.      0.00     0.00     0.00     0.00
0  $$$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) $$$

```

CARD TYPE TEMP D.O. BOD CM-1 CM-2 CM-3 ANC COLI
 ENDATA13 DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED
 \$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$

CARD TYPE CHL-A ORG-N NH3-N NO2-N NH3-N ORG-P DIS-P
 ENDATA13A DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

1
 0

RCH/CL	CONSERVATIVE MINERAL I										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
2	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
3	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
4	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
5	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
6	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
7	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	
8	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	

0

RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	
2	3.85	3.83	3.81	3.79	3.77	3.75	3.73	3.71	3.69	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.55	3.53	3.51	
3	3.47	3.46	3.44	3.42	3.40	3.39	3.37	3.35	3.33	3.32	3.30	3.28	3.27	3.25	3.23	3.22	3.20	3.18	3.15	
4	3.13	3.12	3.10	3.09	3.07	3.05	3.04	3.02	3.01	2.99	2.98	2.96	2.95	2.93	2.92	2.90	2.89	2.87	2.84	
5	2.83	2.81	2.80	2.78	2.77	2.76	2.74	2.73	2.71	2.70	2.69	2.67	2.66	2.64	2.63	2.62	2.60	2.59	2.58	
6	2.55	2.54	2.52	2.51	2.50	2.49	2.47	2.46	2.45	2.44	2.42	2.41	2.40	2.39	2.37	2.36	2.35	2.34	2.32	
7	2.30	2.29	2.28	2.27	2.25	2.24	2.23	2.22	2.21	2.20	2.19	2.17	2.17	2.16	2.15	2.14	2.13	2.12	2.10	
8	2.09	2.07	2.06	2.05	2.04	2.03	2.02	2.01												

1

STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

RCH/CL	VARIABLE	ITERATION	NUMBER OF NONCONVERGENT ELEMENTS																	
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	8.27	8.14	8.01	7.89	7.76	7.64	7.52	7.41	7.29	7.18	7.07	6.96	6.85	6.74	6.63	6.53	6.43	6.33	6.23	6.13
2	6.04	5.94	5.85	5.76	5.67	5.58	5.49	5.41	5.32	5.24	5.16	5.08	5.00	4.92	4.84	4.77	4.69	4.62	4.55	4.48
3	4.41	4.34	4.27	4.20	4.14	4.07	4.01	3.95	3.89	3.83	3.77	3.71	3.65	3.59	3.54	3.48	3.43	3.37	3.32	3.27
4	3.22	3.17	3.12	3.07	3.02	2.97	2.93	2.88	2.84	2.79	2.75	2.71	2.66	2.62	2.58	2.54	2.50	2.46	2.42	2.39
5	2.35	2.31	2.28	2.24	2.21	2.17	2.14	2.10	2.07	2.04	2.01	1.98	1.95	1.92	1.89	1.86	1.83	1.80	1.77	1.74
6	1.72	1.69	1.66	1.64	1.61	1.59	1.56	1.54	1.51	1.49	1.47	1.44	1.42	1.40	1.38	1.35	1.33	1.31	1.29	1.27
7	1.25	1.23	1.21	1.19	1.18	1.16	1.14	1.12	1.10	1.09	1.07	1.05	1.13	1.11	1.09	1.08	1.06	1.04	1.03	1.01

CRF_65C.OUT

		8	1.00	0.98	0.97	0.95	0.94	0.92	0.91	0.89											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
5	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01
6	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.21
2	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18	0.18	0.17	0.17	0.17	0.17
3	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14
4	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
5	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
6	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
4	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
5	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08
6	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01

CRF_65C.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
3	0.24	0.24	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
4	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29
5	0.29	0.29	0.29	0.29	0.29	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31	0.31
6	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34
7	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36
8	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.14	4.18	4.23	4.27	4.31	4.34	4.38	4.41
2	4.45	4.48	4.51	4.54	4.57	4.60	4.62	4.65	4.67	4.70	4.72	4.74	4.76	4.78	4.80	4.82	4.84	4.86	4.87	4.89
3	4.90	4.92	4.93	4.95	4.96	4.97	4.99	5.00	5.01	5.02	5.03	5.04	5.05	5.06	5.07	5.08	5.09	5.10	5.10	5.11
4	5.09	5.08	5.06	5.05	5.03	5.02	5.00	4.99	4.98	4.97	4.96	4.94	4.93	4.92	4.91	4.91	4.90	4.89	4.88	4.87
5	4.87	4.86	4.85	4.85	4.84	4.84	4.83	4.83	4.82	4.82	4.81	4.81	4.80	4.80	4.80	4.79	4.79	4.79	4.79	4.78
6	4.78	4.78	4.78	4.78	4.77	4.77	4.77	4.77	4.77	4.77	4.77	4.77	4.77	4.76	4.76	4.76	4.76	4.76	4.76	4.76
7	4.79	4.81	4.84	4.86	4.88	4.90	4.92	4.94	4.96	4.98	5.00	5.01	5.03	5.05	5.07	5.08	5.10	5.11	5.13	5.14
8	5.15	5.16	5.18	5.19	5.20	5.21	5.22	5.23												
ALGAE GROWTH RATE						1			141											
ALGAE GROWTH RATE						2			32											
ALGAE GROWTH RATE						3			0											
ALGAE GROWTH RATE						4			0											

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

-
1. LIGHT AVERAGING OPTION. LAVOPT= 2
METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS
SOURCE OF SOLAR VALUES: DATA TYPE 1A
DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 (204.613 LANGLEYS)
NUMBER OF DAYLIGHT HOURS: 13.0
PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A
MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL*FN*FP

1		DISSOLVED OXYGEN IN MG/L																		ITERATION 4	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	3.47	3.54	3.60	3.67	3.73	3.79	3.84	3.90	3.95	4.00	4.05	4.10	4.15	4.19	4.23	4.27	4.31	4.35	4.39	4.42
2	2	4.46	4.49	4.52	4.55	4.58	4.61	4.63	4.66	4.69	4.71	4.73	4.75	4.78	4.80	4.82	4.84	4.85	4.87	4.89	4.90
3	3	4.92	4.94	4.95	4.96	4.98	4.99	5.00	5.02	5.03	5.04	5.05	5.06	5.07	5.08	5.09	5.10	5.11	5.12	5.12	5.13
4	4	5.11	5.10	5.08	5.07	5.05	5.04	5.02	5.01	5.00	4.99	4.97	4.96	4.95	4.94	4.93	4.92	4.92	4.91	4.90	4.89
5	5	4.89	4.88	4.87	4.87	4.86	4.85	4.85	4.84	4.84	4.83	4.83	4.83	4.82	4.82	4.82	4.81	4.81	4.81	4.80	4.80
6	6	4.80	4.80	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.78	4.78	4.78	4.78	4.78	4.78	4.78	4.78	4.78	4.78	4.78
7	7	4.80	4.83	4.85	4.87	4.90	4.92	4.94	4.96	4.98	4.99	5.01	5.03	5.05	5.07	5.08	5.10	5.11	5.13	5.14	5.15
8	8	5.17	5.18	5.19	5.20	5.22	5.23	5.24	5.25												
0	RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L																		ITERATION 4	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	4.27	4.25	4.22	4.20	4.18	4.16	4.14	4.12	4.10	4.07	4.05	4.03	4.01	3.99	3.97	3.95	3.93	3.91	3.89	3.87
2	2	3.85	3.83	3.81	3.79	3.77	3.75	3.73	3.71	3.69	3.68	3.66	3.64	3.62	3.60	3.58	3.56	3.55	3.53	3.51	3.49
3	3	3.47	3.46	3.44	3.42	3.40	3.39	3.37	3.35	3.33	3.32	3.30	3.28	3.27	3.25	3.23	3.22	3.20	3.18	3.17	3.15
4	4	3.13	3.12	3.10	3.09	3.07	3.05	3.04	3.02	3.01	2.99	2.98	2.96	2.95	2.93	2.92	2.90	2.89	2.87	2.86	2.84
5	5	2.83	2.81	2.80	2.78	2.77	2.76	2.74	2.73	2.71	2.70	2.69	2.67	2.66	2.64	2.63	2.62	2.60	2.59	2.58	2.56
6	6	2.55	2.54	2.52	2.51	2.50	2.49	2.47	2.46	2.45	2.44	2.42	2.41	2.40	2.39	2.37	2.36	2.35	2.34	2.32	2.31
7	7	2.30	2.29	2.28	2.27	2.25	2.24	2.23	2.22	2.21	2.20	2.19	2.17	2.17	2.16	2.15	2.14	2.13	2.12	2.10	2.09
8	8	2.09	2.07	2.06	2.05	2.04	2.03	2.02	2.01												
0	RCH/CL	ORGANIC NITROGEN AS N IN MG/L																		ITERATION 4	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	0.25	0.25	0.24	0.24	0.24	0.24	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.21	0.21
2	2	0.21	0.20	0.20	0.20	0.20	0.20	0.19	0.19	0.19	0.19	0.19	0.18	0.18	0.18	0.18	0.18	0.18	0.17	0.17	0.17
3	3	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.14	0.14	0.14
4	4	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.12	0.12
5	5	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
6	6	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	7	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
8	8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07												
0	RCH/CL	AMMONIA AS N IN MG/L																		ITERATION 4	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07
2	2	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
3	3	0.08	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
4	4	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
5	5	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
6	6	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08

		CRF_65C.OUT																			
		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
		0.08	0.07	0.08	0.07	0.08	0.07	0.08	0.07	0.08	0.07	0.08	0.07	0.08	0.07	0.08	0.07	0.08	0.07	0.08	
		NITRITE AS N IN MG/L																			
		ITERATION 4																			
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.04	0.04	0.04	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
		NITRATE AS N IN MG/L																			
		ITERATION 4																			
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.18	0.19	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.22	0.22
2	0.22	0.22	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
3	0.24	0.24	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
4	0.26	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29
5	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.31
6	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.33
7	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.36
8	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.36
		ORGANIC PHOSPHORUS AS P IN MG/L																			
		ITERATION 4																			
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
		DISSOLVED PHOSPHORUS AS P IN MG/L																			
		ITERATION 4																			
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
		ALGAE AS CHL-A IN UG/L																			
		ITERATION 4																			
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.27	8.14	8.02	7.90	7.78	7.66	7.54	7.43	7.32	7.21	7.10	7.00	6.89	6.79	6.69	6.59	6.50	6.40	6.31	6.22	

CRF_65C.OUT																				
2	6.13	6.04	5.95	5.86	5.78	5.69	5.61	5.53	5.45	5.37	5.30	5.22	5.14	5.07	5.00	4.93	4.86	4.79	4.72	4.65
3	4.58	4.52	4.45	4.39	4.33	4.27	4.21	4.15	4.09	4.03	3.97	3.92	3.86	3.81	3.75	3.70	3.65	3.60	3.54	3.49
4	3.45	3.40	3.35	3.30	3.26	3.21	3.16	3.12	3.08	3.03	2.99	2.95	2.91	2.87	2.83	2.79	2.75	2.71	2.67	2.63
5	2.60	2.56	2.52	2.49	2.45	2.42	2.39	2.35	2.32	2.29	2.26	2.22	2.19	2.16	2.13	2.10	2.07	2.04	2.02	1.99
6	1.96	1.93	1.91	1.88	1.85	1.83	1.80	1.78	1.76	1.73	1.71	1.69	1.66	1.64	1.62	1.60	1.58	1.56	1.54	1.52
7	1.50	1.48	1.46	1.44	1.42	1.40	1.38	1.37	1.35	1.33	1.32	1.30	1.37	1.35	1.34	1.32	1.31	1.29	1.27	1.26
8	1.24	1.23	1.21	1.20	1.18	1.17	1.16	1.14												
0	CONSERVATIVE MINERAL I										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
2	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
3	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
4	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
5	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
6	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
7	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
8	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17
2	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
3	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
4	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
5	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
6	0.18	0.18	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.20	0.20	0.20
7	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.21
8	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 4									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.71	1.73	1.75	1.76	1.77	1.79	1.80	1.81	1.82	1.82	1.83	1.84	1.85	1.85	1.86	1.86	1.87	1.87	1.88	1.88
2	1.89	1.89	1.89	1.90	1.90	1.90	1.91	1.91	1.91	1.91	1.92	1.92	1.92	1.92	1.93	1.93	1.93	1.93	1.93	1.94
3	1.94	1.94	1.94	1.94	1.94	1.95	1.95	1.95	1.95	1.95	1.95	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
4	1.97	1.97	1.97	1.97	1.97	1.97	1.97	1.97	1.97	1.97	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98
5	1.98	1.98	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	2.00	2.00	2.00	2.00
6	2.01	2.02	2.03	2.03	2.04	2.05	2.06	2.07	2.07	2.08	2.09	2.10	2.11	2.11	2.12	2.13	2.13	2.14	2.15	2.16
7	2.16	2.17	2.18	2.18	2.19	2.20	2.20	2.21	2.21	2.22	2.23	2.23	2.21	2.22	2.22	2.23	2.24	2.24	2.25	2.25
8	2.27	2.27	2.28	2.28	2.29	2.29	2.30	2.30												

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 1
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE RCH ELE BEGIN END POINT INCR TRVL BOTTOM X-SECT DSPRSN

CRF_65C.OUT

ORD	NUM	NUM	LOC MILE	LOC MILE	FLOW CFS	SRCE CFS	FLOW CFS	VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	AREA FT-2	AREA FT-2	COEF FT-2/S
1	1	1	227.00	226.7517250.10	0.00	0.10	0.243	0.063	3.18322306.330	93724920.0	29452760.0	71003.73	3.24		
2	1	2	226.75	226.5017250.20	0.00	0.10	0.243	0.063	3.18322306.365	93725816.0	29452806.0	71004.41	3.24		
3	1	3	226.50	226.2517250.30	0.00	0.10	0.243	0.063	3.18322306.398	93726704.0	29452850.0	71005.08	3.24		
4	1	4	226.25	226.0017250.40	0.00	0.10	0.243	0.063	3.18322306.436	93727592.0	29452898.0	71005.75	3.24		
5	1	5	226.00	225.7517250.50	0.00	0.10	0.243	0.063	3.18322306.471	93728488.0	29452946.0	71006.43	3.24		
6	1	6	225.75	225.5017250.60	0.00	0.10	0.243	0.063	3.18322306.506	93729368.0	29452992.0	71007.10	3.24		
7	1	7	225.50	225.2517250.70	0.00	0.10	0.243	0.063	3.18322306.541	93730264.0	29453038.0	71007.77	3.24		
8	1	8	225.25	225.0017250.80	0.00	0.10	0.243	0.063	3.18322306.574	93731152.0	29453082.0	71008.45	3.24		
9	1	9	225.00	224.7517250.90	0.00	0.10	0.243	0.063	3.18322306.611	93732040.0	29453130.0	71009.12	3.24		
10	1	10	224.75	224.5017251.00	0.00	0.10	0.243	0.063	3.18322306.646	93732928.0	29453178.0	71009.80	3.24		
11	1	11	224.50	224.2517251.10	0.00	0.10	0.243	0.063	3.18322306.684	93733816.0	29453226.0	71010.47	3.24		
12	1	12	224.25	224.0017251.20	0.00	0.10	0.243	0.063	3.18322306.717	93734704.0	29453270.0	71011.14	3.24		
13	1	13	224.00	223.7517251.29	0.00	0.10	0.243	0.063	3.18322306.752	93735600.0	29453316.0	71011.82	3.24		
14	1	14	223.75	223.5017251.39	0.00	0.10	0.243	0.063	3.18322306.787	93736480.0	29453364.0	71012.48	3.24		
15	1	15	223.50	223.2517251.49	0.00	0.10	0.243	0.063	3.18322306.822	93737376.0	29453410.0	71013.16	3.24		
16	1	16	223.25	223.0017251.59	0.00	0.10	0.243	0.063	3.18322306.855	93738264.0	29453454.0	71013.84	3.24		
17	1	17	223.00	222.7517251.69	0.00	0.10	0.243	0.063	3.18422306.893	93739152.0	29453502.0	71014.51	3.24		
18	1	18	222.75	222.5017251.79	0.00	0.10	0.243	0.063	3.18422306.926	93740040.0	29453546.0	71015.18	3.24		
19	1	19	222.50	222.2517251.89	0.00	0.10	0.243	0.063	3.18422306.963	93740936.0	29453596.0	71015.86	3.24		
20	1	20	222.25	222.0017251.99	0.00	0.10	0.243	0.063	3.18422306.998	93741816.0	29453642.0	71016.53	3.24		
21	2	1	222.00	221.7517252.09	0.00	0.10	0.243	0.063	3.18422307.033	93742712.0	29453688.0	71017.20	3.24		
22	2	2	221.75	221.5017252.19	0.00	0.10	0.243	0.063	3.18422307.070	93743600.0	29453738.0	71017.88	3.24		
23	2	3	221.50	221.2517252.29	0.00	0.10	0.243	0.063	3.18422307.104	93744488.0	29453782.0	71018.55	3.24		
24	2	4	221.25	221.0017252.39	0.00	0.10	0.243	0.063	3.18422307.139	93745384.0	29453828.0	71019.23	3.24		
25	2	5	221.00	220.7517252.49	0.00	0.10	0.243	0.063	3.18422307.174	93746264.0	29453874.0	71019.90	3.24		
26	2	6	220.75	220.5017252.59	0.00	0.10	0.243	0.063	3.18422307.209	93747160.0	29453920.0	71020.58	3.24		
27	2	7	220.50	220.2517252.69	0.00	0.10	0.243	0.063	3.18422307.244	93748048.0	29453968.0	71021.25	3.24		
28	2	8	220.25	220.0017252.79	0.00	0.10	0.243	0.063	3.18422307.279	93748936.0	29454014.0	71021.92	3.24		
29	2	9	220.00	219.7517252.89	0.00	0.10	0.243	0.063	3.18422307.314	93749824.0	29454060.0	71022.59	3.24		
30	2	10	219.75	219.5017252.99	0.00	0.10	0.243	0.063	3.18422307.350	93750712.0	29454106.0	71023.27	3.24		
31	2	11	219.50	219.2517253.09	0.00	0.10	0.243	0.063	3.18422307.385	93751600.0	29454154.0	71023.94	3.24		
32	2	12	219.25	219.0017253.19	0.00	0.10	0.243	0.063	3.18422307.420	93752496.0	29454200.0	71024.62	3.24		
33	2	13	219.00	218.7517253.29	0.00	0.10	0.243	0.063	3.18422307.455	93753384.0	29454246.0	71025.29	3.24		
34	2	14	218.75	218.5017253.39	0.00	0.10	0.243	0.063	3.18422307.490	93754272.0	29454292.0	71025.96	3.24		
35	2	15	218.50	218.2517253.49	0.00	0.10	0.243	0.063	3.18422307.525	93755160.0	29454340.0	71026.63	3.24		
36	2	16	218.25	218.0017253.59	0.00	0.10	0.243	0.063	3.18422307.561	93756048.0	29454386.0	71027.31	3.24		
37	2	17	218.00	217.7517253.69	0.00	0.10	0.243	0.063	3.18422307.596	93756936.0	29454432.0	71027.98	3.24		
38	2	18	217.75	217.5017253.79	0.00	0.10	0.243	0.063	3.18422307.631	93757832.0	29454478.0	71028.66	3.24		
39	2	19	217.50	217.2517253.88	0.00	0.10	0.243	0.063	3.18422307.666	93758720.0	29454526.0	71029.33	3.24		
40	2	20	217.25	217.0017253.98	0.00	0.10	0.243	0.063	3.18422307.701	93759608.0	29454572.0	71030.01	3.24		
41	3	1	217.00	216.7517254.08	0.00	0.10	0.243	0.063	3.18422307.736	93760496.0	29454618.0	71030.68	1.87		
42	3	2	216.75	216.5017254.18	0.00	0.10	0.243	0.063	3.18422307.771	93761384.0	29454664.0	71031.35	1.87		
43	3	3	216.50	216.2517254.28	0.00	0.10	0.243	0.063	3.18422307.807	93762272.0	29454710.0	71032.02	1.87		

CRF_65C.OUT

44	3	4	216.25	216.0017254.38	0.00	0.10	0.243	0.063	3.18422307.842	93763168.0	29454758.0	71032.70	1.87
45	3	5	216.00	215.7517254.48	0.00	0.10	0.243	0.063	3.18422307.875	93764048.0	29454802.0	71033.37	1.87
46	3	6	215.75	215.5017254.58	0.00	0.10	0.243	0.063	3.18422307.912	93764944.0	29454850.0	71034.05	1.87
47	3	7	215.50	215.2517254.68	0.00	0.10	0.243	0.063	3.18422307.947	93765832.0	29454896.0	71034.72	1.87
48	3	8	215.25	215.0017254.78	0.00	0.10	0.243	0.063	3.18422307.982	93766720.0	29454944.0	71035.40	1.87
49	3	9	215.00	214.7517254.88	0.00	0.10	0.243	0.063	3.18422308.018	93767608.0	29454990.0	71036.07	1.87
50	3	10	214.75	214.5017254.98	0.00	0.10	0.243	0.063	3.18422308.053	93768504.0	29455036.0	71036.74	1.88
51	3	11	214.50	214.2517255.08	0.00	0.10	0.243	0.063	3.18422308.086	93769384.0	29455080.0	71037.41	1.88
52	3	12	214.25	214.0017255.18	0.00	0.10	0.243	0.063	3.18422308.123	93770280.0	29455130.0	71038.09	1.88
53	3	13	214.00	213.7517255.28	0.00	0.10	0.243	0.063	3.18422308.156	93771168.0	29455174.0	71038.77	1.88
54	3	14	213.75	213.5017255.38	0.00	0.10	0.243	0.063	3.18422308.193	93772056.0	29455222.0	71039.44	1.88
55	3	15	213.50	213.2517255.48	0.00	0.10	0.243	0.063	3.18422308.229	93772944.0	29455268.0	71040.11	1.88
56	3	16	213.25	213.0017255.58	0.00	0.10	0.243	0.063	3.18522308.264	93773840.0	29455316.0	71040.79	1.88
57	3	17	213.00	212.7517255.68	0.00	0.10	0.243	0.063	3.18522308.299	93774720.0	29455362.0	71041.46	1.88
58	3	18	212.75	212.5017255.78	0.00	0.10	0.243	0.063	3.18522308.334	93775616.0	29455408.0	71042.13	1.88
59	3	19	212.50	212.2517255.88	0.00	0.10	0.243	0.063	3.18522308.367	93776504.0	29455452.0	71042.80	1.88
60	3	20	212.25	212.0017255.98	0.00	0.10	0.243	0.063	3.18522308.404	93777392.0	29455502.0	71043.48	1.88
61	4	1	212.00	211.7517256.08	0.00	0.10	0.243	0.063	3.18522308.437	93778280.0	29455544.0	71044.16	1.79
62	4	2	211.75	211.5017256.18	0.00	0.10	0.243	0.063	3.18522308.475	93779176.0	29455594.0	71044.83	1.79
63	4	3	211.50	211.2517256.28	0.00	0.10	0.243	0.063	3.18522308.510	93780056.0	29455640.0	71045.50	1.79
64	4	4	211.25	211.0017257.37	1.00	0.10	0.243	0.063	3.18522308.898	93789880.0	29456154.0	71052.94	1.79
65	4	5	211.00	210.7517257.47	0.00	0.10	0.243	0.063	3.18522308.934	93790768.0	29456200.0	71053.62	1.79

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	FLOW CFS	POINT SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5017257.57	0.00	0.10	0.243	0.063	3.18522308.969	93791656.0	29456248.0	71054.29	1.79		
67	4	7	210.50	210.2517257.67	0.00	0.10	0.243	0.063	3.18522309.004	93792552.0	29456294.0	71054.96	1.79		
68	4	8	210.25	210.0017257.77	0.00	0.10	0.243	0.063	3.18522309.037	93793440.0	29456338.0	71055.63	1.79		
69	4	9	210.00	209.7517257.87	0.00	0.10	0.243	0.063	3.18522309.074	93794328.0	29456386.0	71056.31	1.79		
70	4	10	209.75	209.5017257.97	0.00	0.10	0.243	0.063	3.18522309.107	93795216.0	29456430.0	71056.98	1.79		
71	4	11	209.50	209.2517258.07	0.00	0.10	0.243	0.063	3.18522309.145	93796112.0	29456480.0	71057.66	1.79		
72	4	12	209.25	209.0017258.17	0.00	0.10	0.243	0.063	3.18522309.180	93796992.0	29456526.0	71058.33	1.79		
73	4	13	209.00	208.7517258.27	0.00	0.10	0.243	0.063	3.18522309.215	93797888.0	29456572.0	71059.01	1.79		
74	4	14	208.75	208.5017258.37	0.00	0.10	0.243	0.063	3.18522309.248	93798776.0	29456616.0	71059.68	1.79		
75	4	15	208.50	208.2517258.47	0.00	0.10	0.243	0.063	3.18522309.285	93799664.0	29456666.0	71060.35	1.79		
76	4	16	208.25	208.0017258.57	0.00	0.10	0.243	0.063	3.18522309.318	93800552.0	29456710.0	71061.02	1.79		
77	4	17	208.00	207.7517258.67	0.00	0.10	0.243	0.063	3.18522309.355	93801448.0	29456758.0	71061.70	1.79		
78	4	18	207.75	207.5017258.87	0.10	0.10	0.243	0.063	3.18522309.426	93803224.0	29456852.0	71063.05	1.79		
79	4	19	207.50	207.2517258.97	0.00	0.10	0.243	0.063	3.18522309.461	93804112.0	29456898.0	71063.72	1.79		
80	4	20	207.25	207.0017259.07	0.00	0.10	0.243	0.063	3.18522309.496	93805008.0	29456944.0	71064.40	1.79		

81	5	1	207.00	206.7517259.17	0.00	0.10	0.243	0.063	3.18522309.529	93805888.0	29456988.0	71065.07	0.85
82	5	2	206.75	206.5017259.27	0.00	0.10	0.243	0.063	3.18522309.566	93806784.0	29457038.0	71065.74	0.85
83	5	3	206.50	206.2517259.37	0.00	0.10	0.243	0.063	3.18522309.602	93807672.0	29457084.0	71066.41	0.85
84	5	4	206.25	206.0017259.47	0.00	0.10	0.243	0.063	3.18522309.637	93808560.0	29457130.0	71067.09	0.85
85	5	5	206.00	205.7517259.57	0.00	0.10	0.243	0.063	3.18622309.672	93809448.0	29457176.0	71067.77	0.85
86	5	6	205.75	205.5017259.67	0.00	0.10	0.243	0.063	3.18622309.707	93810344.0	29457224.0	71068.44	0.85
87	5	7	205.50	205.2517259.77	0.00	0.10	0.243	0.063	3.18622309.740	93811232.0	29457266.0	71069.11	0.85
88	5	8	205.25	205.0017259.87	0.00	0.10	0.243	0.063	3.18622309.775	93812112.0	29457314.0	71069.78	0.85
89	5	9	205.00	204.7517259.96	0.00	0.10	0.243	0.063	3.18622309.811	93813008.0	29457360.0	71070.46	0.85
90	5	10	204.75	204.5017260.06	0.00	0.10	0.243	0.063	3.18622309.848	93813896.0	29457408.0	71071.13	0.85
91	5	11	204.50	204.2517260.16	0.00	0.10	0.243	0.063	3.18622309.883	93814784.0	29457456.0	71071.81	0.85
92	5	12	204.25	204.0017260.26	0.00	0.10	0.243	0.063	3.18622309.916	93815672.0	29457500.0	71072.48	0.85
93	5	13	204.00	203.7517260.36	0.00	0.10	0.243	0.063	3.18622309.953	93816568.0	29457548.0	71073.16	0.85
94	5	14	203.75	203.5017260.46	0.00	0.10	0.243	0.063	3.18622309.986	93817456.0	29457592.0	71073.83	0.85
95	5	15	203.50	203.2517260.56	0.00	0.10	0.243	0.063	3.18622310.021	93818344.0	29457638.0	71074.51	0.85
96	5	16	203.25	203.0017260.66	0.00	0.10	0.243	0.063	3.18622310.059	93819232.0	29457688.0	71075.18	0.85
97	5	17	203.00	202.7517261.76	1.00	0.10	0.243	0.063	3.18622310.445	93829056.0	29458200.0	71082.62	0.85
98	5	18	202.75	202.5017261.86	0.00	0.10	0.243	0.063	3.18622310.480	93829944.0	29458246.0	71083.29	0.85
99	5	19	202.50	202.2517261.96	0.00	0.10	0.243	0.063	3.18622310.516	93830832.0	29458292.0	71083.97	0.85
100	5	20	202.25	202.0017262.06	0.00	0.10	0.243	0.063	3.18622310.551	93831720.0	29458338.0	71084.64	0.85
101	6	1	202.00	201.7517262.16	0.00	0.10	0.243	0.063	3.18622310.588	93832616.0	29458388.0	71085.31	1.45
102	6	2	201.75	201.5017262.26	0.00	0.10	0.243	0.063	3.18622310.621	93833504.0	29458432.0	71085.98	1.45
103	6	3	201.50	201.2517262.36	0.00	0.10	0.243	0.063	3.18622310.658	93834392.0	29458480.0	71086.66	1.45
104	6	4	201.25	201.0017262.46	0.00	0.10	0.243	0.063	3.18622310.691	93835280.0	29458524.0	71087.34	1.45
105	6	5	201.00	200.7517262.56	0.00	0.10	0.243	0.063	3.18622310.727	93836176.0	29458570.0	71088.01	1.45
106	6	6	200.75	200.5017262.66	0.00	0.10	0.243	0.063	3.18622310.762	93837064.0	29458618.0	71088.68	1.45
107	6	7	200.50	200.2517262.76	0.00	0.10	0.243	0.063	3.18622310.799	93837952.0	29458666.0	71089.36	1.45
108	6	8	200.25	200.0017262.86	0.00	0.10	0.243	0.063	3.18622310.832	93838840.0	29458710.0	71090.03	1.45
109	6	9	200.00	199.7517262.96	0.00	0.10	0.243	0.063	3.18622310.867	93839728.0	29458756.0	71090.70	1.45
110	6	10	199.75	199.5017263.06	0.00	0.10	0.243	0.063	3.18622310.902	93840624.0	29458804.0	71091.38	1.45
111	6	11	199.50	199.2517263.16	0.00	0.10	0.243	0.063	3.18622310.937	93841504.0	29458850.0	71092.05	1.45
112	6	12	199.25	199.0017263.26	0.00	0.10	0.243	0.063	3.18622310.973	93842400.0	29458896.0	71092.73	1.45
113	6	13	199.00	198.7517263.46	0.10	0.10	0.243	0.063	3.18622311.043	93844184.0	29458990.0	71094.08	1.45
114	6	14	198.75	198.5017263.55	0.00	0.10	0.243	0.063	3.18722311.078	93845064.0	29459036.0	71094.75	1.45
115	6	15	198.50	198.2517263.65	0.00	0.10	0.243	0.063	3.18722311.113	93845960.0	29459082.0	71095.42	1.45
116	6	16	198.25	198.0017263.75	0.00	0.10	0.243	0.063	3.18722311.148	93846848.0	29459128.0	71096.09	1.45
117	6	17	198.00	197.7517263.85	0.00	0.10	0.243	0.063	3.18722311.186	93847736.0	29459178.0	71096.77	1.45
118	6	18	197.75	197.5017263.95	0.00	0.10	0.243	0.063	3.18722311.219	93848624.0	29459222.0	71097.45	1.45
119	6	19	197.50	197.2517264.05	0.00	0.10	0.243	0.063	3.18722311.254	93849512.0	29459268.0	71098.12	1.45
120	6	20	197.25	197.0017264.15	0.00	0.10	0.243	0.063	3.18722311.289	93850408.0	29459314.0	71098.79	1.45
121	7	1	197.00	196.7517264.35	0.10	0.10	0.243	0.063	3.18722311.361	93852184.0	29459410.0	71100.14	0.60
122	7	2	196.75	196.5017264.45	0.00	0.10	0.243	0.063	3.18722311.395	93853072.0	29459454.0	71100.81	0.60
123	7	3	196.50	196.2517264.55	0.00	0.10	0.243	0.063	3.18722311.430	93853968.0	29459500.0	71101.49	0.60
124	7	4	196.25	196.0017264.65	0.00	0.10	0.243	0.063	3.18722311.465	93854856.0	29459546.0	71102.16	0.60

CRF_65C.OUT													
125	7	5	196.00	195.7517264.75	0.00	0.10	0.243	0.063	3.18722311.500	93855744.0	29459594.0	71102.84	0.60
126	7	6	195.75	195.5017264.85	0.00	0.10	0.243	0.063	3.18722311.535	93856632.0	29459640.0	71103.51	0.60
127	7	7	195.50	195.2517264.95	0.00	0.10	0.243	0.063	3.18722311.572	93857528.0	29459688.0	71104.19	0.60
128	7	8	195.25	195.0017265.05	0.00	0.10	0.243	0.063	3.18722311.605	93858416.0	29459732.0	71104.86	0.60
129	7	9	195.00	194.7517265.15	0.00	0.10	0.243	0.063	3.18722311.639	93859304.0	29459776.0	71105.53	0.60
130	7	10	194.75	194.5017265.25	0.00	0.10	0.243	0.063	3.18722311.676	93860192.0	29459826.0	71106.21	0.60

1

STREAM QUALITY SIMULATION OUTPUT PAGE NUMBER 3
 QUAL-2E STREAM QUALITY ROUTING MODEL EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN			
ORD	NUM	NUM	LOC	LOC	FLOW	SRCE	TIME	DEPTH	WIDTH	VOLUME			
			LOC	LOC	SRCE	SRCE	TIME	DEPTH	WIDTH	VOLUME			
			MILE	MILE	CFS	CFS	DAY	FT	FT	FT-3			
								FT-2	FT-2	FT-2/S			
131	7	11	194.50	194.2517265.35	0.00	0.10	0.243	0.063	3.18722311.711	93861080.0	29459872.0	71106.88	0.60
132	7	12	194.25	194.0017265.45	0.00	0.10	0.243	0.063	3.18722311.746	93861976.0	29459918.0	71107.55	0.60
133	7	13	194.00	193.7517487.55	222.00	0.10	0.241	0.063	3.24322389.736	95853960.0	29563014.0	72616.64	0.60
134	7	14	193.75	193.5017487.65	0.00	0.10	0.241	0.063	3.24322389.771	95854856.0	29563060.0	72617.32	0.60
135	7	15	193.50	193.2517487.75	0.00	0.10	0.241	0.063	3.24322389.807	95855752.0	29563108.0	72617.99	0.60
136	7	16	193.25	193.0017487.85	0.00	0.10	0.241	0.063	3.24322389.842	95856648.0	29563154.0	72618.67	0.60
137	7	17	193.00	192.7517487.95	0.00	0.10	0.241	0.063	3.24322389.877	95857544.0	29563200.0	72619.35	0.60
138	7	18	192.75	192.5017488.04	0.00	0.10	0.241	0.063	3.24322389.912	95858448.0	29563246.0	72620.04	0.60
139	7	19	192.50	192.2517488.14	0.00	0.10	0.241	0.063	3.24322389.947	95859344.0	29563294.0	72620.72	0.60
140	7	20	192.25	192.0017488.24	0.00	0.10	0.241	0.063	3.24322389.980	95860240.0	29563336.0	72621.39	0.60
141	8	1	192.00	191.7517489.26	0.77	0.25	0.241	0.063	3.24422390.338	95869424.0	29563810.0	72628.35	0.60
142	8	2	191.75	191.5017489.51	0.00	0.25	0.241	0.063	3.24422390.424	95871672.0	29563924.0	72630.05	0.60
143	8	3	191.50	191.2517489.76	0.00	0.25	0.241	0.063	3.24422390.512	95873928.0	29564040.0	72631.77	0.60
144	8	4	191.25	191.0017490.01	0.00	0.25	0.241	0.063	3.24422390.598	95876176.0	29564152.0	72633.47	0.60
145	8	5	191.00	190.7517490.26	0.00	0.25	0.241	0.063	3.24422390.687	95878432.0	29564272.0	72635.17	0.60
146	8	6	190.75	190.5017490.51	0.00	0.25	0.241	0.063	3.24422390.773	95880680.0	29564386.0	72636.87	0.60
147	8	7	190.50	190.2517490.76	0.00	0.25	0.241	0.063	3.24422390.861	95882936.0	29564502.0	72638.59	0.60
148	8	8	190.25	190.0017491.01	0.00	0.25	0.241	0.063	3.24422390.949	95885184.0	29564618.0	72640.29	0.60

1

STREAM QUALITY SIMULATION OUTPUT PAGE NUMBER 4
 QUAL-2E STREAM QUALITY ROUTING MODEL EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D

CRF_65C.OUT

3	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
4	6	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5	1	7.46	1	0.65	0.08	0.00	0.13	0.16	0.00	0.24	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00
---	---	------	---	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

CRF_65C.OUT

7	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	9	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
7	11	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.46	1	0.65	0.08	0.00	0.10	0.16	0.00	0.24	0.00	1.64	0.08	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
1	1	87.40	1.24	0.00	0.00	3.47	4.27	0.25	0.04	0.04	0.18	0.52	0.03	0.02	0.04	0.00	0.00	8.27
1	2	87.40	1.24	0.00	0.00	3.54	4.25	0.25	0.04	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.14
1	3	87.40	1.24	0.00	0.00	3.60	4.22	0.24	0.05	0.04	0.19	0.52	0.03	0.02	0.04	0.00	0.00	8.02

CRF_65C.OUT

1	4	87.40	1.24	0.00	0.00	3.67	4.20	0.24	0.05	0.03	0.19	0.52	0.03	0.02	0.04	0.00	0.00	7.90
1	5	87.40	1.24	0.00	0.00	3.73	4.18	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.78
1	6	87.40	1.24	0.00	0.00	3.79	4.16	0.24	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.66
1	7	87.40	1.24	0.00	0.00	3.84	4.14	0.23	0.05	0.03	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.54
1	8	87.40	1.24	0.00	0.00	3.90	4.12	0.23	0.05	0.02	0.20	0.51	0.03	0.02	0.04	0.00	0.00	7.43
1	9	87.40	1.24	0.00	0.00	3.95	4.10	0.23	0.05	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.32
1	10	87.40	1.24	0.00	0.00	4.00	4.07	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.21
1	11	87.40	1.24	0.00	0.00	4.05	4.05	0.23	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.10
1	12	87.40	1.24	0.00	0.00	4.10	4.03	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	7.00
1	13	87.40	1.24	0.00	0.00	4.15	4.01	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.89
1	14	87.40	1.24	0.00	0.00	4.19	3.99	0.22	0.06	0.02	0.21	0.51	0.03	0.02	0.04	0.00	0.00	6.79
1	15	87.40	1.24	0.00	0.00	4.23	3.97	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.69
1	16	87.40	1.24	0.00	0.00	4.27	3.95	0.22	0.06	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.59
1	17	87.40	1.24	0.00	0.00	4.31	3.93	0.21	0.07	0.02	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.50
1	18	87.40	1.24	0.00	0.00	4.35	3.91	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.40
1	19	87.40	1.24	0.00	0.00	4.39	3.89	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.31
1	20	87.40	1.24	0.00	0.00	4.42	3.87	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.22
2	1	87.40	1.24	0.00	0.00	4.46	3.85	0.21	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.13
2	2	87.40	1.24	0.00	0.00	4.49	3.83	0.20	0.07	0.01	0.22	0.51	0.03	0.02	0.04	0.00	0.00	6.04
2	3	87.40	1.24	0.00	0.00	4.52	3.81	0.20	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.95
2	4	87.40	1.24	0.00	0.00	4.55	3.79	0.20	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.86
2	5	87.40	1.24	0.00	0.00	4.58	3.77	0.20	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.78
2	6	87.40	1.24	0.00	0.00	4.61	3.75	0.20	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.69
2	7	87.40	1.24	0.00	0.00	4.63	3.73	0.19	0.07	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.61
2	8	87.40	1.24	0.00	0.00	4.66	3.71	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.53
2	9	87.40	1.24	0.00	0.00	4.69	3.69	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.45
2	10	87.40	1.24	0.00	0.00	4.71	3.68	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.37
2	11	87.40	1.24	0.00	0.00	4.73	3.66	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.30
2	12	87.40	1.24	0.00	0.00	4.75	3.64	0.19	0.08	0.01	0.23	0.51	0.03	0.02	0.04	0.00	0.00	5.22
2	13	87.40	1.24	0.00	0.00	4.78	3.62	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	5.14
2	14	87.40	1.24	0.00	0.00	4.80	3.60	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	5.07
2	15	87.40	1.24	0.00	0.00	4.82	3.58	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	5.00
2	16	87.40	1.24	0.00	0.00	4.84	3.56	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.93
2	17	87.40	1.24	0.00	0.00	4.85	3.55	0.18	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.86
2	18	87.40	1.24	0.00	0.00	4.87	3.53	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.79
2	19	87.40	1.24	0.00	0.00	4.89	3.51	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.72
2	20	87.40	1.24	0.00	0.00	4.90	3.49	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.65
3	1	87.40	1.24	0.00	0.00	4.92	3.47	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.58
3	2	87.40	1.24	0.00	0.00	4.94	3.46	0.17	0.08	0.01	0.24	0.51	0.03	0.02	0.04	0.00	0.00	4.52
3	3	87.40	1.24	0.00	0.00	4.95	3.44	0.17	0.08	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.45
3	4	87.40	1.24	0.00	0.00	4.96	3.42	0.17	0.08	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.39
3	5	87.40	1.24	0.00	0.00	4.98	3.40	0.16	0.08	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.33
3	6	87.40	1.24	0.00	0.00	4.99	3.39	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.27
3	7	87.40	1.24	0.00	0.00	5.00	3.37	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.21
3	8	87.40	1.24	0.00	0.00	5.02	3.35	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.15
3	9	87.40	1.24	0.00	0.00	5.03	3.33	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.09

CRF_65C.OUT

3	10	87.40	1.24	0.00	0.00	5.04	3.32	0.16	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	4.03
3	11	87.40	1.24	0.00	0.00	5.05	3.30	0.15	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	3.97
3	12	87.40	1.24	0.00	0.00	5.06	3.28	0.15	0.09	0.01	0.25	0.51	0.03	0.02	0.04	0.00	0.00	3.92
3	13	87.40	1.24	0.00	0.00	5.07	3.27	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.86
3	14	87.40	1.24	0.00	0.00	5.08	3.25	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.81
3	15	87.40	1.24	0.00	0.00	5.09	3.23	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.75
3	16	87.40	1.24	0.00	0.00	5.10	3.22	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.70
3	17	87.40	1.24	0.00	0.00	5.11	3.20	0.15	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.65
3	18	87.40	1.24	0.00	0.00	5.12	3.18	0.14	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.60
3	19	87.40	1.24	0.00	0.00	5.12	3.17	0.14	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.54
3	20	87.40	1.24	0.00	0.00	5.13	3.15	0.14	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.49

4	1	87.40	1.24	0.00	0.00	5.11	3.13	0.14	0.09	0.01	0.26	0.51	0.03	0.02	0.04	0.00	0.00	3.45
4	2	87.40	1.24	0.00	0.00	5.10	3.12	0.14	0.09	0.01	0.27	0.51	0.03	0.02	0.04	0.00	0.00	3.40
4	3	87.40	1.24	0.00	0.00	5.08	3.10	0.14	0.09	0.01	0.27	0.51	0.03	0.02	0.04	0.00	0.00	3.35
4	4	87.40	1.24	0.00	0.00	5.07	3.09	0.14	0.09	0.01	0.27	0.51	0.03	0.02	0.04	0.00	0.00	3.30
4	5	87.40	1.24	0.00	0.00	5.05	3.07	0.14	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.26

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	87.40	1.24	0.00	0.00	5.04	3.05	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.21
4	7	87.40	1.24	0.00	0.00	5.02	3.04	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.16
4	8	87.40	1.24	0.00	0.00	5.01	3.02	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.12
4	9	87.40	1.24	0.00	0.00	5.00	3.01	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.08
4	10	87.40	1.24	0.00	0.00	4.99	2.99	0.13	0.09	0.01	0.27	0.50	0.03	0.02	0.04	0.00	0.00	3.03
4	11	87.40	1.24	0.00	0.00	4.97	2.98	0.13	0.09	0.01	0.28	0.50	0.03	0.02	0.04	0.00	0.00	2.99
4	12	87.40	1.24	0.00	0.00	4.96	2.96	0.13	0.09	0.01	0.28	0.50	0.03	0.02	0.04	0.00	0.00	2.95
4	13	87.40	1.24	0.00	0.00	4.95	2.95	0.13	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.91
4	14	87.40	1.24	0.00	0.00	4.94	2.93	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.87
4	15	87.40	1.24	0.00	0.00	4.93	2.92	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.83
4	16	87.40	1.24	0.00	0.00	4.92	2.90	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.79
4	17	87.40	1.24	0.00	0.00	4.92	2.89	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.75
4	18	87.40	1.24	0.00	0.00	4.91	2.87	0.12	0.09	0.01	0.28	0.50	0.03	0.01	0.04	0.00	0.00	2.71
4	19	87.40	1.24	0.00	0.00	4.90	2.86	0.12	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.67
4	20	87.40	1.24	0.00	0.00	4.89	2.84	0.12	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.63
5	1	87.40	1.24	0.00	0.00	4.89	2.83	0.12	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.60
5	2	87.40	1.24	0.00	0.00	4.88	2.81	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.56
5	3	87.40	1.24	0.00	0.00	4.87	2.80	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.52
5	4	87.40	1.24	0.00	0.00	4.87	2.78	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.49

CRF_65C.OUT

5	5	87.40	1.24	0.00	0.00	4.86	2.77	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.45
5	6	87.40	1.24	0.00	0.00	4.85	2.76	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.42
5	7	87.40	1.24	0.00	0.00	4.85	2.74	0.11	0.09	0.01	0.29	0.50	0.03	0.01	0.04	0.00	0.00	2.39
5	8	87.40	1.24	0.00	0.00	4.84	2.73	0.11	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.35
5	9	87.40	1.24	0.00	0.00	4.84	2.71	0.11	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.32
5	10	87.40	1.24	0.00	0.00	4.83	2.70	0.11	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.29
5	11	87.40	1.24	0.00	0.00	4.83	2.69	0.11	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.26
5	12	87.40	1.24	0.00	0.00	4.83	2.67	0.10	0.09	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.22
5	13	87.40	1.24	0.00	0.00	4.82	2.66	0.10	0.08	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.19
5	14	87.40	1.24	0.00	0.00	4.82	2.64	0.10	0.08	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.16
5	15	87.40	1.24	0.00	0.00	4.82	2.63	0.10	0.08	0.01	0.30	0.50	0.03	0.01	0.04	0.00	0.00	2.13
5	16	87.40	1.24	0.00	0.00	4.81	2.62	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	2.10
5	17	87.40	1.24	0.00	0.00	4.81	2.60	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	2.07
5	18	87.40	1.24	0.00	0.00	4.81	2.59	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	2.04
5	19	87.40	1.24	0.00	0.00	4.80	2.58	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	2.02
5	20	87.40	1.24	0.00	0.00	4.80	2.56	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.99
6	1	87.40	1.24	0.00	0.00	4.80	2.55	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.96
6	2	87.40	1.24	0.00	0.00	4.80	2.54	0.10	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.93
6	3	87.40	1.24	0.00	0.00	4.79	2.52	0.09	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.91
6	4	87.40	1.24	0.00	0.00	4.79	2.51	0.09	0.08	0.01	0.31	0.50	0.03	0.01	0.04	0.00	0.00	1.88
6	5	87.40	1.24	0.00	0.00	4.79	2.50	0.09	0.08	0.01	0.32	0.50	0.03	0.01	0.04	0.00	0.00	1.85
6	6	87.40	1.24	0.00	0.00	4.79	2.49	0.09	0.08	0.01	0.32	0.50	0.03	0.01	0.04	0.00	0.00	1.83
6	7	87.40	1.24	0.00	0.00	4.79	2.47	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.80
6	8	87.40	1.24	0.00	0.00	4.79	2.46	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.78
6	9	87.40	1.24	0.00	0.00	4.79	2.45	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.76
6	10	87.40	1.24	0.00	0.00	4.78	2.44	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.73
6	11	87.40	1.24	0.00	0.00	4.78	2.42	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.71
6	12	87.40	1.24	0.00	0.00	4.78	2.41	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.69
6	13	87.40	1.24	0.00	0.00	4.78	2.40	0.09	0.08	0.01	0.32	0.50	0.03	0.02	0.04	0.00	0.00	1.66
6	14	87.40	1.24	0.00	0.00	4.78	2.39	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.64
6	15	87.40	1.24	0.00	0.00	4.78	2.37	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.62
6	16	87.40	1.24	0.00	0.00	4.78	2.36	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.60
6	17	87.40	1.24	0.00	0.00	4.78	2.35	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.58
6	18	87.40	1.24	0.00	0.00	4.78	2.34	0.08	0.08	0.01	0.33	0.50	0.03	0.02	0.04	0.00	0.00	1.56
6	19	87.40	1.24	0.00	0.00	4.78	2.32	0.08	0.08	0.01	0.33	0.50	0.02	0.02	0.04	0.00	0.00	1.54
6	20	87.40	1.24	0.00	0.00	4.78	2.31	0.08	0.08	0.01	0.33	0.50	0.02	0.02	0.04	0.00	0.00	1.52
7	1	87.40	1.24	0.00	0.00	4.80	2.30	0.08	0.08	0.01	0.33	0.50	0.02	0.02	0.04	0.00	0.00	1.50
7	2	87.40	1.24	0.00	0.00	4.83	2.29	0.08	0.08	0.01	0.33	0.50	0.02	0.02	0.04	0.00	0.00	1.48
7	3	87.40	1.24	0.00	0.00	4.85	2.28	0.08	0.08	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.46
7	4	87.40	1.24	0.00	0.00	4.87	2.27	0.08	0.08	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.44
7	5	87.40	1.24	0.00	0.00	4.90	2.25	0.08	0.08	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.42
7	6	87.40	1.24	0.00	0.00	4.92	2.24	0.08	0.08	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.40
7	7	87.40	1.24	0.00	0.00	4.94	2.23	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.38
7	8	87.40	1.24	0.00	0.00	4.96	2.22	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.37
7	9	87.40	1.24	0.00	0.00	4.98	2.21	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.35
7	10	87.40	1.24	0.00	0.00	4.99	2.20	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.33

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	87.40	1.24	0.00	0.00	5.01	2.19	0.07	0.07	0.01	0.34	0.50	0.02	0.02	0.04	0.00	0.00	1.32
7	12	87.40	1.24	0.00	0.00	5.03	2.17	0.07	0.07	0.01	0.35	0.50	0.02	0.02	0.04	0.00	0.00	1.30
7	13	87.40	1.24	0.00	0.00	5.05	2.17	0.08	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.37
7	14	87.40	1.24	0.00	0.00	5.07	2.16	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.35
7	15	87.40	1.24	0.00	0.00	5.08	2.15	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.34
7	16	87.40	1.24	0.00	0.00	5.10	2.14	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.32
7	17	87.40	1.24	0.00	0.00	5.11	2.13	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.31
7	18	87.40	1.24	0.00	0.00	5.13	2.12	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.29
7	19	87.40	1.24	0.00	0.00	5.14	2.10	0.07	0.07	0.01	0.35	0.51	0.02	0.02	0.04	0.00	0.00	1.27
7	20	87.40	1.24	0.00	0.00	5.15	2.09	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.26
8	1	87.40	1.24	0.00	0.00	5.17	2.09	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.24
8	2	87.40	1.24	0.00	0.00	5.18	2.07	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.23
8	3	87.40	1.24	0.00	0.00	5.19	2.06	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.21
8	4	87.40	1.24	0.00	0.00	5.20	2.05	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.20
8	5	87.40	1.24	0.00	0.00	5.22	2.04	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.18
8	6	87.40	1.24	0.00	0.00	5.23	2.03	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.17
8	7	87.40	1.24	0.00	0.00	5.24	2.02	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.16
8	8	87.40	1.24	0.00	0.00	5.25	2.01	0.07	0.07	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.14

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN NITRGN *	FACTORS PHSPRS *
1	1	1	8.27	0.16	0.08	1.03	1.71	0.06	0.50	0.18	4.23	0.11	0.53	0.65
2	1	2	8.14	0.16	0.08	1.03	1.73	0.07	0.50	0.19	4.23	0.11	0.54	0.65
3	1	3	8.02	0.16	0.08	1.03	1.75	0.07	0.50	0.19	4.23	0.11	0.54	0.65
4	1	4	7.90	0.16	0.08	1.03	1.76	0.07	0.50	0.19	4.22	0.11	0.55	0.65
5	1	5	7.78	0.16	0.08	1.03	1.77	0.07	0.50	0.20	4.22	0.11	0.55	0.65

									CRF_65C.OUT					
6	1	6	7.66	0.16	0.08	1.03	1.79	0.07	0.50	0.20	4.22	0.11	0.56	0.65
7	1	7	7.54	0.16	0.08	1.03	1.80	0.07	0.50	0.20	4.21	0.11	0.56	0.65
8	1	8	7.43	0.16	0.08	1.03	1.81	0.07	0.50	0.21	4.21	0.11	0.56	0.65
9	1	9	7.32	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
10	1	10	7.21	0.17	0.08	1.03	1.82	0.07	0.50	0.21	4.21	0.11	0.57	0.65
11	1	11	7.10	0.17	0.08	1.03	1.83	0.06	0.50	0.22	4.20	0.11	0.57	0.64
12	1	12	7.00	0.17	0.08	1.03	1.84	0.06	0.50	0.22	4.20	0.11	0.58	0.64
13	1	13	6.89	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
14	1	14	6.79	0.17	0.08	1.03	1.85	0.06	0.50	0.22	4.20	0.11	0.58	0.64
15	1	15	6.69	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
16	1	16	6.59	0.17	0.08	1.03	1.86	0.06	0.50	0.23	4.19	0.11	0.58	0.64
17	1	17	6.50	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.19	0.11	0.59	0.64
18	1	18	6.40	0.17	0.08	1.03	1.87	0.06	0.50	0.23	4.18	0.11	0.59	0.64
19	1	19	6.31	0.17	0.08	1.03	1.88	0.06	0.50	0.23	4.18	0.11	0.59	0.64
20	1	20	6.22	0.17	0.08	1.03	1.88	0.06	0.50	0.24	4.18	0.11	0.59	0.64
21	2	1	6.13	0.17	0.08	1.03	1.89	0.06	0.50	0.24	4.18	0.11	0.59	0.64
22	2	2	6.04	0.17	0.08	1.03	1.89	0.06	0.50	0.24	4.18	0.11	0.60	0.63
23	2	3	5.95	0.17	0.08	1.03	1.89	0.06	0.50	0.24	4.17	0.11	0.60	0.63
24	2	4	5.86	0.17	0.08	1.03	1.90	0.06	0.50	0.24	4.17	0.11	0.60	0.63
25	2	5	5.78	0.17	0.08	1.03	1.90	0.06	0.50	0.24	4.17	0.11	0.60	0.63
26	2	6	5.69	0.17	0.08	1.03	1.90	0.06	0.50	0.24	4.17	0.11	0.60	0.63
27	2	7	5.61	0.17	0.08	1.03	1.91	0.06	0.50	0.25	4.16	0.11	0.60	0.63
28	2	8	5.53	0.17	0.08	1.03	1.91	0.05	0.50	0.25	4.16	0.11	0.60	0.63
29	2	9	5.45	0.17	0.08	1.03	1.91	0.05	0.50	0.25	4.16	0.11	0.61	0.63
30	2	10	5.37	0.17	0.08	1.03	1.91	0.05	0.50	0.25	4.16	0.11	0.61	0.63
31	2	11	5.30	0.17	0.08	1.03	1.92	0.05	0.50	0.25	4.16	0.11	0.61	0.63
32	2	12	5.22	0.17	0.08	1.03	1.92	0.05	0.50	0.25	4.15	0.11	0.61	0.63
33	2	13	5.14	0.18	0.08	1.03	1.92	0.05	0.50	0.25	4.15	0.11	0.61	0.63
34	2	14	5.07	0.18	0.08	1.03	1.92	0.05	0.50	0.25	4.15	0.11	0.61	0.62
35	2	15	5.00	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.15	0.11	0.61	0.62
36	2	16	4.93	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.15	0.11	0.61	0.62
37	2	17	4.86	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.14	0.11	0.62	0.62
38	2	18	4.79	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.14	0.11	0.62	0.62
39	2	19	4.72	0.18	0.08	1.03	1.93	0.05	0.50	0.25	4.14	0.11	0.62	0.62
40	2	20	4.65	0.18	0.08	1.03	1.94	0.05	0.50	0.25	4.14	0.11	0.62	0.62
41	3	1	4.58	0.18	0.08	1.03	1.94	0.05	0.50	0.25	4.14	0.11	0.62	0.62
42	3	2	4.52	0.18	0.08	1.03	1.94	0.05	0.50	0.25	4.14	0.11	0.62	0.62
43	3	3	4.45	0.18	0.08	1.03	1.94	0.05	0.50	0.26	4.13	0.11	0.62	0.62
44	3	4	4.39	0.18	0.08	1.03	1.94	0.05	0.50	0.26	4.13	0.11	0.62	0.62
45	3	5	4.33	0.18	0.08	1.03	1.94	0.04	0.50	0.26	4.13	0.11	0.62	0.62
46	3	6	4.27	0.18	0.08	1.03	1.95	0.04	0.50	0.26	4.13	0.11	0.62	0.62
47	3	7	4.21	0.18	0.08	1.03	1.95	0.04	0.50	0.26	4.13	0.11	0.63	0.62
48	3	8	4.15	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.13	0.11	0.63	0.61
49	3	9	4.09	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.12	0.11	0.63	0.61
50	3	10	4.03	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.12	0.11	0.63	0.61
51	3	11	3.97	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.12	0.11	0.63	0.61

CRF_65C.OUT														
52	3	12	3.92	0.18	0.08	1.03	1.95	0.04	0.50	0.25	4.12	0.11	0.63	0.61
53	3	13	3.86	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.12	0.11	0.63	0.61
54	3	14	3.81	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.12	0.11	0.63	0.61
55	3	15	3.75	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.63	0.61
56	3	16	3.70	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.63	0.61
57	3	17	3.65	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.63	0.61
58	3	18	3.60	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.64	0.61
59	3	19	3.54	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.64	0.61
60	3	20	3.49	0.18	0.08	1.03	1.96	0.04	0.50	0.25	4.11	0.11	0.64	0.61
61	4	1	3.45	0.18	0.08	1.03	1.97	0.04	0.50	0.25	4.11	0.11	0.64	0.61
62	4	2	3.40	0.18	0.08	1.03	1.97	0.04	0.50	0.25	4.11	0.11	0.64	0.61
63	4	3	3.35	0.18	0.08	1.03	1.97	0.04	0.50	0.25	4.10	0.11	0.64	0.61
64	4	4	3.30	0.18	0.08	1.03	1.97	0.03	0.50	0.25	4.10	0.11	0.64	0.60
65	4	5	3.26	0.18	0.08	1.03	1.97	0.03	0.50	0.25	4.10	0.11	0.64	0.60

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N			ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.21	0.18	0.08	1.03	1.97	0.03	0.50	0.25	4.10	0.11	0.64	0.60
67	4	7	3.16	0.18	0.08	1.03	1.97	0.03	0.50	0.25	4.10	0.11	0.64	0.60
68	4	8	3.12	0.18	0.08	1.03	1.97	0.03	0.50	0.24	4.10	0.11	0.64	0.60
69	4	9	3.08	0.18	0.08	1.03	1.97	0.03	0.50	0.24	4.10	0.11	0.64	0.60
70	4	10	3.03	0.18	0.08	1.03	1.97	0.03	0.50	0.24	4.10	0.11	0.64	0.60
71	4	11	2.99	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
72	4	12	2.95	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
73	4	13	2.91	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
74	4	14	2.87	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
75	4	15	2.83	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
76	4	16	2.79	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
77	4	17	2.75	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
78	4	18	2.71	0.18	0.08	1.03	1.98	0.03	0.50	0.24	4.09	0.11	0.65	0.60
79	4	19	2.67	0.18	0.08	1.03	1.98	0.03	0.50	0.23	4.09	0.11	0.65	0.60
80	4	20	2.63	0.18	0.08	1.03	1.98	0.03	0.50	0.23	4.08	0.11	0.65	0.60
81	5	1	2.60	0.18	0.08	1.03	1.98	0.03	0.50	0.23	4.08	0.11	0.65	0.60
82	5	2	2.56	0.18	0.08	1.03	1.98	0.03	0.50	0.23	4.08	0.11	0.65	0.60
83	5	3	2.52	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.65	0.59
84	5	4	2.49	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.65	0.59
85	5	5	2.45	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.65	0.59

CRF_65C.OUT

86	5	6	2.42	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.66	0.59
87	5	7	2.39	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.66	0.59
88	5	8	2.35	0.18	0.08	1.03	1.99	0.03	0.50	0.23	4.08	0.11	0.66	0.59
89	5	9	2.32	0.18	0.08	1.03	1.99	0.03	0.50	0.22	4.08	0.11	0.66	0.59
90	5	10	2.29	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
91	5	11	2.26	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
92	5	12	2.22	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
93	5	13	2.19	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
94	5	14	2.16	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
95	5	15	2.13	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
96	5	16	2.10	0.18	0.08	1.03	1.99	0.02	0.50	0.22	4.07	0.11	0.66	0.59
97	5	17	2.07	0.18	0.08	1.03	2.00	0.02	0.50	0.22	4.07	0.11	0.66	0.59
98	5	18	2.04	0.18	0.08	1.03	2.00	0.02	0.50	0.21	4.07	0.11	0.66	0.59
99	5	19	2.02	0.18	0.08	1.03	2.00	0.02	0.50	0.21	4.07	0.11	0.66	0.59
100	5	20	1.99	0.18	0.08	1.03	2.00	0.02	0.50	0.21	4.07	0.11	0.66	0.59
101	6	1	1.96	0.18	0.08	1.03	2.01	0.02	0.50	0.21	4.07	0.11	0.66	0.59
102	6	2	1.93	0.18	0.08	1.03	2.02	0.02	0.50	0.21	4.06	0.11	0.66	0.59
103	6	3	1.91	0.18	0.08	1.03	2.03	0.02	0.50	0.21	4.06	0.11	0.66	0.59
104	6	4	1.88	0.19	0.08	1.03	2.03	0.02	0.50	0.21	4.06	0.11	0.66	0.60
105	6	5	1.85	0.19	0.08	1.03	2.04	0.02	0.50	0.21	4.06	0.11	0.67	0.60
106	6	6	1.83	0.19	0.08	1.03	2.05	0.02	0.50	0.21	4.06	0.11	0.67	0.60
107	6	7	1.80	0.19	0.08	1.03	2.06	0.02	0.50	0.20	4.06	0.11	0.67	0.60
108	6	8	1.78	0.19	0.08	1.03	2.07	0.02	0.50	0.20	4.06	0.11	0.67	0.60
109	6	9	1.76	0.19	0.08	1.03	2.07	0.02	0.50	0.20	4.06	0.11	0.67	0.61
110	6	10	1.73	0.19	0.08	1.03	2.08	0.02	0.50	0.20	4.06	0.11	0.67	0.61
111	6	11	1.71	0.19	0.08	1.03	2.09	0.02	0.50	0.20	4.06	0.11	0.67	0.61
112	6	12	1.69	0.19	0.08	1.03	2.10	0.02	0.50	0.20	4.06	0.11	0.67	0.61
113	6	13	1.66	0.19	0.08	1.03	2.11	0.02	0.50	0.20	4.06	0.11	0.67	0.61
114	6	14	1.64	0.19	0.08	1.03	2.11	0.02	0.50	0.20	4.06	0.11	0.67	0.61
115	6	15	1.62	0.19	0.08	1.03	2.12	0.02	0.50	0.19	4.06	0.11	0.67	0.62
116	6	16	1.60	0.19	0.08	1.03	2.13	0.02	0.50	0.19	4.05	0.11	0.67	0.62
117	6	17	1.58	0.19	0.08	1.03	2.13	0.02	0.50	0.19	4.05	0.11	0.67	0.62
118	6	18	1.56	0.20	0.08	1.03	2.14	0.02	0.50	0.19	4.05	0.11	0.67	0.62
119	6	19	1.54	0.20	0.08	1.03	2.15	0.02	0.50	0.19	4.05	0.11	0.67	0.62
120	6	20	1.52	0.20	0.08	1.03	2.16	0.02	0.50	0.19	4.05	0.11	0.67	0.62
121	7	1	1.50	0.20	0.08	1.03	2.16	0.02	0.50	0.19	4.05	0.11	0.67	0.63
122	7	2	1.48	0.20	0.08	1.03	2.17	0.02	0.50	0.19	4.05	0.11	0.67	0.63
123	7	3	1.46	0.20	0.08	1.03	2.18	0.02	0.50	0.18	4.05	0.11	0.67	0.63
124	7	4	1.44	0.20	0.08	1.03	2.18	0.02	0.50	0.18	4.05	0.11	0.67	0.63
125	7	5	1.42	0.20	0.08	1.03	2.19	0.02	0.50	0.18	4.05	0.11	0.67	0.63
126	7	6	1.40	0.20	0.08	1.03	2.20	0.02	0.50	0.18	4.05	0.11	0.67	0.63
127	7	7	1.38	0.20	0.08	1.03	2.20	0.02	0.50	0.18	4.05	0.11	0.67	0.63
128	7	8	1.37	0.20	0.08	1.03	2.21	0.02	0.50	0.18	4.05	0.11	0.68	0.64
129	7	9	1.35	0.20	0.08	1.03	2.21	0.02	0.50	0.18	4.05	0.11	0.68	0.64
130	7	10	1.33	0.20	0.08	1.03	2.22	0.02	0.50	0.18	4.05	0.11	0.68	0.64

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE ATTEN FACTORS											
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.32	0.20	0.08	1.03	2.23	0.02	0.50	0.18	4.05	0.11	0.68	0.64
132	7	12	1.30	0.20	0.08	1.03	2.23	0.02	0.50	0.17	4.05	0.11	0.68	0.64
133	7	13	1.37	0.20	0.08	1.03	2.21	0.02	0.50	0.17	4.05	0.11	0.68	0.65
134	7	14	1.35	0.20	0.08	1.03	2.22	0.02	0.50	0.17	4.05	0.11	0.68	0.65
135	7	15	1.34	0.20	0.08	1.03	2.22	0.02	0.50	0.17	4.05	0.11	0.68	0.65
136	7	16	1.32	0.20	0.08	1.03	2.23	0.02	0.50	0.17	4.05	0.11	0.68	0.65
137	7	17	1.31	0.20	0.08	1.03	2.24	0.02	0.50	0.17	4.05	0.11	0.68	0.65
138	7	18	1.29	0.20	0.08	1.03	2.24	0.02	0.50	0.17	4.05	0.11	0.68	0.65
139	7	19	1.27	0.20	0.08	1.03	2.25	0.02	0.50	0.17	4.04	0.11	0.68	0.65
140	7	20	1.26	0.21	0.08	1.03	2.25	0.02	0.50	0.16	4.04	0.11	0.68	0.65
141	8	1	1.24	0.21	0.08	1.03	2.27	0.02	0.50	0.16	4.04	0.11	0.68	0.66
142	8	2	1.23	0.21	0.08	1.03	2.27	0.02	0.50	0.16	4.04	0.11	0.68	0.66
143	8	3	1.21	0.21	0.08	1.03	2.28	0.02	0.50	0.16	4.04	0.11	0.68	0.66
144	8	4	1.20	0.21	0.08	1.03	2.28	0.02	0.50	0.16	4.04	0.11	0.68	0.66
145	8	5	1.18	0.21	0.08	1.03	2.29	0.02	0.50	0.16	4.04	0.11	0.68	0.66
146	8	6	1.17	0.21	0.08	1.03	2.29	0.02	0.50	0.16	4.04	0.11	0.68	0.66
147	8	7	1.16	0.21	0.08	1.03	2.30	0.02	0.50	0.16	4.04	0.11	0.68	0.66
148	8	8	1.14	0.21	0.08	1.03	2.30	0.02	0.50	0.16	4.04	0.11	0.68	0.67

1

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

ELE ORD	RCH NUM	ELE NUM	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)												
			TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	87.40	7.46	3.47	3.99	0.00	1.00	54.07	2.58	-0.35	-0.03	0.06	-0.03	-0.08
2	1	2	87.40	7.46	3.54	3.92	0.00	1.00	0.00	2.53	-0.35	-0.03	0.07	-0.04	-0.07
3	1	3	87.40	7.46	3.60	3.85	0.00	1.00	0.00	2.49	-0.35	-0.03	0.07	-0.04	-0.07
4	1	4	87.40	7.46	3.67	3.79	0.00	1.00	0.00	2.45	-0.34	-0.03	0.07	-0.04	-0.06
5	1	5	87.40	7.46	3.73	3.73	0.00	1.00	0.00	2.41	-0.34	-0.03	0.07	-0.04	-0.06

									CRF_65C.OUT						
6	1	6	87.40	7.46	3.79	3.67	0.00	1.00	0.00	2.37	-0.34	-0.03	0.07	-0.04	-0.05
7	1	7	87.40	7.46	3.84	3.61	0.00	1.00	0.00	2.33	-0.34	-0.03	0.07	-0.04	-0.05
8	1	8	87.40	7.46	3.90	3.56	0.00	1.00	0.00	2.30	-0.34	-0.03	0.07	-0.04	-0.05
9	1	9	87.40	7.46	3.95	3.51	0.00	1.00	0.00	2.26	-0.34	-0.03	0.07	-0.04	-0.04
10	1	10	87.40	7.46	4.00	3.45	0.00	1.00	0.00	2.23	-0.33	-0.03	0.07	-0.05	-0.04
11	1	11	87.40	7.46	4.05	3.41	0.00	1.00	0.00	2.20	-0.33	-0.03	0.06	-0.05	-0.04
12	1	12	87.40	7.46	4.10	3.36	0.00	1.00	0.00	2.17	-0.33	-0.03	0.06	-0.05	-0.04
13	1	13	87.40	7.46	4.15	3.31	0.00	1.00	0.00	2.14	-0.33	-0.03	0.06	-0.05	-0.03
14	1	14	87.40	7.46	4.19	3.27	0.00	1.00	0.00	2.11	-0.33	-0.03	0.06	-0.05	-0.03
15	1	15	87.40	7.46	4.23	3.23	0.00	1.00	0.00	2.08	-0.33	-0.03	0.06	-0.05	-0.03
16	1	16	87.40	7.46	4.27	3.18	0.00	1.00	0.00	2.06	-0.32	-0.03	0.06	-0.05	-0.03
17	1	17	87.40	7.46	4.31	3.14	0.00	1.00	0.00	2.03	-0.32	-0.03	0.06	-0.05	-0.03
18	1	18	87.40	7.46	4.35	3.11	0.00	1.00	0.00	2.01	-0.32	-0.03	0.06	-0.05	-0.03
19	1	19	87.40	7.46	4.39	3.07	0.00	1.00	0.00	1.98	-0.32	-0.03	0.06	-0.05	-0.03
20	1	20	87.40	7.46	4.42	3.04	0.00	1.00	0.00	1.96	-0.32	-0.03	0.06	-0.06	-0.03
21	2	1	87.40	7.46	4.46	3.00	0.00	1.00	0.00	1.94	-0.32	-0.03	0.06	-0.06	-0.03
22	2	2	87.40	7.46	4.49	2.97	0.00	1.00	0.00	1.92	-0.31	-0.03	0.06	-0.06	-0.02
23	2	3	87.40	7.46	4.52	2.94	0.00	1.00	0.00	1.90	-0.31	-0.03	0.06	-0.06	-0.02
24	2	4	87.40	7.46	4.55	2.91	0.00	1.00	0.00	1.88	-0.31	-0.03	0.06	-0.06	-0.02
25	2	5	87.40	7.46	4.58	2.88	0.00	1.00	0.00	1.86	-0.31	-0.03	0.06	-0.06	-0.02
26	2	6	87.40	7.46	4.61	2.85	0.00	1.00	0.00	1.84	-0.31	-0.03	0.06	-0.06	-0.02
27	2	7	87.40	7.46	4.63	2.82	0.00	1.00	0.00	1.82	-0.31	-0.03	0.06	-0.06	-0.02
28	2	8	87.40	7.46	4.66	2.80	0.00	1.00	0.00	1.81	-0.30	-0.03	0.05	-0.06	-0.02
29	2	9	87.40	7.46	4.69	2.77	0.00	1.00	0.00	1.79	-0.30	-0.03	0.05	-0.06	-0.02
30	2	10	87.40	7.46	4.71	2.75	0.00	1.00	0.00	1.77	-0.30	-0.03	0.05	-0.06	-0.02
31	2	11	87.40	7.46	4.73	2.73	0.00	1.00	0.00	1.76	-0.30	-0.03	0.05	-0.06	-0.02
32	2	12	87.40	7.46	4.75	2.70	0.00	1.00	0.00	1.75	-0.30	-0.03	0.05	-0.06	-0.02
33	2	13	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.30	-0.03	0.05	-0.06	-0.02
34	2	14	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.30	-0.03	0.05	-0.06	-0.02
35	2	15	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.71	-0.29	-0.03	0.05	-0.06	-0.02
36	2	16	87.40	7.46	4.84	2.62	0.00	1.00	0.00	1.69	-0.29	-0.03	0.05	-0.07	-0.02
37	2	17	87.40	7.46	4.85	2.60	0.00	1.00	0.00	1.68	-0.29	-0.03	0.05	-0.07	-0.02
38	2	18	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.29	-0.03	0.05	-0.07	-0.02
39	2	19	87.40	7.46	4.89	2.57	0.00	1.00	0.00	1.66	-0.29	-0.03	0.05	-0.07	-0.02
40	2	20	87.40	7.46	4.90	2.55	0.00	1.00	0.00	1.65	-0.29	-0.03	0.05	-0.07	-0.02
41	3	1	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.29	-0.03	0.05	-0.07	-0.02
42	3	2	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.28	-0.03	0.05	-0.07	-0.02
43	3	3	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.28	-0.03	0.05	-0.07	-0.02
44	3	4	87.40	7.46	4.96	2.49	0.00	1.00	0.00	1.61	-0.28	-0.03	0.05	-0.07	-0.02
45	3	5	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.28	-0.03	0.04	-0.07	-0.02
46	3	6	87.40	7.46	4.99	2.47	0.00	1.00	0.00	1.59	-0.28	-0.03	0.04	-0.07	-0.02
47	3	7	87.40	7.46	5.00	2.45	0.00	1.00	0.00	1.59	-0.28	-0.03	0.04	-0.07	-0.02
48	3	8	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.58	-0.27	-0.03	0.04	-0.07	-0.02
49	3	9	87.40	7.46	5.03	2.43	0.00	1.00	0.00	1.57	-0.27	-0.03	0.04	-0.07	-0.02
50	3	10	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.27	-0.03	0.04	-0.07	-0.02
51	3	11	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.56	-0.27	-0.03	0.04	-0.07	-0.02

										CRF_65C.OUT					
52	3	12	87.40	7.46	5.06	2.40	0.00	1.00	0.00	1.55	-0.27	-0.03	0.04	-0.07	-0.02
53	3	13	87.40	7.46	5.07	2.39	0.00	1.00	0.00	1.54	-0.27	-0.03	0.04	-0.07	-0.02
54	3	14	87.40	7.46	5.08	2.38	0.00	1.00	0.00	1.54	-0.27	-0.03	0.04	-0.07	-0.02
55	3	15	87.40	7.46	5.09	2.37	0.00	1.00	0.00	1.53	-0.27	-0.03	0.04	-0.07	-0.02
56	3	16	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.52	-0.26	-0.03	0.04	-0.07	-0.02
57	3	17	87.40	7.46	5.11	2.35	0.00	1.00	0.00	1.52	-0.26	-0.03	0.04	-0.07	-0.02
58	3	18	87.40	7.46	5.12	2.34	0.00	1.00	0.00	1.51	-0.26	-0.03	0.04	-0.07	-0.02
59	3	19	87.40	7.46	5.12	2.34	0.00	1.00	0.00	1.51	-0.26	-0.03	0.04	-0.07	-0.02
60	3	20	87.40	7.46	5.13	2.33	0.00	1.00	0.00	1.50	-0.26	-0.03	0.04	-0.07	-0.02
61	4	1	87.40	7.46	5.11	2.34	0.00	1.00	0.00	1.51	-0.26	-0.04	0.04	-0.07	-0.02
62	4	2	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.53	-0.26	-0.04	0.04	-0.07	-0.02
63	4	3	87.40	7.46	5.08	2.38	0.00	1.00	0.00	1.54	-0.25	-0.04	0.04	-0.07	-0.02
64	4	4	87.40	7.46	5.07	2.39	0.00	1.00	0.01	1.55	-0.25	-0.04	0.03	-0.07	-0.02
65	4	5	87.40	7.46	5.05	2.41	0.00	1.00	0.00	1.55	-0.25	-0.04	0.03	-0.07	-0.02

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

										COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)					
ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
66	4	6	87.40	7.46	5.04	2.42	0.00	1.00	0.00	1.56	-0.25	-0.04	0.03	-0.07	-0.02
67	4	7	87.40	7.46	5.02	2.44	0.00	1.00	0.00	1.57	-0.25	-0.04	0.03	-0.07	-0.02
68	4	8	87.40	7.46	5.01	2.45	0.00	1.00	0.00	1.58	-0.25	-0.04	0.03	-0.07	-0.02
69	4	9	87.40	7.46	5.00	2.46	0.00	1.00	0.00	1.59	-0.25	-0.04	0.03	-0.07	-0.02
70	4	10	87.40	7.46	4.99	2.47	0.00	1.00	0.00	1.60	-0.25	-0.04	0.03	-0.07	-0.02
71	4	11	87.40	7.46	4.97	2.48	0.00	1.00	0.00	1.60	-0.24	-0.04	0.03	-0.07	-0.02
72	4	12	87.40	7.46	4.96	2.49	0.00	1.00	0.00	1.61	-0.24	-0.04	0.03	-0.07	-0.02
73	4	13	87.40	7.46	4.95	2.51	0.00	1.00	0.00	1.62	-0.24	-0.04	0.03	-0.07	-0.02
74	4	14	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.62	-0.24	-0.04	0.03	-0.07	-0.02
75	4	15	87.40	7.46	4.93	2.52	0.00	1.00	0.00	1.63	-0.24	-0.04	0.03	-0.07	-0.02
76	4	16	87.40	7.46	4.92	2.53	0.00	1.00	0.00	1.64	-0.24	-0.04	0.03	-0.07	-0.02
77	4	17	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.24	-0.04	0.03	-0.07	-0.02
78	4	18	87.40	7.46	4.91	2.55	0.00	1.00	0.00	1.65	-0.24	-0.04	0.03	-0.07	-0.02
79	4	19	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.23	-0.04	0.03	-0.07	-0.02
80	4	20	87.40	7.46	4.89	2.57	0.00	1.00	0.00	1.66	-0.23	-0.04	0.03	-0.07	-0.02
81	5	1	87.40	7.46	4.89	2.57	0.00	1.00	0.00	1.66	-0.23	-0.04	0.03	-0.07	-0.02
82	5	2	87.40	7.46	4.88	2.58	0.00	1.00	0.00	1.67	-0.23	-0.04	0.03	-0.07	-0.02
83	5	3	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.23	-0.04	0.03	-0.07	-0.02
84	5	4	87.40	7.46	4.87	2.59	0.00	1.00	0.00	1.67	-0.23	-0.04	0.03	-0.07	-0.02
85	5	5	87.40	7.46	4.86	2.60	0.00	1.00	0.00	1.68	-0.23	-0.04	0.03	-0.07	-0.02

CRF_65C.OUT

86	5	6	87.40	7.46	4.85	2.60	0.00	1.00	0.00	1.68	-0.23	-0.04	0.03	-0.07	-0.02
87	5	7	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.68	-0.22	-0.04	0.03	-0.07	-0.02
88	5	8	87.40	7.46	4.84	2.61	0.00	1.00	0.00	1.69	-0.22	-0.04	0.03	-0.07	-0.02
89	5	9	87.40	7.46	4.84	2.62	0.00	1.00	0.00	1.69	-0.22	-0.04	0.03	-0.07	-0.02
90	5	10	87.40	7.46	4.83	2.62	0.00	1.00	0.00	1.69	-0.22	-0.04	0.02	-0.07	-0.02
91	5	11	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.22	-0.04	0.02	-0.07	-0.02
92	5	12	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.22	-0.04	0.02	-0.07	-0.02
93	5	13	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.22	-0.04	0.02	-0.07	-0.02
94	5	14	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.70	-0.22	-0.04	0.02	-0.07	-0.02
95	5	15	87.40	7.46	4.82	2.64	0.00	1.00	0.00	1.71	-0.22	-0.04	0.02	-0.07	-0.02
96	5	16	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.21	-0.04	0.02	-0.07	-0.02
97	5	17	87.40	7.46	4.81	2.65	0.00	1.00	0.01	1.71	-0.21	-0.04	0.02	-0.07	-0.02
98	5	18	87.40	7.46	4.81	2.65	0.00	1.00	0.00	1.71	-0.21	-0.04	0.02	-0.07	-0.02
99	5	19	87.40	7.46	4.80	2.65	0.00	1.00	0.00	1.71	-0.21	-0.04	0.02	-0.07	-0.02
100	5	20	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
101	6	1	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
102	6	2	87.40	7.46	4.80	2.66	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
103	6	3	87.40	7.46	4.79	2.66	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
104	6	4	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
105	6	5	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.21	-0.04	0.02	-0.07	-0.02
106	6	6	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.20	-0.04	0.02	-0.07	-0.02
107	6	7	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.72	-0.20	-0.04	0.02	-0.07	-0.02
108	6	8	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.07	-0.02
109	6	9	87.40	7.46	4.79	2.67	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.07	-0.02
110	6	10	87.40	7.46	4.78	2.67	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.07	-0.02
111	6	11	87.40	7.46	4.78	2.67	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.07	-0.02
112	6	12	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.06	-0.02
113	6	13	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.06	-0.02
114	6	14	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.20	-0.04	0.02	-0.06	-0.02
115	6	15	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
116	6	16	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
117	6	17	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
118	6	18	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
119	6	19	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
120	6	20	87.40	7.46	4.78	2.68	0.00	1.00	0.00	1.73	-0.19	-0.04	0.02	-0.06	-0.02
121	7	1	87.40	7.46	4.80	2.65	0.00	1.00	0.00	1.71	-0.19	-0.03	0.02	-0.06	-0.02
122	7	2	87.40	7.46	4.83	2.63	0.00	1.00	0.00	1.70	-0.19	-0.03	0.02	-0.06	-0.02
123	7	3	87.40	7.46	4.85	2.61	0.00	1.00	0.00	1.68	-0.19	-0.03	0.02	-0.06	-0.02
124	7	4	87.40	7.46	4.87	2.58	0.00	1.00	0.00	1.67	-0.19	-0.03	0.02	-0.06	-0.02
125	7	5	87.40	7.46	4.90	2.56	0.00	1.00	0.00	1.65	-0.18	-0.03	0.02	-0.06	-0.02
126	7	6	87.40	7.46	4.92	2.54	0.00	1.00	0.00	1.64	-0.18	-0.03	0.02	-0.06	-0.02
127	7	7	87.40	7.46	4.94	2.52	0.00	1.00	0.00	1.63	-0.18	-0.03	0.02	-0.06	-0.02
128	7	8	87.40	7.46	4.96	2.50	0.00	1.00	0.00	1.62	-0.18	-0.03	0.02	-0.06	-0.02
129	7	9	87.40	7.46	4.98	2.48	0.00	1.00	0.00	1.60	-0.18	-0.03	0.02	-0.06	-0.02
130	7	10	87.40	7.46	4.99	2.46	0.00	1.00	0.00	1.59	-0.18	-0.03	0.02	-0.06	-0.02

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FUNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	87.40	7.46	5.01	2.45	0.00	1.00	0.00	1.58	-0.18	-0.03	0.02	-0.06	-0.02
132	7	12	87.40	7.46	5.03	2.43	0.00	1.00	0.00	1.57	-0.18	-0.03	0.02	-0.06	-0.02
133	7	13	87.40	7.46	5.05	2.41	0.00	1.00	1.08	1.56	-0.18	-0.03	0.02	-0.06	-0.02
134	7	14	87.40	7.46	5.07	2.39	0.00	1.00	0.00	1.54	-0.18	-0.03	0.02	-0.06	-0.02
135	7	15	87.40	7.46	5.08	2.38	0.00	1.00	0.00	1.53	-0.18	-0.03	0.02	-0.06	-0.02
136	7	16	87.40	7.46	5.10	2.36	0.00	1.00	0.00	1.52	-0.18	-0.03	0.02	-0.06	-0.02
137	7	17	87.40	7.46	5.11	2.35	0.00	1.00	0.00	1.51	-0.17	-0.03	0.02	-0.06	-0.02
138	7	18	87.40	7.46	5.13	2.33	0.00	1.00	0.00	1.51	-0.17	-0.03	0.02	-0.06	-0.02
139	7	19	87.40	7.46	5.14	2.32	0.00	1.00	0.00	1.50	-0.17	-0.03	0.02	-0.06	-0.02
140	7	20	87.40	7.46	5.15	2.30	0.00	1.00	0.00	1.49	-0.17	-0.03	0.02	-0.06	-0.02
141	8	1	87.40	7.46	5.17	2.29	0.00	1.00	0.00	1.48	-0.17	-0.03	0.02	-0.06	-0.02
142	8	2	87.40	7.46	5.18	2.28	0.00	1.00	0.00	1.47	-0.17	-0.03	0.02	-0.06	-0.02
143	8	3	87.40	7.46	5.19	2.27	0.00	1.00	0.00	1.46	-0.17	-0.03	0.02	-0.06	-0.02
144	8	4	87.40	7.46	5.20	2.25	0.00	1.00	0.00	1.46	-0.17	-0.03	0.02	-0.06	-0.02
145	8	5	87.40	7.46	5.22	2.24	0.00	1.00	0.00	1.45	-0.17	-0.03	0.02	-0.06	-0.02
146	8	6	87.40	7.46	5.23	2.23	0.00	1.00	0.00	1.44	-0.17	-0.03	0.02	-0.06	-0.02
147	8	7	87.40	7.46	5.24	2.22	0.00	1.00	0.00	1.43	-0.17	-0.03	0.02	-0.06	-0.02
148	8	8	87.40	7.46	5.25	2.21	0.00	1.00	0.00	1.43	-0.17	-0.03	0.02	-0.05	-0.02

CRF_75A.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
 TITLE03 YES CONSERVATIVE MINERAL I
 TITLE04 NO CONSERVATIVE MINERAL II
 TITLE05 NO CONSERVATIVE MINERAL III
 TITLE06 NO TEMPERATURE
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
 TITLE08 YES ALGAE AS CHL-A IN UG/L
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L
 TITLE10 (ORGANIC-P; DISSOLVED-P)
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
 TITLE13 YES DISSOLVED OXYGEN IN MG/L
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0

CRF_75A.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	2.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	3.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	4.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	5.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	6.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	7.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	8.0	81.3	5.40	5.60	1.77

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	2.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	3.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	4.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	5.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	6.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	7.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	8.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	5.6	1.77

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	2.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	3.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	4.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	5.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	6.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	7.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014

CRF_75A.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 46364 81.3 5.40 5.60 1.77
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 69.63 86.9 3.50 218.3 18.75
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.77
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.77
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```


CRF_75A.dat

1

CRF_75A.OUT
* * * QUAL-2E STREAM QUALITY ROUTING MODEL * * *
* * * EPA/NCASI VERSION * * *

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03	YES CONSERVATIVE MINERAL I
TITLE04	NO CONSERVATIVE MINERAL II
TITLE05	NO CONSERVATIVE MINERAL III
TITLE06	NO TEMPERATURE
TITLE07	YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08	YES ALGAE AS CHL-A IN UG/L
TITLE09	YES PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11	YES NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13	YES DISSOLVED OXYGEN IN MG/L
TITLE14	NO FECAL COLIFORMS IN NO./100 ML
TITLE15	NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRF_75A.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SPO4
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CRF_75A.OUT

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	2.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	3.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	4.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	5.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	6.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	7.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	8.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	2.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	3.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	4.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	5.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	6.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	7.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	8.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE JUNCTION ORDER AND IDENT UPSTRM JUNCTION TRIB

CARD TYPE TEMP D.O. BOD CM-1 CM-2 CM-3 ANC COLI
 ENDATA13 DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED
 \$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$

CARD TYPE CHL-A ORG-N NH3-N NO2-N NH3-N ORG-P DIS-P
 ENDATA13A DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED

1
0

RCH/CL	CONSERVATIVE MINERAL I																			ITERATION 1	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	
2	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
3	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
4	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
5	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
6	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
7	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	
8	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	

0

RCH/CL	BIOCHEMICAL OXYGEN DEMAND IN MG/L																			ITERATION 1	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.75	
2	5.02	4.98	4.94	4.90	4.86	4.82	4.78	4.74	4.70	4.66	4.62	4.58	4.54	4.51	4.47	4.43	4.40	4.36	4.32	4.29	
3	4.25	4.22	4.18	4.15	4.11	4.08	4.05	4.01	3.98	3.95	3.91	3.88	3.85	3.82	3.79	3.75	3.72	3.69	3.66	3.63	
4	3.60	3.57	3.54	3.51	3.48	3.46	3.43	3.40	3.37	3.34	3.31	3.29	3.26	3.23	3.21	3.18	3.15	3.13	3.10	3.08	
5	3.05	3.03	3.00	2.98	2.95	2.93	2.90	2.88	2.85	2.83	2.81	2.78	2.76	2.74	2.72	2.69	2.67	2.65	2.63	2.60	
6	2.58	2.56	2.54	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.38	2.36	2.34	2.32	2.30	2.28	2.26	2.24	2.22	2.21	
7	2.19	2.17	2.15	2.13	2.12	2.10	2.08	2.06	2.05	2.03	2.01	2.00	1.98	1.97	1.95	1.93	1.92	1.90	1.89	1.87	
8	1.86	1.84	1.83	1.81	1.80	1.78	1.77	1.75													

1
 STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

RCH/CL	VARIABLE	ITERATION	NUMBER OF NONCONVERGENT ELEMENTS																	
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	8.28	8.16	8.04	7.93	7.81	7.70	7.59	7.48	7.37	7.26	7.16	7.06	6.95	6.85	6.75	6.66	6.56	6.47	6.37	6.28
2	6.18	6.09	6.00	5.92	5.83	5.75	5.67	5.58	5.50	5.42	5.35	5.27	5.19	5.12	5.04	4.97	4.90	4.83	4.76	4.69
3	4.62	4.56	4.49	4.43	4.36	4.30	4.24	4.18	4.12	4.06	4.00	3.94	3.88	3.83	3.77	3.72	3.66	3.61	3.56	3.51
4	3.46	3.41	3.36	3.31	3.26	3.21	3.17	3.12	3.08	3.03	2.99	2.95	2.90	2.86	2.82	2.78	2.74	2.70	2.66	2.62
5	2.58	2.55	2.51	2.47	2.44	2.40	2.37	2.33	2.30	2.27	2.23	2.20	2.17	2.14	2.11	2.08	2.05	2.02	1.99	1.96
6	1.93	1.90	1.88	1.85	1.82	1.80	1.77	1.74	1.72	1.69	1.67	1.65	1.62	1.60	1.58	1.55	1.53	1.51	1.49	1.47
7	1.44	1.42	1.40	1.38	1.36	1.34	1.32	1.30	1.29	1.27	1.25	1.23	1.25	1.23	1.21	1.19	1.18	1.16	1.14	1.13

		8	1.11	1.09	1.08	1.06	1.05	1.03	1.02	1.00											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.32	0.32	0.31	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
2	0.24	0.24	0.24	0.23	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13
4	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
6	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05
7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04
8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.10
2	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.13	0.13
3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12
4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11
5	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06
8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02

CRF_75A.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	20	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	
2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19	
3	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.23	0.23	0.23	0.23	0.24	0.24	0.24	
4	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	
5	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.34	0.34	
6	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.38	0.38	
7	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.41	0.41	0.41	
8	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.42												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.42	5.44	5.46	5.47	5.49	5.51	5.52	5.54	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.66	5.67	5.69	5.70	5.71
2	5.72	5.73	5.74	5.74	5.75	5.76	5.77	5.78	5.79	5.80	5.80	5.81	5.82	5.83	5.84	5.85	5.85	5.86	5.87	5.88
3	5.89	5.89	5.90	5.91	5.92	5.93	5.93	5.94	5.95	5.96	5.97	5.97	5.98	5.99	6.00	6.01	6.01	6.02	6.03	6.04
4	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.03	6.04	6.04	6.04	6.04	6.04	6.05	6.05	6.05
5	6.06	6.06	6.06	6.07	6.07	6.08	6.08	6.08	6.09	6.09	6.10	6.10	6.11	6.11	6.12	6.12	6.13	6.13	6.14	6.14
6	6.15	6.15	6.16	6.17	6.17	6.18	6.18	6.19	6.19	6.20	6.21	6.21	6.22	6.22	6.23	6.23	6.24	6.25	6.25	6.26
7	6.27	6.29	6.30	6.32	6.33	6.35	6.36	6.37	6.39	6.40	6.41	6.42	6.43	6.44	6.45	6.47	6.48	6.49	6.50	6.51
8	6.52	6.53	6.54	6.55	6.56	6.57	6.58	6.58												
ALGAE GROWTH RATE						1		124												
ALGAE GROWTH RATE						2		0												
ALGAE GROWTH RATE						3		0												

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 (204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 13.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL*FN*FP

1		DISSOLVED OXYGEN IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	5.42	5.44	5.46	5.47	5.49	5.51	5.53	5.54	5.56	5.58	5.59	5.61	5.62	5.64	5.65	5.66	5.68	5.69	5.70	5.72
	2	5.72	5.73	5.74	5.75	5.76	5.77	5.78	5.79	5.80	5.81	5.82	5.82	5.83	5.84	5.85	5.86	5.87	5.87	5.88	5.89
	3	5.90	5.91	5.92	5.92	5.93	5.94	5.95	5.96	5.96	5.97	5.98	5.99	5.99	6.00	6.01	6.02	6.03	6.03	6.04	6.05
	4	6.05	6.05	6.04	6.04	6.04	6.04	6.04	6.04	6.04	6.04	6.05	6.05	6.05	6.05	6.05	6.05	6.06	6.06	6.06	6.07
	5	6.07	6.07	6.08	6.08	6.08	6.09	6.09	6.10	6.10	6.10	6.11	6.11	6.12	6.12	6.13	6.13	6.14	6.14	6.15	6.15
	6	6.16	6.16	6.17	6.18	6.18	6.19	6.19	6.20	6.20	6.20	6.21	6.21	6.22	6.23	6.24	6.24	6.25	6.25	6.26	6.27
	7	6.28	6.30	6.31	6.33	6.34	6.36	6.37	6.38	6.39	6.41	6.42	6.43	6.44	6.45	6.46	6.47	6.48	6.49	6.51	6.52
	8	6.53	6.54	6.55	6.55	6.56	6.57	6.58	6.59												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.75
	2	5.02	4.98	4.94	4.90	4.86	4.82	4.78	4.74	4.70	4.66	4.62	4.58	4.54	4.51	4.47	4.43	4.40	4.36	4.32	4.29
	3	4.25	4.22	4.18	4.15	4.11	4.08	4.05	4.01	3.98	3.95	3.91	3.88	3.85	3.82	3.79	3.75	3.72	3.69	3.66	3.63
	4	3.60	3.57	3.54	3.51	3.48	3.46	3.43	3.40	3.37	3.34	3.31	3.29	3.26	3.23	3.21	3.18	3.15	3.13	3.10	3.08
	5	3.05	3.03	3.00	2.98	2.95	2.93	2.90	2.88	2.85	2.83	2.81	2.78	2.76	2.74	2.72	2.69	2.67	2.65	2.63	2.60
	6	2.58	2.56	2.54	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.38	2.36	2.34	2.32	2.30	2.28	2.26	2.24	2.22	2.21
	7	2.19	2.17	2.15	2.13	2.12	2.10	2.08	2.06	2.05	2.03	2.01	2.00	1.98	1.97	1.95	1.93	1.92	1.90	1.89	1.87
	8	1.86	1.84	1.83	1.81	1.80	1.78	1.77	1.75												
0		ORGANIC NITROGEN AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.32	0.32	0.32	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
	2	0.24	0.24	0.24	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18
	3	0.18	0.18	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13
	4	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10
	5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07
	6	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05
	7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04
	8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04											
0		AMMONIA AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.10
	2	0.11	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13
	3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12
	4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11
	5	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09
	6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
	7	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06

CRF_75A.OUT

		NITRITE AS N IN MG/L								ITERATION 3											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
0	RCH/CL	NITRATE AS N IN MG/L								ITERATION 3											
	1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.14
	2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19	0.19
	3	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.23	0.23	0.23	0.24	0.24	0.24	0.24
	4	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29
	5	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.34	0.34
	6	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37	0.38
	7	0.38	0.38	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.40	0.40	0.41	0.41	0.41	0.41
	8	0.41	0.41	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.42	0.40	0.40	0.40	0.40	0.40	0.40	0.41	0.41	0.41	0.41
0	RCH/CL	ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 3											
	1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	RCH/CL	DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 3											
	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	RCH/CL	ALGAE AS CHL-A IN UG/L								ITERATION 3											
	1	8.28	8.16	8.05	7.93	7.82	7.71	7.60	7.50	7.39	7.29	7.19	7.09	6.99	6.89	6.80	6.71	6.61	6.52	6.43	6.35
	2	6.25	6.17	6.09	6.01	5.92	5.85	5.77	5.69	5.61	5.54	5.47	5.39	5.32	5.25	5.18	5.11	5.05	4.98	4.91	4.85

CRF_75A.OUT

3	4.79	4.72	4.66	4.60	4.54	4.48	4.42	4.36	4.31	4.25	4.20	4.14	4.09	4.03	3.98	3.93	3.88	3.83	3.78	3.73
4	3.68	3.63	3.59	3.54	3.50	3.45	3.41	3.36	3.32	3.28	3.23	3.19	3.15	3.11	3.07	3.03	2.99	2.95	2.92	2.88
5	2.84	2.81	2.77	2.73	2.70	2.66	2.63	2.60	2.56	2.53	2.50	2.47	2.43	2.40	2.37	2.34	2.31	2.28	2.25	2.23
6	2.20	2.17	2.14	2.12	2.09	2.06	2.04	2.01	1.99	1.96	1.94	1.91	1.89	1.87	1.84	1.82	1.80	1.78	1.75	1.73
7	1.71	1.69	1.67	1.65	1.63	1.61	1.59	1.57	1.55	1.54	1.52	1.50	1.51	1.50	1.48	1.46	1.44	1.43	1.41	1.39
8	1.38	1.36	1.34	1.33	1.31	1.30	1.28	1.27												

0 CONSERVATIVE MINERAL I ITERATION 3

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
2	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
3	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
4	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
5	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
6	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
7	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
8	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80												

0 ALGAE GROWTH RATES IN PER DAY ARE ITERATION 3

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
5	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
6	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
7	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
8	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05												

0 PHOTOSYNTHESIS-RESPIRATION RATIOS ARE ITERATION 3

RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.33	0.34	0.34	0.35	0.35	0.36	0.36	0.37	0.37	0.38	0.38	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.41
2	0.42	0.43	0.43	0.43	0.43	0.43	0.44	0.44	0.44	0.44	0.44	0.45	0.45	0.45	0.45	0.45	0.45	0.46	0.46	0.46
3	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
4	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50
5	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.51	0.51	0.51	0.51
6	0.51	0.52	0.52	0.52	0.53	0.53	0.53	0.54	0.54	0.54	0.55	0.55	0.55	0.56	0.56	0.56	0.57	0.57	0.57	0.57
7	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.60	0.60	0.60	0.60	0.60	0.60	0.61	0.61	0.61	0.61	0.61	0.62
8	0.62	0.62	0.62	0.62	0.63	0.63	0.63	0.63												

1
 STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL
 OUTPUT PAGE NUMBER 1
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN
ORD	NUM	NUM	LOC	LOC	SRCE	FLOW	TIME	AREA	AREA	COEF
						FLOW	VEL	DEPTH	WIDTH	VOLUME

75' Flood Scenario - Monthly Average - Output

													CRF_75A.OUT	
		MILE	MILE	CFS	CFS	CFS	FPS	DAY	FT	FT	FT-3	FT-2	FT-2	FT-2/S
1	1	1	227.00	226.7546364.10	0.00	0.10	0.129	0.119	12.33429218.080	475711104.0	38600428.0	360387.19	5.30	
2	1	2	226.75	226.5046364.20	0.00	0.10	0.129	0.119	12.33429218.098	475712800.0	38600452.0	360388.50	5.30	
3	1	3	226.50	226.2546364.30	0.00	0.10	0.129	0.119	12.33429218.115	475714528.0	38600476.0	360389.78	5.30	
4	1	4	226.25	226.0046364.41	0.00	0.10	0.129	0.119	12.33529218.131	475716224.0	38600496.0	360391.06	5.30	
5	1	5	226.00	225.7546364.51	0.00	0.10	0.129	0.119	12.33529218.146	475717920.0	38600516.0	360392.37	5.30	
6	1	6	225.75	225.5046364.61	0.00	0.10	0.129	0.119	12.33529218.164	475719616.0	38600540.0	360393.66	5.30	
7	1	7	225.50	225.2546364.71	0.00	0.10	0.129	0.119	12.33529218.184	475721376.0	38600564.0	360395.00	5.30	
8	1	8	225.25	225.0046364.81	0.00	0.10	0.129	0.119	12.33529218.203	475723072.0	38600592.0	360396.28	5.30	
9	1	9	225.00	224.7546364.91	0.00	0.10	0.129	0.119	12.33529218.219	475724800.0	38600612.0	360397.56	5.30	
10	1	10	224.75	224.5046365.02	0.00	0.10	0.129	0.119	12.33529218.236	475726496.0	38600636.0	360398.84	5.30	
11	1	11	224.50	224.2546365.12	0.00	0.10	0.129	0.119	12.33529218.252	475728192.0	38600656.0	360400.16	5.30	
12	1	12	224.25	224.0046365.22	0.00	0.10	0.129	0.119	12.33529218.270	475729888.0	38600680.0	360401.44	5.30	
13	1	13	224.00	223.7546365.32	0.00	0.10	0.129	0.119	12.33529218.291	475731648.0	38600708.0	360402.78	5.30	
14	1	14	223.75	223.5046365.42	0.00	0.10	0.129	0.119	12.33529218.307	475733344.0	38600728.0	360404.06	5.30	
15	1	15	223.50	223.2546365.52	0.00	0.10	0.129	0.119	12.33529218.324	475735072.0	38600752.0	360405.34	5.30	
16	1	16	223.25	223.0046365.62	0.00	0.10	0.129	0.119	12.33529218.340	475736768.0	38600772.0	360406.66	5.30	
17	1	17	223.00	222.7546365.73	0.00	0.10	0.129	0.119	12.33529218.357	475738464.0	38600796.0	360407.94	5.30	
18	1	18	222.75	222.5046365.83	0.00	0.10	0.129	0.119	12.33529218.373	475740160.0	38600816.0	360409.22	5.30	
19	1	19	222.50	222.2546365.93	0.00	0.10	0.129	0.119	12.33529218.395	475741920.0	38600844.0	360410.56	5.30	
20	1	20	222.25	222.0046366.03	0.00	0.10	0.129	0.119	12.33529218.412	475743648.0	38600868.0	360411.84	5.30	
21	2	1	222.00	221.7546435.76	69.63	0.10	0.129	0.119	12.36129230.400	476919712.0	38616760.0	361302.81	5.30	
22	2	2	221.75	221.5046435.86	0.00	0.10	0.129	0.119	12.36129230.416	476921408.0	38616780.0	361304.09	5.30	
23	2	3	221.50	221.2546435.96	0.00	0.10	0.129	0.119	12.36129230.434	476923136.0	38616804.0	361305.41	5.30	
24	2	4	221.25	221.0046436.07	0.00	0.10	0.129	0.119	12.36129230.451	476924832.0	38616828.0	361306.69	5.30	
25	2	5	221.00	220.7546436.17	0.00	0.10	0.129	0.119	12.36129230.473	476926592.0	38616856.0	361308.03	5.30	
26	2	6	220.75	220.5046436.27	0.00	0.10	0.129	0.119	12.36129230.488	476928288.0	38616876.0	361309.31	5.30	
27	2	7	220.50	220.2546436.37	0.00	0.10	0.129	0.119	12.36129230.506	476930016.0	38616900.0	361310.62	5.30	
28	2	8	220.25	220.0046436.47	0.00	0.10	0.129	0.119	12.36129230.521	476931712.0	38616920.0	361311.91	5.30	
29	2	9	220.00	219.7546436.57	0.00	0.10	0.129	0.119	12.36129230.539	476933408.0	38616944.0	361313.19	5.30	
30	2	10	219.75	219.5046436.68	0.00	0.10	0.129	0.119	12.36129230.557	476935136.0	38616968.0	361314.50	5.30	
31	2	11	219.50	219.2546436.78	0.00	0.10	0.129	0.119	12.36129230.574	476936832.0	38616992.0	361315.78	5.30	
32	2	12	219.25	219.0046436.88	0.00	0.10	0.129	0.119	12.36129230.592	476938528.0	38617016.0	361317.06	5.30	
33	2	13	219.00	218.7546436.98	0.00	0.10	0.129	0.119	12.36129230.611	476940320.0	38617040.0	361318.41	5.30	
34	2	14	218.75	218.5046437.08	0.00	0.10	0.129	0.119	12.36129230.627	476942016.0	38617060.0	361319.72	5.30	
35	2	15	218.50	218.2546437.18	0.00	0.10	0.129	0.119	12.36129230.645	476943712.0	38617084.0	361321.00	5.30	
36	2	16	218.25	218.0046437.29	0.00	0.10	0.129	0.119	12.36129230.664	476945440.0	38617108.0	361322.28	5.30	
37	2	17	218.00	217.7546437.39	0.00	0.10	0.129	0.119	12.36129230.680	476947136.0	38617132.0	361323.59	5.30	
38	2	18	217.75	217.5046437.49	0.00	0.10	0.129	0.119	12.36129230.697	476948832.0	38617152.0	361324.87	5.30	
39	2	19	217.50	217.2546437.59	0.00	0.10	0.129	0.119	12.36129230.713	476950560.0	38617176.0	361326.16	5.30	
40	2	20	217.25	217.0046437.69	0.00	0.10	0.129	0.119	12.36129230.730	476952256.0	38617196.0	361327.47	5.30	
41	3	1	217.00	216.7546437.79	0.00	0.10	0.129	0.119	12.36129230.750	476954016.0	38617224.0	361328.81	3.07	
42	3	2	216.75	216.5046437.89	0.00	0.10	0.129	0.119	12.36129230.770	476955712.0	38617248.0	361330.09	3.07	
43	3	3	216.50	216.2546438.00	0.00	0.10	0.129	0.119	12.36129230.785	476957440.0	38617272.0	361331.37	3.07	
44	3	4	216.25	216.0046438.10	0.00	0.10	0.129	0.119	12.36129230.803	476959136.0	38617292.0	361332.69	3.07	

CRF_75A.OUT

45	3	5	216.00	215.7546438.20	0.00	0.10	0.129	0.119	12.36129230.818	476960832.0	38617316.0	361333.97	3.07
46	3	6	215.75	215.5046438.30	0.00	0.10	0.129	0.119	12.36129230.836	476962560.0	38617336.0	361335.25	3.07
47	3	7	215.50	215.2546438.40	0.00	0.10	0.129	0.119	12.36129230.852	476964256.0	38617360.0	361336.56	3.07
48	3	8	215.25	215.0046438.50	0.00	0.10	0.129	0.119	12.36229230.875	476966016.0	38617388.0	361337.91	3.07
49	3	9	215.00	214.7546438.61	0.00	0.10	0.129	0.119	12.36229230.891	476967712.0	38617412.0	361339.19	3.07
50	3	10	214.75	214.5046438.71	0.00	0.10	0.129	0.119	12.36229230.908	476969440.0	38617432.0	361340.47	3.07
51	3	11	214.50	214.2546438.81	0.00	0.10	0.129	0.119	12.36229230.924	476971136.0	38617456.0	361341.78	3.07
52	3	12	214.25	214.0046438.91	0.00	0.10	0.129	0.119	12.36229230.941	476972832.0	38617476.0	361343.06	3.07
53	3	13	214.00	213.7546439.01	0.00	0.10	0.129	0.119	12.36229230.957	476974560.0	38617500.0	361344.34	3.07
54	3	14	213.75	213.5046439.11	0.00	0.10	0.129	0.119	12.36229230.977	476976256.0	38617524.0	361345.66	3.07
55	3	15	213.50	213.2546439.21	0.00	0.10	0.129	0.119	12.36229230.992	476977952.0	38617544.0	361346.94	3.07
56	3	16	213.25	213.0046439.32	0.00	0.10	0.129	0.119	12.36229231.014	476979712.0	38617572.0	361348.28	3.07
57	3	17	213.00	212.7546439.42	0.00	0.10	0.129	0.119	12.36229231.029	476981440.0	38617592.0	361349.56	3.07
58	3	18	212.75	212.5046439.52	0.00	0.10	0.129	0.119	12.36229231.047	476983136.0	38617616.0	361350.87	3.07
59	3	19	212.50	212.2546439.62	0.00	0.10	0.129	0.119	12.36229231.062	476984832.0	38617636.0	361352.16	3.07
60	3	20	212.25	212.0046439.72	0.00	0.10	0.129	0.119	12.36229231.082	476986560.0	38617664.0	361353.44	3.07
61	4	1	212.00	211.7546439.82	0.00	0.10	0.129	0.119	12.36229231.098	476988256.0	38617684.0	361354.75	2.93
62	4	2	211.75	211.5046439.93	0.00	0.10	0.129	0.119	12.36229231.115	476989952.0	38617708.0	361356.03	2.93
63	4	3	211.50	211.2546440.03	0.00	0.10	0.129	0.119	12.36229231.131	476991680.0	38617728.0	361357.34	2.93
64	4	4	211.25	211.0046441.13	1.00	0.10	0.129	0.119	12.36229231.322	477010304.0	38617984.0	361371.44	2.93
65	4	5	211.00	210.7546441.23	0.00	0.10	0.129	0.119	12.36329231.340	477012000.0	38618004.0	361372.72	2.93

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	INCR SRCE CFS	TRVL FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5046441.33	0.00	0.10	0.129	0.119	12.36329231.357	477013696.0	38618028.0	361374.03	2.93		
67	4	7	210.50	210.2546441.43	0.00	0.10	0.129	0.119	12.36329231.373	477015424.0	38618048.0	361375.31	2.93		
68	4	8	210.25	210.0046441.54	0.00	0.10	0.129	0.119	12.36329231.391	477017120.0	38618072.0	361376.59	2.93		
69	4	9	210.00	209.7546441.64	0.00	0.10	0.129	0.119	12.36329231.412	477018880.0	38618100.0	361377.94	2.93		
70	4	10	209.75	209.5046441.74	0.00	0.10	0.129	0.119	12.36329231.430	477020576.0	38618124.0	361379.22	2.93		
71	4	11	209.50	209.2546441.84	0.00	0.10	0.129	0.119	12.36329231.445	477022304.0	38618144.0	361380.53	2.93		
72	4	12	209.25	209.0046441.94	0.00	0.10	0.129	0.119	12.36329231.463	477024000.0	38618168.0	361381.81	2.93		
73	4	13	209.00	208.7546442.04	0.00	0.10	0.129	0.119	12.36329231.479	477025696.0	38618188.0	361383.12	2.93		
74	4	14	208.75	208.5046442.14	0.00	0.10	0.129	0.119	12.36329231.496	477027424.0	38618212.0	361384.41	2.93		
75	4	15	208.50	208.2546442.25	0.00	0.10	0.129	0.119	12.36329231.514	477029120.0	38618236.0	361385.69	2.93		
76	4	16	208.25	208.0046442.35	0.00	0.10	0.129	0.119	12.36329231.535	477030880.0	38618264.0	361387.03	2.93		
77	4	17	208.00	207.7546442.45	0.00	0.10	0.129	0.119	12.36329231.551	477032576.0	38618284.0	361388.31	2.93		
78	4	18	207.75	207.5046442.65	0.10	0.10	0.129	0.119	12.36329231.584	477035904.0	38618328.0	361390.84	2.93		
79	4	19	207.50	207.2546442.75	0.00	0.10	0.129	0.119	12.36329231.604	477037664.0	38618356.0	361392.19	2.93		
80	4	20	207.25	207.0046442.85	0.00	0.10	0.129	0.119	12.36329231.619	477039392.0	38618376.0	361393.47	2.93		

CRF_75A.OUT

81	5	1	207.00	206.7546442.95	0.00	0.10	0.129	0.119	12.36329231.637	477041088.0	38618400.0	361394.75	1.40
82	5	2	206.75	206.5046443.05	0.00	0.10	0.129	0.119	12.36329231.652	477042784.0	38618420.0	361396.06	1.40
83	5	3	206.50	206.2546443.16	0.00	0.10	0.129	0.119	12.36329231.672	477044512.0	38618444.0	361397.34	1.40
84	5	4	206.25	206.0046443.26	0.00	0.10	0.129	0.119	12.36329231.689	477046208.0	38618468.0	361398.62	1.40
85	5	5	206.00	205.7546443.36	0.00	0.10	0.129	0.119	12.36329231.705	477047904.0	38618488.0	361399.94	1.40
86	5	6	205.75	205.5046443.46	0.00	0.10	0.129	0.119	12.36329231.723	477049632.0	38618512.0	361401.22	1.40
87	5	7	205.50	205.2546443.56	0.00	0.10	0.129	0.119	12.36329231.742	477051392.0	38618540.0	361402.56	1.40
88	5	8	205.25	205.0046443.66	0.00	0.10	0.129	0.119	12.36329231.758	477053088.0	38618560.0	361403.84	1.40
89	5	9	205.00	204.7546443.77	0.00	0.10	0.129	0.119	12.36329231.775	477054784.0	38618584.0	361405.16	1.40
90	5	10	204.75	204.5046443.87	0.00	0.10	0.129	0.119	12.36329231.795	477056512.0	38618608.0	361406.44	1.40
91	5	11	204.50	204.2546443.97	0.00	0.10	0.129	0.119	12.36429231.811	477058208.0	38618628.0	361407.72	1.40
92	5	12	204.25	204.0046444.07	0.00	0.10	0.129	0.119	12.36429231.828	477059904.0	38618652.0	361409.03	1.40
93	5	13	204.00	203.7546444.17	0.00	0.10	0.129	0.119	12.36429231.844	477061632.0	38618672.0	361410.31	1.40
94	5	14	203.75	203.5046444.27	0.00	0.10	0.129	0.119	12.36429231.861	477063328.0	38618696.0	361411.62	1.40
95	5	15	203.50	203.2546444.37	0.00	0.10	0.129	0.119	12.36429231.881	477065088.0	38618724.0	361412.94	1.40
96	5	16	203.25	203.0046444.48	0.00	0.10	0.129	0.119	12.36429231.900	477066784.0	38618748.0	361414.25	1.40
97	5	17	203.00	202.7546445.58	1.00	0.10	0.129	0.119	12.36429232.086	477085376.0	38618996.0	361428.31	1.40
98	5	18	202.75	202.5046445.68	0.00	0.10	0.129	0.119	12.36429232.105	477087072.0	38619020.0	361429.59	1.40
99	5	19	202.50	202.2546445.78	0.00	0.10	0.129	0.119	12.36429232.121	477088768.0	38619040.0	361430.87	1.40
100	5	20	202.25	202.0046445.88	0.00	0.10	0.129	0.119	12.36429232.141	477090528.0	38619068.0	361432.22	1.40

101	6	1	202.00	201.7546445.98	0.00	0.10	0.129	0.119	12.36429232.158	477092256.0	38619092.0	361433.53	2.37
102	6	2	201.75	201.5046446.09	0.00	0.10	0.129	0.119	12.36429232.174	477093952.0	38619112.0	361434.81	2.37
103	6	3	201.50	201.2546446.19	0.00	0.10	0.129	0.119	12.36429232.191	477095648.0	38619136.0	361436.09	2.37
104	6	4	201.25	201.0046446.29	0.00	0.10	0.129	0.119	12.36429232.207	477097376.0	38619156.0	361437.41	2.37
105	6	5	201.00	200.7546446.39	0.00	0.10	0.129	0.119	12.36429232.227	477099072.0	38619180.0	361438.69	2.37
106	6	6	200.75	200.5046446.49	0.00	0.10	0.129	0.119	12.36429232.244	477100768.0	38619204.0	361440.00	2.37
107	6	7	200.50	200.2546446.59	0.00	0.10	0.129	0.119	12.36429232.260	477102496.0	38619224.0	361441.28	2.37
108	6	8	200.25	200.0046446.70	0.00	0.10	0.129	0.119	12.36529232.279	477104256.0	38619252.0	361442.62	2.37
109	6	9	200.00	199.7546446.80	0.00	0.10	0.129	0.119	12.36529232.297	477105952.0	38619276.0	361443.91	2.37
110	6	10	199.75	199.5046446.90	0.00	0.10	0.129	0.119	12.36529232.314	477107680.0	38619296.0	361445.19	2.37
111	6	11	199.50	199.2546447.00	0.00	0.10	0.129	0.119	12.36529232.332	477109376.0	38619320.0	361446.50	2.37
112	6	12	199.25	199.0046447.10	0.00	0.10	0.129	0.119	12.36529232.350	477111072.0	38619344.0	361447.78	2.37
113	6	13	199.00	198.7546447.30	0.10	0.10	0.129	0.119	12.36529232.385	477114464.0	38619392.0	361450.34	2.37
114	6	14	198.75	198.5046447.40	0.00	0.10	0.129	0.119	12.36529232.400	477116160.0	38619412.0	361451.62	2.37
115	6	15	198.50	198.2546447.50	0.00	0.10	0.129	0.119	12.36529232.418	477117856.0	38619436.0	361452.94	2.37
116	6	16	198.25	198.0046447.61	0.00	0.10	0.129	0.119	12.36529232.434	477119584.0	38619456.0	361454.22	2.37
117	6	17	198.00	197.7546447.71	0.00	0.10	0.129	0.119	12.36529232.451	477121280.0	38619480.0	361455.53	2.37
118	6	18	197.75	197.5046447.81	0.00	0.10	0.129	0.119	12.36529232.471	477123040.0	38619504.0	361456.84	2.37
119	6	19	197.50	197.2546447.91	0.00	0.10	0.129	0.119	12.36529232.490	477124736.0	38619532.0	361458.16	2.37
120	6	20	197.25	197.0046448.01	0.00	0.10	0.129	0.119	12.36529232.508	477126464.0	38619552.0	361459.44	2.37

121	7	1	197.00	196.7546448.21	0.10	0.10	0.129	0.119	12.36529232.539	477129824.0	38619596.0	361462.00	0.98
122	7	2	196.75	196.5046448.31	0.00	0.10	0.129	0.119	12.36529232.559	477131552.0	38619620.0	361463.28	0.98
123	7	3	196.50	196.2546448.41	0.00	0.10	0.129	0.119	12.36529232.576	477133248.0	38619644.0	361464.59	0.98
124	7	4	196.25	196.0046448.52	0.00	0.10	0.129	0.119	12.36529232.592	477134944.0	38619664.0	361465.87	0.98
125	7	5	196.00	195.7546448.62	0.00	0.10	0.129	0.119	12.36529232.609	477136672.0	38619688.0	361467.16	0.98

CRF_75A.OUT

126	7	6	195.75	195.5046448.72	0.00	0.10	0.129	0.119	12.36529232.625	477138368.0	38619708.0	361468.47	0.98
127	7	7	195.50	195.2546448.82	0.00	0.10	0.128	0.119	12.36529232.643	477140064.0	38619732.0	361469.75	0.98
128	7	8	195.25	195.0046448.92	0.00	0.10	0.128	0.119	12.36529232.662	477141792.0	38619760.0	361471.06	0.98
129	7	9	195.00	194.7546449.02	0.00	0.10	0.128	0.119	12.36529232.682	477143552.0	38619784.0	361472.37	0.98
130	7	10	194.75	194.5046449.12	0.00	0.10	0.128	0.119	12.36529232.697	477145248.0	38619804.0	361473.69	0.98

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	INCR SRCE CFS	TRVL FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
131	7	11	194.50	194.2546449.23	0.00	0.10	0.128	0.119	12.36529232.715	477146976.0	38619828.0	361474.97	0.98		
132	7	12	194.25	194.0046449.33	0.00	0.10	0.128	0.119	12.36529232.730	477148672.0	38619848.0	361476.25	0.98		
133	7	13	194.00	193.7546671.43	222.00	0.10	0.128	0.119	12.44729270.824	480902944.0	38670348.0	364320.41	0.98		
134	7	14	193.75	193.5046671.53	0.00	0.10	0.128	0.119	12.44729270.840	480904672.0	38670368.0	364321.72	0.98		
135	7	15	193.50	193.2546671.63	0.00	0.10	0.128	0.119	12.44729270.857	480906400.0	38670392.0	364323.03	0.98		
136	7	16	193.25	193.0046671.73	0.00	0.10	0.128	0.119	12.44729270.879	480908160.0	38670420.0	364324.37	0.98		
137	7	17	193.00	192.7546671.84	0.00	0.10	0.128	0.119	12.44729270.895	480909888.0	38670440.0	364325.66	0.98		
138	7	18	192.75	192.5046671.94	0.00	0.10	0.128	0.119	12.44729270.912	480911584.0	38670464.0	364326.97	0.98		
139	7	19	192.50	192.2546672.04	0.00	0.10	0.128	0.119	12.44729270.932	480913312.0	38670488.0	364328.28	0.98		
140	7	20	192.25	192.0046672.14	0.00	0.10	0.128	0.119	12.44729270.949	480915040.0	38670512.0	364329.56	0.98		
141	8	1	192.00	191.7546673.16	0.77	0.25	0.128	0.119	12.44729271.119	480932256.0	38670736.0	364342.62	0.98		
142	8	2	191.75	191.5046673.41	0.00	0.25	0.128	0.119	12.44729271.164	480936512.0	38670796.0	364345.84	0.98		
143	8	3	191.50	191.2546673.66	0.00	0.25	0.128	0.119	12.44729271.207	480940768.0	38670856.0	364349.06	0.98		
144	8	4	191.25	191.0046673.91	0.00	0.25	0.128	0.119	12.44729271.250	480944960.0	38670912.0	364352.25	0.98		
145	8	5	191.00	190.7546674.16	0.00	0.25	0.128	0.119	12.44829271.293	480949216.0	38670968.0	364355.47	0.98		
146	8	6	190.75	190.5046674.41	0.00	0.25	0.128	0.119	12.44829271.334	480953408.0	38671024.0	364358.66	0.98		
147	8	7	190.50	190.2546674.66	0.00	0.25	0.128	0.119	12.44829271.377	480957664.0	38671080.0	364361.87	0.98		
148	8	8	190.25	190.0046674.91	0.00	0.25	0.128	0.119	12.44829271.424	480961920.0	38671140.0	364365.09	0.98		

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
1	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CRF_75A.OUT

3	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
4	6	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

		CRF_75A.OUT																	
7	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH	ELE	TEMP	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	DEG-F				MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
1	1	81.30	1.77	0.00	0.00	5.42	5.55	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.28
1	2	81.30	1.77	0.00	0.00	5.44	5.51	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.16
1	3	81.30	1.77	0.00	0.00	5.46	5.46	0.32	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	8.05
1	4	81.30	1.77	0.00	0.00	5.47	5.42	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.93

CRF_75A.OUT

1	5	81.30	1.77	0.00	0.00	5.49	5.37	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.82
1	6	81.30	1.77	0.00	0.00	5.51	5.33	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.71
1	7	81.30	1.77	0.00	0.00	5.53	5.28	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.60
1	8	81.30	1.77	0.00	0.00	5.54	5.24	0.29	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.50
1	9	81.30	1.77	0.00	0.00	5.56	5.20	0.29	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.39
1	10	81.30	1.77	0.00	0.00	5.58	5.15	0.28	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.29
1	11	81.30	1.77	0.00	0.00	5.59	5.11	0.28	0.08	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.19
1	12	81.30	1.77	0.00	0.00	5.61	5.07	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.09
1	13	81.30	1.77	0.00	0.00	5.62	5.03	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.99
1	14	81.30	1.77	0.00	0.00	5.64	4.99	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.89
1	15	81.30	1.77	0.00	0.00	5.65	4.94	0.26	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.80
1	16	81.30	1.77	0.00	0.00	5.66	4.90	0.26	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.71
1	17	81.30	1.77	0.00	0.00	5.68	4.86	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.61
1	18	81.30	1.77	0.00	0.00	5.69	4.82	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.52
1	19	81.30	1.77	0.00	0.00	5.70	4.78	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.43
1	20	81.30	1.77	0.00	0.00	5.72	4.75	0.24	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.35
2	1	81.30	1.80	0.00	0.00	5.72	5.02	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.25
2	2	81.30	1.80	0.00	0.00	5.73	4.98	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.17
2	3	81.30	1.80	0.00	0.00	5.74	4.94	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.09
2	4	81.30	1.80	0.00	0.00	5.75	4.90	0.23	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.01
2	5	81.30	1.80	0.00	0.00	5.76	4.86	0.23	0.12	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	5.92
2	6	81.30	1.80	0.00	0.00	5.77	4.82	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.85
2	7	81.30	1.80	0.00	0.00	5.78	4.78	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.77
2	8	81.30	1.80	0.00	0.00	5.79	4.74	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.69
2	9	81.30	1.80	0.00	0.00	5.80	4.70	0.21	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.61
2	10	81.30	1.80	0.00	0.00	5.81	4.66	0.21	0.12	0.01	0.17	0.51	0.02	0.01	0.04	0.00	0.00	5.54
2	11	81.30	1.80	0.00	0.00	5.82	4.62	0.21	0.12	0.01	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.47
2	12	81.30	1.80	0.00	0.00	5.82	4.58	0.21	0.12	0.01	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.39
2	13	81.30	1.80	0.00	0.00	5.83	4.54	0.20	0.12	0.02	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.32
2	14	81.30	1.80	0.00	0.00	5.84	4.51	0.20	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.25
2	15	81.30	1.80	0.00	0.00	5.85	4.47	0.20	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.18
2	16	81.30	1.80	0.00	0.00	5.86	4.43	0.19	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.11
2	17	81.30	1.80	0.00	0.00	5.87	4.40	0.19	0.13	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.05
2	18	81.30	1.80	0.00	0.00	5.87	4.36	0.19	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.98
2	19	81.30	1.80	0.00	0.00	5.88	4.32	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.91
2	20	81.30	1.80	0.00	0.00	5.89	4.29	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.85
3	1	81.30	1.80	0.00	0.00	5.90	4.25	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.79
3	2	81.30	1.80	0.00	0.00	5.91	4.22	0.18	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.72
3	3	81.30	1.80	0.00	0.00	5.92	4.18	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.66
3	4	81.30	1.80	0.00	0.00	5.92	4.15	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.60
3	5	81.30	1.80	0.00	0.00	5.93	4.11	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.54
3	6	81.30	1.80	0.00	0.00	5.94	4.08	0.17	0.13	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.48
3	7	81.30	1.80	0.00	0.00	5.95	4.05	0.16	0.13	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.42
3	8	81.30	1.80	0.00	0.00	5.96	4.01	0.16	0.13	0.02	0.21	0.52	0.03	0.01	0.04	0.00	0.00	4.36
3	9	81.30	1.80	0.00	0.00	5.96	3.98	0.16	0.13	0.02	0.21	0.52	0.03	0.01	0.04	0.00	0.00	4.31
3	10	81.30	1.80	0.00	0.00	5.97	3.95	0.16	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.25

CRF_75A.OUT

3	11	81.30	1.80	0.00	0.00	5.98	3.91	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.20
3	12	81.30	1.80	0.00	0.00	5.99	3.88	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.14
3	13	81.30	1.80	0.00	0.00	5.99	3.85	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.09
3	14	81.30	1.80	0.00	0.00	6.00	3.82	0.15	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	4.03
3	15	81.30	1.80	0.00	0.00	6.01	3.79	0.14	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	3.98
3	16	81.30	1.80	0.00	0.00	6.02	3.75	0.14	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	3.93
3	17	81.30	1.80	0.00	0.00	6.03	3.72	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.88
3	18	81.30	1.80	0.00	0.00	6.03	3.69	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.83
3	19	81.30	1.80	0.00	0.00	6.04	3.66	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.78
3	20	81.30	1.80	0.00	0.00	6.05	3.63	0.13	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.73
4	1	81.30	1.80	0.00	0.00	6.05	3.60	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.68
4	2	81.30	1.80	0.00	0.00	6.05	3.57	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.63
4	3	81.30	1.80	0.00	0.00	6.04	3.54	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.59
4	4	81.30	1.80	0.00	0.00	6.04	3.51	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.54
4	5	81.30	1.80	0.00	0.00	6.04	3.48	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.50

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	81.30	1.80	0.00	0.00	6.04	3.46	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.45
4	7	81.30	1.80	0.00	0.00	6.04	3.43	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.41
4	8	81.30	1.80	0.00	0.00	6.04	3.40	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.36
4	9	81.30	1.80	0.00	0.00	6.04	3.37	0.12	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.32
4	10	81.30	1.80	0.00	0.00	6.04	3.34	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.28
4	11	81.30	1.80	0.00	0.00	6.05	3.31	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.23
4	12	81.30	1.80	0.00	0.00	6.05	3.29	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.19
4	13	81.30	1.80	0.00	0.00	6.05	3.26	0.11	0.12	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.15
4	14	81.30	1.80	0.00	0.00	6.05	3.23	0.11	0.12	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.11
4	15	81.30	1.80	0.00	0.00	6.05	3.21	0.11	0.11	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.07
4	16	81.30	1.80	0.00	0.00	6.05	3.18	0.10	0.11	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.03
4	17	81.30	1.80	0.00	0.00	6.06	3.15	0.10	0.11	0.02	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.99
4	18	81.30	1.80	0.00	0.00	6.06	3.13	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.95
4	19	81.30	1.80	0.00	0.00	6.06	3.10	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.92
4	20	81.30	1.80	0.00	0.00	6.07	3.08	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.88
5	1	81.30	1.80	0.00	0.00	6.07	3.05	0.10	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.84
5	2	81.30	1.80	0.00	0.00	6.07	3.03	0.10	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.81
5	3	81.30	1.80	0.00	0.00	6.08	3.00	0.09	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.77
5	4	81.30	1.80	0.00	0.00	6.08	2.98	0.09	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.73
5	5	81.30	1.80	0.00	0.00	6.08	2.95	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.70

CRF_75A.OUT

5	6	81.30	1.80	0.00	0.00	6.09	2.93	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.66
5	7	81.30	1.80	0.00	0.00	6.09	2.90	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.63
5	8	81.30	1.80	0.00	0.00	6.10	2.88	0.09	0.10	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.60
5	9	81.30	1.80	0.00	0.00	6.10	2.85	0.09	0.10	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.56
5	10	81.30	1.80	0.00	0.00	6.10	2.83	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.53
5	11	81.30	1.80	0.00	0.00	6.11	2.81	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.50
5	12	81.30	1.80	0.00	0.00	6.11	2.78	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.47
5	13	81.30	1.80	0.00	0.00	6.12	2.76	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.43
5	14	81.30	1.80	0.00	0.00	6.12	2.74	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.40
5	15	81.30	1.80	0.00	0.00	6.13	2.72	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.37
5	16	81.30	1.80	0.00	0.00	6.13	2.69	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.34
5	17	81.30	1.80	0.00	0.00	6.14	2.67	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.31
5	18	81.30	1.80	0.00	0.00	6.14	2.65	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.28
5	19	81.30	1.80	0.00	0.00	6.15	2.63	0.07	0.10	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.25
5	20	81.30	1.80	0.00	0.00	6.15	2.60	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.23
6	1	81.30	1.80	0.00	0.00	6.16	2.58	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.20
6	2	81.30	1.80	0.00	0.00	6.16	2.56	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.17
6	3	81.30	1.80	0.00	0.00	6.17	2.54	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.14
6	4	81.30	1.80	0.00	0.00	6.18	2.52	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.12
6	5	81.30	1.80	0.00	0.00	6.18	2.50	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.09
6	6	81.30	1.80	0.00	0.00	6.19	2.48	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.06
6	7	81.30	1.80	0.00	0.00	6.19	2.46	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.04
6	8	81.30	1.80	0.00	0.00	6.20	2.44	0.06	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.01
6	9	81.30	1.80	0.00	0.00	6.20	2.42	0.06	0.09	0.01	0.36	0.52	0.03	0.01	0.04	0.00	0.00	1.99
6	10	81.30	1.80	0.00	0.00	6.21	2.40	0.06	0.09	0.01	0.36	0.52	0.03	0.02	0.04	0.00	0.00	1.96
6	11	81.30	1.80	0.00	0.00	6.21	2.38	0.06	0.09	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.94
6	12	81.30	1.80	0.00	0.00	6.22	2.36	0.06	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.91
6	13	81.30	1.80	0.00	0.00	6.23	2.34	0.06	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.89
6	14	81.30	1.80	0.00	0.00	6.23	2.32	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.87
6	15	81.30	1.80	0.00	0.00	6.24	2.30	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.84
6	16	81.30	1.80	0.00	0.00	6.24	2.28	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.82
6	17	81.30	1.80	0.00	0.00	6.25	2.26	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.80
6	18	81.30	1.80	0.00	0.00	6.25	2.24	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.78
6	19	81.30	1.80	0.00	0.00	6.26	2.22	0.05	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.75
6	20	81.30	1.80	0.00	0.00	6.27	2.21	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.73
7	1	81.30	1.80	0.00	0.00	6.28	2.19	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.71
7	2	81.30	1.80	0.00	0.00	6.30	2.17	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.69
7	3	81.30	1.80	0.00	0.00	6.31	2.15	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.67
7	4	81.30	1.80	0.00	0.00	6.33	2.13	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.65
7	5	81.30	1.80	0.00	0.00	6.34	2.12	0.05	0.07	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.63
7	6	81.30	1.80	0.00	0.00	6.36	2.10	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.61
7	7	81.30	1.80	0.00	0.00	6.37	2.08	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.59
7	8	81.30	1.80	0.00	0.00	6.38	2.06	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.57
7	9	81.30	1.80	0.00	0.00	6.39	2.05	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.55
7	10	81.30	1.80	0.00	0.00	6.41	2.03	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.54

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 9
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	81.30	1.80	0.00	0.00	6.42	2.01	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.52
7	12	81.30	1.80	0.00	0.00	6.43	2.00	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.50
7	13	81.30	1.80	0.00	0.00	6.44	1.98	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.51
7	14	81.30	1.80	0.00	0.00	6.45	1.97	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.50
7	15	81.30	1.80	0.00	0.00	6.46	1.95	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.48
7	16	81.30	1.80	0.00	0.00	6.47	1.93	0.04	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.46
7	17	81.30	1.80	0.00	0.00	6.48	1.92	0.04	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.44
7	18	81.30	1.80	0.00	0.00	6.49	1.90	0.04	0.07	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.43
7	19	81.30	1.80	0.00	0.00	6.51	1.89	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.41
7	20	81.30	1.80	0.00	0.00	6.52	1.87	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.39
8	1	81.30	1.80	0.00	0.00	6.53	1.86	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.38
8	2	81.30	1.80	0.00	0.00	6.54	1.84	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.36
8	3	81.30	1.80	0.00	0.00	6.55	1.83	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.34
8	4	81.30	1.80	0.00	0.00	6.55	1.81	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.33
8	5	81.30	1.80	0.00	0.00	6.56	1.80	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.31
8	6	81.30	1.80	0.00	0.00	6.57	1.78	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.30
8	7	81.30	1.80	0.00	0.00	6.58	1.77	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.28
8	8	81.30	1.80	0.00	0.00	6.59	1.75	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.27

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 10
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN FACTORS NITRGN *	PHSPRS *
1	1	1	8.28	0.02	0.07	0.95	0.32	-0.05	0.50	0.33	4.23	0.03	0.43	0.58
2	1	2	8.16	0.03	0.07	0.95	0.33	-0.05	0.50	0.34	4.23	0.03	0.44	0.58
3	1	3	8.05	0.03	0.07	0.95	0.34	-0.05	0.50	0.35	4.23	0.03	0.45	0.58
4	1	4	7.93	0.03	0.07	0.95	0.34	-0.05	0.50	0.36	4.22	0.03	0.46	0.58
5	1	5	7.82	0.03	0.07	0.95	0.35	-0.05	0.50	0.36	4.22	0.03	0.47	0.58
6	1	6	7.71	0.03	0.07	0.95	0.35	-0.05	0.50	0.37	4.22	0.03	0.48	0.58

									CRF_75A.OUT					
7	1	7	7.60	0.03	0.07	0.95	0.36	-0.05	0.50	0.38	4.22	0.03	0.49	0.58
8	1	8	7.50	0.03	0.07	0.95	0.36	-0.04	0.50	0.38	4.21	0.03	0.49	0.58
9	1	9	7.39	0.03	0.07	0.95	0.37	-0.04	0.50	0.39	4.21	0.03	0.50	0.58
10	1	10	7.29	0.03	0.07	0.95	0.37	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
11	1	11	7.19	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
12	1	12	7.09	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.20	0.03	0.52	0.58
13	1	13	6.99	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.52	0.58
14	1	14	6.89	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
15	1	15	6.80	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
16	1	16	6.71	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.19	0.03	0.54	0.58
17	1	17	6.61	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
18	1	18	6.52	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
19	1	19	6.43	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.55	0.58
20	1	20	6.35	0.03	0.07	0.95	0.41	-0.04	0.50	0.42	4.18	0.03	0.55	0.58
21	2	1	6.25	0.03	0.07	0.95	0.42	-0.03	0.50	0.43	4.18	0.03	0.56	0.59
22	2	2	6.17	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.18	0.03	0.56	0.59
23	2	3	6.09	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.18	0.03	0.57	0.59
24	2	4	6.01	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.57	0.59
25	2	5	5.92	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.57	0.59
26	2	6	5.85	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
27	2	7	5.77	0.03	0.07	0.95	0.44	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
28	2	8	5.69	0.03	0.07	0.95	0.44	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
29	2	9	5.61	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
30	2	10	5.54	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
31	2	11	5.47	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
32	2	12	5.39	0.03	0.07	0.95	0.45	-0.03	0.50	0.42	4.16	0.03	0.59	0.58
33	2	13	5.32	0.03	0.07	0.95	0.45	-0.03	0.50	0.42	4.16	0.03	0.60	0.58
34	2	14	5.25	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
35	2	15	5.18	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
36	2	16	5.11	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
37	2	17	5.05	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.61	0.58
38	2	18	4.98	0.04	0.07	0.95	0.46	-0.03	0.50	0.40	4.15	0.03	0.61	0.58
39	2	19	4.91	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.15	0.03	0.61	0.58
40	2	20	4.85	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.14	0.03	0.61	0.58
41	3	1	4.79	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.14	0.03	0.62	0.58
42	3	2	4.72	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
43	3	3	4.66	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
44	3	4	4.60	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
45	3	5	4.54	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.14	0.03	0.62	0.58
46	3	6	4.48	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.62	0.58
47	3	7	4.42	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.63	0.58
48	3	8	4.36	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.63	0.58
49	3	9	4.31	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
50	3	10	4.25	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
51	3	11	4.20	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
52	3	12	4.14	0.04	0.07	0.95	0.47	-0.02	0.50	0.36	4.13	0.03	0.64	0.58

CRF_75A.OUT														
53	3	13	4.09	0.04	0.07	0.95	0.48	-0.02	0.50	0.36	4.12	0.03	0.64	0.58
54	3	14	4.03	0.04	0.07	0.95	0.48	-0.02	0.50	0.36	4.12	0.03	0.64	0.58
55	3	15	3.98	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
56	3	16	3.93	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
57	3	17	3.88	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
58	3	18	3.83	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.12	0.03	0.64	0.58
59	3	19	3.78	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.12	0.03	0.65	0.58
60	3	20	3.73	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.11	0.03	0.65	0.58
61	4	1	3.68	0.04	0.07	0.95	0.48	-0.02	0.50	0.33	4.11	0.03	0.65	0.58
62	4	2	3.63	0.04	0.07	0.95	0.48	-0.02	0.50	0.33	4.11	0.03	0.65	0.58
63	4	3	3.59	0.04	0.07	0.95	0.49	-0.02	0.50	0.33	4.11	0.03	0.65	0.57
64	4	4	3.54	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57
65	4	5	3.50	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N		LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *		LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.45	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57
67	4	7	3.41	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.11	0.03	0.66	0.57
68	4	8	3.36	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.10	0.03	0.66	0.57
69	4	9	3.32	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.10	0.03	0.66	0.57
70	4	10	3.28	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
71	4	11	3.23	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
72	4	12	3.19	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
73	4	13	3.15	0.04	0.07	0.95	0.49	-0.01	0.50	0.30	4.10	0.03	0.66	0.57
74	4	14	3.11	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.66	0.57
75	4	15	3.07	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.66	0.57
76	4	16	3.03	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.67	0.57
77	4	17	2.99	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
78	4	18	2.95	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
79	4	19	2.92	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
80	4	20	2.88	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
81	5	1	2.84	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
82	5	2	2.81	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
83	5	3	2.77	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
84	5	4	2.73	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57
85	5	5	2.70	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57
86	5	6	2.66	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57

CRF_75A.OUT

87	5	7	2.63	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.67	0.57
88	5	8	2.60	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
89	5	9	2.56	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
90	5	10	2.53	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
91	5	11	2.50	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
92	5	12	2.47	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
93	5	13	2.43	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
94	5	14	2.40	0.04	0.07	0.95	0.50	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
95	5	15	2.37	0.04	0.07	0.95	0.50	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
96	5	16	2.34	0.04	0.07	0.95	0.51	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
97	5	17	2.31	0.04	0.07	0.95	0.51	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
98	5	18	2.28	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
99	5	19	2.25	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
100	5	20	2.23	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
101	6	1	2.20	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
102	6	2	2.17	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.57
103	6	3	2.14	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.58
104	6	4	2.12	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.58
105	6	5	2.09	0.04	0.07	0.95	0.53	-0.01	0.50	0.21	4.07	0.03	0.69	0.59
106	6	6	2.06	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
107	6	7	2.04	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
108	6	8	2.01	0.04	0.07	0.95	0.54	-0.01	0.50	0.20	4.07	0.03	0.69	0.60
109	6	9	1.99	0.04	0.07	0.95	0.54	-0.01	0.50	0.20	4.07	0.03	0.69	0.60
110	6	10	1.96	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.07	0.03	0.69	0.60
111	6	11	1.94	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
112	6	12	1.91	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
113	6	13	1.89	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
114	6	14	1.87	0.04	0.07	0.95	0.56	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
115	6	15	1.84	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
116	6	16	1.82	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
117	6	17	1.80	0.04	0.07	0.95	0.57	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
118	6	18	1.78	0.04	0.07	0.95	0.57	-0.01	0.50	0.18	4.06	0.03	0.69	0.63
119	6	19	1.75	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
120	6	20	1.73	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
121	7	1	1.71	0.04	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.63
122	7	2	1.69	0.05	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.64
123	7	3	1.67	0.05	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.64
124	7	4	1.65	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.06	0.03	0.70	0.64
125	7	5	1.63	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.06	0.03	0.70	0.64
126	7	6	1.61	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.64
127	7	7	1.59	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.65
128	7	8	1.57	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.65
129	7	9	1.55	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
130	7	10	1.54	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.65

1

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGAE GROWTH RATE			A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
				GRWTH 1/DAY	RESP 1/DAY	SETT FT/DA						LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.52	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
132	7	12	1.50	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
133	7	13	1.51	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
134	7	14	1.50	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
135	7	15	1.48	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
136	7	16	1.46	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
137	7	17	1.44	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
138	7	18	1.43	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
139	7	19	1.41	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
140	7	20	1.39	0.05	0.07	0.95	0.62	-0.01	0.50	0.13	4.05	0.03	0.70	0.67
141	8	1	1.38	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
142	8	2	1.36	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
143	8	3	1.34	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
144	8	4	1.33	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
145	8	5	1.31	0.05	0.07	0.95	0.63	0.00	0.50	0.13	4.05	0.03	0.70	0.68
146	8	6	1.30	0.05	0.07	0.95	0.63	0.00	0.50	0.13	4.05	0.03	0.70	0.68
147	8	7	1.28	0.05	0.07	0.95	0.63	0.00	0.50	0.12	4.05	0.03	0.70	0.68
148	8	8	1.27	0.05	0.07	0.95	0.63	0.00	0.50	0.12	4.04	0.03	0.70	0.69

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)											
				DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	81.30	7.91	5.42	2.49	0.00	1.00	45.47	0.89	-0.39	-0.01	-0.05	-0.03	-0.04
2	1	2	81.30	7.91	5.44	2.48	0.00	1.00	0.00	0.89	-0.39	-0.01	-0.05	-0.03	-0.03
3	1	3	81.30	7.91	5.46	2.46	0.00	1.00	0.00	0.88	-0.38	-0.01	-0.05	-0.04	-0.03
4	1	4	81.30	7.91	5.47	2.44	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
5	1	5	81.30	7.91	5.49	2.42	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
6	1	6	81.30	7.91	5.51	2.40	0.00	1.00	0.00	0.86	-0.37	-0.01	-0.05	-0.04	-0.02

									CRF_75A.OUT						
7	1	7	81.30	7.91	5.53	2.39	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.05	-0.04	-0.02
8	1	8	81.30	7.91	5.54	2.37	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.04	-0.05	-0.02
9	1	9	81.30	7.91	5.56	2.35	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
10	1	10	81.30	7.91	5.58	2.34	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
11	1	11	81.30	7.91	5.59	2.32	0.00	1.00	0.00	0.83	-0.36	-0.01	-0.04	-0.05	-0.02
12	1	12	81.30	7.91	5.61	2.31	0.00	1.00	0.00	0.82	-0.36	-0.01	-0.04	-0.05	-0.02
13	1	13	81.30	7.91	5.62	2.29	0.00	1.00	0.00	0.82	-0.35	-0.01	-0.04	-0.06	-0.02
14	1	14	81.30	7.91	5.64	2.28	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
15	1	15	81.30	7.91	5.65	2.26	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
16	1	16	81.30	7.91	5.66	2.25	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
17	1	17	81.30	7.91	5.68	2.23	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
18	1	18	81.30	7.91	5.69	2.22	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
19	1	19	81.30	7.91	5.70	2.21	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
20	1	20	81.30	7.91	5.72	2.20	0.00	1.00	0.00	0.79	-0.33	-0.01	-0.04	-0.06	-0.02
21	2	1	81.30	7.91	5.72	2.19	0.00	1.00	0.04	0.78	-0.35	-0.01	-0.03	-0.07	-0.02
22	2	2	81.30	7.91	5.73	2.18	0.00	1.00	0.00	0.78	-0.35	-0.01	-0.03	-0.07	-0.02
23	2	3	81.30	7.91	5.74	2.17	0.00	1.00	0.00	0.78	-0.35	-0.01	-0.03	-0.07	-0.02
24	2	4	81.30	7.91	5.75	2.16	0.00	1.00	0.00	0.77	-0.34	-0.01	-0.03	-0.07	-0.02
25	2	5	81.30	7.91	5.76	2.15	0.00	1.00	0.00	0.77	-0.34	-0.01	-0.03	-0.07	-0.02
26	2	6	81.30	7.91	5.77	2.14	0.00	1.00	0.00	0.77	-0.34	-0.01	-0.03	-0.07	-0.02
27	2	7	81.30	7.91	5.78	2.13	0.00	1.00	0.00	0.76	-0.34	-0.01	-0.03	-0.07	-0.02
28	2	8	81.30	7.91	5.79	2.12	0.00	1.00	0.00	0.76	-0.33	-0.01	-0.03	-0.07	-0.02
29	2	9	81.30	7.91	5.80	2.12	0.00	1.00	0.00	0.76	-0.33	-0.01	-0.03	-0.07	-0.02
30	2	10	81.30	7.91	5.81	2.11	0.00	1.00	0.00	0.75	-0.33	-0.01	-0.03	-0.07	-0.02
31	2	11	81.30	7.91	5.82	2.10	0.00	1.00	0.00	0.75	-0.32	-0.01	-0.03	-0.08	-0.02
32	2	12	81.30	7.91	5.82	2.09	0.00	1.00	0.00	0.75	-0.32	-0.01	-0.03	-0.08	-0.02
33	2	13	81.30	7.91	5.83	2.08	0.00	1.00	0.00	0.74	-0.32	-0.01	-0.03	-0.08	-0.02
34	2	14	81.30	7.91	5.84	2.07	0.00	1.00	0.00	0.74	-0.32	-0.01	-0.03	-0.08	-0.02
35	2	15	81.30	7.91	5.85	2.06	0.00	1.00	0.00	0.74	-0.31	-0.01	-0.03	-0.08	-0.02
36	2	16	81.30	7.91	5.86	2.06	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.03	-0.08	-0.02
37	2	17	81.30	7.91	5.87	2.05	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.03	-0.08	-0.02
38	2	18	81.30	7.91	5.87	2.04	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.03	-0.08	-0.02
39	2	19	81.30	7.91	5.88	2.03	0.00	1.00	0.00	0.73	-0.30	-0.01	-0.02	-0.08	-0.03
40	2	20	81.30	7.91	5.89	2.02	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
41	3	1	81.30	7.91	5.90	2.01	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
42	3	2	81.30	7.91	5.91	2.01	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
43	3	3	81.30	7.91	5.92	2.00	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
44	3	4	81.30	7.91	5.92	1.99	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
45	3	5	81.30	7.91	5.93	1.98	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
46	3	6	81.30	7.91	5.94	1.97	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
47	3	7	81.30	7.91	5.95	1.97	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.03
48	3	8	81.30	7.91	5.96	1.96	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.03
49	3	9	81.30	7.91	5.96	1.95	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.03
50	3	10	81.30	7.91	5.97	1.94	0.00	1.00	0.00	0.69	-0.28	-0.01	-0.02	-0.08	-0.03
51	3	11	81.30	7.91	5.98	1.93	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.03
52	3	12	81.30	7.91	5.99	1.93	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.03

										CRF_75A.OUT					
53	3	13	81.30	7.91	5.99	1.92	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.03
54	3	14	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
55	3	15	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
56	3	16	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
57	3	17	81.30	7.91	6.03	1.89	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03
58	3	18	81.30	7.91	6.03	1.88	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03
59	3	19	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03
60	3	20	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03
61	4	1	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
62	4	2	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
63	4	3	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
64	4	4	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
65	4	5	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.03

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER
 EPA/NCASI VERSION

14

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE	RCH	ELE	DO	DO	DO	DAM	NIT	F-FUNCTN	OXYGN	C-BOD	SOD	NET	NH3-N	NO2-N	
ORD	NUM	NUM	TEMP	SAT	MG/L	MG/L	DEF	INPUT	REAIR			P-R			
			DEG-F	MG/L			MG/L	MG/L							
66	4	6	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.03
67	4	7	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.03
68	4	8	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.03
69	4	9	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.24	-0.01	-0.02	-0.07	-0.02
70	4	10	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.02	-0.07	-0.02
71	4	11	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.02	-0.07	-0.02
72	4	12	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.02	-0.07	-0.02
73	4	13	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
74	4	14	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
75	4	15	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
76	4	16	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
77	4	17	81.30	7.91	6.06	1.86	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
78	4	18	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
79	4	19	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
80	4	20	81.30	7.91	6.07	1.85	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
81	5	1	81.30	7.91	6.07	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.07	-0.02
82	5	2	81.30	7.91	6.07	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.07	-0.02
83	5	3	81.30	7.91	6.08	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.07	-0.02
84	5	4	81.30	7.91	6.08	1.83	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.07	-0.02
85	5	5	81.30	7.91	6.08	1.83	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
86	5	6	81.30	7.91	6.09	1.83	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02

									CRF_75A.OUT						
87	5	7	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.07	-0.02
88	5	8	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
89	5	9	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
90	5	10	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
91	5	11	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.06	-0.02
92	5	12	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.06	-0.02
93	5	13	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
94	5	14	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
95	5	15	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
96	5	16	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
97	5	17	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
98	5	18	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
99	5	19	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
100	5	20	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
101	6	1	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
102	6	2	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
103	6	3	81.30	7.91	6.17	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
104	6	4	81.30	7.91	6.18	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
105	6	5	81.30	7.91	6.18	1.73	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
106	6	6	81.30	7.91	6.19	1.73	0.00	1.00	0.00	0.62	-0.17	-0.01	-0.01	-0.06	-0.02
107	6	7	81.30	7.91	6.19	1.72	0.00	1.00	0.00	0.62	-0.17	-0.01	-0.01	-0.06	-0.02
108	6	8	81.30	7.91	6.20	1.72	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
109	6	9	81.30	7.91	6.20	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
110	6	10	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
111	6	11	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
112	6	12	81.30	7.91	6.22	1.69	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
113	6	13	81.30	7.91	6.23	1.69	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
114	6	14	81.30	7.91	6.23	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
115	6	15	81.30	7.91	6.24	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
116	6	16	81.30	7.91	6.24	1.67	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
117	6	17	81.30	7.91	6.25	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
118	6	18	81.30	7.91	6.25	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
119	6	19	81.30	7.91	6.26	1.65	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
120	6	20	81.30	7.91	6.27	1.65	0.00	1.00	0.00	0.59	-0.15	-0.01	-0.01	-0.05	-0.02
121	7	1	81.30	7.91	6.28	1.63	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
122	7	2	81.30	7.91	6.30	1.62	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
123	7	3	81.30	7.91	6.31	1.60	0.00	1.00	0.00	0.57	-0.15	-0.01	-0.01	-0.05	-0.02
124	7	4	81.30	7.91	6.33	1.59	0.00	1.00	0.00	0.57	-0.15	-0.01	-0.01	-0.05	-0.02
125	7	5	81.30	7.91	6.34	1.57	0.00	1.00	0.00	0.56	-0.15	-0.01	-0.01	-0.05	-0.02
126	7	6	81.30	7.91	6.36	1.56	0.00	1.00	0.00	0.56	-0.15	-0.01	-0.01	-0.05	-0.02
127	7	7	81.30	7.91	6.37	1.54	0.00	1.00	0.00	0.55	-0.15	-0.01	-0.01	-0.05	-0.02
128	7	8	81.30	7.91	6.38	1.53	0.00	1.00	0.00	0.55	-0.14	-0.01	-0.01	-0.04	-0.02
129	7	9	81.30	7.91	6.39	1.52	0.00	1.00	0.00	0.54	-0.14	-0.01	-0.01	-0.04	-0.02
130	7	10	81.30	7.91	6.41	1.51	0.00	1.00	0.00	0.54	-0.14	-0.01	-0.01	-0.04	-0.02

1

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO			DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
				SAT MG/L	DO MG/L	DO DEF MG/L			F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	81.30	7.91	6.42	1.49	0.00	1.00	0.00	0.53	-0.14	-0.01	-0.01	-0.04	-0.02
132	7	12	81.30	7.91	6.43	1.48	0.00	1.00	0.00	0.53	-0.14	-0.01	-0.01	-0.04	-0.02
133	7	13	81.30	7.91	6.44	1.47	0.00	1.00	0.22	0.53	-0.14	-0.01	-0.01	-0.04	-0.02
134	7	14	81.30	7.91	6.45	1.46	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.02
135	7	15	81.30	7.91	6.46	1.45	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.02
136	7	16	81.30	7.91	6.47	1.44	0.00	1.00	0.00	0.51	-0.14	-0.01	-0.01	-0.04	-0.01
137	7	17	81.30	7.91	6.48	1.43	0.00	1.00	0.00	0.51	-0.13	-0.01	-0.01	-0.04	-0.01
138	7	18	81.30	7.91	6.49	1.42	0.00	1.00	0.00	0.51	-0.13	-0.01	-0.01	-0.04	-0.01
139	7	19	81.30	7.91	6.51	1.41	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
140	7	20	81.30	7.91	6.52	1.40	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
141	8	1	81.30	7.91	6.53	1.39	0.00	1.00	0.00	0.50	-0.13	-0.01	0.00	-0.04	-0.01
142	8	2	81.30	7.91	6.54	1.38	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
143	8	3	81.30	7.91	6.55	1.37	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
144	8	4	81.30	7.91	6.55	1.36	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
145	8	5	81.30	7.91	6.56	1.35	0.00	1.00	0.00	0.48	-0.13	-0.01	0.00	-0.04	-0.01
146	8	6	81.30	7.91	6.57	1.34	0.00	1.00	0.00	0.48	-0.13	-0.01	0.00	-0.04	-0.01
147	8	7	81.30	7.91	6.58	1.33	0.00	1.00	0.00	0.48	-0.12	-0.01	0.00	-0.04	-0.01
148	8	8	81.30	7.91	6.59	1.32	0.00	1.00	0.00	0.47	-0.12	-0.01	0.00	-0.04	-0.01

CRF_75B.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
 TITLE03 YES CONSERVATIVE MINERAL I
 TITLE04 NO CONSERVATIVE MINERAL II
 TITLE05 NO CONSERVATIVE MINERAL III
 TITLE06 NO TEMPERATURE
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
 TITLE08 YES ALGAE AS CHL-A IN UG/L
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L
 TITLE10 (ORGANIC-P; DISSOLVED-P)
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
 TITLE13 YES DISSOLVED OXYGEN IN MG/L
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0

CRF_75B.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	2.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	3.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	4.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	5.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	6.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	7.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	8.0	81.3	5.40	5.60	1.77

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	2.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	3.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	4.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	5.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	6.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	7.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	8.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	5.6	1.77

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	2.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	3.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	4.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	5.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	6.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	7.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014

CRF_75B.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 46364 81.3 5.40 5.60 1.77
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 69.63 86.9 3.50 419.7 37.62
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.77
POINTLD-1 PTL= 8.0STERLINGTONW 0.0 0.77 88.7 3.00 60.0 1.77
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```

CRF_75B.dat

1

CRF_75B.OUT
*** QUAL-2E STREAM QUALITY ROUTING MODEL ***
*** EPA/NCASI VERSION ***

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03 YES	CONSERVATIVE MINERAL I
TITLE04 NO	CONSERVATIVE MINERAL II
TITLE05 NO	CONSERVATIVE MINERAL III
TITLE06 NO	TEMPERATURE
TITLE07 YES	BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08 YES	ALGAE AS CHL-A IN UG/L
TITLE09 YES	PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11 YES	NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13 YES	DISSOLVED OXYGEN IN MG/L
TITLE14 NO	FECAL COLIFORMS IN NO./100 ML
TITLE15 NO	ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRF_75B.OUT

N HALF SATURATION CONST (MG/L)=	0.2000	P HALF SATURATION CONST (MG/L)=	0.0100
LIN ALG SHADE CO (1/FT-UGCHA/L=)	0.0200	NLIN SHADE(1/FT-(UGCHA/L)**2/3)=	0.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2.0000	LIGHT SAT'N COEF (BTU/FT2-MIN) =	0.1000
DAILY AVERAGING OPTION (LAVOPT)=	2.0000	LIGHT AVERAGING FACTOR (AFACT) =	0.9200
NUMBER OF DAYLIGHT HOURS (DLH) =	13.0000	TOTAL DAILY SOLR RAD (BTU/FT-2)=	754.0000
ALGY GROWTH CALC OPTION(LGROPT)=	1.0000	ALGAL PREF FOR NH3-N (PREFN) =	0.5000
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.4400	NITRIFICATION INHIBITION COEF =	10.0000
ENDATA1A	0.0000		0.0000

0 \$\$\$ DATA TYPE 1B (TEMPERATURE CORRECTION CONSTANTS FOR RATE COEFFICIENTS) \$\$\$

CARD TYPE RATE CODE THETA VALUE

0 \$\$\$ DATA TYPE 2 (REACH IDENTIFICATION) \$\$\$

CARD TYPE	REACH ORDER AND IDENT	R. MI/KM	R. MI/KM
STREAM REACH	1.0 REACH 1 FRO	227.0 TO	222.0
STREAM REACH	2.0 REACH 2 FRO	222.0 TO	217.0
STREAM REACH	3.0 REACH 3 FRO	217.0 TO	212.0
STREAM REACH	4.0 REACH 4 FRO	212.0 TO	207.0
STREAM REACH	5.0 REACH 5 FRO	207.0 TO	202.0
STREAM REACH	6.0 REACH 6 FRO	202.0 TO	197.0
STREAM REACH	7.0 REACH 7 FRO	197.0 TO	192.0
STREAM REACH	8.0 REACH 8 FRO	192.0 TO	190.0
ENDATA2	0.0	0.0	0.0

0 \$\$\$ DATA TYPE 3 (TARGET LEVEL DO AND FLOW AUGMENTATION SOURCES) \$\$\$

CARD TYPE	REACH	AVAIL	HDWS	TARGET	ORDER OF AVAIL	SOURCES
STREAM REACH	1.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	2.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	3.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	4.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	5.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	6.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	7.	1.	3.0	1.	0.	0. 0. 0. 0.
STREAM REACH	8.	1.	3.0	1.	0.	0. 0. 0. 0.
ENDATA3	0.	0.	0.0	0.	0.	0. 0. 0. 0.

0 \$\$\$ DATA TYPE 4 (COMPUTATIONAL REACH FLAG FIELD) \$\$\$

CARD TYPE	REACH	ELEMENTS/REACH	COMPUTATIONAL FLAGS
FLAG FIELD	1.	20.	1.2.
FLAG FIELD	2.	20.	6.2.
FLAG FIELD	3.	20.	2.
FLAG FIELD	4.	20.	2.2.2.6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.
FLAG FIELD	5.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.
FLAG FIELD	6.	20.	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	7.	20.	6.2.2.2.2.2.2.2.2.2.2.2.2.2.2.6.2.2.2.2.2.2.2.
FLAG FIELD	8.	8.	6.2.2.2.2.2.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
ENDATA4	0.	0.	0.

0 \$\$\$ DATA TYPE 5 (HYDRAULIC DATA FOR DETERMINING VELOCITY AND DEPTH) \$\$\$

CRF_75B.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CRF_75B.OUT

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	2.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	3.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	4.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	5.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	6.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	7.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	8.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	2.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	3.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	4.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	5.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	6.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	7.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	8.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE JUNCTION ORDER AND IDENT UPSTRM JUNCTION TRIB

		CRF_75B.OUT																			
		CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI											
0	ENDATA13	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																			
0	\$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$																				
		CARD TYPE	CHL-A	ORG-N	NH3-N	NO2-N	NH3-N	ORG-P	DIS-P												
1	ENDATA13A	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																			
0		CONSERVATIVE MINERAL I										ITERATION 1									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	2	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	3	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	4	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	5	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	6	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	7	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
	8	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82

0		BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.76
	2	5.32	5.28	5.23	5.19	5.15	5.10	5.06	5.02	4.98	4.94	4.90	4.86	4.82	4.78	4.74	4.70	4.66	4.62	4.58	4.54
	3	4.51	4.47	4.43	4.40	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.95	3.91	3.88	3.85
	4	3.82	3.78	3.75	3.72	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.43	3.40	3.37	3.34	3.31	3.29	3.26
	5	3.23	3.21	3.18	3.15	3.13	3.10	3.07	3.05	3.02	3.00	2.97	2.95	2.93	2.90	2.88	2.85	2.83	2.81	2.78	2.76
	6	2.74	2.71	2.69	2.67	2.65	2.63	2.60	2.58	2.56	2.54	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.38	2.36	2.34
	7	2.32	2.30	2.28	2.26	2.24	2.22	2.21	2.19	2.17	2.15	2.13	2.12	2.10	2.08	2.07	2.05	2.03	2.02	2.00	1.98
	8	1.97	1.95	1.93	1.92	1.90	1.89	1.87	1.86												

1

STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

		VARIABLE	ITERATION		NUMBER OF NONCONVERGENT ELEMENTS																
0		ALGAE AS CHL-A IN UG/L	ITERATION 1																		
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	8.28	8.16	8.04	7.93	7.81	7.70	7.59	7.48	7.37	7.26	7.16	7.06	6.95	6.85	6.75	6.66	6.56	6.47	6.37	6.28
	2	6.18	6.09	6.00	5.92	5.83	5.75	5.67	5.58	5.50	5.42	5.35	5.27	5.19	5.12	5.04	4.97	4.90	4.83	4.76	4.69
	3	4.62	4.56	4.49	4.43	4.36	4.30	4.24	4.18	4.12	4.06	4.00	3.94	3.88	3.83	3.77	3.72	3.66	3.61	3.56	3.51
	4	3.46	3.41	3.36	3.31	3.26	3.21	3.17	3.12	3.08	3.03	2.99	2.95	2.90	2.86	2.82	2.78	2.74	2.70	2.66	2.62
	5	2.58	2.55	2.51	2.47	2.44	2.40	2.37	2.33	2.30	2.27	2.23	2.20	2.17	2.14	2.11	2.08	2.05	2.02	1.99	1.96
	6	1.93	1.90	1.88	1.85	1.82	1.80	1.77	1.74	1.72	1.69	1.67	1.65	1.62	1.60	1.58	1.55	1.53	1.51	1.49	1.47
	7	1.44	1.42	1.40	1.38	1.36	1.34	1.32	1.30	1.29	1.27	1.25	1.23	1.25	1.23	1.21	1.19	1.18	1.16	1.14	1.13

		8	1.11	1.09	1.08	1.06	1.05	1.03	1.02	1.00											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.32	0.32	0.31	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
2	0.24	0.24	0.24	0.23	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18
3	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13
4	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10
5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
6	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05
7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04
8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.10
2	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.13	0.13
3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12
4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11
5	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06
8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02

CRF_75B.OUT																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
NITRATE AS N IN MG/L																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.14
2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.18	0.19	0.19
3	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.23	0.23	0.23	0.23	0.24	0.24	0.24	0.24
4	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.30
5	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34
6	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37	0.38	0.38
7	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.40	0.41	0.41	0.41	0.41	0.41
8	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.41	0.41	0.41	0.41	0.41
DISSOLVED OXYGEN IN MG/L																				
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.42	5.44	5.46	5.47	5.49	5.51	5.52	5.54	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.66	5.67	5.69	5.70	5.71
2	5.71	5.72	5.73	5.74	5.74	5.75	5.76	5.76	5.77	5.78	5.78	5.79	5.80	5.81	5.81	5.82	5.83	5.83	5.84	5.85
3	5.86	5.86	5.87	5.88	5.88	5.89	5.90	5.91	5.91	5.92	5.93	5.94	5.94	5.95	5.96	5.97	5.97	5.98	5.99	6.00
4	6.00	5.99	5.99	5.99	5.99	5.99	5.99	5.99	5.99	5.99	5.99	5.99	6.00	6.00	6.00	6.00	6.01	6.01	6.01	6.01
5	6.02	6.02	6.03	6.03	6.03	6.04	6.04	6.05	6.06	6.06	6.07	6.07	6.08	6.08	6.08	6.09	6.09	6.10	6.10	6.11
6	6.11	6.12	6.13	6.13	6.14	6.14	6.15	6.15	6.16	6.17	6.17	6.18	6.18	6.19	6.20	6.20	6.21	6.21	6.22	6.23
7	6.24	6.26	6.27	6.29	6.30	6.32	6.33	6.34	6.36	6.37	6.38	6.40	6.40	6.42	6.43	6.44	6.45	6.46	6.47	6.48
8	6.49	6.50	6.51	6.52	6.53	6.54	6.55	6.56	6.56	6.56	6.56	6.56	6.56	6.56	6.56	6.56	6.56	6.56	6.56	6.56
ALGAE GROWTH RATE						1			124											
ALGAE GROWTH RATE						2			0											
ALGAE GROWTH RATE						3			0											

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 (204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 13.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL*FN*FP

1		DISSOLVED OXYGEN IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	5.42	5.44	5.46	5.47	5.49	5.51	5.53	5.54	5.56	5.58	5.59	5.61	5.62	5.64	5.65	5.66	5.68	5.69	5.70	5.72
2	2	5.72	5.73	5.74	5.74	5.75	5.76	5.77	5.77	5.78	5.79	5.79	5.80	5.81	5.82	5.82	5.83	5.84	5.85	5.85	5.86
3	3	5.87	5.87	5.88	5.89	5.90	5.90	5.91	5.92	5.93	5.93	5.94	5.95	5.96	5.97	5.97	5.98	5.99	6.00	6.00	6.01
4	4	6.01	6.01	6.01	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.01	6.01	6.01	6.01	6.01	6.02	6.02	6.02	6.02	6.03
5	5	6.03	6.03	6.04	6.04	6.05	6.05	6.05	6.06	6.06	6.07	6.07	6.08	6.08	6.09	6.09	6.10	6.10	6.11	6.11	6.12
6	6	6.12	6.13	6.14	6.14	6.15	6.15	6.16	6.16	6.17	6.18	6.18	6.19	6.19	6.20	6.21	6.21	6.22	6.22	6.23	6.24
7	7	6.25	6.27	6.28	6.30	6.31	6.33	6.34	6.35	6.37	6.38	6.39	6.40	6.41	6.42	6.43	6.45	6.46	6.47	6.48	6.49
8	8	6.50	6.51	6.52	6.53	6.54	6.55	6.56	6.57												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.76
2	2	5.32	5.28	5.23	5.19	5.15	5.10	5.06	5.02	4.98	4.94	4.90	4.86	4.82	4.78	4.74	4.70	4.66	4.62	4.58	4.54
3	3	4.51	4.47	4.43	4.40	4.36	4.32	4.29	4.25	4.22	4.18	4.15	4.11	4.08	4.04	4.01	3.98	3.95	3.91	3.88	3.85
4	4	3.82	3.78	3.75	3.72	3.69	3.66	3.63	3.60	3.57	3.54	3.51	3.48	3.45	3.43	3.40	3.37	3.34	3.31	3.29	3.26
5	5	3.23	3.21	3.18	3.15	3.13	3.10	3.07	3.05	3.02	3.00	2.97	2.95	2.93	2.90	2.88	2.85	2.83	2.81	2.78	2.76
6	6	2.74	2.71	2.69	2.67	2.65	2.63	2.60	2.58	2.56	2.54	2.52	2.50	2.48	2.46	2.44	2.42	2.40	2.38	2.36	2.34
7	7	2.32	2.30	2.28	2.26	2.24	2.22	2.21	2.19	2.17	2.15	2.13	2.12	2.10	2.08	2.07	2.05	2.03	2.02	2.00	1.98
8	8	1.97	1.95	1.93	1.92	1.90	1.89	1.87	1.86												
0		ORGANIC NITROGEN AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	0.32	0.32	0.32	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
2	2	0.24	0.24	0.24	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18
3	3	0.18	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13
4	4	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10
5	5	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07
6	6	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05
7	7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.04
8	8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04											
0		AMMONIA AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10
2	2	0.11	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13
3	3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.12
4	4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11
5	5	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09
6	6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
7	7	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06

CRF_75B.OUT

		NITRITE AS N IN MG/L								ITERATION 3											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
0	RCH/CL	NITRATE AS N IN MG/L								ITERATION 3											
	1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.14
	2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19	0.19
	3	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.23	0.23	0.23	0.24	0.24	0.24	0.24
	4	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.29
	5	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33	0.33	0.34
	6	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37	0.37	0.38
	7	0.38	0.38	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.40	0.40	0.41	0.41	0.41
	8	0.41	0.41	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.41	0.41	0.41
0	RCH/CL	ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 3											
	1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	RCH/CL	DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 3											
	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	RCH/CL	ALGAE AS CHL-A IN UG/L								ITERATION 3											
	1	8.28	8.16	8.05	7.93	7.82	7.71	7.60	7.50	7.39	7.29	7.19	7.09	6.99	6.89	6.80	6.71	6.61	6.52	6.43	6.35
	2	6.25	6.17	6.09	6.01	5.92	5.85	5.77	5.69	5.61	5.54	5.47	5.39	5.32	5.25	5.18	5.11	5.05	4.98	4.91	4.85

CRF_75B.OUT																				
3	4.79	4.72	4.66	4.60	4.54	4.48	4.42	4.36	4.31	4.25	4.20	4.14	4.09	4.03	3.98	3.93	3.88	3.83	3.78	3.73
4	3.68	3.63	3.59	3.54	3.50	3.45	3.41	3.36	3.32	3.28	3.23	3.19	3.15	3.11	3.07	3.03	2.99	2.95	2.92	2.88
5	2.84	2.81	2.77	2.73	2.70	2.66	2.63	2.60	2.56	2.53	2.50	2.47	2.43	2.40	2.37	2.34	2.31	2.28	2.25	2.23
6	2.20	2.17	2.14	2.12	2.09	2.06	2.04	2.01	1.99	1.96	1.94	1.91	1.89	1.87	1.84	1.82	1.80	1.78	1.75	1.73
7	1.71	1.69	1.67	1.65	1.63	1.61	1.59	1.57	1.55	1.54	1.52	1.50	1.51	1.50	1.48	1.46	1.44	1.43	1.41	1.39
8	1.38	1.36	1.34	1.33	1.31	1.30	1.28	1.27												
0	CONSERVATIVE MINERAL I										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
2	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
3	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
4	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
5	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
6	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
7	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
8	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82	1.82
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04
3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
5	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
6	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
7	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
8	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.33	0.34	0.34	0.35	0.35	0.36	0.36	0.37	0.37	0.38	0.38	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.41
2	0.42	0.43	0.43	0.43	0.43	0.43	0.44	0.44	0.44	0.44	0.44	0.45	0.45	0.45	0.45	0.45	0.45	0.46	0.46	0.46
3	0.46	0.46	0.46	0.46	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
4	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.50
5	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.51	0.51	0.51	0.51
6	0.51	0.52	0.52	0.52	0.53	0.53	0.53	0.54	0.54	0.54	0.55	0.55	0.55	0.56	0.56	0.56	0.57	0.57	0.57	0.57
7	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.60	0.60	0.60	0.60	0.60	0.60	0.61	0.61	0.61	0.61	0.61	0.62
8	0.62	0.62	0.62	0.62	0.63	0.63	0.63	0.63												

1
 STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL
 OUTPUT PAGE NUMBER 1
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN
ORD	NUM	NUM	LOC	LOC	SRCE	FLOW	TIME	AREA	AREA	COEF

75' Flood Scenario - Daily Maximum Output

													CRF_75B.OUT	
		MILE	MILE	CFS	CFS	CFS	FPS	DAY	FT	FT	FT-3	FT-2	FT-2	FT-2/S
1	1	1	227.00	226.7546364.10	0.00	0.10	0.129	0.119	12.33429218.080	475711104.0	38600428.0	360387.19	5.30	
2	1	2	226.75	226.5046364.20	0.00	0.10	0.129	0.119	12.33429218.098	475712800.0	38600452.0	360388.50	5.30	
3	1	3	226.50	226.2546364.30	0.00	0.10	0.129	0.119	12.33429218.115	475714528.0	38600476.0	360389.78	5.30	
4	1	4	226.25	226.0046364.41	0.00	0.10	0.129	0.119	12.33529218.131	475716224.0	38600496.0	360391.06	5.30	
5	1	5	226.00	225.7546364.51	0.00	0.10	0.129	0.119	12.33529218.146	475717920.0	38600516.0	360392.37	5.30	
6	1	6	225.75	225.5046364.61	0.00	0.10	0.129	0.119	12.33529218.164	475719616.0	38600540.0	360393.66	5.30	
7	1	7	225.50	225.2546364.71	0.00	0.10	0.129	0.119	12.33529218.184	475721376.0	38600564.0	360395.00	5.30	
8	1	8	225.25	225.0046364.81	0.00	0.10	0.129	0.119	12.33529218.203	475723072.0	38600592.0	360396.28	5.30	
9	1	9	225.00	224.7546364.91	0.00	0.10	0.129	0.119	12.33529218.219	475724800.0	38600612.0	360397.56	5.30	
10	1	10	224.75	224.5046365.02	0.00	0.10	0.129	0.119	12.33529218.236	475726496.0	38600636.0	360398.84	5.30	
11	1	11	224.50	224.2546365.12	0.00	0.10	0.129	0.119	12.33529218.252	475728192.0	38600656.0	360400.16	5.30	
12	1	12	224.25	224.0046365.22	0.00	0.10	0.129	0.119	12.33529218.270	475729888.0	38600680.0	360401.44	5.30	
13	1	13	224.00	223.7546365.32	0.00	0.10	0.129	0.119	12.33529218.291	475731648.0	38600708.0	360402.78	5.30	
14	1	14	223.75	223.5046365.42	0.00	0.10	0.129	0.119	12.33529218.307	475733344.0	38600728.0	360404.06	5.30	
15	1	15	223.50	223.2546365.52	0.00	0.10	0.129	0.119	12.33529218.324	475735072.0	38600752.0	360405.34	5.30	
16	1	16	223.25	223.0046365.62	0.00	0.10	0.129	0.119	12.33529218.340	475736768.0	38600772.0	360406.66	5.30	
17	1	17	223.00	222.7546365.73	0.00	0.10	0.129	0.119	12.33529218.357	475738464.0	38600796.0	360407.94	5.30	
18	1	18	222.75	222.5046365.83	0.00	0.10	0.129	0.119	12.33529218.373	475740160.0	38600816.0	360409.22	5.30	
19	1	19	222.50	222.2546365.93	0.00	0.10	0.129	0.119	12.33529218.395	475741920.0	38600844.0	360410.56	5.30	
20	1	20	222.25	222.0046366.03	0.00	0.10	0.129	0.119	12.33529218.412	475743648.0	38600868.0	360411.84	5.30	
21	2	1	222.00	221.7546435.76	69.63	0.10	0.129	0.119	12.36129230.400	476919712.0	38616760.0	361302.81	5.30	
22	2	2	221.75	221.5046435.86	0.00	0.10	0.129	0.119	12.36129230.416	476921408.0	38616780.0	361304.09	5.30	
23	2	3	221.50	221.2546435.96	0.00	0.10	0.129	0.119	12.36129230.434	476923136.0	38616804.0	361305.41	5.30	
24	2	4	221.25	221.0046436.07	0.00	0.10	0.129	0.119	12.36129230.451	476924832.0	38616828.0	361306.69	5.30	
25	2	5	221.00	220.7546436.17	0.00	0.10	0.129	0.119	12.36129230.473	476926592.0	38616856.0	361308.03	5.30	
26	2	6	220.75	220.5046436.27	0.00	0.10	0.129	0.119	12.36129230.488	476928288.0	38616876.0	361309.31	5.30	
27	2	7	220.50	220.2546436.37	0.00	0.10	0.129	0.119	12.36129230.506	476930016.0	38616900.0	361310.62	5.30	
28	2	8	220.25	220.0046436.47	0.00	0.10	0.129	0.119	12.36129230.521	476931712.0	38616920.0	361311.91	5.30	
29	2	9	220.00	219.7546436.57	0.00	0.10	0.129	0.119	12.36129230.539	476933408.0	38616944.0	361313.19	5.30	
30	2	10	219.75	219.5046436.68	0.00	0.10	0.129	0.119	12.36129230.557	476935136.0	38616968.0	361314.50	5.30	
31	2	11	219.50	219.2546436.78	0.00	0.10	0.129	0.119	12.36129230.574	476936832.0	38616992.0	361315.78	5.30	
32	2	12	219.25	219.0046436.88	0.00	0.10	0.129	0.119	12.36129230.592	476938528.0	38617016.0	361317.06	5.30	
33	2	13	219.00	218.7546436.98	0.00	0.10	0.129	0.119	12.36129230.611	476940320.0	38617040.0	361318.41	5.30	
34	2	14	218.75	218.5046437.08	0.00	0.10	0.129	0.119	12.36129230.627	476942016.0	38617060.0	361319.72	5.30	
35	2	15	218.50	218.2546437.18	0.00	0.10	0.129	0.119	12.36129230.645	476943712.0	38617084.0	361321.00	5.30	
36	2	16	218.25	218.0046437.29	0.00	0.10	0.129	0.119	12.36129230.664	476945440.0	38617108.0	361322.28	5.30	
37	2	17	218.00	217.7546437.39	0.00	0.10	0.129	0.119	12.36129230.680	476947136.0	38617132.0	361323.59	5.30	
38	2	18	217.75	217.5046437.49	0.00	0.10	0.129	0.119	12.36129230.697	476948832.0	38617152.0	361324.87	5.30	
39	2	19	217.50	217.2546437.59	0.00	0.10	0.129	0.119	12.36129230.713	476950560.0	38617176.0	361326.16	5.30	
40	2	20	217.25	217.0046437.69	0.00	0.10	0.129	0.119	12.36129230.730	476952256.0	38617196.0	361327.47	5.30	
41	3	1	217.00	216.7546437.79	0.00	0.10	0.129	0.119	12.36129230.750	476954016.0	38617224.0	361328.81	3.07	
42	3	2	216.75	216.5046437.89	0.00	0.10	0.129	0.119	12.36129230.770	476955712.0	38617248.0	361330.09	3.07	
43	3	3	216.50	216.2546438.00	0.00	0.10	0.129	0.119	12.36129230.785	476957440.0	38617272.0	361331.37	3.07	
44	3	4	216.25	216.0046438.10	0.00	0.10	0.129	0.119	12.36129230.803	476959136.0	38617292.0	361332.69	3.07	

CRF_75B.OUT

45	3	5	216.00	215.7546438.20	0.00	0.10	0.129	0.119	12.36129230.818	476960832.0	38617316.0	361333.97	3.07
46	3	6	215.75	215.5046438.30	0.00	0.10	0.129	0.119	12.36129230.836	476962560.0	38617336.0	361335.25	3.07
47	3	7	215.50	215.2546438.40	0.00	0.10	0.129	0.119	12.36129230.852	476964256.0	38617360.0	361336.56	3.07
48	3	8	215.25	215.0046438.50	0.00	0.10	0.129	0.119	12.36229230.875	476966016.0	38617388.0	361337.91	3.07
49	3	9	215.00	214.7546438.61	0.00	0.10	0.129	0.119	12.36229230.891	476967712.0	38617412.0	361339.19	3.07
50	3	10	214.75	214.5046438.71	0.00	0.10	0.129	0.119	12.36229230.908	476969440.0	38617432.0	361340.47	3.07
51	3	11	214.50	214.2546438.81	0.00	0.10	0.129	0.119	12.36229230.924	476971136.0	38617456.0	361341.78	3.07
52	3	12	214.25	214.0046438.91	0.00	0.10	0.129	0.119	12.36229230.941	476972832.0	38617476.0	361343.06	3.07
53	3	13	214.00	213.7546439.01	0.00	0.10	0.129	0.119	12.36229230.957	476974560.0	38617500.0	361344.34	3.07
54	3	14	213.75	213.5046439.11	0.00	0.10	0.129	0.119	12.36229230.977	476976256.0	38617524.0	361345.66	3.07
55	3	15	213.50	213.2546439.21	0.00	0.10	0.129	0.119	12.36229230.992	476977952.0	38617544.0	361346.94	3.07
56	3	16	213.25	213.0046439.32	0.00	0.10	0.129	0.119	12.36229231.014	476979712.0	38617572.0	361348.28	3.07
57	3	17	213.00	212.7546439.42	0.00	0.10	0.129	0.119	12.36229231.029	476981440.0	38617592.0	361349.56	3.07
58	3	18	212.75	212.5046439.52	0.00	0.10	0.129	0.119	12.36229231.047	476983136.0	38617616.0	361350.87	3.07
59	3	19	212.50	212.2546439.62	0.00	0.10	0.129	0.119	12.36229231.062	476984832.0	38617636.0	361352.16	3.07
60	3	20	212.25	212.0046439.72	0.00	0.10	0.129	0.119	12.36229231.082	476986560.0	38617664.0	361353.44	3.07

61	4	1	212.00	211.7546439.82	0.00	0.10	0.129	0.119	12.36229231.098	476988256.0	38617684.0	361354.75	2.93
62	4	2	211.75	211.5046439.93	0.00	0.10	0.129	0.119	12.36229231.115	476989952.0	38617708.0	361356.03	2.93
63	4	3	211.50	211.2546440.03	0.00	0.10	0.129	0.119	12.36229231.131	476991680.0	38617728.0	361357.34	2.93
64	4	4	211.25	211.0046441.13	1.00	0.10	0.129	0.119	12.36229231.322	477010304.0	38617984.0	361371.44	2.93
65	4	5	211.00	210.7546441.23	0.00	0.10	0.129	0.119	12.36329231.340	477012000.0	38618004.0	361372.72	2.93

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5046441.33	0.00	0.10	0.129	0.119	12.36329231.357	477013696.0	38618028.0	361374.03	2.93		
67	4	7	210.50	210.2546441.43	0.00	0.10	0.129	0.119	12.36329231.373	477015424.0	38618048.0	361375.31	2.93		
68	4	8	210.25	210.0046441.54	0.00	0.10	0.129	0.119	12.36329231.391	477017120.0	38618072.0	361376.59	2.93		
69	4	9	210.00	209.7546441.64	0.00	0.10	0.129	0.119	12.36329231.412	477018880.0	38618100.0	361377.94	2.93		
70	4	10	209.75	209.5046441.74	0.00	0.10	0.129	0.119	12.36329231.430	477020576.0	38618124.0	361379.22	2.93		
71	4	11	209.50	209.2546441.84	0.00	0.10	0.129	0.119	12.36329231.445	477022304.0	38618144.0	361380.53	2.93		
72	4	12	209.25	209.0046441.94	0.00	0.10	0.129	0.119	12.36329231.463	477024000.0	38618168.0	361381.81	2.93		
73	4	13	209.00	208.7546442.04	0.00	0.10	0.129	0.119	12.36329231.479	477025696.0	38618188.0	361383.12	2.93		
74	4	14	208.75	208.5046442.14	0.00	0.10	0.129	0.119	12.36329231.496	477027424.0	38618212.0	361384.41	2.93		
75	4	15	208.50	208.2546442.25	0.00	0.10	0.129	0.119	12.36329231.514	477029120.0	38618236.0	361385.69	2.93		
76	4	16	208.25	208.0046442.35	0.00	0.10	0.129	0.119	12.36329231.535	477030880.0	38618264.0	361387.03	2.93		
77	4	17	208.00	207.7546442.45	0.00	0.10	0.129	0.119	12.36329231.551	477032576.0	38618284.0	361388.31	2.93		
78	4	18	207.75	207.5046442.65	0.10	0.10	0.129	0.119	12.36329231.584	477035904.0	38618328.0	361390.84	2.93		
79	4	19	207.50	207.2546442.75	0.00	0.10	0.129	0.119	12.36329231.604	477037664.0	38618356.0	361392.19	2.93		
80	4	20	207.25	207.0046442.85	0.00	0.10	0.129	0.119	12.36329231.619	477039392.0	38618376.0	361393.47	2.93		

CRF_75B.OUT

81	5	1	207.00	206.7546442.95	0.00	0.10	0.129	0.119	12.36329231.637	477041088.0	38618400.0	361394.75	1.40
82	5	2	206.75	206.5046443.05	0.00	0.10	0.129	0.119	12.36329231.652	477042784.0	38618420.0	361396.06	1.40
83	5	3	206.50	206.2546443.16	0.00	0.10	0.129	0.119	12.36329231.672	477044512.0	38618444.0	361397.34	1.40
84	5	4	206.25	206.0046443.26	0.00	0.10	0.129	0.119	12.36329231.689	477046208.0	38618468.0	361398.62	1.40
85	5	5	206.00	205.7546443.36	0.00	0.10	0.129	0.119	12.36329231.705	477047904.0	38618488.0	361399.94	1.40
86	5	6	205.75	205.5046443.46	0.00	0.10	0.129	0.119	12.36329231.723	477049632.0	38618512.0	361401.22	1.40
87	5	7	205.50	205.2546443.56	0.00	0.10	0.129	0.119	12.36329231.742	477051392.0	38618540.0	361402.56	1.40
88	5	8	205.25	205.0046443.66	0.00	0.10	0.129	0.119	12.36329231.758	477053088.0	38618560.0	361403.84	1.40
89	5	9	205.00	204.7546443.77	0.00	0.10	0.129	0.119	12.36329231.775	477054784.0	38618584.0	361405.16	1.40
90	5	10	204.75	204.5046443.87	0.00	0.10	0.129	0.119	12.36329231.795	477056512.0	38618608.0	361406.44	1.40
91	5	11	204.50	204.2546443.97	0.00	0.10	0.129	0.119	12.36429231.811	477058208.0	38618628.0	361407.72	1.40
92	5	12	204.25	204.0046444.07	0.00	0.10	0.129	0.119	12.36429231.828	477059904.0	38618652.0	361409.03	1.40
93	5	13	204.00	203.7546444.17	0.00	0.10	0.129	0.119	12.36429231.844	477061632.0	38618672.0	361410.31	1.40
94	5	14	203.75	203.5046444.27	0.00	0.10	0.129	0.119	12.36429231.861	477063328.0	38618696.0	361411.62	1.40
95	5	15	203.50	203.2546444.37	0.00	0.10	0.129	0.119	12.36429231.881	477065088.0	38618724.0	361412.94	1.40
96	5	16	203.25	203.0046444.48	0.00	0.10	0.129	0.119	12.36429231.900	477066784.0	38618748.0	361414.25	1.40
97	5	17	203.00	202.7546445.58	1.00	0.10	0.129	0.119	12.36429232.086	477085376.0	38618996.0	361428.31	1.40
98	5	18	202.75	202.5046445.68	0.00	0.10	0.129	0.119	12.36429232.105	477087072.0	38619020.0	361429.59	1.40
99	5	19	202.50	202.2546445.78	0.00	0.10	0.129	0.119	12.36429232.121	477088768.0	38619040.0	361430.87	1.40
100	5	20	202.25	202.0046445.88	0.00	0.10	0.129	0.119	12.36429232.141	477090528.0	38619068.0	361432.22	1.40
101	6	1	202.00	201.7546445.98	0.00	0.10	0.129	0.119	12.36429232.158	477092256.0	38619092.0	361433.53	2.37
102	6	2	201.75	201.5046446.09	0.00	0.10	0.129	0.119	12.36429232.174	477093952.0	38619112.0	361434.81	2.37
103	6	3	201.50	201.2546446.19	0.00	0.10	0.129	0.119	12.36429232.191	477095648.0	38619136.0	361436.09	2.37
104	6	4	201.25	201.0046446.29	0.00	0.10	0.129	0.119	12.36429232.207	477097376.0	38619156.0	361437.41	2.37
105	6	5	201.00	200.7546446.39	0.00	0.10	0.129	0.119	12.36429232.227	477099072.0	38619180.0	361438.69	2.37
106	6	6	200.75	200.5046446.49	0.00	0.10	0.129	0.119	12.36429232.244	477100768.0	38619204.0	361440.00	2.37
107	6	7	200.50	200.2546446.59	0.00	0.10	0.129	0.119	12.36429232.260	477102496.0	38619224.0	361441.28	2.37
108	6	8	200.25	200.0046446.70	0.00	0.10	0.129	0.119	12.36529232.279	477104256.0	38619252.0	361442.62	2.37
109	6	9	200.00	199.7546446.80	0.00	0.10	0.129	0.119	12.36529232.297	477105952.0	38619276.0	361443.91	2.37
110	6	10	199.75	199.5046446.90	0.00	0.10	0.129	0.119	12.36529232.314	477107680.0	38619296.0	361445.19	2.37
111	6	11	199.50	199.2546447.00	0.00	0.10	0.129	0.119	12.36529232.332	477109376.0	38619320.0	361446.50	2.37
112	6	12	199.25	199.0046447.10	0.00	0.10	0.129	0.119	12.36529232.350	477111072.0	38619344.0	361447.78	2.37
113	6	13	199.00	198.7546447.30	0.10	0.10	0.129	0.119	12.36529232.385	477114464.0	38619392.0	361450.34	2.37
114	6	14	198.75	198.5046447.40	0.00	0.10	0.129	0.119	12.36529232.400	477116160.0	38619412.0	361451.62	2.37
115	6	15	198.50	198.2546447.50	0.00	0.10	0.129	0.119	12.36529232.418	477117856.0	38619436.0	361452.94	2.37
116	6	16	198.25	198.0046447.61	0.00	0.10	0.129	0.119	12.36529232.434	477119584.0	38619456.0	361454.22	2.37
117	6	17	198.00	197.7546447.71	0.00	0.10	0.129	0.119	12.36529232.451	477121280.0	38619480.0	361455.53	2.37
118	6	18	197.75	197.5046447.81	0.00	0.10	0.129	0.119	12.36529232.471	477123040.0	38619504.0	361456.84	2.37
119	6	19	197.50	197.2546447.91	0.00	0.10	0.129	0.119	12.36529232.490	477124736.0	38619532.0	361458.16	2.37
120	6	20	197.25	197.0046448.01	0.00	0.10	0.129	0.119	12.36529232.508	477126464.0	38619552.0	361459.44	2.37
121	7	1	197.00	196.7546448.21	0.10	0.10	0.129	0.119	12.36529232.539	477129824.0	38619596.0	361462.00	0.98
122	7	2	196.75	196.5046448.31	0.00	0.10	0.129	0.119	12.36529232.559	477131552.0	38619620.0	361463.28	0.98
123	7	3	196.50	196.2546448.41	0.00	0.10	0.129	0.119	12.36529232.576	477133248.0	38619644.0	361464.59	0.98
124	7	4	196.25	196.0046448.52	0.00	0.10	0.129	0.119	12.36529232.592	477134944.0	38619664.0	361465.87	0.98
125	7	5	196.00	195.7546448.62	0.00	0.10	0.129	0.119	12.36529232.609	477136672.0	38619688.0	361467.16	0.98

CRF_75B.OUT													
126	7	6	195.75	195.5046448.72	0.00	0.10	0.129	0.119	12.36529232.625	477138368.0	38619708.0	361468.47	0.98
127	7	7	195.50	195.2546448.82	0.00	0.10	0.128	0.119	12.36529232.643	477140064.0	38619732.0	361469.75	0.98
128	7	8	195.25	195.0046448.92	0.00	0.10	0.128	0.119	12.36529232.662	477141792.0	38619760.0	361471.06	0.98
129	7	9	195.00	194.7546449.02	0.00	0.10	0.128	0.119	12.36529232.682	477143552.0	38619784.0	361472.37	0.98
130	7	10	194.75	194.5046449.12	0.00	0.10	0.128	0.119	12.36529232.697	477145248.0	38619804.0	361473.69	0.98

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	INCR SRCE CFS	TRVL VEL FPS	DEPTH TIME DAY	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
131	7	11	194.50	194.2546449.23	0.00	0.10	0.128	0.119	12.36529232.715	477146976.0	38619828.0	361474.97	0.98
132	7	12	194.25	194.0046449.33	0.00	0.10	0.128	0.119	12.36529232.730	477148672.0	38619848.0	361476.25	0.98
133	7	13	194.00	193.7546671.43	222.00	0.10	0.128	0.119	12.44729270.824	480902944.0	38670348.0	364320.41	0.98
134	7	14	193.75	193.5046671.53	0.00	0.10	0.128	0.119	12.44729270.840	480904672.0	38670368.0	364321.72	0.98
135	7	15	193.50	193.2546671.63	0.00	0.10	0.128	0.119	12.44729270.857	480906400.0	38670392.0	364323.03	0.98
136	7	16	193.25	193.0046671.73	0.00	0.10	0.128	0.119	12.44729270.879	480908160.0	38670420.0	364324.37	0.98
137	7	17	193.00	192.7546671.84	0.00	0.10	0.128	0.119	12.44729270.895	480909888.0	38670440.0	364325.66	0.98
138	7	18	192.75	192.5046671.94	0.00	0.10	0.128	0.119	12.44729270.912	480911584.0	38670464.0	364326.97	0.98
139	7	19	192.50	192.2546672.04	0.00	0.10	0.128	0.119	12.44729270.932	480913312.0	38670488.0	364328.28	0.98
140	7	20	192.25	192.0046672.14	0.00	0.10	0.128	0.119	12.44729270.949	480915040.0	38670512.0	364329.56	0.98
141	8	1	192.00	191.7546673.16	0.77	0.25	0.128	0.119	12.44729271.119	480932256.0	38670736.0	364342.62	0.98
142	8	2	191.75	191.5046673.41	0.00	0.25	0.128	0.119	12.44729271.164	480936512.0	38670796.0	364345.84	0.98
143	8	3	191.50	191.2546673.66	0.00	0.25	0.128	0.119	12.44729271.207	480940768.0	38670856.0	364349.06	0.98
144	8	4	191.25	191.0046673.91	0.00	0.25	0.128	0.119	12.44729271.250	480944960.0	38670912.0	364352.25	0.98
145	8	5	191.00	190.7546674.16	0.00	0.25	0.128	0.119	12.44829271.293	480949216.0	38670968.0	364355.47	0.98
146	8	6	190.75	190.5046674.41	0.00	0.25	0.128	0.119	12.44829271.334	480953408.0	38671024.0	364358.66	0.98
147	8	7	190.50	190.2546674.66	0.00	0.25	0.128	0.119	12.44829271.377	480957664.0	38671080.0	364361.87	0.98
148	8	8	190.25	190.0046674.91	0.00	0.25	0.128	0.119	12.44829271.424	480961920.0	38671140.0	364365.09	0.98

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
1	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CRF_75B.OUT

3	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
4	6	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

		CRF_75B.OUT																	
7	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH	ELE	TEMP	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	DEG-F				MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
1	1	81.30	1.77	0.00	0.00	5.42	5.55	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.28
1	2	81.30	1.77	0.00	0.00	5.44	5.51	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.16
1	3	81.30	1.77	0.00	0.00	5.46	5.46	0.32	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	8.05
1	4	81.30	1.77	0.00	0.00	5.47	5.42	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.93

CRF_75B.OUT

1	5	81.30	1.77	0.00	0.00	5.49	5.37	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.82
1	6	81.30	1.77	0.00	0.00	5.51	5.33	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.71
1	7	81.30	1.77	0.00	0.00	5.53	5.28	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.60
1	8	81.30	1.77	0.00	0.00	5.54	5.24	0.29	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.50
1	9	81.30	1.77	0.00	0.00	5.56	5.20	0.29	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.39
1	10	81.30	1.77	0.00	0.00	5.58	5.15	0.28	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.29
1	11	81.30	1.77	0.00	0.00	5.59	5.11	0.28	0.08	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.19
1	12	81.30	1.77	0.00	0.00	5.61	5.07	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.09
1	13	81.30	1.77	0.00	0.00	5.62	5.03	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.99
1	14	81.30	1.77	0.00	0.00	5.64	4.99	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.89
1	15	81.30	1.77	0.00	0.00	5.65	4.94	0.26	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.80
1	16	81.30	1.77	0.00	0.00	5.66	4.90	0.26	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.71
1	17	81.30	1.77	0.00	0.00	5.68	4.86	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.61
1	18	81.30	1.77	0.00	0.00	5.69	4.82	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.52
1	19	81.30	1.77	0.00	0.00	5.70	4.78	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.43
1	20	81.30	1.77	0.00	0.00	5.72	4.76	0.24	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.35
2	1	81.30	1.82	0.00	0.00	5.72	5.32	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.25
2	2	81.30	1.82	0.00	0.00	5.73	5.28	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.17
2	3	81.30	1.82	0.00	0.00	5.74	5.23	0.24	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.09
2	4	81.30	1.82	0.00	0.00	5.74	5.19	0.23	0.11	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	6.01
2	5	81.30	1.82	0.00	0.00	5.75	5.15	0.23	0.12	0.01	0.15	0.51	0.02	0.01	0.04	0.00	0.00	5.92
2	6	81.30	1.82	0.00	0.00	5.76	5.10	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.85
2	7	81.30	1.82	0.00	0.00	5.77	5.06	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.77
2	8	81.30	1.82	0.00	0.00	5.77	5.02	0.22	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.69
2	9	81.30	1.82	0.00	0.00	5.78	4.98	0.21	0.12	0.01	0.16	0.51	0.02	0.01	0.04	0.00	0.00	5.61
2	10	81.30	1.82	0.00	0.00	5.79	4.94	0.21	0.12	0.01	0.17	0.51	0.02	0.01	0.04	0.00	0.00	5.54
2	11	81.30	1.82	0.00	0.00	5.79	4.90	0.21	0.12	0.01	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.47
2	12	81.30	1.82	0.00	0.00	5.80	4.86	0.21	0.12	0.01	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.39
2	13	81.30	1.82	0.00	0.00	5.81	4.82	0.20	0.12	0.02	0.17	0.51	0.03	0.01	0.04	0.00	0.00	5.32
2	14	81.30	1.82	0.00	0.00	5.82	4.78	0.20	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.25
2	15	81.30	1.82	0.00	0.00	5.82	4.74	0.20	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.18
2	16	81.30	1.82	0.00	0.00	5.83	4.70	0.19	0.12	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.11
2	17	81.30	1.82	0.00	0.00	5.84	4.66	0.19	0.13	0.02	0.18	0.51	0.03	0.01	0.04	0.00	0.00	5.05
2	18	81.30	1.82	0.00	0.00	5.85	4.62	0.19	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.98
2	19	81.30	1.82	0.00	0.00	5.85	4.58	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.91
2	20	81.30	1.82	0.00	0.00	5.86	4.54	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.85
3	1	81.30	1.82	0.00	0.00	5.87	4.51	0.18	0.13	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.79
3	2	81.30	1.82	0.00	0.00	5.87	4.47	0.18	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.72
3	3	81.30	1.82	0.00	0.00	5.88	4.43	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.66
3	4	81.30	1.82	0.00	0.00	5.89	4.40	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.60
3	5	81.30	1.82	0.00	0.00	5.90	4.36	0.17	0.13	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.54
3	6	81.30	1.82	0.00	0.00	5.90	4.32	0.17	0.13	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.48
3	7	81.30	1.82	0.00	0.00	5.91	4.29	0.16	0.13	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.42
3	8	81.30	1.82	0.00	0.00	5.92	4.25	0.16	0.13	0.02	0.21	0.52	0.03	0.01	0.04	0.00	0.00	4.36
3	9	81.30	1.82	0.00	0.00	5.93	4.22	0.16	0.13	0.02	0.21	0.52	0.03	0.01	0.04	0.00	0.00	4.31
3	10	81.30	1.82	0.00	0.00	5.93	4.18	0.16	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.25

CRF_75B.OUT

3	11	81.30	1.82	0.00	0.00	5.94	4.15	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.20
3	12	81.30	1.82	0.00	0.00	5.95	4.11	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.14
3	13	81.30	1.82	0.00	0.00	5.96	4.08	0.15	0.13	0.02	0.22	0.52	0.03	0.01	0.04	0.00	0.00	4.09
3	14	81.30	1.82	0.00	0.00	5.97	4.04	0.15	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	4.03
3	15	81.30	1.82	0.00	0.00	5.97	4.01	0.14	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	3.98
3	16	81.30	1.82	0.00	0.00	5.98	3.98	0.14	0.13	0.02	0.23	0.52	0.03	0.01	0.04	0.00	0.00	3.93
3	17	81.30	1.82	0.00	0.00	5.99	3.95	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.88
3	18	81.30	1.82	0.00	0.00	6.00	3.91	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.83
3	19	81.30	1.82	0.00	0.00	6.00	3.88	0.14	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.78
3	20	81.30	1.82	0.00	0.00	6.01	3.85	0.13	0.12	0.02	0.24	0.52	0.03	0.01	0.04	0.00	0.00	3.73
4	1	81.30	1.82	0.00	0.00	6.01	3.82	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.68
4	2	81.30	1.82	0.00	0.00	6.01	3.78	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.63
4	3	81.30	1.82	0.00	0.00	6.01	3.75	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.59
4	4	81.30	1.82	0.00	0.00	6.00	3.72	0.13	0.12	0.02	0.25	0.52	0.03	0.01	0.04	0.00	0.00	3.54
4	5	81.30	1.82	0.00	0.00	6.00	3.69	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.50

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	81.30	1.82	0.00	0.00	6.00	3.66	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.45
4	7	81.30	1.82	0.00	0.00	6.00	3.63	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.41
4	8	81.30	1.82	0.00	0.00	6.00	3.60	0.12	0.12	0.02	0.26	0.52	0.03	0.01	0.04	0.00	0.00	3.36
4	9	81.30	1.82	0.00	0.00	6.00	3.57	0.12	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.32
4	10	81.30	1.82	0.00	0.00	6.00	3.54	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.28
4	11	81.30	1.82	0.00	0.00	6.01	3.51	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.23
4	12	81.30	1.82	0.00	0.00	6.01	3.48	0.11	0.12	0.02	0.27	0.52	0.03	0.01	0.04	0.00	0.00	3.19
4	13	81.30	1.82	0.00	0.00	6.01	3.45	0.11	0.12	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.15
4	14	81.30	1.82	0.00	0.00	6.01	3.43	0.11	0.12	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.11
4	15	81.30	1.82	0.00	0.00	6.01	3.40	0.11	0.11	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.07
4	16	81.30	1.82	0.00	0.00	6.02	3.37	0.10	0.11	0.02	0.28	0.52	0.03	0.01	0.04	0.00	0.00	3.03
4	17	81.30	1.82	0.00	0.00	6.02	3.34	0.10	0.11	0.02	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.99
4	18	81.30	1.82	0.00	0.00	6.02	3.31	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.95
4	19	81.30	1.82	0.00	0.00	6.02	3.29	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.92
4	20	81.30	1.82	0.00	0.00	6.03	3.26	0.10	0.11	0.01	0.29	0.52	0.03	0.01	0.04	0.00	0.00	2.88
5	1	81.30	1.82	0.00	0.00	6.03	3.23	0.10	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.84
5	2	81.30	1.82	0.00	0.00	6.03	3.21	0.10	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.81
5	3	81.30	1.82	0.00	0.00	6.04	3.18	0.09	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.77
5	4	81.30	1.82	0.00	0.00	6.04	3.15	0.09	0.11	0.01	0.30	0.52	0.03	0.01	0.04	0.00	0.00	2.73
5	5	81.30	1.82	0.00	0.00	6.05	3.13	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.70

CRF_75B.OUT

5	6	81.30	1.82	0.00	0.00	6.05	3.10	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.66
5	7	81.30	1.82	0.00	0.00	6.05	3.07	0.09	0.11	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.63
5	8	81.30	1.82	0.00	0.00	6.06	3.05	0.09	0.10	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.60
5	9	81.30	1.82	0.00	0.00	6.06	3.02	0.09	0.10	0.01	0.31	0.52	0.03	0.01	0.04	0.00	0.00	2.56
5	10	81.30	1.82	0.00	0.00	6.07	3.00	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.53
5	11	81.30	1.82	0.00	0.00	6.07	2.97	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.50
5	12	81.30	1.82	0.00	0.00	6.08	2.95	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.47
5	13	81.30	1.82	0.00	0.00	6.08	2.93	0.08	0.10	0.01	0.32	0.52	0.03	0.01	0.04	0.00	0.00	2.43
5	14	81.30	1.82	0.00	0.00	6.09	2.90	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.40
5	15	81.30	1.82	0.00	0.00	6.09	2.88	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.37
5	16	81.30	1.82	0.00	0.00	6.10	2.85	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.34
5	17	81.30	1.82	0.00	0.00	6.10	2.83	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.31
5	18	81.30	1.82	0.00	0.00	6.11	2.81	0.08	0.10	0.01	0.33	0.52	0.03	0.01	0.04	0.00	0.00	2.28
5	19	81.30	1.82	0.00	0.00	6.11	2.78	0.07	0.10	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.25
5	20	81.30	1.82	0.00	0.00	6.12	2.76	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.23
6	1	81.30	1.82	0.00	0.00	6.12	2.74	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.20
6	2	81.30	1.82	0.00	0.00	6.13	2.71	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.17
6	3	81.30	1.82	0.00	0.00	6.14	2.69	0.07	0.09	0.01	0.34	0.52	0.03	0.01	0.04	0.00	0.00	2.14
6	4	81.30	1.82	0.00	0.00	6.14	2.67	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.12
6	5	81.30	1.82	0.00	0.00	6.15	2.65	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.09
6	6	81.30	1.82	0.00	0.00	6.15	2.63	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.06
6	7	81.30	1.82	0.00	0.00	6.16	2.60	0.07	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.04
6	8	81.30	1.82	0.00	0.00	6.16	2.58	0.06	0.09	0.01	0.35	0.52	0.03	0.01	0.04	0.00	0.00	2.01
6	9	81.30	1.82	0.00	0.00	6.17	2.56	0.06	0.09	0.01	0.36	0.52	0.03	0.01	0.04	0.00	0.00	1.99
6	10	81.30	1.82	0.00	0.00	6.18	2.54	0.06	0.09	0.01	0.36	0.52	0.03	0.02	0.04	0.00	0.00	1.96
6	11	81.30	1.82	0.00	0.00	6.18	2.52	0.06	0.09	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.94
6	12	81.30	1.82	0.00	0.00	6.19	2.50	0.06	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.91
6	13	81.30	1.82	0.00	0.00	6.19	2.48	0.06	0.08	0.01	0.36	0.52	0.02	0.02	0.04	0.00	0.00	1.89
6	14	81.30	1.82	0.00	0.00	6.20	2.46	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.87
6	15	81.30	1.82	0.00	0.00	6.21	2.44	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.84
6	16	81.30	1.82	0.00	0.00	6.21	2.42	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.82
6	17	81.30	1.82	0.00	0.00	6.22	2.40	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.80
6	18	81.30	1.82	0.00	0.00	6.22	2.38	0.06	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.78
6	19	81.30	1.82	0.00	0.00	6.23	2.36	0.05	0.08	0.01	0.37	0.52	0.02	0.02	0.04	0.00	0.00	1.75
6	20	81.30	1.82	0.00	0.00	6.24	2.34	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.73
7	1	81.30	1.82	0.00	0.00	6.25	2.32	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.71
7	2	81.30	1.82	0.00	0.00	6.27	2.30	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.69
7	3	81.30	1.82	0.00	0.00	6.28	2.28	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.67
7	4	81.30	1.82	0.00	0.00	6.30	2.26	0.05	0.08	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.65
7	5	81.30	1.82	0.00	0.00	6.31	2.24	0.05	0.07	0.01	0.38	0.52	0.02	0.02	0.04	0.00	0.00	1.63
7	6	81.30	1.82	0.00	0.00	6.33	2.22	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.61
7	7	81.30	1.82	0.00	0.00	6.34	2.21	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.59
7	8	81.30	1.82	0.00	0.00	6.35	2.19	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.57
7	9	81.30	1.82	0.00	0.00	6.37	2.17	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.55
7	10	81.30	1.82	0.00	0.00	6.38	2.15	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.54

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	81.30	1.82	0.00	0.00	6.39	2.13	0.05	0.07	0.01	0.39	0.52	0.02	0.02	0.04	0.00	0.00	1.52
7	12	81.30	1.82	0.00	0.00	6.40	2.12	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.50
7	13	81.30	1.82	0.00	0.00	6.41	2.10	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.51
7	14	81.30	1.82	0.00	0.00	6.42	2.08	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.50
7	15	81.30	1.82	0.00	0.00	6.43	2.07	0.05	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.48
7	16	81.30	1.82	0.00	0.00	6.45	2.05	0.04	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.46
7	17	81.30	1.82	0.00	0.00	6.46	2.03	0.04	0.07	0.01	0.40	0.52	0.02	0.02	0.04	0.00	0.00	1.44
7	18	81.30	1.82	0.00	0.00	6.47	2.02	0.04	0.07	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.43
7	19	81.30	1.82	0.00	0.00	6.48	2.00	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.41
7	20	81.30	1.82	0.00	0.00	6.49	1.98	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.39
8	1	81.30	1.82	0.00	0.00	6.50	1.97	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.38
8	2	81.30	1.82	0.00	0.00	6.51	1.95	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.36
8	3	81.30	1.82	0.00	0.00	6.52	1.93	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.34
8	4	81.30	1.82	0.00	0.00	6.53	1.92	0.04	0.06	0.01	0.41	0.52	0.02	0.02	0.04	0.00	0.00	1.33
8	5	81.30	1.82	0.00	0.00	6.54	1.90	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.31
8	6	81.30	1.82	0.00	0.00	6.55	1.89	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.30
8	7	81.30	1.82	0.00	0.00	6.56	1.87	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.28
8	8	81.30	1.82	0.00	0.00	6.57	1.86	0.04	0.06	0.01	0.42	0.52	0.02	0.02	0.04	0.00	0.00	1.27

1

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN FACTORS NITRGN *	PHSPRS *
1	1	1	8.28	0.02	0.07	0.95	0.32	-0.05	0.50	0.33	4.23	0.03	0.43	0.58
2	1	2	8.16	0.03	0.07	0.95	0.33	-0.05	0.50	0.34	4.23	0.03	0.44	0.58
3	1	3	8.05	0.03	0.07	0.95	0.34	-0.05	0.50	0.35	4.23	0.03	0.45	0.58
4	1	4	7.93	0.03	0.07	0.95	0.34	-0.05	0.50	0.36	4.22	0.03	0.46	0.58
5	1	5	7.82	0.03	0.07	0.95	0.35	-0.05	0.50	0.36	4.22	0.03	0.47	0.58
6	1	6	7.71	0.03	0.07	0.95	0.35	-0.05	0.50	0.37	4.22	0.03	0.48	0.58

									CRF_75B.OUT					
7	1	7	7.60	0.03	0.07	0.95	0.36	-0.05	0.50	0.38	4.22	0.03	0.49	0.58
8	1	8	7.50	0.03	0.07	0.95	0.36	-0.04	0.50	0.38	4.21	0.03	0.49	0.58
9	1	9	7.39	0.03	0.07	0.95	0.37	-0.04	0.50	0.39	4.21	0.03	0.50	0.58
10	1	10	7.29	0.03	0.07	0.95	0.37	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
11	1	11	7.19	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
12	1	12	7.09	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.20	0.03	0.52	0.58
13	1	13	6.99	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.52	0.58
14	1	14	6.89	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
15	1	15	6.80	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
16	1	16	6.71	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.19	0.03	0.54	0.58
17	1	17	6.61	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
18	1	18	6.52	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
19	1	19	6.43	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.55	0.58
20	1	20	6.35	0.03	0.07	0.95	0.41	-0.04	0.50	0.42	4.18	0.03	0.55	0.58
21	2	1	6.25	0.03	0.07	0.95	0.42	-0.03	0.50	0.43	4.18	0.03	0.56	0.59
22	2	2	6.17	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.18	0.03	0.56	0.59
23	2	3	6.09	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.18	0.03	0.57	0.59
24	2	4	6.01	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.57	0.59
25	2	5	5.92	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.57	0.59
26	2	6	5.85	0.03	0.07	0.95	0.43	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
27	2	7	5.77	0.03	0.07	0.95	0.44	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
28	2	8	5.69	0.03	0.07	0.95	0.44	-0.03	0.50	0.43	4.17	0.03	0.58	0.59
29	2	9	5.61	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
30	2	10	5.54	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
31	2	11	5.47	0.03	0.07	0.95	0.44	-0.03	0.50	0.42	4.16	0.03	0.59	0.59
32	2	12	5.39	0.03	0.07	0.95	0.45	-0.03	0.50	0.42	4.16	0.03	0.59	0.58
33	2	13	5.32	0.03	0.07	0.95	0.45	-0.03	0.50	0.42	4.16	0.03	0.60	0.58
34	2	14	5.25	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
35	2	15	5.18	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
36	2	16	5.11	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.60	0.58
37	2	17	5.05	0.04	0.07	0.95	0.45	-0.03	0.50	0.41	4.15	0.03	0.61	0.58
38	2	18	4.98	0.04	0.07	0.95	0.46	-0.03	0.50	0.40	4.15	0.03	0.61	0.58
39	2	19	4.91	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.15	0.03	0.61	0.58
40	2	20	4.85	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.14	0.03	0.61	0.58
41	3	1	4.79	0.04	0.07	0.95	0.46	-0.02	0.50	0.40	4.14	0.03	0.62	0.58
42	3	2	4.72	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
43	3	3	4.66	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
44	3	4	4.60	0.04	0.07	0.95	0.46	-0.02	0.50	0.39	4.14	0.03	0.62	0.58
45	3	5	4.54	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.14	0.03	0.62	0.58
46	3	6	4.48	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.62	0.58
47	3	7	4.42	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.63	0.58
48	3	8	4.36	0.04	0.07	0.95	0.47	-0.02	0.50	0.38	4.13	0.03	0.63	0.58
49	3	9	4.31	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
50	3	10	4.25	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
51	3	11	4.20	0.04	0.07	0.95	0.47	-0.02	0.50	0.37	4.13	0.03	0.63	0.58
52	3	12	4.14	0.04	0.07	0.95	0.47	-0.02	0.50	0.36	4.13	0.03	0.64	0.58

CRF_75B.OUT														
53	3	13	4.09	0.04	0.07	0.95	0.48	-0.02	0.50	0.36	4.12	0.03	0.64	0.58
54	3	14	4.03	0.04	0.07	0.95	0.48	-0.02	0.50	0.36	4.12	0.03	0.64	0.58
55	3	15	3.98	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
56	3	16	3.93	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
57	3	17	3.88	0.04	0.07	0.95	0.48	-0.02	0.50	0.35	4.12	0.03	0.64	0.58
58	3	18	3.83	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.12	0.03	0.64	0.58
59	3	19	3.78	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.12	0.03	0.65	0.58
60	3	20	3.73	0.04	0.07	0.95	0.48	-0.02	0.50	0.34	4.11	0.03	0.65	0.58
61	4	1	3.68	0.04	0.07	0.95	0.48	-0.02	0.50	0.33	4.11	0.03	0.65	0.58
62	4	2	3.63	0.04	0.07	0.95	0.48	-0.02	0.50	0.33	4.11	0.03	0.65	0.58
63	4	3	3.59	0.04	0.07	0.95	0.49	-0.02	0.50	0.33	4.11	0.03	0.65	0.57
64	4	4	3.54	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57
65	4	5	3.50	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3-N		LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
									NH3 PREF *	FRACT N-UPTKE *		LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.45	0.04	0.07	0.95	0.49	-0.02	0.50	0.32	4.11	0.03	0.65	0.57
67	4	7	3.41	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.11	0.03	0.66	0.57
68	4	8	3.36	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.10	0.03	0.66	0.57
69	4	9	3.32	0.04	0.07	0.95	0.49	-0.02	0.50	0.31	4.10	0.03	0.66	0.57
70	4	10	3.28	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
71	4	11	3.23	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
72	4	12	3.19	0.04	0.07	0.95	0.49	-0.02	0.50	0.30	4.10	0.03	0.66	0.57
73	4	13	3.15	0.04	0.07	0.95	0.49	-0.01	0.50	0.30	4.10	0.03	0.66	0.57
74	4	14	3.11	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.66	0.57
75	4	15	3.07	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.66	0.57
76	4	16	3.03	0.04	0.07	0.95	0.49	-0.01	0.50	0.29	4.10	0.03	0.67	0.57
77	4	17	2.99	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
78	4	18	2.95	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
79	4	19	2.92	0.04	0.07	0.95	0.50	-0.01	0.50	0.28	4.09	0.03	0.67	0.57
80	4	20	2.88	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
81	5	1	2.84	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
82	5	2	2.81	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
83	5	3	2.77	0.04	0.07	0.95	0.50	-0.01	0.50	0.27	4.09	0.03	0.67	0.57
84	5	4	2.73	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57
85	5	5	2.70	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57
86	5	6	2.66	0.04	0.07	0.95	0.50	-0.01	0.50	0.26	4.09	0.03	0.67	0.57

								CRF_75B.OUT						
87	5	7	2.63	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.67	0.57
88	5	8	2.60	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
89	5	9	2.56	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
90	5	10	2.53	0.04	0.07	0.95	0.50	-0.01	0.50	0.25	4.08	0.03	0.68	0.57
91	5	11	2.50	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
92	5	12	2.47	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
93	5	13	2.43	0.04	0.07	0.95	0.50	-0.01	0.50	0.24	4.08	0.03	0.68	0.57
94	5	14	2.40	0.04	0.07	0.95	0.50	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
95	5	15	2.37	0.04	0.07	0.95	0.50	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
96	5	16	2.34	0.04	0.07	0.95	0.51	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
97	5	17	2.31	0.04	0.07	0.95	0.51	-0.01	0.50	0.23	4.08	0.03	0.68	0.57
98	5	18	2.28	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
99	5	19	2.25	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
100	5	20	2.23	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
101	6	1	2.20	0.04	0.07	0.95	0.51	-0.01	0.50	0.22	4.07	0.03	0.68	0.57
102	6	2	2.17	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.57
103	6	3	2.14	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.58
104	6	4	2.12	0.04	0.07	0.95	0.52	-0.01	0.50	0.21	4.07	0.03	0.69	0.58
105	6	5	2.09	0.04	0.07	0.95	0.53	-0.01	0.50	0.21	4.07	0.03	0.69	0.59
106	6	6	2.06	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
107	6	7	2.04	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
108	6	8	2.01	0.04	0.07	0.95	0.54	-0.01	0.50	0.20	4.07	0.03	0.69	0.60
109	6	9	1.99	0.04	0.07	0.95	0.54	-0.01	0.50	0.20	4.07	0.03	0.69	0.60
110	6	10	1.96	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.07	0.03	0.69	0.60
111	6	11	1.94	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
112	6	12	1.91	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
113	6	13	1.89	0.04	0.07	0.95	0.55	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
114	6	14	1.87	0.04	0.07	0.95	0.56	-0.01	0.50	0.19	4.06	0.03	0.69	0.61
115	6	15	1.84	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
116	6	16	1.82	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
117	6	17	1.80	0.04	0.07	0.95	0.57	-0.01	0.50	0.18	4.06	0.03	0.69	0.62
118	6	18	1.78	0.04	0.07	0.95	0.57	-0.01	0.50	0.18	4.06	0.03	0.69	0.63
119	6	19	1.75	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
120	6	20	1.73	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
121	7	1	1.71	0.04	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.63
122	7	2	1.69	0.05	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.64
123	7	3	1.67	0.05	0.07	0.95	0.58	-0.01	0.50	0.17	4.06	0.03	0.70	0.64
124	7	4	1.65	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.06	0.03	0.70	0.64
125	7	5	1.63	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.06	0.03	0.70	0.64
126	7	6	1.61	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.64
127	7	7	1.59	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.65
128	7	8	1.57	0.05	0.07	0.95	0.59	-0.01	0.50	0.16	4.05	0.03	0.70	0.65
129	7	9	1.55	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
130	7	10	1.54	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.65

1

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
												LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.52	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
132	7	12	1.50	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
133	7	13	1.51	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
134	7	14	1.50	0.05	0.07	0.95	0.60	-0.01	0.50	0.15	4.05	0.03	0.70	0.66
135	7	15	1.48	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
136	7	16	1.46	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
137	7	17	1.44	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
138	7	18	1.43	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
139	7	19	1.41	0.05	0.07	0.95	0.61	-0.01	0.50	0.14	4.05	0.03	0.70	0.67
140	7	20	1.39	0.05	0.07	0.95	0.62	-0.01	0.50	0.13	4.05	0.03	0.70	0.67
141	8	1	1.38	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
142	8	2	1.36	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
143	8	3	1.34	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
144	8	4	1.33	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.68
145	8	5	1.31	0.05	0.07	0.95	0.63	0.00	0.50	0.13	4.05	0.03	0.70	0.68
146	8	6	1.30	0.05	0.07	0.95	0.63	0.00	0.50	0.13	4.05	0.03	0.70	0.68
147	8	7	1.28	0.05	0.07	0.95	0.63	0.00	0.50	0.12	4.05	0.03	0.70	0.68
148	8	8	1.27	0.05	0.07	0.95	0.63	0.00	0.50	0.12	4.04	0.03	0.70	0.69

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
									F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	81.30	7.91	5.42	2.49	0.00	1.00	45.47	0.89	-0.39	-0.01	-0.05	-0.03	-0.04
2	1	2	81.30	7.91	5.44	2.48	0.00	1.00	0.00	0.89	-0.39	-0.01	-0.05	-0.03	-0.03
3	1	3	81.30	7.91	5.46	2.46	0.00	1.00	0.00	0.88	-0.38	-0.01	-0.05	-0.04	-0.03
4	1	4	81.30	7.91	5.47	2.44	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
5	1	5	81.30	7.91	5.49	2.42	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
6	1	6	81.30	7.91	5.51	2.40	0.00	1.00	0.00	0.86	-0.37	-0.01	-0.05	-0.04	-0.02

									CRF_75B.OUT						
7	1	7	81.30	7.91	5.53	2.39	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.05	-0.04	-0.02
8	1	8	81.30	7.91	5.54	2.37	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.04	-0.05	-0.02
9	1	9	81.30	7.91	5.56	2.35	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
10	1	10	81.30	7.91	5.58	2.34	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
11	1	11	81.30	7.91	5.59	2.32	0.00	1.00	0.00	0.83	-0.36	-0.01	-0.04	-0.05	-0.02
12	1	12	81.30	7.91	5.61	2.31	0.00	1.00	0.00	0.82	-0.36	-0.01	-0.04	-0.05	-0.02
13	1	13	81.30	7.91	5.62	2.29	0.00	1.00	0.00	0.82	-0.35	-0.01	-0.04	-0.06	-0.02
14	1	14	81.30	7.91	5.64	2.28	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
15	1	15	81.30	7.91	5.65	2.26	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
16	1	16	81.30	7.91	5.66	2.25	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
17	1	17	81.30	7.91	5.68	2.23	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
18	1	18	81.30	7.91	5.69	2.22	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
19	1	19	81.30	7.91	5.70	2.21	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
20	1	20	81.30	7.91	5.72	2.20	0.00	1.00	0.00	0.79	-0.33	-0.01	-0.04	-0.06	-0.02
21	2	1	81.30	7.91	5.72	2.19	0.00	1.00	0.04	0.78	-0.37	-0.01	-0.03	-0.07	-0.02
22	2	2	81.30	7.91	5.73	2.18	0.00	1.00	0.00	0.78	-0.37	-0.01	-0.03	-0.07	-0.02
23	2	3	81.30	7.91	5.74	2.18	0.00	1.00	0.00	0.78	-0.37	-0.01	-0.03	-0.07	-0.02
24	2	4	81.30	7.91	5.74	2.17	0.00	1.00	0.00	0.78	-0.36	-0.01	-0.03	-0.07	-0.02
25	2	5	81.30	7.91	5.75	2.16	0.00	1.00	0.00	0.77	-0.36	-0.01	-0.03	-0.07	-0.02
26	2	6	81.30	7.91	5.76	2.16	0.00	1.00	0.00	0.77	-0.36	-0.01	-0.03	-0.07	-0.02
27	2	7	81.30	7.91	5.77	2.15	0.00	1.00	0.00	0.77	-0.36	-0.01	-0.03	-0.07	-0.02
28	2	8	81.30	7.91	5.77	2.14	0.00	1.00	0.00	0.77	-0.35	-0.01	-0.03	-0.07	-0.02
29	2	9	81.30	7.91	5.78	2.13	0.00	1.00	0.00	0.76	-0.35	-0.01	-0.03	-0.07	-0.02
30	2	10	81.30	7.91	5.79	2.13	0.00	1.00	0.00	0.76	-0.35	-0.01	-0.03	-0.07	-0.02
31	2	11	81.30	7.91	5.79	2.12	0.00	1.00	0.00	0.76	-0.34	-0.01	-0.03	-0.08	-0.02
32	2	12	81.30	7.91	5.80	2.11	0.00	1.00	0.00	0.75	-0.34	-0.01	-0.03	-0.08	-0.02
33	2	13	81.30	7.91	5.81	2.10	0.00	1.00	0.00	0.75	-0.34	-0.01	-0.03	-0.08	-0.02
34	2	14	81.30	7.91	5.82	2.10	0.00	1.00	0.00	0.75	-0.34	-0.01	-0.03	-0.08	-0.02
35	2	15	81.30	7.91	5.82	2.09	0.00	1.00	0.00	0.75	-0.33	-0.01	-0.03	-0.08	-0.02
36	2	16	81.30	7.91	5.83	2.08	0.00	1.00	0.00	0.74	-0.33	-0.01	-0.03	-0.08	-0.02
37	2	17	81.30	7.91	5.84	2.07	0.00	1.00	0.00	0.74	-0.33	-0.01	-0.03	-0.08	-0.02
38	2	18	81.30	7.91	5.85	2.07	0.00	1.00	0.00	0.74	-0.32	-0.01	-0.03	-0.08	-0.02
39	2	19	81.30	7.91	5.85	2.06	0.00	1.00	0.00	0.74	-0.32	-0.01	-0.02	-0.08	-0.03
40	2	20	81.30	7.91	5.86	2.05	0.00	1.00	0.00	0.73	-0.32	-0.01	-0.02	-0.08	-0.03
41	3	1	81.30	7.91	5.87	2.05	0.00	1.00	0.00	0.73	-0.32	-0.01	-0.02	-0.08	-0.03
42	3	2	81.30	7.91	5.87	2.04	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.02	-0.08	-0.03
43	3	3	81.30	7.91	5.88	2.03	0.00	1.00	0.00	0.73	-0.31	-0.01	-0.02	-0.08	-0.03
44	3	4	81.30	7.91	5.89	2.02	0.00	1.00	0.00	0.72	-0.31	-0.01	-0.02	-0.08	-0.03
45	3	5	81.30	7.91	5.90	2.02	0.00	1.00	0.00	0.72	-0.31	-0.01	-0.02	-0.08	-0.03
46	3	6	81.30	7.91	5.90	2.01	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
47	3	7	81.30	7.91	5.91	2.00	0.00	1.00	0.00	0.72	-0.30	-0.01	-0.02	-0.08	-0.03
48	3	8	81.30	7.91	5.92	1.99	0.00	1.00	0.00	0.71	-0.30	-0.01	-0.02	-0.08	-0.03
49	3	9	81.30	7.91	5.93	1.99	0.00	1.00	0.00	0.71	-0.30	-0.01	-0.02	-0.08	-0.03
50	3	10	81.30	7.91	5.93	1.98	0.00	1.00	0.00	0.71	-0.29	-0.01	-0.02	-0.08	-0.03
51	3	11	81.30	7.91	5.94	1.97	0.00	1.00	0.00	0.70	-0.29	-0.01	-0.02	-0.08	-0.03
52	3	12	81.30	7.91	5.95	1.96	0.00	1.00	0.00	0.70	-0.29	-0.01	-0.02	-0.08	-0.03

										CRF_75B.OUT					
53	3	13	81.30	7.91	5.96	1.96	0.00	1.00	0.00	0.70	-0.29	-0.01	-0.02	-0.08	-0.03
54	3	14	81.30	7.91	5.97	1.95	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.03
55	3	15	81.30	7.91	5.97	1.94	0.00	1.00	0.00	0.69	-0.28	-0.01	-0.02	-0.08	-0.03
56	3	16	81.30	7.91	5.98	1.93	0.00	1.00	0.00	0.69	-0.28	-0.01	-0.02	-0.08	-0.03
57	3	17	81.30	7.91	5.99	1.92	0.00	1.00	0.00	0.69	-0.28	-0.01	-0.02	-0.08	-0.03
58	3	18	81.30	7.91	6.00	1.92	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.03
59	3	19	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
60	3	20	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
61	4	1	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
62	4	2	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.27	-0.01	-0.02	-0.08	-0.03
63	4	3	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
64	4	4	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
65	4	5	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.07	-0.03

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 14
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE	RCH	ELE	TEMP	DO	DO	DO	DAM	NIT	F-FUNCTN	OXYGN	C-BOD	SOD	NET	NH3-N	NO2-N
ORD	NUM	NUM	DEG-F	SAT	MG/L	MG/L	MG/L	INHIB	INPUT	REAIR			P-R		
66	4	6	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.07	-0.03
67	4	7	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.03
68	4	8	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.03
69	4	9	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.02
70	4	10	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.02
71	4	11	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.25	-0.01	-0.02	-0.07	-0.02
72	4	12	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.02	-0.07	-0.02
73	4	13	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.01	-0.07	-0.02
74	4	14	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.01	-0.07	-0.02
75	4	15	81.30	7.91	6.01	1.90	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.01	-0.07	-0.02
76	4	16	81.30	7.91	6.02	1.90	0.00	1.00	0.00	0.68	-0.24	-0.01	-0.01	-0.07	-0.02
77	4	17	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.23	-0.01	-0.01	-0.07	-0.02
78	4	18	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.23	-0.01	-0.01	-0.07	-0.02
79	4	19	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.23	-0.01	-0.01	-0.07	-0.02
80	4	20	81.30	7.91	6.03	1.89	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
81	5	1	81.30	7.91	6.03	1.88	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
82	5	2	81.30	7.91	6.03	1.88	0.00	1.00	0.00	0.67	-0.23	-0.01	-0.01	-0.07	-0.02
83	5	3	81.30	7.91	6.04	1.88	0.00	1.00	0.00	0.67	-0.22	-0.01	-0.01	-0.07	-0.02
84	5	4	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.22	-0.01	-0.01	-0.07	-0.02
85	5	5	81.30	7.91	6.05	1.87	0.00	1.00	0.00	0.67	-0.22	-0.01	-0.01	-0.07	-0.02
86	5	6	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.22	-0.01	-0.01	-0.07	-0.02

CRF_75B.OUT

87	5	7	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.66	-0.22	-0.01	-0.01	-0.07	-0.02
88	5	8	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
89	5	9	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
90	5	10	81.30	7.91	6.07	1.85	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
91	5	11	81.30	7.91	6.07	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
92	5	12	81.30	7.91	6.08	1.84	0.00	1.00	0.00	0.66	-0.21	-0.01	-0.01	-0.06	-0.02
93	5	13	81.30	7.91	6.08	1.83	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.06	-0.02
94	5	14	81.30	7.91	6.09	1.83	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
95	5	15	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
96	5	16	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
97	5	17	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
98	5	18	81.30	7.91	6.11	1.81	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.06	-0.02
99	5	19	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.06	-0.02
100	5	20	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
101	6	1	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
102	6	2	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
103	6	3	81.30	7.91	6.14	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
104	6	4	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
105	6	5	81.30	7.91	6.15	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
106	6	6	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
107	6	7	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
108	6	8	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.05	-0.02
109	6	9	81.30	7.91	6.17	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.05	-0.02
110	6	10	81.30	7.91	6.18	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.05	-0.02
111	6	11	81.30	7.91	6.18	1.73	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.05	-0.02
112	6	12	81.30	7.91	6.19	1.73	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.05	-0.02
113	6	13	81.30	7.91	6.19	1.72	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
114	6	14	81.30	7.91	6.20	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
115	6	15	81.30	7.91	6.21	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
116	6	16	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
117	6	17	81.30	7.91	6.22	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.05	-0.02
118	6	18	81.30	7.91	6.22	1.69	0.00	1.00	0.00	0.60	-0.17	-0.01	-0.01	-0.05	-0.02
119	6	19	81.30	7.91	6.23	1.68	0.00	1.00	0.00	0.60	-0.17	-0.01	-0.01	-0.05	-0.02
120	6	20	81.30	7.91	6.24	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
121	7	1	81.30	7.91	6.25	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
122	7	2	81.30	7.91	6.27	1.65	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
123	7	3	81.30	7.91	6.28	1.63	0.00	1.00	0.00	0.58	-0.16	-0.01	-0.01	-0.05	-0.02
124	7	4	81.30	7.91	6.30	1.62	0.00	1.00	0.00	0.58	-0.16	-0.01	-0.01	-0.05	-0.02
125	7	5	81.30	7.91	6.31	1.60	0.00	1.00	0.00	0.57	-0.16	-0.01	-0.01	-0.05	-0.02
126	7	6	81.30	7.91	6.33	1.59	0.00	1.00	0.00	0.57	-0.16	-0.01	-0.01	-0.05	-0.02
127	7	7	81.30	7.91	6.34	1.57	0.00	1.00	0.00	0.56	-0.15	-0.01	-0.01	-0.05	-0.02
128	7	8	81.30	7.91	6.35	1.56	0.00	1.00	0.00	0.56	-0.15	-0.01	-0.01	-0.04	-0.02
129	7	9	81.30	7.91	6.37	1.55	0.00	1.00	0.00	0.55	-0.15	-0.01	-0.01	-0.04	-0.02
130	7	10	81.30	7.91	6.38	1.53	0.00	1.00	0.00	0.55	-0.15	-0.01	-0.01	-0.04	-0.02

1

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
									F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	81.30	7.91	6.39	1.52	0.00	1.00	0.00	0.54	-0.15	-0.01	-0.01	-0.04	-0.02
132	7	12	81.30	7.91	6.40	1.51	0.00	1.00	0.00	0.54	-0.15	-0.01	-0.01	-0.04	-0.02
133	7	13	81.30	7.91	6.41	1.50	0.00	1.00	0.22	0.54	-0.15	-0.01	-0.01	-0.04	-0.02
134	7	14	81.30	7.91	6.42	1.49	0.00	1.00	0.00	0.53	-0.15	-0.01	-0.01	-0.04	-0.02
135	7	15	81.30	7.91	6.43	1.48	0.00	1.00	0.00	0.53	-0.15	-0.01	-0.01	-0.04	-0.02
136	7	16	81.30	7.91	6.45	1.47	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.01
137	7	17	81.30	7.91	6.46	1.46	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.01
138	7	18	81.30	7.91	6.47	1.45	0.00	1.00	0.00	0.52	-0.14	-0.01	-0.01	-0.04	-0.01
139	7	19	81.30	7.91	6.48	1.43	0.00	1.00	0.00	0.51	-0.14	-0.01	-0.01	-0.04	-0.01
140	7	20	81.30	7.91	6.49	1.42	0.00	1.00	0.00	0.51	-0.14	-0.01	-0.01	-0.04	-0.01
141	8	1	81.30	7.91	6.50	1.41	0.00	1.00	0.00	0.51	-0.14	-0.01	0.00	-0.04	-0.01
142	8	2	81.30	7.91	6.51	1.40	0.00	1.00	0.00	0.50	-0.14	-0.01	0.00	-0.04	-0.01
143	8	3	81.30	7.91	6.52	1.39	0.00	1.00	0.00	0.50	-0.14	-0.01	0.00	-0.04	-0.01
144	8	4	81.30	7.91	6.53	1.38	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
145	8	5	81.30	7.91	6.54	1.37	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
146	8	6	81.30	7.91	6.55	1.37	0.00	1.00	0.00	0.49	-0.13	-0.01	0.00	-0.04	-0.01
147	8	7	81.30	7.91	6.56	1.36	0.00	1.00	0.00	0.48	-0.13	-0.01	0.00	-0.04	-0.01
148	8	8	81.30	7.91	6.57	1.35	0.00	1.00	0.00	0.48	-0.13	-0.01	0.00	-0.04	-0.01

CRF_75C.dat

TITLE01 GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
 TITLE02 CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
 TITLE03 YES CONSERVATIVE MINERAL I
 TITLE04 NO CONSERVATIVE MINERAL II
 TITLE05 NO CONSERVATIVE MINERAL III
 TITLE06 NO TEMPERATURE
 TITLE07 YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
 TITLE08 YES ALGAE AS CHL-A IN UG/L
 TITLE09 YES PHOSPHORUS CYCLE AS P IN MG/L
 TITLE10 (ORGANIC-P; DISSOLVED-P)
 TITLE11 YES NITROGEN CYCLE AS N IN MG/L
 TITLE12 (ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
 TITLE13 YES DISSOLVED OXYGEN IN MG/L
 TITLE14 NO FECAL COLIFORMS IN NO./100 ML
 TITLE15 NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

LIST DATA INPUT

WRITE OPTIONAL SUMMARY

NO FLOW AUGMENTATION

STEADY STATE

NO TRAPEZOIDAL X-SECTIONS

NO PRINT LCD/SOLAR DATA

NO PLOT DO AND BOD

FIXED DNSTM CONC (YES=1)=	0	ULT BOD CONV RATE COEF	0
INPUT METRIC (YES=1) =	0	OUTPUT METRIC (YES=1) =	0
NUMBER OF REACHES =	8	NUMBER OF JUNCTIONS =	0
NUM OF HEADWATERS =	1	NUMBER OF POINT LOADS =	8
TIME STEP (HOURS) =	1	LNTH COMP ELEMENT (DX)=	0.25
MAXIMUM ROUTE TIME (HRS)=	250	TIME INC. FOR RPT2 (HRS)=	1
LATITUDE OF BASIN (DEG) =	33.0	LONGITUDE OF BASIN (DEG)=	92.0
STANDARD MERIDIAN (DEG) =	90.0	DAY OF YEAR START TIME =	190.0
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60	DUST ATTENUATION COEF. =	0.13

ENDATA1

O UPTAKE BY NH3 OXID(MG O/MG N)=	3.43	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.14
O PROD BY ALGAE (MG O/MG A) =	1.8	O UPTAKE BY ALGAE (MG O/MG A) =	2.00
N CONTENT OF ALGAE (MG N/MG A) =	.085	P CONTENT OF ALGAE (MG P/MG A) =	0.015
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5	ALGAE RESPIRATION RATE (1/DAY) =	0.05
N HALF SATURATION CONST (MG/L)=	0.20	P HALF SATURATION CONST (MG/L)=	0.01
LIN ALG EXCO (1/FT)/(UG-CHLA/L)=	.0200	NLINCO(1/FT)/(UG-CHLA/L)**(2/3)=	.0165
LIGHT FUNCTION OPTION (LFNOPT) =	2	LIGHT SATURATION COEF(LNGY/MIN)=	.100
DAILY AVERAGING OPTION (LAVOPT)=	2	LIGHT AVERAGING FACTOR (AFACT) =	0.92
NUMBER OF DAYLIGHT HOURS (DLH) =	13	TOTAL DAILY SOLAR RADTN (LNGYS)=	754
ALGY GROWTH CALC OPTION(LGROPT)=	1	ALGAL PREF FOR NH3-N (PREFN) =	0.5
ALG/TEMP SOLR RAD FACTOR(TFACT)=	0.44	NITRIFICATION INHIBITION COEF =	10.0

ENDATA1A

ENDATA1B

STREAM REACH 1.0 REACH 1 FROM 227.0 TO 222.0

CRF_75C.dat

N AND P COEF	RCH=	5.0	0.100	.00	0.100	0.0	1.0	.00	0.0	0.0
N AND P COEF	RCH=	6.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	7.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0
N AND P COEF	RCH=	8.0	0.100	.00	0.100	0.0	1.0	.05	0.0	0.0

ENDATA6A

ALG/OTHER COEF	RCH=	1.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	2.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	3.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	4.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	5.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	6.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	7.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0
ALG/OTHER COEF	RCH=	8.0	15.0	0.80	4.00	0.0	0.0	0.0	0.0

ENDATA6B

INITIAL COND-1	RCH=	1.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	2.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	3.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	4.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	5.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	6.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	7.0	81.3	5.40	5.60	1.77
INITIAL COND-1	RCH=	8.0	81.3	5.40	5.60	1.77

ENDATA7

INITIAL COND-2	RCH=	1.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	2.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	3.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	4.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	5.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	6.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	7.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014
INITIAL COND-2	RCH=	8.0	8.4	0.33	0.045	0.025	0.098	0.023	0.014

ENDATA7A

INCR INFLOW-1	RCH=	1.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	2.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	3.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	4.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	5.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	6.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	7.0	2.0	88.7	5.95	5.6	1.77
INCR INFLOW-1	RCH=	8.0	2.0	88.7	5.95	5.6	1.77

ENDATA8

INCR INFLOW-2	RCH=	1.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	2.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	3.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	4.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	5.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	6.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014
INCR INFLOW-2	RCH=	7.0	0.00	0.33	0.045	0.025	0.098	0.023	0.014

CRF_75C.dat

```

INCR INFLOW-2 RCH= 8.0 0.00 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA8A
ENDATA9
HEADWTR-1 HDW= 1.0 OUACHITA RIVER 46364 81.3 5.40 5.60 1.77
ENDATA10
HEADWTR-2 HDW= 1.0 0.0 0.0 8.4 0.33 0.045 0.025 0.098 0.023 0.014
ENDATA10A
POINTLD-1 PTL= 1.0COFFEE CREEK 0.0 0.000 86.9 3.50 218.3 18.75
POINTLD-1 PTL= 2.0PIERRE CREEK 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 3.0POSSUM BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 4.0BAYOUDEBUTTE 0.0 1.0 88.7 5.50 5.0 1.77
POINTLD-1 PTL= 5.0 BOGGY BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 6.0PAWPAW BAYOU 0.0 0.1 88.7 5.50 2.80 1.77
POINTLD-1 PTL= 7.0BAYOU BARTHO 0.0 222.0 85.1 5.40 2.80 1.77
POINTLD-1 PTL= 8.0STERLINGTOWN 0.0 0.77 88.7 3.00 60.0 1.77
ENDATA11
POINTLD-2 PTL= 1.0 0.0 0.0 1.00 2.73 3.56 0.10 0.40 0.220 0.589
POINTLD-2 PTL= 2.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 3.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 4.0 0.0 0.0 1.00 5.000 5.00 0.10 0.40 0.070 1.000
POINTLD-2 PTL= 5.0 0.0 0.0 2.8 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 6.0 0.0 0.0 1.00 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 7.0 0.0 0.0 8.40 0.484 0.05 0.10 0.40 0.070 0.040
POINTLD-2 PTL= 8.0 0.0 0.0 10.0 12.00 12.0 0.10 2.00 1.000 3.000
ENDATA11A
ENDATA12
ENDATA13
ENDATA13A
BEGIN RCH 1 2 3 4 5 6 7 8 9
PLOT RCH 1 2 3 4 5 6 7 8 9

```


CRF_75C.dat

1

CRF_75C.OUT
*** QUAL-2E STREAM QUALITY ROUTING MODEL ***
*** EPA/NCASI VERSION ***

0 \$\$\$ (PROBLEM TITLES) \$\$\$

CARD TYPE	QUAL-2E PROGRAM TITLES
TITLE01	GEORGIA PACIFIC, OUACHITA RIVER NEAR CROSSETT, AR
TITLE02	CALIBRATION DATA SET, AUGUST 27, 1998 (12/98 REVISION)
TITLE03	YES CONSERVATIVE MINERAL I
TITLE04	NO CONSERVATIVE MINERAL II
TITLE05	NO CONSERVATIVE MINERAL III
TITLE06	NO TEMPERATURE
TITLE07	YES BIOCHEMICAL OXYGEN DEMAND IN MG/L
TITLE08	YES ALGAE AS CHL-A IN UG/L
TITLE09	YES PHOSPHORUS CYCLE AS P IN MG/L
TITLE10	(ORGANIC-P; DISSOLVED-P)
TITLE11	YES NITROGEN CYCLE AS N IN MG/L
TITLE12	(ORGANIC-N; AMMONIA-N; NITRITE-N; NITRATE-N)
TITLE13	YES DISSOLVED OXYGEN IN MG/L
TITLE14	NO FECAL COLIFORMS IN NO./100 ML
TITLE15	NO ARBITRARY NON-CONSERVATIVE BOD MG/L

ENDTITLE

0 \$\$\$ DATA TYPE 1 (CONTROL DATA) \$\$\$

CARD TYPE		CARD TYPE	
LIST DATA INPUT	0.00000		0.00000
WRITE OPTIONAL SUMMARY	0.00000		0.00000
NO FLOW AUGMENTATION	0.00000		0.00000
STEADY STATE	0.00000		0.00000
NO TRAPEZOIDAL X-SECTIONS	0.00000		0.00000
NO PRINT LCD/SOLAR DATA	0.00000		0.00000
NO PLOT DO AND BOD	0.00000		0.00000
FIXED DNSTM CONC (YES=1)=	0.00000	ULT BOD CONV RATE COEF	0.23000
INPUT METRIC (YES=1) =	0.00000	OUTPUT METRIC (YES=1) =	0.00000
NUMBER OF REACHES =	8.00000	NUMBER OF JUNCTIONS =	0.00000
NUM OF HEADWATERS =	1.00000	NUMBER OF POINT LOADS =	8.00000
TIME STEP (HOURS) =	1.00000	LNTH COMP ELEMENT (DX)=	0.25000
MAXIMUM ROUTE TIME (HRS)=	250.00000	TIME INC. FOR RPT2 (HRS)=	1.00000
LATITUDE OF BASIN (DEG) =	33.00000	LONGITUDE OF BASIN (DEG)=	92.00000
STANDARD MERIDIAN (DEG) =	90.00000	DAY OF YEAR START TIME =	190.00000
EVAP. COEFF. (AE) =	0.00001	EVAP. COEF. (BE) =	0.00010
ELEV OF BASIN (ELEV) =	60.00000	DUST ATTENUATION COEF. =	0.13000
ENDATA1	0.00000		0.00000

0 \$\$\$ DATA TYPE 1A (ALGAE PRODUCTION AND NITROGEN OXIDATION CONSTANTS) \$\$\$

CARD TYPE		CARD TYPE	
O UPTAKE BY NH3 OXID(MG O/MG N)=	3.4300	O UPTAKE BY NO2 OXID(MG O/MG N)=	1.1400
O PROD BY ALGAE (MG O/MG A) =	1.8000	O UPTAKE BY ALGAE (MG O/MG A) =	2.0000
N CONTENT OF ALGAE (MG N/MG A) =	0.0850	P CONTENT OF ALGAE (MG P/MG A) =	0.0150
ALG MAX SPEC GROWTH RATE(1/DAY)=	2.5000	ALGAE RESPIRATION RATE (1/DAY) =	0.0500

CRF_75C.OUT

CARD TYPE	REACH	COEF-DSPN	COEFQV	EXPOQV	COEFQH	EXPOQH	CMANN
HYDRAULICS	1.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	2.	38.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	3.	22.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	4.	21.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	5.	10.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	6.	17.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	7.	7.00	128.756	-0.643	0.000	1.370	0.035
HYDRAULICS	8.	7.00	128.756	-0.643	0.000	1.370	0.035
ENDATA5	0.	0.00	0.000	0.000	0.000	0.000	0.000

0 \$\$\$ DATA TYPE 6 (REACTION COEFFICIENTS FOR DEOXYGENATION AND REAERATION) \$\$\$

CARD TYPE	REACH	K1	K3	SOD RATE	K2OPT	K2	COEQK2 TSIV COEF FOR OPT 8	OR OR	EXPQK2 SLOPE FOR OPT 8	DELTAH FOR OPT 9
REACT COEF	1.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	2.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	3.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	4.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	5.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	6.	0.05	0.00	0.071	1.	0.30	0.000		0.00000	0.00
REACT COEF	7.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
REACT COEF	8.	0.05	0.00	0.051	1.	0.30	0.000		0.00000	0.00
ENDATA6	0.	0.00	0.00	0.000	0.	0.00	0.000		0.00000	0.00

0 \$\$\$ DATA TYPE 6A (NITROGEN AND PHOSPHORUS CONSTANTS) \$\$\$

CARD TYPE	REACH	CKNH2	SETNH2	CKNH3	SNH3	CKN02	CKPORG	SETPORG	SP04
N AND P COEF	1.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	2.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	3.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	4.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	5.	0.10	0.00	0.10	0.00	1.00	0.00	0.00	0.00
N AND P COEF	6.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	7.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
N AND P COEF	8.	0.10	0.00	0.10	0.00	1.00	0.05	0.00	0.00
ENDATA6A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 6B (ALGAE/OTHER COEFFICIENTS) \$\$\$

CARD TYPE	REACH	ALPHA0	ALGSET	EXCOEF	CK5 CKCOLI	CKANC	SETANC	SRCANC
ALG/OTHER COEF	1.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	2.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	3.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	4.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	5.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	6.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	7.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ALG/OTHER COEF	8.	15.00	0.80	4.00	0.00	0.00	0.00	0.00
ENDATA6B	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7 (INITIAL CONDITIONS) \$\$\$

CRF_75C.OUT

CARD TYPE	REACH	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INITIAL COND-1	1.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	2.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	3.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	4.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	5.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	6.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	7.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
INITIAL COND-1	8.	81.30	5.40	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA7	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 7A (INITIAL CONDITIONS FOR CHOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INITIAL COND-2	1.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	2.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	3.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	4.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	5.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	6.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	7.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
INITIAL COND-2	8.	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA7A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8 (INCREMENTAL INFLOW CONDITIONS) \$\$\$

CARD TYPE	REACH	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI
INCR INFLOW-1	1.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	2.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	3.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	4.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	5.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	6.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	7.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
INCR INFLOW-1	8.	2.000	88.70	5.95	5.60	1.77	0.00	0.00	0.00	0.00
ENDATA8	0.	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 8A (INCREMENTAL INFLOW CONDITIONS FOR CHLOROPHYLL A, NITROGEN, AND PHOSPHORUS) \$\$\$

CARD TYPE	REACH	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
INCR INFLOW-2	1.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	2.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	3.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	4.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	5.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	6.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	7.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
INCR INFLOW-2	8.	0.00	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA8A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 9 (STREAM JUNCTIONS) \$\$\$

CARD TYPE JUNCTION ORDER AND IDENT UPSTRM JUNCTION TRIB

0 ENDATA9 0. 0. 0.
 \$\$\$ DATA TYPE 10 (HEADWATER SOURCES) \$\$\$

CARD TYPE	HDWTR ORDER	NAME	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
HEADWTR-1	1.	OUACHITA RIVER	46364.00	81.30	5.40	5.60	1.77	0.00	0.00
ENDATA10	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 10A (HEADWATER CONDITIONS FOR CHLOROPHYLL, NITROGEN, PHOSPHORUS, COLIFORM AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	HDWTR ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
HEADWTR-2	1.	0.00	0.00	8.40	0.33	0.05	0.03	0.10	0.02	0.01
ENDATA10A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 11 (POINT SOURCE / POINT SOURCE CHARACTERISTICS) \$\$\$

CARD TYPE	POINT LOAD ORDER	NAME	EFF	FLOW	TEMP	D.O.	BOD	CM-1	CM-2	CM-3
POINTLD-1	1.	COFFEE CREEK	0.00	0.00	86.90	3.50	218.30	18.75	0.00	0.00
POINTLD-1	2.	PIERRE CREEK	0.00	1.00	88.70	5.50	5.00	1.77	0.00	0.00
POINTLD-1	3.	POSSUM BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	4.	BAYOUDEBUTTE	0.00	1.00	88.70	5.50	5.00	1.77	0.00	0.00
POINTLD-1	5.	BOGGY BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	6.	PAWPAW BAYOU	0.00	0.10	88.70	5.50	2.80	1.77	0.00	0.00
POINTLD-1	7.	BAYOU BARTH0	0.00	222.00	85.10	5.40	2.80	1.77	0.00	0.00
POINTLD-1	8.	STERLINGTONW	0.00	0.77	88.70	3.00	60.00	1.77	0.00	0.00
ENDATA11	0.		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 11A (POINT SOURCE CHARACTERISTICS - CHLOROPHYLL A, NITROGEN, PHOSPHORUS, COLIFORMS AND SELECTED NON-CONSERVATIVE CONSTITUENT) \$\$\$

CARD TYPE	POINT LOAD ORDER	ANC	COLI	CHL-A	ORG-N	NH3-N	NO2-N	NO3-N	ORG-P	DIS-P
POINTLD-2	1.	0.00	0.00	1.00	2.73	3.56	0.10	0.40	0.22	0.59
POINTLD-2	2.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	3.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	4.	0.00	0.00	1.00	5.00	5.00	0.10	0.40	0.07	1.00
POINTLD-2	5.	0.00	0.00	2.80	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	6.	0.00	0.00	1.00	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	7.	0.00	0.00	8.40	0.48	0.05	0.10	0.40	0.07	0.04
POINTLD-2	8.	0.00	0.00	10.00	12.00	12.00	0.10	2.00	1.00	3.00
ENDATA11A	0.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 12 (DAM CHARACTERISTICS) \$\$\$

	DAM	RCH	ELE	ADAM	BDAM	FDAM	HDAM
ENDATA12	0.	0.	0.	0.00	0.00	0.00	0.00

0 \$\$\$ DATA TYPE 13 (DOWNSTREAM BOUNDARY CONDITIONS-1) \$\$\$

		CRF_75C.OUT																			
		CARD TYPE	TEMP	D.O.	BOD	CM-1	CM-2	CM-3	ANC	COLI											
0	ENDATA13	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																			
0	\$\$\$ DATA TYPE 13A (DOWNSTREAM BOUNDARY CONDITIONS-2) \$\$\$																				
		CARD TYPE	CHL-A	ORG-N	NH3-N	NO2-N	NH3-N	ORG-P	DIS-P												
1	ENDATA13A	DOWNSTREAM BOUNDARY CONCENTRATIONS ARE UNCONSTRAINED																			
0		CONSERVATIVE MINERAL I										ITERATION 1									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	2	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	3	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	4	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	5	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	6	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	7	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
	8	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77

0		BIOCHEMICAL OXYGEN DEMAND IN MG/L										ITERATION 1									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.74
	2	4.70	4.67	4.63	4.59	4.55	4.51	4.48	4.44	4.40	4.37	4.33	4.29	4.26	4.22	4.19	4.15	4.12	4.08	4.05	4.02
	3	3.98	3.95	3.92	3.89	3.85	3.82	3.79	3.76	3.73	3.70	3.67	3.64	3.61	3.58	3.55	3.52	3.49	3.46	3.43	3.40
	4	3.38	3.35	3.32	3.29	3.26	3.24	3.21	3.18	3.16	3.13	3.11	3.08	3.06	3.03	3.00	2.98	2.96	2.93	2.91	2.88
	5	2.86	2.84	2.81	2.79	2.77	2.74	2.72	2.70	2.68	2.65	2.63	2.61	2.59	2.57	2.55	2.52	2.50	2.48	2.46	2.44
	6	2.42	2.40	2.38	2.36	2.34	2.32	2.30	2.28	2.27	2.25	2.23	2.21	2.19	2.17	2.16	2.14	2.12	2.10	2.09	2.07
	7	2.05	2.03	2.02	2.00	1.98	1.97	1.95	1.94	1.92	1.90	1.89	1.87	1.86	1.85	1.83	1.82	1.80	1.79	1.77	1.76
	8	1.74	1.73	1.71	1.70	1.69	1.67	1.66	1.64												

1
 STEADY STATE ALGAE/NUTRIENT/DISSOLVED OXYGEN SIMULATION; CONVERGENCE SUMMARY:

		VARIABLE	ITERATION	NUMBER OF NONCONVERGENT ELEMENTS																	
0		ALGAE AS CHL-A IN UG/L										ITERATION 1									
	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	8.28	8.16	8.04	7.93	7.81	7.70	7.59	7.48	7.37	7.26	7.16	7.06	6.95	6.85	6.75	6.66	6.56	6.47	6.37	6.28
	2	6.19	6.10	6.01	5.93	5.84	5.76	5.67	5.59	5.51	5.43	5.35	5.27	5.20	5.12	5.05	4.98	4.90	4.83	4.76	4.70
	3	4.63	4.56	4.50	4.43	4.37	4.30	4.24	4.18	4.12	4.06	4.00	3.94	3.89	3.83	3.78	3.72	3.67	3.61	3.56	3.51
	4	3.46	3.41	3.36	3.31	3.26	3.22	3.17	3.13	3.08	3.04	2.99	2.95	2.91	2.86	2.82	2.78	2.74	2.70	2.66	2.62
	5	2.59	2.55	2.51	2.48	2.44	2.41	2.37	2.34	2.30	2.27	2.24	2.20	2.17	2.14	2.11	2.08	2.05	2.02	1.99	1.96
	6	1.93	1.91	1.88	1.85	1.82	1.80	1.77	1.75	1.72	1.70	1.67	1.65	1.62	1.60	1.58	1.56	1.53	1.51	1.49	1.47
	7	1.45	1.43	1.40	1.38	1.36	1.34	1.33	1.31	1.29	1.27	1.25	1.23	1.25	1.23	1.21	1.19	1.18	1.16	1.14	1.13

CRF_75C.OUT

		8	1.11	1.10	1.08	1.06	1.05	1.03	1.02	1.00											
0		ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03
3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02												
0		DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02												
0		ORGANIC NITROGEN AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.32	0.32	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24	
2	0.24	0.24	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18	0.18	
3	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13	0.13	
4	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	
5	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	
6	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05	0.05	
7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	
8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04												
0		AMMONIA AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	
2	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	
3	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	
4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	
5	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	
6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
7	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	
8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06												
0		NITRITE AS N IN MG/L								ITERATION 1											
RCH/CL		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02

CRF_75C.OUT																				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	20	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	
	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0	NITRATE AS N IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.14
2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19
3	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.23	0.23	0.23	0.24	0.24	0.24
4	0.24	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29
5	0.29	0.29	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33
6	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.37
7	0.37	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.40	0.40	0.40
8	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.42												
0	DISSOLVED OXYGEN IN MG/L										ITERATION 1									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	5.42	5.44	5.46	5.47	5.49	5.51	5.52	5.54	5.56	5.57	5.59	5.60	5.62	5.63	5.65	5.66	5.67	5.69	5.70	5.71
2	5.72	5.74	5.75	5.76	5.77	5.78	5.79	5.80	5.81	5.82	5.83	5.84	5.85	5.86	5.87	5.88	5.89	5.90	5.91	5.92
3	5.93	5.93	5.94	5.95	5.96	5.97	5.98	5.99	5.99	6.00	6.01	6.02	6.03	6.04	6.04	6.05	6.06	6.07	6.08	6.08
4	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.09	6.09	6.09	6.09	6.09	6.10	6.10
5	6.10	6.11	6.11	6.11	6.12	6.12	6.13	6.13	6.13	6.14	6.14	6.15	6.15	6.16	6.16	6.17	6.17	6.18	6.18	6.19
6	6.19	6.20	6.20	6.21	6.21	6.22	6.22	6.23	6.23	6.24	6.24	6.25	6.25	6.26	6.27	6.27	6.28	6.28	6.29	6.29
7	6.31	6.32	6.34	6.35	6.37	6.38	6.39	6.41	6.42	6.43	6.44	6.46	6.46	6.47	6.49	6.50	6.51	6.52	6.53	6.54
8	6.55	6.56	6.57	6.58	6.59	6.59	6.60	6.61												
ALGAE GROWTH RATE						1			117											
ALGAE GROWTH RATE						2			0											
ALGAE GROWTH RATE						3			0											

SUMMARY OF CONDITIONS FOR ALGAL GROWTH RATE SIMULATION:

1. LIGHT AVERAGING OPTION. LAVOPT= 2

METHOD: MEAN SOLAR RADIATION DURING DAYLIGHT HOURS

SOURCE OF SOLAR VALUES: DATA TYPE 1A

DAILY NET SOLAR RADIATION: 754.000 BTU/FT-2 (204.613 LANGLEYS)

NUMBER OF DAYLIGHT HOURS: 13.0

PHOTOSYNTHETIC ACTIVE FRACTION OF SOLAR RADIATION (TFACT): N/A

MEAN SOLAR RADIATION ADJUSTMENT FACTOR (AFACT): 0.920

2. LIGHT FUNCTION OPTION: LFNOPT= 2

SMITH FUNCTION, WITH 71% IMAX = 0.027 LANGLEYS/MIN

3. GROWTH ATTENUATION OPTION FOR NUTRIENTS. LGROPT= 1

MULTIPLICATIVE: FL*FN*FP

1		DISSOLVED OXYGEN IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	5.42	5.44	5.46	5.47	5.49	5.51	5.53	5.54	5.56	5.58	5.59	5.61	5.62	5.64	5.65	5.66	5.68	5.69	5.70	5.72
	2	5.73	5.74	5.75	5.77	5.78	5.79	5.80	5.81	5.82	5.83	5.84	5.85	5.86	5.87	5.88	5.89	5.90	5.91	5.92	5.93
	3	5.94	5.95	5.96	5.96	5.97	5.98	5.99	6.00	6.01	6.02	6.02	6.03	6.04	6.05	6.06	6.06	6.07	6.08	6.09	6.10
	4	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.10	6.10	6.10	6.10	6.10	6.11	6.11	6.11
	5	6.11	6.12	6.12	6.12	6.13	6.13	6.14	6.14	6.14	6.15	6.15	6.16	6.16	6.17	6.17	6.18	6.18	6.18	6.19	6.19
	6	6.20	6.20	6.21	6.21	6.22	6.23	6.23	6.24	6.24	6.25	6.25	6.26	6.26	6.27	6.27	6.28	6.28	6.29	6.30	6.30
	7	6.32	6.33	6.35	6.36	6.37	6.39	6.40	6.41	6.43	6.44	6.45	6.46	6.47	6.48	6.49	6.50	6.51	6.52	6.54	6.55
	8	6.56	6.56	6.57	6.58	6.59	6.60	6.61	6.62												
0		BIOCHEMICAL OXYGEN DEMAND IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	5.55	5.51	5.46	5.42	5.37	5.33	5.28	5.24	5.20	5.15	5.11	5.07	5.03	4.99	4.94	4.90	4.86	4.82	4.78	4.74
	2	4.70	4.67	4.63	4.59	4.55	4.51	4.48	4.44	4.40	4.37	4.33	4.29	4.26	4.22	4.19	4.15	4.12	4.08	4.05	4.02
	3	3.98	3.95	3.92	3.89	3.85	3.82	3.79	3.76	3.73	3.70	3.67	3.64	3.61	3.58	3.55	3.52	3.49	3.46	3.43	3.40
	4	3.38	3.35	3.32	3.29	3.26	3.24	3.21	3.18	3.16	3.13	3.11	3.08	3.06	3.03	3.00	2.98	2.96	2.93	2.91	2.88
	5	2.86	2.84	2.81	2.79	2.77	2.74	2.72	2.70	2.68	2.65	2.63	2.61	2.59	2.57	2.55	2.52	2.50	2.48	2.46	2.44
	6	2.42	2.40	2.38	2.36	2.34	2.32	2.30	2.28	2.27	2.25	2.23	2.21	2.19	2.17	2.16	2.14	2.12	2.10	2.09	2.07
	7	2.05	2.03	2.02	2.00	1.98	1.97	1.95	1.94	1.92	1.90	1.89	1.87	1.86	1.85	1.83	1.82	1.80	1.79	1.77	1.76
	8	1.74	1.73	1.71	1.70	1.69	1.67	1.66	1.64												
0		ORGANIC NITROGEN AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.32	0.32	0.32	0.31	0.31	0.30	0.30	0.29	0.29	0.28	0.28	0.27	0.27	0.27	0.26	0.26	0.25	0.25	0.25	0.24
	2	0.24	0.24	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.18	0.18
	3	0.18	0.17	0.17	0.17	0.17	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.14	0.14	0.13	0.13
	4	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10
	5	0.10	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07
	6	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05	0.05
	7	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04
	8	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04												
0		AMMONIA AS N IN MG/L																		ITERATION 3	
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.05	0.05	0.06	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.10
	2	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
	3	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
	4	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11
	5	0.11	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09
	6	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
	7	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06

CRF_75C.OUT

		8	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	
		NITRITE AS N IN MG/L								ITERATION 3											
0	RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02
	3	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	4	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	7	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	8	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
0	NITRATE AS N IN MG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.14	0.14
	2	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.18	0.18	0.18	0.19	0.19	0.19
	3	0.19	0.19	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.23	0.23	0.23	0.23	0.24	0.24	0.24
	4	0.24	0.24	0.25	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29
	5	0.29	0.29	0.30	0.30	0.30	0.30	0.30	0.31	0.31	0.31	0.32	0.32	0.32	0.32	0.32	0.33	0.33	0.33	0.33	0.33
	6	0.33	0.34	0.34	0.34	0.34	0.34	0.35	0.35	0.35	0.35	0.36	0.36	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37
	7	0.37	0.37	0.37	0.38	0.38	0.38	0.38	0.38	0.38	0.39	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.40	0.40	0.40
	8	0.40	0.40	0.40	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.40	0.40	0.40	0.40	0.40	0.40
0	ORGANIC PHOSPHORUS AS P IN MG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	2	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03
	3	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	4	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	5	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
	6	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	DISSOLVED PHOSPHORUS AS P IN MG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	3	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	4	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	5	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	6	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	7	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	8	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
0	ALGAE AS CHL-A IN UG/L								ITERATION 3												
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	1	8.28	8.16	8.05	7.93	7.82	7.71	7.60	7.50	7.39	7.29	7.19	7.09	6.99	6.89	6.80	6.71	6.61	6.52	6.43	6.35
	2	6.26	6.18	6.09	6.01	5.93	5.85	5.77	5.69	5.62	5.54	5.47	5.39	5.32	5.25	5.18	5.11	5.04	4.98	4.91	4.84

CRF_75C.OUT																				
3	4.78	4.72	4.65	4.59	4.53	4.47	4.41	4.35	4.30	4.24	4.18	4.13	4.08	4.02	3.97	3.92	3.87	3.82	3.77	3.72
4	3.67	3.62	3.57	3.53	3.48	3.43	3.39	3.35	3.30	3.26	3.22	3.17	3.13	3.09	3.05	3.01	2.97	2.93	2.90	2.86
5	2.82	2.79	2.75	2.71	2.68	2.64	2.61	2.58	2.54	2.51	2.48	2.45	2.41	2.38	2.35	2.32	2.29	2.26	2.23	2.20
6	2.18	2.15	2.12	2.09	2.07	2.04	2.02	1.99	1.96	1.94	1.92	1.89	1.87	1.85	1.82	1.80	1.78	1.76	1.73	1.71
7	1.69	1.67	1.65	1.63	1.61	1.59	1.57	1.55	1.53	1.52	1.50	1.48	1.49	1.48	1.46	1.44	1.42	1.41	1.39	1.37
8	1.36	1.34	1.33	1.31	1.29	1.28	1.26													
0	CONSERVATIVE MINERAL I										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
2	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
3	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
4	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
5	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
6	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
7	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77
8	1.77	1.77	1.77	1.77	1.77	1.77	1.77	1.77												
0	ALGAE GROWTH RATES IN PER DAY ARE										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
2	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
3	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
4	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
5	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
6	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
7	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
8	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05												
0	PHOTOSYNTHESIS-RESPIRATION RATIOS ARE										ITERATION 3									
RCH/CL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	0.32	0.33	0.34	0.34	0.35	0.35	0.36	0.36	0.37	0.37	0.38	0.38	0.39	0.39	0.39	0.39	0.40	0.40	0.40	0.41
2	0.41	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.43	0.43	0.43	0.43	0.43	0.44	0.44	0.44	0.44	0.44	0.44	0.45
3	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.47	0.47	0.47
4	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
5	0.48	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49
6	0.50	0.50	0.50	0.51	0.51	0.52	0.52	0.52	0.53	0.53	0.53	0.54	0.54	0.54	0.55	0.55	0.55	0.56	0.56	0.56
7	0.56	0.57	0.57	0.57	0.57	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.59	0.59	0.59	0.60	0.60	0.60	0.60	0.61
8	0.61	0.61	0.61	0.61	0.62	0.62	0.62	0.62												

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 1
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE	RCH	ELE	BEGIN	END	POINT	INCR	TRVL	BOTTOM	X-SECT	DSPRSN
ORD	NUM	NUM	LOC	LOC	SRCE	FLOW	TIME	AREA	AREA	COEF
						FLOW	VEL	DEPTH	WIDTH	VOLUME

													CRF_75C.OUT	
		MILE	MILE	CFS	CFS	CFS	FPS	DAY	FT	FT	FT-3	FT-2	FT-2	FT-2/S
1	1	1	227.00	226.7546364.10	0.00	0.10	0.129	0.119	12.33429218.080	475711104.0	38600428.0	360387.19	5.30	
2	1	2	226.75	226.5046364.20	0.00	0.10	0.129	0.119	12.33429218.098	475712800.0	38600452.0	360388.50	5.30	
3	1	3	226.50	226.2546364.30	0.00	0.10	0.129	0.119	12.33429218.115	475714528.0	38600476.0	360389.78	5.30	
4	1	4	226.25	226.0046364.41	0.00	0.10	0.129	0.119	12.33529218.131	475716224.0	38600496.0	360391.06	5.30	
5	1	5	226.00	225.7546364.51	0.00	0.10	0.129	0.119	12.33529218.146	475717920.0	38600516.0	360392.37	5.30	
6	1	6	225.75	225.5046364.61	0.00	0.10	0.129	0.119	12.33529218.164	475719616.0	38600540.0	360393.66	5.30	
7	1	7	225.50	225.2546364.71	0.00	0.10	0.129	0.119	12.33529218.184	475721376.0	38600564.0	360395.00	5.30	
8	1	8	225.25	225.0046364.81	0.00	0.10	0.129	0.119	12.33529218.203	475723072.0	38600592.0	360396.28	5.30	
9	1	9	225.00	224.7546364.91	0.00	0.10	0.129	0.119	12.33529218.219	475724800.0	38600612.0	360397.56	5.30	
10	1	10	224.75	224.5046365.02	0.00	0.10	0.129	0.119	12.33529218.236	475726496.0	38600636.0	360398.84	5.30	
11	1	11	224.50	224.2546365.12	0.00	0.10	0.129	0.119	12.33529218.252	475728192.0	38600656.0	360400.16	5.30	
12	1	12	224.25	224.0046365.22	0.00	0.10	0.129	0.119	12.33529218.270	475729888.0	38600680.0	360401.44	5.30	
13	1	13	224.00	223.7546365.32	0.00	0.10	0.129	0.119	12.33529218.291	475731648.0	38600708.0	360402.78	5.30	
14	1	14	223.75	223.5046365.42	0.00	0.10	0.129	0.119	12.33529218.307	475733344.0	38600728.0	360404.06	5.30	
15	1	15	223.50	223.2546365.52	0.00	0.10	0.129	0.119	12.33529218.324	475735072.0	38600752.0	360405.34	5.30	
16	1	16	223.25	223.0046365.62	0.00	0.10	0.129	0.119	12.33529218.340	475736768.0	38600772.0	360406.66	5.30	
17	1	17	223.00	222.7546365.73	0.00	0.10	0.129	0.119	12.33529218.357	475738464.0	38600796.0	360407.94	5.30	
18	1	18	222.75	222.5046365.83	0.00	0.10	0.129	0.119	12.33529218.373	475740160.0	38600816.0	360409.22	5.30	
19	1	19	222.50	222.2546365.93	0.00	0.10	0.129	0.119	12.33529218.395	475741920.0	38600844.0	360410.56	5.30	
20	1	20	222.25	222.0046366.03	0.00	0.10	0.129	0.119	12.33529218.412	475743648.0	38600868.0	360411.84	5.30	
21	2	1	222.00	221.7546366.13	0.00	0.10	0.129	0.119	12.33529218.428	475745344.0	38600888.0	360413.12	5.30	
22	2	2	221.75	221.5046366.23	0.00	0.10	0.129	0.119	12.33529218.445	475747040.0	38600912.0	360414.44	5.30	
23	2	3	221.50	221.2546366.34	0.00	0.10	0.129	0.119	12.33529218.461	475748736.0	38600932.0	360415.72	5.30	
24	2	4	221.25	221.0046366.44	0.00	0.10	0.129	0.119	12.33529218.480	475750432.0	38600960.0	360417.00	5.30	
25	2	5	221.00	220.7546366.54	0.00	0.10	0.129	0.119	12.33529218.500	475752192.0	38600984.0	360418.34	5.30	
26	2	6	220.75	220.5046366.64	0.00	0.10	0.129	0.119	12.33529218.518	475753920.0	38601008.0	360419.62	5.30	
27	2	7	220.50	220.2546366.74	0.00	0.10	0.129	0.119	12.33529218.533	475755616.0	38601028.0	360420.91	5.30	
28	2	8	220.25	220.0046366.84	0.00	0.10	0.129	0.119	12.33529218.549	475757312.0	38601048.0	360422.22	5.30	
29	2	9	220.00	219.7546366.95	0.00	0.10	0.129	0.119	12.33529218.568	475759008.0	38601076.0	360423.50	5.30	
30	2	10	219.75	219.5046367.05	0.00	0.10	0.129	0.119	12.33529218.586	475760736.0	38601100.0	360424.78	5.30	
31	2	11	219.50	219.2546367.15	0.00	0.10	0.129	0.119	12.33629218.602	475762432.0	38601120.0	360426.09	5.30	
32	2	12	219.25	219.0046367.25	0.00	0.10	0.129	0.119	12.33629218.621	475764192.0	38601144.0	360427.41	5.30	
33	2	13	219.00	218.7546367.35	0.00	0.10	0.129	0.119	12.33629218.639	475765888.0	38601168.0	360428.72	5.30	
34	2	14	218.75	218.5046367.45	0.00	0.10	0.129	0.119	12.33629218.654	475767584.0	38601188.0	360430.00	5.30	
35	2	15	218.50	218.2546367.55	0.00	0.10	0.129	0.119	12.33629218.674	475769280.0	38601216.0	360431.28	5.30	
36	2	16	218.25	218.0046367.66	0.00	0.10	0.129	0.119	12.33629218.689	475771008.0	38601236.0	360432.56	5.30	
37	2	17	218.00	217.7546367.76	0.00	0.10	0.129	0.119	12.33629218.707	475772704.0	38601260.0	360433.87	5.30	
38	2	18	217.75	217.5046367.86	0.00	0.10	0.129	0.119	12.33629218.727	475774464.0	38601284.0	360435.19	5.30	
39	2	19	217.50	217.2546367.96	0.00	0.10	0.129	0.119	12.33629218.742	475776160.0	38601308.0	360436.50	5.30	
40	2	20	217.25	217.0046368.06	0.00	0.10	0.129	0.119	12.33629218.762	475777856.0	38601332.0	360437.78	5.30	
41	3	1	217.00	216.7546368.16	0.00	0.10	0.129	0.119	12.33629218.777	475779584.0	38601352.0	360439.06	3.07	
42	3	2	216.75	216.5046368.27	0.00	0.10	0.129	0.119	12.33629218.795	475781280.0	38601376.0	360440.37	3.07	
43	3	3	216.50	216.2546368.37	0.00	0.10	0.129	0.119	12.33629218.811	475782976.0	38601396.0	360441.66	3.07	
44	3	4	216.25	216.0046368.47	0.00	0.10	0.129	0.119	12.33629218.830	475784736.0	38601424.0	360442.97	3.07	

CRF_75C.OUT

45	3	5	216.00	215.7546368.57	0.00	0.10	0.129	0.119	12.33629218.848	475786432.0	38601444.0	360444.28	3.07
46	3	6	215.75	215.5046368.67	0.00	0.10	0.129	0.119	12.33629218.867	475788128.0	38601472.0	360445.56	3.07
47	3	7	215.50	215.2546368.77	0.00	0.10	0.129	0.119	12.33629218.883	475789856.0	38601492.0	360446.84	3.07
48	3	8	215.25	215.0046368.87	0.00	0.10	0.129	0.119	12.33629218.898	475791552.0	38601512.0	360448.16	3.07
49	3	9	215.00	214.7546368.98	0.00	0.10	0.129	0.119	12.33629218.916	475793248.0	38601536.0	360449.44	3.07
50	3	10	214.75	214.5046369.08	0.00	0.10	0.129	0.119	12.33629218.932	475794944.0	38601556.0	360450.72	3.07
51	3	11	214.50	214.2546369.18	0.00	0.10	0.129	0.119	12.33629218.955	475796704.0	38601588.0	360452.06	3.07
52	3	12	214.25	214.0046369.28	0.00	0.10	0.129	0.119	12.33629218.971	475798432.0	38601608.0	360453.34	3.07
53	3	13	214.00	213.7546369.38	0.00	0.10	0.129	0.119	12.33629218.988	475800128.0	38601632.0	360454.62	3.07
54	3	14	213.75	213.5046369.48	0.00	0.10	0.129	0.119	12.33629219.004	475801824.0	38601652.0	360455.94	3.07
55	3	15	213.50	213.2546369.59	0.00	0.10	0.129	0.119	12.33629219.021	475803520.0	38601676.0	360457.22	3.07
56	3	16	213.25	213.0046369.69	0.00	0.10	0.129	0.119	12.33629219.039	475805248.0	38601700.0	360458.50	3.07
57	3	17	213.00	212.7546369.79	0.00	0.10	0.129	0.119	12.33629219.059	475807008.0	38601724.0	360459.84	3.07
58	3	18	212.75	212.5046369.89	0.00	0.10	0.129	0.119	12.33729219.076	475808704.0	38601748.0	360461.12	3.07
59	3	19	212.50	212.2546369.99	0.00	0.10	0.129	0.119	12.33729219.092	475810400.0	38601768.0	360462.44	3.07
60	3	20	212.25	212.0046370.09	0.00	0.10	0.129	0.119	12.33729219.109	475812096.0	38601792.0	360463.72	3.07
61	4	1	212.00	211.7546370.20	0.00	0.10	0.129	0.119	12.33729219.125	475813792.0	38601812.0	360465.00	2.93
62	4	2	211.75	211.5046370.30	0.00	0.10	0.129	0.119	12.33729219.145	475815520.0	38601840.0	360466.28	2.93
63	4	3	211.50	211.2546370.40	0.00	0.10	0.129	0.119	12.33729219.164	475817280.0	38601864.0	360467.62	2.93
64	4	4	211.25	211.0046371.50	1.00	0.10	0.129	0.119	12.33729219.352	475835808.0	38602112.0	360481.66	2.93
65	4	5	211.00	210.7546371.60	0.00	0.10	0.129	0.119	12.33729219.371	475837536.0	38602140.0	360483.00	2.93

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 2
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	SRCE CFS	INCR FLOW CFS	TRVL VEL FPS	TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
66	4	6	210.75	210.5046371.70	0.00	0.10	0.129	0.119	12.33729219.387	475839264.0	38602160.0	360484.28	2.93		
67	4	7	210.50	210.2546371.80	0.00	0.10	0.129	0.119	12.33729219.404	475840960.0	38602184.0	360485.56	2.93		
68	4	8	210.25	210.0046371.91	0.00	0.10	0.129	0.119	12.33729219.422	475842656.0	38602208.0	360486.87	2.93		
69	4	9	210.00	209.7546372.01	0.00	0.10	0.129	0.119	12.33729219.439	475844352.0	38602232.0	360488.16	2.93		
70	4	10	209.75	209.5046372.11	0.00	0.10	0.129	0.119	12.33729219.455	475846080.0	38602252.0	360489.44	2.93		
71	4	11	209.50	209.2546372.21	0.00	0.10	0.129	0.119	12.33729219.475	475847840.0	38602276.0	360490.78	2.93		
72	4	12	209.25	209.0046372.31	0.00	0.10	0.129	0.119	12.33729219.492	475849536.0	38602300.0	360492.06	2.93		
73	4	13	209.00	208.7546372.41	0.00	0.10	0.129	0.119	12.33729219.508	475851232.0	38602320.0	360493.37	2.93		
74	4	14	208.75	208.5046372.52	0.00	0.10	0.129	0.119	12.33729219.527	475852928.0	38602348.0	360494.66	2.93		
75	4	15	208.50	208.2546372.62	0.00	0.10	0.129	0.119	12.33729219.543	475854656.0	38602368.0	360495.94	2.93		
76	4	16	208.25	208.0046372.72	0.00	0.10	0.129	0.119	12.33829219.561	475856352.0	38602392.0	360497.22	2.93		
77	4	17	208.00	207.7546372.82	0.00	0.10	0.129	0.119	12.33829219.576	475858048.0	38602412.0	360498.53	2.93		
78	4	18	207.75	207.5046373.02	0.10	0.10	0.129	0.119	12.33829219.611	475861408.0	38602460.0	360501.06	2.93		
79	4	19	207.50	207.2546373.12	0.00	0.10	0.129	0.119	12.33829219.629	475863136.0	38602480.0	360502.37	2.93		
80	4	20	207.25	207.0046373.22	0.00	0.10	0.129	0.119	12.33829219.648	475864864.0	38602508.0	360503.69	2.93		

CRF_75C.OUT

81	5	1	207.00	206.7546373.32	0.00	0.10	0.129	0.119	12.33829219.668	475866592.0	38602532.0	360505.00	1.39
82	5	2	206.75	206.5046373.43	0.00	0.10	0.129	0.119	12.33829219.684	475868288.0	38602556.0	360506.28	1.39
83	5	3	206.50	206.2546373.53	0.00	0.10	0.129	0.119	12.33829219.699	475869984.0	38602576.0	360507.56	1.39
84	5	4	206.25	206.0046373.63	0.00	0.10	0.129	0.119	12.33829219.717	475871680.0	38602600.0	360508.87	1.39
85	5	5	206.00	205.7546373.73	0.00	0.10	0.129	0.119	12.33829219.732	475873408.0	38602620.0	360510.16	1.39
86	5	6	205.75	205.5046373.83	0.00	0.10	0.129	0.119	12.33829219.756	475875168.0	38602648.0	360511.47	1.39
87	5	7	205.50	205.2546373.93	0.00	0.10	0.129	0.119	12.33829219.771	475876864.0	38602672.0	360512.78	1.39
88	5	8	205.25	205.0046374.04	0.00	0.10	0.129	0.119	12.33829219.789	475878560.0	38602692.0	360514.06	1.39
89	5	9	205.00	204.7546374.14	0.00	0.10	0.129	0.119	12.33829219.805	475880256.0	38602716.0	360515.34	1.39
90	5	10	204.75	204.5046374.24	0.00	0.10	0.129	0.119	12.33829219.822	475881984.0	38602736.0	360516.66	1.39
91	5	11	204.50	204.2546374.34	0.00	0.10	0.129	0.119	12.33829219.838	475883680.0	38602760.0	360517.94	1.39
92	5	12	204.25	204.0046374.44	0.00	0.10	0.129	0.119	12.33829219.857	475885376.0	38602784.0	360519.22	1.39
93	5	13	204.00	203.7546374.54	0.00	0.10	0.129	0.119	12.33829219.877	475887136.0	38602812.0	360520.56	1.39
94	5	14	203.75	203.5046374.64	0.00	0.10	0.129	0.119	12.33829219.893	475888832.0	38602832.0	360521.84	1.39
95	5	15	203.50	203.2546374.75	0.00	0.10	0.129	0.119	12.33829219.910	475890560.0	38602856.0	360523.16	1.39
96	5	16	203.25	203.0046374.85	0.00	0.10	0.129	0.119	12.33829219.926	475892256.0	38602876.0	360524.44	1.39
97	5	17	203.00	202.7546375.95	1.00	0.10	0.129	0.119	12.33929220.117	475910816.0	38603128.0	360538.50	1.39
98	5	18	202.75	202.5046376.05	0.00	0.10	0.129	0.119	12.33929220.133	475912544.0	38603148.0	360539.81	1.39
99	5	19	202.50	202.2546376.15	0.00	0.10	0.129	0.119	12.33929220.152	475914240.0	38603176.0	360541.09	1.39
100	5	20	202.25	202.0046376.25	0.00	0.10	0.129	0.119	12.33929220.168	475915936.0	38603196.0	360542.37	1.39

101	6	1	202.00	201.7546376.36	0.00	0.10	0.129	0.119	12.33929220.187	475917696.0	38603224.0	360543.72	2.37
102	6	2	201.75	201.5046376.46	0.00	0.10	0.129	0.119	12.33929220.205	475919392.0	38603244.0	360545.00	2.37
103	6	3	201.50	201.2546376.56	0.00	0.10	0.129	0.119	12.33929220.221	475921120.0	38603268.0	360546.28	2.37
104	6	4	201.25	201.0046376.66	0.00	0.10	0.129	0.119	12.33929220.240	475922816.0	38603292.0	360547.59	2.37
105	6	5	201.00	200.7546376.76	0.00	0.10	0.129	0.119	12.33929220.256	475924512.0	38603312.0	360548.87	2.37
106	6	6	200.75	200.5046376.86	0.00	0.10	0.129	0.119	12.33929220.273	475926208.0	38603336.0	360550.16	2.37
107	6	7	200.50	200.2546376.96	0.00	0.10	0.129	0.119	12.33929220.293	475927968.0	38603360.0	360551.50	2.37
108	6	8	200.25	200.0046377.07	0.00	0.10	0.129	0.119	12.33929220.309	475929696.0	38603384.0	360552.78	2.37
109	6	9	200.00	199.7546377.17	0.00	0.10	0.129	0.119	12.33929220.326	475931392.0	38603404.0	360554.09	2.37
110	6	10	199.75	199.5046377.27	0.00	0.10	0.129	0.119	12.33929220.346	475933088.0	38603432.0	360555.37	2.37
111	6	11	199.50	199.2546377.37	0.00	0.10	0.129	0.119	12.33929220.361	475934784.0	38603452.0	360556.66	2.37
112	6	12	199.25	199.0046377.47	0.00	0.10	0.129	0.119	12.33929220.377	475936512.0	38603472.0	360557.97	2.37
113	6	13	199.00	198.7546377.67	0.10	0.10	0.129	0.119	12.33929220.412	475939872.0	38603520.0	360560.50	2.37
114	6	14	198.75	198.5046377.77	0.00	0.10	0.129	0.119	12.33929220.430	475941568.0	38603544.0	360561.78	2.37
115	6	15	198.50	198.2546377.87	0.00	0.10	0.129	0.119	12.33929220.445	475943264.0	38603564.0	360563.09	2.37
116	6	16	198.25	198.0046377.98	0.00	0.10	0.129	0.119	12.33929220.467	475945024.0	38603592.0	360564.41	2.37
117	6	17	198.00	197.7546378.08	0.00	0.10	0.129	0.119	12.33929220.484	475946752.0	38603616.0	360565.72	2.37
118	6	18	197.75	197.5046378.18	0.00	0.10	0.129	0.119	12.34029220.502	475948448.0	38603640.0	360567.00	2.37
119	6	19	197.50	197.2546378.28	0.00	0.10	0.129	0.119	12.34029220.518	475950144.0	38603660.0	360568.28	2.37
120	6	20	197.25	197.0046378.38	0.00	0.10	0.129	0.119	12.34029220.535	475951840.0	38603684.0	360569.59	2.37

121	7	1	197.00	196.7546378.58	0.10	0.10	0.129	0.119	12.34029220.570	475955232.0	38603728.0	360572.12	0.98
122	7	2	196.75	196.5046378.68	0.00	0.10	0.129	0.119	12.34029220.586	475956928.0	38603752.0	360573.44	0.98
123	7	3	196.50	196.2546378.79	0.00	0.10	0.129	0.119	12.34029220.604	475958624.0	38603772.0	360574.72	0.98
124	7	4	196.25	196.0046378.89	0.00	0.10	0.129	0.119	12.34029220.625	475960384.0	38603804.0	360576.06	0.98
125	7	5	196.00	195.7546378.99	0.00	0.10	0.129	0.119	12.34029220.641	475962080.0	38603824.0	360577.34	0.98

CRF_75C.OUT													
126	7	6	195.75	195.5046379.09	0.00	0.10	0.129	0.119	12.34029220.658	475963808.0	38603848.0	360578.62	0.98
127	7	7	195.50	195.2546379.19	0.00	0.10	0.129	0.119	12.34029220.674	475965504.0	38603868.0	360579.91	0.98
128	7	8	195.25	195.0046379.29	0.00	0.10	0.129	0.119	12.34029220.691	475967200.0	38603892.0	360581.22	0.98
129	7	9	195.00	194.7546379.39	0.00	0.10	0.129	0.119	12.34029220.707	475968896.0	38603912.0	360582.50	0.98
130	7	10	194.75	194.5046379.50	0.00	0.10	0.129	0.119	12.34029220.727	475970624.0	38603936.0	360583.78	0.98

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 3
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** HYDRAULICS SUMMARY **

ELE ORD	RCH NUM	ELE NUM	BEGIN LOC MILE	END LOC MILE	POINT FLOW CFS	INCR SRCE CFS	TRVL FLOW CFS	VEL FPS	TRVL TIME DAY	DEPTH FT	WIDTH FT	VOLUME FT-3	BOTTOM AREA FT-2	X-SECT AREA FT-2	DSPRSN COEF FT-2/S
131	7	11	194.50	194.2546379.60	0.00	0.10	0.129	0.119	12.34029220.746	475972352.0	38603964.0	360585.12	0.98		
132	7	12	194.25	194.0046379.70	0.00	0.10	0.129	0.119	12.34029220.764	475974080.0	38603984.0	360586.41	0.98		
133	7	13	194.00	193.7546601.80	222.00	0.10	0.128	0.119	12.42129258.896	479724736.0	38654536.0	363427.84	0.98		
134	7	14	193.75	193.5046601.90	0.00	0.10	0.128	0.119	12.42129258.914	479726464.0	38654560.0	363429.12	0.98		
135	7	15	193.50	193.2546602.00	0.00	0.10	0.128	0.119	12.42129258.930	479728160.0	38654580.0	363430.44	0.98		
136	7	16	193.25	193.0046602.11	0.00	0.10	0.128	0.119	12.42129258.947	479729888.0	38654604.0	363431.72	0.98		
137	7	17	193.00	192.7546602.21	0.00	0.10	0.128	0.119	12.42129258.967	479731648.0	38654628.0	363433.06	0.98		
138	7	18	192.75	192.5046602.31	0.00	0.10	0.128	0.119	12.42129258.984	479733376.0	38654652.0	363434.37	0.98		
139	7	19	192.50	192.2546602.41	0.00	0.10	0.128	0.119	12.42129259.002	479735072.0	38654676.0	363435.66	0.98		
140	7	20	192.25	192.0046602.51	0.00	0.10	0.128	0.119	12.42129259.021	479736800.0	38654700.0	363436.97	0.98		
141	8	1	192.00	191.7546603.53	0.77	0.25	0.128	0.119	12.42229259.193	479754048.0	38654928.0	363450.03	0.98		
142	8	2	191.75	191.5046603.78	0.00	0.25	0.128	0.119	12.42229259.236	479758240.0	38654984.0	363453.22	0.98		
143	8	3	191.50	191.2546604.03	0.00	0.25	0.128	0.119	12.42229259.279	479762464.0	38655044.0	363456.41	0.98		
144	8	4	191.25	191.0046604.28	0.00	0.25	0.128	0.119	12.42229259.322	479766720.0	38655100.0	363459.62	0.98		
145	8	5	191.00	190.7546604.53	0.00	0.25	0.128	0.119	12.42229259.363	479770912.0	38655152.0	363462.81	0.98		
146	8	6	190.75	190.5046604.78	0.00	0.25	0.128	0.119	12.42229259.408	479775168.0	38655212.0	363466.03	0.98		
147	8	7	190.50	190.2546605.03	0.00	0.25	0.128	0.119	12.42229259.451	479779392.0	38655272.0	363469.25	0.98		
148	8	8	190.25	190.0046605.28	0.00	0.25	0.128	0.119	12.42229259.494	479783648.0	38655328.0	363472.47	0.98		

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 4
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH NUM	ELE NUM	DO SAT MG/L	K2 OPT	OXYGN REAIR 1/DAY	BOD DECAY 1/DAY	BOD SETT 1/DAY	SOD RATE G/F2D	ORGN DECAY 1/DAY	ORGN SETT 1/DAY	NH3 DECAY 1/DAY	NH3 SRCE MG/F2D	NO2 DECAY 1/DAY	ORGP DECAY 1/DAY	ORGP SETT 1/DAY	DISP SRCE MG/F2D	COLI DECAY 1/DAY	ANC DECAY 1/DAY	ANC SETT 1/DAY	ANC SRCE MG/F2D
1	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CRF_75C.OUT

3	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	3	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	4	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	5	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 5
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
4	6	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	7	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	8	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	9	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	10	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	11	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	12	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	13	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	14	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	15	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	16	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	17	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	18	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	19	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	20	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	1	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	2	7.91	1	0.36	0.07	0.00	0.11	0.14	0.00	0.18	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00

		CRF_75C.OUT																	
7	9	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	10	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 6
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** REACTION COEFFICIENT SUMMARY **

RCH	ELE	DO	K2	OXYGN	BOD	BOD	SOD	ORGN	ORGN	NH3	NH3	NO2	ORGP	ORGP	DISP	COLI	ANC	ANC	ANC
NUM	NUM	SAT	OPT	REAIR	DECAY	SETT	RATE	DECAY	SETT	DECAY	SRCE	DECAY	DECAY	SETT	SRCE	DECAY	DECAY	SETT	SRCE
		MG/L		1/DAY	1/DAY	1/DAY	G/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D	1/DAY	1/DAY	1/DAY	MG/F2D
7	11	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	12	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	13	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	14	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	15	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	16	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	17	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	18	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	19	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
7	20	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	1	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	2	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	3	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	4	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	5	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	6	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	7	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00
8	8	7.91	1	0.36	0.07	0.00	0.08	0.14	0.00	0.18	0.00	1.40	0.07	0.00	0.00	0.00	0.00	0.00	0.00

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 7
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH	ELE	TEMP	CM-1	CM-2	CM-3	DO	BOD	ORGN	NH3N	NO2N	NO3N	SUM-N	ORGP	DIS-P	SUM-P	COLI	ANC	CHLA
NUM	NUM	DEG-F				MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	#/100ML	MG/L	UG/L
1	1	81.30	1.77	0.00	0.00	5.42	5.55	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.28
1	2	81.30	1.77	0.00	0.00	5.44	5.51	0.32	0.05	0.02	0.10	0.50	0.02	0.01	0.04	0.00	0.00	8.16
1	3	81.30	1.77	0.00	0.00	5.46	5.46	0.32	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	8.05
1	4	81.30	1.77	0.00	0.00	5.47	5.42	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.93

CRF_75C.OUT

1	5	81.30	1.77	0.00	0.00	5.49	5.37	0.31	0.06	0.02	0.11	0.50	0.02	0.01	0.04	0.00	0.00	7.82
1	6	81.30	1.77	0.00	0.00	5.51	5.33	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.71
1	7	81.30	1.77	0.00	0.00	5.53	5.28	0.30	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.60
1	8	81.30	1.77	0.00	0.00	5.54	5.24	0.29	0.07	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.50
1	9	81.30	1.77	0.00	0.00	5.56	5.20	0.29	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.39
1	10	81.30	1.77	0.00	0.00	5.58	5.15	0.28	0.08	0.01	0.12	0.50	0.02	0.01	0.04	0.00	0.00	7.29
1	11	81.30	1.77	0.00	0.00	5.59	5.11	0.28	0.08	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.19
1	12	81.30	1.77	0.00	0.00	5.61	5.07	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	7.09
1	13	81.30	1.77	0.00	0.00	5.62	5.03	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.99
1	14	81.30	1.77	0.00	0.00	5.64	4.99	0.27	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.89
1	15	81.30	1.77	0.00	0.00	5.65	4.94	0.26	0.09	0.01	0.13	0.50	0.02	0.01	0.04	0.00	0.00	6.80
1	16	81.30	1.77	0.00	0.00	5.66	4.90	0.26	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.71
1	17	81.30	1.77	0.00	0.00	5.68	4.86	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.61
1	18	81.30	1.77	0.00	0.00	5.69	4.82	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.52
1	19	81.30	1.77	0.00	0.00	5.70	4.78	0.25	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.43
1	20	81.30	1.77	0.00	0.00	5.72	4.74	0.24	0.10	0.01	0.14	0.50	0.02	0.01	0.04	0.00	0.00	6.35
2	1	81.30	1.77	0.00	0.00	5.73	4.70	0.24	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	6.26
2	2	81.30	1.77	0.00	0.00	5.74	4.67	0.24	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	6.18
2	3	81.30	1.77	0.00	0.00	5.75	4.63	0.23	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	6.09
2	4	81.30	1.77	0.00	0.00	5.77	4.59	0.23	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	6.01
2	5	81.30	1.77	0.00	0.00	5.78	4.55	0.22	0.11	0.01	0.15	0.50	0.02	0.01	0.04	0.00	0.00	5.93
2	6	81.30	1.77	0.00	0.00	5.79	4.51	0.22	0.11	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.85
2	7	81.30	1.77	0.00	0.00	5.80	4.48	0.22	0.11	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.77
2	8	81.30	1.77	0.00	0.00	5.81	4.44	0.21	0.11	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.69
2	9	81.30	1.77	0.00	0.00	5.82	4.40	0.21	0.12	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.62
2	10	81.30	1.77	0.00	0.00	5.83	4.37	0.21	0.12	0.01	0.16	0.50	0.02	0.01	0.04	0.00	0.00	5.54
2	11	81.30	1.77	0.00	0.00	5.84	4.33	0.21	0.12	0.01	0.17	0.50	0.02	0.01	0.04	0.00	0.00	5.47
2	12	81.30	1.77	0.00	0.00	5.85	4.29	0.20	0.12	0.01	0.17	0.50	0.02	0.01	0.04	0.00	0.00	5.39
2	13	81.30	1.77	0.00	0.00	5.86	4.26	0.20	0.12	0.01	0.17	0.50	0.02	0.01	0.04	0.00	0.00	5.32
2	14	81.30	1.77	0.00	0.00	5.87	4.22	0.20	0.12	0.01	0.17	0.50	0.02	0.01	0.04	0.00	0.00	5.25
2	15	81.30	1.77	0.00	0.00	5.88	4.19	0.19	0.12	0.01	0.18	0.50	0.02	0.01	0.04	0.00	0.00	5.18
2	16	81.30	1.77	0.00	0.00	5.89	4.15	0.19	0.12	0.01	0.18	0.50	0.02	0.01	0.04	0.00	0.00	5.11
2	17	81.30	1.77	0.00	0.00	5.90	4.12	0.19	0.12	0.01	0.18	0.50	0.03	0.01	0.04	0.00	0.00	5.04
2	18	81.30	1.77	0.00	0.00	5.91	4.08	0.18	0.12	0.02	0.18	0.50	0.03	0.01	0.04	0.00	0.00	4.98
2	19	81.30	1.77	0.00	0.00	5.92	4.05	0.18	0.12	0.02	0.19	0.50	0.03	0.01	0.04	0.00	0.00	4.91
2	20	81.30	1.77	0.00	0.00	5.93	4.02	0.18	0.12	0.02	0.19	0.50	0.03	0.01	0.04	0.00	0.00	4.84
3	1	81.30	1.77	0.00	0.00	5.94	3.98	0.18	0.12	0.02	0.19	0.50	0.03	0.01	0.04	0.00	0.00	4.78
3	2	81.30	1.77	0.00	0.00	5.95	3.95	0.17	0.12	0.02	0.19	0.51	0.03	0.01	0.04	0.00	0.00	4.72
3	3	81.30	1.77	0.00	0.00	5.96	3.92	0.17	0.12	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.65
3	4	81.30	1.77	0.00	0.00	5.96	3.89	0.17	0.12	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.59
3	5	81.30	1.77	0.00	0.00	5.97	3.85	0.17	0.12	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.53
3	6	81.30	1.77	0.00	0.00	5.98	3.82	0.16	0.12	0.02	0.20	0.51	0.03	0.01	0.04	0.00	0.00	4.47
3	7	81.30	1.77	0.00	0.00	5.99	3.79	0.16	0.12	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.41
3	8	81.30	1.77	0.00	0.00	6.00	3.76	0.16	0.12	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.35
3	9	81.30	1.77	0.00	0.00	6.01	3.73	0.16	0.12	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.30
3	10	81.30	1.77	0.00	0.00	6.02	3.70	0.15	0.12	0.02	0.21	0.51	0.03	0.01	0.04	0.00	0.00	4.24

CRF_75C.OUT

3	11	81.30	1.77	0.00	0.00	6.02	3.67	0.15	0.12	0.02	0.22	0.51	0.03	0.01	0.04	0.00	0.00	4.18
3	12	81.30	1.77	0.00	0.00	6.03	3.64	0.15	0.12	0.02	0.22	0.51	0.03	0.01	0.04	0.00	0.00	4.13
3	13	81.30	1.77	0.00	0.00	6.04	3.61	0.15	0.12	0.02	0.22	0.51	0.03	0.01	0.04	0.00	0.00	4.08
3	14	81.30	1.77	0.00	0.00	6.05	3.58	0.14	0.12	0.02	0.22	0.51	0.03	0.01	0.04	0.00	0.00	4.02
3	15	81.30	1.77	0.00	0.00	6.06	3.55	0.14	0.12	0.02	0.23	0.51	0.03	0.01	0.04	0.00	0.00	3.97
3	16	81.30	1.77	0.00	0.00	6.06	3.52	0.14	0.12	0.02	0.23	0.51	0.03	0.01	0.04	0.00	0.00	3.92
3	17	81.30	1.77	0.00	0.00	6.07	3.49	0.14	0.12	0.02	0.23	0.51	0.03	0.01	0.04	0.00	0.00	3.87
3	18	81.30	1.77	0.00	0.00	6.08	3.46	0.14	0.12	0.02	0.23	0.51	0.03	0.01	0.04	0.00	0.00	3.82
3	19	81.30	1.77	0.00	0.00	6.09	3.43	0.13	0.12	0.02	0.24	0.51	0.03	0.01	0.04	0.00	0.00	3.77
3	20	81.30	1.77	0.00	0.00	6.10	3.40	0.13	0.12	0.02	0.24	0.51	0.03	0.01	0.04	0.00	0.00	3.72
4	1	81.30	1.77	0.00	0.00	6.09	3.38	0.13	0.12	0.02	0.24	0.51	0.03	0.01	0.04	0.00	0.00	3.67
4	2	81.30	1.77	0.00	0.00	6.09	3.35	0.13	0.12	0.02	0.24	0.51	0.03	0.01	0.04	0.00	0.00	3.62
4	3	81.30	1.77	0.00	0.00	6.09	3.32	0.13	0.12	0.02	0.25	0.51	0.03	0.01	0.04	0.00	0.00	3.57
4	4	81.30	1.77	0.00	0.00	6.09	3.29	0.12	0.12	0.02	0.25	0.51	0.03	0.01	0.04	0.00	0.00	3.53
4	5	81.30	1.77	0.00	0.00	6.09	3.26	0.12	0.12	0.02	0.25	0.51	0.03	0.01	0.04	0.00	0.00	3.48

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 8
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
4	6	81.30	1.77	0.00	0.00	6.09	3.24	0.12	0.12	0.02	0.25	0.51	0.03	0.01	0.04	0.00	0.00	3.43
4	7	81.30	1.77	0.00	0.00	6.09	3.21	0.12	0.12	0.02	0.26	0.51	0.03	0.01	0.04	0.00	0.00	3.39
4	8	81.30	1.77	0.00	0.00	6.09	3.18	0.12	0.12	0.02	0.26	0.51	0.03	0.01	0.04	0.00	0.00	3.35
4	9	81.30	1.77	0.00	0.00	6.09	3.16	0.11	0.12	0.02	0.26	0.51	0.03	0.01	0.04	0.00	0.00	3.30
4	10	81.30	1.77	0.00	0.00	6.09	3.13	0.11	0.11	0.02	0.26	0.51	0.03	0.01	0.04	0.00	0.00	3.26
4	11	81.30	1.77	0.00	0.00	6.09	3.11	0.11	0.11	0.02	0.27	0.51	0.03	0.01	0.04	0.00	0.00	3.22
4	12	81.30	1.77	0.00	0.00	6.09	3.08	0.11	0.11	0.01	0.27	0.51	0.03	0.01	0.04	0.00	0.00	3.17
4	13	81.30	1.77	0.00	0.00	6.10	3.06	0.11	0.11	0.01	0.27	0.51	0.03	0.01	0.04	0.00	0.00	3.13
4	14	81.30	1.77	0.00	0.00	6.10	3.03	0.11	0.11	0.01	0.27	0.51	0.03	0.01	0.04	0.00	0.00	3.09
4	15	81.30	1.77	0.00	0.00	6.10	3.00	0.10	0.11	0.01	0.28	0.51	0.03	0.01	0.04	0.00	0.00	3.05
4	16	81.30	1.77	0.00	0.00	6.10	2.98	0.10	0.11	0.01	0.28	0.51	0.03	0.01	0.04	0.00	0.00	3.01
4	17	81.30	1.77	0.00	0.00	6.10	2.96	0.10	0.11	0.01	0.28	0.51	0.03	0.01	0.04	0.00	0.00	2.97
4	18	81.30	1.77	0.00	0.00	6.11	2.93	0.10	0.11	0.01	0.28	0.51	0.03	0.01	0.04	0.00	0.00	2.93
4	19	81.30	1.77	0.00	0.00	6.11	2.91	0.10	0.11	0.01	0.29	0.51	0.03	0.01	0.04	0.00	0.00	2.90
4	20	81.30	1.77	0.00	0.00	6.11	2.88	0.10	0.11	0.01	0.29	0.51	0.03	0.01	0.04	0.00	0.00	2.86
5	1	81.30	1.77	0.00	0.00	6.11	2.86	0.10	0.11	0.01	0.29	0.51	0.03	0.01	0.04	0.00	0.00	2.82
5	2	81.30	1.77	0.00	0.00	6.12	2.84	0.09	0.11	0.01	0.29	0.51	0.03	0.01	0.04	0.00	0.00	2.79
5	3	81.30	1.77	0.00	0.00	6.12	2.81	0.09	0.11	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.75
5	4	81.30	1.77	0.00	0.00	6.12	2.79	0.09	0.11	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.71
5	5	81.30	1.77	0.00	0.00	6.13	2.77	0.09	0.10	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.68

CRF_75C.OUT

5	6	81.30	1.77	0.00	0.00	6.13	2.74	0.09	0.10	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.64
5	7	81.30	1.77	0.00	0.00	6.14	2.72	0.09	0.10	0.01	0.30	0.51	0.03	0.01	0.04	0.00	0.00	2.61
5	8	81.30	1.77	0.00	0.00	6.14	2.70	0.09	0.10	0.01	0.31	0.51	0.03	0.01	0.04	0.00	0.00	2.58
5	9	81.30	1.77	0.00	0.00	6.14	2.68	0.08	0.10	0.01	0.31	0.51	0.03	0.01	0.04	0.00	0.00	2.54
5	10	81.30	1.77	0.00	0.00	6.15	2.65	0.08	0.10	0.01	0.31	0.51	0.03	0.01	0.04	0.00	0.00	2.51
5	11	81.30	1.77	0.00	0.00	6.15	2.63	0.08	0.10	0.01	0.31	0.51	0.03	0.01	0.04	0.00	0.00	2.48
5	12	81.30	1.77	0.00	0.00	6.16	2.61	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.45
5	13	81.30	1.77	0.00	0.00	6.16	2.59	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.41
5	14	81.30	1.77	0.00	0.00	6.17	2.57	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.38
5	15	81.30	1.77	0.00	0.00	6.17	2.55	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.35
5	16	81.30	1.77	0.00	0.00	6.18	2.52	0.08	0.10	0.01	0.32	0.51	0.03	0.01	0.04	0.00	0.00	2.32
5	17	81.30	1.77	0.00	0.00	6.18	2.50	0.08	0.10	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.29
5	18	81.30	1.77	0.00	0.00	6.18	2.48	0.07	0.09	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.26
5	19	81.30	1.77	0.00	0.00	6.19	2.46	0.07	0.09	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.23
5	20	81.30	1.77	0.00	0.00	6.19	2.44	0.07	0.09	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.20
6	1	81.30	1.77	0.00	0.00	6.20	2.42	0.07	0.09	0.01	0.33	0.51	0.03	0.01	0.04	0.00	0.00	2.18
6	2	81.30	1.77	0.00	0.00	6.20	2.40	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.15
6	3	81.30	1.77	0.00	0.00	6.21	2.38	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.12
6	4	81.30	1.77	0.00	0.00	6.21	2.36	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.09
6	5	81.30	1.77	0.00	0.00	6.22	2.34	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.07
6	6	81.30	1.77	0.00	0.00	6.23	2.32	0.07	0.09	0.01	0.34	0.51	0.03	0.01	0.04	0.00	0.00	2.04
6	7	81.30	1.77	0.00	0.00	6.23	2.30	0.06	0.09	0.01	0.35	0.51	0.03	0.01	0.04	0.00	0.00	2.02
6	8	81.30	1.77	0.00	0.00	6.24	2.28	0.06	0.09	0.01	0.35	0.51	0.03	0.01	0.04	0.00	0.00	1.99
6	9	81.30	1.77	0.00	0.00	6.24	2.27	0.06	0.09	0.01	0.35	0.51	0.03	0.01	0.04	0.00	0.00	1.96
6	10	81.30	1.77	0.00	0.00	6.25	2.25	0.06	0.08	0.01	0.35	0.51	0.02	0.01	0.04	0.00	0.00	1.94
6	11	81.30	1.77	0.00	0.00	6.25	2.23	0.06	0.08	0.01	0.35	0.51	0.02	0.01	0.04	0.00	0.00	1.92
6	12	81.30	1.77	0.00	0.00	6.26	2.21	0.06	0.08	0.01	0.36	0.51	0.02	0.01	0.04	0.00	0.00	1.89
6	13	81.30	1.77	0.00	0.00	6.26	2.19	0.06	0.08	0.01	0.36	0.51	0.02	0.01	0.04	0.00	0.00	1.87
6	14	81.30	1.77	0.00	0.00	6.27	2.17	0.06	0.08	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.85
6	15	81.30	1.77	0.00	0.00	6.27	2.16	0.06	0.08	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.82
6	16	81.30	1.77	0.00	0.00	6.28	2.14	0.06	0.08	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.80
6	17	81.30	1.77	0.00	0.00	6.28	2.12	0.06	0.08	0.01	0.36	0.51	0.02	0.02	0.04	0.00	0.00	1.78
6	18	81.30	1.77	0.00	0.00	6.29	2.10	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.76
6	19	81.30	1.77	0.00	0.00	6.30	2.09	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.73
6	20	81.30	1.77	0.00	0.00	6.30	2.07	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.71
7	1	81.30	1.77	0.00	0.00	6.32	2.05	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.69
7	2	81.30	1.77	0.00	0.00	6.33	2.03	0.05	0.08	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.67
7	3	81.30	1.77	0.00	0.00	6.35	2.02	0.05	0.07	0.01	0.37	0.51	0.02	0.02	0.04	0.00	0.00	1.65
7	4	81.30	1.77	0.00	0.00	6.36	2.00	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.63
7	5	81.30	1.77	0.00	0.00	6.37	1.98	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.61
7	6	81.30	1.77	0.00	0.00	6.39	1.97	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.59
7	7	81.30	1.77	0.00	0.00	6.40	1.95	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.57
7	8	81.30	1.77	0.00	0.00	6.41	1.94	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.55
7	9	81.30	1.77	0.00	0.00	6.43	1.92	0.05	0.07	0.01	0.38	0.51	0.02	0.02	0.04	0.00	0.00	1.53
7	10	81.30	1.77	0.00	0.00	6.44	1.90	0.05	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.52

***** STEADY STATE SIMULATION *****

** WATER QUALITY VARIABLES **

RCH NUM	ELE NUM	TEMP DEG-F	CM-1	CM-2	CM-3	DO MG/L	BOD MG/L	ORGN MG/L	NH3N MG/L	NO2N MG/L	NO3N MG/L	SUM-N MG/L	ORGP MG/L	DIS-P MG/L	SUM-P MG/L	COLI #/100ML	ANC BOD MG/L	CHLA UG/L
7	11	81.30	1.77	0.00	0.00	6.45	1.89	0.05	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.50
7	12	81.30	1.77	0.00	0.00	6.46	1.87	0.04	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.48
7	13	81.30	1.77	0.00	0.00	6.47	1.86	0.05	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.49
7	14	81.30	1.77	0.00	0.00	6.48	1.85	0.05	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.48
7	15	81.30	1.77	0.00	0.00	6.49	1.83	0.04	0.07	0.01	0.39	0.51	0.02	0.02	0.04	0.00	0.00	1.46
7	16	81.30	1.77	0.00	0.00	6.50	1.82	0.04	0.07	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.44
7	17	81.30	1.77	0.00	0.00	6.51	1.80	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.42
7	18	81.30	1.77	0.00	0.00	6.52	1.79	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.41
7	19	81.30	1.77	0.00	0.00	6.54	1.77	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.39
7	20	81.30	1.77	0.00	0.00	6.55	1.76	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.37
8	1	81.30	1.77	0.00	0.00	6.56	1.74	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.36
8	2	81.30	1.77	0.00	0.00	6.56	1.73	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.34
8	3	81.30	1.77	0.00	0.00	6.57	1.71	0.04	0.06	0.01	0.40	0.51	0.02	0.02	0.04	0.00	0.00	1.33
8	4	81.30	1.77	0.00	0.00	6.58	1.70	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.31
8	5	81.30	1.77	0.00	0.00	6.59	1.69	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.29
8	6	81.30	1.77	0.00	0.00	6.60	1.67	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.28
8	7	81.30	1.77	0.00	0.00	6.61	1.66	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.26
8	8	81.30	1.77	0.00	0.00	6.62	1.64	0.04	0.06	0.01	0.41	0.51	0.02	0.02	0.04	0.00	0.00	1.25

1

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE LIGHT *	ATTEN FACTORS NITRGN *	PHSPRS *
1	1	1	8.28	0.02	0.07	0.95	0.32	-0.05	0.50	0.33	4.23	0.03	0.43	0.58
2	1	2	8.16	0.03	0.07	0.95	0.33	-0.05	0.50	0.34	4.23	0.03	0.44	0.58
3	1	3	8.05	0.03	0.07	0.95	0.34	-0.05	0.50	0.35	4.23	0.03	0.45	0.58
4	1	4	7.93	0.03	0.07	0.95	0.34	-0.05	0.50	0.36	4.22	0.03	0.46	0.58
5	1	5	7.82	0.03	0.07	0.95	0.35	-0.05	0.50	0.36	4.22	0.03	0.47	0.58
6	1	6	7.71	0.03	0.07	0.95	0.35	-0.05	0.50	0.37	4.22	0.03	0.48	0.58

									CRF_75C.OUT					
7	1	7	7.60	0.03	0.07	0.95	0.36	-0.05	0.50	0.38	4.22	0.03	0.49	0.58
8	1	8	7.50	0.03	0.07	0.95	0.36	-0.04	0.50	0.38	4.21	0.03	0.49	0.58
9	1	9	7.39	0.03	0.07	0.95	0.37	-0.04	0.50	0.39	4.21	0.03	0.50	0.58
10	1	10	7.29	0.03	0.07	0.95	0.37	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
11	1	11	7.19	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.21	0.03	0.51	0.58
12	1	12	7.09	0.03	0.07	0.95	0.38	-0.04	0.50	0.40	4.20	0.03	0.52	0.58
13	1	13	6.99	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.52	0.58
14	1	14	6.89	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
15	1	15	6.80	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.20	0.03	0.53	0.58
16	1	16	6.71	0.03	0.07	0.95	0.39	-0.04	0.50	0.41	4.19	0.03	0.54	0.58
17	1	17	6.61	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
18	1	18	6.52	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.54	0.58
19	1	19	6.43	0.03	0.07	0.95	0.40	-0.04	0.50	0.42	4.19	0.03	0.55	0.58
20	1	20	6.35	0.03	0.07	0.95	0.41	-0.04	0.50	0.42	4.18	0.03	0.55	0.57
21	2	1	6.26	0.03	0.07	0.95	0.41	-0.03	0.50	0.42	4.18	0.03	0.56	0.57
22	2	2	6.18	0.03	0.07	0.95	0.41	-0.03	0.50	0.42	4.18	0.03	0.56	0.57
23	2	3	6.09	0.03	0.07	0.95	0.41	-0.03	0.50	0.42	4.18	0.03	0.56	0.57
24	2	4	6.01	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.57	0.57
25	2	5	5.93	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.57	0.57
26	2	6	5.85	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.57	0.57
27	2	7	5.77	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.58	0.57
28	2	8	5.69	0.03	0.07	0.95	0.42	-0.03	0.50	0.42	4.17	0.03	0.58	0.57
29	2	9	5.62	0.03	0.07	0.95	0.43	-0.03	0.50	0.42	4.16	0.03	0.58	0.57
30	2	10	5.54	0.03	0.07	0.95	0.43	-0.03	0.50	0.41	4.16	0.03	0.58	0.57
31	2	11	5.47	0.03	0.07	0.95	0.43	-0.03	0.50	0.41	4.16	0.03	0.59	0.57
32	2	12	5.39	0.03	0.07	0.95	0.43	-0.03	0.50	0.41	4.16	0.03	0.59	0.57
33	2	13	5.32	0.03	0.07	0.95	0.43	-0.03	0.50	0.41	4.16	0.03	0.59	0.57
34	2	14	5.25	0.03	0.07	0.95	0.44	-0.03	0.50	0.41	4.15	0.03	0.59	0.57
35	2	15	5.18	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.60	0.57
36	2	16	5.11	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.60	0.57
37	2	17	5.04	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.60	0.57
38	2	18	4.98	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.60	0.57
39	2	19	4.91	0.03	0.07	0.95	0.44	-0.03	0.50	0.40	4.15	0.03	0.61	0.57
40	2	20	4.84	0.03	0.07	0.95	0.45	-0.03	0.50	0.39	4.14	0.03	0.61	0.57
41	3	1	4.78	0.03	0.07	0.95	0.45	-0.02	0.50	0.39	4.14	0.03	0.61	0.57
42	3	2	4.72	0.03	0.07	0.95	0.45	-0.02	0.50	0.39	4.14	0.03	0.61	0.57
43	3	3	4.65	0.04	0.07	0.95	0.45	-0.02	0.50	0.39	4.14	0.03	0.61	0.57
44	3	4	4.59	0.04	0.07	0.95	0.45	-0.02	0.50	0.38	4.14	0.03	0.62	0.57
45	3	5	4.53	0.04	0.07	0.95	0.45	-0.02	0.50	0.38	4.14	0.03	0.62	0.56
46	3	6	4.47	0.04	0.07	0.95	0.45	-0.02	0.50	0.38	4.13	0.03	0.62	0.56
47	3	7	4.41	0.04	0.07	0.95	0.45	-0.02	0.50	0.37	4.13	0.03	0.62	0.56
48	3	8	4.35	0.04	0.07	0.95	0.46	-0.02	0.50	0.37	4.13	0.03	0.62	0.56
49	3	9	4.30	0.04	0.07	0.95	0.46	-0.02	0.50	0.37	4.13	0.03	0.63	0.56
50	3	10	4.24	0.04	0.07	0.95	0.46	-0.02	0.50	0.36	4.13	0.03	0.63	0.56
51	3	11	4.18	0.04	0.07	0.95	0.46	-0.02	0.50	0.36	4.13	0.03	0.63	0.56
52	3	12	4.13	0.04	0.07	0.95	0.46	-0.02	0.50	0.36	4.13	0.03	0.63	0.56

CRF_75C.OUT														
53	3	13	4.08	0.04	0.07	0.95	0.46	-0.02	0.50	0.36	4.12	0.03	0.63	0.56
54	3	14	4.02	0.04	0.07	0.95	0.46	-0.02	0.50	0.35	4.12	0.03	0.63	0.56
55	3	15	3.97	0.04	0.07	0.95	0.46	-0.02	0.50	0.35	4.12	0.03	0.64	0.56
56	3	16	3.92	0.04	0.07	0.95	0.46	-0.02	0.50	0.35	4.12	0.03	0.64	0.56
57	3	17	3.87	0.04	0.07	0.95	0.46	-0.02	0.50	0.34	4.12	0.03	0.64	0.56
58	3	18	3.82	0.04	0.07	0.95	0.47	-0.02	0.50	0.34	4.12	0.03	0.64	0.56
59	3	19	3.77	0.04	0.07	0.95	0.47	-0.02	0.50	0.34	4.12	0.03	0.64	0.56
60	3	20	3.72	0.04	0.07	0.95	0.47	-0.02	0.50	0.33	4.11	0.03	0.64	0.56
61	4	1	3.67	0.04	0.07	0.95	0.47	-0.02	0.50	0.33	4.11	0.03	0.64	0.56
62	4	2	3.62	0.04	0.07	0.95	0.47	-0.02	0.50	0.33	4.11	0.03	0.65	0.56
63	4	3	3.57	0.04	0.07	0.95	0.47	-0.02	0.50	0.32	4.11	0.03	0.65	0.56
64	4	4	3.53	0.04	0.07	0.95	0.47	-0.02	0.50	0.32	4.11	0.03	0.65	0.56
65	4	5	3.48	0.04	0.07	0.95	0.47	-0.02	0.50	0.32	4.11	0.03	0.65	0.56

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 11
 EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	ALGAE GROWTH RATE							ATTEN FACTORS				
			CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	LIGHT *	NITRGN *	PHSPRS *
66	4	6	3.43	0.04	0.07	0.95	0.47	-0.02	0.50	0.32	4.11	0.03	0.65	0.56
67	4	7	3.39	0.04	0.07	0.95	0.47	-0.02	0.50	0.31	4.11	0.03	0.65	0.56
68	4	8	3.35	0.04	0.07	0.95	0.47	-0.02	0.50	0.31	4.10	0.03	0.65	0.56
69	4	9	3.30	0.04	0.07	0.95	0.47	-0.02	0.50	0.31	4.10	0.03	0.65	0.56
70	4	10	3.26	0.04	0.07	0.95	0.48	-0.02	0.50	0.30	4.10	0.03	0.65	0.56
71	4	11	3.22	0.04	0.07	0.95	0.48	-0.02	0.50	0.30	4.10	0.03	0.66	0.56
72	4	12	3.17	0.04	0.07	0.95	0.48	-0.02	0.50	0.30	4.10	0.03	0.66	0.56
73	4	13	3.13	0.04	0.07	0.95	0.48	-0.02	0.50	0.29	4.10	0.03	0.66	0.56
74	4	14	3.09	0.04	0.07	0.95	0.48	-0.02	0.50	0.29	4.10	0.03	0.66	0.56
75	4	15	3.05	0.04	0.07	0.95	0.48	-0.01	0.50	0.29	4.10	0.03	0.66	0.56
76	4	16	3.01	0.04	0.07	0.95	0.48	-0.01	0.50	0.28	4.09	0.03	0.66	0.56
77	4	17	2.97	0.04	0.07	0.95	0.48	-0.01	0.50	0.28	4.09	0.03	0.66	0.56
78	4	18	2.93	0.04	0.07	0.95	0.48	-0.01	0.50	0.28	4.09	0.03	0.66	0.55
79	4	19	2.90	0.04	0.07	0.95	0.48	-0.01	0.50	0.28	4.09	0.03	0.66	0.55
80	4	20	2.86	0.04	0.07	0.95	0.48	-0.01	0.50	0.27	4.09	0.03	0.66	0.55
81	5	1	2.82	0.04	0.07	0.95	0.48	-0.01	0.50	0.27	4.09	0.03	0.67	0.55
82	5	2	2.79	0.04	0.07	0.95	0.48	-0.01	0.50	0.27	4.09	0.03	0.67	0.55
83	5	3	2.75	0.04	0.07	0.95	0.48	-0.01	0.50	0.26	4.09	0.03	0.67	0.55
84	5	4	2.71	0.04	0.07	0.95	0.48	-0.01	0.50	0.26	4.09	0.03	0.67	0.55
85	5	5	2.68	0.04	0.07	0.95	0.48	-0.01	0.50	0.26	4.09	0.03	0.67	0.55
86	5	6	2.64	0.04	0.07	0.95	0.49	-0.01	0.50	0.26	4.08	0.03	0.67	0.55

								CRF_75C.OUT						
87	5	7	2.61	0.04	0.07	0.95	0.49	-0.01	0.50	0.25	4.08	0.03	0.67	0.55
88	5	8	2.58	0.04	0.07	0.95	0.49	-0.01	0.50	0.25	4.08	0.03	0.67	0.55
89	5	9	2.54	0.04	0.07	0.95	0.49	-0.01	0.50	0.25	4.08	0.03	0.67	0.55
90	5	10	2.51	0.04	0.07	0.95	0.49	-0.01	0.50	0.24	4.08	0.03	0.67	0.55
91	5	11	2.48	0.04	0.07	0.95	0.49	-0.01	0.50	0.24	4.08	0.03	0.67	0.55
92	5	12	2.45	0.04	0.07	0.95	0.49	-0.01	0.50	0.24	4.08	0.03	0.67	0.55
93	5	13	2.41	0.04	0.07	0.95	0.49	-0.01	0.50	0.24	4.08	0.03	0.68	0.55
94	5	14	2.38	0.04	0.07	0.95	0.49	-0.01	0.50	0.23	4.08	0.03	0.68	0.55
95	5	15	2.35	0.04	0.07	0.95	0.49	-0.01	0.50	0.23	4.08	0.03	0.68	0.55
96	5	16	2.32	0.04	0.07	0.95	0.49	-0.01	0.50	0.23	4.08	0.03	0.68	0.55
97	5	17	2.29	0.04	0.07	0.95	0.49	-0.01	0.50	0.23	4.07	0.03	0.68	0.55
98	5	18	2.26	0.04	0.07	0.95	0.49	-0.01	0.50	0.22	4.07	0.03	0.68	0.55
99	5	19	2.23	0.04	0.07	0.95	0.49	-0.01	0.50	0.22	4.07	0.03	0.68	0.55
100	5	20	2.20	0.04	0.07	0.95	0.49	-0.01	0.50	0.22	4.07	0.03	0.68	0.55
101	6	1	2.18	0.04	0.07	0.95	0.50	-0.01	0.50	0.22	4.07	0.03	0.68	0.55
102	6	2	2.15	0.04	0.07	0.95	0.50	-0.01	0.50	0.21	4.07	0.03	0.68	0.56
103	6	3	2.12	0.04	0.07	0.95	0.50	-0.01	0.50	0.21	4.07	0.03	0.68	0.56
104	6	4	2.09	0.04	0.07	0.95	0.51	-0.01	0.50	0.21	4.07	0.03	0.68	0.57
105	6	5	2.07	0.04	0.07	0.95	0.51	-0.01	0.50	0.21	4.07	0.03	0.68	0.57
106	6	6	2.04	0.04	0.07	0.95	0.52	-0.01	0.50	0.20	4.07	0.03	0.68	0.57
107	6	7	2.02	0.04	0.07	0.95	0.52	-0.01	0.50	0.20	4.07	0.03	0.68	0.58
108	6	8	1.99	0.04	0.07	0.95	0.52	-0.01	0.50	0.20	4.07	0.03	0.68	0.58
109	6	9	1.96	0.04	0.07	0.95	0.53	-0.01	0.50	0.20	4.07	0.03	0.69	0.59
110	6	10	1.94	0.04	0.07	0.95	0.53	-0.01	0.50	0.19	4.06	0.03	0.69	0.59
111	6	11	1.92	0.04	0.07	0.95	0.53	-0.01	0.50	0.19	4.06	0.03	0.69	0.59
112	6	12	1.89	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.06	0.03	0.69	0.59
113	6	13	1.87	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.06	0.03	0.69	0.60
114	6	14	1.85	0.04	0.07	0.95	0.54	-0.01	0.50	0.19	4.06	0.03	0.69	0.60
115	6	15	1.82	0.04	0.07	0.95	0.55	-0.01	0.50	0.18	4.06	0.03	0.69	0.60
116	6	16	1.80	0.04	0.07	0.95	0.55	-0.01	0.50	0.18	4.06	0.03	0.69	0.61
117	6	17	1.78	0.04	0.07	0.95	0.55	-0.01	0.50	0.18	4.06	0.03	0.69	0.61
118	6	18	1.76	0.04	0.07	0.95	0.56	-0.01	0.50	0.18	4.06	0.03	0.69	0.61
119	6	19	1.73	0.04	0.07	0.95	0.56	-0.01	0.50	0.17	4.06	0.03	0.69	0.62
120	6	20	1.71	0.04	0.07	0.95	0.56	-0.01	0.50	0.17	4.06	0.03	0.69	0.62
121	7	1	1.69	0.04	0.07	0.95	0.56	-0.01	0.50	0.17	4.06	0.03	0.69	0.62
122	7	2	1.67	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.62
123	7	3	1.65	0.04	0.07	0.95	0.57	-0.01	0.50	0.17	4.06	0.03	0.69	0.63
124	7	4	1.63	0.04	0.07	0.95	0.57	-0.01	0.50	0.16	4.06	0.03	0.69	0.63
125	7	5	1.61	0.04	0.07	0.95	0.57	-0.01	0.50	0.16	4.05	0.03	0.69	0.63
126	7	6	1.59	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.05	0.03	0.69	0.63
127	7	7	1.57	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.05	0.03	0.69	0.64
128	7	8	1.55	0.05	0.07	0.95	0.58	-0.01	0.50	0.16	4.05	0.03	0.69	0.64
129	7	9	1.53	0.05	0.07	0.95	0.58	-0.01	0.50	0.15	4.05	0.03	0.69	0.64
130	7	10	1.52	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.69	0.64

1

***** STEADY STATE SIMULATION *****

** ALGAE DATA **

ELE ORD	RCH NUM	ELE NUM	CHLA UG/L	ALGY GRWTH 1/DAY	ALGY RESP 1/DAY	ALGY SETT FT/DA	A P/R RATIO *	NET P-R MG/L-D	NH3 PREF *	NH3-N FRACT N-UPTKE *	LIGHT EXTCO 1/FT	ALGAE GROWTH RATE ATTEN FACTORS		
												LIGHT *	NITRGN *	PHSPRS *
131	7	11	1.50	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.70	0.64
132	7	12	1.48	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
133	7	13	1.49	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
134	7	14	1.48	0.05	0.07	0.95	0.59	-0.01	0.50	0.15	4.05	0.03	0.70	0.65
135	7	15	1.46	0.05	0.07	0.95	0.59	-0.01	0.50	0.14	4.05	0.03	0.70	0.65
136	7	16	1.44	0.05	0.07	0.95	0.60	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
137	7	17	1.42	0.05	0.07	0.95	0.60	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
138	7	18	1.41	0.05	0.07	0.95	0.60	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
139	7	19	1.39	0.05	0.07	0.95	0.60	-0.01	0.50	0.14	4.05	0.03	0.70	0.66
140	7	20	1.37	0.05	0.07	0.95	0.61	-0.01	0.50	0.13	4.05	0.03	0.70	0.66
141	8	1	1.36	0.05	0.07	0.95	0.61	0.00	0.50	0.13	4.05	0.03	0.70	0.67
142	8	2	1.34	0.05	0.07	0.95	0.61	0.00	0.50	0.13	4.05	0.03	0.70	0.67
143	8	3	1.33	0.05	0.07	0.95	0.61	0.00	0.50	0.13	4.05	0.03	0.70	0.67
144	8	4	1.31	0.05	0.07	0.95	0.61	0.00	0.50	0.13	4.05	0.03	0.70	0.67
145	8	5	1.29	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.67
146	8	6	1.28	0.05	0.07	0.95	0.62	0.00	0.50	0.13	4.05	0.03	0.70	0.67
147	8	7	1.26	0.05	0.07	0.95	0.62	0.00	0.50	0.12	4.04	0.03	0.70	0.68
148	8	8	1.25	0.05	0.07	0.95	0.62	0.00	0.50	0.12	4.04	0.03	0.70	0.68

1

STREAM QUALITY SIMULATION
QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER 13
EPA/NCASI VERSION

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
									F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
1	1	1	81.30	7.91	5.42	2.49	0.00	1.00	45.47	0.89	-0.39	-0.01	-0.05	-0.03	-0.04
2	1	2	81.30	7.91	5.44	2.48	0.00	1.00	0.00	0.89	-0.39	-0.01	-0.05	-0.03	-0.03
3	1	3	81.30	7.91	5.46	2.46	0.00	1.00	0.00	0.88	-0.38	-0.01	-0.05	-0.04	-0.03
4	1	4	81.30	7.91	5.47	2.44	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
5	1	5	81.30	7.91	5.49	2.42	0.00	1.00	0.00	0.87	-0.38	-0.01	-0.05	-0.04	-0.03
6	1	6	81.30	7.91	5.51	2.40	0.00	1.00	0.00	0.86	-0.37	-0.01	-0.05	-0.04	-0.02

									CRF_75C.OUT						
7	1	7	81.30	7.91	5.53	2.39	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.05	-0.04	-0.02
8	1	8	81.30	7.91	5.54	2.37	0.00	1.00	0.00	0.85	-0.37	-0.01	-0.04	-0.05	-0.02
9	1	9	81.30	7.91	5.56	2.35	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
10	1	10	81.30	7.91	5.58	2.34	0.00	1.00	0.00	0.84	-0.36	-0.01	-0.04	-0.05	-0.02
11	1	11	81.30	7.91	5.59	2.32	0.00	1.00	0.00	0.83	-0.36	-0.01	-0.04	-0.05	-0.02
12	1	12	81.30	7.91	5.61	2.31	0.00	1.00	0.00	0.82	-0.36	-0.01	-0.04	-0.05	-0.02
13	1	13	81.30	7.91	5.62	2.29	0.00	1.00	0.00	0.82	-0.35	-0.01	-0.04	-0.06	-0.02
14	1	14	81.30	7.91	5.64	2.28	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
15	1	15	81.30	7.91	5.65	2.26	0.00	1.00	0.00	0.81	-0.35	-0.01	-0.04	-0.06	-0.02
16	1	16	81.30	7.91	5.66	2.25	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
17	1	17	81.30	7.91	5.68	2.23	0.00	1.00	0.00	0.80	-0.34	-0.01	-0.04	-0.06	-0.02
18	1	18	81.30	7.91	5.69	2.22	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
19	1	19	81.30	7.91	5.70	2.21	0.00	1.00	0.00	0.79	-0.34	-0.01	-0.04	-0.06	-0.02
20	1	20	81.30	7.91	5.72	2.20	0.00	1.00	0.00	0.78	-0.33	-0.01	-0.04	-0.06	-0.02
21	2	1	81.30	7.91	5.73	2.18	0.00	1.00	0.00	0.78	-0.33	-0.01	-0.03	-0.07	-0.02
22	2	2	81.30	7.91	5.74	2.17	0.00	1.00	0.00	0.78	-0.33	-0.01	-0.03	-0.07	-0.02
23	2	3	81.30	7.91	5.75	2.16	0.00	1.00	0.00	0.77	-0.32	-0.01	-0.03	-0.07	-0.02
24	2	4	81.30	7.91	5.77	2.15	0.00	1.00	0.00	0.77	-0.32	-0.01	-0.03	-0.07	-0.02
25	2	5	81.30	7.91	5.78	2.14	0.00	1.00	0.00	0.76	-0.32	-0.01	-0.03	-0.07	-0.02
26	2	6	81.30	7.91	5.79	2.12	0.00	1.00	0.00	0.76	-0.32	-0.01	-0.03	-0.07	-0.02
27	2	7	81.30	7.91	5.80	2.11	0.00	1.00	0.00	0.76	-0.31	-0.01	-0.03	-0.07	-0.02
28	2	8	81.30	7.91	5.81	2.10	0.00	1.00	0.00	0.75	-0.31	-0.01	-0.03	-0.07	-0.02
29	2	9	81.30	7.91	5.82	2.09	0.00	1.00	0.00	0.75	-0.31	-0.01	-0.03	-0.07	-0.02
30	2	10	81.30	7.91	5.83	2.08	0.00	1.00	0.00	0.74	-0.31	-0.01	-0.03	-0.07	-0.02
31	2	11	81.30	7.91	5.84	2.07	0.00	1.00	0.00	0.74	-0.30	-0.01	-0.03	-0.07	-0.02
32	2	12	81.30	7.91	5.85	2.06	0.00	1.00	0.00	0.74	-0.30	-0.01	-0.03	-0.07	-0.02
33	2	13	81.30	7.91	5.86	2.05	0.00	1.00	0.00	0.73	-0.30	-0.01	-0.03	-0.07	-0.02
34	2	14	81.30	7.91	5.87	2.04	0.00	1.00	0.00	0.73	-0.30	-0.01	-0.03	-0.07	-0.02
35	2	15	81.30	7.91	5.88	2.03	0.00	1.00	0.00	0.73	-0.29	-0.01	-0.03	-0.07	-0.02
36	2	16	81.30	7.91	5.89	2.02	0.00	1.00	0.00	0.72	-0.29	-0.01	-0.03	-0.07	-0.02
37	2	17	81.30	7.91	5.90	2.01	0.00	1.00	0.00	0.72	-0.29	-0.01	-0.03	-0.07	-0.02
38	2	18	81.30	7.91	5.91	2.00	0.00	1.00	0.00	0.72	-0.29	-0.01	-0.03	-0.08	-0.02
39	2	19	81.30	7.91	5.92	1.99	0.00	1.00	0.00	0.71	-0.28	-0.01	-0.03	-0.08	-0.02
40	2	20	81.30	7.91	5.93	1.98	0.00	1.00	0.00	0.71	-0.28	-0.01	-0.03	-0.08	-0.02
41	3	1	81.30	7.91	5.94	1.98	0.00	1.00	0.00	0.71	-0.28	-0.01	-0.02	-0.08	-0.02
42	3	2	81.30	7.91	5.95	1.97	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.02
43	3	3	81.30	7.91	5.96	1.96	0.00	1.00	0.00	0.70	-0.28	-0.01	-0.02	-0.08	-0.02
44	3	4	81.30	7.91	5.96	1.95	0.00	1.00	0.00	0.70	-0.27	-0.01	-0.02	-0.08	-0.02
45	3	5	81.30	7.91	5.97	1.94	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.02
46	3	6	81.30	7.91	5.98	1.93	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.02
47	3	7	81.30	7.91	5.99	1.92	0.00	1.00	0.00	0.69	-0.27	-0.01	-0.02	-0.08	-0.02
48	3	8	81.30	7.91	6.00	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
49	3	9	81.30	7.91	6.01	1.91	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
50	3	10	81.30	7.91	6.02	1.90	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
51	3	11	81.30	7.91	6.02	1.89	0.00	1.00	0.00	0.68	-0.26	-0.01	-0.02	-0.08	-0.03
52	3	12	81.30	7.91	6.03	1.88	0.00	1.00	0.00	0.67	-0.26	-0.01	-0.02	-0.08	-0.03

										CRF_75C.OUT					
53	3	13	81.30	7.91	6.04	1.87	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
54	3	14	81.30	7.91	6.05	1.86	0.00	1.00	0.00	0.67	-0.25	-0.01	-0.02	-0.08	-0.03
55	3	15	81.30	7.91	6.06	1.86	0.00	1.00	0.00	0.66	-0.25	-0.01	-0.02	-0.08	-0.03
56	3	16	81.30	7.91	6.06	1.85	0.00	1.00	0.00	0.66	-0.25	-0.01	-0.02	-0.08	-0.03
57	3	17	81.30	7.91	6.07	1.84	0.00	1.00	0.00	0.66	-0.25	-0.01	-0.02	-0.07	-0.03
58	3	18	81.30	7.91	6.08	1.83	0.00	1.00	0.00	0.66	-0.24	-0.01	-0.02	-0.07	-0.03
59	3	19	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.24	-0.01	-0.02	-0.07	-0.03
60	3	20	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.24	-0.01	-0.02	-0.07	-0.02
61	4	1	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.24	-0.01	-0.02	-0.07	-0.02
62	4	2	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.24	-0.01	-0.02	-0.07	-0.02
63	4	3	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02
64	4	4	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02
65	4	5	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02

1

STREAM QUALITY SIMULATION
 QUAL-2E STREAM QUALITY ROUTING MODEL

OUTPUT PAGE NUMBER
 EPA/NCASI VERSION

14

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE	RCH	ELE	DO	DO	DO	DAM	NIT	F-FUNCTN	OXYGN	C-BOD	SOD	NET	NH3-N	NO2-N	
ORD	NUM	NUM	TEMP	SAT	MG/L	MG/L	INDEF	INPUT	REAIR			P-R			
			DEG-F	MG/L			MG/L	FACT							
66	4	6	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02
67	4	7	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.23	-0.01	-0.02	-0.07	-0.02
68	4	8	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
69	4	9	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
70	4	10	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
71	4	11	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
72	4	12	81.30	7.91	6.09	1.82	0.00	1.00	0.00	0.65	-0.22	-0.01	-0.02	-0.07	-0.02
73	4	13	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.02	-0.07	-0.02
74	4	14	81.30	7.91	6.10	1.82	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.02	-0.07	-0.02
75	4	15	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
76	4	16	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
77	4	17	81.30	7.91	6.10	1.81	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
78	4	18	81.30	7.91	6.11	1.81	0.00	1.00	0.00	0.65	-0.21	-0.01	-0.01	-0.07	-0.02
79	4	19	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.65	-0.20	-0.01	-0.01	-0.07	-0.02
80	4	20	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
81	5	1	81.30	7.91	6.11	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
82	5	2	81.30	7.91	6.12	1.80	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
83	5	3	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
84	5	4	81.30	7.91	6.12	1.79	0.00	1.00	0.00	0.64	-0.20	-0.01	-0.01	-0.07	-0.02
85	5	5	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
86	5	6	81.30	7.91	6.13	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02

CRF_75C.OUT

87	5	7	81.30	7.91	6.14	1.78	0.00	1.00	0.00	0.64	-0.19	-0.01	-0.01	-0.06	-0.02
88	5	8	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
89	5	9	81.30	7.91	6.14	1.77	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
90	5	10	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.19	-0.01	-0.01	-0.06	-0.02
91	5	11	81.30	7.91	6.15	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
92	5	12	81.30	7.91	6.16	1.76	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
93	5	13	81.30	7.91	6.16	1.75	0.00	1.00	0.00	0.63	-0.18	-0.01	-0.01	-0.06	-0.02
94	5	14	81.30	7.91	6.17	1.75	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
95	5	15	81.30	7.91	6.17	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
96	5	16	81.30	7.91	6.18	1.74	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
97	5	17	81.30	7.91	6.18	1.73	0.00	1.00	0.00	0.62	-0.18	-0.01	-0.01	-0.06	-0.02
98	5	18	81.30	7.91	6.18	1.73	0.00	1.00	0.00	0.62	-0.17	-0.01	-0.01	-0.06	-0.02
99	5	19	81.30	7.91	6.19	1.72	0.00	1.00	0.00	0.62	-0.17	-0.01	-0.01	-0.06	-0.02
100	5	20	81.30	7.91	6.19	1.72	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
101	6	1	81.30	7.91	6.20	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
102	6	2	81.30	7.91	6.20	1.71	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
103	6	3	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
104	6	4	81.30	7.91	6.21	1.70	0.00	1.00	0.00	0.61	-0.17	-0.01	-0.01	-0.06	-0.02
105	6	5	81.30	7.91	6.22	1.69	0.00	1.00	0.00	0.61	-0.16	-0.01	-0.01	-0.05	-0.02
106	6	6	81.30	7.91	6.23	1.69	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
107	6	7	81.30	7.91	6.23	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
108	6	8	81.30	7.91	6.24	1.68	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
109	6	9	81.30	7.91	6.24	1.67	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
110	6	10	81.30	7.91	6.25	1.67	0.00	1.00	0.00	0.60	-0.16	-0.01	-0.01	-0.05	-0.02
111	6	11	81.30	7.91	6.25	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
112	6	12	81.30	7.91	6.26	1.66	0.00	1.00	0.00	0.59	-0.16	-0.01	-0.01	-0.05	-0.02
113	6	13	81.30	7.91	6.26	1.65	0.00	1.00	0.00	0.59	-0.15	-0.01	-0.01	-0.05	-0.02
114	6	14	81.30	7.91	6.27	1.64	0.00	1.00	0.00	0.59	-0.15	-0.01	-0.01	-0.05	-0.02
115	6	15	81.30	7.91	6.27	1.64	0.00	1.00	0.00	0.59	-0.15	-0.01	-0.01	-0.05	-0.02
116	6	16	81.30	7.91	6.28	1.63	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
117	6	17	81.30	7.91	6.28	1.63	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
118	6	18	81.30	7.91	6.29	1.62	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
119	6	19	81.30	7.91	6.30	1.62	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
120	6	20	81.30	7.91	6.30	1.61	0.00	1.00	0.00	0.58	-0.15	-0.01	-0.01	-0.05	-0.02
121	7	1	81.30	7.91	6.32	1.60	0.00	1.00	0.00	0.57	-0.14	-0.01	-0.01	-0.05	-0.02
122	7	2	81.30	7.91	6.33	1.58	0.00	1.00	0.00	0.57	-0.14	-0.01	-0.01	-0.05	-0.02
123	7	3	81.30	7.91	6.35	1.57	0.00	1.00	0.00	0.56	-0.14	-0.01	-0.01	-0.05	-0.02
124	7	4	81.30	7.91	6.36	1.55	0.00	1.00	0.00	0.55	-0.14	-0.01	-0.01	-0.05	-0.02
125	7	5	81.30	7.91	6.37	1.54	0.00	1.00	0.00	0.55	-0.14	-0.01	-0.01	-0.05	-0.02
126	7	6	81.30	7.91	6.39	1.52	0.00	1.00	0.00	0.55	-0.14	-0.01	-0.01	-0.04	-0.02
127	7	7	81.30	7.91	6.40	1.51	0.00	1.00	0.00	0.54	-0.14	-0.01	-0.01	-0.04	-0.02
128	7	8	81.30	7.91	6.41	1.50	0.00	1.00	0.00	0.54	-0.14	-0.01	-0.01	-0.04	-0.02
129	7	9	81.30	7.91	6.43	1.49	0.00	1.00	0.00	0.53	-0.13	-0.01	-0.01	-0.04	-0.02
130	7	10	81.30	7.91	6.44	1.47	0.00	1.00	0.00	0.53	-0.13	-0.01	-0.01	-0.04	-0.02

1

***** STEADY STATE SIMULATION *****

** DISSOLVED OXYGEN DATA **

COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)

ELE ORD	RCH NUM	ELE NUM	TEMP DEG-F	DO SAT MG/L	DO MG/L	DO DEF MG/L	DAM INPUT MG/L	NIT INHIB FACT	COMPONENTS OF DISSOLVED OXYGEN MASS BALANCE (MG/L-DAY)						
									F-FNCTN INPUT	OXYGN REAIR	C-BOD	SOD	NET P-R	NH3-N	NO2-N
131	7	11	81.30	7.91	6.45	1.46	0.00	1.00	0.00	0.52	-0.13	-0.01	-0.01	-0.04	-0.02
132	7	12	81.30	7.91	6.46	1.45	0.00	1.00	0.00	0.52	-0.13	-0.01	-0.01	-0.04	-0.01
133	7	13	81.30	7.91	6.47	1.44	0.00	1.00	0.22	0.52	-0.13	-0.01	-0.01	-0.04	-0.02
134	7	14	81.30	7.91	6.48	1.43	0.00	1.00	0.00	0.51	-0.13	-0.01	-0.01	-0.04	-0.02
135	7	15	81.30	7.91	6.49	1.42	0.00	1.00	0.00	0.51	-0.13	-0.01	-0.01	-0.04	-0.01
136	7	16	81.30	7.91	6.50	1.41	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
137	7	17	81.30	7.91	6.51	1.40	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
138	7	18	81.30	7.91	6.52	1.39	0.00	1.00	0.00	0.50	-0.13	-0.01	-0.01	-0.04	-0.01
139	7	19	81.30	7.91	6.54	1.38	0.00	1.00	0.00	0.49	-0.12	-0.01	-0.01	-0.04	-0.01
140	7	20	81.30	7.91	6.55	1.37	0.00	1.00	0.00	0.49	-0.12	-0.01	-0.01	-0.04	-0.01
141	8	1	81.30	7.91	6.56	1.36	0.00	1.00	0.00	0.49	-0.12	-0.01	0.00	-0.04	-0.01
142	8	2	81.30	7.91	6.56	1.35	0.00	1.00	0.00	0.48	-0.12	-0.01	0.00	-0.04	-0.01
143	8	3	81.30	7.91	6.57	1.34	0.00	1.00	0.00	0.48	-0.12	-0.01	0.00	-0.04	-0.01
144	8	4	81.30	7.91	6.58	1.33	0.00	1.00	0.00	0.48	-0.12	-0.01	0.00	-0.04	-0.01
145	8	5	81.30	7.91	6.59	1.32	0.00	1.00	0.00	0.47	-0.12	-0.01	0.00	-0.04	-0.01
146	8	6	81.30	7.91	6.60	1.31	0.00	1.00	0.00	0.47	-0.12	-0.01	0.00	-0.04	-0.01
147	8	7	81.30	7.91	6.61	1.30	0.00	1.00	0.00	0.47	-0.12	-0.01	0.00	-0.04	-0.01
148	8	8	81.30	7.91	6.62	1.29	0.00	1.00	0.00	0.46	-0.12	-0.01	0.00	-0.04	-0.01

ATTACHMENT 2
METADATA AND DATA LIBRARY FOR GIS

abspts	0	
absx	0	
absy	0	
absz	0	
demname	10.2.gda.4357299	
FID	30459	
freetext	FELSENTHAL DAM, AR-LA	FROM 24K CONTOURS - H2O ENFORCED
hdatum	27	-92 0 0.0000 33 0 0.00005
horizres_m	-100	
i_date	0	
lrlat	33	
lrlon	-92.125	
meta_p_are	0.015648	
meta_p_per	0.500374	
pdevice	UNKNOWN	
pmethod	5	
psite	MCMC	
quaddate	20110401	
quadname	felsenthal_dam_AR	
resolution	10	
rmse	1	
rmsepts	28	
rmsex	0	
rmsey	0	
rmsez	1	
s_date	1976	
Shape	Polygon	
ullat	33.125	
ullon	-92	
utmzone	15	
vdatum	29	
xshift	-0.000133	
yshift	0.000125	
zmax	42.42	
zmean	23.461	
zmin	17.14	
zshift	-0.067	
zsigma	5.37035	
zstep	0.01	
zunit	1	

National Elevation Dataset (NED) Data Dictionary

Last updated: January 16, 2016

Contents

NED 1/3 Arc-second, 1 Arc-second, and 2 Arc-second Data Dictionary	1
Source Identification	1
DEMNAME.....	1
QUADNAME	1
Source Production	1
PSITE.....	1
PMETHOD	2
PDEVICE	3
FREETEXT	3
RESOLUTION.....	4
HORIZRES_M	4
S_DATE	4
I_DATE	5
Source Planimetric Descriptors.....	5
HDATUM.....	5
LRLAT, LRLON, ULLAT, ULLON	6
UTMZONE	6
XSHIFT, YSHIFT	6
Source Elevation Descriptors	6
VDATUM.....	7
ZUNIT	7
ZSTEP	7
ZSHIFT	7
Source Elevation Summary Statistics	8
ZMIN, ZMAX	8
ZMEAN	8
ZSIGMA	8
Source Accuracy Statistics	8
ABSX, ABSY, ABSZ.....	9
ABSPTS.....	9
RMSE.....	9
RMSEX, RMSEY, RMSEZ	9
RMSEPTS.....	10
NED Production Timestamps	10
QUADDATE	10
NED1/9 Arc-second Data Dictionary	11
Source Identification	11
PROJ_NAME.....	11

DEMNAME.....	11
Source Production	11
RESOLUTION.....	11
HORIZRES_M.....	12
PMETHOD.....	12
S_DATE.....	12
FREETEXT.....	12
Output Production.....	12
ZUNIT.....	12
Source Accuracy Statistics	13
S_FVA.....	13
S_CVA.....	13
S_NVA.....	14
S_VVA.....	14
VA_UNIT.....	14
RMSEZ, RMSE_FVA, RMSE_SVA, RMSE_CVA	14
NED Production Timestamp	15
QUADDATE.....	15
NED Original Product (Source) Resolution Data Dictionary	16
Source Identification	16
PROJ_NAME.....	16
Source Production	16
PMETHOD.....	16
S_DATE.....	16
Output Production.....	16
ZUNIT.....	17
REFSYS.....	17
HORIZRES.....	17
HORIZUNIT.....	17
FORMAT.....	17
HORIZRES_M.....	18
Accuracy Statistics	18
FVA.....	18
CVA.....	18
NVA.....	19
VVA.....	19
VA_UNIT.....	19
NED Production Timestamp	19
QUADDATE.....	19
The National Map – Elevation, Lidar Point Cloud Project Data Dictionary.....	20
Lidar Project Information.....	20
project_id.....	20
state.....	20
vendor.....	20
s_date.....	20

e_date	20
entry_date	20
lr_lat, lr_long, ll_lat, ll_long, ul_lat, ul_long, ur_lat, ur_long	20
sensor_type	21
spec	21
nva_swath	21
va_units	21
Coordinate Reference System	21
refsys	21
horizunit	22
zunit	22
Lidar Information	22
las_type	23
quality	23
rptd_nps	23
rptd_pd	23
rptd_units	23
rptd_anps	24
rptd_anpd	24
The National Map – Elevation, Lidar Point Cloud Tile Data Dictionary	25
Lidar Tile Information	25
project_id	25
tile_name	25
entity_id	25
s_date	25
e_date	25
entry_date	25
lr_lat, lr_long, ll_lat, ll_long, ul_lat, ul_long, ur_lat, ur_long	25
Coordinate Reference System	26
refsys	26
horizunit	26
zunit	26
Lidar Information	27
las_type	27
quality	27
version	28
rtct_1	28
rtct_2	28
rtct_3	28
rtct_4	28
rtct_5	28
rtct_6	28
rtct_7	28
rtct_8	28
rtct_9	28
rtct_10	28

rtnct_11	28
rtnct_12	28
rtnct_13	29
rtnct_14	29
rtnct_15	29
point_ct	29
References Cited	29
Appendix A	30
Correspondence between selected NED metadata items and USGS DEM Type A records	30

NED 1/3 Arc-second, 1 Arc-second, and 2 Arc-second Data Dictionary

Source Identification

DEMNAME
QUADNAME

DEMNAME

Data Name (text)

For projects used to produce the NED prior to March 31, 2014, this field indicates the name of the source DEM file.

For projects used to produce the NED after April 1, 2014, DEMNAME is the name of the original project that was adapted for incorporation into the 1/3, 1 and 2 arc-second NED layers. The format of this field will most commonly be three parts separated by underscores: PRIMARYSTATE, BRIEF-PROJECT-DESCRIPTION, YEAR.

QUADNAME

Quadrangle Name (text)

For DEMs derived from standard USGS paper map series, this is the name of the corresponding USGS quadrangle. This information may also be present in the first 40 characters of the FREETEXT field.

For new high resolution DEM source data, this field may be used in other ways.

Example QUADNAME = oak_island_MN

For DEMs introduced into the NED after April 1, 2014 this field will not be populated. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

Source Production

PSITE
PMETHOD
PDEVICE
FREETEXT
RESOLUTION
HORIZ_M
S_DATE
I_DATE

PSITE

Production Site (text)

The site or party who created the source DEM for DEMs used to produce the NED prior to March 31, 2014.

Valid codes are:

UNKNOWN	Unknown
CONT	Contractor
MCMC	Mid-Continent Mapping Center
RMMC	Rocky Mountain Mapping Center
EMC	Eastern Mapping Center
WMC	Western Mapping Center
MAC	Mapping Applications Center
FS	Forest Service
USFS	Forest Service
BLM	Bureau of Land Management
NGTO	National Geospatial Technical Operations Center
AB	Alberta Sustainable Resource Development: Edmonton, Alberta, Canada
GDB	Center for Topographic Information, Geomatics Canada
NS	Nova Scotia Geomatics Center
NTDB	Center for Topographic Information Geomatics Canada: Ottawa, Ontario, Canada or Landscape Analysis - Canadian Forest Service: Sault Ste. Marie, Ontario, Canada
ON	Water Resources Information Program: Ottawa, Ontario, Canada
RS	Center for Topographic Information Geomatics Canada: Ottawa, Ontario, Canada
Z	Direction generale de l'information geographique, MRNF, Quebec, Canada
YT	Yukon Environment Information Management and Technology
BC	Base Mapping and Geomatic Services: Victoria, British Columbia, Canada
MULT	Multiple Canadian government agencies

For DEMs introduced into the NED after April 1, 2014 this field will be populated with the value UNKNOWN. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

PMETHOD

Production Method (short integer)

The method used to compile or capture the source DEM. For more information regarding PMETHODS see Digital Elevation Models (USGS, 1993).

Valid codes are:

0	Unknown
1	Electronic Image Correlation (specifically GPM II)
2	Manual Profiling
3	DLG2DEM
4	DCASS
5	LT4X
6	Complex polynomial interpolation, such as ANUDEM
7	Lidar
8	Photogrammetric mass points and break lines
9	Digital camera correlation
10	Ifsar
11	Other remote sensing technique

PDEVICE

Production Device (text)

The name of the instrument used to compile the source DEM. This field is of significance primarily to DEMs produced by manual profiling (PMETHOD = 2)

The current list of identified instruments is:

Wild A-7	Wild Autograph A7 - Mechanical Stereoplotter
Wild AG-1	Wild AG1 - Analytical Stereoplotter
OMI AS11A	OMI AS11A - Mechanical Stereoplotter
Wild B-8	Wild Aviograph B8 - Mechanical Stereoplotter
Wild BC-1	Wild BC1 - Analytical Stereoplotter
Wild BC-2	Wild BC2 - Analytical Stereoplotter
Zeiss C-8	Zeiss Stereoplanigraph C8 - Stereoplotter
Zeiss C100	Zeiss C100 Planicomp - Analytical Stereoplotter
GPM	Gestalt Photo Mapper II (GPM II)
KELSH	Kelsh - Optical Stereoplotter
Kern	PG-2 Kern PG-2 - Mechanical Stereoplotter
Wild	PPO-8 Wild PPO-8 Orthophoto Equipment (Used with Wild A8)
Santoni IIC	Santoni IIC - Analytical Stereoplotter
Galileo IIId	Galileo-Santoni Stereosimplex IIId
Jena Topocart B	Zeiss Jena Topocart B
Matra Traster	Matra Optique Traster - Photogrammetric Workstation
Helava US-2	Helava US-2 - Analytical Stereoplotter
CP100	Unknown, but appears to be a stereoplotter
CTOG	Contour to Grid Conversion
DCASS	Digital Cartographic Software System (USGS Software)
DLG	Digital Line Graph
LT4X	Either LT4X or LTPlus software
GDM COTS	DEM made by GeoDigital Mapping, Inc.
GTR COTS	DEM made by GTRSystems, Inc.
LT2000	Windows version of LT4X by Titan Systems, Inc.
SRTM	Shuttle Radar Topographic Mission
Unknown	Unknown
ADS40	Leica ADS40 Digital Camera

For DEMs introduced into the NED after April 1, 2014 this field will no longer be populated. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

FREETEXT

Free Text Description (text)

For DEMs derived from standard USGS paper map series, this field is first 136 bytes of the source DEM file, including the quadrangle name, free format text, and process field. This field may contain additional information, though there are no standards for the use of the free text field.

Example: NORTH CHINOOK RESERVOIR, MT -VDYA 1-09 9/06/75 WILD A-7 60000 4 - 10915 0.0000 4845 0.00002

The contents of the FREETEXT field vary greatly from one DEM to the next, and in some cases are more confusing than helpful.

For DEMs introduced into the NED after April 1, 2014 this field will no longer be populated. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

RESOLUTION

Source Resolution (short integer)

This code indicates the planimetric (x, y) spacing of elevation postings within the source DEM. Note that all source data are resampled to a common resolution during NED production.

For DEMs used to produce the NED prior to March 31, 2014 valid values are:

0	Unknown
1	1 arc-second (Alaska, Canada, Mexico)
2	2 arc-seconds (1:100k series)
3	3 arc-seconds (1:250k series)
5	5 meters (non-standard data)
10	10 meters (7.5-minute series)
30	30 meters (7.5-minute series)
13	1/3 arc-second (non-standard data)
19	1/9 arc-second (non-standard data)

For DEMs introduced into the NED after April 1, 2014 the actual resolution of the original high-resolution source DEM will be populated in the HORIZRES_M field, and the RESOLUTION field will be populated with:

100	High-resolution source
-----	------------------------

HORIZRES_M

Horizontal Resolution of Source DEM (floating point)

The horizontal resolution (x, y) of the original DEM which was used to produce the NED, expressed in meters. Regardless of the source DEM horizontal units, this field is expressed in the common unit meters for more meaningful comparisons and simplified queries.

This is a new field in the spatial metadata shapefiles for DEMs used to produce the NED after April 1, 2014. For DEMs used to produce the NED prior to March 31, 2014, this field will be populated with -100.

S_DATE

Data Source Date (short integer)

For DEMs derived from standard USGS paper map series, this field is data element 21 in the source DEM Type A record, the date of original photography from which the DEM was compiled (Digital Elevation Models (USGS, 1993). This information was not provided with some standard DEMs with a native resolution of 30 meters.

In the case of high resolution source data, this field reflects the year that the base elevation data was collected, as in the case of LIDAR derived DEMs. For projects whose collection spanned more than one calendar year, this is the earliest acquisition year.

Format: YYYY

I_DATE

Data Inspection Date (short integer)

For DEMs derived from standard USGS paper map series, this field is data element 22 in the source DEMs Type A record: DEM Edit System (DES) inspection date (Digital Elevation Models, USGS, 1993). This information was not provided with some standard DEMs.

Format is either YYYY or YYMM

This field not used for newer, high-resolution data sources.

For DEMs introduced into the NED after April 1, 2014 this field be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

Source Planimetric Descriptors

H DATUM
LRLAT
LRLON
ULLAT
ULLON
UTMZONE
XSHIFT
YSHIFT

H DATUM

Horizontal Datum (short integer)

Valid values:

0	Unknown
27	North American Datum of 1927 (NAD 27)
83	North American Datum of 1983 (NAD 83)
72	World Geodetic System of 1972 (WGS 72)
84	World Geodetic System of 1984 (WGS 84)
99	Other

LRLAT, LRLON, ULLAT, ULLON

Coordinates defining the minimum bounding box of the source DEM (floating point)
Units: decimal degrees. Coordinate System: NAD 83.

For DEMs derived from standard USGS paper map series, this field is derived from corner coordinates indicated in data element 11 of the DEMs Type A record (Digital Elevation Models USGS, 1993).

LRLAT Southern extent in latitude
LRLON Eastern extent in longitude
ULLAT Northern extent in latitude
ULLON Western extent in longitude

UTMZONE

Source UTM or State Plane Zone (short integer)

The projection zone of the source DEM.

If two digits, a UTM zone.

If four digits, a State Plane zone.

A value of zero in this field indicates that the source DEM is cast in geographic (lat/lon) coordinates.

For DEMs introduced into the NED after April 1, 2014 this field will be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

XSHIFT, YSHIFT

Horizontal Shift (floating point)

Units: decimal degrees

The positional shifts in longitude and latitude, respectively, applied to each posting in the source DEM to convert from NAD27 coordinates to NAD83 coordinates. These values will be zero if the source DEM's HDATUM field value is 83, 84 or 72. (WGS84 is nearly identical to NAD83, and WGS72 is sufficiently similar that no shift was deemed necessary). The shift values were obtained from NGS's NADCON software, and were calculated at the nominal center of each quadrangle.

New high-resolution DEMs introduced into the NED after April 1, 2014 generally have a horizontal datum of NAD83 and this field will be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

Source Elevation Descriptors

V DATUM
Z UNIT
Z STEP
Z SHIFT

V DATUM

Vertical Datum (short integer)

This code represents the vertical datum of source DEM.

Valid values are:

0	Unknown
1	Local Mean Sea Level
29	National Geodetic Vertical Datum of 1929 (NGVD 29)
88	North American Vertical Datum of 1988 (NAVD 88)
99	Other

Z UNIT

Elevation Unit (short integer)

This code represents the unit of elevation values in source DEM.

Valid values:

0	International Feet
1	Meters
2	U.S. Survey Feet
3	Decimal degrees
4	Centimeters
5	Inches
99	Other

Z STEP

Elevation Resolution (floating point)

For DEMs derived from standard USGS paper map series, this field, together with ZUNIT, defines vertical resolution of the source DEM. Typical values are 1 and 0.1, though others are possible.

Example: ZSTEP = 0.1 This indicates that the source DEM records elevations to the nearest tenth of a meter.

A value of 0 is used when this field does not apply, as in the case of source data with floating point precision.

New high-resolution DEMs introduced into the NED after April 1, 2014 all have floating point precision, and this field will be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

Z SHIFT

Elevation Shift (floating point)

The elevation shift, in meters, applied to each posting within the source DEM to convert to NAVD88 values. The shift values were obtained from NGS's VERTCON software, and were calculated at the nominal center of each quadrangle.

New high-resolution DEMs introduced into the NED after April 1, 2014 all have a vertical datum of NAVD88, therefore this field will be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

Source Elevation Summary Statistics

ZMIN
ZMAX
ZMEAN
ZSIGMA

Discussion: The summary statistics shown in these fields usually describe the entire source DEM, even when only some portion of the source DEM is used in NED, or when the source DEM is represented by more than one polygon within the metadata. These data are presented in common units (meters) and in a common vertical datum (NAVD88) to allow for more meaningful graphical displays and simplified queries.

ZMIN, ZMAX

Minimum and Maximum Elevation of Source DEM (floating point)

The minimum and maximum elevation values of the source DEM before any filtering or reprojection, but after conversion to meters and to NAVD88. For DEMs derived from standard USGS maps, subtracting ZSHIFT and converting to the DEM's original units results in the min and max values reported in data element 12 of the DEM's Type A record (Digital Elevation Models, USGS, 1993).

ZMEAN

Mean Elevation of Elevations in Source DEM (floating point)

The mean elevation value of the source DEM before any filtering or reprojection, but after conversion to meters and to NAVD88

ZSIGMA

Standard Deviation of Elevations in Source DEM (floating point)

The standard deviation of the elevations of the source DEM, before any filtering or reprojection, but after conversion to meters.

Source Accuracy Statistics

ABSX
ABSY
ABSZ
ABSPTS
RMSE
RMSEX
RMSEY

RMSEZ
RMSEPTS
VA_UNIT

ABSX, ABSY, ABSZ

Absolute Accuracy (short integers)
Absolute accuracy in X, Y, Z.

This field applies only to standard production USGS DEMs and echoes data element 2 of the source DEM's Type C record,(Digital Elevation Models, USGS, 1993). See Standards for Digital Elevation Models for more information. This field is populated with zero if not available.

For DEMs introduced into the NED after April 1, 2014 this field will be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

ABSPTS

Sample Size (short integer)

This field applies only to standard production USGS DEMs and echoes data element 3 of the source DEM's Type C (sample size record) (Digital Elevation Models, USGS, 1993).

For DEMs introduced into the NED after April 1, 2014 this field will be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

RMSE

Availability of Relative Accuracy Statistics (short integer)

This field applies only to standard production USGS DEMs and echoes data element 4 of the source DEM's Type C (relative accuracy statistics) (Digital Elevation Models, USGS, 1993).

Valid codes:

1	Available
0	Not available

For DEMs introduced into the NED after April 1, 2014 this field will be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

RMSEX, RMSEY, RMSEZ

Relative Accuracy (short integer)

This field applies only to standard production USGS DEMs and echoes data element 5 of the source DEM's Type C (relative accuracy in X, Y, Z (Digital Elevation Models, USGS, 1993).This field is zero if not available.

For DEMs introduced into the NED after April 1, 2014 this field will be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

RMSEPTS

Sample Size (short integer)

This field applies only to standard production USGS DEMs and echoes data element 6 of the source DEM's Type C (sample size) (Digital Elevation Models, USGS, 1993).

For DEMs introduced into the NED after April 1, 2014 this field will be populated with -100. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

NED Production Timestamps

QUADDATE

QUADDATE

Date the data were used to produce the NED (long integer)

The date on which the source DEM was first processed into NED. This field is particularly useful in the identification of recently updated areas.

Format: YYYYMMDD

NED1/9 Arc-second Data Dictionary

Source Identification

PROJ_NAME
DEMNAME

PROJ_NAME

Project name (text)

This field is the name of the original project that was adapted for incorporation into the NED 1/9 arc-second layer. The format of this field will most commonly be three parts separated by underscores: PRIMARYSTATE, BRIEF-PROJECT-DESCRIPTION, YEAR.

DEMNAME

Data Name (text)

The name of the final elevation dataset processed into a common coordinate system and units according to NED 1/9 arc-second specifications.

For DEMs introduced into the NED after April 1, 2014 this field will no longer be populated. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

Source Production

RESOLUTION
HORIZRES_M
PMETHOD
S_DATE
FREETEXT

RESOLUTION

Resolution (short integer)

The planimetric (x, y), spacing of elevation postings of the final pre-processed datasets. Source LiDAR datasets resolution varies but is typically less than 3 meters. During NED 1/9 arc-second processing, source datasets are resampled to a common resolution (e.g. 1/9 arc-second or about 3 meters).

For DEMs used to produce the NED prior to March 31, 2014 valid values are:

19 1/9 arc-second (non-standard data)

For DEMs introduced into the NED after April 1, 2014 the actual source resolution is used in NED processing. The source resolution of the source data in meters of the original high-resolution source DEM will be populated in the HORIZRES_M field, and the RESOLUTION field will be populated with:

100 High-resolution source

HORIZRES_M

Horizontal Resolution of Source DEM (floating point)

The horizontal resolution (x, y) of the original DEM which was used to produce the NED, expressed in meters. Regardless of the source DEM horizontal units, this field is expressed in the common unit meters for more meaningful comparisons and simplified queries.

This is a new field in the spatial metadata shapefiles for DEMs used to produce the NED after April 1, 2014. For DEMs used to produce the NED prior to March 31, 2014, this field will not be populated.

PMETHOD

Production Method (short integer)

The method used to collect the original source elevation data. Valid codes are:

- 7 Lidar
- 10 Ifsar
- 11 Other remote sensing technique
- 12 Topobathy

S_DATE

Data Source Date (short integer)

The year the source elevation data were collected. If acquisition of a project spanned two or more calendar years, the earliest acquisition year is indicated in this field.

FREETEXT

Free Text Description (text)

There are no standards for the use of the free text field. This field may contain additional information to further describe the source project or clarify other metadata fields.

For DEMs introduced into the NED after April 1, 2014 this field will no longer be populated. Any values already in this field for DEMs used to produce the NED prior to March 31, 2014 are preserved.

Output Production

ZUNIT

ZUNIT

Elevation Unit (short integer)

This field describes the elevation units of the output 1/9 arc-second NED data. During the NED 1/9 arc-second processing, the source data vertical units are converted to a consistent elevation unit.

Valid value:

1 Meters

Source Accuracy Statistics

S_FVA
S_CVA
S_NVA
S_VVA
VA_UNIT
RMSEZ
RMSE_FVA
RMSE_SVA
RMSE_CVA

S_FVA

Source DEM Fundamental Vertical Accuracy (FVA) (floating point)

This is the tested FVA of the source resolution DEM. FVA, or Accuracy_z, is based only on points in clear and open terrain. The fundamental accuracy is the value by which vertical accuracy can be equitably assessed and compared among datasets. The S_FVA is calculated at the 95-percent confidence level as a function of vertical Root Mean Square Error (RMSE) i.e., Accuracy_z = RMSE_z x 1.96.

S_FVA is expressed in the units reported in the VA_UNIT field.

Valid values:

-1 Not available
Other Values Actual Calculated RMSE value

S_CVA

Source DEM Consolidated Vertical Accuracy (CVA) (floating point)

This is the tested CVA of the source resolution DEM. CVA is based on check points in all land cover categories combined. Error distribution for points in vegetated areas does not have a normal distribution. Therefore S_CVA is reported as the 95th percentile.

S_CVA is expressed in the units reported in the VA_UNIT field.

Valid values:

-1 Not available
Other Values Actual Calculated RMSE value

S_NVA

Non-vegetated Vertical Accuracy (floating point)

This field is reserved for future use.

Current valid value: -1

S_VVA

Vegetated Vertical Accuracy (floating point)

This field is reserved for future use.

Current valid value: -1

VA_UNIT

Vertical Accuracy Unit (short integer)

The units in which the vertical accuracy statistics are reported.

Valid values:

0	International Feet
1	Meters
2	US Survey Feet
3	decimal degrees
4	centimeters
5	inches
99	unknown

RMSEZ, RMSE_FVA, RMSE_SVA, RMSE_CVA

RMSE(z), RMSE(FVA), RMSE(SVA), RMSE(CVA) (double)

Vertical accuracy for source DEMs introduced into the NED after April 1, 2014 are reported in the S_FVA and S_CVA fields above.

Reported RMSE statistics are in meters.

RMSE(z): Root Mean Square Error of the elevation estimates.

RMSE(FVA): RMSE (Fundamental Vertical Accuracy).

RMSE(SVA): RMSE (Supplemental Vertical Accuracy).

RMSE(CVA): RMSE (Consolidated Vertical Accuracy).

RMSE is the square root of the average of the set of squared differences between dataset coordinate values and coordinate values from an independent source of higher accuracy for identical points.

$$RMSE_z = \sqrt{\frac{\sum (Z_{data\ I} - Z_{check\ I})^2}{n}}$$

where $Z_{data\ I}$ is the vertical coordinate of the I_{th} check point in the elevation dataset, $Z_{check\ I}$ is the vertical coordinate of the I_{th} check point in the independent reference source of higher accuracy, n is the number of points being checked, and I is an integer from 1 to n .

The Fundamental Vertical Accuracy (FVA) of a dataset must be determined with check points located only in open terrain, where there is a very high probability that the sensor will have detected

the ground surface. The fundamental accuracy is the value by which vertical accuracy can be equitably assessed and compared among datasets. The FVA is calculated at the 95-percent Confidence Level as a function of vertical RMSE, i.e., $Accuracy_z = RMSE_z \times 1.9600$.

In addition to the fundamental accuracy, supplemental or consolidated accuracy values maybe calculated for other ground cover categories or for combinations of ground cover categories. Because elevation errors often vary with the height and density of ground cover, a normal distribution of error cannot be assumed and, therefore, RMSE cannot be used to calculate accuracy values. Consequently a nonparametric testing method (95th Percentile) is employed for supplemental and consolidated accuracy tests. The SVA or CVA are calculated at the 95th percentile for each supplemental land cover category or combination of categories.

Valid values:

0	Not available
Other Values	Actual Calculated RMSE value

For DEMs introduced into the NED after April 1, 2014 these RMSE fields will be populated with -100. Instead, accuracy statistics for these DEMs will be provided in the S_FVA and S_CVA fields or in the S_NVA and S_VVA fields above. Any values already in the RMSE fields for DEMs used to produce the NED prior to March 31, 2014 are preserved.

NED Production Timestamp

QUADDATE

QUADDATE

Date the data were used to produce the NED (long integer)

The date on which the source DEM was first processed into NED. This field is particularly useful in the identification of new NED coverage areas.

Format: YYYYMMDD

NED Original Product (Source) Resolution Data Dictionary

Source Identification

PROJ_NAME

PROJ_NAME

Source Project Name (text)

Project name is the name of the original source DEM project that was adapted for incorporation into the 1/9, 1/3, 1, or 2 arc-second NED layers. The NED Original Product Resolution production process maintains the coordinate reference system and horizontal units of the original project. However, vertical units are converted to meters.

The format of this field will most commonly be three parts separated by underscores: PRIMARYSTATE, BRIEF-PROJECT-DESCRIPTION, YEAR.

Source Production

PMETHOD

S_DATE

PMETHOD

Production Method (short integer)

The acquisition method used to collect the source elevation data (Digital Elevation Models, USGS, 1993).

Valid values are:

- | | |
|----|--------------------------------|
| 7 | Lidar |
| 10 | Ifsar |
| 11 | Other remote sensing technique |
| 12 | Topobathy |

S_DATE

Data Source Date (short integer)

The year the source elevation data were collected. If acquisition of a project spanned two or more calendar years, the earliest acquisition year is reported in this field.

Output Production

ZUNIT

REFSYS

HORIZRES

HORIZUNIT

FORMAT

HORIZRES_M

ZUNIT

Elevation Unit (short integer)

This field describes the elevation units of the output data. During the NED Original Product Resolution processing, the source data vertical unit is converted to consistent elevation unit, which is meters.

Valid value:

1 Meter

REFSYS

Coordinate Reference System (text)

This field describes the coordinate reference system and projection of the NED Original Product Resolution DEM.

HORIZRES

Horizontal Resolution (floating point)

The horizontal resolution (x, y) of the NED Original Product Resolution DEM. The value is reported in the units recorded in the HORIZUNIT field.

HORIZUNIT

Horizontal Resolution Units (short integer)

The unit in which the horizontal resolution, HORIZRES, is reported.

Valid values:

0	International Feet
1	Meters
2	U.S. Survey Feet
3	Decimal Degrees
4	Centimeters
5	Inches
99	Unknown

FORMAT

Raster File Format (short integer)

The raster file format of the Original Product Resolution DEM.

Valid values:

1	IMG
2	ArcGrid
3	GridFloat
4	Tiff

HORIZRES_M

Horizontal Resolution Expressed in Meters (floating point)

The horizontal resolution (x, y) of the Original Product Resolution DEM expressed in meters. This field is provided for easy comparison of and sorting of horizontal resolutions, regardless of the horizontal units of the actual DEM.

Accuracy Statistics

- FVA
- CVA
- NVA
- VVA
- VA_UNIT

FVA

Fundamental Vertical Accuracy (FVA) (floating point)

This is the tested FVA of the source resolution DEM. FVA, or Accuracy_z, is based only on points in clear and open terrain. The fundamental accuracy is the value by which vertical accuracy can be equitably assessed and compared among datasets. The FVA is calculated at the 95-percent confidence level as a function of vertical Root Mean Square Error (RMSE) i.e., Accuracy_z = RMSE_z x 1.96.

FVA is expressed in the units reported in the VA_UNIT field.

Valid values:

- 1 Not available
- Other Values Actual Calculated RMSE value

CVA

Consolidated Vertical Accuracy (floating point)

This is the tested CVA of the source resolution DEM. CVA is based on check points in all land cover categories combined. Error distribution for points in vegetated areas do not have a normal distribution. Therefore S_CVA is reported as the 95th percentile.

CVA is expressed in the units reported in the VA_UNIT field.

Valid values:

- 1 Not available
- Other Values Actual Calculated RMSE value

NVA

Non-Vegetated Vertical Accuracy (floating point)

This field is reserved for future use.

Current valid value: -1

VVA

Vegetated Vertical Accuracy (floating point)

This field is reserved for future use.

Current valid value: -1

VA_UNIT

Vertical Accuracy Unit (short integer)

The units in which the vertical accuracy values are reported.

Valid values:

0	International Feet
1	Meters
2	U.S. Survey Feet
3	Decimal Degrees
4	Centimeters
5	Inches
99	Unknown

NED Production Timestamp

QUADDATE

QUADDATE

Date the data were released into the NED (long integer)

Quaddate is the date when the Original Product Resolution DEM was processed into the NED.

Format: YYYYMMDD

The National Map – Elevation, Lidar Point Cloud Project Data Dictionary

Lidar Project Information

project_id
state
vendor
s_date
e_date
entry_date
lr_lat, lr_long, ll_lat, ll_long, ul_lat, ul_long, ur_lat, ur_long
sensor_type
spec
nva_swath
va_unit

project_id

Project Name (text)

The format of this field will most commonly be three parts separated by underscores:
PRIMARYSTATE, BRIEF-PROJECT-DESCRIPTION, YEAR.

state

The State(s) the project is in. (text)

Format: Two letter State abbreviations

vendor

The name of the company which collected and processed the data. (text)

s_date

Start date of data collection for the project (date)

e_date

End date of data collection for the project (date)

entry_date

Date the lidar data were released into the *The National Map* (date)

lr_lat, lr_long, ll_lat, ll_long, ul_lat, ul_long, ur_lat, ur_long

Coordinates defining the minimum bounding box of the lidar point cloud project (double)
Units: decimal degrees. Coordinate System: NAD 83.

lr_lat, lr_long Southeastern extent in latitude and longitude
ll_lat, ll_long Southwestern extent in latitude and longitude
ul_lat, ul_long Northwestern extent in latitude and longitude
ur_lat, ur_long Northeastern extent in latitude and longitude

sensor_type

Sensor used in lidar collection for the dataset. (text)

spec

Applicable specification for the dataset. (waiting on domain)

Valid Values:

0 Draft Version 12
1 Draft Version 13
2 USGS Lidar Base Specification 1.0
3 USGS Lidar Base Specification 1.2
4 USGS Lidar Base Specification 2.0
99 Other

nva_swath

Non-vegetated vertical accuracy assessed against a swath. Measured as RMSEz. (waiting on domain)

va_units

Units of NVA RMSEz

Valid Values:

0 International Feet
1 Meters
2 US Survey Feet
3 Decimal Degrees
4 Centimeters
5 Inches
99 unknown

Coordinate Reference System

refsys
horizunit
zunit

refsys

Coordinate Reference System (text)

This field describes the coordinate reference system and projection of the lidar project.

horizunit

HorizontalUnits (long integer)

This field describes the horizontal unit of the lidar point cloud project.

Valid values:

0	International Feet
1	Meters
2	U.S. Survey Feet
3	Decimal Degrees
4	Centimeters
5	Inches
99	Unknown

zunit

Elevation Unit (long integer)

This field describes the vertical unit of the lidar point cloud project.

Valid values:

0	International Feet
1	Meters
2	U.S. Survey Feet
3	Decimal Degrees
4	Centimeters
5	Inches
6	Feet
99	Unknown

Lidar Information

las_type
quality
rptd_nps
rptd_pd
rptd_units
rptd_anps
rptd_anpd

las_type

LAS type (long integer)

This field describes the organization of the LAS files and whether or not the points are classified.

Valid values:

- | | |
|---|--------------------|
| 0 | Tile unclassified |
| 1 | Tile classified |
| 2 | Swath unclassified |
| 3 | Swath classified |
| 4 | Other |

quality

Quality Level (long integer)

This field indicates the 3DEP quality level of the tile. For more information regarding 3DEP quality levels, see [The 3D Elevation Program Initiative: A Call for Action \(USGS, 2014\)](#).

Valid values:

- | | |
|----|--|
| 1 | Quality level 1 (10cm RMSE _z , 0.35m nominal pulse spacing) |
| 2 | Quality level 2 (10cm RMSE _z , 0.7m nominal pulse spacing) |
| 3 | Quality level 3 (20cm RMSE _z , 1.4m nominal pulse spacing) |
| 99 | Other |

rptd_nps

Vendor reported nominal pulse spacing (double)

This field describes the reported average point spacing of dataset.

rptd_pd

Vendor reported pulse density (double)

This field describes the reported concentration of points in the dataset.

rptd_units

The units of the vendor reported pulse density and nominal pulse spacing (long integer)

Valid values:

- | | |
|----|--------------------|
| 0 | International Feet |
| 1 | Meters |
| 2 | U.S. Survey Feet |
| 3 | Decimal Degrees |
| 4 | Centimeters |
| 5 | Inches |
| 6 | Feet |
| 99 | Unknown |

rptd_ans

Vendor reported aggregate nominal pulse spacing (waiting on domain). This field describes the reported average aggregate pulse spacing of the dataset.

rptd_anpd

Vendor reported aggregate nominal pulse density (waiting on domain). This field describes the reported average aggregate pulse density of the dataset.

The National Map – Elevation, Lidar Point Cloud Tile Data Dictionary

Lidar Tile Information

project_id
tile_name
entity_id
s_date
e_date
entry_date
lr_lat, lr_long, ll_lat, ll_long, ul_lat, ul_long, ur_lat, ur_long

project_id

Project Name (text)

The format of this field will most commonly be three parts separated by underscores:
PRIMARYSTATE, BRIEF-PROJECT-DESCRIPTION, YEAR.

tile_name

Tile Name (text)

The .las file name, not including the extension.

entity_id

Project and tile name, separated by an underscore. (text)

s_date

Start date of data collection for the project (date).

Format: YYYYMMDD

e_date

End date of data collection for the project (date).

Format: YYYYMMDD

entry_date

Date tile became available in *The National Map* (date).

Format: YYYYMMDD

lr_lat, lr_long, ll_lat, ll_long, ul_lat, ul_long, ur_lat, ur_long

Coordinates defining the minimum bounding box of the point cloud tile (double)
Units: decimal degrees. Coordinate System: NAD 83.

lr_lat, lr_long	Southeastern extent in latitude and longitude
ll_lat, ll_long	Southwestern extent in latitude and longitude
ul_lat, ul_long	Northwestern extent in latitude and longitude
ur_lat, ur_long	Northeastern extent in latitude and longitude

Coordinate Reference System

refsys
 horizunit
 zunit

refsys

Coordinate Reference System (text)

This field describes the coordinate reference system and projection of the lidar project.

horizunit

Horizontal Resolution Units (long integer)

This field describes the unit in which the horizontal resolution, **HORIZRES**, is reported.

Valid values:

0	International Feet
1	Meters
2	U.S. Survey Feet
3	Decimal Degrees
4	Centimeters
5	Inches
99	Unknown

zunit

Elevation Unit (integer).

This field describes the vertical units of the lidar tile.

Valid value:

0	International Feet
1	Meters
2	U.S. Survey Feet
3	Decimal Degrees
4	Centimeters
5	Inches
6	Feet
99	Unknown

Lidar Information

las_type
quality
version
rtrnct_1
rtrnct_2
rtrnct_3
rtrnct_4
rtrnct_5
rtrnct_6
rtrnct_7
rtrnct_8
rtrnct_9
rtrnct_10
rtrnct_11
rtrnct_12
rtrnct_13
rtrnct_14
rtrnct_15
point_ct

las_type

LAS file type (integer).

This field describes if the LAS file has been classified, and whether it is delivered as a tile or swath.

Valid values:

0	Tile unclassified
1	Tile classified
2	Swath unclassified
3	Swath classified
4	Other

quality

Quality Level (integer)

This field indicates the 3DEP quality level of the tile. For more information regarding 3DEP quality levels, see *The 3D Elevation Program Initiative: A Call for Action* (USGS, 2014).

Valid values:

1	Quality level 1 (10cm RMSE _z , 0.35m nominal pulse spacing)
2	Quality level 2 (10cm RMSE _z , 0.7m nominal pulse spacing)
3	Quality level 3 (20cm RMSE _z , 1.4m nominal pulse spacing)
99	Other

version

The LAS file format version of the tile (double)

rtinct_1

Number of first return points in the .las file. (integer).

rtinct_2

The number of second return points in the .las file. (integer)

rtinct_3

The number of third return points in the .las file. (integer)

rtinct_4

The number of fourth return points in the .las file. (integer)

rtinct_5

The number of fifth return points in the .las file. (integer)

rtinct_6

The number of sixth return points in the .las file. (integer)

rtinct_7

The number of seventh return points in the .las file. (integer)

rtinct_8

The number of eighth return points in the .las file. (integer)

rtinct_9

The number of ninth return points in the .las file. (integer)

rtinct_10

The number of tenth return points in the .las file. (integer)

rtinct_11

The number of eleventh return points in the .las file. (integer)

rtinct_12

The number of twelfth return points in the .las file. (integer)

rtinct_13

The number of thirteenth return points in the .las file. (integer)

rtinct_14

The number of fourteenth return points in the .las file. (integer)

rtinct_15

The number of fifteenth return points in the .las file. (integer)

point_ct

The total number of points in the .las file. (integer)

References Cited

U.S. Geological Survey, 1993, Digital Elevation Models; U.S. Geological Survey Data Users Guide 5, i-53 p., accessed January 20, 2015 at <http://pubs.er.usgs.gov/publication/70038376>.

U.S. Geological Survey, 2014, The 3D Elevation Program Initiative – A Call for Action, i-36p., accessed January 20, 2015 at <http://pubs.er.usgs.gov/publication/cir139>.

Appendix A

Correspondence between selected NED metadata items and USGS DEM Type A records.

Refer to Data User's Guide 5, Appendix A, for complete descriptions of the A record data elements referenced below.

FREETEXT The FREETEXT field is a literal copy of Data Element 1: The first 140 bytes of the A record. By USGS definition, only bytes 41 through 80 are free format text, but this restriction is not commonly observed.

PSITE This is a literal copy of data element 2, the Mapping Center origin code. If this field is blank, the code "UNKNOWN" is assigned to PSITE.

ZONE This is a literal copy of data element 6.

ZUNIT This field is derived from data element 9, but does not use the same values. Data element 9 is coded as 1 = feet, 2 = meters. ZUNIT, however, is coded as 0 = feet, 1 = meters.

LRLAT, LRLON, ULLAT, ULLON These fields are derived from data element 11.

RESOLUTION This field is derived from data element 15, which indicates the *x*, *y*, and *z* resolutions of the source DEM. In the case of Alaska data, where *x* and *y* resolutions differ, the *y* resolution is taken to be the resolution of the DEM. Further, RESOLUTION is indicated in the DEM's native units (meters or decimal seconds). Nonstandard DEM's may be assigned RESOLUTION values in a different manner.

ZSTEP This is a literal copy of the *z* resolution component of data element 15.

S_DATE This is a literal copy of data element 21, or 0 if data element 21 is absent.

I_DATE This is a literal copy of data element 22, or 0 if data element 22 is absent.

HDATUM This field is derived from data element 27, but uses different values. Data element 27 specifies unique codes for the Old Hawaii Datum and the Puerto Rico Datum, both of which are designated as 27 in HDATUM.

VDATUM This field is derived from data element 26, but uses different values. A value of 0 is assigned to VDATUM if no vertical datum information is present.

ATTACHMENT 3
PICTURES OF RIVER IN FLOOD

Picture of Coffee Creek Looking Toward Outfall at Mossy Lake During Non-Flood.



Picture from Mossy Lake Outfall Looking at Ouachita River in Flood



Picture of Houses in Fish Camp Area near Coffee Creek Confluence with the Ouachita River



