



A R K A N S A S
Department of Environmental Quality

July 29, 2009

James W. Cutbirth
Mgr. Environmental & Quality
Georgia-Pacific LLC
Crossett Paper Operations
P.O. Box 3333
Crossett, Arkansas 71635

RE: NPDES Permit No. AR0001210, AFIN 02-00013

Dear Mr. Cutbirth:

The Department has reviewed the Priority Pollutant Scans (PPS) submitted as part of the renewal application for the above mentioned NPDES permit. Reasonable potential for water quality violations was demonstrated for several parameters at Outfall 001 and Stream Monitoring Station 2 (SMS2). The specific parameters which demonstrated reasonable potential for water quality violations are listed in Item A.(6) of the enclosed PPS review. Copies of the Department's calculations have also been enclosed for your convenience.

It is the Department's understanding that only one test per parameter has been performed. In order to avoid unnecessarily placing limits in the permit for the parameters for which reasonable potential for water quality violations was demonstrated, the Department recommends that a minimum of four additional tests be conducted before the end of the public comment period. If additional tests are performed, the geometric mean of all results will be used to determine if reasonable potential for water quality violations exists. If reasonable potential for water quality violations exists after consideration of all test results, requirements for those parameters will be placed in the permit. The following conditions need to be met for any additional tests:

1. The MQL for any additional test must be at least as low as the MQL specified on your PPS form submitted with the permit application;
2. The tests must take place during normal operations, over a period of four weeks, and on different days of the week;
3. Clean sampling techniques should be used if possible in order to lessen the chance of outside contamination of the sample; and
4. The results must be submitted to the Department as soon as possible but no later than the end of the public comment period. However, it is recommended that the results be submitted to the Department as soon as practicable.

Coffee Creek discharges into Reach #002 of the Ouachita River in H.U.C. 08040202. This portion of the Ouachita River is on the 303(d) list for Total Recoverable Mercury in Category 4a and for Total Recoverable Copper and Total Recoverable Zinc in Category 5d. The permit will contain limits for these parameters.

ARKANSAS DEPARTMENT OF ENVIRONMENTAL QUALITY

5301 NORTHSORE DRIVE / NORTH LITTLE ROCK / ARKANSAS 72118-5317 / TELEPHONE 501-682-0744 / FAX 501-682-0880
www.adeq.state.ar.us

NPDES Permit No. AR0001210

July 29, 2009

Page 2 of 2

The Department understands that effluent testing is not feasible at SMS2 if Mossy Lake is flooded. It is acceptable to submit the effluent test results for Outfall 001 and SMS2 separately. If you have any questions, please feel free to contact me at (501) 682-0612 or by e-mail at reiber@adeq.state.ar.us.

Sincerely,

A handwritten signature in black ink that reads "Loretta Reiber". The signature is fluid and cursive, with "Loretta" having a large, stylized 'L' and "Reiber" with a prominent 'R'.

Loretta Reiber, P.E.
Engineer, NPDES Permits

Enclosures

Georgia-Pacific LLC
Crossett Paper Operations

A. **Toxics Pollutants**

(1) Post Third Round Policy and Strategy

Section 101 of the Clean Water Act (CWA) states that "...it is the national policy that the discharge of toxic pollutants in toxic amounts be prohibited..." To insure that the CWA's prohibitions on toxic discharges are met, EPA has issued a "Policy for the Development of Water Quality-Based Permit Limitations by Toxic Pollutants"(49 FR 9016-9019, 3/9/84). In support of the national policy, Region 6 adopted the "Policy for post Third Round NPDES Permitting" and the "Post Third Round NPDES Permit Implementation Strategy" on October 1, 1992. The Regional policy and strategy are designed to insure that no source will be allowed to discharge any wastewater which (1) results in instream aquatic toxicity; (2) causes a violation of an applicable narrative or numerical State water quality standard resulting in non-conformance with the provisions of 40 CFR Part 122.44(d); (3) results in the endangerment of a drinking water supply; or (4) results in aquatic bioaccumulation which threatens human health.

(2) Implementation

The State of Arkansas is currently implementing EPA's Post Third-Round Policy in conformance with the EPA Regional strategy. The 5-year discharge permits contain technology-based effluent limitations reflecting the best controls available. Where these technology-based permit limits do not protect water quality or the designated uses, or where there are no applicable technology-based limits, additional water quality-based effluent limitations and/or conditions are included in the discharge permits. State narrative and numerical water quality standards from Regulation No. 2 are used in conjunction with EPA criteria and other available toxicity information to determine the adequacy of technology-based permit limits and the need for additional water quality-based controls.

(3) Priority Pollutant Scan

In accordance with the regional policy ADEQ has reviewed and evaluated the effluent in evaluating the potential toxicity of each analyzed pollutant:

- a. The results were evaluated and compared to EPA's Minimum Quantification Levels (MQLs) to determine the potential presence of a respective toxic pollutant. Those pollutants which are greater than or equal to the MQLs are determined to be reasonably present in the effluent and an evaluation of their potential toxicity is necessary.

- b. Those pollutants with one datum shown as "non-detect" (ND), providing the level of detection is equal to or lower than MQL are determined to be not potentially present in the effluent and eliminated from further evaluation.
- c. Those pollutants with a detectable value even if below the MQL are determined to be reasonably present in the effluent and an evaluation of their potential toxicity is necessary.
- d. For those pollutants with multiple data values and all values are determined to be non-detect, therefore no further evaluation is necessary. However, where data set includes some detectable concentrations and some values as ND, one-half of the detection level is used for those values below the level of detection to calculate the geometric mean of the data set.

The concentration of each pollutant after mixing with the receiving stream was compared to the applicable water quality standards as established in the Arkansas Water Quality Standards, Reg. No. 2 and with the aquatic toxicity, human health, and drinking water criteria obtained from the "Quality Criteria for Water, 1986 (Gold Book)". The manner in which the Instream Waste Concentrations are calculated may be found on page 2 of each of the attachments.

I. Aquatic Toxicity, Bioaccumulation, and Drinking Water

Arkansas Requirements

The flows (for acute, chronic, and bioaccumulation), TSS, hardness, etc. are based upon ADEQ's CPP.

Outfall 001		
Flow	52.4 MGD = 80.96 cfs	Application
7Q10	0 cfs	U.S.G.S.
TSS	5.5 mg/l	CPP, Section 5.24.3
Hardness as CaCO ₃	31 mg/l	CPP, Section 5.24.1
pH	7.01 s.u.	OUA008B

Stream Monitoring Station (SMS2)		
Flow	52.4 MGD = 80.96 cfs	Application
7Q10	1200 cfs	EPA*
TSS	5.5 mg/l	CPP, Section 5.24.3
Hardness as CaCO ₃	28 mg/l	CPP, Section 5.24.1
pH	7.01 s.u.	OUA008B

*Letter dated July 3, 2001.

Louisiana Requirements

The requirements of Louisiana are not applicable at Outfall 001 because of the distance from the outfall to the state line (over 10 stream miles). Also, effluent which is discharged through Outfall 001 is monitored at SMS2 when Mossy Lake is not flooded. SMS2 is a monitoring point located approximately 2.5 miles upstream of the Arkansas/Louisiana state line.

The flows (for acute, chronic, and bioaccumulation) are based upon the requirements of Title 33, Part IX, Subpart I, Section 1115, Table 2a.

Stream Monitoring Station (SMS2)		
Flow	52.4 MGD = 80.96 cfs	Application
7Q10	1200 cfs	EPA*
TSS	6 mg/l	E-mail**
Hardness as CaCO ₃	38.4 mg/l	E-mail**
pH	7.01 s.u.	OUA008B

*Letter dated July 3, 2001.

** These values were received via e-mail from Jeremy "Todd" Franklin of LDEQ on 06/16/2009.

(4) Water Quality Standards for Metals and Cyanide

Standards for Chromium (VI), Mercury, Selenium, and Cyanide are expressed as a function of the pollutant's water-effect ratio (WER), while standards for cadmium, chromium (III), copper, lead, nickel, silver, and zinc are expressed as a function of the pollutant's water-effect ratio, and as a function of hardness.

The Water-effect ratio (WER) is assigned a value of 1.0 unless scientifically defensible study clearly demonstrates that a value less than 1.0 is necessary or a value greater than 1.0 is sufficient to fully protect the designated uses of the receiving stream from the toxic effects of the pollutant.

The WER approach compares bioavailability and toxicity of a specific pollutant in receiving water and in laboratory test water. It involves running toxicity tests for at least two species, measuring LC50 for the pollutant using the local receiving water collected from the site where the criterion is being implemented, and laboratory toxicity testing water made comparable to the site water in terms of chemical hardness. The ratio between site water and lab water LC50 is used to adjust the national acute and chronic criteria to site specific values.

(5) Conversion of Dissolved Metals Criteria for Aquatic Life to Total Recoverable Metal

Metals criteria established in Regulation No. 2 for aquatic life protection are based on dissolved metals concentrations and hardness values (See Page 6 of Attachment 1). However, Federal Regulations cited at 40 CFR 122.45(c) require that effluent limitations for metals in discharge permits be expressed as total recoverable (See

Attachments 1, 2, and 3). Therefore a dissolved to the total recoverable metal conversion must be implemented. This involves determining a linear partition coefficient for the metal of concern and using this coefficient to determine the fraction of metal dissolved, so that the dissolved metal ambient criteria may be translated to a total effluent limit. The formula for converting dissolved metals to total recoverable metals for streams and lakes are provided in Section 5.25 of the CPP and Region 6 Implementation Guidance for Arkansas Water Quality Standards promulgated at 40 CFR Part 131.36.

(6) Comparison of the submitted information with the water quality standards and criteria

(a) Outfall 001

The following pollutants were determined to be present in the effluent from **Outfall 001** as reported by the permittee.

Pollutant	Concentration Reported, µg/l	MQL Required by ADEQ's CPP
Total Recoverable Chromium	4.3	10*
Hexavalent Chromium, Dissolved	4.3	10*
Total Recoverable Copper	6.79	0.5
Total Recoverable Lead	2.37	0.5
Total Recoverable Mercury	0.00833	0.005
Total Recoverable Nickel	7.07	0.5
Total Recoverable Selenium	2.22	5*
Total Recoverable Silver	3.58	0.5
Total Recoverable Thallium	2.96	0.5
Total Recoverable Zinc	373	20
Total Recoverable Phenols	0.0445	5*
Alpha-BHC	0.0501	0.05
Gamma-BHC	0.0642	0.05
Delta-BHC	0.0688	0.05
Endosulfan sulfate	0.0662	0.1
Endrin aldehyde	0.269	0.1

*Actual detection level achieved was lower than what was required.

As indicated in the above table, ADEQ has determined from the information submitted by the permittee that the water quality standards for Total Recoverable Copper, Total Recoverable Lead, Total Recoverable Mercury, Total Recoverable Zinc, Alpha-BHC, Gamma-BHC, Delta-BHC, Endosulfan sulfate, and Endrin aldehyde and the Gold Book criteria for Total Recoverable Thallium are exceeded. Permit action will be taken for the parameters for which the permittee demonstrated reasonable potential for exceedances of the water quality standards and/or Gold Book Criteria (See Attachment 1).

(b) SMS2

The following pollutants were determined to be present at **SMS2** as reported by the permittee.

Arkansas Standards

Pollutant	Concentration Reported, µg/l	MQL Required by ADEQ's CPP
Total Recoverable Cadmium	1.17	1
Total Recoverable Chromium	5.66	10*
Hexavalent Chromium, Dissolved	5.66	10*
Total Recoverable Copper	11.7	0.5
Total Recoverable Lead	3.13	0.5
Total Recoverable Mercury	0.009	0.005
Total Recoverable Nickel	7.87	0.5
Total Recoverable Selenium	11.3	5
Total Recoverable Zinc	251	20
Bis(2-ethylhexyl) phthalate	<10	10*
Gamma-BHC	0.0969	0.05
Delta-BHC	<0.05	0.05*
Dieldrin	0.113	0.02
Alpha-endosulfan	0.0211	0.01

*Actual detection level achieved was lower than what was required.

Louisiana Standards

Pollutant	Concentration Reported, µg/l	MQL Required by LDEQ**
Total Recoverable Cadmium	1.17	1
Total Recoverable Chromium	5.66	10*
Hexavalent Chromium, Dissolved	5.66	10*
Total Recoverable Copper	11.7	10
Total Recoverable Lead	3.13	5
Total Recoverable Mercury	0.009	0.2
Total Recoverable Nickel	7.87	40
Total Recoverable Zinc	251	20
Gamma-BHC	0.0969	0.05
Dieldrin	0.113	0.1
Alpha-endosulfan	0.0211	0.1

*Actual detection level achieved was lower than what was required.

**Based on *Permitting Guidance Document for Implementing Louisiana Surface Water Quality Standards, Water Quality Management Plan, Volume 3*. Dated April 16, 2008 (Version 6). Obtained from LDEQ's web site on June 12, 2009.

***WQS not listed in L.A.C. 33:IX:1113.

As indicated in the above tables, ADEQ has determined from the information submitted by the permittee that some water quality standards are exceeded while others are not. The effluent demonstrated reasonable potential for exceedances of Arkansas' water quality standards for Total Recoverable Selenium, Total Recoverable Zinc, and Dieldrin. The effluent also demonstrated reasonable potential for exceedances of Louisiana's water quality standards for Total Recoverable Zinc and gamma-BHC. Permit action will be taken for the parameters for which the permittee demonstrated reasonable potential for exceedances of the water quality standards (See Attachments 2 and 3). No Gold Book criteria were exceeded at SMS2.

(c) Aquatic Toxicity

(i) Pollutants with numerical water quality standards

a. Outfall 001

ADEQ has determined from the information submitted by the permittee that there is a reasonable potential for the discharge to cause an instream excursion above the acute and/or chronic numeric standards as specified in the Arkansas Water Quality Standards, Reg. No. 2 (See Attachment 1).

ADEQ has identified the following toxicants in the discharge in amounts which could potentially have a toxic impact on the receiving stream:

OUTFALL 001

Chronic Aquatic Toxicity Results				
Pollutant	C _e , µg/l	C _e X 2.13	IWC, µg/l	AWQS, µg/l
Total Recoverable Copper	6.79	14.46	14.46	10.93
Total Recoverable Lead	2.37	5.05	5.05	3.40
Total Recoverable Mercury	0.00833	0.02	0.02	0.012
Total Recoverable Zinc	373	794.49	794.49	119.50
Alpha-BHC	0.0501	0.11	0.11	0.08
Gamma-BHC	0.0642	0.14	0.14	0.08
Delta-BHC	0.0688	0.15	0.15	0.08
Endosulfan Sulfate	0.0662	0.14	0.14	0.056
Endrin Aldehyde	0.269	0.57	0.57	0.0023

Acute Aquatic Toxicity Results				
Pollutant	C _e , µg/l	C _e X 2.13	IWC, µg/l	AWQS, µg/l
Total Recoverable Silver	3.58	7.63	7.63	1.51
Total Recoverable Zinc	373	794.49	794.49	130.87
Endrin Aldehyde	0.269	0.57	0.57	0.18

b. SMS2

ADEQ has determined from the information submitted by the permittee that there is a reasonable potential for the discharge to cause an instream excursion above the acute and/or chronic numeric standards as specified in the Arkansas Water Quality Standards, Reg. No. 2 and/or in Louisiana's Water Quality Regulations at L.A.C. 33:IX:1113 (See Attachments 2 and 3).

ADEQ has identified the following toxicants in the discharge in amounts which could potentially have a toxic impact on the receiving stream:

Chronic Aquatic Toxicity Results						
Pollutant	C _e , µg/l	C _e X 2.13	AR IWC, µg/l	AR WQS, µg/l	LA IWC, µg/l	LA WQS, µg/l
Dieldrin	0.113	0.241	0.05	0.019	**	**
Total Recoverable Selenium	11.3	24.07	5.11	5	*	*
Total Recoverable Zinc	251	534.63	113.62	109.63	**	**
Gamma-BHC	0.0969	0.206	***	***	0.35	0.21

*WQS not listed in L.A.C. 33:IX:1113.

**Reasonable potential only demonstrated based upon Louisiana's requirements.

***Reasonable potential only demonstrated based upon Arkansas' requirements.

Acute Aquatic Toxicity Results						
Pollutant	C _e , µg/l	C _e X 2.13	AR IWC, µg/l	AR WQS, µg/l	LA IWC, µg/l	LA WQS, µg/l
Total Recoverable Zinc	251	534.63	282.97	120.05	359.02	159.70

IWC's have been calculated in the manner described on page 2 of the attachments.

c. Permit Action

Under Federal Regulation 40 CFR Part 122.44(d), as adopted by Regulation No. 6, if a discharge poses the reasonable potential to cause or contribute to an exceedance above a water quality standard, the permit must contain an effluent limitation for that pollutant. Effluent limitations for the toxicants listed above have been derived in a manner consistent with the Technical Support Document (TSD) for Water Quality-based Toxics Control (EPA, March 1991), the State's implementations procedures, and 40 CFR Part 122.45(c).

Permit Limit Determination

The instream waste load allocation (WLA), which is the level of effluent concentration that would comply with the water quality standard (WQS) of the receiving stream, is calculated for both chronic and acute WLA using the following equations:

$$WLA_c = (WQS \times (Q_d + Q_b) - Q_b \times C_b) / Q_d$$

Where:

$$WLA_c = \text{chronic waste load allocation } (\mu\text{g/l})$$

violations due to Gamma-BHC in Arkansas. Therefore, the Gamma-BHC limits were based upon LDEQ's permitting procedures.

Numerical Aquatic Toxicity Limits		
Parameter	AML*, µg/l	DML*, µg/l
Gamma-BHC	1.381	2.770
Total Recoverable Copper	22.43	45.00
Total Recoverable Selenium	26.26	52.68
Total Recoverable Zinc	200.40	402.09
Dieldrin	0.01	0.02

(ii) Pollutants without applicable water quality standards

ADEQ has determined from the information submitted by the permittee that there is not a reasonable potential for the discharge to cause an instream excursion above the acute and/or chronic criteria as specified in the Gold Book (See Attachments 1, 2, and 3).

b. Human Health (Bioaccumulation) Limits

i. Pollutants with numerical water quality standards

ADEQ has determined from the information submitted by the permittee that there is not a reasonable potential for the discharge to cause an instream excursion above the state numeric bioaccumulation standards as specified in Reg. 2.508 and LDEQ's water quality regulations.

ii. Pollutants without applicable water quality standards

ADEQ has determined from the information submitted by the permittee that there is reasonable potential for the discharge to cause exceedence of bioaccumulation criterion as specified in the Gold Book (Quality Criteria for Water 1986) for only **Total Recoverable Thallium at Outfall 001**. The results of the analysis are as follows:

Bioaccumulation Criterion Results				
Pollutant	C _e , µg/l	C _e X 2.13	IWC, µg/l	GB, µg/l
Total Recoverable Thallium	2.96	6.3048	6.3048	6.3

IWC's have been calculated in the manner described on page 2 of the attachments.

Since the Arkansas Water Quality Standards have not been established for those parameters listed above, no permit limitations have been placed in the draft permit. However, monitoring and reporting is required to confirm that the pollutant is present at the levels reported by the permittee. The permit may be reopened to require effluent limitations, additional testing, and/or other appropriate actions.

iii. Drinking Water Supply Protection

ADEQ has determined from the information submitted by the permittee that there is not a reasonable potential for the discharge to cause an instream excursion above the drinking water criteria as specified in the Gold Book.

1	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
2	CALCULATIONS OF ARKANSAS WATER QUALITY-BASED EFFLUENT LIMITATIONS															
3	For an Arkansas River/Stream															
4 STEP 1:	GC GC/Other River															
5	Codes & TSS for Ecoregions and Large Rivers															
6																
7	Arkansas (Ft. Smith to Dardanelle Dam) 12.0 mg/l															
8	Ouachita Mts. Eco (OM) = 2.0 mg/l															
9	Ozark Highlands Eco (OH) = 2.5 mg/l															
10	Arkansas (Dardanelle Dam to Terry L&D No. 5) 10.5 mg/l															
11	Arkansas (Terry L&D to L&D No. 6) 8.3 mg/l															
12	Arkansas (L&D No. 5 to Mouth) 9.0 mg/l															
13	Arkansas (L&D No. 5 to Mouth) 9.0 mg/l															
14	White (Above Beaver Lake) 2.5 mg/l															
15 RECEIVING STREAM	White (Below Bull Shoals to Black Riv) 3.3 mg/l															
16	White (From Black River to Mouth) 18.5 mg/l															
17	St. Francis River 18.0 mg/l															
18	Ouachita (Above Caddo River) 2.0 mg/l															
19	Ouachita (Below Caddo River) 5.5 mg/l															
20	Red River 3.30 mg/l															
21	Red River = 211 mg/l															
22	St. Francis River = 103 mg/l															
23	Arkansas River = 125 mg/l															
24	Ouachita River = 28 mg/l															
25	White River = 116 mg/l															
26	Ouachita Mount = 31 mg/l															
27	Ark River Valley = 25 mg/l															
28	Gulf Coastal = 31 mg/l															
29	Ozark Highlands = 14.8 mg/l															
30	Boston Mount = 25 mg/l															
31	Delta = 81 mg/l															
32	Large Rivers															
33	Mississippi River, Arkansas River, Red River															
34	White (Below confluence with Black River)															
35	Ouachita (Below confluence with Little Miss. River)															
36	For industrial and federal facility, use the highest monthly average flow for the past 24 months. For POTWs, use the design flow.															
37	#VALUE! => No violation or Not Applicable															
38	9999999.00 => No EPA/ADEQ Guideline															
39	Max Daily Limit LTA Multiplier (Ref: page 103 TSD for WQ-Based Toxics Control)															
	3.11															

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
82																
83	The following formulas are used to calculate water quality criteria based on Regulation No. 2 (Act 472 of Ark 1949).															
84	Cadmium	Acute														
85		Chronic														
86	Chromium Tr	Acute														
87		Chronic														
88	Chromium Hex	Acute														
89		Chronic														
90	Copper	Acute														
91		Chronic														
92	Lead	Acute														
93		Chronic														
94	Mercury	Acute														
95		Chronic														
96	Nickel	Acute														
97		Chronic														
98	Zinc	Acute														
99		Chronic														
100	Silver	Acute														
101		Chronic														
102	Cyanide	Acute														
103		Chronic														
104	Arsenic	Acute														
105		Chronic														
106	Beryllium	Acute														
107		Chronic														
108	Selenium	Acute														
109		Chronic														
110	Boron	Acute														
111		Chronic														
112	Antimony	Acute														
113		Chronic														
114	Chromium	Acute														
115		Chronic														
116	Mercury	Acute														
117		Chronic														
118	Lead	Acute														
119		Chronic														
120	Chromium	Acute														
121		Chronic														
122	The following formulas are applicable to the Jet Stream Model for lakes or inlets for calculating the Dilution Factor (DF). DF = $((2.8 \cdot D \cdot 3.1416 \cdot 0.5) / X)$ where DF is % of effluent at a distance X, D is the diameter of the outfall pipe and X is aquatic life criteria - 25 feet for ZLD; 100 feet for mixing zone; human health criteria 200 feet for mixing zone. #VALUE! Acute #VALUE! Chronic															
123																
124																
125																
126																
127	The following formulas are used to calculate the instream waste concentration (WQC) for each pollutant.															
128																
129	IVC = $(Frac \times Critical Flow \times Cb) + (2.13 \times Cc \times Qd) / (Frac \times Critical Flow + Qd)$ where the critical flow is the 7Q10 except for lakes with the Jet Stream Model.															
130	Use EPA Statistical Factor of 2.13 for less than 20 Ce data points with the Geometric Mean of the Ces; use 1 for more than 20 data points with the maximum Ce.															
131	IVC = $(DF \times Ce) + Cb$ for lakes with Jet Stream Model.															

CF1 = 1.136672 · [0.041838 · ln(hardness)]
 CF2 = 1.101672 · [0.041838 · ln(hardness)]

CF3 = 1.46203 · [0.145712 · ln(hardness)]

WER X CF1 X e(1.128ln(hardness))-3.828)
 WER X CF2 X e(0.7852ln(hardness))-3.490)

WER X 0.316 X e(0.819ln(hardness))-3.688
 WER X 0.86 X e(0.819ln(hardness))-1.561)

WER X 0.982 X 16
 WER X 11 X 962

WER X 0.96 X e(0.9422ln(hardness))-1.464
 WER X 0.96 X e(0.8345ln(hardness))-1.465)

WER X e(1.1273ln(hardness))-1.460)CF3
 WER X e(1.1273ln(hardness))-4.705)CF3

WER X 0.85 X 24
 WER X 0.012

WER X 0.998 X e(0.8460ln(hardness))-1.3612)
 WER X 0.997 X e(0.8460ln(hardness))-1.6445)

WER X 0.978 X e(0.8473ln(hardness))-0.8604)
 WER X 0.986 X e(0.8473ln(hardness))-0.7614)

WER X 0.85 X e(1.127ln(hardness))-6.52)
 WER X 22.36
 WER X 5.2

WER X 360
 WER X 190
 WER X 130
 WER X 5.3

WER X 360.00
 190.00
 130.00
 5.30

WER X 20
 WER X 5
 20.00
 5.00

WER X 0.94
 0.43
 68.21
 10.58
 15.71
 5.64
 4.17

WER X 0.94
 0.43
 210.28
 5.64
 4.17
 17.68
 0.69

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P		
132 POLLUTANTS	Number of Data points				MQL	EPA Statistical Factor	Background Conc. Cb ug/l	Effluent Conc. Ce ug/l	Domestic Supply IWC ug/l	Acute Aquatic IWC ug/l	Chronic Aquatic IWC ug/l	bioacc. IWC ug/l	Domestic Criteria ug/l	Acute Aquatic Criteria ug/l	Arkansas Chronic Aquatic ug/l	Arkansas Bioacc. ug/l		
133																		
137 METALS AND CYANIDE																		
138 1. Antimony Total	1	60	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90000.00	1600.00	4300			
139 2. Arsenic Total	1	0.5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	633.81	334.51	1.4			
140 3. Beryllium Total	1	0.5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	130.00	5.30	4			
141 4. Cadmium Total	1	1	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.37	1.82	#####			
142 6. Chromium (Tr)	1	10	2.13	0	4.3	9.16	9.16	9.16	9.16	9.16	9.16	9.16	1006.35	326.45	#####			
143 7. Chromium (hex)	1	10	2.13	0	4.3	9.16	9.16	9.16	9.16	9.16	9.16	9.16	50	15.78	10.58	#####		
144 8. Copper Total	1	0.5	2.13	0	6.79	14.46	14.46	14.46	14.46	14.46	14.46	14.46	#####	14.79	10.93	#####		
145 9. Lead Total	1	0.5	2.13	0	2.37	5.05	5.05	5.05	5.05	5.05	5.05	5.05	50	87.29	3.40	#####		
146 10. Mercury Total	1	0.005	2.13	0	0.00833	0.02	0.02	0.02	0.02	0.02	0.02	0.02	2	6.70	0.012	0.15		
147 12. Nickel Total	1	0.5	2.13	0	7.07	15.06	15.06	15.06	15.06	15.06	15.06	15.06	#####	1061.45	117.88	4600		
148 13. Selenium Total	1	5	2.13	0	2.22	4.73	4.73	4.73	4.73	4.73	4.73	4.73	10	20.00	5.00	#####		
149 14. Silver Total	1	0.5	2.13	0	3.58	7.63	7.63	7.63	7.63	7.63	7.63	7.63	50	1.51	#####	#####		
150 15. Thallium Total	1	0.5	2.13	0	2.96	6.3048	6.3048	6.3048	6.3048	6.3048	6.3048	6.3048	#####	1400.00	1400.00	6.3		
151 16. Zinc Total	1	20	2.13	0	3.73	794.49	794.49	794.49	794.49	794.49	794.49	794.49	#####	130.87	119.50	#####		
152 129. Phenols Total	1	5	2.13	0	0.0445	0.09	0.09	0.09	0.09	0.09	0.09	0.09	#####	9999999.00	9999999.00	#####		
153 12. Cyanide Total	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	22.36	5.2	220000		
155 DIOXIN																		
157 18. 2,3,7,8-TCDD	1	0.00001	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	0.01	1.00E+07	1.00E+06		
159 VOLATILE COMPOUNDS																		
160 19. Acrolein	1	50	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	68	21	780		
161 20. Acrylonitrile	1	20	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	7550	2600	6.6		
162 21. Benzene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5	5300	9999999	710		
163 22. Bromoform	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999	9999999	3600		
164 23. Carbon Tetrach	1	2	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5	35200	#####	44		
165 24. Chlorobenzene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	50	2.10E+04			
166 25. Chlorodibromomethane	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999	9999999	340		
167 26. Chloroethane	1	50	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	11800	20000	1.00E+07		
168 27. 2-Chloroethylvinyl ether	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	11600	5700	1.00E+07		
169 28. Chloroform	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	289000	6060	4700		
170 29. Dichlorobromoethane	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999	9999999	220		
171 30. 1,1-Dichloroethane	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7	9999999.00	9999999.00	#####		
172 31. 1,2-Dichloroethane	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5	11800	20000	990		
173 32. 1,1-Dichloroethylene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	11600	5700	32		
174 33. 1,2-Dichloropropane	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	23000	6060	1700		
175 34. 1,3-Dichloropropylene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	244	1700			
176 35. Ethylbenzene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	32000	9999999	29000		
177 37. Methyl Chloride	1	50	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	9999999.00	4000		
178 36. Methyl bromide	1	50	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	9999999.00	16000		
179 38. Methylens chloride	1	20	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	9320	2400	110		
180 39. 1,1,2-Terachloroethane	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	5280	840	88.5		
181 40. Tetraethylbenzene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	17500	9400	2.00E+05		
182 41. Toluene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	18000	200	420		
183 42. 1,2-trans-Dichloroethylene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	45000	5	1.00E+05		
184 44. 1,1,2-Trichloroethane	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	9400	21900	810		
185 43. 1,1,1-Trichloroethane	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	9999999.00	5250		
186 45. Trichloroethylene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####	2	9999999.00	9999999.00		
187 46. Vinyl Chloride	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	#####					

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
189	ACID COMPOUNDS											99999999.00	#####	#####	#####
190	47. 2-Chlorophenol	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	4380	#####	#####	#####
191	48. 2,4-Dichlorophenol	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	365	#####	#####	#####
192	49. 2,4-Dimethoxyphenol	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	765	#####	#####	#####
193	50. 4,6-Dinitro-o-Cresol	1	50	2.13	0	0	0.00	0.00	0.00	0.00	0.00	14000	#####	#####	#####
194	51. 2,4-Dinitrophenol	1	50	2.13	0	0	0.00	0.00	0.00	0.00	0.00	230	150	#####	#####
195	52.-53. Nitrophenols	1	20	2.13	0	0	0.00	0.00	0.00	0.00	0.00	30	#####	#####	#####
196	54. 4 Chloro-3-methylphenol	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	9.16	5.78	82	#####
197	55. Phenylchlorophenol	1	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	2560	4600000	#####	#####
198	56. Phenol	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	#####
199	57. 2,4,6-Trichlorophenol	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	12000	65	65	#####
	Ambient Background Conc.														
201	BASE/NEUTRAL COMPOUNDS														
202	203 Benzene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	#####
203	58 Aceanaphthene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	#####
204	59. Acenaphthylene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	#####
205	60. Anthracene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	110000	5.40E-03	5.40E-03	0.31
206	61. Benzidine	1	50	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
207	62. Benzo(a)anthracene	1	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
208	63. Benz(a) pyrene	1	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
209	64. 3-benzofuranthene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
210	65. Benzog. h,perylene	1	20	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
211	66. Benzotoluene	1	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
212	67. Bis(2-chloroethoxy)methyl	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
213	68. Bis(chloroethyl) Ether	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
214	69. Bis(2-Chloroisopropyl)e	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
215	70. Bis(2-Ethylhexyl)phthalate	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
216	71. 4-Bromophenyl phenyle	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
217	72. Butylbenzyl phthalate	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
218	73. 2-chloronaphthalene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
219	74. 4-chlorophenyl phenyle	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
220	75. Chrysene	1	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
221	76. Dibenzol. a,hanthracene	1	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.31
222	77-79. Dichlorobenzene[1,2-	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	1120	763	2600	0.77
223	80. 3,3' Dichlorobenzidine	1	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	1.20E-05
224	81. Dihydr. Phthalate	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	2.90E-06
225	82. Dimethyl phthalate	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	1.20E-04
226	83. Di-n-Buyl phthalate	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	330	230	91	0.0077
227	84. 2,4-Dinitrotoluene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.0077
228	85. 2,6-Dinitrotoluene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.0077
229	86. Di-n-Octyl phthalate	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.0077
230	87. 1,2-diphenylhydrazine	1	20	2.13	0	0	0.00	0.00	0.00	0.00	0.00	270	270	54	5.4
231	88. Fluoranthene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	3980	3980	370	370
232	89. Fluorene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	14000
233	90. Hexachlorobenzene	1	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.0077
234	91. Hexachlorocyclohexadiene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	90	9.3	500	500
235	92. Hexachlorocyclopentadiene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	980	540	89	89
236	93. Hexachloroethane	1	20	2.13	0	0	0.00	0.00	0.00	0.00	0.00	2	0.08	81	81
237	94. Indeno[1,2,3-cd]pyrene	1	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	160
238	95. Isophorone	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	160
239	96. Naphthalene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	2300	620	1900	1900
240	97. Nitrobenzene	1	50	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.0014
241	98. N-nitrosodimethylamine	1	20	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.0373
242	99. N-nitrosodimethylamine	1	20	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.0043
243	100. N-nitrosodiphenylamine	1	20	2.13	0	0	0.00	0.00	0.00	0.00	0.00	1.10	1.10	0.001	0.0059
244	101. Phenanthrene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.001
245	102. Phenanthroline	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.001
246	103. 1,2,4-trichlorobenzene	1	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	99999999.00	#####	#####	0.0084
247	104. Aldrin	1	0.01	2.13	0	0	0.00	0.00	0.00	0.00	0.00	3.00	3.00	0.00	0.0084
248	105. Alpha-BHC	1	0.05	2.13	0	0.0501	0.00	0.11	0.11	0.11	0.00	2.00	2.00	0.08	0.0373
249	106. Beta-BHC	1	0.05	2.13	0	0	0.00	0.00	0.00	0.00	0.00	2.00	2.00	0.08	0.046
250	107. Gamma-BHC	1	0.05	2.13	0	0	0.00	0.00	0.00	0.00	0.00	2.00	2.00	0.08	0.046
251	108. Delta-BHC	1	0.05	2.13	0	0	0.00	0.00	0.00	0.00	0.00	2.00	2.00	0.08	0.046
252	109. Chlordane	1	0.05	2.13	0	0	0.00	0.00	0.00	0.00	0.00	2.40	2.40	0.0043	0.0043
253	110. 4,4'-DDT	1	0.05	2.13	0	0	0.00	0.00	0.00	0.00	0.00	1.10	1.10	0.001	0.0059
254	111. 4,4'-DDDD	1	0.05	2.13	0	0	0.00	0.00	0.00	0.00	0.00	1.10	1.10	0.001	0.0059
255	112. 4,4'-DDDD	1	0.05	2.13	0	0	0.00	0.00	0.00	0.00	0.00	1.10	1.10	0.001	0.0059

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
258	113. Dieldrin	1	0.02	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	2.50	0.0019	0.0012	
259	114. Alpha-endosulfan	1	0.01	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	0.22	0.056	2	
260	115. Beta-endosulfan	1	0.02	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	0.22	0.056	2	
261	116. Endosulfan sulfate	1	0.1	2.13	0	0.0682	0.14	0.14	0.14	0.14	0.14	#####	0.22	0.056	2	
262	117. Endrin	1	0.02	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	0.18	0.0023	0.81	
263	118. Endrin aldehyde	1	0.1	2.13	0	0.269	0.57	0.57	0.57	0.57	0.57	#####	0.18	0.0023	0.81	
264	119. Heptachlor	1	0.01	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	0.52	0.0038	0.0021	
265	120. Heptachlor epoxide	1	0.01	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	0.52	0.0038	0.0011	
266	121. PCB-1242	1	0.2	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	0.014	0.0004	
267	122. PCB-1254	1	0.2	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	0.014	0.0004	
268	123. PCB-1221	1	0.2	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	0.014	0.0004	
269	124. PCB-1232	1	0.2	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	0.014	0.0004	
270	125. PCB-1248	1	0.2	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	0.014	0.0004	
271	126. PCB-1260	1	0.2	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	0.014	0.0004	
272	127. PCB-1016	1	0.2	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	9999999.00	0.014	0.0004	
273	128. Toxaphene	1	0.3	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	5	0.73	0.0002	
274	130. Chlordanes	1	0.07	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	0.06	0.041	#####	
275	131. Chlordanes	1	0.07	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	0.06	0.041	#####	
276																
277																

CABLE WATER QUALITY-BASED LIMITS

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
INPUT AMBIENT AND EFFLUENT DATA															
STEP 2: CALCULATE IN-STREAM WASTE CONCENTRATIONS															
DATA INPUT															
For less than 20 data points enter geometric mean concentration as micro-gram per liter (ug/l or ppb)															
For 20 or more data points in set enter highest concentration as micro-gram per liter (ug/l or ppb)															
Enfluent value reported as "< detection level" (DL) but the DL is greater than MQL, the 1/2 DL is used.															
Enfluent value reported as "< detection level" (DL) and the DL is smaller than MQL, "0" is used.															
If a firm value is reported, even less than MQL, the reported value is used.															
50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65
51	The following formulae is used to calculate the Instream Waste Concentration (WC/C)	(Please refer to CPP for detail)	WC = $\left[\left(F^2 \cdot Qa \cdot Cb \right) + \left(Qe^2 \cdot 1.3 \cdot Ce \right) \right] / \left(F \cdot Qa + Qe \right)$	Where:	WC = Instream Waste Concentration	F = Fraction of stream allowed for mixing	Ce = Reported concentration in effluent	Co = Ambient stream concentration upstream of discharge	Qe = Plant effluent flow	Qb = Critical low flow of stream at discharge point expressed as the 7Q10 or harmonic mean flow for human health criteria	Upstream Flow (Ob) = (% of 7Q10) X 7Q10 for Chronic and Acute	63	The following formulae convert metals reported in total form to dissolved form if criteria are in dissolved form	64	Kp = Kpo * (TSS*a)
52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67
53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69
55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70
56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72
58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73
59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74
60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76
62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77
63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78
64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79
65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81
67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82
68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84
70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87
73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88
74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89
75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91
77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92
78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93
79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94
80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96

*Stream Linear Partition Coefficient (Insert "Dissolved" Concentration in Column B to convert to Lake Linear Partition Coefficient

Total Metals	Dissolved Value in Stream	Kpo	alpha (a)	Kp	C/Ci	Total Value	Kpo	alpha (a)	Kp	C/Ci	Total Value
71	460000	-0.73	138285.446	0.567997.788	0.00	480000.00	-0.73	138285.45	0.567997.9	0	
72	400000	-1.13	562706.889	0.237818469	0.00	352000.00	-0.92	733514.98	0.1986381	0	
73	3360000	-0.93	668338.365	0.208948818	0.00	2170000.00	-0.27	1369489.28	0.1172024	0	
74	1040000	-0.74	294554.016	0.381672529	0.00	2850000.00	-0.9	614495.12	0.2283249	0	
75	2860000	-0.8	715925.58	0.202527926	0.00	2040000.00	-0.53	826490.64	0.1803199	0	
76	2900000	-1.14	415321.613	0.30448177	0.00	1970000.00	-1.17	268066.09	0.4041443	0	
77	490000	-0.57	185433992	0.495077211	0.00	2210000.00	-0.76	604946.03	0.2310962	0	
78	1250000	-0.7	379014.76	0.324193117	0.00	3340000.00	-0.58	1047851.74	0.1478533	0	
79	2400000	-1.03	414607.994	0.30484608	0.00	2400000.00	-1.03	414607.99	0.3048461	0	

Page 81 of 82 - Calculations for Step 2: Calculate In-Stream Waste Concentrations

POLLUTANTS	Number of Data points	MQL ug/l	EPA Statistical Factor	Background Conc. ug/l	Effluent Conc. ug/l	Domestic Supply WC ug/l	Acute Aquatic IWC ug/l	Chronic Aquatic IWC ug/l	Domestic Criteria IWC ug/l	Bioacc. IWC ug/l	Arkansas Acute Criteria ug/l	Arkansas Chronic Criteria ug/l	Arkansas Aquatic Criteria ug/l	Nitrogen ug/l	Oxygen ug/l	P ug/l	
132 METALS AND CYANIDE																	
133 1. Antimony Total	1	60	2.13	0	0	0.00	0.00	0.00	0.00	0.00	9000.00	1600.00	4300				
138 2. Arsenic Total	1	0.5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	50	633.81	334.51	1.4			
140 3. Beryllium Total	1	0.5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	130.00	5.30	4				
141 4. Cadmium Total	1	1	2.13	0	1.17	0.16	1.32	0.53	0.05	0.05	3.91	1.69	####				
142 6. Chromium (Tm)	1	10	2.13	0	5.66	0.76	6.38	2.56	0.27	0.27	50	925.36	300.34	####			
143 7. Chromium(hex)	1	10	2.13	0	5.66	0.76	6.38	2.56	0.27	0.27	50	15.71	10.58	####			
144 8. Copper Total	1	0.5	2.13	0	11.7	1.58	13.19	5.30	0.55	0.55	50	13.44	10.02	####			
145 9. Lead Total	1	0.5	2.13	0	3.13	0.42	3.53	1.42	0.15	0.15	50	77.87	3.03	####			
146 10. Mercury Total	1	0.005	2.13	0	0.009	0.00	0.01	0.00	0.00	0.00	2	6.70	0.012	0.15			
147 12. Nickel Total	1	0.5	2.13	0	7.87	1.06	8.87	3.56	0.37	0.37	973.88	108.16	4600				
148 13. Selenium Total	1	5	2.13	0	11.3	1.52	12.74	5.11	0.53	0.53	10	20.00	5.00	####			
149 14. Silver Total	1	0.5	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	50	1.27	1.27	####			
150 15. Thallium Total	1	0.5	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	1400.00	1400.00	1400.00	6.3			
151 16. Zinc Total	1	20	2.13	0	251	33.79	282.97	113.62	11.76	11.76	120.05	109.63	109.63	####			
152 17. Phenols Total	1	5	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	989999.00	989999.00	989999.00	####			
153 17. Cyanide Total	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	22.36	5.2	220000				
155 DIOXIN																	
157 18. 2,3,7,8-TCDD	1	0.00001	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	0.01	1.00E-07	1.00E-06			
159 VOLATILE COMPOUNDS																	
160 19. Acrolein	1	50	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	68	21	780				
161 20. Acrylonitrile	1	20	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	750	2600	6.6				
162 21. Benzene	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	5	5300	899999.99	710			
163 22. Bromoform	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	999999.99	999999.99	999999.99	3600			
164 23. Carbon Tetrachloride	1	2	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	5	3520	3520	44			
165 24. Chlorobenzene	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	250	50	2.10E-04				
166 25. Chlorodibromomethane	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	999999.99	999999.99	999999.99	340			
167 26. Chloroethane	1	50	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	999999.99	999999.99	999999.99	1.00E-07			
168 27. 2-Chlorovinyl Ether	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	2890	1240	4100				
169 28. Chloroform	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	6060	6060	244	220			
170 29. Dichlorodromethane	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	999999.99	999999.99	999999.99	32000	29000		
171 30. 1,1-Dichloroethane	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	5	1180	200000	990			
172 31. 1,1-Dichloroethane	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	1160	1160	1160	32			
173 32. 1,1-Dichloroethylene	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	2360	5700	5700	####			
174 33. 1,2-Dichloropropane	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	6060	6060	6060	1700			
175 34. 1,3-Dichloropropylene	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	7	999999.99	999999.99	999999.99	29000		
176 35. Ethylbenzene	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	5	1180	200000	990			
177 37. Methyl Chloride	1	50	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	999999.99	999999.99	999999.99	4000			
178 36. Methyl bromide	1	20	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	999999.99	999999.99	999999.99	16000			
179 38. Methylene chloride	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	9320	2400	2400	110			
180 39. 1,1,2,2-Tetrachloroethane	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	5280	840	840	88.5			
181 40. Tetrahydroethylene	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	1750	1750	1750	2.00E-05			
182 41. Toluene	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	999999.99	999999.99	999999.99	420			
183 42. 1,2-trans-dichloroethylene	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	1800	1800	1800	1800			
184 44. 1,1,2-Trichloroethane	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	200	45000	45000	45000			
185 43. 1,1,1-Trichloroethane	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	5	21900	21900	21900	810		
186 45. Trichloroethylene	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	2	999999.99	999999.99	999999.99	5250		
187 46. Vinyl Chloride	1	10	2.13	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			

1	A	B	C	D	E	F	G	H	J	K	L	M	N	O	P
2	CALCULATIONS OF LOUISIANA WATER QUALITY-BASED EFFLUENT LIMITATIONS														
3	For an Arkansas River/Stream (Reserved)														
4	STEP 1: INPUT TWO LETTER CODE FOR ECOREGION (Use Code at Right)														
5	Basin Name														
6	GC														
7	Ouachita														
8	GP-Crossed														
9	Arkansas														
10	NPDES Permit No.														
11	Outfall No. (s)														
12	Plant Effluent Flow (MGD)														
13	Plant Effluent Flow (cfs)														
14															
15	RECEIVING STREAM														
16															
17	Is this a large river? (see list at right) [Enter "1" if yes, "0" if no, make entry as a number]														1
18	Name of Receiving Stream														Ouachita River
19	Waterbody Segment Code No.														2D
20	Is this lake or reservoir? (enter "1" if yes, "0" = no, make entry as a number)														0
21	Second Enter 7Q10 in Cell H31														DO NOT INPUT DATA INTO CELL H22, H23 & H24... LEAVE BLANK
22	(Reserved)														(Reserved)
23	(Reserved)														(Reserved)
24	(Reserved)														(Reserved)
25	(Reserved)														(Reserved)
26	(Reserved)														(Reserved)
27	(Reserved)														(Reserved)
28	Ecoregion TSS (mg/l) (For Large River, See List to Right)														6.00
29	Ecoregion Hardness (mg/l)														38.40
30	Enter 7Q10 (cfs) as the Critical Flow (Reserved)(Reserved)														1200.00
31	Long Term Ave /Harmonic Mean Flow (cfs)														1200.00
32	Using Diffusers (Yes/No)														(Reserved)
33	(Reserved)														no
34	ph (Avg)														7.01
35	Percent (%) of Critical Flow for Chronic Criteria														0.33
36	Percent (%) of Critical Flow for Acute Criteria														0.03
37	Water Effect Ratio (WER)														1.00
38	Ave Monthly L�t LT A Multiplier (Ref: page 103 TSD for WQ-based Toxics Control)														1.55
39	Max Daily Limit LT A Multiplier (Ref:														3.11
Codes & TSS for Ecoregions and Large Rivers															
Ouachita Ms. Eco (OM) = 2.0 mg/l															Arkansas (Fl. Smith to Dardanelle Dam) = 12.0 mg/l
Ozark Highlands Eco (OH) = 2.5 mg/l															Arkansas (Dardanelle Dam to Terry L&D No. 5) = 10.5 mg/l
Boston Ms. Eco (BM) = 1.3 mg/l															Arkansas (Terry L&D to L&D No. 5) = 8.3 mg/l
Ark River Valley Eco (AV) = 3.0 mg/l															Arkansas (L&D No. 5 to Mouth) = 9.0 mg/l
Gulf Coastal Eco (GSC) = 5.5 mg/l															White (Above Beaver Lake) = 2.5 mg/l
Delta Ecoregion (DL) = 8.0 mg/l															White (Below Bull Shoals to Black Rv) = 3.3 mg/l
															White (From Black River to Mouth) = 18.5 mg/l
															St. Francis River = 18.0 mg/l
															Ouachita (Above Caddo River) = 2.0 mg/l
															Ouachita (Below Caddo River) = 5.5 mg/l
															Red River = 33.0 mg/l
Total Hardness for:															
Arkansas River = 125 mg/l															Red River = 211 mg/l
Ouachita River = 28 mg/l															St. Francis River = 103 mg/l
White River = 116 mg/l															
															Gulf Coastal = 31 mg/l
															Ozark Highlands = 148 mg/l
															Boston Mount = 25 mg/l
															Boston Mount = 25 mg/l
															Ouachita Mount = 31 mg/l
															Ark River Valley = 25 mg/l
															Delta = 81 mg/l
Large Rivers															
Mississippi River, Arkansas River, Red River															
White (Below confluence with Black River)															
Ouachita (Below confluence with Little Miss. River)															
															For industrial and federal facility, use the highest monthly average flow
															for the past 24 months. For POTWs, use the design flow.
#VALUE! => No violation or Not Applicable															
															999999.00 => No EPA/ADEQ Guideline

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
132 POLLUTANTS	Number of Data points	MQL	EPA Statistical Factor	ug/l	Background Conc. Cb	Effluent Conc. Ce	Domestic Supply IWC	Acute Aquatic IWC	Chronic Aquatic IWC	Bioacc. IWC	Domestic Criteria ug/l	Arkansas Acute Aquatic Criteria ug/l	Arkansas Chronic Aquatic Criteria ug/l	Arkansas Bioacc. ug/l	Arkansas Chronic Aquatic	Arkansas Bioacc.
133 METALS AND CYANIDE																
138 1. Antimony Total	1	60	2.13	0	0	0	0.00	0.00	0.00	0.00	9000.00	1600.00	10			
139 2. Arsenic Total	1	0.5	2.13	0	0	0	0.00	0.00	0.00	0.00	50	640.31	337.94	1.4		
140 3. Beryllium Total	1	0.5	2.13	0	0	0	0.00	0.00	0.00	0.00	130.00	53.30	4			
141 4. Cadmium Total	1	1	2.13	0	1.17	0.16	1.67	0.42	0.16	0.16	5.45	2.12	10.00			
142 6. Chromium (Tri)	1	10	2.13	0	5.66	0.76	8.10	2.05	0.76	0.76	50	1205.00	390.89	50.00		
143 7. Chromium (hex)	1	10	2.13	0	5.66	0.76	8.10	2.05	0.76	0.76	50	15.71	10.58	50.00		
144 8. Copper Total	1	0.5	2.13	0	11.7	1.58	16.74	4.23	1.58	1.58	19.89	14.42	1000.00			
145 9. Lead Total	1	0.5	2.13	0	3.13	0.42	4.48	1.13	0.42	0.42	50	1124.7	4.38	50.00		
146 10. Mercury Total	1	0.005	2.13	0	0.009	0.00	0.01	0.00	0.00	0.00	2	6.64	0.012	2		
147 12. Nickel Total	1	0.5	2.13	0	7.87	1.06	11.26	2.85	1.06	1.06	1296.68	144.01	4600			
148 13. Selenium Total	5	2.13	0	11.3	1.52	16.16	4.09	1.52	1.52	10	20.00	5.00	#####			
149 14. Silver Total	0.5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	50	2.18	#####	#####		
150 15. Thallium Total	0.5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	50	1400.00	1400.00	#####		
151 16. Zinc Total	20	2.13	0	251	33.79	359.02	90.75	33.79	33.79	33.79	159.70	145.83	6.3			
152 129. Phenols, Total	5	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	700.00	350.00	#####			
153 17. Cyanide Total	10	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	45.90	5.4	663.8			
156 DIOXIN		0.00001	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.01	1.00E+07	7.10E-07			
157 18. 2,3,7,8-TCDD		0.00001	2.13	0	0	0.00	0.00	0.00	0.00	0.00	0.00	#####	#####			
159 VOLATILE COMPOUNDS																
160 19. Acrolein	50	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	68	21	780			
161 20. Acrylonitrile	20	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	2249	1125	0.58		
162 Benzene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	2930	1465.00	3.9		
163 22. Bromoform	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	2730	1365.00	0.22		
164 23. Carbon Tetrach	2	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	250	50	2.10E+04		
165 24. Chlorobenzene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	99999999	99999999	#####		
166 25. Chlorodibromomethane	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	99999999	99999999	#####		
167 26. Chloroethane	50	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	11650	580.00	0.05		
168 27. 2-Chloroethylvinyl ether	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	23000	5700	#####		
169 28. Chloroform	-	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	2890	1445	5.3		
170 29. Dichlorobromomethane	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	99999999	99999999	#####		
171 30. 1,1-Dichloroethane	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	7	11800	11800	#####		
172 31. 1,1-Dichloroethene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	5600.00	5600.00	4.4		
173 32. 1,1-Dichloroethylene	20	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	9830.00	9830.00	4000		
174 33. 1,2-Dichloropropane	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	11650	580.00	0.05		
175 34. 1,3-Dichloropropylene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	23000	5700	#####		
176 35. Ethylbenzene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	6060	244	1700		
177 37. Methyl Chloride	50	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	3200	1600.00	2900		
178 36. Methyl bromide	50	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	5600.00	27500.00	#####		
179 38. Methylene chloride	20	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	99999999	99999999	#####		
180 39. 1,1,2-Tetrachloroethane	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	932	466	0.16		
181 40. Tetrachloroethylene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	1290	645	0.65		
182 41. Toluene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	1270	635.00	6.10E-03		
183 42. 1,2-Dichloroethylene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	99999999	99999999	#####		
184 44. 1,1,2-Trichloroethane	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	1800	900	0.56		
185 45. Trichloroethylene	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	5280	2640.00	200.00		
186 46. Vinyl Chloride	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	3900	1950	2.8		
187 47. Vinyl Chloride	10	2.13	0	0	0	0.00	0.00	0.00	0.00	0.00	5	20000	20000	0.0027		

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
275	279 STEP 3:	APPLICABLE WATER QUALITY-BASED LIMITS														
	POLLUTANTS	Permit Daily Maximum ug/l	Permit Monthly Average ug/l	Permit Maximum ug/l/day	Permit Monthly Average ug/l/day	Permit Maximum ug/l/day	EPA Bioac Status									
284	Alpha-BHC	NO	NO	NO	NO	NO	N/A									
285	Beta-BHC	NO	NO	NO	NO	NO	N/A									
287	Gamma-BHC	2,770	1,381	1,211	0,603	NO	N/A									
288	Delta-BHC	NO	NO	NO	NO	NO	N/A									
289	Pentachlorophenol	NO	NO	NO	NO	NO	N/A									
290	Aldrin	NO	NO	NO	NO	NO	N/A									
291	Chlordane	NO	NO	NO	NO	NO	N/A									
292	2,4,4-DDT	NO	NO	NO	NO	NO	N/A									
294	4,4-DDD	NO	NO	NO	NO	NO	N/A									
295	Dieldrin	0.002	0.001	0.001	0.000	NO	N/A									
296	Alpha-endosulfan	NO	NO	NO	NO	NO	N/A									
297	Beta-endosulfan	NO	NO	NO	NO	NO	N/A									
298	Endosulfan sulfate	NO	NO	NO	NO	NO	N/A									
299	Endrin	NO	NO	NO	NO	NO	N/A									
300	Endrin aldehyde	NO	NO	NO	NO	NO	N/A									
301	Hepachlor	NO	NO	NO	NO	NO	N/A									
302	Hepachlor epoxide	NO	NO	NO	NO	NO	N/A									
303	Toxaphene	NO	NO	NO	NO	NO	N/A									
312	Chlorpyrifos	NO	NO	NO	NO	NO	N/A									
305	Cadmium Total	NO	NO	NO	NO	NO	N/A									
306	Chromium (hex)	NO	NO	NO	NO	NO	N/A									
307	Copper Total	NO	NO	NO	NO	NO	N/A									
308	Lead Total	NO	NO	NO	NO	NO	N/A									
309	Mercury Total	NO	NO	NO	NO	NO	N/A									
310	Nickel Total	NO	NO	NO	NO	NO	N/A									
311	Selenium Total	NO	NO	NO	NO	NO	N/A									
312	Silver Total	NO	NO	NO	NO	NO	N/A									
313	Zinc Total	421.57	210.11	184.23	91.82	NO	N/A									
314	Chromium (Tn)	NO	NO	NO	NO	NO	N/A									
315	Cyanide Total	NO	NO	NO	NO	NO	N/A									
316	Beryllium Total	NO	NO	NO	NO	NO	N/A									
317	PCB-1242	NO	NO	NO	NO	NO	N/A									
318	PCB-1254	NO	NO	NO	NO	NO	N/A									
319	PCB-1221	NO	NO	NO	NO	NO	N/A									
320	PCB-1232	NO	NO	NO	NO	NO	N/A									
321	PCB-1248	NO	NO	NO	NO	NO	N/A									
322	PCB-1260	NO	NO	NO	NO	NO	N/A									
323	PCB-1016	NO	NO	NO	NO	NO	N/A									
324	2,3,7,8-TCDD	NO	NO	NO	NO	NO	N/A									
325	Antimony	NO	NO	NO	NO	NO	N/A									
326	Arsenic	NO	NO	NO	NO	NO	N/A									
327	Thallium	NO	NO	NO	NO	NO	N/A									
328	Acrolein	NO	NO	NO	NO	NO	N/A									
329	Acrylonitrile	NO	NO	NO	NO	NO	N/A									
330	Benzene	NO	NO	NO	NO	NO	N/A									
331	Bromoform	NO	NO	NO	NO	NO	N/A									
332	Carbon Tetrach	NO	NO	NO	NO	NO	N/A									
333	Chlordibromomethane	NO	NO	NO	NO	NO	N/A									
334	Chloroform	NO	NO	NO	NO	NO	N/A									
335	Dichlorobromomethane	NO	NO	NO	NO	NO	N/A									