

**Nancy Koon (adpce.ad)**

---

**From:** MAUMELLE Water <maumellewater@comcast.net>  
**Sent:** Wednesday, November 30, 2022 1:33 PM  
**To:** Water Draft Permit Comment  
**Cc:** Tristan Daniel (adpce.ad); Loretta Carstens (adpce.ad); Bryan Leamons (adpce.ad); Carrie McWilliams (adpce.ad); Jessica Sears (adpce.ad)  
**Subject:** Public Comment requesting Impact Study  
**Attachments:** Image.jpg

Good afternoon,

Please find the attached letter to be included in the new public comment period ending December 13th, 2022 regarding Draft Permit # AR0053210.

Thank you,  
Christy & Amanda  
Maumelle Water Corp.  
(501) 868-5110

**MAUMELLE WATER CORP**  
**PO BOX 65**  
**ROLAND, AR 72135**  
**501-868-5110**  
[maumellewater@comcast.net](mailto:maumellewater@comcast.net)

Arkansas Department of Energy and Environment  
Division of Environmental Quality (DEQ)-Office of Water Quality  
5301 Northshore Drive  
North Little Rock, AR 72118-5317  
Attn: Bryan Leamons, Senior Operations Manager

November 29, 2022

**RE: Public Notice of Revised Draft Discharge Permit and 208 Plan  
for Proposed WWTP Permit for ParadiseValley Subdivision  
Draft Permit Number AR0053210 AFIN: 60-05010**

To Whom it May Concern,

On April 26<sup>th</sup>, 2022, Maumelle Water Corporation held our annual board meeting which was open to the public and all Members on our water system. There was a motion made by the members that we send this letter to ADEQ to be addressed on or before the Public Hearing scheduled for May 18<sup>th</sup>, 2022 which has been submitted. As of today, November 29<sup>th</sup>, 2022, the Members met with the Maumelle Water Corporation Board and asked the Board to resubmit the request to ADEQ for an impact study to be completed prior to approval of the above referenced revised draft permit.

At this time, we are unsure of the status of the study that we have requested. Our members are concerned of the impact this WWTP (Wastewater Treatment Plant) could potentially have on their drinking water. Maumelle Water Corporation and its members voted that our expectation of ADEQ is that the Proposed Paradise Valley WWTP will not be approved *until* ADEQ provides MWC in writing that our aquifer will not be impacted. MWC requests that we receive a response to this letter and the results of the previously requested impact study *prior* to the approval of the proposed permit specified above. We appreciate your assistance with this matter and look forward to receiving a response at your earliest convenience.

Thanking you in advance,



---

**Scott Eldridge, Board President**