

A R K A N S A S Department of Environmental Quality April 1, 2014

Stephen Murphy, Plant Manager Anthony Forest Products - Urbana Sawmill P O Box 724 Strong, AR 71765

Re:

2013 Annual Report & DMR Submittal – Benchmark Exceedances

Anthony Forest Products - Urbana Sawmill, Urbana, AR, Permit No. ARR000977, AFIN 70-00473

Dear Mr. Murphy,

The 2013 Annual Report and Discharge Monitoring Reports (DMRs) for the above-referenced facility in Industrial Sector A1 of the General Industrial Stormwater Permit were received 1/21/2014. The Annual Report has been determined to be in compliance with the applicable permit requirements. The facility has been identified as having a pollutant concentration above typical storm water runoff values. The following is a list of pollutants and high concentrations which should not be exceeded in the stormwater runoff:

| <u>Pollutant</u> | Reported Value(mg/l) | Benchmark Value (mg/l) | <u>Outfall</u> | Period |
|------------------|----------------------|------------------------|----------------|---------------|
| COD | Not Reported | 120 | 003/007/008 | Jan-June |
| TSS | Not Reported | 100 | 003/007/008 | Jan-June |
| pН | Not Reported | 6.0-9.0 S.U. | 003/007/008 | Jan-June |
| Oil & Grease | Not Reported | 15 | 003/007/008 | Jan-June |
| Zinc | Not Reported | 0.684 | 003/007/008 | Jan-June |
| COD | 720 | 120 | 003 | July-Dec |
| Zinc | Not Reported | 0.684 | 003/007/008 | July-Dec |
| COD | 190 | 120 | 007 | July-Dec |

If no report was submitted for a parameter, the Department will automatically assume that the value for that parameter had exceeded the benchmark value indicated above.

There are no effluent limitations in the general stormwater permit. The purpose of the general permit is to encourage the industrial sector to find Best Management Practices (BMP's) that can be implemented without being mandated. By relaying this information to the industries, the Department hopes to significantly reduce the overall pollutant concentrations for Industrial Sector A1.

If you have any questions concerning this matter or need additional information, please feel free to contact the General Permits Section at (501) 682-0623.

Sincerely.

Jessica Temple, EI

Engineer, General Permits Section

Water Division

cc: Electronic Files (ARR000977, AFIN 70-00473)

David Ramsey, ICIS Program Coordinator, Enforcement Branch