From: Jamie Belcourt (adpce.ad)
To: "BCaipen@nlrwu.com"

Cc: Foreman, Mitch; Eggleston, Marybeth; Stacie Wassell (adpce.ad); David Ramsey (adpce.ad); Richard Healey

(adpce.ad); Zachary Carroll (adpce.ad); Bryan Leamons (adpce.ad)

Subject: NLR Wastewater Utilities - 2021/2022 Pretreatment Program Annual Reports - NPDES Permits AR0020303,

AR0020320, AR0038288 & AR0033626

Date: Monday, April 3, 2023 9:17:44 AM

Attachments: image003.png image002.png

Hello,

North Little Rock Wastewater Utilities' (NLRWU) January 1, 2022 – December 31, 2022 Pretreatment Program Annual Report (NPDES Permits AR0020303, AR0020320, AR0038288 & AR0033626) was received and reviewed. In addition, the Pretreatment Program Annual Report for the January 1, 2021 - December 31, 2021 reporting year was reviewed.

Please provide Notices of Violation for all noncompliant SIUs for the 2021 and 2022 reporting years, an explanation for >1,000 μ g/I Lead and Cadmium results at several of NLRWU plants on February 2, 2021, and meeting the required MQLs in the effluent samples at all plants.

Further, please submit for review the complete influent and effluent sampling analytical data, along with chain of custody, for the samples taken on the dates below at all treatment plants.

- February 2, 2021
- May 5, 2021
- August 10, 2021
- October 27, 2021
- January 5, 2022
- May 10, 2022
- August 16, 2022
- October 26, 2022

Thank you,

Jamie Belcourt | State Pretreatment Coordinator

Division of Environmental Quality | Office of Water Quality Policy and Administration

5301 Northshore Drive | North Little Rock, AR 72118

t: 501.682.0858 | c: 501.287.8714 | e: jamie.belcourt@adeq.state.ar.us



From: <u>Caipen, Beth</u>

To: <u>Pretreatment-Submittals</u>

 Cc:
 Foreman, Mitch; Eggleston, Marybeth

 Subject:
 NLRWU 2022 Pretreatment Annual Report

 Date:
 Wednesday, March 15, 2023 12:15:45 PM

 Attachments:
 Pretreatment 2022 Annual Report.pdf

Importance: High

Attached is the 2022 Pretreatment Annual Report for North Little Rock Wastewater Utility.

Beth Caipen
Pretreatment Clerk
North Little Rock Wastewater
7400 Baucum Pike
(PO Box 17898)
North Little Rock, AR 72117
501-945-7186





NORTH LITTLE ROCK WASTE WATER UTILITY

March 15, 2023

Arkansas Department of Environmental Quality 5301 Northshore Dr.
North Little Rock, AR 72118

Re: Pretreatment Program 2022 Annual Report: City of North Little Rock NPDES Permits: AR0020303 AFIN 60-00274, AR0020320 AFIN 60-04317, AR0038288 AFIN 60-04318, AR0033626 AFIN 60-00545

We are submitting the Pretreatment Program 2022 Annual Report for NPDES Permits AR0020303, AR0020320, AR0038288, AR0033626. The following items are attached:

- Pretreatment Performance Summary
- Updated Significant Industrial Users with Address List
- Significant Violators List
- Monitoring Results for the Annual Pretreatment Report for Faulkner Lake, Five Mile Creek, White Oak Bayou, and Maumelle treatment plants

If you should need any additional information, please contact me at 501-945-7186 or mforeman@nlrwu.com.

Sincerely,

Mitch Foreman, Pretreatment Supervisor

NORTH LITTLE ROCK WASTEWATER UTILITY

ANNUAL REPORT - 2022 AS REQUIRED BY INDUSTRIAL PRETREATMENT PROGRAM

INDUSTRIES UNDER PERMIT AT THIS TIME ARE:

NONCATEGORICAL

ARKANSAS SURGICAL HOSPITAL
BAPTIST HEALTH MEDICAL CENTER-NORTH
BEN E. KEITH
BLUE BEACON OF NLR
CENTRAL ARKANSAS HEALTHCARE SYSTEMS
CINTAS CORPORATION
J B HUNT TRANSPORTATION
KIMBERLY-CLARK CORPORATION
L'OREAL USA PRODUCTS INC.
MAVERICK TRANSPORTATION
OAKLEY
ST. VINCENT MEDICAL CENTER - NORTH
TRUCK-O-MAT OF NORTH LITTLE ROCK
TYSON FOODS INC.
UNION PACIFIC RAILROAD (PIKE AV.)

CATEGORICAL

CATERPILLAR (40CFR433)
KOPPERS INDUSTRIES (40CFR429)
MOLEX LLC. (40CFR433.17)
SAFE FOODS (40CFR414 SUBPART K)

NUMBER INDUSTRIES IN COMPLIANCE	10
NUMBER INDUSTRIES IN NONCONPLIANCE	9
NUMBER INDUSTRIES IN SIGNIFICANT NONCOMPLIANCE	0
PENALTY CHARGES BILLED	\$11,559.68
SURCHARGE CHARGES BILLED	\$295,774.72
REGULAR SEWER CHARGES BILLED	\$2,185,093.88
MISCELLANEOUS CHARGES BILLED	\$129,467.82
TOTAL INDUSTRIAL CHARGES BILLED	\$2,621,896.10
NON-SAMPLING INSPECTIONS MADE	19
SAMPLING INSPECTIONS MADE	4,049
VIOLATION NOTICES SENT	5
NONCOMPLIANCE CALLS MADE	54
COMPLIANCE SCHEDULES ISSUED	0
CONSENT ADMINISTRATIVE ORDERS ISSUED	0
TOTAL INDUSTRIAL FLOW FOR THIS YEAR (GALS)	288,543,174

Summary Sheet

2022 Industrial Pretreatment Billing

Charges	Regular	Surcharge	Penalty	Other	Total
Ar. Surgical Hosp.	\$75,877.26	\$9,167.24		\$5,235.53	\$90,280.03
Baptist Health	\$193,987.25	\$2,297.89		\$13,362.29	\$209,647.43
Ben E. Keith	\$17,353.90	\$6,406.20	\$147.60	\$1,197.41	\$25,105.11
Blue Beacon	\$46,259.30	\$4,455.46	\$378.12	\$3,191.89	\$54,284.77
Caterpillar	\$74,189.74	\$1,020.04		\$5,119.10	\$80,328.88
CAV Hosp.	\$367,314.18			\$25,344.37	\$392,658.55
Cintas	\$161,859.87	\$35,718.24		\$7,227.23	\$204,805.34
J B Hunt	\$5,976.98			\$412.62	\$6,389.60
Kimberly-Clark	\$202,514.86	\$67,016.65	\$9,702.77	\$8,606.88	\$287,841.16
Koppers	\$170,807.58	\$1,768.23	\$559.01	\$11,785.74	\$184,920.56
L'Oreal	\$47,120.83	\$37,581.97		\$3,251.03	\$87,953.83
Maverick	\$17,562.06	\$1,012.02	\$224.81	\$1,211.79	\$20,010.68
Molex	\$29,780.17		\$142.23	\$1,265.67	\$31,188.07
Oakley	\$23,406.10	\$17,715.77	\$405.14	\$1,615.03	\$43,142.04
Safe Foods	\$2,738.62			\$189.01	\$2,927.63
St. Vincent Hosp.	\$162,079.58	\$7,308.01			\$169,387.59
Truck-O-Mat	\$23,740.98	\$1,080.23		\$1,638.14	\$26,459.35
Tyson	\$313,807.22	\$98,344.56		\$21,652.60	\$433,804.38
Union-Pac (Pike)	\$229,091.42			\$15,807.31	\$244,898.73
Union-Pac (400yd)	\$19,625.98	\$4,882.21		\$1,354.18	\$25,862.37
Total Charges	\$2,185,093.88	\$295,774.72	\$11,559.68	\$129,467.82	\$2,621,896.10

ARKANSAS SURGICAL HOSPITAL (2022) PERMIT NUMBER - 2024080210 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHARGES A	SSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$6,272.81	\$558.11		\$432.82	\$7,263.74
FEB	\$5,996.45	\$4,343.54		\$413.76	\$10,753.75
MAR	\$7,084.97	\$1,111.84		\$488.86	\$8,685.67
APR	\$5,583.75			\$385.28	\$5,969.03
MAY	\$6,039.59	\$2,297.21		\$416.73	\$8,753.53
JUN	\$6,903.91			\$476.37	\$7,380.28
JUL	\$6,477.67			\$446.96	\$6,924.63
AUG	\$7,495.91			\$517.22	\$8,013.13
SEPT	\$6,619.75			\$456.76	\$7,076.51
OCT	\$5,921.19	\$856.54		\$408.56	\$7,186.29
NOV	\$5,666.63			\$391.00	\$6,057.63
DEC	\$5,814.63			\$401.21	\$6,215.84
TOTAL	\$75,877.26	<i>\$9,167.24</i>	\$0.00	\$5,235.53	\$90,280.03
INSPECTION	· ·				
SAMPLING:	.				
			247		
	ING		247 1		
NON-SAMPL	ING	a	247	248	
	ING	3		248	
NON-SAMPL	ING	а		248	
NON-SAMPLI TOTAL		DAILY AVERAGE		248	
NON-SAMPLI TOTAL FLOWS:		DAILY AVERAGE 26,856		248	
NON-SAMPLI TOTAL FLOWS: MONTH	GALLONS			248	
NON-SAMPLI TOTAL FLOWS: MONTH JAN	GALLONS 832,524	26,856		248	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB	GALLONS 832,524 795,872	26,856 28,424		248	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR	GALLONS 832,524 795,872 940,236	26,856 28,424 30,330		248	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR	GALLONS 832,524 795,872 940,236 706,112	26,856 28,424 30,330 23,537		248	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY	GALLONS 832,524 795,872 940,236 706,112 763,708	26,856 28,424 30,330 23,537 24,636		248	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN	GALLONS 832,524 795,872 940,236 706,112 763,708 872,916	26,856 28,424 30,330 23,537 24,636 29,097		248	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL	GALLONS 832,524 795,872 940,236 706,112 763,708 872,916 819,060	26,856 28,424 30,330 23,537 24,636 29,097 26,421		248	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG	GALLONS 832,524 795,872 940,236 706,112 763,708 872,916 819,060 947,716	26,856 28,424 30,330 23,537 24,636 29,097 26,421 30,571		248	

23,719

9,715,772

COMMENTS:

DEC

TOTAL

Other= franchise fee

735,284

BAPTIST HEALTH MEDICAL CENTER (2022) PERMIT NUMBER - 2024080211

PERMIT NUMBER - 2024080211 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHARGES A	SSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$10,920.17			\$753.49	\$11,673.66
FEB	\$10,829.93			\$747.27	\$11,577.20
MAR	\$13,035 <i>.</i> 17			\$899.43	\$13,934.60
APR	\$15,434.63			\$1,064.99	\$16,499.62
MAY	\$18,418.31	\$2,162.68		\$1,270.86	\$21,851.85
JUN	\$21,810.47	\$135.21		\$1,504.92	\$23,450.60
JUL	\$28,429.03			\$1,961.60	\$30,390.63
AUG	\$24,042.31			\$1,658.92	\$25,701.23
SEPT	\$18,951.11			\$1,307.63	\$20,258.74
OCT	\$13,984.23			\$964.91	\$14,949.14
NOV	\$13,155.43			\$907.12	\$14,062.55
DEC	\$4,976.46			\$321.15	\$5,297.61
TOTAL	\$193,987.25	\$2,297.89	\$0.00	\$13,362.29	\$209,647.43
MODEOTION	0-				
INSPECTION SAMPLING:	3 ;		232		
NON-SAMPLI	INIC		232		
	ING			233	
TOTAL				233	
FLOWS:					
MONTH	GALLONS	DAILY AVERAGE			
JAN	1,448,203	46,716			
FEB	1,436,945	51,319			
MAR	1,729,137	55,779			
APR	1,950,201	65,007			
MAY	2,327,724	75,088			
JUN	2,756,058	91,869			
JUL	3,591,993	115,871			
AUG	3,038,249	98,008			•
SEPT	2,394,423	79,814			
OCT	1,767,449	57,014			
NOV		== 100			
NOV	1,662,647	55,422			
DEC	1,662,647 588,055	55,422 18,970			

24,691,084

COMMENTS:

TOTAL

BEN E. KEITH (2022)

PERMIT NUMBER - 2024080212 COMPLIANCE STATUS - NC

NON-COMPLIANCE INCIDENTS:

March pH below limits (2)

April

pH below limits (self-monitoring)

June pH below limits
August pH below limits (2)
September pH below limits (3)

September pH below limits (self-monitoring)

October pH below limits

CHARGES ASSESSED:

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$1,033.25	\$76.29		\$71.29	\$1,180.83
FEB	\$1,320.89			\$91.14	\$1,412.03
MAR	\$1,343.45	\$337.56	\$15.37	\$92.70	\$1,789.08
APR	\$2,221.19	\$1,005.23	\$18.96	\$153.26	\$3,398.64
MAY	\$2,221.19	\$1,976.81		\$153.26	\$4,351.26
JUN	\$1,386.47	\$290.56	\$16.12	\$95.67	\$1,788.82
JUL	\$1,191.11	\$681.95		\$82.19	\$1,955.25
AUG	\$1,510.79	\$919.54	\$25.86	\$104.24	\$2,560.43
SEPT	\$1,427.91	\$485.94	\$58.62	\$98.53	\$2,071.00
OCT	\$1,084.55	\$405.96	\$12.67	\$74.83	\$1,578.01
NOV	\$1,356.87	\$9.69		\$93.62	\$1,460.18
DEC	\$1,256.23	\$216.67		\$86.68	\$1,559.58
TOTAL	647 252 00	#C 40C 20	\$4.47.60	\$4.407.44	\$2E 40E 44

TOTAL \$17,353.90 \$6,406.20 \$147.60 \$1,197.41 \$25,105.11

INSPECTIONS:

SAMPLING: NON-SAMPLING 247 1

2,218,812

TOTAL

248

FLOWS:

, LONG.		
MONTH	GALLONS	DAILY AVERAGE
JAN	137,092	4,422
FEB	175,795	6,278
MAR	178,340	5,753
APR	280,975	9,366
MAY	280,975	9,064
JUN	175,469	5,849
JUL	150,841	4,866
AUG	190,875	6,157
SEPT	180,453	6,015
OCT	137,164	4,425
NOV	171,926	5,731
DEC	158,907	5,126

COMMENTS:

TOTAL

BLUE BEACON OF NLR (2022)

PERMIT NUMBER - 202480213 COMPLIANCE STATUS - NC

NON-COMPLIANCE INCIDENTS:

January pH below limits (3) February pH below limits

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$3,802.49	\$534.08	\$283.59	\$262.37	\$4,882.53
FEB	\$2,843.69		\$94.53	\$196.21	\$3,134.43
MAR	\$3,768.65			\$260.04	\$4,028.69
APR	\$3,701.19	\$1,081.72		\$255.38	\$5,038.29
MAY	\$3,979.43	\$151.69		\$274.58	\$4,405.70
JUN	\$4,026.79			\$277.86	\$4,304.65
JUL	\$3,831.43			\$264.37	\$4,095.80
AUG	\$3,730.79	\$120.72		\$257.42	\$4,108.93
SEPT	\$4,559.59	\$256.62		\$314.61	\$5,130.82
OCT	\$4,293.19	\$1,677.23		\$296.23	\$6,266.65
NOV	\$3,517.67	\$38.98		\$242.72	\$3,799.37
DEC	\$4,204.39	\$594.42		\$290.10	\$5,088.91
TOTAL -	\$46,259.30	\$4,455.46	\$378:12	\$3,191.89	\$54,284.77
TOTAL	\$46,259.30	\$4,455.46	\$378.12	\$3,797.89	\$54,284.77

INSPECTIONS:

SAMPLING: NON-SAMPLING 247 1

248

TOTAL

FLOWS:

MONTH	GALLONS	DAILY AVERAGE	
JAN	504,676	16,280	
FEB	377,142	13,469	
MAR	499,739	16,121	
APR	468,173	15,606	
MAY	503,180	16,232	
JUN	509,238	16,975	
JUL	484,629	15,633	
AUG	471,315	15,204	
SEPT	576,110	19,204	
OCT	543,048	17,518	
NOV	444,910	14,830	
DEC	531,529	17,146	
TOTAL			5,913,689

COMMENTS:

CATERPILLAR INC (2022) PERMIT NUMBER - 2024080215

COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

	S ASSESSED:				
MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$3,294.89	\$676.09		\$227.35	\$4,198.33
FEB	\$2,195.09			\$151.46	\$2,346.55
MAR	\$2,900.09	\$57.52		\$200.11	\$3,157.72
APR	\$4,654.31			\$321.15	\$4,975.46
MAY	\$6,199.43			\$427.76	\$6,627.19
JUN	\$9,733.67			\$671.62	\$10,405.29
JUL	\$10,408.55			\$718.19	\$11,126.74
AUG	\$10,603.91			\$731.67	\$11,335.58
SEPT	\$8,591.11			\$592.79	\$9,183.90
OCT	\$9,295.59			\$641.40	\$9,936.99
NOV	\$3,819.59			\$263.55	\$4,083.14
DEC	\$2,493.51	\$286.43		\$172.05	\$2,951.99
TOTAL	\$74,189.74	\$1,020.04	\$0.00	\$5,119.10	\$80,328.88
INSPECTA SAMPLIN NON-SAM TOTAL	G:		240 1	241	
FLOWS:					
MONTH	GALLONS	DAILY AVERAGE			
JAN	437,580	14,115			
FEB	291,196	10,400			
MAR	385,220	12,426			
APR	588,526	19,618			
MAY	783,306	25,268			
JUN	1,230,236	41,008			
JULY	1,315,657	42,441			
AUG	1,340,341	43,237			
SEPT	1,085,647	36,188			
OCT	1,174,884	37,899			
NOV	482,684	16,089			
DEC	315,282	10,170			
TOTAL	-		9,430,559		

COMMENTS:

C A V MEDICAL CENTER (2022) PERMIT NUMBER - 202480216 COMPLIANCE STATUS - C

NONCOMPLIANCE INCIDENTS:

CH	ARC	3ES A	ISSE	SSE	D:

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$25,228.85			\$1,740.49	\$26,969.34
FEB	\$17,564.09			\$1,211.92	\$18,776.01
MAR	\$26,142.53			\$1,803.83	\$27,946.36
APR	\$25,309.19			\$1,746.33	\$27,055.52
MAY	\$39,493.51			\$2,725.05	\$42,218.56
JUN	\$33,520.23			\$2,312.90	\$35,833.13
JUL	\$40,298.63			\$2,780.61	\$43,079.24
AUG	\$32,140.87			\$2,217.72	\$34,358.59
SEPT	\$34,520.71			\$2,381.93	\$36,902.64
OCT	\$35,201.51			\$2,428.90	\$37,630.41
NOV	\$30,897.67			\$2,131.94	\$33,029.61
DEC	\$26,996.39			\$1,862.75	\$28,859.14
TOTAL	\$367,314.18	\$0.00	\$0.00	\$25,344.37	\$392,658.55

INSPECTIONS:

SAMPLING: 247 NON-SAMPLING _____1

TOTAL 248

FLOWS:

FLUVVS:		
MONTH	GALLONS	DAILY AVERAGE
JAN	3,674,414	118,529
FEB	3,386,412	120,943
MAR	4,370,094	140,971
APR	4,123,986	137,466
MAY	6,690,546	215,824
JUN	5,348,539	178,285
JUL	6,053,204	195,265
AUG	4,819,667	155,473
SEPT	4,963,298	165,443
OCT	4,627,422	149,272
NOV	4,332,686	144,423
DEC	4,061,896	131,029

TOTAL 56,452,164

COMMENTS:

CINTAS (2022) PERMIT NUMBER - 2024080218 COMPLIANCE STATUS - C

NONCOMPLIANCE INCIDENTS:

CHARGES A	SSESSED:				
MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$12,105.70	\$3,110.11		\$514.50	\$15,730.31
FEB	\$10,972.73	\$1,252.68		\$466.32	\$12,691.73
MAR	\$12,545.62			\$533.19	\$13,078.81
APR	\$11,800.94	\$3,141.24		\$501.54	\$15,443.72
MAY	\$12,079.18	\$7,540.87		\$513.37	\$20,133.42
JUN	\$14,263.66	\$3,345.48		\$606.21	\$18,215.35
JUL	\$13,618.38			\$578.79	\$14,197.17
AUG	\$16,045.58			\$1,030.11	\$17,075.69
SEPT	\$15,021.42	\$7,404.44		\$638.41	\$23,064.27
OCT	\$14,382.06	\$547.02		\$611.24	\$15,540.32
NOV	\$13,932.14			\$592.12	\$14,524.26
DEC	\$15,092.46	\$9,376.40		\$641.43	\$25,110.29
TOTAL	\$161,859.87	\$35,718.24	\$0.00	\$7,227.23	\$204,805.34

INSPECTIONS:

SAMPLING: 206 NON-SAMPLING _____1

TOTAL 207

FLOWS:

MONTH	GALLONS	DAILY AVERAGE
JAN	1,603,121	51,714
FEB	1,453,262	51,902
MAR	1,661,443	53,595
APR	1,488,562	49,619
MAY	1,524,281	49,170
JUN	1,799,999	60,000
JUL	1,718,622	55,439
AUG	2,025,369	65,334
SEPT	1,896,139	63,205
OCT	1,814,853	58,544
NOV	1,758,129	58,604
DEC	1,905,026	61,452

TOTAL 20,648,806

COMMENTS:

JB HUNT TRANSPORTATION (2022)

PERMIT NUMBER - 2024080219 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHARGE	S ASSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$187.25			\$12.92	\$200.17
FEB	\$339.53			\$23.43	\$362.96
MAR	\$401.57			\$27.71	\$429.28
APR	\$557.67			\$38.48	\$596.15
MAY	\$427.43			\$29.49	\$456.92
JUN	\$569.51			\$39.30	\$608.81
JUL	\$587.27			\$40.52	\$627.79
AUG	\$599.11			\$41.34	\$640.45
SEPT	\$841.83			\$58.09	\$899.92
OCT	\$806.31			\$55.84	\$862.15
NOV	\$344.55			\$23.77	\$368.32
DEC	\$314.95			\$21.73	\$336.68
TOTAL	\$5,976.98	\$0.00	\$0.00	\$412.62	\$6,389.60
TOTAL	φο,σ, σ.σσ	40.00	,,,,,,,	7.1.2. 0	4-,
INSPECT	IONS:				
SAMPLIN	G:		235		
NON-SAN	MPLING		1		
TOTAL		,		236	
FLOWS:	0411040	DAW V AVEDAGE			
MONTH	GALLONS	DAILY AVERAGE			
JAN	25,432	820			
FEB	45,628	1,630			
MAR	53,856	1,737			
APR	71,060	2,369			
MAY	54,604 72,556	1,761			
JUN	/2.550	2,419			
	•	-			
JUL	74,800	2,413			
AUG	74,800 76,296	2,413 2,461			
AUG SEPT	74,800 76,296 106,964	2,413 2,461 3,565			
AUG	74,800 76,296	2,413 2,461			,

1,303

768,196

COMMENTS:

DEC

TOTAL

Other = franchise fee

40,392

KIMBERLY CLARK (2022) PERMIT NUMBER - 2024080220 COMPLIANCE STATUS - NC

NON-COMPLIANCE INCIDENTS:

January pH below limits (3)
February pH below limits
May pH below limits (2)
June pH below limits (2)
July pH below limits

July pH below limits (self-monitoring)

August pH below limits (2)
September pH below limits (3)
October pH below limits (2)

October pH below limits (self-monitoring)

November pH below limits (2)

November pH below limits (self-monitoring)

December pH below limits (2)

CHARGES ASSESSED:

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$17,236.97	\$16,807.39	\$1,409.73	\$732.57	\$36,186.66
FEB	\$15,967.97	\$11,310.05	\$398.67	\$678.64	\$28,355.33
MAR	\$18,049.13	\$1,031.87		\$767.09	\$19,848.09
APR	\$15,209.67	\$2,944.52		\$646.41	\$18,800.60
MAY	\$17,583.59	\$4,575.81	\$698.22	\$747.30	\$23,604.92
JUN	\$17,926.95	\$2,048.11	\$1,100.34	\$761.90	\$21,837.30
JUL	\$17,548.07		\$887.86	\$745.79	\$19,181.72
AUG	\$18,903.75		\$900.79	\$803.41	\$20,607.95
SEPT	\$16,571.27	\$7,257.52	\$1,179.65	\$704.28	\$25,712.72
OCT	\$15,671.43	\$4,227.54	\$1,300.50	\$666.04	\$21,865.51
NOV	\$14,475.59	\$4,410.41	\$1,172.32	\$615.21	\$20,673.53
DEC	\$17,370.47	\$12,403.43	\$654.69	\$738.24	\$31,166.83
TOTAL	\$202,514.86	\$67,016.65	\$9,702.77	\$8,606.88	\$287,841.16

25,913,008

INSPECTIONS:

SAMPLING: 247 NON-SAMPLING 1

TOTAL 248

FLOWS:

/ LUIFO.		
MONTH	GALLONS	DAILY AVERAGE
JAN	2,286,544	73,759
FEB	2,118,156	75,648
MAR	2,394,020	77,226
APR	1,921,816	64,061
MAY	2,221,664	71,667
JUN	2,265,696	75,523
JUL	2,217,640	71,537
AUG	2,388,992	77,064
SEPT	2,094,312	69,810
OCT	1,980,012	63,871
NOV	1,829,172	60,972
DEC	2,194,984	70,806

COMMENTS:

TOTAL

KOPPERS INDUSTRIES (2022)

PERMIT NUMBER - 2024080221 COMPLIANCE STATUS - NC

NON-COMPLIANCE INCIDENTS:

January FOG over limits
May pH below limits
November pH below limits
December FOG over limits

CHARGES ASSESSED:

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$14,608.73			\$1,008.00	\$15,616.73
FEB	\$11,360.09	\$1,768.23		\$783.85	\$13,912.17
MAR	\$15,979.25			\$1,102.57	\$17,081.82
APR	\$17,666.47			\$1,218.99	\$18,885.46
MAY	\$14,155.91		\$240.07	\$976.76	\$15,372.74
JUN	\$15,120.87			\$1,043.34	\$16,164.21
JUL	\$15,405.03			\$1,062.95	\$16,467.98
AUG	\$13,161.35			\$908.13	\$14,069.48
SEPT	\$11,456.39			\$790.49	\$12,246.88
OCT	\$11,509.67			\$794.17	\$12,303.84
NOV	\$15,517.51		\$318.94	\$1,070.71	\$16,907.16
DEC	\$14,866.31			\$1,025.78	\$15,892.09
TOTAL	\$170,807.58	\$1,768.23	\$559.01	\$11,785.74	\$184,920.56

INSPECTIONS:

SAMPLING: 233 NON-SAMPLING 1

TOTAL 234

FLOWS:

/ LOWS.			
MONTH	GALLONS	DAILY AVERAGE	
JAN	1,938,104	62,519	
FEB	1,506,648	53,809	
MAR	2,119,807	68,381	
APR	2,232,784	74,426	
MAY	1,788,855	57,705	
JUN	1,911,157	63,705	
JUL	1,946,651	62,795	
AUG	1,663,438	53,659	
SEPT	1,447,918	48,264	
OCT	1,454,327	46,914	
NOV	1,961,234	65,374	
DEC	1,878,416	60,594	
TOTAL			21,849,339

COMMENTS:

L'OREAL (2022) PERMIT NUMBER - 2024080222 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS

CHARGES	S ASSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$3,514.85	\$3,308.76		\$242.52	\$7,066.13
FEB	\$2,950.85	\$4,124.18		\$203.61	\$7,278.64
MAR	\$3,999.89	\$2,405.01		\$275.99	\$6,680.89
APR	\$3,937.96	\$1,478.68		\$271.72	\$5,688.36
MAY	\$3,878.76	\$1,947.36		\$267.63	\$6,093.75
JUN	\$3,955.72	\$3,464.60		\$272.64	\$7,692.96
JUL	\$4,299.08	\$3,550.06		\$296.64	\$8,145.78
AUG	\$4,950.28	\$3,394.66		\$341.57	\$8,686.51
SEPT	\$4,174.76	\$4,126.00		\$288.06	\$8,588.82
OCT	\$3,825.48	\$4,381.67		\$263.96	\$8,471.11
NOV	\$3,659.72			\$252.52	\$3,912.24
DEC	\$3,973.48	\$5,400.99		\$274.17	\$9,648.64
TOTAL	\$47,120.83	\$37,581.97	\$0.00	\$3,251.03	\$87,953.83
INSPECTI	ONC.				
SAMPLING			24		
NON-SAM			1		
	FLING			25	
TOTAL				25	
FLOWS:					
MONTH	GALLONS D	DAILY AVERAGE			
JAN	466,529	15,049			
FEB	391 969	13 999			

MONTH	GALLONS	DAILY AVERAGE	
JAN	466,529	15,049	
FEB	391,969	13,999	
MAR	530,402	17,110	
APR	497,603	16,587	
MAY	490,207	15,813	
JUN	499,919	16,664	
JUL	543,744	17,540	
AUG	625,759	20,186	
SEPT	527,927	17,598	
OCT	483,555	15,599	
NOV	462,552	15,418	
DEC	502,323	16,204	
TOTAL			6,022,489

COMMENTS:

MAVERICK TRUCKING (2022)

PERMIT NUMBER - 2024080223 COMPLIANCE STATUS - NC

NON-COMPLIANCE INCIDENTS:

March pH over limits
August pH below limits
September pH below limits

September pH below limits (self-monitoring)

October pH over limits
December pH below limits (3)

CHARGES ASSESSED:

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$1,298.33			\$89.58	\$1,387.91
FEB	\$1,394.21	\$151.01		\$96.20	\$1,641.42
MAR	\$1,343.45		\$46.24	\$92.70	\$1,482.39
APR	\$1,404.23			\$96.89	\$1,501.12
MAY	\$1,569.99	\$148.03		\$108.33	\$1,826.35
JUN	\$1,641.03		\$16.81	\$113.23	\$1,771.07
JUL	\$1,268.07			\$87.50	\$1,355.57
AUG	\$1,765.35		\$30.82	\$121.81	\$1,917.98
SEPT	\$1,972.55		\$54.31	\$136.11	\$2,162.97
OCT	\$2,156.07	\$712.98	\$76.63	\$148.77	\$3,094.45
NOV	\$1,729.83			\$119.36	\$1,849.19
DEC	\$18.95			\$1.31	\$20.26

\$1,012.02

\$224.81 \$1,211.79 \$20,010.68

INSPECTIONS:

SAMPLING: 234 NON-SAMPLING _____1

\$17,562.06

TOTAL 235

FLOWS:

TOTAL

PLUVIS.			
MONTH	GALLONS	DAILY AVERAGE	
JAN	172,758	5,573	
FEB	185,175	6,613	
MAR	178,690	5,764	
APR	177,321	5,911	
MAY	198,953	6,418	
JUN	207,585	6,920	
JUL	160,708	5,184	
AUG	223,600	7,213	
SEPT	249,623	8,321	
OCT	272,840	8,801	
NOV	218,945	7,298	
DEC		0	
TOTAL			2,246,198

COMMENTS:

Other = franchise fee

Note: Maverick under construction as of 12/01/2022. Permit

kept active but no flow being discharged

MOLEX (2022) PERMIT NUMBER - 2024080224 **COMPLIANCE STATUS - NC**

NON-COMPLIANCE INCIDENTS:

November pH below limits pH below limits December

CHARGES	ASSESSED:
---------	-----------

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$3,035.45			\$129.01	\$3,164.46
FEB	\$2,290.97			\$97.37	\$2,388.34
MAR	\$3,373.85			\$143.39	\$3,517.24
APR	\$3,156.55			\$134.15	\$3,290.70
MAY	\$2,298.15			\$97.67	\$2,395.82
JUN	\$2,795.43			\$118.81	\$2,914.24
JUL	\$1,937.03			\$82.32	\$2,019.35
AUG	\$2,304.07			\$97.92	\$2,401.99
SEPT	\$1,907.43			\$81.07	\$1,988.50
OCT	\$1,984.30			\$84.34	\$2,068.64
NOV	\$2,463.91		\$60.34	\$104.72	\$2,628.97
DEC	\$2,233.03		\$81.89	\$94.90	\$2,409.82

\$0.00

\$142.23 \$1,265.67 \$31,188.07

INSPECTIONS:

246 SAMPLING: NON-SAMPLING 4

\$29,780.17

250 **TOTAL**

FLOWS:

TOTAL

GALLONS	DAILY AVERAGE
403,172	13,006
304,436	10,873
448,052	14,453
399,432	13,314
290,972	9,386
353,804	11,793
245,344	7,914
291,720	9,410
241,604	8,053
251,328	8,107
311,916	10,397
282,744	9,121
	403,172 304,436 448,052 399,432 290,972 353,804 245,344 291,720 241,604 251,328 311,916

3,824,524 TOTAL

COMMENTS:

OAKLEY (2022) PERMIT NUMBER - 2024080214 **COMPLIANCE STATUS - NC**

NON-COMPLIANCE INCIDENTS:

TSS over limits August October pH below limits December pH below limits (4)

CHARGES ASSESSED:

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$2,076.65	\$3,247.64		\$143.29	\$5,467.58
FEB	\$1,743.89	\$1,969.72		\$120.33	\$3,833.94
MAR	\$2,341.73	\$577.70		\$161.58	\$3,081.01
APR	\$2,049.51	\$521.40		\$141.42	\$2,712.33
MAY	\$1,676.55	\$208.03		\$115.68	\$2,000.26
JUN	\$2,013.99	\$5,379.43		\$138.97	\$7,532.39
JUL	\$2,013.99	\$166.52		\$138.97	\$2,319.48
AUG	\$2,280.39	\$1,854.65		\$157.35	\$4,292.39
SEPT	\$2,019.91	\$1,335.36	\$68.96	\$139.37	\$3,563.60
OCT	\$1,901.51	\$2,062.77	\$68.96	\$131.20	\$4,164.44
NOV	\$1,664.71			\$114.86	\$1,779.57
DEC	\$1,623.27	\$392.55	\$267.22	\$112.01	\$2,395.05
TOTAL	\$23,406.10	\$17,715.77	\$405.14	\$1,615.03	\$43,142.04

INSPECTIONS:

SAMPLING: 247 **NON-SAMPLING**

TOTAL 248

FLOWS:

LUNS.			
MONTH	GALLONS	DAILY AVERAGE	
JAN	276,012	8,904	
FEB	231,880	8,281	
MAR	311,168	10,038	
APR	259,556	8,652	
MAY	212,432	6,853	
JUN	255,068	8,502	
JUL	255,068	8,228	
AUG	288,728	9,314	
SEPT	255,816	8,527	
OCT	240,856	7,770	
NOV	210,936	7,031	
DEC	205,700	6,635	
TOTAL			3,003,220

COMMENTS:

SAFE FOODS 2022

PERMIT NUMBER - 2024080225 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHARGES A MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	\$\$ESSED: REGULAR \$170.33 \$170.33 \$232.37 \$190.63 \$125.51 \$95.91 \$261.67 \$208.39 \$232.07 \$95.91 \$237.99 \$717.51	SURCHARGE	PENALTY	\$11.76 \$11.76 \$16.04 \$13.16 \$8.66 \$6.62 \$18.06 \$14.38 \$16.02 \$6.62 \$16.42 \$49.51	\$182.09 \$182.09 \$248.41 \$203.79 \$134.17 \$102.53 \$279.73 \$222.77 \$248.09 \$102.53 \$254.41 \$767.02
TOTAL	\$2,738.62	\$0.00	\$0.00	\$189.01	\$2,927.63
INSPECTION SAMPLING: NON-SAMPL TOTAL			0	1	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	GALLONS L	DAILY AVERAGE 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
TOTAL			0		

COMMENTS:

ST. VINCENT NORTH (2022)
PERMIT NUMBER - 2024080217
COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

COMMENTS:

				\$13,901.35 \$21,014.00 \$13,167.27 \$13,996.47
\$162,079.58	\$7,308.01	\$0.00	\$0.00	\$169,387.59
vs: Ling		242 1	243	
GALLONS 2,000,152 1,517,692 1,579,028 1,762,288 1,798,940 1,705,440 1,715,912 1,724,888 1,757,052 1,732,368 1,664,300 1,765,820	64,521 54,203 50,936 58,743 58,030 56,848 55,352 55,642 58,568 55,883 55,477 56,962	20.722.990		
	GALLONS 2,000,152 1,517,692 1,579,028 1,762,288 1,798,940 1,705,440 1,715,912 1,724,888 1,757,052 1,732,368 1,664,300	GALLONS DAILY AVERAGE 2,000,152 64,521 1,517,692 54,203 1,579,028 50,936 1,762,288 58,743 1,798,940 58,030 1,705,440 56,848 1,715,912 55,352 1,724,888 55,642 1,757,052 58,568 1,732,368 55,883 1,664,300 55,477	GALLONS DAILY AVERAGE 2,000,152 64,521 1,517,692 54,203 1,579,028 50,936 1,762,288 58,743 1,798,940 58,030 1,705,440 56,848 1,715,912 55,352 1,724,888 55,642 1,757,052 58,568 1,732,368 55,883 1,664,300 55,477	AS: ASS: ASS: AS

TRUCK-O-MAT (2022) PERMIT NUMBER - 2024080226 COMPLIANCE STATUS - NC

NON-COMPL	IANCE	INCIDENTS:
-----------	-------	------------

July	FOG over	limits
------	----------	--------

CHARGES ASSESSED:			
	0114	2050	ACCEDED.

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$2,510.93			\$173.25	\$2,684.18
FEB	\$2,133.05			\$147.18	\$2,280.23
MAR	\$2,285.33			\$157.69	\$2,443.02
APR	\$1,948.87	\$917.33		\$134.47	\$3,000.67
MAY	\$2,008.07			\$138.56	\$2,146.63
JUN	\$1,954.79			\$134.88	\$2,089.67
JUL	\$1,729.83	\$162.90		\$119.36	\$2,012.09
AUG	\$1,652.87			\$114.05	\$1,766.92
SEPT	\$2,197.51			\$151.63	\$2,349.14
OCT	\$2,049.51			\$141.42	\$2,190.93
NOV	\$1,581.83			\$109.15	\$1,690.98
DEC	\$1,688.39			\$116.50	\$1,804.89
TOTAL	\$23,740.98	\$1,080.23	\$0.00	\$1,638.14	\$26,459.35

INSPECTIONS:

SAMPLING:

247 1

NON-SAMPLING

TOTAL

248

FLOWS:

PLOWS:			
MONTH	GALLONS	DAILY AVERAGE	
JAN	333,600	10,761	
FEB	283,000	10,107	
MAR	303,700	9,797	
APR	246,600	8,220	
MAY	254,000	8,194	
JUN	247,500	8,250	
JUL	218,800	7,058	
AUG	208,900	6,739	
SEPT	278,000	9,267	
OCT	259,200	8,361	
NOV	200,300	6,677	
DEC	213,800	6,897	
TOTAL	= =		3,047,400

COMMENTS:

TYSON FOODS (2022)

PERMIT NUMBER - 2024080227 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

\$27,777.83

\$28,440.87

\$26,990.47

CHARGES ASSESSED:

	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$24,371.57			\$1,681.54	\$26,053.11
FEB	\$23,993.69	\$33,631.34		\$1,655.56	\$59,280.59
MAR	\$25,499.57	\$4,616.06		\$1,759.47	\$31,875.10
APR	\$26,469.51	\$6,551.60		\$1,826.40	\$34,847.51
MAY	\$23,805.51	\$7,705.37		\$1,642.58	\$33,153.46
JUN	\$25,019.11	\$9,289.00		\$1,726.32	\$36,034.43
JUL	\$22,615.59	\$26,338.69		\$1,560.48	\$50,514.76

\$1,916.67

\$1,962.42

\$1,862.34

\$36,658.02

\$33,652.27

\$28,852.81

TOTAL	\$313,807.22	\$98,344.56	\$0.00	\$21,652.60	\$433,804.38
DEC	\$30,252.39			\$2,087.41	\$32,339.80
NOV	\$28,571.11			\$1,971.41	\$30,542.52

\$6,963.52

\$3,248.98

INSPECTIONS:

SAMPLING: 241 NON-SAMPLING 1

TOTAL 242

FLOWS:

AUG

SEPT

OCT

MONTH	GALLONS	DAILY AVERAGE
JAN	3,232,660	104,279
FEB	3,182,520	113,661
MAR	3,382,060	109,099
APR	3,345,050	111,502
MAY	3,007,747	97,024
JUN	3,161,518	105,384
JUL	2,857,504	92,178
AUG	3,510,334	113,237
SEPT	3,593,902	119,797
OCT	3,410,555	110,018
NOV	3,610,013	120,334
DEC	3,822,814	123,317

TOTAL 40,116,677

COMMENTS:

UNION PACIFIC RAILROAD - PIKE AVENUE (2022)

PERMIT NUMBER - 2024080228 **COMPLIANCE STATUS - NC**

NON-COMPLIANCE INC	CIDENTS:
--------------------	----------

Failure to submit valid BOD results May

CHARGES	ASSESSED:				
MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$30,457.13			\$2,101.54	\$32,558.67
FEB	\$21,382.37			\$1,475.38	\$22,857.75
MAR	\$26,926.49			\$1,857.93	\$28,784.42
APR	\$33,129.51			\$2,285.94	\$35,415.45
MAY	\$25,321.03			\$1,747.15	\$27,068.18
JUN	\$13,765.19			\$949.80	\$14,714.99
JUL	\$8,952.23			\$617.70	\$9,569.93
AUG	\$8,721.35			\$601.77	\$9,323.12
SEPT	\$13,634.95			\$940.81	\$14,575.76
OCT	\$10,763.75			\$742.70	\$11,506.45
NOV	\$11,983.27			\$826.85	\$12,810.12
DEC	\$24,054.15			\$1,659.74	\$25,713.89
TOTAL	\$229,091.42	\$0.00	\$0.00	\$15,807.31	\$244,898.73

INSPECTIONS:

176 SAMPLING: NON-SAMPLING 1

177 **TOTAL**

FLOWS:

MONTH	GALLONS	DAILY AVERAGE	
IANI	4 020 521	130.307	
JAN	4,039,521	. ,	
FEB	2,836,251	101,295	
MAR	3,571,341	115,205	
APR	4,185,850	139,528	
MAY	3,199,645	103,214	
JUN	1,739,847	57,995	
JUL	1,131,265	36,492	
AUG	1,102,016	35,549	
SEPT	1,723,379	57,446	
OCT	1,360,138	43,875	
NOV	1,514,387	50,480	
DEC	3,039,222	98,039	
TOTAL	11		29,442,862
IVIAL			20, 2,002

COMMENTS:

UNION PACIFIC RAILROAD - 400 YARD (2022)

NONCOMPLIANCE INCIDENTS:

CHARGES A	ASSESSED:				
MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$2,375.57			\$163.91	\$2,539.48
FEB	\$2,014.61			\$139.01	\$2,153.62
MAR	\$762.53			\$52.61	\$815.14
APR	\$2,262.63	\$942.37		\$156.12	\$3,361.12
MAY	\$1,794.95	\$39.97		\$123.85	\$1,958.77
JUN	\$1,214.79			\$83.82	\$1,298.61
JUL	\$1,197.03	\$179.20		\$82.60	\$1,458.83
AUG	\$670.15	\$295.48		\$46.24	\$1,011.87
SEPT	\$1,984.39	\$309.23		\$136.92	\$2,430.54
OCT	\$1,285.83	\$3,115.96		\$88.72	\$4,490.51
NOV	\$1,421.99			\$98.12	\$1,520.11
DEC	\$2,641.51			\$182.26	\$2,823.77
TOTAL	\$19,625.98	\$4,882.21	\$0.00	\$1,354.18	\$25,862.37

INSPECTIONS:

SAMPLING: 11
NON-SAMPLING 0

TOTAL 11

FLOWS:

MONTH	GALLONS	DAILY AVERAGE
JAN	315,357	10,173
FEB	267,111	9,540
MAR	101,055	3,260
APR	286,260	9,542
MAY	227,168	7,328
JUN	153,490	5,116
JUL	151,320	4,881
AUG	84,599	2,729
SEPT	251,328	8,378
OCT	163,012	5,258
NOV	179,656	5,989
DEC	334,139	10,779

TOTAL 2,514,495

COMMENTS:

North Little Rock Wastewater Utility (Permitted Significant Industrial User) Contact/Address List (Revised: 3/8/23)

Arkansas Surgical Hospital

5201 Northshore Dr. Permit # 2024080210 Eff. 9-01-2020 SIC # 8062 Exp. 8-31-2024 NAICS # 622110

Brian Fowler, CEO (501)748-8000

e-mail: <u>bfowler@arksurgicalhospital.com</u>
Neal Gaiser, Facilities Director cell: (501)831-7966
e-mail: ngaiser@arksurgicalhospital.com

Baptist Health Medical Center

3333 Springhill Dr. Permit #2024080211 Eff. 9-01-2020 N.L.R., AR. 72117 SIC # 8062 Exp.8-31-2024 NAICS # 622110

Justin Brandon, Interim Facilities Manager (501)202-3015 cell: (501)288-1594 e-mail: justin.brandon@baptist-health.org

Ben E. Keith

#1 Ben E. Keith Way

North Little Rock, AR 72117

Permit# 2024080212

Eff. 9-01-2020

SIC # 7542

Exp. 8-31-2024

NAICS # 484220, 811192

John R. Mathis, General Manager (501)978-8000

e-mail: jrmathis@benekeith.com

Robert A. Fourt, Facilities Manager (501)978-5929 cell: (501)400-6496

e-mail: rafourt@benekeith.com

Blue Beacon of Little Rock

3210 Hwy. 391 N.L.R., AR 72117 **Permit #2024080213** Eff. 9-01-2020 SIC #7542 Exp. 8-31-2024 **NAICS # 811192**

Jonathan Burgess, General Manager (501)945-7023

Blue Beacon (Billing)-(Environmental Compliance)

P.O. Box 856

Salina, KS. 67402-0856

Tina Price, Director Environmental Compliance (785)825-2221

e-mail: TinaP@bluebeacon.com

Bruce Oakley Inc.

(3700 Lincoln Av., N.L.R, AR. 72114) P.O. Box 17880 N.L.R. AR. 72117

Truck Washing Log

Permit # 2024080214 Eff. 9-01-2020 SIC # 4213 & 7542 Exp. 8-31-2024 **NAICS # 484220, 811192**

Toby Bishop, Operations Manager (501)320-8400

e-mail: tbishop@bruceoakley.com Leroy McIntosh, Truck Wash (501)945-0875

Caterpillar Inc.

9201 Faulkner Lake Rd. N.L.R, AR 72117

Categorical Industry (CFR433- Metal Finishing)

Permit # 2024080215 Eff. 9-01-2020 **NAICS # 333120** Exp.8-31-2024

Samuel Maia, General Manager (501)955-5250

e-mail: Maia Samuel@cat.com

Wayne Beanland, Environmental Health & Safety Supervisor

e-mail: Beanland_Wayne@cat.com

Jennifer Sharp, Senior EHS Tech. (501)2282737

e-mail: Sharp Jennifer@cat.com

Central Arkansas Veterans Healthcare Systems

N.L.R. Division Safety Office (138/NLR) 2200 Fort Roots Drive N.L.R., AR 72114 **Permit #2024080216** Eff.9-01-2020 SIC#8062 Exp. 8-31-2024

NAICS # 622110

John Hankins, Safety Manager (501)257-1213

e-mail: John.Hankins@va.gov

Brian Green, GEMS Program Manager (501)257-1137

e-mail: Brian.Green3@va.gov

Central Arkansas Veterans Healthcare Systems

Engineering Services (138 / NLR)

Attn: Trish Walters 2200 Fort Roots Drive

(Billing) Trish Walters 257-1150 Fax: 257-1144 N.L.R., AR. 72114

Chi St. Vincent Medical Center – North

(2215 Wildwood Av. Sherwood, AR 72120) Permit # 2024080217 Eff. 9-01-2020

SIC # 8062 Chi St. Vincent Infirmary Medical Center Exp. 8-31-2024

#2 St. Vincent Cr. L.R., AR 72205 NAICS # 622110

Brian Morgan, Facilities Director (501)552-3938

e-mail: BMorgan@stvincenthealth.com

Ty Hunt, supervisor (501)552-7295 cell: (501) 391-2762

e-mail: TMHunt@stvincenthealth.com

Cintas Corporation

Section 11 - Special Conditions

Exp. 8-31-2024

Permit # 2024080218 Eff. 9-01-2020 (102 Champs Blvd.) P.O. Box 13990 NAICS # 812332 Maumelle, AR 72113

Matthew Hoppis, General Manager (501) 803-4488

e-mail: hoppism@cintas.com

Wyatt Hanson, Production Manager (501) 803-4499

e-mail: hansonw@cintas.com

J B Hunt Transport

Permit #2024080219 Eff. 9-01-2020 2901 Hwy 161 North. SIC #4231 N.L.R., AR. 72117 Exp. 8-31-2024 NAICS # 484121, 811192

Ronald Watson, Maintenance Director (501)945-8683 cell: (501)786-1640

e-mail: Ronald Watson@jbhunt.com

Kimberly – Clark Corporation

500 Murphy Dr. Maumelle, AR 72113 **Permit # 2024080220** Eff. 9-01-2020 NAICS # 313230 Exp. 8-31-2024

Chris R. Boudrie, Facility Manager (501)212-2101

e-mail: cboudrie@kcc.com

Patrick Brodsky, Environmental Engineer (501)212-2125 cell: (501)269-8278

e-mail: pbrodsky@kcc.com

Koppers Inc.

Categorical Industry (CFR429-Timber Products Processing)

(2201 Edmonds Rd. N.L.R., AR. 72117)

Permit # 2024080221 Eff. 9-01-2020

P.O. Box 15490

SIC #2491

Exp. 8-31-2024

Little Rock, AR. 72231

NAICS #321114

Chris Martin, Plant Manager (501)945-6414

e-mail: martincm@koppers.com

Corey Hatcher, Environmental Coordinator (501)647-5668

e-mail: HatcherCr@koppers.com

L'Oreal USA Products, Inc.

Section 11 – Special Conditions

11500 Maybelline Rd. N.L.R, AR. 72117-1886 Permit # 2024080222 Eff. 9-01-2020 SIC #2844 Exp. 8-31-2024

NAICS # 325620

Lorie White, Vice President of Manufacturing/Plant Manager (501)955-8500

e-mail: lwhite@us.loreal.com

Rachel Furman, Environmental Manager (501)955-8967

e-mail: rfurman@us.loreal.com

Maverick Transportation, LLC

(13301 Valentine Rd. N.L.R., AR. 72117)

P.O. Box 15428

Little Rock, AR. 72231

Permit # 2024080223 Eff. 9-01-2020

SIC #4213 & 7542 Exp. 8-31-2024

NAICS # 484121, 811192

Debbie Mitchell, Executive Vice President/CFO (501)955-1222

e-mail: dmitchell@maverickusa.com

Perry Harrison, Properties Manager (501)955-1316

e-mail: pharrison@maverickusa.com

Molex, LLC

Categorical Industry (CFR433.17 Metal Finishing)

801 Murphy Dr. Maumelle, AR 72113 Permit # 2024080224 Eff. 9-01-2020 SIC # 3678 Exp. 8-31-2024 NAICS # 334417

Derrick Felkins, Plant Manager (501)803-1263

e-mail: derrick.felkins@molex.com

Bobbi Roberts, EHS Supervisor (501)803-1297

e-mail: bobbi.roberts@molex.com

Leland Anderson, EHS Engineer (501)803-1140 e-mail: Leland Anderson@molex.com

Safe Foods

Categorical Industry (CFR414 Subpart K)

1501 East 8th St. North Little Rock, AR 72114 **Permit # 2024080225** Eff: 9-01-2020 **NAICS # 325180, 325199** Exp: 8-31-2024

Slaton Fry, COO (501)758-8500

e-mail: slaton.fry@safefoods.net

Todd Coleman, Director, Chemical Operations (501)534-5831 cell: (501)800-2860

e-mail: TColeman@pssi.com

Truck-O-Mat of N. Little Rock

(11601 Kinard Rd. N.L.R., AR. 72117)

P.O. Box 17742

N.L.R., AR. 72117

Truck Washing Log

Permit #2024080226 Eff. 9-01-2020

SIC #7542 & 5541

NAICS # 811192

Bruce Hensen, General Manager (501)945-2899

e-mail: brucehensen@iowa80group.com

Tyson Foods Inc. – N.L.R.

3800 Progress Street

N.L.R., AR. 72114

Section 11 – Special Conditions

Permit #2024080227 Eff. 9-01-2020

SIC #2015

Exp. 8-31-2024

Exp. 8-31-2024

NAICS #311615

Wesley Simpson, Plant Mgr. (501)945-7131

e-mail: wes.simpson@tyson.com

DeWayne Morgan, Asst. Plant Manager (501)945-7131

Michael Hodges, Wastewater (501)955-8124 treatment (501)687-3144 cell

Union Pacific Railroad

1000 W. 4th St. N.L.R., AR 72114 Section 11 – Special Conditions

Permit #2024080228 Eff. 9-01-2020 SIC#4011 Exp. 8-31-2024 NAICS # 482111

Cassidy Meis, Manager Environmental Field Operations, office: (501)373-2332

e-mail: cmeis@up.com cell: (501)941-8636

Union Pacific Railroad (Billing)

P.O. Box 1611 Omaha, NE 68101

FAULKNER LAKE T/P INDUSTRIAL FLOWS RECAP 2022

BAPTIST HEALTH M/C (NORTH) 1,448,203 1,436 BEN E KEITH 137 000 178			-		2000	200				NO PENIDEN	DECEMBER 4	DECEMBER PRINCE OF ALMOST
137 002	1,436,945 1	1,729,137	1,950,201	2,326,624	2,656,957	3,581,883	3,937,248	2,384,423	2,384,423 1,767,449	1,662,647	588,055	25.470
300,101	175,795	178,340	280,975	280,975	175,469	150,841	190,875	180,453	137,164	171,926	158,907	2.219
BLUE BEACON 504,676 377	377,142	499,739	468,173	503,180	509,238	484,629	471,315	576,110	543,048	444,910	531,529	5.914
CATERILLAR INC. 437,580 291	291,196	385,220	588,526	783,306	1,230,236	1,315,657	1,340,341	1,085,647	1,174,884	482,684	315,282	9.431
CAV HEALTHCARE SYSTEM 3,674,414 3,386	3,386,412 4	4,370,094	4,123,986	6,690,546	5,348,539	6,053,204	4,819,667	4,963,298	4,627,422	4,332,686	4,061,896	56.452
B HUNT TRANSPORTATION 25,432 45	45,628	53,856	71,060	54,604	72,556	74,800	76,296	106,964	102,476	44,132	40,392	0.768
KOPPERS INDUSTRIES 1,938,104 1,506	1,506,648 2	2,119,807	2,232,784	1,788,855	1,911,157	1,946,651	1,663,438	1,447,918	1,454,327	1,961,234	1,878,416	21.849
OREAL USA PRODUCTS 466,529 391	391,969	530,402	497,603	490,207	499,919	543,744	622,759	527,927	483,555	462,552	502,323	6.022
MAVERICK TRANSPORT 172,758 185	185,175	178,690	177,321	198,953	207,585	160,708	223,600	249,623	272,840	218,945	0	2.246
DAKLEY 276,012 231	231,880	311,168	259,556	212,432	255,068	255,068	288,728	255,816	240,856	210,936	205,700	3.003
SAFE FOODS 0	0	0	0	0	0	0	0	0	0	0	0	0.000
TRUCK-O-MAT 333,600 283	283,000	303,700	246,600	254,000	247,500	218,800	208,900	278,000	259,200	200,300	213,800	3.047
TYSON FOODS 3,232,660 3,182,520	2,520 3	3,382,060	3,345,050	3,007,747	3,161,518	2,857,504	3,510,334	3,593,902	3,410,555	3,610,013	3,822,814	40.11
INION PACIFIC - PIKE AVE 4,039,521 2,836	2,836,251 3	3,571,341	4,185,850	3,199,645	1,739,847	1,131,265	1,102,016	1,723,379	1,360,138	1,514,387	3,039,222	29.443
UNION PACIFIC - 400 YD 315,357 267	267,111	101,055	286,260	227,168	153,490	151,320	84,599	251,328	163,012	179,656	334,139	2.514
TOTAL INDUSTRIAL FLOW 17.00 1	14.60	17.71	18.71	20.02	18.17	18.93	18.54	17.62	16.00	15.50	15.69	0.57
FAULKNER LAKE INFLUENT 256.247 238	238.498	272.271	272.594	254.576	188.479	148.573	155.230	139.236	148.610	168.858	230.755	6.76
MONTHLY % OF FLOW 6.63	6.12	6.51	6.87	7.86	9.64	12.74	11.95	12.66	10.76	9.18	08.9	8.43

FIVE MILE T/P INDUSTRIAL FLOWS RECAP 2022

MONTH	JANDARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	SEPTEMBER OCTOBER NOVEMBER DECEMBER ANNUAL TOTALING	WUAL TO	STAL/MG
St. Vincent M/C-North	2,000,152	2,000,152 1,517,692 1,579,028		1,762,288	1,798,940	1,705,440	1,715,912	1,724,888		1,757,052 1,732,368	1,664,300	1,765,820		20.724
														0.000
														0.000
														0.000
														0.000
														0.000
														0.000
														0.000
														0.000
														0.000
														0.000
														0.000
														0.000
TOTAL INDUSTRIAL FLOW	2.00	1.52	1.58	1.76	1.80	1.71	1.72	1.72	1.76	1.73	1.66	1.77		* 90.0
FIVE MILE INFLUENT	245.455	207.329	239.569	250.988	191.480	138.554	99.884	106.052	96.368	98.325	126.556	196.726		5.46
MONTHLY % OF FLOW	0.81	0.73	99.0	0.70	0.94	1.23	1.72	1.63	1.82	1.76	1.32	06.0		1.04

File Name: Q\:Industry\Industrial Flows Recap

MAUMELLE T/P INDUSTRIAL FLOWS RECAP 2022

MG	20.649	25.913	3.825	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.16	2.51	6.56	
DECEMBER ANNUAL TOTAL/MG																	
DECEMBER	1,905,026	2,194,984	282,744											4.38	71.703	6.11	
NOVEMBER	1,758,129	1,829,172	311,916											3.90	62.983	6.19	
OCTOBER 1	1,814,853	1,980,012	251,328											4.05	51.554	7.85	
SEPTEMBER OCTOBER NOVEMBER	1,896,139	2,094,312	241,604											4.23	50.943	8.31	
AUGUST S	2,025,369	2,388,992	291,720											4.71	55.875	8.42	
JULY	1,718,622	2,217,640	245,344											4.18	49.408	8.46	
JUNE	1,799,999	2,265,696	353,804											4.42	56.264	7.85	
MAY	1,524,281	2,221,664	290,972											4.04	70.735	5.71	
APRIL	1,488,562		399,432											3.81	79.389	4.80	
MARCH	1,661,443	2,394,020	448,052											4.50	75.819	5.94	
FEBRUARY	1,453,262	2,286,544 2,118,156	304,436											3.88	69.771	5.56	
JANUARY FEBRUARY	1,603,121 1,453,262	2,286,544	403,172											4.29	73.475	5.84	
MONTE	CINTAS	KIMBERLY-CLARK	MOLEX											TOTAL INDUSTRIAL FLOW	MAUMELLE INFLUENT	MONTHLY % OF FLOW	

WHITE OAK T/P INDUSTRIAL FLOWS RECAP 2022

June June			JANUARY FEBRUARY
763,708 872,916 819,060 947,716	706,112 76	\sim	940,236 7(
	_		
0.76 0.87 0.82 0.95	0.71	0	0.94 0
119.476 83.955 66.292 77.181		159.1	154.665 159.8
0.64 1.04 1.24 1.23	0.44		0.61

File Name: Q\:IndustryIndustrial Flows Recap

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT REPORTING YEAR: January 1, 2022 TO December 31, 2022 TREATMENT PLANT: Faulkner Lake NPDES PERMIT #AR00020303 AVERAGE POTW INF. FLOW: 6.723 MGD % IU FLOW: 8.43 %

ALYSIS	Detection Level	Achieved	(H&V)	20	.141	s:	5:	500.	5.	5	1.	20	1	10	.5	10	5	\$.	.5				
LABORATORY ANALYSIS	EPA Method	Used	(*)	200.8	200.8	200.8	200.8	1631E	200.8	200.8	200.8	200.8	200.8	SM 18 th 4500-CN E	200.8	200.8	420.1	200.8	200.8				
LAB	EPA MQL	(l/g/l)	(T)	60	0.5	0.5	0.5	.005	0.5	\$	0.5	20	10	10	0.5	:	5	0.5	0.5				
Q		Date	10/26/22	<20	< 4	\$	<10	.001270	3.27	<10	8.2	53.39	25.21	<10	<10	<10	<\$	<\$	<10				
TES SAMPLE	uarter	Date	8/16/22	<20	<50	<20	<10	.001150	<10	<15	<10	41.13	<20	<10	15.11	<50	<\$	<10	<20				
EFFLUENT DATES SAMPLED	Once/quarter	Date	5/10/22	<10	<20	<20	35.29	.001200	<20	<15	<120	<50	<20	<10	<10	<\$0	5	<50	<50				
EFI		Date	1/5/22	<10	<20	<20	22.16	.000633	<20	<15	<120	<50	<20	<10	<10	<\$0	\$	<50	<50				
ÒM.	level/ limit (µg/l)	(7)		N/A	35	150	120	6.	5540	138	41	970	7230	150	2480	N/A	N/A	N/A	N/A	N/A			
		Date	10/26/22	<20	4>	16.3	<10	\$	3.49	<10	8.52	9.001	26.17	<10	<10	<10	09	\$	<10				
INFLUENT DATES SAMPLED (48/1)	uarter	Date	08/16/22	<20	<50	35.8	<50	\$	<10	<15	<10	134	<20	<10	13.8	<\$0	06	<50	<20				
FLUENT DATES	Once/quarter	Date	5/10/22	14.5	<20	28.6	36.8	\$	<20	<15	<120	146	<20	<10	<10	<50	160	<50	<50				
Zi Zi		Date	1/5/22	<10	<20	76	<10	\$	<20	<15	<120	186	<20	<10	<10	<50	150	<\$0	<50				
MAHC				N/A	10	376	83	-	77	2	108	789	829	322.7	13	72	N/A	N/A	N/A	N/A			
METALS,	pu			Antimony	Cadmium	Copper	Lead	Mercury	Nickel	Selenium	Silver	Zinc	Chromium	Cyanide	Arsenic	Molybdenum	Phenols	Beryllium	Thallium	Flow, MGD	(3)		

- Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.
- MAHL Maximum Allowable Headworks Level / MAHC Maximum Allowable Headworks Concentration
- WQ "Water Quality Levels not to exceed" OR actual permit limit.

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT
REPORTING YEAR: January 1, 2022 TO December 31, 2022
TREATMENT PLANT: Five Mile NPDES PERMIT # AR00020320
AVERAGE POTW INF. FLOW: 5.472 MGD % IU FLOW: 1.04 %

	g	Ð																					
ALYSIS	Detection Level	Achieved	(1/ 94)	20	.141	٨	٨	.005	٠ċ	\$	-:	20	1	10	٠	10	'n	٠ċ	£;				
LABORATORY ANALYSIS	EPA Method	Used		200.8	200.8	200.8	200.8	1631E	200.8	200.8	200.8	200.8	200.8	SM 18 th 4500-CN E	200.8	200.8	420.1	200.8	200.8				
LAB	EPA MQL	(l/gh/)	(E)	09	0.5	0.5	0.5	.005	0.5	s	0.5	20	10	10	0.5	:	'n	0.5	0.5				
		Date	10/26/22	<20	4>	3.53	<10	.003040	3.22	<10	8.3	24.96	26.11	<10	<10	<10	\$	\$	<10				
ES SAMPLEI	arter	Date	8/16/22	<10	<20	3.93	<10	.002720	\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<15	<10	25.29	<20	<10	10.98	<50	\$	<10	<20				
EFFLUENT DATES SAMPLED (μμ/l)	Once/quarter	Date	5/10/22	<10	<20	<20	34.91	.004960	<20	<15	<120	95.46	<20	<10	<10	<50	\$	<\$0	<\$0				
EFF		Date	1/5/22	<10	<20	<20	21.90	.002770	<20	<15	<120	<\$0	<20	<10	<10	<50	\$	<\$0	<50				
ÒM,				N/A	35	150	120	£7	5540	138	41	926	7230	150	2480	N/A	N/A	N/A	N/A	N/A			
_			10/26/22	<20	4>	15.8	<10	\$	3.30	<10	8.33	9.66	25.59	<10	<10	<10	70	\$	<10				
ES SAMPLED	ıarter	Date	8/16/22	<20	<50	44.9	<\$0	\$	<10	<15	<10	140.7	<20	<10	13.7	<\$0	100	<10	OZ>				
FLUENT DAT	INFLUENT DATES SAMPLED (µg/l) Once/quarter		5/10/22	<10	<20	25.9	47.8	\$	<20	<15	<120	509	<20	<10	<10	<\$0	08	<\$0	<50				
N.			1/5/22	<10	<20	<20	100	\$	<20	<15	<120	187	<20	<10	<10	0\$>	08	<50	<50				
MAHC				N/A	10	376	83	1	77	2	108	789	829	322.7	13	72	N/A	N/A	N/A	N/A			
METALS,	METALS, MCYANDE and (CPENOLS)			Antimony	Cadmium	Copper	Lead	Mercury	Nickel	Selenium	Silver	Zinc	Chromium	Cyanide	Arsenic	Molybdenum	Phenois	Beryllium	Thallium	Flow, MGD	(3)		

- Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.
- MAHL Maximum Allowable Headworks Level / MAHC Maximum Allowable Headworks Concentration
- WQ "Water Quality Levels not to exceed" OR actual permit limit.

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT
REPORTING YEAR: January 1, 2022 TO December 31, 2022
TREATMENT PLANT: Maumelle NPDES PERMIT #AR0033626
AVERAGE POTW INF. FLOW: 2.104 MGD % IU FLOW: 6.56 %

																								_
	RY ANALYSIS A Detection Level A Achieved (Hg/l)		(1.8.1)	20	.141	٦ċ	5:	500.	\$:	5	Т.	20	parel	10	8.	10	5	٠ċ	Ş;					
	LABORATORY ANALYSIS	EPA Method	Used	2	200.8	200.8	200.8	200.8	1631E	200.8	200.8	200.8	200.8	200.8	SM 18 th 4500-CN E	200.8	200.8	420,1	200.8	200.8				
	LAB	EPA MQL	(l/grl)	(E)	09	0.5	0.5	0.5	.005	0.5	S	0.5	20	10	10	0.5	:	S	0.5	6.5				
	0		Date	10/26/22	<20	4>	8	<10	.004080	4.31	<10	8.3	69.74	25.85	<10	<10	<10	\$	\$	<10		li		
	ES SAMPLEI	arter	Date	8/16/22	<10	<20	1.71	<10	.000540	<20	<15	<10	55.40	<20	<10	10.29	<\$0	99	<10	<20				
	EFFLUENT DATES SAMPLED (μg/l)	Once/quarter	Date	5/10/22	<10	<20	<20	35.15	.002110	<20	<15	<120	<50	<20	<10	<10	<50	\$	<50	<50				
	HH		Date	1/5/22	<10	<20	<20	10.74	959000.	<20	<15	<120	105.32	<20	<10	<10	<50	\$	<50	<50				
	Ø,	WQ level/ limit (µg/l) (2)			N/A	35	150	120	13	5540	138	41	026	7230	150	2480	N/A	N/A	N/A	N/A	N/A			
	_		Date	19/26/22	<20	4	108.2	<10	\$	9.19	<10	8.55	275.4	29.75	11.1	<10	<10	110	\$	<10				
	ES SAMPLED I)	larter	Date	8/16/22	<20	<50	73.8	<50	\$	18.48	<15	<10	294.6	<20	22	14.8	<50	120	<10	<20				
	INFLUENT DATES SAMPLEI (ug/l)	Once/quarter	Date	5/10/22	<10	<20	38.3	35.58		<20	<15	<120	9.96	<20	<10	<10	<50	70	<50	<50				
	N		Date	1/5/22	<10	<20	34	110	\$	28	<15	<120	315	<20	<10	<10	<50	120	<50	<50				
-	MAHC	(Total) (μg/l))		N/A	10	376	83	-1	77	2	108	789	638	322.7	13	72	N/A	N/A	N/A	N/A			
	METALS, M CYANIDE and (C PHENOLS (Antimony	Cadmium	Copper	Lead	Mercury	Nickel	Selenium	Silver	Zinc	Chromium	Cyanide	Arsenic	Molybdenum	Phenois	Beryllium	Thallium	Flow, MGD	(3)			

- Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.
- MAHL Maximum Allowable Headworks Level / MAHC Maximum Allowable Headworks Concentration
- WQ "Water Quality Levels not to exceed" OR actual permit limit.

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT REPORTING YEAR: January 1, 2022 TO December 31, 2022 TREATMENT PLANT: White Oak NPDES PERMIT # AR0038288 AVERAGE POTW INF. FLOW: 3.647 MGD % IU FLOW: 0.75 %

ALYSIS	Detection Level	Achieved (119/l)	(*, A.J.)	20	.141	٤	نۍ	500,	5:	5	1.	20	1	10	٠ċ	10	5	s:	\$:				
LABORATORY ANALYSIS	EPA Method	Used		200.8	200.8	200.8	200.8	1631E	200.8	200.8	200.8	200.8	200.8	SM 18 th 4500-CN E	200.8	200.8	420.1	200.8	200.8				
LAE	EPA MQL	(hg/l)	9	09	0.5	0.5	0.5	500.	0.5	۶v	0.5	20	10	10	0.5	5	5	0.5	0.5				
		Date	10/26/22	<20	4>	4.64	<10	088900	2.75	<10	8.3	72.77	25.61	<10	<10	<10	\$	\$>	<10				
ES SAMPLEI	arter	Date	8/16/22	<10	<20	4.53	<10	.004990	<20	<15	<10	40.83	<20	<10	10.81	<50	*?	<10	<20				
EFFLUENT DATES SAMPLED (42/l)	Once/quarter	Date	5/10/22	<10	<20	<20	35.74	090800	<20	<15	<120	<\$0	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<10	<10	<50	\$	<50	<\$0				
EFF		Date	1/5/22	<10	<20	<20	110.28	.001390	<20	<15	<120	53.57	<20	<10	<10	<50	\$	<50	<50				
MQ.	level/ limit (µg/l)	[]		N/A	35	150	120	£ĵ	5540	138	41	970	7230	150	2480	N/A	N/A	N/A	N/A	N/A			
		Date	10/26/22	<20	4>	42.9	<10	\$	4.68	<10	8.94	185.4	28.24	<10	<10	<10	150	\$	<10				
INFLUENT DATES SAMPLED (µg/l)	larter	Date	8/16/22	<10	<20	64.7	<50	\$7	<20	<15	<10	267.5	05 20	<10	12.5	<\$0	130	<10	<20		1		
FLUENT DATES	Once/quarter	Date	5/10/22	<10	<20	41	35.40	\$	<20	<15	<120	<50	<20	<10	<10	<\$0	110	<\$0	<\$0				
Z		Date	1/5/22	<10	<20	24	109	\$	<20	<15	<120	191	<20	01∨	<10	<50	06	<\$0	<50				
MAHC	(Total) (µg/l)	ı — l		N/A	10	376	83	1	77	2	108	789	869	322.7	13	72	N/A	N/A	N/A	N/A			
METALS,	METALS, M CYANIDE and (PHENOLS (Antimony	Cadmium	Copper	Lead	Mercury	Nickel	Selenium	Silver	Zinc	Chromium	Cyanide	Arsenic	Molybdenum	Phenols	Beryllium	Thallium	Flow, MGD	(3)		

- Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.
- MAHL Maximum Allowable Headworks Level / MAHC Maximum Allowable Headworks Concentration
- WQ "Water Quality Levels not to exceed" OR actual permit limit.

ATTACHMENT A
PRETREATMENT PROGRAM STATUS REPORT
UPDATED SIGNIFICANT INDUSTRIAL USERS LIST

						1	T		_						
	Permit Limits		ບ	υ	NC	NC	υ	υ	υ	υ	NC	NC	υ	NC	
NC, or SNC)		Self Monitoring	υ	υ	NC	υ	υ	υ	υ	υ	NC	ט	υ	NC	
Status (C, N	Reports	Semi Annual	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Compliance Sta	Reg	90-day Compliance	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
		BMR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	Times Sampled		247	232	247	247	240	247	206	235	247	233	24	234	
	Times Inspected		1	1	1	П	, ⊷1	H	1	₹~4	1	1	Н	F	
	New		Z	Z	N	z	ĸ	Z	Z	N	N	N	Z	z	
Control	Document	Last Action	9/1/20	9/1/20	9/1/20	9/1/50	9/1/20	9/1/20	9/1/50	9/1/20	9/1/20	9/1/20	9/1/20	9/1/20	
Con	Doca	Y/N	Y	X	×	Ħ	А	×	X	X	X	Y	¥	¥	
2 0 0	XXX	or N/A	N/A	N/A	N/A	N/A	40 CFR 433.17	N/A	N/A	N/A	N/A	40 CFR 429.95	N/A	N/A	
	NAICS Code		622110	622110	484220 811192	811192	333120	622110	812332	484121 811192	313230	321114	325620	484121 811192	
	Industrial User Name		Arkansas Swrgical Hosp.	Baptist Health Med. Ctr. North	Ben E. Keith	Blue Beacon	Caterpillar	Central Arkansas Veterans	Cintas	J B Hunt	Kimberly-Clark	Koppers	L'Oreal	Maverick	

Molex	334417	40 CFR 433.17	X	9/1/20	N	, - 1	246	N/A	N/A	N/A	υ	NC
Oakley	484220 811192	N/A	K	9/1/20	Z	1	247	N/A	N/A	N/A	υ	NC
SAFE FOODS	325180 325199	40 CFR 414 SUB- PART K	¥	9/1/20	Z	1	0	N/A	N/A	N/A	υ	υ
St. Vincent North	622110	N/A	×	9/1/20	N	гH	242	N/A	N/A	N/A	υ	υ
Truck-O-Mat	811192	N/A	×	9/1/20	z	1	247	N/A	N/A	N/A	υ	NC
Tyson	311615	N/A	¥	9/1/50	N	1	241	N/A	N/A	N/A	ט	ນ
Union Pacific Railroad	482111	N/A	X	9/1/20	z	H	176	N/A	N/A	N/A	NC	NC

ATTACHMENT B SIGNIFICANT VIOLATIONS - ENFORCEMENT ACTIONS TAKEN

-	Comments								
Current	Status								
ance	Date Due								
Compliance Schedule	Date Issued								
Penalties	Collected								
	Other								
Number of Action Taken	Criminal								
of Acti	Civil								
Number	A.0.								
	N.O.V.								
of ion	Limits								
Nature of Violation	Reports								
Industrial User	Name	No significant violators							

ATTACHMENT C

PRETREATMENT PERFORMANCE SUMMARY (PPS)

NOTE: ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY ADEQ.
THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED
PROGRAM WITHOUT DEPARTMENT AUTHORIZATION.

I. General Information

Control Authority Name North Little Rock Wastewater Utility
Address 7400 Baucum Pike, P.O. Box 17898
City North Little Rock State/Zip Arkansas / 72117-5240
Contact Person Mitch Foreman Position Pretreatment Supervisor
Contact Telephone _501-945-7186 NPDES Permit NosAR0020303;AR0020320;AR0038288;AR003362
Reporting PeriodJanuary 1, 2022
(Beginning Month and Year) (Ending Month and Year)
Total Number of Categorical IUs4
Total Number of Significant Noncategorical IUs15
Total Number of Non-Significant (yet permitted) IUs0
II. Significant Industrial User Compliance
SIGNIFICANT INDUSTRIAL USERS Categorical NonCategorical
1) No. of SIUs Submitting BMRs/Total No. Required
2) No. of SIUs Submitting 90-Day Compliance Reports/No. Required
3) No. of SIUs Submitting Semiannual Reports/ Total No. Required
4) No. of SIUs Meeting Compliance Schedule/ Total No. Required to Meet Schedule 0/0 0/0
5) No. of SIUs in Significant Noncompliance/ Total No. of SIUs
6) Rate of Significant Noncompliance for all SIUs (categorical and noncategorical)

III. Compliance Monitoring Program

		SIGNIFICANT I	NDUSTRIAL USERS NonCategorical
1)	No. of Control Documents Issued/Total No. Required	4/4	_15/15_
2)	No. of Nonsampling Inspections Conducted	4/4	15/15
3)	No. of Sampling Visits Conducted	4/719	15/3330
4)	No. of Facilities Inspected (nonsampling) .	4/4	15/15
5)	No. of Facilities Sampled	3/4	15/15
	IV. <u>Enforcement Acti</u>		INDUSTRIAL USERS NonCategorical
1)	No. of Compliance Schedules Issued/No. of Schedules Required	0/0	_0/0_
2)	No. of Notices of Violations Issued to SIUs	0	5
3)	No. of Administrative Orders Issued to SIUs	0	0
4)	No. of Civil Suits Filed	0	0
5)	No. of Criminal Suits Filed	0	0
6)	No. of Significant Violators (attach newspaper publication)	0	0
7)	Amount of Penalties (not surcharges) Collected (total dollars/IUs assessed)	\$701.24/2	\$10858.44/5
8)	Other Actions (sewer bans, etc.)	0	0

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.

Authorized Representative

Date 3/10/2023

Page 2 of Attachment C