#### Gage, Hannah

From: Yates, Adam

**Sent:** Thursday, July 13, 2017 3:10 PM

To: Caipen, Beth

Cc: Toland, Ed; Gage, Hannah; Johnson, Lindsay; McWilliams, Carrie; Healey, Richard; Taylor,

Bailey

Subject: RE: AR0020303\_North Little Rock Mar 2017 Pretreatment Program Annual Report\_

20170306

Attachments: Pretreatment 2016 Annual Report.pdf

#### Beth,

North Little Rock Wastewater Utility's March 2017 Pretreatment Program Annual Report was received, reviewed, and deemed complete and compliant with the reporting requirements of 40 CFR 403.12(i). If you have any questions or concerns, please feel free to contact me.

Kindly,

Adam Yates Engineer, NPDES Permits Section Office of Water Quality

From: Caipen, Beth [mailto:BCaipen@nlrwu.com]

Sent: Monday, March 06, 2017 8:58 AM

To: Yates, Adam

Subject: North Little Rock Waste Water 2016 Annual Pretreatment Report

Adam,

Per an e-mail from Allen Gilliam dated 12/12/16, annual pretreatment reports are to be sent to you. I have attached the North Little Rock Waste Water Utility 2016 Annual Pretreatment Report.

Beth Caipen Pretreatment Clerk North Little Rock Waste Water Utility



## NORTH LITTLE ROCK WASTE WATER UTILITY

March 6, 2017

Mr. Adam Yates Arkansas Department of Environmental Quality 5301 Northshore Dr. North Little Rock, AR 72118

Re: Pretreatment Program 2016 Annual Report: City of North Little Rock NPDES Permits: AR0020303 AFIN 60-00274, AR0020320 AFIN 60-04317, AR0038288 AFIN 60-04318, AR0033626 AFIN 60-00545

Dear Mr. Yates:

We are submitting the Pretreatment Program 2016 Annual Report for NPDES Permits AR0020303, AR0020320, AR0038288, AR0033626. The following items are attached:

- Pretreatment Performance Summary
- Updated Significant Industrial Users with Address List
- Significant Violators List
- Monitoring Results for the Annual Pretreatment Report for Faulkner Lake, Five Mile Creek, White Oak Bayou, and Maumelle treatment plants

If you should need any additional information, please feel free to contact me at 501-945-7186 or <a href="mailto:etoland@nlrwu.com">etoland@nlrwu.com</a>.

Sincerely,

Ed Toland, Pretreatment Supervisor

Eddoland

NORTH LITTLE ROCK WASTE WATER UTILITY

## ANNUAL REPORT - 2016 AS REQUIRED BY INDUSTRIAL PRETREATMENT PROGRAM

## INDUSTRIES UNDER PERMIT AT THIS TIME ARE:

#### NONCATEGORICAL

ARKANSAS SURGICAL HOSPITAL
BAPTIST HEALTH MEDICAL CENTER-NORTH
BLUE BEACON OF NLR
CENTRAL ARKANSAS HEALTHCARE SYSTEMS
CINTAS CORPORATION
J B HUNT TRANSPORTATION
KIMBERLY-CLARK CORPORATION
L'OREAL USA PRODUCTS INC.
MAVERICK TRANSPORTATION
OAKLEY
ST. VINCENT MEDICAL CENTER - NORTH
TRUCK-O-MAT OF NORTH LITTLE ROCK
TYSON FOODS INC.
UNION PACIFIC RAILROAD (PIKE AV.)

#### CATEGORICAL

CATERPILLAR (40CFR433) KOPPERS INDUSTRIES (40CFR429) MOLEX LLC. (40CFR433.17)

NUMBER INDUSTRIES IN COMPLIANCE	14
NUMBER INDUSTRIES IN NONCONPLIANCE	3
NUMBER INDUSTRIES IN SIGNIFICANT NONCOMPLIANCE	0
PENALTY CHARGES BILLED	\$625.08
SURCHARGE CHARGES BILLED	\$169.864.64
REGULAR SEWER CHARGES BILLED	\$1,407,031.22
MISCELLANEOUS CHARGES BILLED	\$83,900.87
TOTAL INDUSTRIAL CHARGES BILLED	\$1,661,422.21
NON-SAMPLING INSPECTIONS MADE	14
SAMPLING INSPECTIONS MADE	3,674
VIOLATION NOTICES SENT	4
NONCOMPLIANCE CALLS MADE	6
COMPLIANCE SCHEDULES ISSUED	0
CONSENT ADMINISTRATIVE ORDERS ISSUED	0
TOTAL INDUSTRIAL FLOW FOR THIS YEAR (GALS)	256,893,444

## Summary Sheet

## 2016 Industrial Pretreatment Billing

Charges	Regular	Surcharge	Penalty	Other	Total
Ar. Surgical Hosp.	28,170.24	9,164.31		1,943.76	39,278.31
Baptist Health	116,040.24	846.66		8,006.76	124,893.66
Blue Beacon	38,658.08	3,524.34	322.66	2,667.50	45,172.58
Catepillar	38,694.44			2,669.94	41,364.38
CAV Hosp.	305,386.96	25,928.42		21,071.70	352,387.08
Cintas	74,280.22	31,512.97		3,156.91	108,950.10
J B Hunt	11,577.96			798.89	12,376.85
Kimberly-Clark	120,558.42	67,058.07		5,123.73	192,740.22
Koppers	115,991.76			8,003.44	123,995.20
L'Oreal	33,090.96	15,432.01		2,283.26	50,806.23
Maverick	24,299.92		302.82	1,676.71	26,279.45
Molex	73,399.50			3,119.47	76,518.97
Oakley	16,078.52	888.63		1,109.42	18,076.57
St. Vincent Hosp.	88,059.20				88,059.20
Truck-O-Mat	15,670.48			1,081.26	16,751.74
Tyson	135,791.80	11,288.65		9,369.64	156,450.09
Union-Pac (Pike)	157,248.24			10,850.12	168,098.36
Union-Pac (400yd)	14,034.28	4,220.58		968.36	19,223.22
Total Charges	\$1,407,031.22	\$169,864.64	\$625.48	\$83,900.87	\$1,661,422.21

# ARKANSAS SURGICAL HOSPITAL (2016) PERMIT NUMBER - 2020080110 COMPLIANCE STATUS - C

### **NON-COMPLIANCE INCIDENTS:**

CHARGES A	SSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$2,350.55			\$162.19	\$2,512.74
FEB	\$2,386.91			\$164.70	\$2,551.61
MAR	\$2,370.75	\$352.92		\$163.58	\$2,887.25
APR	\$2,261.67	\$2,899.94		\$156.06	\$5,317.67
MAY	\$2,306.11	\$1,446.24		\$159.12	\$3,911.47
JUN	\$2,318.23			\$159.96	\$2,478.19
JUL	\$2,285.91			\$157.73	\$2,443.64
AUG	\$2,463.67			\$169.99	\$2,633.66
SEPT	\$2,281.87	\$812.37		\$157.45	\$3,251.69
OCT	\$2,237.43	\$2,067.64		\$154.38	\$4,459.45
NOV	\$2,326.31	\$651.09		\$160.52	\$3,137.92
DEC	\$2,580.83	\$934.11		\$178.08	\$3,693.02
TOTAL	\$28,170.24	\$9,164.31	\$0.00	\$1,943.76	\$39,278.31
	100 12° 10° 10° 10° 10° 10° 10° 10° 10° 10° 10	* OF SHIP OF S	, , , , ,	7.,0.00.0	, , , , , , , , , , , , , , , , , , , ,
INSPECTION	15.				
	· · ·		2 22		
SAMPLING:			249		
SAMPLING: NON-SAMPL		,	249 1		
SAMPLING:				250	
SAMPLING: NON-SAMPL		,		250	
SAMPLING: NON-SAMPL TOTAL		DAILY AVERAGE		250	
SAMPLING: NON-SAMPL TOTAL FLOWS:	ING			250	
SAMPLING: NON-SAMPL TOTAL FLOWS: MONTH	GALLONS 435,336	14,043		250	
SAMPLING: NON-SAMPL TOTAL FLOWS: MONTH JAN	ING <i>GALLONS</i>	14,043 15,244		250	
SAMPLING: NON-SAMPL TOTAL FLOWS: MONTH JAN FEB	GALLONS 435,336 442,068	14,043 15,244 14,164		250	
SAMPLING: NON-SAMPL TOTAL FLOWS: MONTH JAN FEB MAR	GALLONS 435,336 442,068 439,076	14,043 15,244 14,164 13,963		250	
SAMPLING: NON-SAMPL TOTAL FLOWS: MONTH JAN FEB MAR APR	GALLONS 435,336 442,068 439,076 418,880	14,043 15,244 14,164		250	
SAMPLING: NON-SAMPL TOTAL FLOWS: MONTH JAN FEB MAR APR MAY	GALLONS 435,336 442,068 439,076 418,880 427,108	14,043 15,244 14,164 13,963 13,778		250	
SAMPLING: NON-SAMPL TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN	GALLONS 435,336 442,068 439,076 418,880 427,108 429,352	14,043 15,244 14,164 13,963 13,778 14,312		250	
SAMPLING: NON-SAMPL TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT	GALLONS 435,336 442,068 439,076 418,880 427,108 429,352 423,638	14,043 15,244 14,164 13,963 13,778 14,312 13,666		250	
SAMPLING: NON-SAMPL TOTAL  FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT	GALLONS 435,336 442,068 439,076 418,880 427,108 429,352 423,638 456,280	14,043 15,244 14,164 13,963 13,778 14,312 13,666 14,719		250	
SAMPLING: NON-SAMPL TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT	GALLONS 435,336 442,068 439,076 418,880 427,108 429,352 423,638 456,280 422,620	14,043 15,244 14,164 13,963 13,778 14,312 13,666 14,719 14,087		250	

5,217,570

**COMMENTS:** 

TOTAL

# PERMIT NUMBER - 2020080111 COMPLIANCE STATUS - C

### **NON-COMPLIANCE INCIDENTS:**

CHARGES A	SSESSED:				
MONTH	REGULAR	SURCHARGE	<b>PENALTY</b>	OTHER	TOTAL
JAN	\$7,509.63			\$518.16	\$8,027.79
FEB	\$6,503.67			\$448.75	\$6,952.42
MAR	\$6,447.11			\$444.85	\$6,891.96
APR	\$6,358.23			\$438.72	\$6,796.95
MAY	\$6,980.39			\$481.65	\$7,462.04
JUN	\$7,024.83	221 12		\$484.71	\$7,509.54
JUL	\$10,741.63	\$91.42		\$741.17	\$11,574.22
AUG	\$12,321.27			\$850.17	\$13,171.44
SEPT	\$12,022.31			\$829.54	\$12,851.85
OCT	\$14,906.87	\$755.24		\$1,028.57	\$16,690.68
NOV	\$12,503.07			\$862.71	\$13,365.78
DEC	\$12,721.23			\$877.76	\$13,598.99
TOTAL	\$116,040.24	\$846.66	\$0.00	\$8,006.76	\$124,893.66
INSPECTION	ıs.				
SAMPLING:	•		249		
NON-SAMPLI	ING		1		
TOTAL			·	250	
				250	
FLOWS:					
MONTH	GALLONS D	AILY AVERAGE			
JAN	1,389,890	44,835			
FEB	1,204,020	41,518			
MAR	1,193,530	38,501			
APR	1,177,230	39,241			
MAY	1,292,020	41,678			
JUN	1,300,740	43,358			
JUL	1,988,280	64,138			
AUG	2,280,960	73,579			
SEPT	2,225,710	74,190			
OCT	2,759,780	89,025			
NOV	2,315,010	77,167			
DEC	2,355,340	75,979			
TOTAL			21,482,510		

### **COMMENTS:**

## **BLUE BEACON OF NLR (2016)**

PERMIT NUMBER - 2020080113 **COMPLIANCE STATUS - NC** 

### **NON-COMPLIANCE INCIDENTS:**

March

pH below limits

March

TSS over limits (2)

April

TSS over limits self-monitoring

#### CHARGES ASSESSED:

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$3,594.87	\$695.76		\$248.05	\$4,538.68
FEB	\$4,015.03	\$250.03		\$277.04	\$4,542.10
MAR	\$2,895.95	\$973.11	\$238.63	\$199.82	\$4,307.51
APR	\$3,025.23	\$1,016.54	\$84.03	\$208.74	\$4,334.54
MAY	\$2,984.83			\$205.95	\$3,190.78
JUN	\$3,255.51	\$119.60		\$224.63	\$3,599.74
JUL	\$2,952.51			\$203.72	\$3,156.23
AUG	\$2,661.63			\$183.65	\$2,845.28
SEPT	\$3,283.79	\$19.13		\$226.68	\$3,529.60
OCT	\$4,023.11			\$277.59	\$4,300.70
NOV	\$2,605.07			\$179.75	\$2,784.82
DEC	\$3,360.55	\$450.17		\$231.88	\$4,042.60
					NO 100
TOTAL	\$38,658.08	\$3,524.34	\$322.66	\$2,667.50	\$45,172.58

#### **INSPECTIONS:**

SAMPLING:

NON-SAMPLING

TOTAL

240 1

241

### FLOWS:

MONTH	GALLONS	DAILY AVERAGE	
JAN	665,720	21,475	
FEB	743,512	25,638	
MAR	536,316	17,301	
APR	560,252	18,675	
MAY	552,772	17,831	
JUN	602,888	20,096	
JUL	546,788	17,638	
AUG	492,932	15,901	
SEPT	608,124	20,271	
OCT	745,008	24,033	
NOV	482,460	16,082	
DEC	622,336	20,075	
TOTAL			7,159,108

**COMMENTS:** 

# CATERPILLAR INC (2016) PERMIT NUMBER - 2020080114 COMPLIANCE STATUS - C

### **NON-COMPLIANCE INCIDENTS:**

MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	\$ ASSESSED: REGUALR \$1,639.51 \$2,120.27 \$2,540.43 \$2,815.15 \$3,360.55 \$4,996.75 \$5,465.39 \$5,445.19 \$3,922.11 \$3,287.83 \$1,914.23 \$1,187.03	SURCHARGE	PENALTY	\$113.13 \$146.30 \$175.29 \$194.25 \$231.88 \$344.78 \$377.11 \$375.72 \$270.63 \$226.86 \$132.08 \$81.91	\$1,752.64 \$2,266.57 \$2,715.72 \$3,009.40 \$3,592.43 \$5,341.53 \$5,842.50 \$5,820.91 \$4,192.74 \$3,514.69 \$2,046.31 \$1,268.94
TOTAL		\$0.00	\$0.00	\$2,669.94	\$41,364.38
INSPECT SAMPLIN	G:		195		
NON-SAN TOTAL	IPLING		1	196	
				196	
FLOWS: MONTH	GALLONS D	DAILY AVERAGE			
JAN	303,265	9,783			
FEB	392,550	13,536			
MAR	470,118	15,165			
APR	520,907	17,364			
MAY	662,336	21,366			
JUN	925,276	30,843			
JULY	1,011,820	32,639			
AUG SEPT	1,008,154 726,233	32,521 24,208			
OCT	608,797	19,639			
NOV	354,552	11,818			
DEC	219,239	7,072			

7,203,247

### **COMMENTS:**

TOTAL

# C A V MEDICAL CENTER (2016) PERMIT NUMBER - 2020080115 COMPLIANCE STATUS - C

## NONCOMPLIANCE INCIDENTS:

CHARGES A	ASSESSED:				
MONTH	REGUALR	SURCHARGE	<b>PENALTY</b>	OTHER	TOTAL
JAN	\$27,002.63			\$1,863.18	\$28,865.81
FEB	\$21,471.87			\$1,481.56	\$22,953.43
MAR	\$33,272.71			\$2,295.82	\$35,568.53
APR	\$18,979.19			\$1,309.56	\$20,288.75
MAY	\$22,558.63			\$1,556.55	\$24,115.18
JUN	\$30,497.23			\$2,104.31	\$32,601.54
JUL	\$31,608.23			\$2,180.97	\$33,789.20
AUG	\$27,992.43			\$1,931.47	\$29,923.90
SEPT	\$31,668.83			\$2,185.15	\$33,853.98
OCT	\$22,906.07			\$1,580.52	\$24,486.59
NOV	\$17,621.75			\$1,215.90	\$18,837.65
DEC	\$19,807.39	\$25,928.42		\$1,366.71	\$47,102.52
TOTAL	\$305,386.96	\$25,928.42	\$0.00	\$21,071.70	\$352,387.08
INSPECTION	NS:				
SAMPLING:			249		
NON-SAMPL	LING		1		
TOTAL		,		250	

10000	R 9233	90000	
		IA	15.
		WM	

I LOWS.		
MONTH	<b>GALLONS</b>	DAILY AVERAGE
JAN	4,998,950	161,256
FEB	3,975,260	137,078
MAR	6,160,330	198,720
APR	3,435,240	114,508
MAY	3,222,760	103,960
JUN	4,205,180	140,173
JUL	5,852,210	188,781
AUG	4,937,310	159,268
SEPT	4,946,700	164,890
OCT	4,240,560	136,792
NOV	3,262,370	108,746
DEC	3,666,850	118,285

TOTAL

52,903,720

**COMMENTS:** 

# CINTAS (2016) PERMIT NUMBER - 2020080116 COMPLIANCE STATUS - C

## **NONCOMPLIANCE INCIDENTS:**

CHA	RGES	ACC	FCC	ED.
UIIM	ILOLO	700	ムシン	LU.

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN					\$0.00
FEB					\$0.00
MAR	\$8,446.91			\$358.99	\$8,805.90
APR	\$7,618.71	\$1,761.18		\$323.80	\$9,703.69
MAY	\$7,323.79	\$1,878.54		\$311.26	\$9,513.59
JUN	\$6,834.95	\$606.03		\$290.49	\$7,731.47
JUL	\$6,531.95	\$496.43		\$277.61	\$7,305.99
AUG	\$7,780.31	\$49.27		\$330.66	\$8,160.24
SEPT	\$7,602.55	\$1,733.37		\$323.11	\$9,659.03
OCT	\$6,952.11	\$4,263.83		\$295.46	\$11,511.40
NOV	\$7,796.47	\$11,565.21		\$331.35	\$19,693.03
DEC	\$7,392.47	\$9,159.11		\$314.18	\$16,865.76
TOTAL	<b>\$74.000.00</b>				

TOTAL \$74,280.22 \$31,512.97 \$0.00 \$3,156.91 \$108,950.10

**INSPECTIONS:** 

SAMPLING: NON-SAMPLING TOTAL

151 0

151

FLOWS:

MONTH	<b>GALLONS</b>	DAILY AVERAGE
JAN		0
FEB		0
MAR	1,563,600	50,439
APR	1,410,500	47,017
MAY	1,355,500	43,726
JUN	1,265,300	42,177
JUL	1,208,900	38,997
AUG	1,440,400	46,465
SEPT	1,407,400	46,913
OCT	1,286,700	41,506
NOV	1,443,500	48,117
DEC	1,368,800	44,155

TOTAL

13,750,600

COMMENTS:

# J B HUNT TRANSPORTATION (2016) PERMIT NUMBER - 2020080117 COMPLIANCE STATUS - C

### **NON-COMPLIANCE INCIDENTS:**

CHARGE MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	\$ ASSESSED: REGULAR \$572.95 \$795.15 \$956.75 \$985.03 \$1,053.71 \$1,114.31 \$1,433.47 \$1,045.63 \$993.11 \$1,045.63 \$896.15 \$686.07	SURCHARGE	PENALTY	\$39.53 \$54.87 \$66.02 \$67.97 \$72.71 \$76.89 \$98.91 \$72.15 \$68.52 \$72.15 \$61.83 \$47.34	TOTAL \$612.48 \$850.02 \$1,022.77 \$1,053.00 \$1,126.42 \$1,191.20 \$1,532.38 \$1,117.78 \$1,061.63 \$1,117.78 \$957.98 \$733.41
TOTAL	\$11,577.96	\$0.00	\$0.00	\$798.89	\$12,376.85
INSPECTI SAMPLING NON-SAM TOTAL	G:		237	238	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	GALLONS 106,216 147,356 177,276 182,512 195,228 206,448 265,540 193,732 184,008 193,732 166,056 127,160	3,426 5,081 5,719 6,084 6,298 6,882 8,566 6,249 6,134 6,249 5,535 4,102			

2,145,264

### **COMMENTS:**

TOTAL

# KIMBERLY CLARK (2016) PERMIT NUMBER - 2020080118 COMPLIANCE STATUS - C

### **NON-COMPLIANCE INCIDENTS:**

CHARGE	S ASSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN					\$0.00
FEB					\$0.00
MAR	\$13,266.63			\$563.83	\$13,830.46
APR	\$11,028.47	\$12,432.29		\$468.71	\$23,929.47
MAY	\$15,205.83	\$7,366.81		\$646.25	\$23,218.89
JUN	\$11,299.15	\$1,610.07		\$480.21	\$13,389.43
JUL	\$9,622.55	\$3,443.17		\$408.96	\$13,474.68
AUG	\$5,954.23	\$7,768.43		\$253.05	\$13,975.71
SEPT	\$5,861.31	\$4,825.91		\$249.11	\$10,936.33
OCT	\$22,388.95	\$13,611.51		\$951.53	\$36,951.99
NOV	\$18,506.51	\$11,485.63		\$786.53	\$30,778.67
DEC	\$7,424.79	\$4,514.25		\$315.55	\$12,254.59
					20
TOTAL	\$120,558.42	\$67,058.07	\$0.00	\$5,123.73	\$192,740.22
INSPECT	IONS:				
SAMPLIN	G:		208		
NON-SAM	IDI INIO				
14014 07 114	IPLING		0		
TOTAL	(PLING	,	0	208	
TOTAL	1PLING	,	0	208	
TOTAL  FLOWS:		,	0	208	
TOTAL  FLOWS: MONTH	GALLONS	DAILY AVERAGE	0	208	
TOTAL  FLOWS: MONTH JAN		0	0	208	
FLOWS: MONTH JAN FEB	GALLONS	0	0	208	
FLOWS: MONTH JAN FEB MAR	<b>GALLONS</b> 2,456,418	0 0 79,239	0	208	
FLOWS: MONTH JAN FEB MAR APR	<b>GALLONS</b> 2,456,418 2,041,849	0 0 79,239 68,062	0	208	
FLOWS: MONTH JAN FEB MAR APR MAY	<b>GALLONS</b> 2,456,418 2,041,849 2,815,501	0 0 79,239 68,062 90,823	0	208	
FLOWS: MONTH JAN FEB MAR APR MAY JUN	2,456,418 2,041,849 2,815,501 2,092,155	0 79,239 68,062 90,823 69,739	0	208	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUN	2,456,418 2,041,849 2,815,501 2,092,155 1,781,772	0 79,239 68,062 90,823 69,739 57,477	0	208	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG	2,456,418 2,041,849 2,815,501 2,092,155 1,781,772 1,102,223	0 79,239 68,062 90,823 69,739 57,477 35,556	0	208	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT	2,456,418 2,041,849 2,815,501 2,092,155 1,781,772 1,102,223 1,085,144	0 79,239 68,062 90,823 69,739 57,477 35,556 36,171	0	208	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT	2,456,418 2,041,849 2,815,501 2,092,155 1,781,772 1,102,223 1,085,144 4,145,416	0 79,239 68,062 90,823 69,739 57,477 35,556 36,171 133,723	0	208	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT	2,456,418 2,041,849 2,815,501 2,092,155 1,781,772 1,102,223 1,085,144	0 79,239 68,062 90,823 69,739 57,477 35,556 36,171	0	208	

22,321,264

**COMMENTS:** 

TOTAL

# KOPPERS INDUSTRIES (2016) PERMIT NUMBER - 2020080119 COMPLIANCE STATUS - C

### **NON-COMPLIANCE INCIDENTS:**

CHARGES	ASSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$9,832.63		,,	\$678.45	\$10,511.08
FEB	\$8,814.55			\$608.20	\$9,422.75
MAR	\$11,763.75			\$811.70	\$12,575.45
APR	\$9,784.15			\$675.11	\$10,459.26
MAY	\$11,254.71			\$776.57	\$12,031.28
JUN	\$9,557.91			\$659.50	\$10,217.41
JUL	\$9,982.11			\$688.77	\$10,670.88
AUG	\$9,671.03			\$667.30	\$10,338.33
SEPT	\$9,582.15			\$661.17	\$10,243.32
OCT	\$8,810.51			\$607.93	\$9,418.44
NOV	\$9,218.55			\$636.08	\$9,854.63
DEC	\$7,719.71			\$532.66	\$8,252.37
TOTAL	\$115,991.76	\$0.00	\$0.00	\$8,003.44	\$123,995.20
INSPECTIO	NS:				
SAMPLING:			247		
SAMPLING: NON-SAMP			247 1		
				248	
NON-SAMP		,		248	
NON-SAMP TOTAL FLOWS:	LING			248	
NON-SAMP TOTAL FLOWS: MONTH	LING GALLONS	DAILY AVERAGE		248	
NON-SAMP TOTAL FLOWS: MONTH JAN	GALLONS 1,820,180	58,715		248	
NON-SAMP TOTAL FLOWS: MONTH JAN FEB	GALLONS 1,820,180 1,631,466	58,715 56,257		248	
NON-SAMP TOTAL FLOWS: MONTH JAN FEB MAR	GALLONS 1,820,180 1,631,466 2,177,829	58,715 56,257 70,253		248	
NON-SAMP TOTAL FLOWS: MONTH JAN FEB MAR APR	GALLONS  1,820,180 1,631,466 2,177,829 1,811,561	58,715 56,257 70,253 60,385		248	
NON-SAMP TOTAL FLOWS: MONTH JAN FEB MAR APR MAY	GALLONS  1,820,180 1,631,466 2,177,829 1,811,561 2,083,897	58,715 56,257 70,253 60,385 67,222		248	
NON-SAMP TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN	GALLONS  1,820,180 1,631,466 2,177,829 1,811,561 2,083,897 1,769,108	58,715 56,257 70,253 60,385 67,222 58,970		248	
NON-SAMP TOTAL  FLOWS: MONTH  JAN FEB  MAR APR MAY JUN JUL	GALLONS  1,820,180 1,631,466 2,177,829 1,811,561 2,083,897 1,769,108 1,848,001	58,715 56,257 70,253 60,385 67,222 58,970 59,613		248	
NON-SAMP TOTAL  FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG	GALLONS  1,820,180 1,631,466 2,177,829 1,811,561 2,083,897 1,769,108 1,848,001 1,790,343	58,715 56,257 70,253 60,385 67,222 58,970 59,613 57,753		248	
NON-SAMP TOTAL  FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT	GALLONS  1,820,180 1,631,466 2,177,829 1,811,561 2,083,897 1,769,108 1,848,001 1,790,343 1,773,697	58,715 56,257 70,253 60,385 67,222 58,970 59,613 57,753 59,123		248	
NON-SAMP TOTAL  FLOWS: MONTH  JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT	GALLONS  1,820,180 1,631,466 2,177,829 1,811,561 2,083,897 1,769,108 1,848,001 1,790,343 1,773,697 1,630,960	58,715 56,257 70,253 60,385 67,222 58,970 59,613 57,753 59,123 52,612		248	
NON-SAMP TOTAL  FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT	GALLONS  1,820,180 1,631,466 2,177,829 1,811,561 2,083,897 1,769,108 1,848,001 1,790,343 1,773,697	58,715 56,257 70,253 60,385 67,222 58,970 59,613 57,753 59,123		248	

21,472,793

### **COMMENTS:**

TOTAL

## *L'OREAL (2016)*PERMIT NUMBER - 2020080120 **COMPLIANCE STATUS - NC**

## **NON-COMPLIANCE INCIDENTS**

n n	-	rc.	Ь
IVI	а	11:	11

**BOD** over limits

\$33,090.96

CHARGES ASSES	SFD.
---------------	------

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$7,061.19	\$732.55		\$487.22	\$8,280.96
FEB	\$2,459.63	\$1,967.73		\$169.71	\$4,597.07
MAR	\$2,782.83	\$629.44		\$192.02	\$3,604.29
APR	\$2,653.55	\$1,903.55		\$183.09	\$4,740.19
MAY	\$2,633.35	\$2,359.48		\$181.70	\$5,174.53
JUN	\$2,439.43	\$1,429.39		\$168.32	\$4,037.14
JUL	\$2,201.07	\$268.36		\$151.87	\$2,621.30
AUG	\$2,403.07	\$281.51		\$165.81	\$2,850.39
SEPT	\$2,132.39	\$1,037.00		\$147.13	\$3,316.52
OCT	\$2,370.75	\$1,877.70		\$163.58	\$4,412.03
NOV	\$2,091.99	\$1,306.81		\$144.35	\$3,543.15
DEC	\$1,861.71	\$1,638.49		\$128.46	\$3,628.66
			- Managara and American State of the Company of the		

\$15,432.01

INSPECTIONS:

SAMPLING:

**NON-SAMPLING** 

**TOTAL** 

TOTAL

51

\$0.00

52

\$50,806.23

\$2,283.26

### FLOWS:

MONTH	<b>GALLONS</b>	DAILY AVERAGE
JAN	1,306,837	42,156
FEB	455,139	15,694
MAR	515,244	16,621
APR	491,001	16,367
MAY	487,474	15,725
JUN	451,219	15,041
JUL	407,195	13,135
AUG	444,532	14,340
SEPT	394,574	13,152
OCT	438,850	14,156
NOV	386,872	12,896
DEC	344,152	11,102

TOTAL

6,123,089

### **COMMENTS:**

### **MAVERICK TRUCKING (2016)**

PERMIT NUMBER - 2020080121 **COMPLIANCE STATUS - NC** 

NON-COMPL	<b>IANCE</b>	<b>INCIDENT</b>	S:
-----------	--------------	-----------------	----

Fe	bru	ary
		,

March April

pH below limits pH below limits pH below limits (3)

CHARGES	ASSESSED.

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$1,687.99			\$116.47	\$1.804.46
FEB	\$1,898.07		\$55.86	\$130.97	\$2,084.90
MAR	\$2,289.95		\$73.50	\$158.01	\$2,521.46
APR	\$2,124.31		\$173.46	\$146.58	\$2,444.35
MAY	\$2,281.87			\$157.45	\$2,439.32
JUN	\$2,811.11			\$193.97	\$3,005.08
JUL	\$2,843.43			\$196.20	\$3,039.63
AUG	\$2,100.07			\$144.90	\$2,244.97
SEPT	\$2,023.31			\$139.61	\$2,162.92
OCT	\$2,007.15			\$138.49	\$2,145.64
NOV	\$1,437.51			\$99.19	\$1,536.70
DEC	\$795.15			\$54.87	\$850.02

TOTAL \$24,299.92 \$0.00 \$302.82 \$1,676.71 \$26,279.45

INSPECTIONS:

SAMPLING:

NON-SAMPLING

249

TOTAL

250

FLOWS:

LOVO.		
MONTH	<b>GALLONS</b>	DAILY AVERAGE
JAN	312,215	10,071
FEB	351,074	12,106
MAR	423,660	13,666
APR	393,426	13,114
MAY	421,917	13,610
JUN	520,593	17,353
JUL	526,383	16,980
AUG	388,528	12,533
SEPT	374,045	12,468
OCT	371,210	11,975
NOV	266,303	8,877
DEC	146,840	4,737

TOTAL

4,496,194

**COMMENTS:** 

# MOLEX (2016) PERMIT NUMBER - 2020080122 COMPLIANCE STATUS - C

#### **NON-COMPLIANCE INCIDENTS:**

CHARGES	ASSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN					\$0.00
FEB					\$0.00
MAR	\$6,895.55			\$293.06	\$7,188.61
APR	\$6,919.79			\$294.09	\$7,213.88
MAY	\$7,323.79			\$311.26	\$7,635.05
JUN	\$7,045.03			\$299.41	\$7,344.44
JUL	\$8,353.99			\$355.04	\$8,709.03
AUG	\$7,457.11			\$316.93	\$7,774.04
SEPT	\$7,352.07			\$312.46	\$7,664.53
OCT	\$7,893.43			\$335.47	\$8,228.90
NOV	\$7,174.31			\$304.91	\$7,479.22
DEC	\$6,984.43			\$296.84	\$7,281.27
		THE PERSON NAMED IN		100000000000000000000000000000000000000	The section of the se
TOTAL	\$73,399.50	\$0.00	\$0.00	\$3,119.47	\$76,518.97
MODEOTIO	NO				
INSPECTIO					
SAMPLING:			209		
NON-SAMP	LING	9	0		
TOTAL				209	
FLOWS:					
MONTH	GALLONS	DAILY AVERAGE			
JAN	GALLONS				
FEB		0			
MAR	1,276,600				
APR	1,280,900				
MAY	1,355,600	43,729			
JUN	1,304,362	43,479			
JUL	1,546,747	49,895			
AUG	1,380,800	44,542			
SEPT	1,360,800	45,360			
OCT	1,461,200	47,135			
NOV	1,328,400				
DEC	1,293,200	44,280 41,716			
DEC	1,283,200	41,710			
TOTAL			12 500 600		
IOIAL			13,588,609		

COMMENTS:

## OAKLEY (2016) PERMIT NUMBER - 2020080123 COMPLIANCE STATUS - C

#### **NON-COMPLIANCE INCIDENTS:**

MONTH	ASSESSED: REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$1,178.95	\$18.68		\$81.35	\$1,278.98
FEB	\$1,364.79	\$557.76		\$94.17	\$2,016.72
MAR	\$1,506.19	\$138.37		\$103.93	\$1,748.49
APR	\$1,397.11	\$48.69		\$96.40	\$1,542.20
MAY	\$1,336.51			\$92.22	\$1,428.73
JUN	\$1,417.31	\$125.13		\$97.79	\$1,640.23
JUL	\$1,275.91			\$88.04	\$1,363.95
AUG	\$1,526.39			\$105.32	\$1,631.71
SEPT	\$1,409.23			\$97.24	\$1,506.47
OCT	\$1,275.91			\$88.04	\$1,363.95
NOV	\$1,158.75			\$79.95	\$1,238.70
DEC	\$1,231.47			\$84.97	\$1,316.44
	Name of the second			A STATE OF THE STA	
TOTAL	\$16,078.52	\$888.63	\$0.00	\$1,109.42	\$18,076.57
INSPECTIO	NS:				
SAMPLING:			243		
NON-SAMP	LING		1		
TOTAL		31		244	
FLOWS:					
MONTH	GALLONS E	DAILY AVERAGE			
JAN	218,416	7,046			
FEB	252,824	8,718			
MAR	279,004	9,000			
APR	258,808	8,627			
MAY	247,588	7,987			
JUN	262,548	8,752			
JUL	236,368	7,625			
AUG	282,744	9,121			
SEPT	261,052	8,702			
OCT	236,368	7,625			
NOV	214,676	7,156			
DEC	228,140	7,150			
	220,170	,,000			
TOTAL			2,978,536		

COMMENTS:

## ST. VINCENT NORTH (2016) PERMIT NUMBER - 2020080124

COMPLIANCE STATUS - C

### **NON-COMPLIANCE INCIDENTS:**

CHARGES A MONTH  JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	ASSESSED: REGULAR \$5,752.23 \$5,396.71 \$5,582.55 \$5,990.59 \$6,394.59 \$8,285.31 \$9,077.15 \$8,976.15 \$8,438.83 \$8,362.07 \$7,885.35 \$7,917.67	SURCHARGE	PENALTY	OTHER	**TOTAL** \$5,752.23 \$5,396.71 \$5,582.55 \$5,990.59 \$6,394.59 \$8,285.31 \$9,077.15 \$8,976.15 \$8,438.83 \$8,362.07 \$7,885.35 \$7,917.67
TOTAL	\$88,059.20	\$0.00	\$0.00	\$0.00	\$88,059.20
INSPECTION SAMPLING: NON-SAMPI TOTAL			249 1	250	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	GALLONS 1,065,152 999,328 1,033,736 1,109,284 1,184,084 1,534,148 1,680,756 1,662,056 1,562,572 1,548,360 1,460,096 1,466,080	34,360 34,460 33,346 36,976 38,196 51,138 54,218 53,615 52,086 49,947 48,670 47,293	16,305,652		

COMMENTS:

# TRUCK-O-MAT (2016) PERMIT NUMBER - 2020080125 COMPLIANCE STATUS - C

## **NON-COMPLIANCE INCIDENTS:**

CHARGES MONTH  JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	\$ ASSESSED REGUALR \$1,348.63 \$1,671.83 \$1,255.71 \$1,195.11 \$1,195.11 \$1,477.91 \$1,041.59 \$1,057.75 \$1,530.43 \$1,441.55 \$1,227.43	: SURCHARGE	PENALTY	\$93.06 \$115.36 \$86.64 \$82.46 \$101.98 \$71.87 \$72.98 \$105.60 \$99.47 \$84.69 \$84.69	**TOTAL** \$1,441.69 \$1,787.19 \$1,342.35 \$1,277.57 \$1,277.57 \$1,579.89 \$1,113.46 \$1,130.73 \$1,636.03 \$1,541.02 \$1,312.12 \$1,312.12
TOTAL	\$15,670.48	\$0.00	\$0.00	\$1,081.26	\$16,751.74
INSPECTI SAMPLING NON-SAM TOTAL	<b>3</b> :		248	249	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	GALLONS 249,800 309,500 232,000 221,100 221,300 273,500 192,400 196,000 282,900 266,800 227,400 227,000	DAILY AVERAGE 8,058 10,672 7,484 7,370 7,139 9,117 6,206 6,323 9,430 8,606 7,580 7,323			
TOTAL			2,899,700		

### COMMENTS:

## TYSON FOODS (2016) PERMIT NUMBER - 2020080126 **COMPLIANCE STATUS - C**

### **NON-COMPLIANCE INCIDENTS:**

CHARGES	S ASSESSED:				
	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$10,790.11			\$744.52	\$11,534.63
FEB	\$9,170.07			\$632.73	\$9,802.80
MAR	\$11,618.31			\$801.66	\$12,419.97
APR	\$9,533.67	\$29.89		\$657.82	\$10,221.38
MAY	\$10,167.95			\$701.59	\$10,869.54
JUN	\$11,929.39			\$823.13	\$12,752.52
JUL	\$12,931.31	\$3,398.62		\$892.26	\$17,222.19
AUG	\$13,165.63			\$908.43	\$14,074.06
SEPT	\$12,393.99			\$855.19	\$13,249.18
OCT	\$12,426.31	\$6,217.01		\$857.42	\$19,500.74
NOV	\$11,287.03			\$778.81	\$12,065.84
DEC	\$10,378.03	\$1,643.13		\$716.08	\$12,737.24
TOTAL	\$135,791.80	\$11,288.65	\$0.00	\$9,369.64	\$156,450.09
INSPECTION	ONS:				
SAMPLING	<b>)</b> :		192		
NON-SAMI	PLING	_	1		
TOTAL				193	
EL OWS.					

FI	0	M	10.

FLUVVS.			
<b>MONTH</b>	<b>GALLONS</b>	DAILY AVERAGE	
JAN	1,997,935	64,450	
FEB	1,697,601	58,538	
MAR	2,151,067	69,389	
APR	1,764,842	58,828	
MAY	1,882,698	60,732	
JUN	2,208,585	73,620	
JUL	2,394,106	77,229	
AUG	2,437,129	78,617	
SEPT	2,294,505	76,484	
OCT	2,300,695	74,216	
NOV	2,089,343	69,645	
DEC	1,921,597	61,987	
TOTAL			25,140,103

**COMMENTS:** 

# UNION PACIFIC RAILROAD - PIKE AVENUE (2016) PERMIT NUMBER - 2020080127

**COMPLIANCE STATUS - C** 

### **NON-COMPLIANCE INCIDENTS:**

CHARGES MONTH	ASSESSED: REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$15,310.87			\$1,056.45	\$16,367.32
FEB	\$10,846.67			\$748.42	\$11,595.09
MAR	\$21,031.51			\$1,451.17	\$22,482.68
APR	\$17,993.43			\$1,241.55	\$19,234.98
MAY	\$14,692.75			\$1,013.80	\$15,706.55
JUN	\$9,376.11			\$646.95	\$10,023.06
JUL	\$16,555.19			\$1,142.31	\$17,697.50
AUG	\$17,153.11			\$1,183.56	\$18,336.67
SEPT	\$7,279.35			\$502.28	\$7,781.63
OCT	\$8,398.43			\$579.49	\$8,977.92
NOV	\$6,859.19			\$473.28	\$7,332.47
DEC	\$11,751.63			\$810.86	\$12,562.49
TOTAL	\$157,248.24	\$0.00	\$0.00	\$10,850.12	\$168,098.36
INSPECTION SAMPLING NON-SAMP	i:		196 1	197	
FLOWS: MONTH	GALLONS	DAILY AVERAGE			
JAN	2,834,450	91,434			
FEB	2,008,380	69,254			
MAR	3,893,430	125,595			
APR	3,331,510	111,050			
MAY	2,720,070	87,744			
JUN	1,735,460	57,849			
JUL	3,064,940	98,869			
AUG	3,175,650	102,440			
SEPT	1,347,860	44,929			
OCT	1,554,980	50,161			
NOV	1,269,710	42,324			
DEC	2,175,710	70,184			
TOTAL			29,112,150		

COMMENTS:

## UNION PACIFIC RAILROAD - 400 YARD (2016)

## **NONCOMPLIANCE INCIDENTS:**

CHARGES	22A	ECCED.
CHAILOL		LOULU.

MONTH	REGUALR	SURCHARGE	<b>PENALTY</b>	OTHER	TOTAL
JAN	\$1,881.91	\$220.56		\$129.85	\$2,232.32
FEB	\$1,643.55	\$614.35		\$113.40	\$2,371.30
MAR	\$1,191.07	\$294.34		\$82.18	\$1,567.59
APR	\$928.47	\$55.90		\$64.06	\$1,048.43
MAY	\$1,053.71	\$1,308.94		\$72.71	\$2,435.36
JUN	\$944.63	\$23.95		\$65.18	\$1,033.76
JUL	\$920.39	\$233.33		\$63.51	\$1,217.23
AUG	\$1,041.59			\$71.87	\$1,113.46
SEPT	\$920.39	\$247.91		\$63.51	\$1,231.81
OCT	\$1,005.23	\$127.41		\$69.36	\$1,202.00
NOV	\$1,057.75	\$901.55		\$72.98	\$2,032.28
DEC	\$1,445.59	\$192.34		\$99.75	\$1,737.68
TOTAL	\$14,034.28	\$4,220.58	\$0.00	\$968.36	\$19,223.22

**INSPECTIONS:** 

SAMPLING:

**NON-SAMPLING** TOTAL

12 0

12

FLOWS.

PLOWS:		
MONTH	GALLONS	DAILY AVERAGE
JAN	348,119	11,230
FEB	304,286	10,493
MAR	220,361	7,108
APR	171,965	5,732
MAY	195,153	6,295
JUN	174,508	5,817
JUL	169,946	5,482
AUG	192,311	6,204
SEPT	169,946	5,665
OCT	185,728	5,991
NOV	195,901	6,530
DEC	267,111	8,616

TOTAL

2,595,335

**COMMENTS:** 

## North Little Rock Waste Water Utility (Permitted Significant Industrial User) Contact/Address List (Revised: 1/31/17)

## Arkansas Surgical Hospital

5201 Northshore Dr.

N.L.R, AR. 72118

Permit # 2020080110 Eff. 9-01-2016

SIC # 8062

Exp. 8-31-2020

NAICS # 622110

Carrie Helm, CEO (501)748-8017

e-mail: chelm@arksurgicalhospital.com

Rick Hill, Facilities Manager (501)748-8093 cell: (501)412-9976

e-mail: rhill@arksurgicalhospital.com

## Baptist Health Medical Center

3333 Springhill Dr.

N.L.R., AR. 72117

Permit #2020080111 Eff. 9-01-2016

SIC # 8062

Exp.8-31-2020

NAICS # 622110

Goley Lumley, Facilities Manager (501)202-3010 cell: (501)730-5155

e-mail: Goley.Lumley@baptist-health.org

Christina Sims, Office Manager (501)202-3011

e-mail: Christina.Sims@baptist-health.org

Jackie Maxwell, Maintenance (501)202-3009

e-mail: Jackie.Maxwell@baptist-health.org

## Blue Beacon of Little Rock

3210 Hwy. 391

N.L.R., AR 72117

Permit #2020080113 Eff. 9-01-2016

SIC #7542 NAICS # 811192 Exp. 8-31-2020

Parker Brown, General Manager (501)945-7023

Blue Beacon (Billing)-(Environmental Compliance)

P.O. Box 856

Salina, KS. 67402-0856

Tina Dorf, Director Environmental Compliance (785)825-2221

e-mail: <u>TinaD@bluebeacon.com</u>

Caterpillar Inc.

9201 Faulkner Lake Rd.

N.L.R, AR 72117

Categorical Industry (CFR433- Metal Finishing)

Permit # 2020080114 Eff. 9-01-2016

NAICS # 333120

Exp.8-31-2020

Paul J. Rivera, General Manager (501)955-5450

e-mail: Rivera Paul J@cat.com

Katina Stephens, Environmental Health & Safety Manager (501)955-5240

e-mail: Stephens Katina@cat.com

Wayne Beanland, Environmental Health & Safety Supervisor

Central Arkansas Veterans Healthcare Systems

N.L.R. Division Safety Office (138/NLR)

Permit #2020080115 Eff.9-01-2016

2200 Fort Roots Drive

SIC#8062

Exp. 8-31-2020

N.L.R., AR 72114

NAICS # 622110

Jon Miller, Chief, Engineering Service (501)257-1142

e-mail: Jon.Miller@va.gov

Joe Farrell, Safety Manager (501)257-1213

Brian Green, GEMS Coordinator (501)257-1137

e-mail: Brian.Green3@va.gov

Central Arkansas Veterans Healthcare Systems

Engineering Services (138 / NLR)

Attn: Trish Walters 2200 Fort Roots Drive

N.L.R., AR. 72114

(Billing) Trish Walters 257-1150 Fax: 257-1144

Cintas Corporation

(102 Champs Blvd.) P.O. Box 13990

Maumelle, AR 72113

Section 11 - Special Conditions

Permit # 2020080116 Eff. 10-01-2016

NAICS # 812332 Exp. 8-31-2020

Marty Newsom, Plant Manager (501)803-4488

e-mail: newsomm@cintas.com

J B Hunt Transport

2901 Hwy 161 North.

N.L.R., AR. 72117

Permit #2020080117 Eff. 9-01-2016

SIC #4231

Exp. 8-31-2020

NAICS # 484121, 811192

Ronald Watson, Maintenance Director (501)945-8683

e-mail: Ronald Watson@jbhunt.com

Melisa Alvers (501)945-8682

e-mail: Melisa Alvers@jbhunt.com

## Kimberly – Clark Corporation

500 Murphy Dr. Maumelle, AR 72113 Permit # 2020080118 Eff. 10-01-2016 NAICS # 313230 Exp. 8-31-2020

Kirk E. Linna, Facility Manager (501)212-2201

e-mail: Kirk.Linna@kcc.com

Patrick Brodsky, Environmental Engineer (501)269-8278

e-mail: pbrodsky@kcc.com

Koppers Inc.

Categorical Industry (CFR429-Timber Products Processing)

(2201 Edmonds Rd. N.L.R., AR. 72117)

P.O. Box 15490 Little Rock, AR. 72231 Permit # 2020080119 Eff. 9-01-2016 SIC #2491 Exp. 8-31-2020

NAICS # 321114

Chris Martin, Plant Manager (501)945-6414

e-mail: martincm@koppers.com

Jordan Benson, SH&E Coordinator (501)945-6424 office (501)503-6782 cell

e-mail: bensonjl@koppers.com

L'oreal USA Products, Inc.

11500 Maybelline Rd.

N.L.R, AR. 72117-1886

Section 11 - Special Conditions

Permit # 2020080120 Eff. 9-01-2016 SIC #2844 Exp. 8-31-2020

NAICS # 325620

Eric Fox, Plant Manager (501)955-8500

e-mail: efox@us.loreal.com

Rachel Furman, Environmental Manager (501)955-8967

e-mail: rfurman@us.loreal.com

Maverick Transportation, LLC

(13301 Valentine Rd. N.L.R, AR. 72117) P.O. Box 15428

Little Rock, AR. 72231

**Permit # 2020080121** Eff. 9-01-2016 SIC #4213 & 7542 Exp. 8-31-2020

NAICS # 484121, 811192

Mike Jeffress, Vice President of Maintenance (501) 955-1600

e-mail: MJeffress@maverickusa.com

Randy Payne, Facility Maintenance Manager (501)955-1418 office (870)489-4720 cell

e-mail: rpayne@maverickusa.com

Perry Harrison, Service Manager of Maintenance (501) 955-1316 213-5991 cell

## Molex, LLC

801 Murphy Dr. Maumelle, AR 72113

### Categorical Industry (CFR433.17 Metal Finishing)

Permit # 2020080122 Eff. 10-01-2016 SIC # 3678 Exp. 8-31-2020 NAICS # 334417

Peter Lassen, Director of Operations (501)803-1170

e-mail: peter.lassen@molex.com

Bobbi Roberts, EHS&S Supervisor (501)803-1297

e-mail: bobbi.roberts@molex.com

## Bruce Oakley Inc.

(3700 Lincoln Av., N.L.R, AR. 72114) P.O. Box 17880 N.L.R. AR. 72117

### Truck Washing Log

Permit # 2020080123 Eff. 9-01-2016 SIC # 4213 & 7542 Exp. 8-31-2020 NAICS # 484220, 811192

Mac Holleman, Operations Manager (501)945-0875 Allen Clary, Truck Wash Supervisor (501)320-8420

## Chi St. Vincent Medical Center – North

Chi St. Vincent Infirmary Medical Center #2 St. Vincent Cr. L.R., AR 72205

(2215 Wildwood Av. Sherwood, AR 72120) Permit # 2020080124 Eff. 9-1-2016 SIC # 8062 Exp. 8-31-2020

NAICS # 622110

Neal Gaiser, Administrative Director Facilities & Engineering (501)552-3938 David Terry, Facilities Supervisor NLR (501)552-7295

e-mail: dterry@stvincenthealth.com Jackie Brown, Maintenance LR (501) 552-3924

## Truck-O-Mat of N. Little Rock

(11601 Kinard Rd. N.L.R., AR. 72117) P.O. Box 17742 N.L.R., AR. 72117

### Truck Washing Log

Permit #2020080125 Eff. 9-01-2016 SIC #7542 & 5541 Exp. 8-31-2020 NAICS # 811192

Bruce Hensen, General Manager (501)945-2899 e-mail: brucehensen@iowa80group.com

Tyson Foods Inc. – N.L.R.

3800 Progress Street N.L.R., AR. 72117 Section 11 - Special Conditions

Permit #2020080126 Eff. 9-01-2016

SIC #2015

Exp. 8-31-2020

NAICS # 311615

Wesley Simpson, Plant Mgr. (501)945-7131

e-mail: wes.simpson@tyson.com

DeWayne Morgan, Asst. Plant Manager (501)945-7131

Ken Fletcher, Wastewater Supervisor (501)955-8129 office (501)955-8124 treatment

e-mail: ken.fletcher@tyson.com

Union Pacific Railroad

1000 W. 4<sup>th</sup> St. N.L.R., AR 72114

000 W. 4<sup>th</sup> St. **Permit #2020080127** Eff. 9-01-2016

SIC#4011

Exp. 8-31-2020

NAICS # 482111

Robert Lorentz Mgr., Environmental Field Operations (501)373-2859

e-mail: rmlorent@up.com

cell: (303)501-9052

Section 11 - Special Conditions

Hacth-Mott (Un-Pac wwtp contractor Pike Ave. Plant) (501)373-2323

(1101 W. Broadway Ave. N.L.R. AR 72114)

300 Pike Ave.

N.L.R., AR 72114

Marty Waldrop, Lead Operator, Industrial Water Treatment Plant (501)373-2099

e-mail: jmwaldro@up.com

cell: (501)425-1360

Union Pacific Railroad (Billing)

P.O. Box 1611

Omaha, NE 68101

## FAULKNER LAKE T/P INDUSTRIAL FLOWS RECAP 2016

MONTH	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	ANNUAL TOTAL/MG
BAPTIST HEALTH M/C (NORTH)	1,389,890	1,204,020	1,193,530	1,177,230	1,292,020	1,300,740	1,988,290	2,280,960	2,225,710	2,759,780	2,315,010	2,355,340	21.483
BLUE BEACON	665,720	743,512	536,316	560,252	552,772	602,888	546,788	492,932	608,124	745,008	482,460	622,336	7.159
CATERILLAR INC.	303,265	392,550	470,118	520,907	662,336	925,276	1,011,820	1,008,154	726,233	608,797	354,552	219,239	7.203
CAV HEALTHCARE SYSTEM	4,998,950	3,975,260	6,160,330	3,435,240	3,222,760	4,205,180	5,852,210	4,937,310	4,946,700	4,240,560	3,262,370	3,666,850	52.904
J B HUNT TRANSPORTATION	106,216	147,356	177,276	182,512	195,228	206,448	265,500	193,732	184,008	193,732	166,056	127,160	2.145
KOPPERS INDUSTRIES	1,820,180	1,631,466	2,177,829	1,811,561	2,083,897	1,769,108	1,848,001	1,790,343	1,773,697	1,630,960	1,706,568	1,429,183	21.473
L'OREAL USA PRODUCTS	1,306,837	455,139	515,244	491,001	487,474	451,219	407,195	444,532	394,574	438,850	386,872	344,152	6.123
MAVERICK TRANSPORT	312,215	351,074	423,660	393,426	421,917	520,593	526,383	388,526	374,045	371,210	266,303	146,840	4.496
OAKLEY	218,416	252,824	279,004	258,808	247,588	262,548	236,368	282,744	261,052	236,368	214,676	228,140	2.979
TRUCK-O-MAT	249,800	309,500	232,000	221,100	221,300	273,500	192,400	196,000	282,900	266,800	227,400	227,000	2.900
TYSON FOODS	1,997,935	1,697,601	2,151,067	1,764,842	1,882,698	2,208,585	2,394,106	2,437,129	2,294,505	2,300,695	2,089,343	1,921,597	25.140
UNION PACIFIC - PIKE AVE	2,834,450	2,008,380	3,893,430	3,331,510	2,720,070	1,735,460	3,064,940	3,175,650	1,347,860	1,554,980	1,269,710	2,175,710	29.112
UNION PACIFIC - 400 YD	348,119	304,286	220,361	171,965	195,153	174,508	169,946	192,311	169,946	185,728	195,901	267,111	2.595
TOTAL INDUSTRIAL FLOW	16.55	13.47	18.43	14.32	14.19	14.64	18.50	17.82	15.59	15.53	12.94	13.73	0.51
FAULKNER LAKE INFLUENT	416.391	193.272	312.067	199.260	150.653	100.694	189.815	238.642	155.621	153.197	154.119	190.413	6.71
MONTHLY % OF FLOW	3.98	6.97	5.91	7.19	9.42	14.54	9.75	7.47	10.02	10.14	8.39		

File Name: Q\:Industry\ Industrial Flows Recap

Billion Gallons

## FIVE MILE T/P INDUSTRIAL FLOWS RECAP 2016

MONTH	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	ANNUAL TOTAL/MG
St. Vincent M/C-North	1,065,152	999,328	1,033,736	1,109,284	1,184,084	1,534,148	1,680,756	1,662,056					
													0.00
													0.00
													0.00
													0.00
								-					0.00
													0.000
													0.000
													0.000
									-				0.000
													0.000
Wester a control of the control of t													0.000
													0.000
TOTAL INDUSTRIAL FLOW	1.07	1.00	1.03	1.11	1.18	1.53	1.68	1.66	1.56	1.55	1.46	1.47	0.04
FIVE MILE INFLUENT	244.780		265.260	232.560	190.620	127.000	124.110	184.320	106.740	107.370	100.105	146.373	5.45
MONTHLY % OF FLOW	0.44	0.60	0.39	0.48	0.62	1.21	1.35	0.90	1.46	1.44	1.46	1.00	0.82

File Name: Q\:Industry\ Industrial Flows Recap

\* Billion Gallons

## WHITE OAK T/P INDUSTRIAL FLOWS RECAP 2016

MONTH	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	ANNUAL TOTAL/MG
Arkansas Surgical Hospital	435,336	442,068	439,076	418,880	427,108	429,352	423,368	456,280					
													0.000
													0.000
													0.000
													0.000
													0.000
													0.000
													0.000
ONES THE CONTROL OF T													0.000
													0.000
													0.000
	-												0.000
													0.000
													0.000
	0.44												0.000
TOTAL INDUSTRIAL FLOW	0.44	0.44	0.44	0.42	0.43	0.43	0.42	0.46		0.41	0.43		
WHITE OAK INFLUENT	107.708		130.051	106.922	154.980	93.387	65.252	139.784		64.861	62.608		
MONTHLY % OF FLOW	0.40	0.46	0.34	0.39	0.28	0.46	0.65	0.33	0.42	0.64	0.69	0.59	0.43

File Name: Q\:Industry\ Industrial Flows Recap

\* Billion Gallons

## **MAUMELLE T/P INDUSTRIAL FLOWS RECAP 2016**

MONTH	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	ANNUAL TOTAL/MG
CINTAS			1,563,600	1,410,500	1,355,500	1,265,300	1,208,900	1,440,400		1,286,700			
KIMBERLY-CLARK			2,456,418	2,041,849	2,815,501	2,092,155	1,781,772	1,102,223		4,145,416			
MOLEX			1,276,600	1,280,900	1,355,600	1,304,362	1,546,747	1,380,800		1,461,200			
											.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,230,230	0.000
													0.000
***************************************													0.000
													0.000
													0.000
710- V-34-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1													0.000
Allowed Property and the Control of													0.000
													0.000
													0.000
								CONTRACTOR OF STREET					0.000
TOTAL INDUSTRIAL FLOW	0.00	0.00	5.30	4.73	5.53	4.66	4.54	3.92	3.85	6.89	6.20	4.04	0.16
MAUMELLE INFLUENT			73.770	79.470	74.669	65.093	60.512	79.441	58.388	57.180	57.403	70,409	
MONTHLY % OF FLOW	#DIV/0!	#DIV/0!	7.18	5.96	7.40	7.16	7.50	4.94	6.60	12.06	10.80		

Note: March Maumelle Effluent flow used due to not full month influent flow recorded.

Note: Kimberly-Clark watermeter flows used for October and November due to discharge meter not being read.

\* Billion Gallons

## MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT

## REPORTING YEAR: January 1, 2016 TO December 31, 2016

TREATMENT PLANT: <u>Faulkner Lake</u> NPDES PERMIT <u>#AR0020303</u>

AVERAGE POTW INF. FLOW: <u>6.722</u> MGD % IU FLOW: <u>7.57</u> %

METALS, CYANIDE and	MAHC	]	(μ	ATES SAMPLE	ED	WQ level/	Е	(μ	ATES SAMPLI g/l)	ED	LA	ABORATORY AN	NALYSIS
PHENOLS	(Total) (μg/l) (2)		Once	/quarter		limit (μg/l) (2)		Once/	quarter		EPA MQL	EPA Method	Detection Level
		Date	Date	Date	Date	(2)	Date	Date	Date	Date	(μg/l) (1)	Used (1)	Achieved (μg/l)
		3/7/16	6/21/16	9/20/16	11/8/16		3/7/16	6/21/16	9/20/16	11/8/16	(1)		(48-)
Antimony	N/A	<20	<20	<20	<20	N/A	8	<1	<1	<1	60	200.8	20
Cadmium	10	<4	<4	<4	<4	35	3.5	< 0.10	<0.10	<0.10	0.5	200.8	.141
Copper	376	10	30	20	30	150	6.8	< 0.50	<0.50	<0.50	0.5	200.8	.5
Lead	83	<10	<10	<10	<10	120	7.2	2	< 0.50	< 0.50	0.5	200.8	.5
Mercury	1	<1	<1	<1	<1	.3	.005540	.006030	.006110	.001720	.005	1631E	.005
Nickel	77	5	7	<2	<2	5540	12	4	1	2	0.5	200.8	.5
Selenium	2	<10	<10	<10	<10	138	7.2	<5	3	<5	5	200.8	5
Silver	108	3	<1	<1	<1	41	17	<0.5	<0.5	<0.5	0.5	200.8	.1
Zinc	789	140	70	90	100	970	61	<1	31	52	20	200.8	20
Chromium	638	2	3	2	10	7230	6	2	<1	<1	10	200.8	1
Cyanide	322.7	<10	<10	<10	<10	150	<10	<10	<10	<10	10	SM 18 <sup>th</sup> 4500-CN E	10
Arsenic	13	<10	<10	<10	<10	2480	3	4	2	<0.50	0.5	200.8	.5
Molybdenum	72	<10	<10	<10	10	N/A	13.2	5	5	4		200.8	10
Phenols	N/A	120	300	200	430	N/A	34	26	16	48	5	420.1	5.
Beryllium	N/A	<5	<5	<5	<5	N/A	6	<0.50	<0.50	<0.50	0.5	200.8	.5
Thallium	N/A	<10	<10	<10	<10	N/A	4.8	<0.50	<0.50	<0.50	0.5	200.8	.5
Flow, MGD	N/A					N/A							
(3)	2												
		9											The same of the sa
					AV ON ANA SOCIETY								***************************************

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC - Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

## MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT

## REPORTING YEAR: January 1, 2016 TO December 31, 2016 TREATMENT PLANT: Five Mile NPDES PERMIT # AR0020320

AVERAGE POTW INF. FLOW: 5.464 MGD % IU FLOW: 0.82 %

METALS,	МАНС		(μ	ATES SAMPLE	ED	WQ level/	E.		TES SAMPLE	ED	LA	BORATORY AN	IALYSIS
CYANIDE and PHENOLS	(Total) (μg/l) (2)		Once	/quarter		limit (µg/l) (2)		Once/	quarter		EPA MQL	EPA Method	Detection Level
		Date	Date	Date	Date	(2)	Date	Date	Date	Date	(μg/l) (1)	Used (1)	Achieved (μg/l)
		3/7/16	6/21/16	9/20/16	11/8/16		3/7/16	6/21/16	9/20/16	11/8/16			
Antimony	N/A	<20	<20	<20	<20	N/A	7.5	<1	<1	<1	60	200.8	20
Cadmium	10	<4	<4	<4	<4	35	3.3	<0.10	<0.10	<0.10	0.5	200.8	.141
Copper	376	6	20	20	30	150	8.6	1.60	<0.50	1	0.5	200.8	.5
Lead	83	<10	<10	<10	<10	120	8	2	<0.50	<0.50	0.5	200.8	.5
Mercury	1	<1	<1	<1	<1	.3	.007530	.007270	.008530	.001670	.005	1631E	.005
Nickel	77	4	9	<2	<2	5540	8.3	7	2	2	0.5	200.8	.5
Selenium	2	<10	<10	<10	<10	138	6.7	<5	3	<5	5	200.8	5
Silver	108	2	<1	<1	<1	41	18	<0.5	<0.5	<0.5	0.5	200.8	.1
Zinc	789	90	110	80	160	970	19	<1	<1	12	20	200.8	20
Chromium	638	<1	2	<1	<1	7230	7	2	<1	<1	10	200.8	1
Cyanide	322.7	<100	<10	<10	<10	150	<10	<10	<10	<10	10	SM 18 <sup>th</sup> 4500-CN E	10
Arsenic	13	<10	<10	<10	<10	2480	2	3	<0.50	0.50	0.5	200.8	.5
Molybdenum	72	<10	<10	<10	<10	N/A	10.7	<0.50	<0.50	0.90		200.8	10
Phenols	N/A	110	340	80	260	N/A	87	58	<5	16	5	420.1	5
Beryllium	N/A	<5	<5	<5	<5	N/A	6.6	<0.50	<0.50	<0.50	0.5	200.8	.5
Thallium	N/A	<10	<10	<10	<10	N/A	5	1	<0.50	<0.50	0.5	200.8	.5
Flow, MGD	N/A					N/A							
(3)													
													<del></del>

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC - Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

## MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT REPORTING YEAR: January 1, 2016 TO December 31, 2016

TREATMENT PLANT: White Oak NPDES PERMIT # AR0038288
AVERAGE POTW INF. FLOW: 3.398 MGD % IU FLOW: 0.43 %

METALS,	МАНС			ıg/l)	ED	WQ level/	E	FFLUENT DA	TES SAMPLI	ED	LA	ABORATORY AN	IALYSIS
CYANIDE and PHENOLS	(Total) (μg/l) (2)	-	Once	/quarter		limit (µg/l) (2)		Once/	quarter		EPA MQL	EPA Method	Detection Level
		Date	Date	Date	Date Date Date		Date	Date	Date	(μg/l) (1)	Used (1)	Achieved (μg/l)	
		3/7/16 6/21/16 9/20/16 11/8/16	11/8/16		3/7/16	6/21/16	9/20/16	11/8/16		(3)	(100.1)		
Antimony	N/A	<20	<20	<20	<20	N/A	<1	<1	<1	<1	60	200.8	20
Cadmium	10	<4	<4	<4	<4	35	<0.10	<0.10	<0.10	<0.10	0.5	200.8	.141
Copper	376	4	30	10	20	150	<0.50	4	<0.50	3	0.5	200.8	.5
Lead	83	<10	<10	<10	<10	120	<0.50	2.20	<0.50	<0.50	0.5	200.8	.5
Mercury	1	<1	<1	<1	<1	.3	.005300	.007000	.007860	.000786	.005	1631E	.005
Nickel	77	<2	7	<2	<2	5540	4	7.20	1.30	2.10	0.5	200.8	.5
Selenium	2	<10	<10	<10	<10	138	<5	<5	4	<5	5	200.8	5
Silver	108	2	<1	<1	<1	41	2	<0.5	<0.5	<0.5	0.5	200.8	.1
Zinc	789	30	100	70	130	970	21	<1	7	20	20	200.8	20
Chromium	638	<1	3	<1	<1	7230	<1	1.5	<1	<1	10	200.8	1
Cyanide	322.7	<10	<10	13.5	<10	150	<10	<10	<10	<10	10	SM 18 <sup>th</sup> 4500-CN E	10
Arsenic	13	<10	<10	<10	<10	2480	7	3.50	1	<0.50	0.5	200.8	.5
Molybdenum	72	<10	<10	<10	<10	N/A	<0.50	<0.50	1	0.70		200.8	10
Phenols	N/A	210	260	220	340	N/A	39	21	<5	<5	5	420.1	5
Beryllium	N/A	<5	<5	<5	<5	N/A	<0.50	<0.50	<0.50	< 0.50	0.5	200.8	.5
Thallium	N/A	<10	<10	<10	<10	N/A	<0.50	1	<0.50	0.80	0.5	200.8	.5
Flow, MGD	N/A					N/A							
(3)													
		***************************************											
													*****

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC - Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

## MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT REPORTING YEAR: January 1, 2016 TO December 31, 2016

## TREATMENT PLANT: Maumelle NPDES PERMIT #AR0033626

AVERAGE POTW INF. FLOW: 2.228 MGD % IU FLOW: 7.34 %

METALS,	МАНС		INFLUENT DA	ATES SAMPLE g/l)	D	WQ level/	E		ATES SAMPLI g/l)	ED	LA	ABORATORY AN	JALYSIS
CYANIDE and PHENOLS	(Total) (μg/l) (2)		Once/	quarter		limit (μg/l) (2)		Once/	quarter		EPA MQL	EPA Method	Detection Level
		Date	Date	Date	Date	(2)	Date	Date	Date	Date	(μg/l) (1)	Used (1)	Achieved (μg/l)
			9/20/16	11/8/16		3/7/16	6/21/16	9/20/16	11/8/16			(107)	
Antimony	N/A	<20	<20	<20	<20	N/A	<1	<1	<1	<1	60	200.8	20
Cadmium	10	<4	<4	<4	<4	35	<0.10	<0.10	<0.10	0.30	0.5	200.8	.141
Copper	376	60	60	70	190	150	<0.50	1	2	5	0.5	200.8	.5
Lead	83	<10	<10	<10	<10	120	<0.50	2	<0.50	<0.50	0.5	200.8	.5
Mercury	1	<1	<1	<1	<1	.3	.021300	.011500	.027000	.001230	.005	1631E	.005
Nickel	77	60	40	20	70	5540	21	24	20	19	0.5	200.8	.5
Selenium	2	<10	<10	<10	<20	138	<5	<5	6	<5	5	200.8	5
Silver	108	2	<1	<1	<1	41	2	<0.5	<0.5	<0.5	0.5	200.8	.1
Zinc	789	190	60	120	320	970	33	<1	53	59	20	200.8	20
Chromium	638	<1	2	10	4	7230	<1	1.6	<1	<1	10	200.8	1
Cyanide	322.7	<10	<10	30.3	27.1	150	<10	<10	<10	<10	10	SM 18 <sup>th</sup> 4500-CN E	10
Arsenic	13	<10	<10	<10	<10	2480	7	3	2	<0.50	0.5	200.8	.5
Molybdenum	72	<10	<10	<10	<10	N/A	<0.50	<0.50	3	1		200.8	10
Phenols	N/A	760	430	150	390	N/A	<5	<5	37	21	5	420.1	5
Beryllium	N/A	<5	<5	<5	<5	N/A	<0.50	<0.50	<0.50	<0.50	0.5	200.8	.5
Thallium	N/A	<10	<10	<10	<10	N/A	<0.50	1	<0.50	0.60	0.5	200.8	.5
Flow, MGD	N/A					N/A							
(3)													

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC - Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

### ATTACHMENT A

## PRETREATMENT PROGRAM STATUS REPORT UPDATED SIGNIFICANT INDUSTRIAL USERS LIST

		40 CFR		ntrol					Compliance St.	atus (C,	NC, or SNC)	
Industrial User Name	NAICS Code	XXX or N/A	Doc	ument	New User	Times Inspected	Times Sampled		Re	ports		Permit Limits
		Or N/A	Y/N	Last Action				BMR	90-day Compliance	Semi Annual	Self Monitoring	11 11 22
Arkansas Surgical Hosp.	622110	N/A	Y	9/1/16	N	1	249	N/A	N/A	N/A	С	С
Baptist Health Med. Ctr. North	622110	N/A	Y	9/1/16	N	1	249	N/A	N/A	N/A	С	С
Blue Beacon	811192	N/A	Y	9/1/16	N	1	240	N/A	N/A	N/A	NC	NC
Caterpillar	333120	40 CFR 433	Y	9/1/16	N	1	195	N/A	N/A	N/A	С	С
Central Arkansas Veterans	622110	N/A	Y	9/1/16	N	1	249	N/A	N/A	N/A	С	С
Cintas	812332	N/A	Y	10/1/16	Y	*	151	N/A	N/A	N/A	С	С
J B Hunt	484121 811192	N/A	Y	9/1/16	N	1	237	N/A	N/A	N/A	С	С
Kimberly-Clark	313230	N/A	Y	10/1/16	Y	*	208	N/A	N/A	N/A	С	С
Koppers	321114	40 CFR 429	Y	9/1/16	N	1	247	N/A	N/A	N/A	С	С
L'Oreal	325620	N/A	Y	9/1/16	N	1	51	N/A	N/A	N/A	С	NC
Maverick	484121 811192	N/A	Y	9/1/16	N	1	249	N/A	N/A	N/A	NC	NC
Molex	334417	40 CFR 433.17	Y	10/1/16	Y	*	209	N/A	N/A	N/A	С	С
Oakley	484220 811192	N/A	Y	9/1/16	N	1	243	N/A	N/A	N/A	С	С
St Vincent North	622110	N/A	Y	9/1/16	N	1	249	N/A	N/A	N/A	С	С

Truck-O-Mat	811192	N/A	Y	9/1/16	N	1	248	N/A	N/A	N/A	С	C
Tyson	311615	N/A	Y	9/1/16	N	1	192	N/A	N/A	N/A	С	С
Union Pacific Railroad	482111	N/A	Y	9/1/16	N	1	208	N/A	N/A	N/A	С	С

<sup>\* -</sup> New Industry not permitted until 10/1/2016.

## ATTACHMENT B SIGNIFICANT VIOLATIONS - ENFORCEMENT ACTIONS TAKEN

Industrial User	Nature Violat	of ion		Numbe	r of Act	ion Taken		Penalties	Compli Sched	ance dule	Current	Comments
Name	Reports	Limits	N.O.V.	A.O.	Civil	Criminal	Other	Collected	Date Issued	Date Due	Status	Commencs
No significant violators												
												V 1
												***************************************
								7,000				

#### ATTACHMENT C

## PRETREATMENT PERFORMANCE SUMMARY (PPS)

NOTE: ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY ADEQ. THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT DEPARTMENT AUTHORIZATION.

## I. General Information

ontrol Authority Name North Little Rock Waste Water Utility	
ddress 7400 Baucum Pike, P.O. Box 17898	
ity North Little Rock State/Zip Arkansas / 72117-5240	
ontact Person <u>Ed Toland</u> <u>Position Pretreatment Supervisor</u>	
ontact Telephone _501-945-7186 NPDES Permit Nos.AR0020303;AR0020320;AR0038288	3;AR0033626
eporting Period January 1, 2016 December 31, 2016	
(Beginning Month and Year) (Ending Month and Year)	
otal Number of Categorical IUs3	
otal Number of Significant Noncategorical IUs14	
otal Number of Non-Significant (yet permitted) IUs	
II. Significant Industrial User Compliance	
SIGNIFICANT INDUSTRIAL USERS Categorical NonCategorical	
No. of SIUs Submitting BMRs/Total No. Required	_
No. of SIUs Submitting 90-Day Compliance Reports/No. Required	
No. of SIUs Submitting Semiannual Reports/ Total No. Required	
No. of SIUs Meeting Compliance Schedule/ Total No. Required to Meet Schedule	
No. of SIUs in Significant Noncompliance/ Total No. of SIUs	
Rate of Significant Noncompliance for all SIUs (categorical and noncategorical) 0/17	

## III. Compliance Monitoring Program

		SIGNIFICANT IND	
		<u>Categorical</u>	NonCategorical
1)	No. of Control Documents Issued/Total No. Required	3/3	14/14
2)	No. of Nonsampling Inspections Conducted	2/3	12/14_
3)	No. of Sampling Visits Conducted	3/651	_14/3023_
4)	No. of Facilities Inspected (nonsampling) .	2/3	_12/14_
5)	No. of Facilities Sampled	3/3	14/14
	IV. Enforcement Actions		
		SIGNIFICANT IN Categorical	NDUSTRIAL USERS NonCategorical
1)	No. of Compliance Schedules Issued/No. of Schedules Required	0/0	0/0
2)	No. of Notices of Violations Issued to SIUs	0	4
3)	No. of Administrative Orders Issued to SIUs	0	0
4)	No. of Civil Suits Filed	0	0
5)	No. of Criminal Suits Filed	0	0
6)	No. of Significant Violators (attach newspaper publication)	0	0
7)	Amount of Penalties (not surcharges) Collected (total dollars/IUs assessed)	0/0	\$625.48/2
8)	Other Actions (sewer bans, etc.)	O	0

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.

Authorized Representative Date 02/27/2017