From: <u>Yates, Adam</u>
To: <u>Caipen, Beth</u>

Cc: Toland, Ed; Burrow, Kealey; McWilliams, Carrie; Healey, Richard; Taylor, Bailey

Subject: RE: NLRWWU 2017 Pretreatment Annual Report Date: Wednesday, March 28, 2018 2:15:40 PM

Attachments: AR0020303 North Little Rock Mar 2018 Pretreatment Program Annual Report 20180305.pdf

Beth,

North Little Rock Wastewater Utility's March 2018 Pretreatment Program Annual Report was received, reviewed, and deemed complete and compliant with the reporting requirements of 40 CFR 403.12(i). Thank you for your timely submittal. If you have any questions or concerns, please feel free to contact me.

Kindly,

Adam Yates
State Pretreatment Coordinator
Office of Water Quality
Arkansas Department of Environmental Quality

Phone: (501) 682-0617 Fax: (501) 682-0880

G:\Shared Folders\Water\Pretreatment\Reports

From: Caipen, Beth [mailto:BCaipen@nlrwu.com]

Sent: Monday, March 05, 2018 8:36 AM

To: Yates, Adam **Cc:** Toland, Ed

Subject: NLRWWU 2017 Pretreatment Annual Report

Importance: High

Adam, I have attached the North Little Rock Waste Water Utilities 2017 Pretreatment Annual Report. If you have any problems with the attachment, please let me know.

Thanks,
Beth Caipen
Pretreatment Clerk
North Little Rock Waste Water Utility



NORTH LITTLE ROCK WASTE WATER UTILITY

March 5, 2018

Mr. Adam Yates Arkansas Department of Environmental Quality 5301 Northshore Dr. North Little Rock, AR 72118

Re: Pretreatment Program 2017 Annual Report: City of North Little Rock NPDES Permits: AR0020303 AFIN 60-00274, AR0020320 AFIN 60-04317, AR0038288 AFIN 60-04318, AR0033626 AFIN 60-00545

Dear Mr. Yates:

We are submitting the Pretreatment Program 2017 Annual Report for NPDES Permits AR0020303, AR0020320, AR0038288, AR0033626. The following items are attached:

- Pretreatment Performance Summary
- Updated Significant Industrial Users with Address List
- Significant Violators List
- Monitoring Results for the Annual Pretreatment Report for Faulkner Lake, Five Mile Creek, White Oak Bayou, and Maumelle treatment plants

If you should need any additional information, please feel free to contact me at 501-945-7186 or etoland@nlrwu.com.

Sincerely,

Ed Toland, Pretreatment Supervisor

NORTH LITTLE ROCK WASTE WATER UTILITY

ANNUAL REPORT - 2017 AS REQUIRED BY INDUSTRIAL PRETREATMENT PROGRAM

INDUSTRIES UNDER PERMIT AT THIS TIME ARE:

NUMBER INDUSTRIES IN COMPLIANCE

NONCATEGORICAL

ARKANSAS SURGICAL HOSPITAL
BAPTIST HEALTH MEDICAL CENTER-NORTH
BLUE BEACON OF NLR
CENTRAL ARKANSAS VETERANS HEALTHCARE SYSTEMS
CINTAS CORPORATION
J B HUNT TRANSPORTATION
KIMBERLY-CLARK CORPORATION
L'OREAL USA PRODUCTS INC.
MAVERICK TRANSPORTATION
OAKLEY
CHI ST. VINCENT MEDICAL CENTER - NORTH
TRUCK-O-MAT OF NORTH LITTLE ROCK
TYSON FOODS INC.
UNION PACIFIC RAILROAD (PIKE AV.)

CATEGORICAL

CATERPILLAR (40CFR433) KOPPERS INDUSTRIES (40CFR429) MOLEX LLC. (40CFR433.17)

NUMBER INDUSTRIES IN COMPLIANCE	10
NUMBER INDUSTRIES IN NONCONPLIANCE	7
NUMBER INDUSTRIES IN SIGNIFICANT NONCOMPLIANCE	0
PENALTY CHARGES BILLED	\$363.35
SURCHARGE CHARGES BILLED	\$318,386.26
REGULAR SEWER CHARGES BILLED	\$1,680,413.72
MISCELLANEOUS CHARGES BILLED	\$100,059.29
TOTAL INDUSTRIAL CHARGES BILLED	\$2,099,222.62
NON-SAMPLING INSPECTIONS MADE	17
SAMPLING INSPECTIONS MADE	3,741
VIOLATION NOTICES SENT	5
NONCOMPLIANCE CALLS MADE	6
COMPLIANCE SCHEDULES ISSUED	0
CONSENT ADMINISTRATIVE ORDERS ISSUED	0
TOTAL INDUSTRIAL FLOW FOR THIS YEAR (GALS)	276,009,803

Summary Sheet

2017 Industrial Pretreatment Billing

Charges	Regular	Surcharge	Penalty	Other	Total
Ar. Surgical Hosp.	46,591.20	15,468.96	20.66	3,214.80	65,295.62
Baptist Health	183,898.72	5,789.61		12,688.99	202,377.32
Blue Beacon	42,272.48	12,603.74	107.58	2,916.80	57,900.60
Catepillar	47,497.12	733.78		3,208.30	51,439.20
CAV Hosp.	383,711.20	50,017.54		26,476.06	460,204.80
Cintas	81,056.60	30,883.63		3,444.95	115,385.18
J B Hunt	9,008.48			621.59	9,630.07
Kimberly-Clark	129,569.76	98,707.27	107.58	5,507.21	233,891.82
Koppers	116,958.56	1,386.16		8,070.14	126,414.86
L'Oreal	30,906.72	20,490.90	7.60	2,132.55	53,537.77
Maverick	17,659.36	5,102.08	119.93	1,218.49	24,099.86
Molex	102,686.08			4,356.52	107,042.60
Oakley	15,965.92	1,855.69		1,101.64	18,923.25
St. Vincent Hosp.	108,845.28				108,845.28
Truck-O-Mat	16,624.48			1,147.09	17,771.57
Tyson	185,054.56	70,289.17		12,768.76	268,112.49
Union-Pac (Pike)	145,052.64	1,064.50		10,008.64	156,125.78
Union-Pac (400yd)	17,054.56	3,993.23		1,176.76	22,224.55
Total Charges	\$1,680,413.72	\$318,386.26	\$363.35	\$100,059.29	\$2,099,222.62

ARKANSAS SURGICAL HOSPITAL (2017) PERMIT NUMBER - 2020080110 COMPLIANCE STATUS - NC

NON-COMPLIANCE INCIDENTS:

1212			
M	-	ra	h
IVI		11.	n

FOG over limits (self-monitoring)

CHADO	FC A	CCE	CCED	_,
CHARG	ES A	33E.	33EU	

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$2,793.96	\$93.45		\$192.78	\$3,080.19
FEB	\$2,269.80	\$1,360.38		\$156.62	\$3,786.80
MAR	\$2,941.80	\$1,217.77	\$20.66	\$202.98	\$4,383.21
APR	\$2,319.08	\$169.50		\$160.02	\$2,648.60
MAY	\$4,339.56	\$1,560.25		\$299.43	\$6,199.24
JUN	\$4,267.88	\$2,721.93		\$294.48	\$7,284.29
JUL	\$4,818.92	\$4,791.29		\$332.51	\$9,942.72
AUG	\$5,289.32			\$364.96	\$5,654.28
SEPT	\$5,020.52	\$116.40		\$346.42	\$5,483.34
OCT	\$4,948.84	\$178.72		\$341.47	\$5,469.03
NOV	\$4,048.36			\$279.34	\$4,327.70
DEC	\$3,533.16	\$3,259.27		\$243.79	\$7,036.22
TOTAL	\$46,591.20	\$15,468.96	\$20.66	\$3,214.80	\$65,295.62

INSPECTIONS:

SAMPLING:

NON-SAMPLING

TOTAL

248

249

FLOWS:

LOVIO.		
MONTH	GALLONS	DAILY AVERAGE
JAN	466,752	15,057
FEB	379,236	13,544
MAR	491,436	15,853
APR	387,464	12,915
MAY	724,812	23,381
JUN	712,844	23,761
JUL	804,848	25,963
AUG	883,388	28,496
SEPT	838,508	27,950
OCT	826,540	26,663
NOV	676,192	22,540
DEC	590,172	19,038

TOTAL

7,782,192

COMMENTS:

BAPTIST HEALTH MEDICAL CENTER (2017)

PERMIT NUMBER - 2020080111 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHARGES A	ececen.				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$16,534.12	\$235.85	ILNALII	\$1,140.85	\$17,910.82
FEB	\$15,418.60	\$103.09		\$1,063.88	\$16,585.57
MAR	\$15,875.56	\$993.38		\$1,095.41	\$17,964.35
APR	\$14,580.84	*******		\$1,006.08	\$15,586.92
MAY	\$14,782.44	\$1,755.26		\$1,019.99	\$17,557.69
JUN	\$15,920.36	\$248.38		\$1,098.50	\$17,267.24
JUL	\$15,535.08	\$62.32		\$1,071.92	\$16,669.32
AUG	\$15,557.48	\$173.37		\$1,073.47	\$16,804.32
SEPT	\$15,579.88			\$1,075.01	\$16,654.89
OCT	\$17,040.36			\$1,175.78	\$18,216.14
NOV	\$13,644.52			\$941.47	\$14,585.99
DEC	\$13,429.48	\$2,217.96		\$926.63	\$16,574.07
TOTAL	0400 000 70	AF 700 01	40.00	440.000.00	
TOTAL	\$183,898.72	\$5,789.61	\$0.00	\$12,688.99	\$202,377.32
INSPECTION	S:				
SAMPLING:			248		
SAMPLING: NON-SAMPLI			248 1		
		,		249	
NON-SAMPLI TOTAL		,		249	
NON-SAMPLI TOTAL FLOWS:	NG			249	
NON-SAMPLI TOTAL FLOWS: MONTH	NG GALLONS I	DAILY AVERAGE		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN	GALLONS L 2,760,840	89,059		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB	GALLONS L 2,760,840 2,573,980	89,059 91,928		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR	GALLONS L 2,760,840 2,573,980 2,650,770	89,059 91,928 85,509		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR	GALLONS L 2,760,840 2,573,980 2,650,770 2,434,640	89,059 91,928 85,509 81,155		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY	GALLONS 2,760,840 2,573,980 2,650,770 2,434,640 2,467,950	89,059 91,928 85,509 81,155 79,611		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN	GALLONS 2,760,840 2,573,980 2,650,770 2,434,640 2,467,950 2,657,890	89,059 91,928 85,509 81,155 79,611 88,596		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUN JUL	GALLONS 2,760,840 2,573,980 2,650,770 2,434,640 2,467,950 2,657,890 2,593,700	89,059 91,928 85,509 81,155 79,611 88,596 83,668		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG	GALLONS 2,760,840 2,573,980 2,650,770 2,434,640 2,467,950 2,657,890 2,593,700 2,597,530	89,059 91,928 85,509 81,155 79,611 88,596 83,668 83,791		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT	GALLONS 2,760,840 2,573,980 2,650,770 2,434,640 2,467,950 2,657,890 2,593,700 2,597,530 2,601,400	89,059 91,928 85,509 81,155 79,611 88,596 83,668 83,791 86,713		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT	GALLONS 2,760,840 2,573,980 2,650,770 2,434,640 2,467,950 2,657,890 2,593,700 2,597,530 2,601,400 2,844,760	89,059 91,928 85,509 81,155 79,611 88,596 83,668 83,791 86,713 91,766		249	
NON-SAMPLI TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT	GALLONS 2,760,840 2,573,980 2,650,770 2,434,640 2,467,950 2,657,890 2,593,700 2,597,530 2,601,400	89,059 91,928 85,509 81,155 79,611 88,596 83,668 83,791 86,713		249	

30,703,030

COMMENTS:

TOTAL

BLUE BEACON OF NLR (2017) PERMIT NUMBER - 2020080113 **COMPLIANCE STATUS - NC**

NON-COMPLIANCE INCIDENTS:

September pH below limits (self-monitoring)

November

TSS over limits

CHARGES ASSESSED:

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$3,999.08	\$413.69		\$275.94	\$4,688.71
FEB	\$3,483.88	\$770.54		\$240.39	\$4,494.81
MAR	\$3,918.44	\$1,437.95		\$270.37	\$5,626.76
APR	\$3,349.48	\$1,309.89		\$231.11	\$4,890.48
MAY	\$3,479.40	\$1,836.99		\$240.08	\$5,556.47
JUN	\$3,237.48	\$355.15		\$223.39	\$3,816.02
JUL	\$3,228.52	\$354.16		\$222.77	\$3,805.45
AUG	\$3,228.52	\$501.01		\$222.77	\$3,952.30
SEPT	\$4,111.08	\$1,605.76	\$107.58	\$283.66	\$6,108.08
OCT	\$3,560.04	\$1,252.50		\$245.64	\$5,058.18
NOV	\$3,403.24	\$1,560.06		\$234.82	\$5,198.12
DEC	\$3,273.32	\$1,206.04		\$225.86	\$4,705.22
TOTAL	\$42,272.48	\$12,603.74	\$107.58	\$2,916.80	\$57,900.60

INSPECTIONS:

SAMPLING:

NON-SAMPLING

TOTAL

247

1 248

FLOWS:

MONTH	GALLONS	DAILY AVERAGE	
JAN	667,964	21,547	
FEB	581,944	20,784	
MAR	654,500	21,113	
APR	559,504	18,650	
MAY	581,196	18,748	
JUN	540,804	18,027	
JUL	539,308	17,397	
AUG	539,308	17,397	
SEPT	686,664	22,889	
OCT	594,660	19,183	
NOV	568,480	18,949	
DEC	546,788	17,638	
TOTAL	——————————————————————————————————————		7,061,120

COMMENTS:

CATERPILLAR INC (2017) PERMIT NUMBER - 2020080114 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHARGES MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	\$ ASSESSED: REGUALR \$1,566.44 \$1,714.28 \$2,619.24 \$2,914.92 \$3,618.28 \$6,137.00 \$7,175.40 \$6,386.92 \$5,499.88 \$4,514.28 \$3,112.04 \$2,238.44	SURCHARGE \$733.78	PENALTY	OTHER \$108.08 \$118.29 \$180.73 \$201.13 \$249.66 \$354.45 \$495.10 \$440.70 \$379.49 \$311.49 \$214.73 \$154.45	**TOTAL** \$1,674.52 \$1,832.57 \$2,799.97 \$3,116.05 \$3,867.94 \$6,491.45 \$7,670.50 \$6,827.62 \$6,613.15 \$4,825.77 \$3,326.77 \$2,392.89
TOTAL	\$47,497.12	\$733.78	\$0.00	\$3,208.30	\$51,439.20
INSPECTI SAMPLING NON-SAM TOTAL	G:		206 1	207	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JULY AUG SEPT OCT NOV DEC	GALLONS 261,426 286,484 437,430 486,275 603,786 857,582 1,198,221 1,065,975 918,320 753,984 519,262 373,327	8,433 10,232 14,111 16,209 19,477 28,586 38,652 34,386 30,611 24,322 17,309 12,043			

7,762,072

COMMENTS:

TOTAL

CENTRAL ARKANSAS VETERANS HEALTHCARE (2017) PERMIT NUMBER - 2020080115 COMPLIANCE STATUS - NC

NONCOMPLIANCE INCIDENTS:

September Failure to submit daily meter readings

CLIA	DOFE	ASSESSED:
(- MA	KITES	ロットトノントリ

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$30,735.72	\$4,589.51		\$2,120.76	\$37,445.99
FEB	\$20,122.60	\$15,520.82		\$1,388.46	\$37,031.88
MAR	\$26,896.36	\$7,702.80		\$1,855.85	\$36,455.01
APR	\$23,921.64	\$4,262.50		\$1,650.59	\$29,834.73
MAY	\$33,383.40	\$3,738.64		\$2,303.45	\$39,425.49
JUN	\$46,818.92	\$318.31		\$3,230.50	\$50,367.73
JUL	\$31,645.16			\$2,183.52	\$33,828.68
AUG	\$32,155.88			\$2,218.76	\$34,374.64
SEPT	\$26,367.72	\$445.96		\$1,819.37	\$28,633.05
OCT	\$29,320.04			\$2,023.08	\$31,343.12
NOV	\$35,963.88	\$7,989.11		\$2,481.51	\$46,434.50
DEC	\$46,379.88	\$5,449.89		\$3,200.21	\$55,029.98
TOTAL	\$383,711.20	\$50,017.54	\$0.00	\$26,476.06	\$460,204.80

INSPECTIONS:

SAMPLING:

NON-SAMPLING

TOTAL

248 1

249

FLOWS:

1 2000.		
MONTH	GALLONS	DAILY AVERAGE
JAN	5,132,050	165,550
FEB	3,359,540	119,984
MAR	4,490,660	144,860
APR	3,994,250	133,142
MAY	5,574,081	179,809
JUN	5,677,810	189,260
JUL	5,283,880	170,448
AUG	5,369,100	173,197
SEPT	2,651,480	88,383
OCT	4,895,340	157,914
NOV	6,004,820	200,161
DEC	7,743,666	249,796

TOTAL

60,176,677

COMMENTS:

CINTAS (2017) PERMIT NUMBER - 2020080116 COMPLIANCE STATUS - C

NONCOMPLIANCE INCIDENTS:

CHA	RGFS	ASS	ESSED:
01111	110-0	1100	

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$7,399.40	\$5,713.78		\$314.47	\$13,427.65
FEB	\$5,973.20	\$4,087.19		\$253.87	\$10,314.26
MAR	\$7,034.96	\$2,162.52		\$298.99	\$9,496.47
APR	\$4,960.72	\$1,020.94		\$210.84	\$6,192.50
MAY	\$5,471.44	\$2,287.39		\$232.54	\$7,991.37
JUN	\$5,811.92	\$681.17		\$247.01	\$6,740.10
JUL	\$4,723.28	\$1,928.91		\$200.74	\$6,852.93
AUG	\$6,098.64	\$2,028.66		\$259.20	\$8,386.50
SEPT	\$6,954.32	\$484.83		\$295.56	\$7,734.71
OCT	\$10,135.12	\$610.65		\$430.75	\$11,176.52
NOV	\$8,414.80	\$2,374.16		\$357.63	\$11,146.59
DEC	\$8,078.80	\$7,503.43		\$343.35	\$15,925.58
	404.070.00				
TOTAL	\$81,056.60	\$30,883.63	\$0.00	\$3,444.95	\$115,385.18

INSPECTIONS:

SAMPLING:

NON-SAMPLING

TOTAL

181 1

182

FLOWS:

I LUVVS.		
MONTH	GALLONS	DAILY AVERAGE
JAN	1,235,600	39,858
FEB	994,444	35,516
MAR	1,172,135	37,811
APR	825,617	27,521
MAY	910,687	29,377
JUN	967,472	32,249
JUL	785,607	25,342
AUG	1,015,485	32,758
SEPT	1,158,607	38,620
OCT	1,689,615	54,504
NOV	1,402,416	46,747
DEC	1,345,759	43,412

TOTAL

13,503,444

COMMENTS:

J B HUNT TRANSPORTATION (2017) PERMIT NUMBER - 2020080117 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

	S ASSESSED:	01170111707			
MONTH		SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$948.20			\$65.43	\$1,013.63
FEB	\$1,010.92			\$69.75	\$1,080.67
MAR	\$957.16			\$66.04	\$1,023.20
APR	\$518.12			\$35.75	\$553.87
MAY	\$527.08			\$36.37	\$563.45
JUN	\$1,118.44			\$77.17	\$1,195.61
JUL	\$804.84			\$55.53	\$860.37
AUG	\$791.40			\$54.61	\$846.01
SEPT	\$746.60			\$51.52	\$798.12
OCT	\$737.64			\$50.90	\$788.54
NOV	\$545.00			\$37.61	\$582.61
DEC	\$303.08			\$20.91	\$323.99
TOTAL	\$9,008.48	\$0.00	\$0.00	\$621.59	\$9,630.07
INSPECT	IONS.				
SAMPLIN					
			2/7		
			247		
NON-SAM		ı	247 1	240	
		,		248	
NON-SAM		,		248	
NON-SAM TOTAL	MPLING	DAILY AVERAGE		248	
NON-SAM TOTAL FLOWS:	MPLING	DAILY AVERAGE 5,115		248	
NON-SAN TOTAL FLOWS: MONTH	MPLING GALLONS	5,115		248	
NON-SAN TOTAL FLOWS: MONTH JAN	MPLING GALLONS 158,576	5,115 6,037		248	
NON-SAN TOTAL FLOWS: MONTH JAN FEB	GALLONS 158,576 169,048 160,072	5,115 6,037 5,164		248	
NON-SAN TOTAL FLOWS: MONTH JAN FEB MAR	MPLING GALLONS 158,576 169,048	5,115 6,037 5,164 2,892		248	
NON-SAN TOTAL FLOWS: MONTH JAN FEB MAR APR	GALLONS 158,576 169,048 160,072 86,768 88,264	5,115 6,037 5,164 2,892 2,847		248	
NON-SAN TOTAL FLOWS: MONTH JAN FEB MAR APR MAY	GALLONS 158,576 169,048 160,072 86,768	5,115 6,037 5,164 2,892 2,847 6,233		248	
NON-SAN TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN	GALLONS 158,576 169,048 160,072 86,768 88,264 187,000 134,640	5,115 6,037 5,164 2,892 2,847 6,233 4,343		248	
NON-SAN TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUN JUL	GALLONS 158,576 169,048 160,072 86,768 88,264 187,000	5,115 6,037 5,164 2,892 2,847 6,233		248	
NON-SAN TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG	GALLONS 158,576 169,048 160,072 86,768 88,264 187,000 134,640 132,396	5,115 6,037 5,164 2,892 2,847 6,233 4,343 4,271 4,164		248	
NON-SAN TOTAL FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT	GALLONS 158,576 169,048 160,072 86,768 88,264 187,000 134,640 132,396 124,916	5,115 6,037 5,164 2,892 2,847 6,233 4,343 4,271		248	

1,507,220

COMMENTS:

TOTAL

KIMBERLY CLARK (2017) PERMIT NUMBER - 2020080118 COMPLIANCE STATUS - NC

NON-COMPLIANCE INCIDENTS:

111	Inc.

pH below limits

CHARGES	ASSESSED:
CHANGES	MODEDOLD.

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$15,490.28	\$8,265.21		\$658.34	\$24,413.83
FEB	\$9,500.52	\$10,259.80		\$403.77	\$20,164.09
MAR	\$6,333.16	\$6,377.17		\$269.16	\$12,979.49
APR	\$6,584.04	\$8,072.80		\$279.82	\$14,936.66
MAY	\$7,027.56	\$10,737.11		\$298.67	\$18,063.34
JUN	\$9,043.56	\$14,017.66	\$107.58	\$384.35	\$23,553.15
JUL	\$16,767.08	\$5,058.98		\$712.60	\$22,538.66
AUG	\$16,390.76	\$8,173.00		\$696.61	\$25,260.37
SEPT	\$7,699.56	\$8,755.45		\$327.73	\$16,782.74
OCT	\$9,419.88	\$6,193.40		\$400.34	\$16,013.62
NOV	\$11,686.76	\$7,646.47		\$496.69	\$19,829.92
DEC	\$13,626.60	\$5,150.22		\$579.13	\$19,355.95
TOTAL	\$129,569.76	\$98,707.27	\$107.58	\$5,507.21	\$233,891.82

INSPECTIONS:

SAMPLING:

NON-SAMPLING

____1

TOTAL

249

248

FLOWS:

MONTH	GALLONS	DAILY AVERAGE
JAN	2,586,433	83,433
FEB	1,586,201	56,650
MAR	1,057,205	34,103
APR	1,099,290	36,643
MAY	1,173,069	37,841
JUN	1,509,790	50,326
JUL	2,799,377	90,302
AUG	2,736,620	88,278
SEPT	1,285,241	42,841
OCT	1,573,069	50,744
NOV	1,951,388	65,046
DEC	2,274,881	73,383

TOTAL

21,632,564

COMMENTS:

KOPPERS INDUSTRIES (2017) PERMIT NUMBER - 2020080119 COMPLIANCE STATUS - NC

NON-COMPLIANCE INCIDENTS:

May	O&G over limits
iviay	Odd over littles

CHA	RGES	ASS	FSS	FD.
		700		

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$9,912.68			\$683.97	\$10,596.65
FEB	\$10,427.88			\$719.52	\$11,147.40
MAR	\$12,757.48			\$880.27	\$13,637.75
APR	\$11,131.24	\$671.74		\$768.06	\$12,571.04
MAY	\$11,646.44	\$628.84		\$803.60	\$13,078.88
JUN	\$8,505.96			\$586.91	\$9,092.87
JUL	\$7,390.44			\$509.94	\$7,900.38
AUG	\$8,071.40			\$556.93	\$8,628.33
SEPT	\$8,980.84	\$85.58		\$619.68	\$9,686.10
OCT	\$9,473.64			\$653.68	\$10,127.32
NOV	\$8,093.80			\$558.47	\$8,652.27
DEC	\$10,566.76			\$729.11	\$11,295.87
TOTAL	\$116,958.56	\$1,386.16	\$0.00	\$8,070.14	\$126,414.86

INSPECTIONS:

SAMPLING:

NON-SAMPLING

TOTAL

246

247

FLOWS:

MONTH	GALLONS	DAILY AVERAGE	
JAN	1,655,081	53,390	
FEB	1,741,161	62,184	
MAR	2,129,896	68,706	
APR	1,858,799	61,960	
MAY	1,944,250	62,718	
JUN	1,419,766	47,326	
JUL	1,233,680	39,796	
AUG	1,347,623	43,472	
SEPT	1,499,689	49,990	
OCT	1,581,324	51,010	
NOV	1,351,340	45,045	
DEC	1,764,296	56,913	
	1927 12	93	
TOTAL			19,526,905

COMMENTS:

L'OREAL (2017) PERMIT NUMBER - 2020080120 COMPLIANCE STATUS - NC

NON-COMPLIANCE INCIDENTS

September FOG over limits

CHA	RGES	ASSES	SED.
UIIA	NULU	MUJLJ	JLU.

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$2,431.08	\$1,188.21		\$167.74	\$3,787.03
FEB	\$2,238.44	\$1,320.50		\$154.45	\$3,713.39
MAR	\$2,681.96	\$1,315.80		\$185.06	\$4,182.82
APR	\$2,377.32	\$1,775.55		\$164.04	\$4,316.91
MAY	\$2,498.28	\$2,082.86		\$172.38	\$4,753.52
JUN	\$2,735.72	\$627.62		\$188.76	\$3,552.10
JUL	\$2,592.36	\$3,140.51		\$178.87	\$5,911.74
AUG	\$2,923.88	\$2,936.32	\$7.60	\$201.75	\$6,069.55
SEPT	\$2,655.08	\$2,239.58		\$183.20	\$5,077.86
OCT	\$2,484.84	\$1,538.54		\$171.45	\$4,194.83
NOV	\$2,395.24	\$475.63		\$165.27	\$3,036.14
DEC	\$2,892.52	\$1,849.78		\$199.58	\$4,941.88
T074/	400,000,70	200 100 00	47.00	40.400.77	
TOTAL	\$30,906.72	\$20,490.90	\$7.60	\$2,132.55	\$53,537.77

INSPECTIONS:

SAMPLING:

NON-SAMPLING

TOTAL

47 1

48

FLOWS:

GALLONS	DAILY AVERAGE
405,868	13,093
373,960	13,356
447,958	14,450
397,086	13,236
417,306	13,461
456,674	15,222
433,040	13,969
487,938	15,740
443,466	14,782
414,915	13,384
399,940	13,331
482,782	15,574
	405,868 373,960 447,958 397,086 417,306 456,674 433,040 487,938 443,466 414,915 399,940

TOTAL

5,160,933

COMMENTS:

MAVERICK TRUCKING (2017)

PERMIT NUMBER - 2020080121 **COMPLIANCE STATUS - NC**

NON-COMPLIANCE INCIDENTS:

January

pH over limits (self-monitoring)

February February pH below limits September pH below limits November pH below limits

pH below limits

MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$1,037.80	\$227.75	\$22.82	\$71.61	\$1,359.98
FEB	\$2,511.72	\$367.15	\$39.12	\$173.31	\$3,091.30
MAR	\$2,632.68			\$181.65	\$2,814.33
APR	\$2,377.32			\$164.04	\$2,541.36
MAY	\$1,212.52	\$481.95		\$83.66	\$1,778.13
JUN	\$1,122.92	\$249.97		\$77.48	\$1,450.37
JUL	\$1,199.08	\$1,029.48		\$82.74	\$2,311.30
AUG	\$1,037.80	\$372.98		\$71.61	\$1,482.39
SEPT	\$1,158.76	\$902.79	\$35.50	\$79.95	\$2,177.00
OCT	\$1,122.92	\$803.48		\$77.48	\$2,003.88
NOV	\$1,158.76	\$303.52	\$22.49	\$79.95	\$1,564.72
DEC	\$1,087.08	\$363.01		\$75.01	\$1,525.10
TOTAL	\$17,659.36	\$5,102.08	\$119.93	\$1,218.49	\$24,099.86

INSPECTIONS:

SAMPLING:

NON-SAMPLING

244 1

TOTAL

245

FLOWS:	
--------	--

MONTH	GALLONS	DAILY AVERAGE	
JAN	172,982	5,580	
FEB	419,254	14,973	
MAR	439,659	14,183	
APR	396,552	13,218	
MAY	202,177	6,522	
JUN	187,322	6,244	
JUL	200,015	6,452	
AUG	173,244	5,589	
SEPT	193,717	6,457	
OCT	187,591	6,051	
NOV	193,298	6,443	
DEC	181,268	5,847	
TOTAL			2,947,079

COMMENTS:

MOLEX (2017) PERMIT NUMBER - 2020080122 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	ASSESSED: REGULAR \$8,855.40 \$7,748.84 \$8,053.48 \$8,640.36 \$8,192.36 \$9,222.76 \$9,885.80 \$9,640.20 \$8,792.68 \$7,721.96 \$8,940.52 \$6,991.72	SURCHARGE	PENALTY	OTHER \$376.35 \$329.33 \$342.27 \$367.22 \$348.18 \$391.97 \$420.15 \$402.06 \$373.69 \$328.18 \$379.97 \$297.15	**TOTAL** \$9,231.75 \$8,078.17 \$8,395.75 \$9,007.58 \$8,540.54 \$9,614.73 \$10,305.95 \$10,042.26 \$9,166.37 \$8,050.14 \$9,320.49 \$7,288.87
TOTAL	\$102,686.08	\$0.00	\$0.00	\$4,356.52	\$107,042.60
INSPECTION SAMPLING: NON-SAMP TOTAL	6 7		247 1	248	
FLOWS: MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	GALLONS 1,478,200 1,293,500 1,344,800 1,442,900 1,367,700 1,539,800 1,650,700 1,579,300 1,468,000 1,289,400 1,492,600 1,167,500	DAILY AVERAGE 47,684 46,196 43,381 48,097 44,119 51,327 53,248 50,945 48,933 41,594 49,753 37,661	17,114,400		

COMMENTS:

OAKLEY (2017) PERMIT NUMBER - 2020080123 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

	ASSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$1,476.84	\$29.65		\$101.90	\$1,608.39
FEB	\$1,252.84	\$9.50		\$86.45	\$1,348.79
MAR	\$1,369.32	\$55.60		\$94.48	\$1,519.40
APR	\$1,225.96	\$422.93		\$84.59	\$1,733.48
MAY	\$1,378.28	\$162.13		\$95.10	\$1,635.51
JUN	\$1,360.36			\$93.86	\$1,454.22
JUL	\$1,302.12	\$16.56		\$89.85	\$1,408.53
AUG	\$1,414.12			\$97.57	\$1,511.69
SEPT	\$1,203.56	\$49.75		\$83.05	\$1,336.36
OCT	\$1,517.16	\$894.20		\$104.68	\$2,516.04
NOV	\$1,297.64			\$89.54	\$1,387.18
DEC	\$1,167.72	\$215.37		\$80.57	\$1,463.66
TOTAL	\$15,965.92	¢4 955 CO	to 00	04 404 04	A40.000.00
TOTAL	\$10,900.92	\$1,855.69	\$0.00	\$1,101.64	\$18,923.25
INSPECTIO	NS:				
SAMPLING:			247		
NON-SAMP	LING		1		
TOTAL				248	
				240	
FLOWS:					
MONTH	GALLONS D	DAILY AVERAGE			
JAN	246,840	7,963			
FEB	209,440	7,480			
MAR	228,888	7,383			
APR	204,952	6,832			
MAY	230,384	7,432			
JUN	227,392	7,580			
JUL	217,668	7,022			
AUG	236,368	7,625			
SEPT	201,212	6,707			
OCT	253,572	8,180			
NOV	216,920	7,231			
DEC	195,228	6,298			
		www.fi/100.00.00			
TOTAL			2,668,864		

COMMENTS:

ST. VINCENT NORTH (2017) PERMIT NUMBER - 2020080124

COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHARGES	ASSESSED:				
MONTH	REGULAR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$9,164.52	CONCIDENCE	LIVALII	OTTLER	\$9,164.52
FEB	\$7,139.56				\$7,139.56
MAR	\$6,503.40				\$6,503.40
APR	\$7,511.40				\$7,511.40
MAY	\$7,699.56				\$7,699.56
JUN	\$7,247.08				\$7,247.08
JUL	\$9,527.40				\$9,527.40
AUG	\$12,130.28				\$12,130.28
SEPT	\$11,211.88				\$11,211.88
OCT	\$10,911.72				\$10,911.72
NOV	\$10,006.76				\$10,006.76
DEC	\$9,791.72				\$9,791.72
					**,
TOTAL	\$108,845.28	\$0.00	\$0.00	\$0.00	\$108,845.28
INSPECTIO	NS:				
SAMPLING	:		246		
NON-SAMP	LING		1		
TOTAL		•	Called State of the Control of the C	247	
FLOWS:					
MONTH	GALLONS	DAILY AVERAGE			
JAN	1,530,408	49,368			
FEB	1,192,312	42,583			
MAR	1,086,096	35,035			
APR	1,254,396	41,813			
MAY	1,285,812	41,478			
JUN	1,210,264	40,342			
JUL	1,590,996	51,322			
AUG	2,025,584	65,341			
SEPT	1.872.244	62,408			
SEPT	1,012,277				
OCT	1,822,128	58,778			
OCT	1,822,128	58,778			

18,176,400

COMMENTS:

TOTAL

TRUCK-O-MAT (2017) PERMIT NUMBER - 2020080125 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHARGE	S ASSESSED				
MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$1,526.12			\$105.30	\$1,631.42
FEB	\$1,364.84			\$94.17	\$1,459.01
MAR	\$1,490.28			\$102.83	\$1,593.11
APR	\$1,342.44			\$92.63	\$1,435.07
MAY	\$1,172.20			\$80.88	\$1,253.08
JUN	\$1,306.60			\$90.16	\$1,396.76
JUL	\$1,288.68			\$88.92	\$1,377.60
AUG	\$1,105.00			\$76.25	\$1,181.25
SEPT	\$1,705.32			\$117.67	\$1,822.99
OCT	\$1,517.16			\$104.68	\$1,621.84
NOV	\$1,445.48			\$99.74	\$1,545.22
DEC	\$1,360.36			\$93.86	\$1,454.22
TOTAL	040 004 40				
TOTAL	\$16,624.48	\$0.00	\$0.00	\$1,147.09	\$17,771.57
INSPECTI	IONS:				
SAMPLING			247		
NON-SAM	Total Control of the		1		
TOTAL				248	
101712				240	
FLOWS:					
MONTH	GALLONS	DAILY AVERAGE			
JAN	255,100	8,229			
FEB	227,600	8,129			
MAR	249,100	8,035			
APR	223,800	7,460			
MAY	195,800	6,316			
JUN	217,800	7,260			
JUL	215,400	6,948			
AUG	184,500	5,952			
SEPT	284,400	9,480			
OCT	253,200	8,168			
NOV	241,200	8,040			
DEC	226,700	7,313			
TOTAL	With the second		2,774,600		

COMMENTS:

TYSON FOODS (2017) PERMIT NUMBER - 2020080126 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHA	RGES	ACC	ECC	ED.
UNA	RUES	ASS	⊏ಎಎ	EU.

	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$11,870.44			\$819.06	\$12,689.50
FEB	\$10,271.08			\$708.70	\$10,979.78
MAR	\$14,383.72	\$166.70		\$992.48	\$15,542.90
APR	\$14,872.04			\$1,026.17	\$15,898.21
MAY	\$18,106.60			\$1,249.36	\$19,355.96
JUN	\$18,124.52	\$12,318.54		\$1,250.59	\$31,693.65
JUL	\$19,087.72	\$25,885.64		\$1,317.05	\$46,290.41
AUG	\$16,713.32	\$10,563.26		\$1,153.22	\$28,429.80
SEPT	\$15,588.84	\$8,862.41		\$1,075.63	\$25,526.88
OCT	\$16,054.76	\$12,492.62		\$1,107.78	\$29,655.16
NOV	\$15,221.48			\$1,050.28	\$16,271.76
DEC	\$14,760.04			\$1,018.44	\$15,778.48
				200	
TOTAL	\$185,054.56	\$70,289.17	\$0.00	\$12,768.76	\$268,112.49

INSPECTIONS:

SAMPLING:

NON-SAMPLING

164

165

TOTAL

FLOWS:

63,927
61,231
77,469
82,769
97,517
100,877
102,814
90,004
86,767
86,464
84,702
79,496
30,896,318

COMMENTS:

UNION PACIFIC RAILROAD - PIKE AVENUE (2017)

PERMIT NUMBER - 2020080127 COMPLIANCE STATUS - C

NON-COMPLIANCE INCIDENTS:

CHARGES MONTH JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	ASSESSED: REGUALR \$11,265.64 \$13,084.52 \$13,778.92 \$15,602.28 \$21,260.52 \$12,802.28 \$8,497.00 \$12,040.68 \$5,970.28 \$5,697.00 \$5,997.16 \$19,056.36	\$720.66 \$343.84	PENALTY	9777.33 \$902.83 \$950.75 \$1,076.56 \$1,466.98 \$883.36 \$586.29 \$830.81 \$411.95 \$393.09 \$413.80 \$1,314.89	TOTAL \$12,042.97 \$13,987.35 \$14,729.67 \$16,678.84 \$22,727.50 \$13,685.64 \$9,083.29 \$12,871.49 \$7,102.89 \$6,433.93 \$6,410.96 \$20,371.25
TOTAL	\$145,052.64	\$1,064.50	\$0.00	\$10,008.64	\$156,125.78
SAMPLING NON-SAMF TOTAL	•		167 1	168	
FLOWS: MONTH	GALLONS	DAILY AVERAGE			
JAN FEB MAR APR MAY JUN JUL AUG SEPT OCT NOV DEC	1,881,120 2,184,380 2,300,420 2,605,310 3,549,800 2,137,740 1,418,840 2,010,220 996,670 951,340 1,001,220	60,681 78,014 74,207 86,844 114,510 71,258 45,769 64,846 33,222 30,688 33,374			

24,218,350

COMMENTS:

TOTAL

UNION PACIFIC RAILROAD - 400 YARD (2017)

NONCOMPLIANCE INCIDENTS:

CHA	RGES	ASSESSED:

MONTH	REGUALR	SURCHARGE	PENALTY	OTHER	TOTAL
JAN	\$1,754.60	\$1,378.80		\$121.07	\$3,254.47
FEB	\$1,293.16	\$559.19		\$89.23	\$1,941.58
MAR	\$1,432.04			\$98.81	\$1,530.85
APR	\$1,194.60	\$125.36		\$82.43	\$1,402.39
MAY	\$1,463.40			\$100.97	\$1,564.37
JUN	\$1,351.40			\$93.25	\$1,444.65
JUL	\$1,217.00	\$460.51		\$83.97	\$1,761.48
AUG	\$1,467.88	\$102.66		\$101.28	\$1,671.82
SEPT	\$1,284.20	\$240.91		\$88.61	\$1,613.72
OCT	\$1,400.68	\$75.70		\$96.65	\$1,573.03
NOV	\$1,373.80	\$100.46		\$94.79	\$1,569.05
DEC	\$1,821.80	\$949.64		\$125.70	\$2,897.14
TOTAL	\$17,054.56	\$3,993.23	\$0.00	\$1,176.76	\$22,224.55

INSPECTIONS:

SAMPLING:

NON-SAMPLING

TOTAL

12

12

FLOWS:

, 20,,0.		
MONTH	GALLONS	DAILY AVERAGE
JAN	292,692	9,442
FEB	216,022	7,715
MAR	239,285	7,719
APR	199,267	6,642
MAY	244,147	7,876
JUN	225,522	7,517
JUL	203,456	6,563
AUG	245,344	7,914
SEPT	214,003	7,133
OCT	234,049	7,550
NOV	229,636	7,655
DEC	304,212	9,813

TOTAL

2,847,635

COMMENTS:

North Little Rock Waste Water Utility (Permitted Significant Industrial User) Contact/Address List (Revised: 1-29-18)

Arkansas Surgical Hospital

5201 Northshore Dr.

N.L.R, AR. 72118

Permit # 2020080110 Eff. 9-01-2016

SIC # 8062

NAICS # 622110

Exp. 8-31-2020

Carrie Helm, CEO (501)748-8017

e-mail: chelm@arksurgicalhospital.com

Rick Hill, Facilities Manager (501)748-8093 cell: (501)412-9976

e-mail: rhill@arksurgicalhospital.com

Baptist Health Medical Center

3333 Springhill Dr.

N.L.R., AR. 72117

Permit #2020080111 Eff. 9-01-2016

SIC # 8062

Exp.8-31-2020

NAICS # 622110 Goley Lumley, Facilities Manager (501)202-3010 cell: (501)730-5155

e-mail: Goley.Lumley@baptist-health.org

Christina Sims, Office Manager (501)202-3011

e-mail: Christina.Sims@baptist-health.org

Blue Beacon of Little Rock

3210 Hwy. 391

NAICS # 811192

Permit #2020080113 Eff. 9-01-2016

N.L.R., AR 72117

SIC #7542

Exp. 8-31-2020

Jonathan Burgess, General Manager (501)945-7023

Blue Beacon (Billing)-(Environmental Compliance)

P.O. Box 856

Salina, KS. 67402-0856

Tina Dorf, Director Environmental Compliance (785)825-2221

e-mail: TinaD@bluebeacon.com

Caterpillar Inc.

9201 Faulkner Lake Rd.

N.L.R, AR 72117

Categorical Industry (CFR433- Metal Finishing)

Permit # 2020080114 Eff. 9-01-2016

NAICS # 333120

Exp.8-31-2020

Paul J. Rivera, General Manager (501)955-5450

e-mail: Rivera Paul J@cat.com

Katina Stephens, Environmental Health & Safety Manager (501)955-5240

e-mail: Stephens Katina@cat.com

Wayne Beanland, Environmental Health & Safety Supervisor

Central Arkansas Veterans Healthcare Systems

N.L.R. Division Safety Office (138/NLR)

Permit #2020080115 Eff.9-01-2016

2200 Fort Roots Drive

SIC#8062 Exp. 8-31-2020

N.L.R., AR 72114

NAICS # 622110

John Hankins, Safety Manager (501)257-1213

e-mail: John.Hankins@ya.gov

Brian Green, GEMS Program Manager (501)257-1137

e-mail: Brian.Green3@ya.gov

Central Arkansas Veterans Healthcare Systems

Engineering Services (138 / NLR)

Attn: Trish Walters 2200 Fort Roots Drive

N.L.R., AR. 72114

(Billing) Trish Walters 257-1150 Fax: 257-1144

Cintas Corporation

Section 11 - Special Conditions

(102 Champs Blvd.)

Permit # 2020080116 Eff. 10-01-2016

P.O. Box 13990

NAICS # 812332 Exp. 8-31-2020

Maumelle, AR 72113

Marty Newsom, Plant Manager (501)803-4488

e-mail: newsomm@cintas.com

J B Hunt Transport

2901 Hwy 161 North.

Permit #2020080117 Eff. 9-01-2016

N.L.R., AR. 72117

SIC #4231

Exp. 8-31-2020

NAICS # 484121, 811192

Ronald Watson, Maintenance Director (501)945-8683 cell: (501)7861640 e-mail: Ronald Watson@jbhunt.com

Kimberly - Clark Corporation

500 Murphy Dr. Maumelle, AR 72113 **Permit # 2020080118** Eff. 10-01-2016 **NAICS # 313230** Exp. 8-31-2020

Marcie Miller, Facility Manager (501)212-2101

e-mail: marcie.miller@kcc.com

Patrick Brodsky, Environmental Engineer (501)269-8278

e-mail: pbrodsky@kcc.com

Koppers Inc.

Categorical Industry (CFR429-Timber Products Processing)

(2201 Edmonds Rd. N.L.R., AR. 72117) P.O. Box 15490

Little Rock, AR. 72231

Permit # 2020080119 Eff. 9-01-2016 SIC #2491 Exp. 8-31-2020

NAICS # 321114

Chris Martin, Plant Manager (501)945-6414

e-mail: martincm@koppers.com

John Paulovich, SH&E coordinator (501)503-6782 cell

e-mail: PaulovichJK@koppers.com

Dusty McDaniel (501)920-3769

L'oreal USA Products, Inc.

Section 11 - Special Conditions

11500 Maybelline Rd. N.L.R, AR. 72117-1886

Permit # 2020080120 Eff. 9-01-2016 SIC #2844 Exp. 8-31-2020 NAICS # 325620

Eric Fox, Plant Manager (501)955-8500

e-mail: efox@us.loreal.com

Rachel Furman, Environmental Manager (501)955-8967

e-mail: rfurman@us.loreal.com

Maverick Transportation, LLC

(13301 Valentine Rd. N.L.R, AR. 72117) P.O. Box 15428 Little Rock, AR. 72231 **Permit # 2020080121** Eff. 9-01-2016 SIC #4213 & 7542 Exp. 8-31-2020 **NAICS # 484121, 811192**

Mike Jeffress, Vice President of Maintenance (501) 955-1600

e-mail: MJeffress@maverickusa.com

Randy Payne, Facility Maintenance Manager (501)955-1418 office (870)489-4720 cell

e-mail: rpayne@maverickusa.com

Perry Harrison, Service Manager of Maintenance (501) 955-1316 213-5991 cell

Molex, LLC

801 Murphy Dr.

Maumelle, AR 72113

Categorical Industry (CFR433.17 Metal Finishing)

Permit # 2020080122 Eff. 10-01-2016

SIC # 3678

Exp. 8-31-2020

NAICS # 334417

Brian Pack, Director of Operations (501)803-1170

e-mail: brian.pack@molex.com

Bobbi Roberts, EHS&S Supervisor (501)803-1297

e-mail: bobbi.roberts@molex.com

Bruce Oakley Inc.

(3700 Lincoln Av., N.L.R, AR. 72114)

P.O. Box 17880

N.L.R. AR. 72117

Truck Washing Log

Permit # 2020080123 Eff. 9-01-2016

SIC # 4213 & 7542

Exp. 8-31-2020

NAICS # 484220, 811192

Mac Holleman, Operations Manager (501)945-0875 Allen Clary, Truck Wash Supervisor (501)320-8420

Chi St. Vincent Medical Center - North

Chi St. Vincent Infirmary Medical Center

#2 St. Vincent Cr. L.R., AR 72205

(2215 Wildwood Av. Sherwood, AR 72120) Permit # 2020080124 Eff. 9-1-2016

SIC # 8062

Exp. 8-31-2020

NAICS # 622110

Brian Morgan, Facilities Director (501)552-3938

e-mail: BMorgan@stvincenthealth.com

Ty Hunt, interim supervisor (501)552-7295

e-mail: TMHunt@stvincenthealth.com

Jackie Brown, Maintenance LR (501) 552-3924

Truck-O-Mat of N. Little Rock

(11601 Kinard Rd. N.L.R., AR. 72117)

P.O. Box 17742

N.L.R., AR. 72117

Truck Washing Log

Permit #2020080125 Eff. 9-01-2016

SIC #7542 & 5541

Exp. 8-31-2020

NAICS # 811192

Bruce Hensen, General Manager (501)945-2899 e-mail: brucehensen@iowa80group.com

Tyson Foods Inc. – N.L.R.

3800 Progress Street N.L.R., AR. 72114

Section 11 - Special Conditions

Permit #2020080126 Eff. 9-01-2016 SIC #2015 Exp. 8-31-2020 **NAICS # 311615**

Wesley Simpson, Plant Mgr. (501)945-7131

e-mail: wes.simpson@tyson.com

DeWayne Morgan, Asst. Plant Manager (501)945-7131

Ken Fletcher, Wastewater Supervisor (501)955-8129 office (501)955-8124 treatment

e-mail: ken.fletcher@tyson.com

Union Pacific Railroad

1000 W. 4th St. N.L.R., AR 72114

Section 11 - Special Conditions

Permit #2020080127 Eff. 9-01-2016 SIC#4011 Exp. 8-31-2020 NAICS # 482111

Robert Lorentz Mgr., Environmental Field Operations (501)373-2859 e-mail: <u>rmlorent@up.com</u> cell: (303)501-9052

Hacth-Mott (Un-Pac wwtp contractor Pike Ave. Plant) (501)373-2323 (1101 W. Broadway Ave. N.L.R. AR 72114) 300 Pike Ave. N.L.R., AR 72114

Marty Waldrop, Lead Operator, Industrial Water Treatment Plant (501)373-2099 e-mail: jmwaldro@up.com cell: (501)425-1360

Union Pacific Railroad (Billing) P.O. Box 1611 Omaha, NE 68101

FAULKNER LAKE T/P INDUSTRIAL FLOWS RECAP 2017

MONTH	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	ANNUAL TOTAL/MG
BAPTIST HEALTH M/C (NORTH)	2,760,840	2,573,980	2,650,770	2,434,640	2,467,950	2,657,890	2,593,700	2,597,530	2,601,400	2,844,760	2,277,710	2,241,800	30.703
BLUE BEACON	667,964	581,944	654,500	559,504	581,196	540,804	539,308	539,308	686,664	594,660	568,480	546,788	7.061
CATERILLAR INC.	261,426	286,484	437,430	486,275	603,786	857,582	1,198,221	1,065,975	918,320	753,984	519,262	373,327	7.762
CAV HEALTHCARE SYSTEM	5,132,050	3,359,540	4,490,660	3,994,250	5,574,081	5,677,810	5,283,880	5,369,100	2,651,480	4,895,340	6,004,820	7,743,666	60.177
J B HUNT TRANSPORTATION	158,576	169,048	160,072	86,768	88,264	187,000	134,640	132,396	124,916	123,420	91,256	50,864	1.507
KOPPERS INDUSTRIES	1,655,081	1,741,161	2,129,896	1,858,799	1,944,250	1,419,766	1,233,680	1,347,623	1,499,689	1,581,324	1,351,340	1,764,296	19.527
L'OREAL USA PRODUCTS	405,868	373,960	447,958	397,086	417,306	456,674	433,040	487,938	443,466	414,915	399,940	482,782	5.161
MAVERICK TRANSPORT	172,982	419,254	439,659	396,552	202,177	187,322	200,015	173,244	193,717	187,591	193,298	181,268	2.947
OAKLEY	246,840	209,440	228,888	204,952	230,384	227,391	217,668	236,368	291,212	253,572	216,920	195,228	2.759
TRUCK-O-MAT	25,100	227,600	249,100	223,800	195,800	2,178,800	215,400	184,500	284,400	153,200	241,200	226,700	4.406
TYSON FOODS	1,981,740	1,714,460	2,401,549	2,483,071	3,023,020	3,026,301	3,187,229	2,790,110	2,603,019	2,680,381	2,541,070	2,464,368	30.896
UNION PACIFIC - PIKE AVE	1,881,120	2,184,380	2,300,420	2,605,310	3,540,800	2,137,740	1,418,840	2,010,220	996,670	951,340	1,001,220	3,181,290	
UNION PACIFIC - 400 YD	292,692	216,022	239,285	199,267	244,147	225,522	203,456	245,344	214,003	234,049	229,636	304,212	2.848
TOTAL INDUSTRIAL FLOW	15.64	14.06	16.83	15.93	19.11	19.78	16.86	17.18	13.51	15.67	15.64	19.76	0.55
FAULKNER LAKE INFLUENT	196.024	185.121	228.628	214.775	367.711	194.234	185.853	167.388	139.898	135.404	133.180		
MONTHLY % OF FLOW	7.98	7.59	7.36	7.42	5.20	10.18	9.07	10.26	9.66	11.57	11.74	10.94	

File Name: Q\:Industry\ Industrial Flows Recap

* Billion Gallons

FIVE MILE T/P INDUSTRIAL FLOWS RECAP 2017

MONTH	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	ANNUAL TOTAL/MG
St. Vincent M/C-North	1,530,408	1,192,312	1,086,096	1,254,396	1,285,812	1,210,264	1,590,996	2,025,584		1,822,128			
			112391						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,022,120	1,071,002	1,000,120	0.000
													0.000
													0.000
													0.000
													0.000
													0.000
								7.00					0.000
The second secon													0.000
													0.000
													0.000
													0.000
TOTAL INDUCTORAL FLOW	4.50	4.46	1.00	1.0=									0.000
TOTAL INDUSTRIAL FLOW	1.53		1.09	1.25	1.29	1.21	1.59	2.03	1.87	1.82	1.67	1.64	0.05
FIVE MILE INFLUENT	154.837	159.747	210.498	195.541	245.877	165.392	119.352	119.695	96.202	88.066	90.636	121.508	4.83
MONTHLY % OF FLOW	0.99	0.75	0.52	0.64	0.52	0.73	1.33	1.69	1.95	2.07	1.84	1.35	

File Name: Q\:Industry\ Industrial Flows Recap

Billion Gallons

MAUMELLE T/P INDUSTRIAL FLOWS RECAP 2017

MONTH	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEDTEMBED	OCTORER	NOVEMBED	DECEMBER	ANNUAL TOTAL/MG
CINTAS	1,235,600	994,444	1,172,135	825,617	910,687	967,472	785,607	1,015,485		1,689,615			
KIMBERLY-CLARK	2,586,433			1,099,290									
MOLEX					1,173,069	1,509,790	2,799,377	2,736,620		1,573,069			21.635
IVIOLEX	1,478,200	1,293,500	1,344,800	1,442,900	1,367,700	1,539,800	1,650,700	1,579,300	1,468,000	1,289,400	1,492,600	1,167,500	17.114
													0.000
The second secon								200					0.000
													0.000
													0.000
													0.000
								1				19	0.000
													0.000
										(1)			0.000
													0.000
								unan es como un grado a como o					0.000
TOTAL INDUSTRIAL FLOW	5.30	3.88	3.57	3.37	3.45	4.02	5.24	5.33	3.91	4.55	4.85	4.79	The state of the s
MAUMELLE INFLUENT	73.432	76.033	80.888	75.197	81.925	63,617	63.287	60.350		52.973	51.126		
MONTHLY % OF FLOW	7.22	5.10	4.42	4.48	4.21	6.31	8.27	8.83		8.59	9.48		
		The state of the s	-		-			0.00	0.00	0.00	0.40	1.00	* Dilli O-ll

* Billion Gallons

WHITE OAK T/P INDUSTRIAL FLOWS RECAP 2017

MONTH	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	ANNUAL TOTAL/MG
Arkansas Surgical Hospital	466,752	379,236	491,436	387,464	724,812	712,844	804,848	883,388				590,172	
													0.000
		ļ.											0.000
													0.000
													0.000
	-												0.000
													0.000
													0.000
													0.000
The state of the s													0.000
													0.000
THE PARTY OF THE P	-												0.000
													0.000
													0.000
TOTAL INDUSTRIAL FLOW	0.47	0.38	0.40	0.20	0.70	0.74	0.00	2.22					0.000
WHITE OAK INFLUENT	94.885	100.579	0.49	0.39	0.72	0.71	0.80	0.88		0.83	0.68	0.59	0.02
MONTHLY % OF FLOW	0.49	-	88.562	68.768	199.641	72.304	45.304	46.147	36.219	40.009	53.294	81.676	2.53
VICINTIEL 70 OF PLOVV	0.49	0.30	0.55	0.56	0.36	0.99	1.78	1.91	2.32	2.07	1.27	0.72	0.84

File Name: Q\:Industry\ Industrial Flows Recap

* Billion Gallons

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT

REPORTING YEAR: January 1, 2017 TO December 31, 2017

TREATMENT PLANT: <u>Faulkner Lake</u> NPDES PERMIT <u>#AR00020303</u>
AVERAGE POTW INF. FLOW: <u>6.451 MGD</u> % IU FLOW: <u>8.59 %</u>

METALS, CYANIDE and	MAHC (Total)	INFLUENT DATES SAMPLED (µg/l) Once/quarter				MAHC (μg/l) WQ Total) Once/quarter level/						(27)	ıg/l)	ED	L	ABORATORY A	NALYSIS
PHENOLS	(μg/l) (2)		T	rquarter		limit Once/quarter (µg/l) (2)					EPA MQL	EPA Method	Detection Level				
		Date	Date	Date	Date	(2)	Date	Date	Date	Date	(μg/l) (1)	Used (1)	Achieved (μg/l)				
		3/8/17	5/16/17	8/22/17	10/24/17		3/8/17	5/16/17	8/22/17	10/24/17	(1)	(1)	(μg/I)				
Antimony	N/A	<20	<20	<20	<20	N/A	1	<1	2	1	60	200.8	20				
Cadmium	10	<4	<4	<4	<4	35	3	0.85	<0.10	<0.10	0.5	200.8	.141				
Copper	376	40	60	90	70	150	12	1	<0.50	1	0.5	200.8	.5				
Lead	83	<10	<10	40	30	120	1	<0.50	3	9	0.5	200.8	.5				
Mercury	1	<1	<1	<1	<1	.3	.010200	.009430	.004170	.004530	.005	1631E	.005				
Nickel	77	10	6	20	7	5540	8	4	15	5	0.5	200.8	.5				
Selenium	2	<10	<10	<10	<10	138	6	<5	<5	<5	5	200.8	5				
Silver	108	2	<1	3	2	41	2	<0.5	1	1	0.5	200.8					
Zinc	789	170	280	340	320	970	24	39	38	42	20	200.8	.1				
Chromium	638	10	5	20	5	7230	6	3	9	2	10	200.8	1				
Cyanide	322.7	<10	<10	<10	<10	150	<10	<10	<10	<10	10	SM 18 th					
Arsenic	13	<10	<10	<10	<10	2480	7	2	8	5	0.5	4500-CN E	10				
Molybdenum	72	10	<10	<10	20	N/A	8	<0.50	15	1		200.8	.5				
Phenols	N/A	480	110	250	150	N/A	74	<5	51	23		200.8	10				
Beryllium	N/A	<5	<5	<5	<5	N/A	2	<0.50	1		5	420.1	5				
Thallium	N/A	<10	<10	<10	<10	N/A	<0.50	<0.50		<0.50	0.5	200.8	.5				
Flow, MGD	N/A				-10	N/A	~0.30	~U.3U	<0.50	<0.50	0.5	200.8	.5				
(3)						IN/M											

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC - Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT REPORTING YEAR: January 1, 2017 TO December 31, 2017

TREATMENT PLANT: <u>Five Mile_NPDES PERMIT #_AR00020320</u>
AVERAGE POTW INF. FLOW: <u>5.602_MGD_</u> % IU FLOW: <u>1.03 %</u>

METALS, CYANIDE and PHENOLS	MAHC (Total) (μg/l) (2)	INFLUENT DATES SAMPLED (μg/l) Once/quarter				WQ level/ limit	E		ATES SAMPL ug/l) /quarter	LABORATORY ANALYSIS			
		Date	Date	Date	Date	(μg/l) (2)	Dete		T -		EPA MQL (µg/l)	EPA Method	Detection Level
		3/8/17	5/16/17	8/22/17	10/24/17		3/8/17	Date 5/16/17	Date	Date	(1)	Used (1)	Achieved (μg/l)
Antimony	N/A	<20	<20	<20	<20	N/A	6	<1	2.20	1.60		200.0	
Cadmium	10	<4	<4	<4	<4	35	3	0.81	<0.10	<0.10	60	200.8	20
Copper	376	9	20	<3	20	150	15	5	<0.50	3	0.5	200.8	.141
Lead	83	<10	<10	<10	<10	120	2	<0.50	6	10	0.5	200.8	.5
Mercury	1	<1	<1	<1	<1	.3	.018400	.007610	.052700	.012700	.005	200.8	.5
Nickel	77	10	3	<2	5	5540	10	5	<0.50	5		1631E	.005
Selenium	2	<10	<10	<10	<10	138	9	<5	20	7	0.5	200.8	.5
Silver	108	2	<1	3	1	41	2	<0.5	3	1	0.5	200.8	5
Zinc	789	40	90	230	80	970	15	19	<1	5.90	20	200.8	.1
Chromium	638	6	3	<1	2	7230	7	<1	<1	2	10	200.8	20
Cyanide	322.7	<10	<10	<10	<10	150	<10	<10	<10	<10		200.8 SM 18 th	1
Arsenic	13	<10	<10	<10	<10	2480	5	<0.50	4	5	10	4500-CN E	10
Molybdenum	72	<10	<10	<10	<10	N/A	2	<0.50	3.40	<0.50	0.5	200.8	.5
Phenols	N/A	270	130	130	210	N/A	47	<5	<5	<5		200.8	10
Beryllium	N/A	<5	<5	<5	<5	N/A	2.50	<0.50	3	<0.50	0.5	420.1	5
Thallium	N/A	<10	<10	<10	<10	N/A	<0.50	<0.50	6.60	<0.50	0.5	200.8	.5
Flow, MGD	N/A					N/A		0.00	0.00	V0.30	0.3	200.8	.5
(3)													

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC - Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT REPORTING YEAR: January 1, 2017 TO December 31, 2017

TREATMENT PLANT: Maumelle NPDES PERMIT #AR0033626

AVERAGE POTW INF. FLOW: 2.187 MGD % IU FLOW: 6.57 %

METALS, CYANIDE and	MAHC (Total) (μg/l) (2)	(µg1)				WQ level/	E	(h	ATES SAMPL	LABORATORY ANALYSIS			
PHENOLS			Once	/quarter		limit (μg/l) (2)		Once	/quarter		EPA MQL	EPA Method	Detection Level
		Date	Date	Date	Date	(2)	Date	Date	Date	Date	(μg/l) (1)	Used (1)	Achieved (μg/l)
		3/8/17	5/16/17	8/22/17	10/24/17		3/8/17	5/16/17	8/22/17	10/24/17	(1)	(1)	(μg/1)
Antimony	N/A	<20	<20	<20	<20	N/A	<1	6	1	2	60	200.7	20
Cadmium	10	<4	<4	<4	<4	35	3.50	4	<0.10	<0.10	0.5	200.8	.141
Copper	376	40	90	100	60	150	14	8	<0.50	3	0.5	200.8	.5
Lead	83	<10	<10	<10	10	120	<0.50	6	2	9	0.5	200.8	.5
Mercury	1	<1	<1	<1	<1	.3	.019800	.005980	.003780	.003740	.005	1631E	.005
Nickel	77	40	40	50	20	5540	25	25	42	11	0.5	200.8	.5
Selenium	2	20	<10	<10	<10	138	12	<5	32	6	5	200.7	5
Silver	108	1	6	1	1	41	2	6	1	1.6	0.5	200.8	.1
Zinc	789	180	150	120	110	970	20	60	36	39	20	200.7	20
Chromium	638	7	7	10	2	7230	6	6	5	2	10	200.7	1
Cyanide	322.7	<10	19.1	<10	<10	150	<10	<10	<10	<10	10	SM 18 th 4500-CN E	
Arsenic	13	<10	<10	<10	<10	2480	7	5	12	5	0.5	200.8	10
Molybdenum	72	<10	<10	<10	<10	N/A	3	7	5	3		200.8	.5
Phenols	N/A	420	240	140	190	N/A	<5	<5	<5	17	5	420.1	10
Beryllium	N/A	<5	<5	<5	<5	N/A	2.60	<0.50	1	<0.50	VALUE OF THE PARTY		5
Thallium	N/A	<10	<10	<10	<10	N/A	<0.50	<0.50	<0.50	<0.50	0.5	200.8	.5
Flow, MGD	N/A					N/A	10.50	-0.50	~0.30	<0.50	0.5	200.8	.5
(3)						A 11/2 X							

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC - Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT

REPORTING YEAR: January 1, 2017 TO December 31, 2017 TREATMENT PLANT: White Oak NPDES PERMIT # AR00038288 AVERAGE POTW INF. FLOW: 2.648 MGD % IU FLOW: 0.84 %

METALS, CYANIDE and	MAHC (Total) (μg/l) (2)	INFLUENT DATES SAMPLED (µg/l) Once/quarter				WQ levél/	E	(μ	ATES SAMPL g/l)	LABORATORY ANALYSIS			
PHENOLS			Once	/quarter		limit (μg/l) (2)		Once/	quarter		EPA MQL	EPA Method	Detection Level
		Date	Date	Date	Date	(2)	Date	Date	Date	Date	(μg/l) (1)	Used (1)	Achieved (μg/l)
		3/8/17	5/16/17	8/22/17	10/24/17		3/8/17	5/16/17	8/22/17	10/24/17	(1)	(1)	(μg/1)
Antimony	N/A	<20	<20	<20	<20	N/A	<1	5.80	2	1.70	60	200.8	20
Cadmium	10	<4	4	<4	<4	35	3.30	3.90	<0.10	<0.10	0.5	200.8	.141
Copper	376	20	20	20	50	150	8	6	2	3	0.5	200.8	.5
Lead	83	<10	<10	<10	<10	120	<0.50	6.20	2	9	0.5	200.8	.5
Mercury	1	<1	<1	<1	<1	.3	.024800	.005770	.009890	.046500	.005	1631E	.005
Nickel	77	8	8	8	5	5540	9	9	12	4	0.5	200.8	.5
Selenium	2	<10	<10	30	<10	138	10	<5	11	5,90	5	200.8	5
Silver	108	2	5	1	1	41	2	5	1	1	0.5	200.8	.1
Zinc	789	100	60	80	270	970	66	12	32	6.50	20	200.8	20
Chromium	638	7	6	9	3	7230	6	5.70	7	2.10	10	200.8	1
Cyanide	322.7	<10	<10	<10	<10	150	<10	<10	<10	<10	10	SM 18 th 4500-CN E	10
Arsenic	13	<10	<10	<10	<10	2480	5	4	9	4	0.5	200.8	
Molybdenum	72	<10	<10	<10	<10	N/A	1.80	5	1.60	<0.50		200.8	.5
Phenols	N/A	230	180	160	250	N/A	<5	<5	<5	120	5	420.1	10
Beryllium	N/A	<5	<5	<5	<5	N/A	2.60	<0.50	1	<0.50			5
Thallium	N/A	<10	<10	<10	<10	N/A	<0.50	<0.50	<0.50	<0.50	0.5	200.8	.5
Flow, MGD	N/A					N/A	-0.50	-0.50	~0.30	V.30	0.5	200.8	.5
(3)						* 112.3							

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC - Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

ATTACHMENT A

PRETREATMENT PROGRAM STATUS REPORT UPDATED SIGNIFICANT INDUSTRIAL USERS LIST

Industrial User	NAICS	40 CFR	Control Document									
Name	Code	XXX or N/A	D00		New User	Times Inspected	Times Sampled		Re	ports		Permit Limits
			Y/N	Last Action				BMR	90-day Compliance	Semi Annual	Self Monitoring	DIMIT 63
Arkansas Surgical Hosp.	622110	N/A	Y	9/1/16	N	1	248	N/A	N/A	N/A	NC	NC
Baptist Health Med. Ctr. North	622110	N/A	Y	9/1/16	N	1	248	N/A	N/A	N/A	С	С
Blue Beacon	811192	N/A	Y	9/1/16	N	1	247	N/A	N/A	N/A	NC	NC
Caterpillar	333120	40 CFR 433	Y	9/1/16	N	1	206	N/A	N/A	N/A	C	C
Central Arkansas Veterans	622110	N/A	Y	9/1/16	N	1	248	N/A	N/A	N/A	NC	NC
Cintas	812332	N/A	Y	10/1/16	N	1	181	N/A	N/A	N/A	С	C
J B Hunt	484121 811192	N/A	Y	9/1/16	N	1	247	N/A	N/A	N/A	C	C
Kimberly-Clark	313230	N/A	Y	10/1/16	N	1	248	N/A	N/A	N/A	С	NC
Koppers	321114	40 CFR 429	Y	9/1/16	N	1	246	N/A	N/A	N/A	C	NC
L'Oreal	325620	N/A	Y	9/1/16	N	1	47	N/A	N/A	N/A	C	NC
Maverick	484121 811192	N/A	Y	9/1/16	N	1	244	N/A	N/A	N/A	NC	NC
Molex	334417	40 CFR 433.17	Y	10/1/16	N	1	247	N/A	N/A	N/A	С	C
Oakley	484220 811192	N/A	Y	9/1/16	N	1	247	N/A	N/A	N/A	C	
St. Vincent North	622110	N/A	Y	9/1/16	N	1	246	N/A	N/A	N/A	С	C

Truck-O-Mat	811192	N/A	Y	9/1/16	N	1	247	N/A	N/A	N/A	C	C
Tyson	311615	N/A	Y	9/1/16	N	1	164	N/A	N/A	N/A	C	C
nion Pacific Railroad	484211	N/A	v	9/1/16	N	1	167	N/A	N/A	N/A		

ATTACHMENT B SIGNIFICANT VIOLATIONS - ENFORCEMENT ACTIONS TAKEN

Industrial User	Nature of Violation			Numbe	r of Act	ion Taken		Penalties	Compli Sched	lance dule	Current	Comments
Name	Reports	Limits	N.O.V.	A.O.	Civil	Criminal	Other	Collected	Date Issued	Date Due	Status	Collineires
No significant violators												
												44.0
												· · · · · · · · · · · · · · · · · · ·

ATTACHMENT C

PRETREATMENT PERFORMANCE SUMMARY (PPS)

NOTE: ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY ADEQ.
THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT DEPARTMENT AUTHORIZATION.

I. General Information

Control Authority Name North Little Rock Waste Water Uti	ility
Address 7400 Baucum Pike, P.O. Box 17898	
City North Little Rock State/Zip Arkansas / 72117-5	5240
Contact Person <u>Ed Toland</u> Position <u>Pretre</u>	eatment Supervisor
Contact Telephone _501-945-7186 NPDES Permit Nos.AR0020303	3;AR0020320;AR0038288;AR0033626
Reporting Period January 1, 2017 December	er 31, 2017
(Beginning Month and Year) (Ending	Month and Year)
Total Number of Categorical IUs <u>3</u>	
Total Number of Significant Noncategorical IUs14	
Total Number of Non-Significant (yet permitted) IUs0	
II. Significant Industrial User Complian	ice
SIGNIFICAN Categoric	NT INDUSTRIAL USERS al NonCategorical
1) No. of SIUs Submitting BMRs/Total No. Required0/0	N/A
No. of SIUs Submitting 90-Day Compliance Reports/No. Required	_N/A
No. of SIUs Submitting Semiannual Reports/ Total No. Required	0/0
1) No. of SIUs Meeting Compliance Schedule/ Total No. Required to Meet Schedule 0/0	0/0
No. of SIUs in Significant Noncompliance/ Total No. of SIUs	0/14
SIUs (categorical and noncategorical)	0/17

Compliance Monitoring Program III.

		CTCNTETCTUE	
		Categorical	INDUSTRIAL USERS NonCategorical
1)	No. of Control Documents Issued/Total No. Required	3/3	
2)	No. of Nonsampling Inspections Conducted	3/3	14/14
3)	No. of Sampling Visits Conducted	3/699	14/3042
4)	No. of Facilities Inspected (nonsampling) .	3/3	14/14
5)	No. of Facilities Sampled	3/3	14/14
	IV. Enforcement Act	lons	
		SIGNIFICANT Categorical	INDUSTRIAL USERS NonCategorical
1)	No. of Compliance Schedules Issued/No. of Schedules Required	_0/0	0/0
2)	No. of Notices of Violations Issued to SIUs	1	4
3)	No. of Administrative Orders Issued to SIUs	0	0
4)	No. of Civil Suits Filed	0	0
5)	No. of Criminal Suits Filed	0	0
6)	No. of Significant Violators (attach newspaper publication)	0	0
7)	Amount of Penalties (not surcharges) Collected (total dollars/IUs assessed)	0/0	\$363.35/5

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.

Authorized Representative

8) Other Actions (sewer bans, etc.).