

Gage, Hannah

From: Johnson, Lindsay
Sent: Thursday, February 16, 2017 7:44 AM
To: 'Rick Buie Sr.'
Cc: Yates, Adam; Leamons, Bryan; McWilliams, Carrie; Gage, Hannah
Subject: AR0020702_Intimidator ARP001028 December 2016 semi annual Pretreatment report_20170216
Attachments: ADEQ Semi-Annual Report --Intimidator.pdf; Requested information.pdf

Rick,

Intimidator's December 2016 semi-annual Pretreatment report was received, reviewed, and deemed complete and compliant with the reporting requirements in 40 CFR 403.12(e) and with the Metal Finishing standards in 40 CFR 433.17.

Thank you for sending in the requested information in a timely manner.

Sincerely,

*Lindsay Johnson
NPDES Staff Engineer
ADEQ-Office of Water Quality
(501)682-0045*

From: Rick Buie Sr. [<mailto:rick.buiesr@intimidatorutv.com>]
Sent: Wednesday, February 15, 2017 8:45 AM
To: Johnson, Lindsay
Cc: Rick Buie Sr.
Subject: FW: Scan Doc

From: Rhonda Norvold
Sent: Wednesday, February 15, 2017 8:29 AM
To: Rick Buie Sr.
Subject: Scan Doc



Rhonda Norvold
Intimidator, Inc
1 Bad Boy Blvd
Batesville, AR 72501

Email: rhonda.norvold@intimidatorutv.com

Phone: 870-307-6740



002040

This message may contain confidential and/or privileged information. If you are not the addressee or authorized to receive this for the addressee, you must not use, copy, disclose, or take any action based on this message or any information herein. If you have received this message in error, please advise the sender immediately by reply e-mail and delete this message. Thank you for your cooperation

SEMI-ANNUAL REPORT FOR INDUSTRIAL USERS REGULATED BY 40CFR433

Use of this form is not an EPA/ADEQ requirement.

Attn: Water Div/NPDES Pretreatment

(1) IDENTIFYING INFORMATION

A. LEGAL NAME & MAILING ADDRESS

B. FACILITY & LOCATION ADDRESS

Intimidator Inc.
1 Bad Boy Blvd.
Batesville AR.
72501

SAME

C. FACILITY CONTACT:

TELEPHONE NUMBER:

e-mail:

(2) REPORTING PERIOD--FISCAL YEAR From ??? to ??? (Both Semi-Annual Reports must cover Fiscal Year)

A. MONTHS WHICH REPORTS ARE DUE

B. PERIOD COVERED BY THIS REPORT

JUNE & Dec.

FROM: July TO: Dec.

(3) DESCRIPTION OF OPERATION

A. REGULATED PROCESSES

B. CHANGES: SUMMARIZE ANY CHANGES IN THE REGULATED PROCESSES SINCE THE LAST REPORT. ATTACH AN ADDITIONAL SHEET IF THE SPACE BELOW IS INADEQUATE. PROVIDE A NEW SCHEMATIC IF APPROPRIATE.

CORE PROCESS(ES)

CHECK EACH APPLICABLE BLOCK

- Electroplating
- Electroless Plating
- Anodizing
- Coating
- Chemical Etching and Milling
- Printed Circuit Board Manufacture

N/A

ANCILLARY PROCESS(ES)*

LIST BELOW EACH PROCESS USED IN THE FACILITY

Stages 2 & 4 are
Rinse stages in the
5 stage cleaning process

*SEE 40CFR433.10(a) FOR 40 DIFFERENT OPERATIONS

C. Number of Regular Employees at this Facility

D. [Reserved]

196

(4) FLOW MEASUREMENT

INDIVIDUAL & TOTAL PROCESS FLOWS DISCHARGED TO POTW IN GALLONS PER DAY

Process	Average	Maximum	Type of Discharge
Regulated (Core & Regulated (Cyanide)	5100	10100	
' 403.6(e) Unregulated*			
' 403.6(e) Dilute			
Cooling Water			
Sanitary	15,200	30,400	
Total Flow to POTW	20300	40,500	*****

*"Unregulated" has a precise legal meaning; see 40CFR403.6(e).

(5) MEASUREMENT OF POLLUTANTS

A. TYPE OF TREATMENT SYSTEM

CHECK EACH APPLICABLE BLOCK

- Neutralization
- Chemical Precipitation and Sedimentation
- Chromium Reduction
- Cyanide Destruction
- Other _____
- None

B. COMMENTS ON TREATMENT SYSTEM

Stages 1, 3, and 5 are captured & picked up by Waste Services Inc.

C. THE INDUSTRIAL USER MUST PERFORM SAMPLING AND ANALYSIS OF THE EFFLUENT FROM ALL REGULATED PROCESSES--CORE & ANCILLARY--(AFTER TREATMENT, IF APPLICABLE). ATTACH THE LAB ANALYSIS WHICH SHOWS A MAXIMUM; TABULATE ALL THE ANALYTICAL DATA COLLECTED DURING THE REPORT PERIOD IN THE SPACE PROVIDED BELOW. ZERO CONCENTRATIONS ARE NOT ACCEPTABLE; LIST THE DETECTION LIMIT IF CONCENTRATION WAS BELOW DETECTION LIMIT.

Pollutant(mg/l)	Cd	Cr	Cu	Pb	Ni	Ag	Zn	CN	TTO*
Max for 1 day	0.11	2.77	3.38	0.69	3.98	0.43	2.61	1.20	2.13
Monthly Ave	0.07	1.71	2.07	0.43	2.38	0.24	1.48	0.65	--
Max Measured	<0.004	<0.02	0.0	<0.05	0.018	<0.01	0.181	<0.01	
Ave Measured									

Sample Location Pit outside building at end of process

Sample Type (Grab or Composite) GRAB

Number of Samples and Frequency Collected 1

40CFR136 Preservation and Analytical Methods Use: Yes No

(6) CERTIFICATION

A. [Reserved]

[Reserved]

B. CHECK ONE: '433.11(e) TOXIC ORGANIC ANALYSIS ATTACHED '433.12(a) TTO CERTIFICATION

Based on my inquiry of the person or persons directly responsible for managing compliance with the pretreatment standard for total toxic organics (TTO), I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewaters has occurred since filing of the last semi-annual compliance report. I further certify that this facility is implementing the toxic organic management plan submitted to Arkansas Department of Environmental Quality.

(Typed Name)

(Corporate Officer or authorized representative)

Date of Signature _____

CORPORATE ACKNOWLEDGEMENT (Optional)

STATE OF ARKANSAS)
COUNTY OF _____)

Before me, the undersigned authority, on this day personally appeared _____ of _____, a corporation, known to me to be the person whose name is subscribed to the foregoing instrument(s), and acknowledged to me that he executed the same for purposes and considerations therein expressed, in the capacity therein stated and as the act and deed of said corporation.

Given under my hand and seal of office on this _____ day of _____, 200__.

Notary Public in and for _____
County, Arkansas

My commission expires _____.

(7) POLLUTION PREVENTION ACT OF 1990 [42 U.S.C. 13101 et seq.]

'6602 [42 U.S.C. 13101] Findings and Policy para (b) Policy.—The Congress hereby declares it to be the national policy of the United States that pollution should be prevented or reduced at the source whenever feasible; pollution that cannot be prevented should be recycled in an environmentally safe manner, whenever feasible; pollution that cannot be prevented or recycled should be treated in an environmentally safe manner whenever feasible; and disposal or other release into the environment should be employed only as a last resort and should be conducted in an environmentally safe manner.

The User may list any new or ongoing Pollution Prevention practices:

N/A

(8) GENERAL COMMENTS

(9) SIGNATORY REQUIREMENTS [40CFR403.12(d)]

I certify under penalty of law that I have personally examined and am familiar with the information in this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Richard W. Buie Sr.

NAME OF CORPORATE OFFICER OR AUTHORIZED REPRESENTATIVE

Richard W Buie Sr.

SIGNATURE

PAINT Supervisor

OFFICIAL TITLE

12-29-16

DATE SIGNED

Arkansas Testing Laboratories

3301 Langley Drive · Searcy, AR 72143 (501) 268-6431 f (844) 318-7030

NPDES Wastewater Monitoring
 Water and Wastewater Analysis
 Concrete, Asphalt, and Aggregate Testing
 Geotechnical Testing
 Industrial and Construction Quality Control

INTIMIDATOR

Collection Date: December 14, 2016

Collection Time: 4:50 PM

Collected By: BET

Wastewater Analysis

Collection Place: Final Discharge Point

Parameter	Analysis Begin		Analysis End		Results	Unit	Loading	Analyst	%	Rel	Sample	Ref
	Date / Time	Date / Time	Date / Time	Date / Time			lb/dy		Spike	%	Type	#
pH	12/14	4:50 PM	NA	NA	7.01	S.U.	NA	BET	NA	0.73	Grab	4
Cyanide	12/22	8:00 AM	NA	NA	< 0.01	mg/l	NA	KLB	102.0	0.00	Grab	5
Cadmium	12/22	5:21 PM	NA	NA	< 0.004	mg/l	NA	KLB	107.0	0.00	Grab	7
Chromium	12/22	5:21 PM	NA	NA	< 0.02	mg/l	NA	KLB	108.8	0.00	Grab	7
Copper	12/22	5:21 PM	NA	NA	0.0	mg/l	NA	KLB	102.8	0.00	Grab	7
Lead	12/22	5:21 PM	NA	NA	< 0.05	mg/l	NA	KLB	91.3	0.00	Grab	7
Nickel	12/22	5:21 PM	NA	NA	0.018	mg/l	NA	KLB	100.5	0.00	Grab	7
Zinc	12/22	5:21 PM	NA	NA	0.181	mg/l	NA	KLB	114.8	3.96	Grab	7
Silver	12/22	5:21 PM	NA	NA	< 0.01	mg/l	NA	KLB	94.0	0.00	Grab	7
Base/Neutral/Acid Compounds			12/22	6:03 PM			NA	AI306				
Volatiles			12/21	3:10 PM			NA	AI301				
Control #208491			AI Results Attached									

Quality Assurance: All Parameters include 10% duplication studies by random selection. The following equipment is checked and calibrated daily: pH meter, balance, incubators, water baths, drying oven and sterilizing apparatus. Ammonia Nitrogen and Oil & Grease Analysis include duplication and spike studies at a rate of at least 10%.

Notes: Samples iced at collection. Preserved with H₂SO₄ to pH₂; Oil & Grease, Ammonia, COD

References:

Analysis complies with 40 CFR Part 136:

4. SM 4500-HB-2000
5. SM 4500-Cl-E-1999
7. SM 3120B-1999



Neville Adams, Manager




Arkansas Testing Laboratories
ATTN: Ms. Lorrie Barbee
3301 Langley Drive
Searcy, AR 72143

This report contains the analytical results and supporting information for the sample submitted on December 20, 2016. Attached please find a copy of the Chain of Custody and/or other documents received. Note that any remaining sample will be discarded two weeks from the original report date unless other arrangements are made.

This report is intended for the sole use of the client listed above. Assessment of the data requires access to the entire document.

This report has been reviewed by the Chief Operating Officer or a qualified designee.



John Overbey
Chief Operating Officer

This document has been distributed to the following:

PDF cc: Arkansas Testing Laboratories
ATTN: Ms. Lorrie Barbee
arkatl@sbcglobal.net

SEMI-ANNUAL REPORT FOR INDUSTRIAL USERS REGULATED BY 40CFR433

Use of this form is not an EPA/ADEQ requirement.

Attn: Water Div/NPDES Pretreatment

(1) IDENTIFYING INFORMATION

A. LEGAL NAME & MAILING ADDRESS

Intimidator Inc.
1 Bad Boy Blvd.
Batesville AR.
72501

B. FACILITY & LOCATION ADDRESS

SAME

C. FACILITY CONTACT: Rick Buier SR TELEPHONE NUMBER: 8706120350 e-mail: Rick.Buier@intimidatorutu.com

(2) REPORTING PERIOD--FISCAL YEAR From ??? to ??? (Both Semi-Annual Reports must cover Fiscal Year)

A. MONTHS WHICH REPORTS ARE DUE

JUNE & Dec.

B. PERIOD COVERED BY THIS REPORT

FROM: July TO: Dec.

(3) DESCRIPTION OF OPERATION

A. REGULATED PROCESSES

CORE PROCESS(ES)

CHECK EACH APPLICABLE BLOCK

- G Electroplating
- G Electroless Plating
- G Anodizing
- Coating
- G Chemical Etching and Milling
- G Printed Circuit Board Manufacture

ANCILLARY PROCESS(ES)*

LIST BELOW EACH PROCESS USED IN THE FACILITY

Stages 2 & 4 are
rinse stages in the
5 stage cleaning process

B. CHANGES:

SUMMARIZE ANY CHANGES IN THE REGULATED PROCESSES SINCE THE LAST REPORT. ATTACH AN ADDITIONAL SHEET IF THE SPACE BELOW IS INADEQUATE. PROVIDE A NEW SCHEMATIC IF APPROPRIATE.

N/A

*SEE 40CFR433.10(a) FOR 40 DIFFERENT OPERATIONS

C. Number of Regular Employees at this Facility

196

D. [Reserved]

Arkansas Testing Laboratories

3301 Langley Ave · Searcy, AR 72143
 (501) 268-6431 f(501) 268-9314
 arkatl@sbcglobal.net

NPDES Wastewater Monitoring
 Water and Wastewater Analysis
 Concrete, Asphalt, and Aggregate Testing
 Geotechnical Testing
 Industrial and Construction Quality Control

CHAIN OF CUSTODY / ANALYSIS REQUEST FORM

CLIENT: Intimidator										PARAMETERS						
										# = no of bottles Q, L, H = Qtz, Ltr, Half Gal P, G = Plastic, Glass						
SAMPLE TYPE	SAMPLE MATRIX	SAMPLED BY: <i>[Signature]</i>									CALIBRATION		PRESERVATIVES			
	W=H2O S=SLUDGE D=SOIL C=WELL	DATE	TIME		Grab / Comp					pH / DO #			NP-Iced	HCl	NaOH	HNO3
EFF	W				Grab					4.50 7.01 7.01 5.0			1-L-G	2-40-G	1-L-P	1-L-P

Comments:

COLLECT:

Relinquished by:	Date/Time	Received by:	Date/Time
Relinquished by:	Date/Time	Received by: (Into the Lab) <i>[Signature]</i>	Date/Time 12.14.16 7:15