



EZ Loader Custom Boat Trailers, Inc.

6533 Highway 126 North ♦ Midway, Arkansas ♦ 72651 ♦ P.O. Box 270
800-553-7855(Phone) ♦ 870-481-5146 (Fax)

December 28, 2012

To: Mr. Allen Gilliam
ADEQ State Pretreatment Coordinator

Dear Sir,

Please accept this electronic submittal as the December, 2012 semi-annual Pretreatment report for EZ Loader Custom Boat Trailers, Inc. in Midway, Arkansas.

In my letter dated June 29, 2012, I had explained the zinc excursions the facility had experienced. We implemented process controls that we felt would eliminate any further excursions. We voluntarily began an enhanced schedule of zinc testing. We drew samples of the effluent on 6 occasions between July and December 2012. These six samples were all below the set limits. We feel our plan of corrective action proved successful and will cease the enhanced sampling schedule. I will include copies of the analytical results and custody forms.

We are glad to provide any further information your department requires.

Thank you,
Kevin Campbell

SEMI-ANNUAL REPORT FOR INDUSTRIAL USERS REGULATED BY 40CFR433

Use of this form is not an EPA/ADEQ requirement.

Attn: Water Div/NPDES Pretreatment

(1) IDENTIFYING INFORMATION

A. LEGAL NAME & MAILING ADDRESS

EZ Loader Custom Trailers, Inc.
P.O. Box 270
Midway, AR 72651

B. FACILITY & LOCATION ADDRESS

EZ Loader Custom Trailers, Inc.
6533 Highway 126 North
Midway, AR 72651

C. FACILITY CONTACT: Kevin Campbell **TELEPHONE NUMBER:** (870)481-5138 ext. 259 **e-mail:**

(2) REPORTING PERIOD--FISCAL YEAR From 07/10 to 06/11 (Both Semi-Annual Reports must cover Fiscal Year)

A. MONTHS WHICH REPORTS ARE DUE

_____ JUNE _____ & _____ DECEMBER _____

B. PERIOD COVERED BY THIS REPORT

FROM: June 2012 **TO:** November 2012

(3) DESCRIPTION OF OPERATION

A. REGULATED PROCESSES

CORE PROCESS(ES)

CHECK EACH APPLICABLE BLOCK

- Electroplating
- Electroless Plating
- Anodizing
- Coating
- Chemical Etching and Milling
- Printed Circuit Board Manufacture

ANCILLARY PROCESS(ES)*

LIST BELOW EACH PROCESS USED IN THE FACILITY

Cleaning, Grinding, Shearing, Welding,

Sandblasting, Painting and Assembly

B. CHANGES:

SUMMARIZE ANY CHANGES IN THE REGULATED PROCESSES SINCE THE LAST REPORT. ATTACH AN ADDITIONAL SHEET IF THE SPACE BELOW IS INADEQUATE. PROVIDE A NEW SCHEMATIC IF APPROPRIATE.

C. Number of Regular Employees at this Facility 75

D. [Reserved]

(4) FLOW MEASUREMENT

INDIVIDUAL & TOTAL PROCESS FLOWS DISCHARGED TO POTW IN GALLONS PER DAY

Process	Average	Maximum	Type of Discharge
Regulated (Core & Ancillary)	2750	3,000	Batch/Week
Regulated (Cyanide)			
§403.6(e) Unregulated*			
§403.6(e) Dilute			
Cooling Water			
Sanitary	343	343	Continuous
Total Flow to POTW	3,093	3,343	*****

*"Unregulated" has a precise legal meaning; see 40CFR403.6(e).

(5) MEASUREMENT OF POLLUTANTS

A. TYPE OF TREATMENT SYSTEM

CHECK EACH APPLICABLE BLOCK

Neutralization

Chemical Precipitation and Sedimentation

Chromium Reduction

Cyanide Destruction

Other _____

None

B. COMMENTS ON TREATMENT SYSTEM

Pretreatment for pH adjustment has rarely been required due to the neutralizing effect of the acid and alkaline chemicals involved. pH is always monitored prior to batch release. If required, the facility can adjust using acidic/basic chemicals.

C. THE INDUSTRIAL USER MUST PERFORM SAMPLING AND ANALYSIS OF THE EFFLUENT FROM ALL REGULATED PROCESSES--CORE & ANCILLARY--(AFTER TREATMENT, IF APPLICABLE). ATTACH THE LAB ANALYSIS WHICH SHOWS A MAXIMUM; TABULATE ALL THE ANALYTICAL DATA COLLECTED DURING THE REPORT PERIOD IN THE SPACE PROVIDED BELOW. ZERO CONCENTRATIONS ARE NOT ACCEPTABLE; LIST THE DETECTION LIMIT IF CONCENTRATION WAS BELOW DETECTION LIMIT.

Pollutant(mg/l)	Cd	Cr	Cu	Pb	Ni	Ag	Zn	CN	TTO*
Max for 1 day	0.11	2.77	3.38	0.69	3.98	0.43	2.61	1.20	2.13
Monthly Ave	0.07	1.71	2.07	0.43	2.38	0.24	1.48	0.65	--
Max Measured	<0.0005	0.0485	0.648	<0.015	0.0593	<0.020	1.30	<0.010	--
Ave Measured	<0.0005	0.0485	0.648	<0.015	0.0593	<0.020	0.83	<0.010	--

Sample Location: At discharge sampling port, as designated on schematic previously submitted to ADEQ

Sample Type (Grab or Composite): Grab sample

Number of Samples and Frequency Collected: One grab sample for all metals collected on December 18th, 2012. Took 5 additional monthly grab samples for zinc only from July to December, 2012.

40CFR136 Preservation and Analytical Methods Use: Yes No

(6) CERTIFICATION


A. [Reserved]

[Reserved]

B. CHECK ONE: §433.11(e) TOXIC ORGANIC ANALYSIS ATTACHED §433.12(a) TOMP CERTIFICATION

Based on my inquiry of the person or persons directly responsible for managing compliance with the pretreatment standard for total toxic organics (TTO), I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewaters has occurred since filing of the last semi-annual compliance report. I further certify that this facility is implementing the toxic organic management plan submitted to Arkansas Department of Environmental Quality.

Gary L. Potter, Vice President & General Manager
(Typed Name)



(Corporate Officer or authorized representative)
Date of Signature: December 28, 2012

CORPORATE ACKNOWLEDGEMENT (Optional)

STATE OF ARKANSAS)
COUNTY OF _____)

Before me, the undersigned authority, on this day personally appeared _____ of _____, a corporation, known to me to be the person whose name is subscribed to the foregoing instrument(s), and acknowledged to me that he executed the same for purposes and considerations therein expressed, in the capacity therein stated and as the act and deed of said corporation.

Given under my hand and seal of office on this _____ day of _____, 200__.

Notary Public in and for _____
County, Arkansas

My commission expires _____.

(7) POLLUTION PREVENTION ACT OF 1990 [42 U.S.C. 13101 et seq.]

§6602 [42 U.S.C. 13101] Findings and Policy para (b) Policy.--The Congress hereby declares it to be the national policy of the United States that pollution should be prevented or reduced at the source whenever feasible; pollution that cannot be prevented should be recycled in an environmentally safe manner, whenever feasible; pollution that cannot be prevented or recycled should be treated in an environmentally safe manner whenever feasible; and disposal or other release into the environment should be employed only as a last resort and should be conducted in an environmentally safe manner.

The User may list any new or ongoing Pollution Prevention practices:

- Toxic Organic Management Plan
- Spill Prevention Practices
- Stormwater Pollution Prevention Plan
- Process Controls
- Best Management Practices
- Watts BBH-150 filter housing with 50 micron pleated cartridge filter

With the use of the Watts 50 micron filter, the facility saw a reduction in levels for all metals measured above detectable limits. (See note in section 8 for an example)


(8) GENERAL COMMENTS

The potable city water that supplies the wash equipment was sampled as well as the effluent.

Copper level in effluent was 0.648 mg/l.
Copper level in potable water was 0.662 mg/l.

(9) SIGNATORY REQUIREMENTS [40CFR403.12(l)]

I certify under penalty of law that I have personally examined and am familiar with the information in this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Gary L. Potter
NAME OF CORPORATE OFFICER OR AUTHORIZED REPRESENTATIVE

SIGNATURE

Vice President & General Manager
OFFICIAL TITLE

December 28, 2012
DATE SIGNED



11701 I-30 Bldg 1, Ste 115 - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

10 July 2012

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651

RE: Zinc Testing

SDG Number: 1207019

Enclosed are the results of analyses for samples received by the laboratory on 03-Jul-12 10:27. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Preservation Confirmed	✓
Received On Ice	
Temperature on Receipt	21.0°C

Sincerely,


A handwritten signature in cursive script that reads "Norma James".

Norma James
President

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

10 July 2012

Kevin Campbell
 EZ Loader Boat Trailers, Inc. - Midway Division
 6533 Hwy. 126 North
 Midway, AR 72651
 Project: Zinc Testing



Date Received: 03-Jul-12 10:27

CHAIN OF CUSTODY FORM(S)



11701 Interstate 30, Bldg. 1, Ste. 115
 Little Rock, AR 72209
 PHONE: 501-455-3233
 FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Preservation Codes:		
EZ Loader Boat Trailers, Inc. - Midway Division 6533 Hwy. 126 N Midway, AR 72651			Zinc Testing			1. Cool + Dry 2. Sulfuric acid (H ₂ SO ₄) pH < 3 3. Nitric Acid (HNO ₃) pH < 2		
AR#t: Kevin Campbell			Reporting Information Telephone: 878-484-5338 Fax: 878-481-5150 Email: kevin@ezloadertrailer.com			4. Thimble for Bicarbonate 5. Hydrochloric Acid (HCl) 6. Sodium Hydroxide (NaOH) pH > 12		
Sampler(s) Signature			Sampler(s) Printed			Bin Type Code 01 - Glass P - Tubs 02 - Segm. A - Tubs		
Field Number	SAMPLE COLLECTION Date	Time	Grav. Cont. (Yes/No)	Spaying (Yes/No)	IDENTIFICATION/ DESCRIPTION	Retention Code	Bin Type	Bin Type Code
7/2/12	7/2/12	12:00pm	✓	W	EFFLUENT	EN		01
<p>1. Received by: (Signature) <i>[Signature]</i> Date/Time 1:30 p.m. 7/2/12</p> <p>2. Received by: (Signature) U.P.S.</p> <p>3. Delivered by: (Signature) <i>[Signature]</i> Date/Time 7/3/12, 10:07</p> <p>4. Received by: (Signature) <i>[Signature]</i></p>								
<p>SAMPLE CONTAINER UPON RECEIPT IN LAB</p> <p>1. CUSTODY SEALS: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>2. CONTAINERS CORRECT: Yes <input type="checkbox"/> No <input type="checkbox"/></p> <p>3. OCCUPANTS AGREE: Yes <input type="checkbox"/> No <input type="checkbox"/></p> <p>4. PRESERVATION CONFIRMED: Yes <input type="checkbox"/> No <input type="checkbox"/></p> <p>5. RECEIVED ON ICE: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p> <p>6. TEMPERATURE ON RECEIPT: 21°C</p> <p>FOR COMPLETION BY LAB ONLY</p>						REMARKS / SAMPLE COMMENTS		

Received 12/11/15

10 July 2012



Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Zinc Testing

Date Received: 03-Jul-12 10:27

ANALYTICAL RESULTS

Lab Number: 1207019-01
Sample Name: Effluent
Date/Time Collected: 7/2/12 12:00
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Zinc	mg/L	1.30		7/9/12 14:16	A207052	200.7

QUALITY CONTROL RESULTS

Total Metals -- Batch: A207052 (Water)
Prepared: 05-Jul-12 08:30 By: TC -- Analyzed: 09-Jul-12 14:08 By: TC

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Zinc	<0.00500 mg/L	95.3% / NA	98.1% / 97.1%		0.966%	

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods, 20th Edition.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: _____
Norma James
President



11701 I-30 Bldg 1, Ste 115 - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

26 July 2012

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651

RE: Zinc Testing
SDG Number: 1207242

Enclosed are the results of analyses for samples received by the laboratory on 24-Jul-12 10:24. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

<u>Custody Seals</u>	✓
<u>Containers Correct</u>	✓
<u>COC/Labels Agree</u>	✓
<u>Preservation Confirmed</u>	✓
<u>Received On Ice</u>	
Temperature on Receipt	21.0°C

Sincerely,

A handwritten signature in cursive script that reads "Norma James".

Norma James
President

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.



11701 Interstate 30, Bldg. 1, Ste. 115
 Little Rock, AR 72209
 PHONE: 501-455-3233
 FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION				Project Description				Turnaround Time		Preservation Codes:							
EZ Loader Boat Trailers, Inc. - Midway Division				Zinc Testing				24 Hour	48 Hour	72 Hour	1. Cool 4 Degrees Centgrade		4. Thiosulfate for Dechlorination				
6533 Hwy. 126 N											2. Sulfuric Acid (H ₂ SO ₄), pH < 2		5. Hydrochloric Acid(HCl)				
Midway, AR 72651				Reporting Information							3. Nitric Acid (HNO ₃), pH < 2		6. Sodium Hydroxide (NaOH), pH > 12				
Attn: Kevin Campbell				Telephone: 870-481-5138				Routine (5 Day)		TEST PARAMETERS						Bottle Type Code	
				Fax: 870-481-5150				Preservative Code		3						G = Glass P = Plastic	
				Email: kcampbell@ezloader.com				Bottle Type		P						Y = Section A / Amber	
Sampler(s) Signature				Sampler(s) Printed										Arkansas Analytical Work Order Number			
Field Number	SAMPLE COLLECTION		Grp	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION										
7-23-12	7-23-12	3:00pm	X		1	Water	Zn						1207242				
							X						01				
1. Relinquished by: (Signature)				Date/Time		2. Received by: (Signature)				SAMPLE CONDITION UPON RECEIPT IN LAB				REMARKS / SAMPLE COMMENTS			
<i>[Signature]</i>				7-23-12 3:30pm		W.P.S.				1. CUSTODY SEALS. <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No							
										2. CONTAINERS CORRECT. <input type="checkbox"/> Yes <input type="checkbox"/> No							
										3. COCLABELS AGREE. <input type="checkbox"/> Yes <input type="checkbox"/> No							
3. Relinquished by: (Signature)				Date/Time		4. Received by lab: (Signature)				4. PRESERVATION CONFIRMED: <input type="checkbox"/> Yes <input type="checkbox"/> No							
<i>[Signature]</i>				7-24-12 10:24		<i>[Signature]</i>				5. RECEIVED ON ICE: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No							
										6. TEMPERATURE ON RECEIPT: 21°C							
FOR COMPLETION BY LAB ONLY																	

26 July 2012
 Kevin Campbell
 EZ Loader Boat Trailers, Inc. - Midway Division
 6533 Hwy. 126 North
 Midway, AR 72651
 Project: Zinc Testing

Date Received: 24-Jul-12 10:24


CHAIN OF CUSTODY FORM(S)

Revision 1
12/1/10

This report must be reproduced in its entirety.

26 July 2012

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Zinc Testing



Date Received: 24-Jul-12 10:24

ANALYTICAL RESULTS

Lab Number: 1207242-01
Sample Name: 7/23/12 Water Sample
Date/Time Collected: 7/23/12 15:00
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Zinc	mg/L	0.864		7/25/12 10:24	A207299	200.7

QUALITY CONTROL RESULTS

Total Metals -- Batch: A207299 (Water)
Prepared: 24-Jul-12 13:15 By: TC -- Analyzed: 25-Jul-12 10:31 By: TC

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Zinc	<0.00500 mg/L	99.0% / NA	97.4% / 106%		3.26%	

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods, 20th Edition.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: _____
Norma James
President



11701 I-30 Bldg 1, Ste 115 - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

13 August 2012

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651

RE: Zinc Testing
SDG Number: 1208094

Enclosed are the results of analyses for samples received by the laboratory on 09-Aug-12 09:55. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

<u>Custody Seals</u>	✓
<u>Containers Correct</u>	✓
<u>COC/Labels Agree</u>	✓
<u>Preservation Confirmed</u>	✓
<u>Received On Ice</u>	
Temperature on Receipt	21.0°C

Sincerely,

A handwritten signature in cursive script that reads "Norma James".

Norma James
President

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

13 August 2012



Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Zinc Testing

Date Received: 09-Aug-12 09:55

ANALYTICAL RESULTS

Lab Number: 1208094-01
Sample Name: 8/8/12 Water Sample
Date/Time Collected: 8/8/12 14:30
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Zinc	mg/L	0.515		8/9/12 16:49	A208126	200.7


QUALITY CONTROL RESULTS

Total Metals -- Batch: A208126 (Water)
Prepared: 09-Aug-12 14:54 By: MH -- Analyzed: 09-Aug-12 16:33 By: MH

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Zinc	<0.00500 mg/L	96.2% / NA	98.7% / 99.5%		0.753%	

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods, 20th Edition.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: _____
Norma James
President



13 August 2012

Kevin Campbell
 EZ Loader Boat Trailers, Inc. - Midway Division
 6533 Hwy. 126 North
 Midway, AR 72651
 Project: Zinc Testing

Date Received: 09-Aug-12 09:55

CHAIN OF CUSTODY FORM(S)



11701 Interstate 30, Bldg. 1, Ste. 115
 Little Rock, AR 72209
 PHONE: 501-455-3233
 FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description		Turnaround Time	Preservation Codes:						
EZ Loader Boat Trailers, Inc. - Midway Division			Zinc Testing		24 Hour	1. Cool, 4 Degrees Centigrade		4. Thiosulfate for Dechlorination				
6533 Hwy. 126 N					48 Hour	2. Sulfuric Acid (H ₂ SO ₄), pH < 2		5. Hydrochloric Acid(HCl)				
Midway, AR 72651			Reporting Information		72 Hour	3. Nitric Acid (HNO ₃), pH < 2		6. Sodium Hydroxide (NaOH), pH > 12				
Attn: Kevin Campbell			Telephone: 870-481-6138		Routine (5 Day)	TEST PARAMETERS					Bottle Type Code	
			Fax: 870-481-6150		Preservative Code	3						O - Glass, P - Plastic
			Email: kcampbell@ezloader.com		Bottle Type	P						X - Septum, A - Amber
Sampler(s) Signature			Sampler(s) Printed									Arkansas Analytical Work Order Number:
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION					
8-8-12	8-8-12	2:30pm	X		1	Water						1208094
												01
1. Relinquished by: (Signature)			Date/Time		2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB			REMARKS / SAMPLE COMMENTS	
Kyle Kerns			8-8-12 3:00 p.m.		U.P.S.			1 CUSTODY SEALS. <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
								2 CONTAINERS CORRECT <input type="checkbox"/> Yes <input type="checkbox"/> No				
								3 COC LABELS AGREE: <input type="checkbox"/> Yes <input type="checkbox"/> No				
3. Relinquished by: (Signature)			Date/Time		4. Received by lab: (Signature)			4 PRESERVATION CONFIRMED <input type="checkbox"/> Yes <input type="checkbox"/> No				
UPS			8/9/12 0955		Amanda Johnson			5 RECEIVED ON ICE. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
								6 TEMPERATURE ON RECEIPT. 21°C				
FOR COMPLETION BY LAB ONLY												

Revision 1
12/1/10



11701 I-30 Bldg 1, Ste 115 - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

21 September 2012

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651

RE: Zinc Testing
SDG Number: 1209248

Enclosed are the results of analyses for samples received by the laboratory on 20-Sep-12 08:00. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

<u>Custody Seals</u>	✓
<u>Containers Correct</u>	✓
<u>COC/Labels Agree</u>	✓
<u>Preservation Confirmed</u>	✓
<u>Received On Ice</u>	✓
Temperature on Receipt	21.0°C


Sincerely,

A handwritten signature in cursive script that reads "Norma James".

Norma James
President

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

21 September 2012



Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Zinc Testing

Date Received: 20-Sep-12 08:00

ANALYTICAL RESULTS

Lab Number: 1209248-01
Sample Name: 9/19/12 Water Sample
Date/Time Collected: 9/19/12 15:00
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Zinc	mg/L	0.922		9/20/12 18:16	A209268	200.7

QUALITY CONTROL RESULTS


Total Metals -- Batch: A209268 (Water)

Prepared: 20-Sep-12 10:45 By: SB -- Analyzed: 20-Sep-12 17:06 By: TC

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Zinc	<0.00500 mg/L	95.7% / NA	96.5% / 95.6%		0.927%	

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods, 20th Edition.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: _____
Norma James
President




21 September 2012

Kevin Campbell
 EZ Loader Boat Trailers, Inc. - Midway Division
 6533 Hwy. 126 North
 Midway, AR 72651
 Project: Zinc Testing

Date Received: 20-Sep-12 08:00

CHAIN OF CUSTODY FORM(S)



11701 Interstate 30, Bldg. 1, Ste. 115
 Little Rock, AR 72209
 PHONE: 501-455-3233
 FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:									
EZ Loader Boat Trailers, Inc. - Midway Division			Zinc Testing			24 Hour	1. Cool, 4 Degrees Centigrade	4. Thiosulfate for Dechlorination									
6533 Hwy. 126 N						48 Hour	2. Sulfuric Acid (H ₂ SO ₄), pH < 2	5. Hydrochloric Acid(HCl)									
Midway, AR 72651			Reporting Information			72 Hour	3. Nitric Acid (HNO ₃), pH < 2	6. Sodium Hydroxide (NaOH), pH > 12									
Attn: Kevin Campbell			Telephone: 870-481-5138			Routine (5 Day)	TEST PARAMETERS						Blank Type Code				
			Fax: 870-481-5160			Preservative Code:	3							G = Glass, P = Plastic			
			Email: kcampbell@ezloader.com			Bottle Type:	P							V = Separator, A = Amber			
Sampler(s) Signature			Sampler(s) Printed			Arkansas Analytical Work Order Number: 1209248											
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION										
9-19-12	9-19-12	3:00pm	X		1	Water	Zn							01			
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB				REMARKS / SAMPLE COMMENTS				
<i>K. Campbell</i>			9-19-12 3:15pm			U.P.S.			1. CUSTODY SEALS: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No								
									2. CONTAINERS CORRECT: <input type="checkbox"/> Yes <input type="checkbox"/> No								
									3. CO/LABELS AGREE: <input type="checkbox"/> Yes <input type="checkbox"/> No								
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			4. PRESERVATION CONFIRMED: <input type="checkbox"/> Yes <input type="checkbox"/> No								
UPS			9-20-12 0800			Sydney James			5. RECEIVED ON ICE: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No								
									6. TEMPERATURE ON RECEIPT: 21°C								
FOR COMPLETION BY LAB ONLY																	

Revision 1
12/1/10



11701 I-30 Bldg 1, Ste 115 - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

07 December 2012

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651

RE: Zinc Testing
SDG Number: 1211271

Enclosed are the results of analyses for samples received by the laboratory on 30-Nov-12 07:45. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

<u>Custody Seals</u>	✓
<u>Containers Correct</u>	✓
<u>COC/Labels Agree</u>	✓
<u>Preservation Confirmed</u>	✓
<u>Received On Ice</u>	✓
Temperature on Receipt	21.0°C

Sincerely,

A handwritten signature in cursive script that reads "Norma James".

Norma James
President

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

07 December 2012



Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Zinc Testing

Date Received: 30-Nov-12 07:45

ANALYTICAL RESULTS

Lab Number: 1211271-01
Sample Name: 11/29/12 - Effluent
Date/Time Collected: 11/29/12 15:00
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Zinc	mg/L	0.813		11/30/12 13:10	A211363	200.7

QUALITY CONTROL RESULTS

Total Metals -- Batch: A211363 (Water)
Prepared: 29-Nov-12 11:50 By: MH -- Analyzed: 30-Nov-12 10:20 By: MH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Zinc	<0.00500 mg/L	96.5% / NA	81.3% / 81.8%		0.157%	

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods, 20th Edition.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: _____
Norma James
President



11701 Interstate 30, Bldg. 1, Ste. 115
 Little Rock, AR 72209
 PHONE: 501-455-3233
 FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:									
EZ Loader Boat Trailers, Inc. - Midway Division			Zinc Testing			24 Hour		1. Cool, 4 Degrees Centigrade			4. Thiosulfate for Dechlorination						
6533 Hwy. 126 N						48 Hour		2. Sulfuric Acid (H ₂ SO ₄), pH < 2			5. Hydrochloric Acid(HCl)						
Midway, AR 72651			Reporting Information			72 Hour		3. Nitric Acid (HNO ₃), pH < 2			6. Sodium Hydroxide (NaOH), pH > 12						
Attn: Kevin Campbell			Telephone: 870-481-6138			Routine (5 Day)		TEST PARAMETERS									
			Fax: 870-481-5150			Preservative Code: 3		Bottle Type Code									
			Email: kcampbell@ezloader.com			Bottle Type: P		G = Glass, P = Plastic V = Septum, A = Amber									
Sampler(s) Signature			Sampler(s) Printed										Arkansas Analytical Work Order Number:				
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION										1211271-01
11-29-12	11-29-12	3:00pm	X		1	Water	EFFLUENT										
11-29-12	11-29-12	3:00pm															
1. Relinquished by: (Signature)			Date/Time		2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS			
Kevin D. Campbell			11-29-12 3:10p.m.		U.P.S.			1. CUSTODY SEALS: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 2. CONTAINERS CORRECT: <input type="checkbox"/> Yes <input type="checkbox"/> No 3. COC/LABELS AGREE: <input type="checkbox"/> Yes <input type="checkbox"/> No 4. PRESERVATION CONFIRMED: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 5. RECEIVED ON ICE: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 6. TEMPERATURE ON RECEIPT: 21°C									
3. Relinquished by: (Signature)			Date/Time		4. Received by lab: (Signature)			FOR COMPLETION BY LAB ONLY									
U.P.S.			11/30/12 0745		Sydney James												



11701 I-30 Bldg 1, Ste 115 - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

21 December 2012

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651

RE: Wastewater Samples
SDG Number: 1212215

Enclosed are the results of analyses for samples received by the laboratory on 19-Dec-12 09:18. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Preservation Confirmed	✓
Received On Ice	✓
Temperature on Receipt	3.0°C

Sincerely,


A handwritten signature in cursive script that reads "Norma James".

Norma James
President

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

21 December 2012

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Wastewater Samples



Date Received: 19-Dec-12 09:18

CASE NARRATIVE

Sample Delivery Group – 1212215

Qualified Analytical and/or Quality Control Results are Discussed Below:

Total Metals Analysis:

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Failure: Silver failed to recover within acceptance criteria in the MS/MSD sample. The recoveries were qualified by "%D1" in the quality control section of the final report. Silver was qualified as "estimated" (E20) in the parent sample, 1212215-01 (Supply).

21 December 2012



Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Wastewater Samples

Date Received: 19-Dec-12 09:18

ANALYTICAL RESULTS


Lab Number: 1212215-01
Sample Name: Supply
Date/Time Collected: 12/18/12 13:40
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cadmium	mg/L	< 0.000500		12/20/12 15:14	A212267	200.7
Chromium	mg/L	< 0.0100		12/20/12 15:14	A212267	200.7
Copper	mg/L	0.662		12/20/12 15:14	A212267	200.7
Lead	mg/L	< 0.0150		12/20/12 15:14	A212267	200.7
Nickel	mg/L	< 0.0100		12/20/12 15:14	A212267	200.7
Silver	mg/L	< 0.0200	E20	12/20/12 15:14	A212267	200.7
Zinc	mg/L	0.0589		12/20/12 15:14	A212267	200.7
Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		12/20/12 14:23	A212273	4500-CN E/9014

ANALYTICAL RESULTS

Lab Number: 1212215-02
Sample Name: Effluent
Date/Time Collected: 12/18/12 13:45
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cadmium	mg/L	< 0.000500		12/20/12 15:24	A212267	200.7
Chromium	mg/L	0.0485		12/20/12 15:24	A212267	200.7
Copper	mg/L	0.648		12/20/12 15:24	A212267	200.7
Lead	mg/L	< 0.0150		12/20/12 15:24	A212267	200.7
Nickel	mg/L	0.0593		12/20/12 15:24	A212267	200.7
Silver	mg/L	< 0.0200		12/20/12 15:24	A212267	200.7
Zinc	mg/L	0.566		12/20/12 15:24	A212267	200.7
Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		12/20/12 14:23	A212273	4500-CN E/9014



11701 Interstate 30, Bldg. 1, Ste. 115
 Little Rock, AR 72209
 PHONE: 501-455-3233
 FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:												
EZ Loader Boat Trailers, Inc. - Midway Division			Wastewater Sample(s)			24 Hour	1. Cool, 4 Degrees Centigrade	4. Thiosulfate for Dechlorination						5. Hydrochloric Acid(HCl)						
6533 Hwy. 126 N						48 Hour	2. Sulfuric Acid (H ₂ SO ₄), pH < 2	5. Hydrochloric Acid(HCl)						6. Sodium Hydroxide (NaOH), pH > 12						
Midway, AR 72651			Reporting Information			72 Hour	3. Nitric Acid (HNO ₃), pH < 2	6. Sodium Hydroxide (NaOH), pH > 12												
Attn: Kevin Campbell			Telephone: 870-481-5138			Routine (5 Day)	TEST PARAMETERS										Bottle Type Code			
			Fax: 870-481-5150			Preservative Code:	1,6	1,3											G - Glass; P - Plastic	
			Email: kcampbell@ezloader.com			Bottle Type:	P	P											V - Septum; A - Amber	
Sampler(s) Signature			Sampler(s) Printed													Arkansas Analytical Work Order Number:				
																122215				
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION													
	12-18-12	1:40 p.m.	X		2	Water	Supply													
	12-18-12	1:45 p.m.	X		2	Water	Effluent													
										Metals Preservation upon Receipt in Lab										
										Sample Number: 12215-02 B										
										Pre pH 6 Final pH 1										
										Analyst/Date/Time: 12-19-12 0950 SJ										
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS					
			12-18-12			U.P.S.			1. CUSTODY SEALS: <input checked="" type="checkbox"/> Yes ___ No											
									2. CONTAINERS CORRECT: <input checked="" type="checkbox"/> Yes ___ No											
									3. COC/LABELS AGREE: <input checked="" type="checkbox"/> Yes ___ No											
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			4. PRESERVATION CONFIRMED: <input checked="" type="checkbox"/> Yes ___ No											
UPS			12/19/12 0918			Sydney James			5. RECEIVED ON ICE: <input checked="" type="checkbox"/> Yes ___ No											
									6. TEMPERATURE ON RECEIPT: 3°C											
FOR COMPLETION BY LAB ONLY																				