

Wilson, Tabatha

From: Gilliam, Allen
Sent: Tuesday, July 23, 2013 1:11 PM
To: Kevin Campbell (KCampbell@ezloader.com)
Cc: Fuller, Kim; Wilson, Tabatha; aclark@cityofmountainhome.com
Subject: AR0021211_EZ Loader ARP001055 June 2013 Semi Annual Pretreatment Report and ADEQ reply_20130723
Attachments: Semi annual water report form June 2013.doc; Submittal letter.doc; 1212215.pdf; 1304046 -- Wastewater.pdf

Kevin,

Your June 2013 semi-annual Pretreatment report was received, reviewed, deemed complete and compliant with the Federal Pretreatment Requirements in 40 CFR 403 and more specifically the metal finishing standards located in 40 CFR 433.

No further action is necessary at this time, but an important note should be made regarding your chains of custody (C of C). They are not complete without the sampler's name and signature. Please be more cognizant of these C of C boxes that need to be filled out for the analytical results to be valid in a court of law.

Thank you for supplying the results of your potable water. Looking at the Cu and Zn levels it may be prudent to discuss this with your water supplier. If the levels of Cu and Zn from just your potable water were much higher your process wastewater discharged to the City may reach non-compliant levels.

This office would question your potable water supplier's corrosion inhibition chemicals and maintenance. It is noted that one of the Cu samples of potable water (0.827 mg/l) is 64% of the Safe Drinking Water Act's action level of 1.3 mg/l. These numbers could affect your perceived compliance with the metal finishing limits ("monthly avg. shall not exceed 2.07 mg/l").

Thank you for timely report remaining in compliance with Federal Pretreatment Requirements.

Sincerely,

Allen Gilliam
ADEQ State Pretreatment Coordinator
501.682.0625

ec: Alma Clark, Mountain Home, Director of Water and Sewer Service

E-drive/NPDES/NPDES/Pretreatment/Reports

From: Kevin Campbell [<mailto:KCampbell@ezloader.com>]
Sent: Thursday, June 27, 2013 12:40 PM
To: Gilliam, Allen
Subject: AR0021211_EZ Loader ARP001055 June 2013 Semi Annual Pretreatment Report

Mr. Gilliam,

This is the June 2013 semi annual Pretreatment report for this facility. We wish to submit electronically again this year. Please feel free to contact me with any questions or concerns.

Thank you,

Kevin Campbell
Compliance Manager
EZ Loader Custom Trailers, Inc.
800-553-7855 ext. 259
870-404-4629 cellular
870-481-5150 fax
kcampbell@ezloader.com

<<Semi annual water report form June 2013.doc>> <<Submittal letter.doc>> <<1212215.pdf>> <<1304046 -- Wastewater.pdf>>

SEMI-ANNUAL REPORT FOR INDUSTRIAL USERS REGULATED BY 40CFR433

Use of this form is not an EPA/ADEQ requirement.

Attn: Water Div/NPDES Pretreatment

Comment [COMMENT1]:


(1) IDENTIFYING INFORMATION	
<p>A. LEGAL NAME & MAILING ADDRESS</p> <p>EZ Loader Custom Trailers, Inc. P.O. Box 270 Midway, AR 72651</p>	<p>B. FACILITY & LOCATION ADDRESS</p> <p>EZ Loader Custom Trailers, Inc. 6533 Highway 126 North Midway, AR 72651</p>
<p>C. FACILITY CONTACT: Kevin Campbell TELEPHONE NUMBER: (870)481-5138 ext. 259 e-mail: kevin@ezloader.com</p>	
(2) REPORTING PERIOD--FISCAL YEAR From 01/12 to 12/12 (Both Semi-Annual Reports must cover Fiscal Year)	
<p>A. MONTHS WHICH REPORTS ARE DUE</p> <p>_____ JUNE _____ & _____ DECEMBER _____</p>	<p>B. PERIOD COVERED BY THIS REPORT</p> <p>FROM: December 2012 TO: May 2013</p>
(3) DESCRIPTION OF OPERATION	
<p>A. REGULATED PROCESSES</p> <p><u>CORE PROCESS(ES)</u></p> <p>CHECK EACH APPLICABLE BLOCK</p> <p><input type="checkbox"/> Electroplating <input type="checkbox"/> Electroless Plating <input type="checkbox"/> Anodizing <input checked="" type="checkbox"/> Coating <input type="checkbox"/> Chemical Etching and Milling <input type="checkbox"/> Printed Circuit Board Manufacture</p> <p><u>ANCILLARY PROCESS(ES)*</u></p> <p>LIST BELOW EACH PROCESS USED IN THE FACILITY</p> <p><u>Cleaning, Grinding, Shearing, Welding,</u> <u>Sandblasting, Painting and Assembly</u></p> <p>_____ _____ _____ _____</p>	<p>B. CHANGES: SUMMARIZE ANY CHANGES IN THE REGULATED PROCESSES SINCE THE LAST REPORT. ATTACH AN ADDITIONAL SHEET IF THE SPACE BELOW IS INADEQUATE. PROVIDE A NEW SCHEMATIC IF APPROPRIATE.</p>
<p><small>*SEE 40CFR433.10(a) FOR 40 DIFFERENT OPERATIONS</small></p>	
<p>C. Number of Regular Employees at this Facility <u>77</u></p>	<p>D. [Reserved]</p>

(4) FLOW MEASUREMENT

INDIVIDUAL & TOTAL PROCESS FLOWS DISCHARGED TO POTW IN GALLONS PER DAY

Process	Average	Maximum	Type of Discharge
Regulated (Core & Regulated (Cyanide)	237	3,000	Batch
§403.6(e) Unregulated*			
§403.6(e) Dilute			
Cooling Water			
Sanitary	435	435	Continuous
Total Flow to POTW	672	3,435	*****

*"Unregulated" has a precise legal meaning; see 40CFR403.6(e).

(5) MEASUREMENT OF POLLUTANTS

A. TYPE OF TREATMENT SYSTEM

CHECK EACH APPLICABLE BLOCK

- Neutralization
- Chemical Precipitation and Sedimentation
- Chromium Reduction
- Cyanide Destruction
- Other _____
- None

B. COMMENTS ON TREATMENT SYSTEM

Pretreatment for pH adjustment has rarely been required due to the neutralizing effect of the acid and alkaline chemicals involved. pH is always monitored prior to batch release. If required, the facility can adjust using acidic/basic chemicals.

C. THE INDUSTRIAL USER MUST PERFORM SAMPLING AND ANALYSIS OF THE EFFLUENT FROM ALL REGULATED PROCESSES-- CORE & ANCILLARY--(AFTER TREATMENT, IF APPLICABLE). ATTACH THE LAB ANALYSIS WHICH SHOWS A MAXIMUM; TABULATE ALL THE ANALYTICAL DATA COLLECTED DURING THE REPORT PERIOD IN THE SPACE PROVIDED BELOW. ZERO CONCENTRATIONS ARE NOT ACCEPTABLE; LIST THE DETECTION LIMIT IF CONCENTRATION WAS BELOW DETECTION LIMIT.

Pollutant(mg/l)	Cd	Cr	Cu	Pb	Ni	Ag	Zn	CN	TTO*
Max for 1 day	0.11	2.77	3.38	0.69	3.98	0.43	2.61	1.20	2.13
Monthly Ave	0.07	1.71	2.07	0.43	2.38	0.24	1.48	0.65	--
Max Measured	0.00061	0.0643	0.815	<0.0165	0.139	<0.022	0.566	<0.010	--
Ave Measured	0.00056	0.0564	0.732	<0.0158	0.100	<0.021	0.362	<0.010	--

Sample Location: At discharge sampling port, as designated on schematic previously submitted to ADEQ

Sample Type (Grab or Composite): Grab sample

Number of Samples and Frequency Collected: Two grab samples for all metals collected on December 18, 2012 and April 2, 2013.

40CFR136 Preservation and Analytical Methods Use: Yes No

(6) CERTIFICATION

A. [Reserved]

[Reserved]

B. CHECK ONE: §433.11(e) TOXIC ORGANIC ANALYSIS ATTACHED §433.12(a) TOMP CERTIFICATION

Based on my inquiry of the person or persons directly responsible for managing compliance with the pretreatment standard for total toxic organics (TTO), I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewaters has occurred since filing of the last semi-annual compliance report. I further certify that this facility is implementing the toxic organic management plan submitted to Arkansas Department of Environmental Quality.

Gary L. Potter, Vice President & General Manager
(Typed Name)



(Corporate Officer or authorized representative)
Date of Signature: June 27, 2013

CORPORATE ACKNOWLEDGEMENT (Optional)

STATE OF ARKANSAS)
COUNTY OF _____)

Before me, the undersigned authority, on this day personally appeared _____ of _____, a corporation, known to me to be the person whose name is subscribed to the foregoing instrument(s), and acknowledged to me that he executed the same for purposes and considerations therein expressed, in the capacity therein stated and as the act and deed of said corporation.

Given under my hand and seal of office on this _____ day of _____, 200__.

Notary Public in and for _____
County, Arkansas

My commission expires _____.

(7) POLLUTION PREVENTION ACT OF 1990 [42 U.S.C. 13101 et seq.]

§6602 [42 U.S.C. 13101] Findings and Policy para (b) Policy.--The Congress hereby declares it to be the national policy of the United States that pollution should be prevented or reduced at the source whenever feasible; pollution that cannot be prevented should be recycled in an environmentally safe manner, whenever feasible; pollution that cannot be prevented or recycled should be treated in an environmentally safe manner whenever feasible; and disposal or other release into the environment should be employed only as a last resort and should be conducted in an environmentally safe manner.

The User may list any new or ongoing Pollution Prevention practices:

- Toxic Organic Management Plan
- Spill Prevention Practices
- Stormwater Pollution Prevention Plan
- Process Controls
- Best Management Practices
- Watts BBH-150 filter housing with 50 micron pleated cartridge filter

(8) GENERAL COMMENTS

The potable city water that supplies the wash equipment was sampled as well as the effluent.

Copper level in effluent on 12/18/12 was 0.648 mg/l.
Copper level in potable water on 12/18/12 was 0.662 mg/l.

Copper level in effluent on 04/02/13 was 0.815 mg/l.
Copper level in potable water on 04/02/13 was 0.827 mg/l.

The facility believes the copper level reduction in the effluent was due to the use of the Watts BBH-150 filter housing with the 50 micron pleated filter cartridge.

(9) SIGNATORY REQUIREMENTS [40CFR403.12(l)]

I certify under penalty of law that I have personally examined and am familiar with the information in this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Gary L. Potter
NAME OF CORPORATE OFFICER OR AUTHORIZED REPRESENTATIVE

SIGNATURE

Vice President & General Manager
OFFICIAL TITLE

June 27, 2013
DATE SIGNED



EZ Loader Custom Boat Trailers, Inc.

6533 Highway 126 North ♦ Midway, Arkansas ♦ 72651 ♦ P.O. Box 270
800-553-7855(Phone) ♦ 870-481-5146 (Fax)

June 27, 2013

To: Mr. Allen Gilliam
ADEQ State Pretreatment Coordinator

Dear Sir,

Please accept this electronic submittal as the June, 2013 semi-annual Pretreatment report for EZ Loader Custom Boat Trailers, Inc. in Midway, Arkansas.

We are glad to provide any further information your department requires.

Thank you,
Kevin Campbell



11701 I-30 Bldg 1, Ste 115 - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

21 December 2012

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651

RE: Wastewater Samples
SDG Number: 1212215

Enclosed are the results of analyses for samples received by the laboratory on 19-Dec-12 09:18. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

<u>Custody Seals</u>	✓
<u>Containers Correct</u>	✓
<u>COC/Labels Agree</u>	✓
<u>Preservation Confirmed</u>	✓
<u>Received On Ice</u>	✓
Temperature on Receipt	3.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
President

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

21 December 2012



Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Wastewater Samples

Date Received: 19-Dec-12 09:18

CASE NARRATIVE

Sample Delivery Group – 1212215

Qualified Analytical and/or Quality Control Results are Discussed Below:

Total Metals Analysis:

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Failure: Silver failed to recover within acceptance criteria in the MS/MSD sample. The recoveries were qualified by "%D1" in the quality control section of the final report. Silver was qualified as "estimated" (E20) in the parent sample, 1212215-01 (Supply).

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Wastewater Samples

Date Received: 19-Dec-12 09:18

ANALYTICAL RESULTS

Lab Number: 1212215-01
Sample Name: Supply
Date/Time Collected: 12/18/12 13:40
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cadmium	mg/L	< 0.000500		12/20/12 15:14	A212267	200.7
Chromium	mg/L	< 0.0100		12/20/12 15:14	A212267	200.7
Copper	mg/L	0.662		12/20/12 15:14	A212267	200.7
Lead	mg/L	< 0.0150		12/20/12 15:14	A212267	200.7
Nickel	mg/L	< 0.0100		12/20/12 15:14	A212267	200.7
Silver	mg/L	< 0.0200	E20	12/20/12 15:14	A212267	200.7
Zinc	mg/L	0.0589		12/20/12 15:14	A212267	200.7
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		12/20/12 14:23	A212273	4500-CN E/9014

ANALYTICAL RESULTS

Lab Number: 1212215-02
Sample Name: Effluent
Date/Time Collected: 12/18/12 13:45
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cadmium	mg/L	< 0.000500		12/20/12 15:24	A212267	200.7
Chromium	mg/L	0.0485		12/20/12 15:24	A212267	200.7
Copper	mg/L	0.648		12/20/12 15:24	A212267	200.7
Lead	mg/L	< 0.0150		12/20/12 15:24	A212267	200.7
Nickel	mg/L	0.0593		12/20/12 15:24	A212267	200.7
Silver	mg/L	< 0.0200		12/20/12 15:24	A212267	200.7
Zinc	mg/L	0.566		12/20/12 15:24	A212267	200.7
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		12/20/12 14:23	A212273	4500-CN E/9014

21 December 2012



Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Wastewater Samples

Date Received: 19-Dec-12 09:18

QUALITY CONTROL RESULTS

Total Metals -- Batch: A212267 (Water)

Prepared: 19-Dec-12 14:00 By: MH -- Analyzed: 20-Dec-12 15:54 By: MH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cadmium	<0.000500 mg/L	100% / NA	97.7% / 96.9%		0.857%	
Chromium	<0.0100 mg/L	103% / NA	94.9% / 94.1%		0.807%	
Copper	<0.0200 mg/L	104% / NA	89.7% / 88.8%		0.980%	
Lead	<0.0150 mg/L	104% / NA	90.7% / 89.6%		1.20%	
Nickel	<0.0100 mg/L	104% / NA	93.9% / 92.9%		1.00%	
Silver	<0.0200 mg/L	96.6% / NA	51.7% / 51.5%		0.416%	%D1
Zinc	<0.00500 mg/L	97.6% / NA	96.5% / 94.7%		1.31%	

Wet Chemistry -- Batch: A212273 (Water)

Prepared: 20-Dec-12 14:23 By: SB -- Analyzed: 20-Dec-12 14:23 By: SB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.010 mg/L	97.7% / NA	88.0% / 88.3%		0.378%	

QUALIFIER(S)

- *%D1: Matrix Spike and/or Matrix Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
- *E20: Estimated Result Due to Matrix Spike and/or Matrix Spike Duplicate Failure; This sample was used as the "parent sample" in MS/MSD prep.

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods, 20th Edition.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: _____
Norma James
President



11701 Interstate 30, Bldg. 1, Ste. 115
 Little Rock, AR 72209
 PHONE: 501-455-3233
 FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:												
EZ Loader Boat Trailers, Inc. - Midway Division			Wastewater Sample(s)			24 Hour		1. Cool, 4 Degrees Centigrade					4. Thiosulfate for Dechlorination							
6533 Hwy. 126 N						48 Hour		2. Sulfuric Acid (H ₂ SO ₄), pH < 2					5. Hydrochloric Acid(HCl)							
Midway, AR 72651			Reporting Information			72 Hour		3. Nitric Acid (HNO ₃), pH < 2					6. Sodium Hydroxide (NaOH), pH > 12							
Attn: Kevin Campbell			Telephone: 870-481-5138			Routine (5 Day)		TEST PARAMETERS										Bottle Type Code		
			Fax: 870-481-5150			Preservative Code:		1,6		1,3								G = Glass; P = Plastic		
			Email: kcampbell@ezloader.com			Bottle Type:		P		P								V = Septum; A = Amber		
Sampler(s) Signature			Sampler(s) Printed																	
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION										Cyanide	Cd, Cr, Cu, Pb, Ni, Ag, Zn	Arkansas Analytical Work Order Number:	
	Date/s	Time/s																		
	12-18-12	1:40p.m.	X		2	Water	Supply										X	X	01	
	12-18-12	1:45p.m.	X		2	Water	Effluent										X	X	02	
<p>Metals Preservation upon Receipt in Lab</p> <p>Sample Number: <u>12215-02 B</u></p> <p>Pre pH <u>6</u> Final pH <u>1</u></p> <p>Analyst/Date/Time: <u>12-19-12 0950 SJ</u></p>																				
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS					
			12-18-12			U. P. S.			1. CUSTODY SEALS: <input checked="" type="checkbox"/> Yes ___ No 2. CONTAINERS CORRECT: <input checked="" type="checkbox"/> Yes ___ No 3. COC/LABELS AGREE: <input checked="" type="checkbox"/> Yes ___ No 4. PRESERVATION CONFIRMED: <input checked="" type="checkbox"/> Yes ___ No 5. RECEIVED ON ICE: <input checked="" type="checkbox"/> Yes ___ No 6. TEMPERATURE ON RECEIPT: <u>3°C</u>											
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			FOR COMPLETION BY LAB ONLY											
UPS			12/18/12 0918			Sydney James														



11701 I-30 Bldg 1, Ste 115 - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

08 April 2013

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651

RE: Wastewater Samples
SDG Number: 1304046

Enclosed are the results of analyses for samples received by the laboratory on 03-Apr-13 08:00. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

<u>Custody Seals</u>	✓
<u>Containers Correct</u>	✓
<u>COC/Labels Agree</u>	✓
<u>Preservation Confirmed</u>	✓
<u>Received On Ice</u>	✓
Temperature on Receipt	2.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
President

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

08 April 2013



Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Wastewater Samples

Date Received: 03-Apr-13 08:00

ANALYTICAL RESULTS

Lab Number: 1304046-01
Sample Name: Supply
Date/Time Collected: 4/2/13 14:40
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cadmium	mg/L	< 0.000550		4/3/13 17:10	A304052	200.7
Chromium	mg/L	< 0.0110		4/3/13 17:10	A304052	200.7
Copper	mg/L	0.827		4/3/13 17:10	A304052	200.7
Lead	mg/L	< 0.0165		4/3/13 17:10	A304052	200.7
Nickel	mg/L	< 0.0110		4/3/13 17:10	A304052	200.7
Silver	mg/L	< 0.0220		4/3/13 17:10	A304052	200.7
Zinc	mg/L	0.149		4/3/13 17:10	A304052	200.7
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		4/3/13 13:32	A304032	4500-CN E/9014

ANALYTICAL RESULTS

Lab Number: 1304046-02
Sample Name: Effluent
Date/Time Collected: 4/2/13 14:45
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cadmium	mg/L	0.000605		4/3/13 17:14	A304052	200.7
Chromium	mg/L	0.0643		4/3/13 17:14	A304052	200.7
Copper	mg/L	0.815		4/3/13 17:14	A304052	200.7
Lead	mg/L	< 0.0165		4/3/13 17:14	A304052	200.7
Nickel	mg/L	0.139		4/3/13 17:14	A304052	200.7
Silver	mg/L	< 0.0220		4/3/13 17:14	A304052	200.7
Zinc	mg/L	0.158		4/3/13 17:14	A304052	200.7
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		4/3/13 13:32	A304032	4500-CN E/9014

08 April 2013

Kevin Campbell
EZ Loader Boat Trailers, Inc. - Midway Division
6533 Hwy. 126 North
Midway, AR 72651
Project: Wastewater Samples



Date Received: 03-Apr-13 08:00

QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: A304032 (Water)

Prepared: 02-Apr-13 10:50 By: KP -- Analyzed: 03-Apr-13 13:32 By: KP

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.010 mg/L	101% / NA	91.3% / 95.0%		3.94%	

Total Metals -- Batch: A304052 (Water)

Prepared: 03-Apr-13 10:20 By: MH -- Analyzed: 04-Apr-13 09:20 By: MH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cadmium	<0.000550 mg/L	95.7% / NA	97.3% / 95.4%		1.93%	
Chromium	<0.0110 mg/L	101% / NA	89.3% / 82.4%		2.39%	
Copper	<0.0220 mg/L	105% / NA	95.1% / 91.6%		1.91%	
Lead	<0.0165 mg/L	101% / NA	95.1% / 92.9%		2.33%	
Nickel	<0.0110 mg/L	103% / NA	88.9% / 82.9%		1.94%	
Silver	<0.0220 mg/L	101% / NA	95.2% / 94.3%		0.953%	
Zinc	<0.00550 mg/L	101% / NA	104% / 103%		0.942%	

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods, 20th Edition.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: _____
Norma James
President



11701 Interstate 30, Bldg. 1, Ste. 115
 Little Rock, AR 72209
 PHONE: 501-455-3233
 FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:												
EZ Loader Boat Trailers, Inc. - Midway Division			Wastewater Sample(s)			24 Hour	48 Hour	1. Cool, 4 Degrees Centigrade					4. Thiosulfate for Dechlorination							
6533 Hwy. 126 N								2. Sulfuric Acid (H ₂ SO ₄), pH < 2					5. Hydrochloric Acid(HCl)							
Midway, AR 72651			Reporting Information			72 Hour		3. Nitric Acid (HNO ₃), pH < 2					6. Sodium Hydroxide (NaOH), pH > 12							
Attn: Kevin Campbell			Telephone: 870-481-5138			Routine (5 Day)		TEST PARAMETERS										Bottle Type Code		
			Fax: 870-481-5150			Preservative Code:		1,6	1,3											G = Glass, P = Plastic
			Email: kcampbell@ezloader.com			Bottle Type:		P	P											V = Septum, A = Amber
Sampler(s) Signature			Sampler(s) Printed										Arkansas Analytical Work Order Number:							
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Cyanide	Cd, Cr, Cu, Pb, Ni, Ag, Zn										
4/2/13	4-2-13	2:40pm	X		2	Water	Supply	X	X										1304046-01	
4/2/13	4-2-13	2:45pm	X		2	Water	Effluent	X	X										02	
1. Relinquished by: (Signature)			Date/Time		2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB				REMARKS / SAMPLE COMMENTS								
			4/2/13 2:50 p.m.		UPS			1. CUSTODY SEALS: <input checked="" type="checkbox"/> Yes ___ No 2. CONTAINERS CORRECT: <input checked="" type="checkbox"/> Yes ___ No 3. COC/LABELS AGREE: <input checked="" type="checkbox"/> Yes ___ No 4. PRESERVATION CONFIRMED: ___ Yes ___ No 5. RECEIVED ON ICE: <input checked="" type="checkbox"/> Yes ___ No 6. TEMPERATURE ON RECEIPT: 2°C												
3. Relinquished by: (Signature)			Date/Time		4. Received by lab: (Signature)			FOR COMPLETION BY LAB ONLY												
UPS			4-3-13 0800		Sydney James															