



## NASHVILLE PUBLIC WORKS

426 North Main, Nashville, AR 71852  
PH (870) 845-1440 , FAX (870) 845-7409

March 12, 2009

State of Arkansas  
Department of Environmental Quality  
5301 Northshore Drive  
North Little Rock, AR 72118-5317

ATTN: Allen Gilliam  
.State Pretreatment Coordinator

RE: Hazardous Waste Notification Letters

Dear Allen:

The following hazardous waste notification letters are required by the Arkansas Department of Environmental Quality (ADEQ) for the City of Nashville:

- |  |  |
|--|--|
| 1. Nashville News<br>119 North Main<br>Nashville, AR 71852<br>Mr. Mike Graves                                | 2. Nashville Leader<br>418 North Main<br>Nashville, AR 71852<br>Mr. Louie Graves |
| 3. Glenn V. Lance, DDS<br>700 North Main<br>Nashville, AR 71852  | 4. Donald Sitzes, DDS<br>121 West Howard Street<br>Nashville, AR 71852           |
| 5. Howard Memorial Hospital<br>800 West Leslie Street<br>Nashville, AR 71852<br>Chief Director of Operations |  |

If you have any questions of concern, please call me at 870-845-4015.

Sincerely,

Larry Dunaway  
Public Works Director

cc: Ed Carlyle, Jr. , Pretreatment Coordinator



## NASHVILLE PUBLIC WORKS

426 North Main, Nashville, AR 71852  
PH (870) 845-1440 , FAX (870) 845-7409

March 12, 2009

Howard Memorial Hospital  
800 West Leslie Street  
Nashville, AR 71852

RE: Hazardous Waste Notification Requirement

Dear Director of Operations:

The Arkansas Department of Environmental Quality (ADEQ) is requiring all wastewater utilities in the State of Arkansas, including Nashville Public Works, to notify certain sewer customers of Federal Regulations relating to hazardous wastes. At this time, ADEQ is specifically requiring the notification of businesses who dispose of the following into the City of Nashville's sewer collection system: hazardous waste pharmaceuticals, mercury from amalgam, and/or silver from spent film processing wastes. If your business is not involved in the disposal of any of these materials listed, please notify Larry Dunaway, Public Works Director, in writing at Nashville Public Works, 426 North Main, within thirty (30) days of the date of this letter.

However, if you are involved in the disposal of hazardous waste pharmaceuticals , mercury from amalgam, and/or silver from spent film processing wastes into the city's wastewater collection system, please be advised of the following regulations and requirements.

Under the specific pretreatment requirement in **40 CFR 403.12(p)(1)**, "The Industrial User (non-domestic user) shall notify the Nashville Public Works Director, Larry Dunaway, the EPA Regional Waste Management Division Director, and the State hazardous waste authorities in writing of any discharge into the city wastewater collection system of a substance, which, if otherwise disposed of, would be a hazardous waste under **40 CFR 261**"

Under **40 CFR 403.12(p)(4)**, "in the case of any notification made under paragraph (p) of this section, the Industrial User shall certify that it has a program in place to reduce the volume and toxicity of hazardous wastes generated to the degree that it has determined to be economically practical." You can find the requirement with exemptions at the following website: [http://edocket.access.gpo.gov/cfr\\_2003/julqtr/40cfr403.12.htm](http://edocket.access.gpo.gov/cfr_2003/julqtr/40cfr403.12.htm).

Please be advised that if your facility does not have an amalgam separator, silver recovery unit, or a system too properly dispose of hazardous waste pharmaceuticals, you may be discharging hazardous waste into the city's sewage collection system and must follow the above- cited Pretreatment Requirement.

Therefore, if you dispose of hazardous waste as mention above, please submit the required notifications to the following:

1. Larry Dunaway, Public Works Director, 426 North Main Street, Nashville, AR 71852
2. Troy Hill, US EPA REGION 6, 1445 Ross Avenue, Suite 1200, Code 6PD, Dallas, TX 75202
3. Ryan Benefield, ADEQ Hazardous Waste Chief, 5301 Northshore Drive, North Little Rock, AR, 72118-5317

Failure to comply with the notification requirements outlined above may result in an inspection of your facility. If you need any assistance with this matter, please contact me at 845-4015.

Sincerely,



Larry Dunaway  
Public Works Director

cc. Allen Gilliam, ADEQ State Pretreatment Coordinator

MR. LARRY DUNAWAY  
PUBLIC WORKS DIRECTOR  
426 NORTH MAIN  
NASHVILLE, AR 71852



STATE OF ARKANSAS  
ADEQ, ATTN: ALLEN GILLIAM  
5301 NORTHSORE DRIVE  
NORTH LITTLE ROCK, AR 72118

721188317 R015

