

Wilson, Tabatha

From: Gilliam, Allen
Sent: Thursday, July 17, 2014 10:09 AM
To: Brenda Cross
Cc: astick@paragould.net; Fuller, Kim; Wilson, Tabatha; waterdept01@centurytel.net
Subject: AR0033979_L A Darling Company ARP000011 July 2014 Semi Annual Pretreatment Report with ADEQ reply_20140717
Attachments: img-717101144-0001.pdf

Brenda,

LA Darling's July 2014 semi-annual Pretreatment report (attached) was received, reviewed, deemed complete and compliant with the Federal Pretreatment reporting requirements in 40 CFR 403.12(e) and more specifically in compliance with the Metal Finishing standards in 40 CFR 433.17. There are no further requirements or actions deemed necessary at this time.

Thank you for your timely report remaining compliant with the Federal Pretreatment requirements in 40 CFR 403.

Sincerely,

Allen Gilliam
ADEQ State Pretreatment Coordinator
501.682.0625

cc: Tracy Robinson, City of Corning Water & Wastewater Superintendent
Andy Stickler, Engineer Consultant to LA Darling

E/NPDES/NPDES/Pretreatment/Reports

-----Original Message-----

From: Brenda Cross [<mailto:brenda.cross@ladarling.com>]
Sent: Thursday, July 17, 2014 8:58 AM
To: Gilliam, Allen
Cc: astick@paragould.net
Subject: L A Darling Company, Corning, AR (AFIN # 11-00046) - Semi-Annual Wastewater Report (July, 2014)

Allen,

Please see attached our Semi-Annual Wastewater Report for our Corning, AR facility. Please let me know if you need anything else.

Brenda

-----Original Message-----

From: Xerox07 [<mailto:Xerox07@ladarling.com>]
Sent: Thursday, July 17, 2014 9:12 AM
To: Brenda Cross
Subject: Scan from L. A. Darling Company -CustServ Engr-

Please open the attached document. It was scanned and sent to you using a Xerox WorkCentre.

Number of Images: 7

Attachment File Type: PDF

Device Name: Xerox07

Device Location: Executive Office s/n pbb026663

For more information on Xerox products and solutions, please visit <http://www.xerox.com/>

L.A. DARLING COMPANY

1401 Highway 49B North • Paragould, Arkansas 72450 • 870-239-9564

July 14th, 2014

Mr. Allen Gilliam, Engineer/Pretreatment Coordinator
Arkansas Department of Environmental Quality
Water Division
5301 Northshore Drive
North Little Rock, AR. 72118

Re: Semi-Annual Wastewater Report for the L. A. Darling Company Corning, AR facility, located at 302 Wooten Lane, Corning, AR 72422 (AFIN# 11-00046). **Reporting Period January 1st, 2014 – June 30th, 2014.**


Mr. Gilliam:

Attached, you will find the Semi-Annual Wastewater Report for the L. A. Darling Company, Corning, AR facility. This report covers information regarding the facility's wastewater effluent for the six (6) month period referenced above, in accordance with 40 CFR 433 (Metal Finishing Subcategory).

Please note, that we have included a copy of the analytical results, as well as a copy of the chain-of-custody document for the representative samples.

As always, please don't hesitate to contact me directly, or our consultant (Mr. Andy Stickler) at 870-236-0832, should you have any questions regarding this Semi-Annual report. Your continued support and consideration is greatly appreciated.

Sincerely,



Jackie Elliott
President, L. A. Darling Company

cc: Wastewater Superintendent, City of Corning, AR



A Marmon Group/Berkshire Hathaway Company

SEMI-ANNUAL REPORT FOR INDUSTRIAL USERS REGULATED BY 40CFR433/403.6(e)

Use of this form is not an EPA/ADEQ requirement. Attn: Water Div/NPDES Pretreatment

(1) IDENTIFYING INFORMATION	
A. LEGAL NAME & MAILING ADDRESS L. A. Darling Company P. O. Box 970 1401 Hwy. 49 B. North Paragould, AR 72450	B. FACILITY & LOCATION ADDRESS L. A. Darling Company - Corning Facility P. O. Box 338 Wooten Lane Corning, AR 72422
C. FACILITY CONTACT: Chris Hoggard TELEPHONE NUMBER: (870) 239-9564	
(2) REPORTING PERIOD--FISCAL YEAR From January 1st to December 31st (Both Semi-Annual Reports must cover Fiscal Year)	
A. MONTHS WHICH REPORTS ARE DUE <u>January</u> & <u>July</u>	B. PERIOD COVERED BY THIS REPORT FROM: January 1 st , 2014 TO: June 30 th , 2014
(3) DESCRIPTION OF OPERATION	
A. REGULATED PROCESSES <u>CORE PROCESS(ES)</u> CHECK EACH APPLICABLE BLOCK <input type="checkbox"/> Electroplating <input type="checkbox"/> Electroless Plating <input type="checkbox"/> Anodizing <input checked="" type="checkbox"/> Coating * (Iron Phosphatizing) <input type="checkbox"/> Chemical Etching and Milling <input type="checkbox"/> Printed Circuit Board Manufacture <u>ANCILLARY PROCESS(ES)*</u> LIST BELOW EACH PROCESS USED IN THE FACILITY <u>Cleaning</u> <u>Polishing</u> <u>All process rinse water from the Powder Coating lines is discharged directly into the local municipal treatment system, as defined in previous correspondence.</u> <u>Samples are collected directly from the rinse tanks over an 8 hour period, and combined into one (1) composite sample</u>	B. CHANGES: SUMMARIZE ANY CHANGES IN THE REGULATED PROCESSES SINCE THE LAST REPORT. ATTACH AN ADDITIONAL SHEET IF THE SPACE BELOW IS INADEQUATE. PROVIDE A NEW SCHEMATIC IF APPROPRIATE. *No changes to the regulated process since the last report.
C. Number of Regular Employees at this Facility: 133	D. [Reserved]

(4) FLOW MEASUREMENT

INDIVIDUAL & TOTAL PROCESS FLOWS DISCHARGED TO POTW IN GALLONS PER DAY (GPD)

Process	Average Flow	Maximum Flow	Type of Discharge
Regulated (Total)	11,883	15,466	Continuous
Regulated (Cyanide)	0	0	None
§403.6(e) Unregulated*	0	0	None
§403.6(e) Dilute	0	0	None
Cooling Water	0	0	None
Sanitary	1,330	1,995	Continuous
Total Flow to POTW	13,213	17,461	*****

*"Unregulated" has a precise legal meaning; see 40CFR403.6(e).

(5) MEASUREMENT OF POLLUTANTS

A. TYPE OF TREATMENT SYSTEM

CHECK EACH APPLICABLE BLOCK

*No On-Site Treatment System. See note in block B. to the right.....

- Neutralization
- Chemical Precipitation and Sedimentation
- Chromium Reduction
- Cyanide Destruction
- Other _____
- None

B. COMMENTS ON TREATMENT SYSTEM

*The On-site Wastewater treatment system was totally eliminated effective December 31st, 2009. This action has been thoroughly communicated to ADEQ in previous correspondence (including previous Semi-Annual Reports).

C. THE INDUSTRIAL USER MUST PERFORM SAMPLING AND ANALYSIS OF THE EFFLUENT FROM ALL REGULATED PROCESSES--CORE & ANCILLARY--(AFTER TREATMENT, IF APPLICABLE). ATTACH THE LAB ANALYSIS WHICH SHOWS A MAXIMUM; TABULATE ALL THE ANALYTICAL DATA COLLECTED DURING THE REPORT PERIOD IN THE SPACE PROVIDED BELOW. ZERO CONCENTRATIONS ARE NOT ACCEPTABLE; LIST THE DETECTION LIMIT IF CONCENTRATION WAS BELOW DETECTION LIMIT.

Pollutant (mg/l)	Cd	Cr	Cu	Pb	Ni	Ag	Zn	CN	TTO*
MAC	0.690	2.77	3.38	0.69	3.98	0.43	2.61	1.20	2.13
AAC	0.260	1.71	2.07	0.43	2.38	0.24	1.48	0.65	***
AMMC	<0.004	<0.007	<0.006	<0.04	<0.01	<0.007	0.130	<0.01	NA
AMAC	<0.004	<0.007	<0.006	<0.04	<0.01	<0.007	0.130	<0.01	NA

MAC <=> Max Alternate Conc AAC <=> Ave Alternate Conc AMMC <=> Actual Measured Max Conc AMAC <=> Actual Measured Ave Conc
See 40CFR403.6(e) for details on Alternate Concentrations

Sample Location Process Rinse Tanks

Sample Type (Grab or Composite) Composite (from equal volume grab sample aliquots over 8 hours)

Number of Samples and Frequency Collected *See Attached Chain-Of-Custody

40CFR136 Preservation and Analytical Methods Use: Yes No

(6) CERTIFICATION

A. [Reserved]


[Reserved]

B. CHECK ONE: §433.11(c) TOXIC ORGANIC ANALYSIS ATTACHED §433.12(a) TTO CERTIFICATION PROVIDED BELOW

Based on my inquiry of the person or persons directly responsible for managing compliance with the pretreatment standard for total toxic organics (TTO), I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewaters has occurred since filing of the last semi-annual compliance report. I further certify that this facility is implementing the toxic organic management plan dated January 18th, 2006. The current TOMP, which was submitted to the Arkansas Department of Environmental Quality with the Semi-Annual Compliance Report in January, 2006, is still accurate and complete.

Jackie Elliott, President

(Typed Name)



(Corporate Officer or authorized representative)

Date of Signature 7/14/2014

CORPORATE ACKNOWLEDGEMENT (Optional)

STATE OF ARKANSAS)
COUNTY OF _____)

Before me, the undersigned authority, on this day personally appeared _____ of _____ a corporation, known to me to be the person whose name is subscribed to the foregoing instrument(s), and acknowledged to me that he executed the same for purposes and considerations therein expressed, in the capacity therein stated and as the act and deed of said corporation.

Given under my hand and seal of office on this _____ day of _____, 199__.

Notary Public in and for _____
County, Arkansas

My commission expires _____.

(7) POLLUTION PREVENTION ACT OF 1990 [42 U.S.C. 13101 et seq.]

§6602 [42 U.S.C. 13101] Findings and Policy (part of Policy).—The Congress hereby declares it to be the national policy of the United States that pollution should be prevented or reduced at the source whenever a feasible, pollution that cannot be prevented or reduced at the source should be treated in an environmentally safe manner, wherever feasible; pollution that cannot be prevented or reduced at the source should be treated in an environmentally safe manner wherever feasible; and disposal in other media into the environment should be employed only as a last resort and should be conducted in an environmentally safe manner.

The User may list any new or ongoing Pollution Prevention practices:

Nothing new for this reporting period.

(8) GENERAL COMMENTS

(9) SIGNATORY REQUIREMENTS [40CFR403.12(l)]

I certify under penalty of law that I have personally examined and am familiar with the information in this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Jackie Elliott
NAME OF CORPORATE OFFICER OR AUTHORIZED REPRESENTATIVE

President
OFFICIAL TITLE


SIGNATURE

7/14/2014
DATE SIGNED



L. A. Darling Company
1401 Highway 49B North
Paragould, AR 72450

ANALYTICAL RESULTS

AIC No. 180131-1

Sample Identification: LADC W/W #1 6/26/14 / 1610

Analyte	Result	RL	Units	Qualifier
Cadmium EPA 200.7	< 0.004	0.004	mg/l	
Prep: 30-Jun-2014 0918 by 285	Analyzed: 30-Jun-2014 1725 by 305		Batch: S37014	
Chromium EPA 200.7	< 0.007	0.007	mg/l	
Prep: 30-Jun-2014 0918 by 285	Analyzed: 30-Jun-2014 1725 by 305		Batch: S37014	
Copper EPA 200.7	< 0.006	0.006	mg/l	
Prep: 30-Jun-2014 0918 by 285	Analyzed: 30-Jun-2014 1725 by 305		Batch: S37014	
Lead EPA 200.7	< 0.04	0.04	mg/l	
Prep: 30-Jun-2014 0918 by 285	Analyzed: 30-Jun-2014 1725 by 305		Batch: S37014	
Nickel EPA 200.7	< 0.01	0.01	mg/l	
Prep: 30-Jun-2014 0918 by 285	Analyzed: 30-Jun-2014 1725 by 305		Batch: S37014	
Silver EPA 200.7	< 0.007	0.007	mg/l	
Prep: 30-Jun-2014 0918 by 285	Analyzed: 30-Jun-2014 1725 by 305		Batch: S37014	
Zinc EPA 200.7	0.13	0.002	mg/l	
Prep: 30-Jun-2014 0918 by 285	Analyzed: 30-Jun-2014 1725 by 305		Batch: S37014	

AIC No. 180131-2

Sample Identification: LADC W/W #2 6/26/14 / 1615

Analyte	Result	RL	Units	Qualifier
Total Cyanide SM 4500-CN C,E 1999	< 0.01	0.01	mg/l	
Prep: 30-Jun-2014 0753 by 308	Analyzed: 30-Jun-2014 1304 by 308		Batch: W48278	



CHAIN OF CUSTODY / ANALYSIS REQUEST FORM

PAGE 1 OF 1

Client: <u>L. A. Darling Co.</u>		AIC CONTROL NO.: <u>180131</u>	
Project Reference: <u>Semi-Annual Waste Water Sp.</u>		AIC PROPOSAL NO.:	
Project Manager: <u>Audrey Sticker</u>		Carrier/Tracking No. <u>Fed Ex</u>	
Sampled By: <u>Audrey Sticker</u>		Received Temperature C <u>0.7°C</u>	
AIC No. <u>1</u>		Remarks	
Date/Time Collected <u>10/15</u>			
Date/Time Collected <u>10/15</u>			
NO OF BOTTLES			
SAMPLE MATRIX		ANALYSES REQUESTED	
WATER		Total Cyanide	
SOIL		Total Zinc	
COMPOST		Total Silver	
GRAV		Total Nickel	
V		Total Lead	
V		Total Copper	
		Total Chromium	
		Total Chromium	
Container Type		Field pH calibration	
Preservative		on @	
G = Glass		Buffer:	
NO = none		T = Sodium Thiosulfate	
P = Plastic		Z = Zinc acetate	
S = Sulfuric acid pH2		Received	
V = VOA vials.		By:	
N = Nitric acid pH2		Date/Time	
H = HCl to pH2		Date/Time	
B = NaOH to pH12		Date/Time	
Retinquired		Received in Lab	
By: <u>Audrey Sticker</u>		By: <u>[Signature]</u>	
Date/Time <u>10/26/14/1930</u>		Date/Time <u>6/27/14</u>	
Retinquired		Date/Time <u>0815</u>	
By:		Comments: <u>Please send bill to: Brenda Cross</u>	
Who should AIC contact with questions: <u>Audrey Sticker</u>		<u>L. A. Darling Co.</u>	
Phone: <u>870-236-0832</u> Fax:		<u>1401 Hwy. 49 B. North</u>	
Report Attention to: <u>Audrey Sticker</u>		<u>Paragould, AR. 72450</u>	
Report Address to: <u>200 Rosewood Dr</u>		<u>Fed Ex 8056 4296 9935</u>	
<u>Paragould, AR 72450</u>		<u>FORM 0060</u>	

Corrected by [Signature]

① ②

19-04-99

* Please email report to Audrey Sticker
 @ astick@grnco.net