

SEMI-ANNUAL REPORT FOR INDUSTRIAL USERS REGULATED BY 40 CFR 433

Use of this form is not an ADEQ requirement, but satisfies the reporting requirements in 40 CFR 403.12(e)

Attn: Water Div/NPDES Pretreatment

(1) IDENTIFYING INFORMATION and NPDES Pretreatment Tracking # _____

<p>A. LEGAL NAME & MAILING ADDRESS</p> <p>ESNA 611 Country Club Road Pocahontas, Ark 72455</p>	<p>B. FACILITY & LOCATION ADDRESS</p> <p>ESNA 611 Country Club Road Pocahontas, Ark 72455</p>
-------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------

C. FACILITY CONTACT: Jeff Bennett **TELEPHONE NUMBER:** 870-892-4749 **e-mail:** jbenett@esnaproducts.com

(2) REPORTING PERIOD--FISCAL YEAR From _____ to _____ (Both Semi-Annual Reports must cover Fiscal Year)

<p>A. MONTHS WHICH REPORTS ARE DUE</p> <p><u>June</u> & <u>December</u></p>	<p>B. PERIOD COVERED BY THIS REPORT</p> <p>FROM: Jan - 2018 TO: June- 2018</p>
----------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------

(3) DESCRIPTION OF OPERATION

<p>A. REGULATED PROCESSES</p> <p><u>CORE PROCESS(ES)</u></p> <p>CHECK EACH APPLICABLE BLOCK</p> <p>G Electroplating G Electroless Plating G Anodizing X Coating (conversion) G Chemical Etching and Milling G Printed Circuit Board Manufacture</p> <p><u>ANCILLARY PROCESS(ES)*</u></p> <p>LIST BELOW EACH PROCESS USED IN THE FACILITY</p> <p><u>Passivate Rinse Tank</u></p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>B. CHANGES: SUMMARIZE ANY CHANGES IN THE REGULATED PROCESSES SINCE THE LAST REPORT. ATTACH AN ADDITIONAL SHEET IF THE SPACE BELOW IS INADEQUATE. PROVIDE A NEW SCHEMATIC IF APPROPRIATE.</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

*SEE 40CFR433.10(a) FOR THE 40 ANCILLARY OPERATIONS

<p>C. Number of Regular Employees at this Facility</p> <p><u>76</u></p>	<p>D. [Reserved]</p>
--------------------------------------------------------------------------------	-----------------------------

(4) FLOW MEASUREMENT

INDIVIDUAL & TOTAL PROCESS FLOWS DISCHARGED TO POTW IN GALLONS PER DAY

Process	Average	Maximum	Type of Discharge*
Regulated (Core &	2310	3312	Continuous
Regulated (Cyanide)	N/A	N/A	N/A
' 403.6(e) Unregulated*	N/A	N/A	N/A
' 403.6(e) Dilute	65	92	Continuous
Cooling Water	N/A	N/A	N/A
Sanitary	2606	2139	Continuous
Total Flow to POTW	4993	5553	*****

*If batch discharged please list the period of time of each batch discharge (300 gallons/day; 500 gallons/week, 2,000 gallons/3 months, etc). Do not normalize over that period for the average flow.

"Unregulated" has a precise legal meaning; see 40CFR403.6(e).

(5) MEASUREMENT OF POLLUTANTS

A. TYPE OF TREATMENT SYSTEM

CHECK EACH APPLICABLE BLOCK

Neutralization

Chemical Precipitation and Sedimentation

Chromium Reduction

Cyanide Destruction

Other _____

None

B. COMMENTS ON TREATMENT SYSTEM

C. THE INDUSTRIAL USER MUST PERFORM SAMPLING AND ANALYSIS OF THE EFFLUENT FROM ALL REGULATED PROCESSES- CORE & ANCILLARY--(AFTER TREATMENT, IF APPLICABLE). ATTACH THE LAB ANALYSIS WHICH SHOWS A MAXIMUM; TABULATE ALL THE ANALYTICAL DATA COLLECTED DURING THE REPORT PERIOD IN THE SPACE PROVIDED BELOW. ZERO CONCENTRATIONS ARE NOT ACCEPTABLE; LIST THE DETECTION LIMIT IF CONCENTRATION WAS BELOW DETECTION LIMIT.

40 CFR 433.15 Pollutant(mg/l) limits	Cd	Cr	Cu	Pb	Ni	Ag	Zn	CN	TTO*
Max for 1 day	.671	2.694	3.288	.671	3.871	.418	2.539	1.167	2.072
Monthly Avg	.253	1.663	2.014	.418	2.315	.233	1.440	.632	--
Max Measured	.0049	.24	.67	<.04	.46	<.007	.15	<.01	N/A
Avg Measured**	.0049	.24	.67	<.04	.46	<.007	.15	<.01	N/A

Sample Location Pretreatment System Effluent
Sample Type (Grab* or Composite) Grab/Composite
If Grab sampled, list # of grabs over what period of time 12 over 24 hours and if composited by facility X or the certified lab .
Number of Samples and Frequency Collected 1 per Semi-Annual
40CFR136 Preservation and Analytical Methods Use: Yes No (include complete Chain of Custody)
*If a TOMP has been submitted and approved by ADEQ place N/A.
**A value here is the average of all samples taken during one (1) calendar month regardless of number of samples taken. If only one (1) sample is taken it must meet the monthly average limitation.

Indicate Combined Wastestream Factor (include calculations) if dilution streams commingle with regulated process wastestream: .973

(6) CERTIFICATION (ONLY IF A TOMP HAS BEEN SUBMITTED/APPROVED BY ADEQ)

B. CHECK ONE: '433.11(e) TOXIC ORGANIC ANALYSIS ATTACHED '433.12(a) TTO CERTIFICATION

Based on my inquiry of the person or persons directly responsible for managing compliance with the pretreatment standard for total toxic organics (TTO), I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewaters has occurred since filing of the last semi-annual compliance report. I further certify that this facility is implementing the toxic organic management plan submitted to Arkansas Department of Environmental Quality.

Mark Moore
(Typed/Printed Name)


(Corporate Officer or authorized representative signature)

Date of Signature 6/13/18

(7) POLLUTION PREVENTION ACT OF 1990 [42 U.S.C. 13101 et seq.]

*6602 [42 U.S.C. 13101] Findings and Policy para (b) Policy--The Congress hereby declares it to be the national policy of the United States that pollution should be prevented or reduced at the source whenever feasible; pollution that cannot be prevented should be recycled in an environmentally safe manner, whenever feasible; pollution that cannot be prevented or recycled should be treated in an environmentally safe manner whenever feasible; and disposal or other release into the environment should be employed only as a last resort and should be conducted in an environmentally safe manner.

The User may list any new or ongoing Pollution Prevention practices including Best or Environmental Management Practices, Source Reduction, Waste Minimization, Lean Manufacturing, Water and/or Energy Conservation:

1. Installed a smaller washer in the wash and weigh department, more efficient and less water usage.
2. _____
3. _____
4. _____
5. _____

(8) GENERAL COMMENTS

(9) SEMI-ANNUAL/PERIODIC REPORT CERTIFICATION STATEMENT REQUIRED UNDER 40 CFR 403.12(I)

I certify under penalty of law that I have personally examined and am familiar with the information in this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Mark Moore
NAME OF CORPORATE OFFICER OR AUTHORIZED REPRESENTATIVE


SIGNATURE

General Manager
OFFICIAL TITLE

6/13/18
DATE SIGNED



ESNA
ATTN: Mr. Mark Moore
611 Country Club Road
Pocahontas, AR 72455

This report contains the analytical results and supporting information for samples received on June 6, 2018. Attached please find a copy of the Chain of Custody and/or other documents received. Note that any remaining sample will be discarded two weeks from the original report date unless other arrangements are made.

This report is intended for the sole use of the client listed above. Assessment of the data requires access to the entire document.

This report has been reviewed by the Chief Operating Officer or a qualified designee.

A handwritten signature in black ink that reads 'Steve Bradford'. The signature is written in a cursive style and is positioned above a horizontal line.

Steve Bradford
Deputy Laboratory Director

This document has been distributed to the following:

PDF cc: ESNA
ATTN: Mr. Mark Moore
mmoore@esnaproducts.com

ESNA
ATTN: Mr. Jeff Bennett
jbennett@esnaproducts.com



ESNA
611 Country Club Road
Pocahontas, AR 72455

SAMPLE INFORMATION

Project Description:

Two (2) water sample(s) received on June 6, 2018
433 Report To ADEQ
P.O. No. 22-448-00

Receipt Details:

A Chain of Custody was provided. The samples were delivered in one (1) ice chest.
Ice chest #1 was delivered with shipping documentation.

Each sample container was checked for proper labeling, including date and time sampled. Sample containers were reviewed for proper type, adequate volume, integrity, temperature, preservation, and holding times. Any exceptions are noted below:

Sample Identification:

<u>Laboratory ID</u>	<u>Client Sample ID</u>	<u>Sampled Date/Time</u>	<u>Notes</u>
224110-1	Container #37527	06-Jun-2018 0415	
224110-2	Container #03742	06-Jun-2018 0415	

Case Narrative:

There were no qualifiers for this data and all samples met quality control criteria.

References:

- "Methods for Chemical Analysis of Water and Wastes", EPA/600/4-79-020 (Mar 1983) with updates and supplements EPA/600/5-91-010 (Jun 1991), EPA/600/R-92-129 (Aug 1992) and EPA/600/R-93-100 (Aug 1993).
- "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846)", Third Edition.
- "Standard Methods for the Examination of Water and Wastewaters", (SM).
- "American Society for Testing and Materials" (ASTM).
- "Association of Analytical Chemists" (AOAC).

ESNA
611 Country Club Road
Pocahontas, AR 72455

ANALYTICAL RESULTS

AIC No. 224110-1

Sample Identification: Container #37527 06-Jun-2018 0415

Analyte		Result	RL	Units	Qualifier
Cadmium EPA 200.7	Prep: 07-Jun-2018 1626 by 328	0.0049 Analyzed: 08-Jun-2018 1433 by 308	0.004	mg/l	
				Batch: S45358	
Chromium EPA 200.7	Prep: 07-Jun-2018 1626 by 328	0.24 Analyzed: 08-Jun-2018 1433 by 308	0.01	mg/l	
				Batch: S45358	
Copper EPA 200.7	Prep: 07-Jun-2018 1626 by 328	0.67 Analyzed: 08-Jun-2018 1433 by 308	0.006	mg/l	
				Batch: S45358	
Lead EPA 200.7	Prep: 07-Jun-2018 1626 by 328	< 0.04 Analyzed: 08-Jun-2018 1433 by 308	0.04	mg/l	
				Batch: S45358	
Nickel EPA 200.7	Prep: 07-Jun-2018 1626 by 328	0.46 Analyzed: 08-Jun-2018 1433 by 308	0.01	mg/l	
				Batch: S45358	
Silver EPA 200.7	Prep: 07-Jun-2018 1626 by 328	< 0.007 Analyzed: 08-Jun-2018 1433 by 308	0.007	mg/l	
				Batch: S45358	
Zinc EPA 200.7	Prep: 07-Jun-2018 1626 by 328	0.15 Analyzed: 08-Jun-2018 1433 by 308	0.01	mg/l	
				Batch: S45358	

AIC No. 224110-2

Sample Identification: Container #03742 06-Jun-2018 0415

Analyte		Result	RL	Units	Qualifier
Total Cyanide SM 4500-CN C,E 2011	Prep: 08-Jun-2018 1000 by 300	< 0.01 Analyzed: 08-Jun-2018 1548 by 300	0.01	mg/l	
				Batch: W64372	

ESNA
 611 Country Club Road
 Pocahontas, AR 72455

LABORATORY CONTROL SAMPLE RESULTS

Analyte	Spike Amount	%	Limits	RPD	Limit	Batch	Preparation Date	Analysis Date	Dil	Qual
Total Cyanide	0.1 mg/l	85.2	85.0-115			W64372	08Jun18 1000 by 300	08Jun18 1540 by 300		
Cadmium	5 mg/l	94.2	85.0-115			S45358	07Jun18 1625 by 328	08Jun18 1409 by 308		
Chromium	0.5 mg/l	95.7	85.0-115			S45358	07Jun18 1625 by 328	08Jun18 1409 by 308		
Copper	0.5 mg/l	93.2	85.0-115			S45358	07Jun18 1625 by 328	08Jun18 1409 by 308		
Lead	5 mg/l	93.5	85.0-115			S45358	07Jun18 1625 by 328	08Jun18 1409 by 308		
Nickel	0.5 mg/l	94.9	85.0-115			S45358	07Jun18 1625 by 328	08Jun18 1409 by 308		
Silver	0.1 mg/l	99.7	85.0-115			S45358	07Jun18 1625 by 328	08Jun18 1409 by 308		
Zinc	0.5 mg/l	97.8	85.0-115			S45358	07Jun18 1625 by 328	08Jun18 1409 by 308		

MATRIX SPIKE SAMPLE RESULTS

Analyte	Sample	Spike Amount	%	Limits	Batch	Preparation Date	Analysis Date	Dil	Qual
Total Cyanide	224167-1	0.1 mg/l	84.9	75.0-125	W64372	08Jun18 1000 by 300	08Jun18 1544 by 300		
	224167-1	0.1 mg/l	86.5	75.0-125	W64372	08Jun18 1000 by 300	08Jun18 1546 by 300		
	Relative Percent Difference:		1.87	20.0	W64372				
Cadmium	224151-1	5 mg/l	89.7	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1414 by 308		
	224151-1	5 mg/l	88.9	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1419 by 308		
	Relative Percent Difference:		0.823	20.0	S45358				
Chromium	224151-1	0.5 mg/l	90.7	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1414 by 308		
	224151-1	0.5 mg/l	90.1	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1419 by 308		
	Relative Percent Difference:		0.717	20.0	S45358				
Copper	224151-1	0.5 mg/l	92.5	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1414 by 308		
	224151-1	0.5 mg/l	90.6	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1419 by 308		
	Relative Percent Difference:		2.04	20.0	S45358				
Lead	224151-1	5 mg/l	88.1	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1414 by 308		
	224151-1	5 mg/l	87.8	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1419 by 308		
	Relative Percent Difference:		0.336	20.0	S45358				
Nickel	224151-1	0.5 mg/l	88.6	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1414 by 308		
	224151-1	0.5 mg/l	88.1	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1419 by 308		
	Relative Percent Difference:		0.536	20.0	S45358				
Silver	224151-1	0.1 mg/l	96.9	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1414 by 308		
	224151-1	0.1 mg/l	96.6	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1419 by 308		
	Relative Percent Difference:		0.368	20.0	S45358				
Zinc	224151-1	0.5 mg/l	89.7	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1414 by 308		
	224151-1	0.5 mg/l	89.7	75.0-125	S45358	07Jun18 1625 by 328	08Jun18 1419 by 308		
	Relative Percent Difference:		0.0277	20.0	S45358				



ESNA
611 Country Club Road
Pocahontas, AR 72455

LABORATORY BLANK RESULTS

<u>Analyte</u>	<u>Result</u>	<u>RL</u>	<u>PQL</u>	<u>QC Sample</u>	<u>Preparation Date</u>	<u>Analysis Date</u>	<u>Qual</u>
Total Cyanide	< 0.01 mg/l	0.01	0.01	W64372-1	08Jun18 1000 by 300	08Jun18 1538 by 300	
Cadmium	< 0.004 mg/l	0.004	0.004	S45358-1	07Jun18 1625 by 328	08Jun18 1404 by 308	
Chromium	< 0.01 mg/l	0.01	0.01	S45358-1	07Jun18 1625 by 328	08Jun18 1404 by 308	
Copper	< 0.006 mg/l	0.006	0.006	S45358-1	07Jun18 1625 by 328	08Jun18 1404 by 308	
Lead	< 0.04 mg/l	0.04	0.04	S45358-1	07Jun18 1625 by 328	08Jun18 1404 by 308	
Nickel	< 0.01 mg/l	0.01	0.01	S45358-1	07Jun18 1625 by 328	08Jun18 1404 by 308	
Silver	< 0.007 mg/l	0.007	0.007	S45358-1	07Jun18 1625 by 328	08Jun18 1404 by 308	
Zinc	< 0.01 mg/l	0.01	0.01	S45358-1	07Jun18 1625 by 328	08Jun18 1404 by 308	

Water from City				Total Process Flow to City			
Year	2018	Days	Gal. Avg	Year	2018	Days	Gal. Avg
Jan	34	5553	188800	Jan	31	1217	37726
Feb	28	4279	119800	Feb	30	1711	51341.2
Mar	28	4771	133600	Mar	28	3413	95577.2
Apr	32	5025	160800	Apr	30	2875	86238.2
May	33	4788	158000	May	29	2718	78829.6
Jun	29	5541	160700	Jun	31	2387	73997
	Avg Flow		4993		Avg. Used		2387
	Max Flow		5553		Max Used		3413
		Flow Total			Flow Total		

1. Update months depending on 1st half or 2nd half report
2. Update days on calendar basis
3. Get water bills as outlined in call out
4. Flow meter reading to be taken and recorded by Maintenance Dept.
- 5/8/18
- 6/8 AVG reading from first 5 month, guage was running backwards.

These are monthly readings from water bills. Water bills are located in Accounting department. Flow total column is only one that needs to be populated, rest will calculate.

These are monthly readings from flow meter at Weir (oil & water separation unit) located at Northeast corner of property. Reading to be taken first working day on or near the 8th day of each month.

Waste Stream Factor

Total flow at Sample Point to City = Total Regulated + Total Dilute Flow

Combined wastestream factor is total regulated divided
by total flow at sample point

Flow Total at Sample Point	2387	Minus	Diluted Flow	65	Divided by	Flow Total at Sample Point	2387	Equals	Waste Stream Factor	0.973
-------------------------------	------	-------	--------------	----	------------	-------------------------------	------	--------	------------------------	-------

PSES for All Plants Except Job Shops and Independent Printed Circuit Board Manufacturers

Pollutant or pollutant property	Maximum for any 1 day Milligrams per liter (mg/l)	Monthly average shall not exceed
Cadmium (T)	0.69	0.26
Chromium (T)	2.77	1.71
Copper (T)	3.38	2.07
Lead (T)	0.69	0.43
Nickel (T)	3.98	2.38
Silver (T)	0.43	0.24
Zinc (T)	2.61	1.48
Cyanide (T)	1.2	0.65
TTO	2.13	

Wastestream factor 0.973

Pollutant or pollutant property	Maximum for any 1 day Milligrams per liter (mg/l)	Monthly average shall not exceed
Cadmium (T)	0.671	0.253
Chromium (T)	2.694	1.663
Copper (T)	3.288	2.014
Lead (T)	0.671	0.418
Nickel (T)	3.871	2.315
Silver (T)	0.418	0.233
Zinc (T)	2.539	1.440
Cyanide (T)	1.167	0.632
TTO	2.072	

SEND PAYMENT TO: (870) 992-9222
POCAHONTAS WATER WORKS
 207 HIGHWAY 87 S., POCAHONTAS, AR 72455
 pay online at: <https://pocahontaswater.lapayub.com>

RETURN STUB 3028
 WITH PAYMENT

CARRIER ROUTE
 PRESORTED
 FIRST CLASS MAIL
 U.S. POSTAGE PAID
 PERMIT NO. 79
 POCAHONTAS, AR,
 72455

ACCOUNT NO.	SERVICE ID NO.	FROM (SERVICE)	TO	DAYS	PREV. BAL.	DUE DATE	ACCOUNT NO.	SERVICE ID NO.
MACLESN	68700	03/08	04/09	32	0.00	05/10/18	MACLESN	68700
PREV. READING	81642900	PREV. READING			GAL USED	AMOUNT DUE	802.19	802.19
		81803700			160800			


Water 425.53
 Tax 41.62
 Sewer 292.99
 Mosquito 1.25
 EPA 0.30
 Fire Protection 40.50

HAPPY MOTHER'S DAY!
 Monday, May 28th trash will be
 picked up Tuesday, May 29th

Address Service Requested

DUE DATE	AMOUNT DUE	AFTER DUE DATE	BY DUE DATE
05/10/18	802.19	802.19	802.19

MACLEAN-ESNA
 611 COUNTRY CLUB RD
 POCAHONTAS, AR 72455-9908



SEND PAYMENT TO:
POCAHONTAS WATER WORKS (870) 892-9222
 207 HIGHWAY 87 S., POCAHONTAS, AR 72455
 pay online at: <https://pocahontaswater.epayhub.com>

RETURN STUB
 WITH PAYMENT 3035

CARRIER ROUTE
 PRESORTED
 FIRST CLASS MAIL
 U.S. POSTAGE PAID
 PERMIT NO. 70
 POCAHONTAS, AR,
 72455

FROM (SERVICE)	TO	DAYS	PREV. BAL.	MACLESN	ACCOUNT NO.	SERVICE I.D. NO.
01/08	02/07	30	0.00	MACLESN	68700	68700
PREV. READING	PRES. READING		GAL USED	AMOUNT DUE	AFTER DUE DATE	BY DUE DATE
81389500	81509300		119800	723.48	723.48	723.48


Water 329.18
 Tax 32.22
 Sewer 320.03
 Mosquito 1.25
 EPA 0.30
 Fire Protection 40.50

OUR CITY WIDE SPRING
 CLEAN UP WILL BE HELD
 MARCH 26TH - MARCH 30TH

Address Service Requested

DUE DATE	AMOUNT DUE	AFTER DUE DATE BY DUE DATE
03/12/18	723.48	723.48

MACLEAN-ESNA
 611 COUNTRY CLUB RD
 POCAHONTAS, AR 72455-9908



SEND PAYMENT TO:
POCAHONTAS WATER WORKS
 207 HIGHWAY 67 S., POCAHONTAS, AR 72455
 pay online at: <https://pocahontaswater.epayub.com>

RETURN STUB
 WITH PAYMENT 3022

CARRIER ROUTE
 PRESORTED
 FIRST CLASS MAIL
 U.S. POSTAGE PAID
 PERMIT NO. 70
 POCAHONTAS, AR
 72455

ACCOUNT NO.	MACLESN	SERVICE I.D. NO.	68700
FROM (SERVICE)	12/07	TO	01/08
DAYS	32	PREV. BAL.	0.00
PREV. READING	81200700	PREV. READING	81389500
GAL. USED	188800	AMOUNT DUE	901.45
ACCOUNT NO.	MACLESN	SERVICE I.D. NO.	68700
AFTER DUE DATE	901.45	BY DUE DATE	901.45

Water 491.33
 Tax 48.04
 Sewer 320.03
 Mosquito 1.25
 EPA 0.30
 Fire Protection 40.50


Monday, Feb. 19th Trash will be
 Picked up on Tuesday, Feb. 20th

Address Service Requested

DUE DATE	AMOUNT DUE	AFTER DUE DATE	BY DUE DATE
02/12/18	901.45	901.45	901.45

SERVICE ADDRESS
 611 COUNTRY CLUB RD

MACLEAN-ESNA
 611 COUNTRY CLUB RD
 POCAHONTAS, AR 72455-9908



SEND PAYMENT TO:
POCAHONTAS WATER WORKS
207 HIGHWAY 67 S., POCAHONTAS, AR 72455
Pay online at: <https://pocahontaswater.apayid.com>

RETURN STUB
WITH PAYMENT

3013

CARRIER ROUTE
PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE PAID
PERMIT NO. 70
POCAHONTAS, AR,
72455

ACCOUNT NO.	SERVICE ID. NO.	FROM	SERVICE TO	DAYS	PREV. BAL.	DUE DATE	ACCOUNT NO.	SERVICE ID. NO.
MACLESN	68700	02/07	03/08	29	0.00	04/10/18	MACLESN	68700
PREV. READING		81509300	PREV. READING		133600	AFTER DUE DATE		
						AMOUNT DUE		
						732.03		732.03


Water 361.61
Tax 35.38
Sewer 292.99
Mosquito 1.25
EPA 0.30
Fire Protection 40.50

WHEN IS THE BEST TIME TO
PLAY ON A TRAMPOLINE?
SPRING!

Address Service Requested

DUE DATE	AMOUNT DUE	AFTER DUE DATE	BY DUE DATE
04/10/18	732.03	732.03	732.03

MACLEAN-ESNA
611 COUNTRY CLUB RD
POCAHONTAS, AR 72455-9908



SEND PAYMENT TO:
POCAHONTAS WATER WORKS (870) 892-3222
 207 HIGHWAY 87 S., POCAHONTAS, AR 72455
 pay online at: <https://pocahontaswater.epayud.com>

RETURN STUB
 WITH PAYMENT 3029

CARRIER ROUTE
 PRESORTED
 FIRST CLASS MAIL
 U.S. POSTAGE PAID
 PERMIT NO. 70
 POCAHONTAS, AR
 72455

FROM (SERVICE)	TO	DAYS	PREV. BAL.	MACLEESN	SERVICE I.D. NO.
04/09	05/09	30	0.00	MACLEESN	68700
PREV. READING	PRES. READING		GAL. USED		
81803700	81961700		158000		

Water 418.95
 Tax 40.98
 Sewer 292.99
 Mosquito 1.25
 EPA 0.30
 Fire Protection 40.50

Our 2017 Annual Drinking Water Quality Report
 is available at
www.healthy.arkansas.gov/eng/ccr/474.pdf
 Paper copies are available upon request.

Address Service Requested

DUE DATE	AMOUNT DUE	AFTER DUE DATE	BY DUE DATE
06/11/18	794.97	794.97	794.97

SERVICE ADDRESS
 611 COUNTRY CLUB RD

MACLEAN-ESNA
 611 COUNTRY CLUB RD
 POCAHONTAS, AR 72455-9908

