

Allen

SEMI-ANNUAL REPORT FOR INDUSTRIAL USERS REGULATED BY 40CFR 433

[Specifically 40 CFR 433.15]

Use of this form is not an EPA/ADEQ requirement.

Attn: Water Div/NPDES Pretreatment

(1) IDENTIFYING INFORMATION


<p>A. LEGAL NAME & MAILING ADDRESS</p> <p>STREET + PERFORMANCE 1 HOT ROD LANE RTE 5 MENA, AL 36953</p>	<p>B. FACILITY & LOCATION ADDRESS</p> <p>1 HOT ROD LANE RTE 5 MENA, AL. 36953</p>
--	---

C. FACILITY CONTACT: Richard Alexander TELEPHONE NUMBER: 479-394-5711 e-mail: RICHARDEHOTRODLANE.CC

(2) REPORTING PERIOD - FISCAL YEAR from to (Both Semi-Annual Reports must cover 12 (12) months)

<p>A. MONTHS WHICH REPORTS ARE DUE</p> <p>Sept, Dec & March & June</p>	<p>B. PERIOD COVERED BY THIS REPORT</p> <p>FROM: <u>SEPT 09</u> TO: _____</p>
--	---

(3) DESCRIPTION OF OPERATION

<p>A. REGULATED PROCESSES</p> <p><u>CORE PROCESS(ES)</u></p> <p>CHECK EACH APPLICABLE BLOCK</p> <p>G Electroplating <input checked="" type="checkbox"/></p> <p>G Electroless Plating</p> <p>G Anodizing</p> <p>G Coating <input checked="" type="checkbox"/></p> <p>G Chemical Etching and Milling</p> <p><u>ANCILLARY PROCESS(ES)*</u></p> <p>LIST BELOW EACH PROCESS USED IN THE FACILITY</p> <p><u>COPPER, NICKEL, CHROME ELECTRO-PLATING</u></p> <p><u>CHROME THERMO COATING</u></p> <p><u>COPPER-CYANIDE STRIKE.</u></p>	<p>B. CHANGES: SUMMARIZE ANY CHANGES IN THE REGULATED PROCESSES SINCE THE LAST REPORT. ATTACH AN ADDITIONAL SHEET IF THE SPACE BELOW IS INADEQUATE. PROVIDE A NEW SCHEMATIC IF APPROPRIATE.</p> <div style="text-align: right;"> <p>7450</p>  <p>still needing TEMP IU's + City's samples averaged = compliant. <u>AF</u></p> </div>
---	---

<p>C. Number of Regular Employees at this Facility</p> <p><u>80</u></p>	<p>D. [Reserved]</p>
---	----------------------

*SEE 40CFR433.10(a) FOR 40 DIFFERENT OPERATIONS

40CFR433 SEMI-ANNUAL REPORT CON'D FACILITY NAME: _____

EFFECTIVE MEASUREMENT	
INDI	ALLEN,
Reg1	WE DISCHARGED 1900 GALS. OF
Reg2	TREATED WATER TO POTW
'403	ON 11-23-09 CITY DID TAKE
'403	A SAMPLE. HOW DO I
Cool	LONG THIS ON HERE?
Sanit	Thanks
Total	Richard
"Unr	

MEASUREMENT OF POLLUTANTS	
<p>A. TYPE OF TREATMENT SYSTEM</p> <p>CHECK EACH APPLICABLE BLOCK</p> <p>G Neutralization <input checked="" type="checkbox"/></p> <p>G Chemical Precipitation and Sedimentation <input checked="" type="checkbox"/></p> <p>G Chromium Reduction <input checked="" type="checkbox"/></p> <p>G Cyanide Destruction <input checked="" type="checkbox"/></p> <p>G Other _____</p> <p>G None _____</p>	<p>B. COMMENTS ON TREATMENT SYSTEM</p> <p>BATCH TREATMENT</p>

C. THE INDUSTRIAL USER MUST PERFORM SAMPLING AND ANALYSIS OF THE EFFLUENT FROM ALL REGULATED PROCESSES—CORE & ANCILLARY—(AFTER TREATMENT, IF APPLICABLE). ATTACH THE LAB ANALYSIS WHICH SHOWS A MAXIMUM; TABULATE ALL THE ANALYTICAL DATA COLLECTED DURING THE REPORT PERIOD IN THE SPACE PROVIDED BELOW. ZERO CONCENTRATIONS ARE NOT ACCEPTABLE; LIST THE DETECTION LIMIT IF CONCENTRATION WAS BELOW DETECTION LIMIT.

Pollutant (mg/l)	Cd	Cr	Cu	Pb	Ni	Ag	Zn	CN	TTO*
Max for 1 day	0.69	2.77	3.38	0.69	3.98	0.43	2.61	1.20	2.13
Monthly Ave	0.26	1.71	2.07	0.43	2.38	0.24	1.48	0.65	--
Max Measured									
Ave Measured									

Sample Location Tank Room

Sample Type (Grab or Composite) Grab Sample

Number of Samples and Frequency Collected Before Each Discharge

40CFR136 Preservation and Analytical Methods Use: Yes No

SEE ATTACHED ANALYTICAL RESULTS FROM AMERICAN INTERPLEX

CERTIFICATION

40CFR433 SEMI-ANNUAL REPORT CON'D FACILITY NAME: _____

A. [Reserved]

[Reserved]

B. CHECK ONE: G '433.11(e) TOXIC ORGANIC ANALYSIS ATTACHED G '433.12(a) TTO CERTIFICATION

Based on my inquiry of the person or persons directly responsible for managing compliance with the pretreatment standard for total toxic organics (TTO), I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewaters has occurred since filing of the last semi-annual compliance report. I further certify that this facility is implementing the toxic organic management plan submitted to Arkansas Department of Environmental Quality.

Richard E. Hexamer
(Typed Name)

[Signature]
(Corporate Officer or authorized representative)

Date of Signature 10/30/09

POLLUTION PREVENTION ACT OF 1990 (42 U.S.C. 13101 et seq.)

'6602 [42 U.S.C. 13101] Findings and Policy para (b) Policy.—The Congress hereby declares it to be the national policy of the United States that pollution should be prevented or reduced at the source whenever feasible; pollution that cannot be prevented should be recycled in an environmentally safe manner, whenever feasible; pollution that cannot be prevented or recycled should be treated in an environmentally safe manner whenever feasible; and disposal or other release into the environment should be employed only as a last resort and should be conducted in an environmentally safe manner.

The User may list any new or ongoing Pollution Prevention practices:

40CFR433 SEMI-ANNUAL REPORT CON'D FACILITY NAME: _____

(8) GENERAL COMMENTS

(9) SIGNATORY REQUIREMENTS [40CFR(43.120)]

I certify under penalty of law that I have personally examined and am familiar with the information in this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Lisa L. Campbell
NAME OF CORPORATE OFFICER OR AUTHORIZED REPRESENTATIVE

Lisa L. Campbell
SIGNATURE

VP
OFFICIAL TITLE

11-20-09
DATE SIGNED



November 20, 2009
 Control No. 133936
 Page 1 of 7

Street and Performance Company
 ATTN: Mr. Richard E. Hexamer
 #1 Hotrod Lane
 Mena, AR 71953


Dear Mr. Richard E. Hexamer:

Project Description: One (1) water sample(s) received on November 17, 2009
 P.O. No. 16393

This report is the analytical results and supporting information for the sample submitted to American Interplex Corporation (AIC) on November 17, 2009. The following results are applicable only to the sample identified by the control number referenced above. Accurate assessment of the data requires access to the entire document. Each section of the report has been reviewed and approved by the laboratory director or a qualified designee.

Data has been validated using standard quality control measures performed on at least 10% of the samples analyzed. Quality Assurance, instrumentation, maintenance and calibration were performed in accordance with guidelines established by the cited methodology.

AMERICAN INTERPLEX CORPORATION

By 
 John Overbey
 Laboratory Director

• Enclosure(s): Chain of Custody



November 20, 2009
Control No. 133936
Page 3 of 7

Street and Performance Company
#1 Hotrod Lane
Mena, AR 71953

ANALYTICAL RESULTS

AIC No. 133936-1

Sample Identification: Main Batch 11/16 1500

Analyte	Method	Result	RL	Units	Batch	Qualifier
Total Recoverable Phenolics	EPA 420.1	< 5	5	ug/l	W30839	
Chromium, Hexavalent	SM 3500-Cr B	25	10	ug/l	W30849	
Total Cyanide	SM4500-CN C,E	< 10	10	ug/l	W30837	
Mercury	EPA 245.2	< 0.2	0.2	ug/l	S26755	
Total Recoverable:						
Antimony	EPA 200.8	< 60	60	ug/l	S26746	
Arsenic	EPA 200.8	< 0.5	0.5	ug/l	S26746	
Beryllium	EPA 200.8	< 0.5	0.5	ug/l	S26746	
Cadmium	EPA 200.8	< 0.5	0.5	ug/l	S26746	
Chromium	EPA 200.8	110	10	ug/l	S26746	
Copper	EPA 200.8	300	0.5	ug/l	S26746	
Lead	EPA 200.8	0.52	0.5	ug/l	S26746	
Nickel	EPA 200.8	20	0.5	ug/l	S26746	
Selenium	EPA 200.8	< 5	5	ug/l	S26746	
Silver	EPA 200.8	< 0.5	0.5	ug/l	S26746	
Thallium	EPA 200.8	< 0.5	0.5	ug/l	S26746	
Zinc	EPA 200.8	< 20	20	ug/l	S26746	

CITY SAMPLES



Street and Performance Company
ATTN: Mr. Richard E. Hexamer
#1 Hotrod Lane
Mena, AR 71953


Dear Mr. Richard E. Hexamer:

Project Description: One (1) water sample(s) received on November 24, 2009
Outfall 1
P.O. No. 16461

This report is the analytical results and supporting information for the sample submitted to American Interplex Corporation (AIC) on November 24, 2009. The following results are applicable only to the sample identified by the control number referenced above. Accurate assessment of the data requires access to the entire document. Each section of the report has been reviewed and approved by the laboratory director or a qualified designee.

Data has been validated using standard quality control measures performed on at least 10% of the samples analyzed. Quality Assurance, instrumentation, maintenance and calibration were performed in accordance with guidelines established by the cited methodology.

AMERICAN INTERPLEX CORPORATION

By 
John Overbey
Laboratory Director

Enclosure(s): Chain of Custody

Street and Performance Company
#1 Hotrod Lane
Mena, AR 71953

ANALYTICAL RESULTS

AIC No. 134120-1

Sample Identification: Street & Perform Discharge 23NOV09 0915

Analyte	Method	Result	RL	Units	Batch	Qualifier
Total Recoverable Phenolics	EPA 420.1	< 0.005	0.005	mg/l	W30932	
Chromium, Hexavalent	SM 3500-Cr B	< 0.007	0.007	mg/l	W30962	
Total Cyanide	SM4500-CN C,E	< 0.01	0.01	mg/l	W30930	
Mercury	EPA 245.2	< 0.2	0.2	ug/l	S26790	
Total Recoverable:						
Antimony	EPA 200.8	< 60	60	ug/l	S26789	D
Arsenic	EPA 200.8	< 0.8	0.8	ug/l	S26789	D
Beryllium	EPA 200.8	< 0.5	0.5	ug/l	S26789	D
Cadmium	EPA 200.8	< 0.5	0.5	ug/l	S26789	D
Chromium	EPA 200.8	170	10	ug/l	S26789	D
Copper	EPA 200.8	2300	4	ug/l	S26789	D
Lead	EPA 200.8	0.94	0.8	ug/l	S26789	D
Nickel	EPA 200.8	110	4	ug/l	S26789	D
Selenium	EPA 200.8	< 2	2	ug/l	S26789	D
Silver	EPA 200.8	< 0.5	0.5	ug/l	S26789	D
Thallium	EPA 200.8	< 0.6	0.6	ug/l	S26789	D
Zinc	EPA 200.8	87	20	ug/l	S26789	D