2008-2009 SELF-AUDIT FORM FOR ARKANSAS ABOVEGROUND STORAGE TANKS

(If you need additional forms, please **Do Not Copy**. Instead, contact the RST Division.)

Do Not Staple

74-00039



Return original forms to ADEQ, RST Division, 5301 Northshore Dr., No. Little Rock, AR 72118-5317 No later than September 30, 2008.

Owner Name (print)					
Martin Respurce Ma	nagement Cora				
Address	, , , , , , , , , , , , , , , , , , ,				
4200 K. 10012 Rolad					
City State Zip Code					
Killgord IIIIIX	75662-111				
Facility Name (print)					
Cx 088 01 1 R281 x1 na	d Marketing Inc				
Address	Date of Evaluation				
484 608 + 10 + 10	38/A8/08				
13 1 2 3 1 0 6 4					
	p Code				
5 merckover IAR	7/62-				
Please note that completing this checklist does not guarantee you are in co State Fire Marshal if you have any questions concerning this form or compl	mpliance with AST requirements. Be sure to check with the Arkansas iance. YOU MUST COMPLETE A NEW FORM ANNUALLY.				
RELEASE CONTROL: NICTOR 20 2 2 4 Only mark	answers in columns for tanks you actually have. 1 tank per column.				
NFPA 30, 2-3-4	answere in column to retain you detailly have. I take per column.				
	AST #445 AST #246 AST #347 AST #448				
Double Wall Tank?					
Documented Test Results (Mrgs.Recommendations): NFPA 30,2-8.3.5					
A. Primary Tank (inner)?					
B. Interstitial Space?	O Y O N				
IMPOUNDING AROUND TANKS (dikes, levees & berms): NFPA 30, 2-3.4.3					
- 1 m					
A. Is base sloped to dike's lowest point? B. Is volumetric capacity of impoundment greater than capacity of	● Y O N O NA ● Y O N O NA ● Y O N O NA				
B. is volumente capacity of impoundment greater than capacity of largest tank?	■ Y O N O NÁ ● Y O N O NA ● Y O N O NA ● Y O N O NA				
C. Are dike walls constructed from materials that are liquid tight?					
D. Is drain valve lockable, closed and accessible from outside mpoundment?	AN @ N O Y O A O N O Y @ AN O N O Y @ NA				
s Anti-siphon Device installed? NFPA 30A 2-1.7	O Y O N @ NA O Y O N @ NA O Y O N @ NA				
s current Spill Prevention, Control and Countermeasure Plan					
available?					
PRESSURIZED PIPING (Underground Piping Only): NFPA 30A, 4-3.3					
A. Automatic flow restrictor?	O Y O N				
B. Automatic shutoff device?	O Y O N O N O Y O N O N O Y O N O N O N				
C. Continuous alarm system?	O Y O N O N O Y O N O N O N O N O N O N				
D. Annual line tightness testing?	O Y O N • NA O Y O N • NA O Y O N • NA				
SUCTION PIPING (Underground Piping Only):					
A. Tightness Testing?					
1.01.101.101.111.111.111.111.111.111.11	<u> </u>				

29929

Shade Circles Like This--> ●

Not Like This--> 😿 🤘

2008-2009 SELF-AUDIT FORM FOR ARKANSAS ABOVEGROUND STORAGE TANKS



CORROSION PROTECTION (Tanks): Only mark answers in columns for tanks you actually have. 1 tank per column.					
	AST-#14/5	AST #24/2	AST #3(7	AST##(8	
Is tank in contact with its environment (soil or water)?	OYONONA	OYONONA	OYONONA	O Y 6 N O NA	
Tank is retrofitted with which cathodic protection method:					
A. Impressed Current?	O Y O N NA	OYONONA	O Y O N NA	OYON • NA	
B. Sacrificial Anodes?	OYONONA	O Y O N NA	OYON®NA	Q Y O N 🜑 NA	
Specify any other method used to achieve tank's corrosion protection:	Painted Sa	1 belaseller	isual Ensi	pertur	
CORROSION PROTECTON (Piping): Only mark a	inswers in columns	s for itanks you a	ctually have. 1 ta	nk per column.	
Piping is non-corrodible material (fiberglass, flexible piping, etc.)?	O Y N O NA	O Y N O NA	OYONONA	OYONONA	
Piping is retrofitted with which cathodic protection method:					
A. Impressed Current?	OYON®NA	OYONONA	OYON®NA	O Y O N 🏶 NA	
B. Sacrifical Anodes?				OYON • NA	
Specify any other method used to achieve piping's corrosion protection:			1 Level V		
RECORDS FOR CATHODIC PROTECTION: Only mark	answers in column	ns for tanks you a	actually have. 1 t	ank per column.	
If you have impressed current systems or sacrificial anodes, you have the documentation of the last 2 tests conducted within 6 months of installation, at least every 3 years thereafter, and within 6 months of a repair?	OYON • NA	O Y O N • NA	ОҮОЙФИА	OYON • NA	
If you have an impressed current system, you have documentation of the last three rectifier readings that need to be taken every 60 days to show that the rectifier is working properly? (Most ASTs will share one rectifier.)	O Y O N • NA	OYON • NA	OYON ® NA	O Y O N • NA	
SPILL PROTECTION: Only mark	answers in colum	ns for tanks you	actually have. 1	tank per column.	
AST has working spill protection equipment?	● Y O N O NA	O N O NA	O Y O N O NA	O Y O N O NA	
OVERFILL PROTECTION: Only mark	answers in colum	ns for tanks you	actually have. 11	tank per column.	
AST has working overfill protection equipment?	• Y O N O NA	YONONA	AN O N O Y	ONONA	
EMERGENCY VENTING: NFPA 30, 2-3.6.1		1			
AST has properly designed emergency relief vents?	O Y O N • NA	O Y O N • NA	O Y O N 🗨 NA	OYON • NA	
OTHER REQUIREMENTS:		1	n row for entire fa	<u> </u>	
Permit applied for and received from Arkansas State Fire Marshal's Office? (For ASTs installed after June 15, 1992) Current AST notification form filed with ADEQ (for ASTs 1,320-40,000 gallons storing petroleum)?					
Records on site for all system repairs? Correct ADEQ Registration Certificate (with current year's sticker) posted in a conspicuous location at the facility?					
CERTIFICATION (Read and sign after completing all sections)					
I certify under penalty of law that I have personally completed and am familiar with the information submitted in this and all attached documents, and that the submitted information is true, accurate and complete.					
Owner Name (print) Owner Signat	ure		Date Signed	, <u>, , , , , , , , , , , , , , , , , , </u>	
Chades E. Clark Washer State & Sol 328/08					

RECEIVED

SEP 02 2008

AUEQ-RST



29929