



REPORT OF MAY 2024 GROUNDWATER MONITORING EVENT

Client:

ARKANSAS DEPARTMENT OF ENERGY & ENVIRONMENT
Division of Environmental Quality
c/o
EnSafe, Inc.
5724 Summer Trees Drive
Memphis, TN 38134
Phone: 214-529-5600
Contact: Ms. Emily Brickman, P.G.
Senior Project Manager - Geologist
(214) 529 5600
ebrickman@ensafe.com

NABORS Landfill
Three Brothers, Arkansas

Revision 0
August 2024

Prepared by: Harbor
5800 Evergreen Drive
Little Rock, AR 72205
P: 501.663.8800
F: 501.588.0123
www.harborenv.com

Page Intentionally Blank

May 2024 Semi-Annual Groundwater Monitoring Report
NABORS Landfill
Three Brothers, Arkansas

Prepared for:
EnSafe, Inc.
and
Arkansas Department of Energy and Environment
Division of Environmental Quality

Prepared by:
Harbor, A Terracon Company



Date: August 30, 2024

Thomas Huetter, PG, Senior Project Manager




Date: August 30, 2024

Lisa Rotenberry, Senior Technical Reviewer



Date: August 30, 2024

Leslie Davis, Harbor, Program Manager, Principal



Page Intentionally Blank

Table of Contents

1.0	Introduction.....	1
1.1	Geologic Setting	1
1.2	Site Background.....	2
1.3	Previous Investigations	3
1.4	Groundwater Monitoring Network.....	3
1.5	Leachate Sampling.....	4
1.6	Investigative-Derived Wastes	4
1.7	Assessment Monitoring Constituents	5
2.0	Field Activities and Sampling Methodology.....	6
2.1	Well/Spring Assessment and Water Level Measurement.....	6
2.2	Monitoring Well Purging and Sampling.....	6
2.3	Spring Sampling	7
2.4	Leachate Sampling.....	7
2.5	Equipment Decontamination.....	7
2.6	Sample Documentation and Shipment.....	8
2.7	Field QC Sample Objectives and Collection Frequency.....	8
2.8	Sample Identification, Collection, Processing and Documentation	9
2.9	Equipment Calibration.....	9
3.0	Groundwater Analytical Results.....	10
3.1	Conceptual Groundwater Flow	10
3.2	Groundwater Analytical Results.....	14
3.3	Statistical Analysis.....	27
4.0	Leachate Analytical Results	31
5.0	Quality Assurance/Quality Control Results	32

LIST OF FIGURES:

- Figure 1 Site Location Map
 Figure 2 Assessment Monitoring Points and Potentiometric Surface Map

LIST OF TABLES:

- Table 1-1 Summary of Assessment Monitoring Points
 Table 1-2 Field Parameters and Assessment Monitoring Constituents
 Table 3-1 Summary of Field Parameters
 Table 3-2 Summary of Inorganic Parameter Analyses
 Table 3-3 Summary of Organic Parameter Analyses
 Table 3-4 Summary of Statistical Trends
 Table 3-5 Summary of LCL Exceedances
 Table 4-1 Summary of Leachate Analysis Results

APPENDICES:

Appendix A – Field Forms and Notes

Appendix B – Laboratory Analytical Results

Appendix C – Statistical Plots

Appendix D – Historical Database

Acronyms and Abbreviations

ADE&E	Arkansas Department of Energy and Environment
ADEQ	Arkansas Department of Environmental Quality
AMC	Assessment monitoring constituent
amsl	Above mean sea level
bgs	Below ground surface
°C	Degrees Celsius
cm/sec	Centimeter per second
CV	Coefficient of Variation
DEQ	Division of Environmental Quality
DO	Dissolved oxygen
DNF	Did not flash
Dup	Duplicate
EB	Equipment blank
EPA	U.S. Environmental Protection Agency
ft/ft	Foot per foot
GW	Groundwater
GWPS	Groundwater Protection Standard
GGH	Grubs, Garner & Hoskin, Inc.
Harbor	Harbor Environmental and Safety
HASP	Health and Safety Plan
ID	Identification
IDW	Investigation-derived waste
J	Estimated value
LDPE	Low-density polyethylene
LE	Landfill Entrance (seep)
LLDPE	Linear low-density polyethylene
LCL	Lower Confidence Limit
MCL	Maximum Contaminant Level
mg/L	milligrams per liter
MS/MSD	Matrix spike and matrix spike duplicate
mV	Millivolt
NABORS	North Arkansas Board of Regional Sanitation
NPDWR	National Primary Drinking Water Regulations
NS	Not sampled
NSDWR	National Secondary Drinking Water Regulations
NTU	Nephelometric turbidity units
ORP	Oxidation-reduction potential
PG	Professional Geologist
PVC	Polyvinyl chloride
QA/QC	Quality Assurance/Quality Control
RSL	Risk-based screening levels
RPD	Relative percent difference

Acronyms and Abbreviations (continued)

SAP	Sampling and Analysis Plan
SMCL	Secondary Maximum Contaminant Level
TD	Total depth
TDS	Total dissolved solids
TOC	Total organic carbon
TOC	Top of casing
UCL	Upper Confidence Limit
UG	Unified Guidance
USGS	United States Geological Survey
UTV	Utility Terrain Vehicle
µS/cm	Micro-Siemens per centimeter
µg/L	Micrograms per liter
VOC	Volatile organic compound

1.0 Introduction

This report summarizes the May 2024 groundwater assessment monitoring event at the North Arkansas Board of Regional Sanitation (NABORS) Landfill (the “facility” or the “site”) near Three Brothers, Baxter County, Arkansas. Field work was conducted by Harbor Environmental and Safety (Harbor) on May 13-15, 2024. All groundwater sampling activities were directed by an Arkansas-registered Professional Geologist (PG). This report was prepared for the Arkansas Department of Energy and Environment (ADE&E), Division of Environmental Quality (DEQ), formerly known as the Arkansas Department of Environmental Quality (ADEQ).

The NABORS Landfill is located approximately 0.7-mile northeast of the community of Three Brothers, Arkansas, which is approximately nine miles north/northwest of Mountain Home in Baxter County, Arkansas. The facility location is further described as being in portions of Sections 25, 26, 35, and 36, Township 21 North, Range 14 West, at latitude 36.46339° north and longitude 92.44402° west. A site location map is included as Figure 1.

The facility consists of approximately 56 acres west of Arkansas State Highway 5. Areas surrounding the facility are rural and sparsely populated. Land use is largely agricultural and consists of cleared pasture for cattle farming or is wooded and undeveloped. Review of the United States Geological Survey (USGS) 7.5-minute topographic map of the area (Midway, AR quadrangle) shows moderate topographic relief across the area with elevations ranging from approximately 900 feet above mean sea level (amsl) to over 1,100 feet amsl at the site. The facility is situated on top of a drainage divide. The site drainage is to the east, south, and west to several named and unnamed tributaries of Pigeon Creek, which flows southeast into Norfolk Lake, an impoundment of the North Fork of the White River.

1.1 Geologic Setting

The site is located in the Ozark Plateaus physiographic province, which consists of Pennsylvanian to Ordovician-aged, mostly marine deposited sedimentary rocks. The Ozark Plateaus province is comprised of three plateaus, from youngest to oldest, the Boston Mountains in the south, the Springfield Plateau to the west, and the Salem Plateau to the east. The site is located in the Salem Plateau, where the surface geology consists primarily of dolostone, with some limestone and sandstone.

Review of the Geologic Worksheet of the Midway quadrangle (Glick, 1974) shows that the site and surrounding areas are underlain by the early Ordovician-aged Cotter Dolomite. According to the Stratigraphic Summary of Arkansas (McFarland 1998), the “Cotter Dolomite is composed of dolostone of predominantly two types: a fine-grained, argillaceous, earthy textured, relatively soft, white to buff or gray dolostone called “cotton rock,” and a more massive, medium-grained, gray dolostone that weathers to a somewhat hackly surface texture and becomes dark on exposure. The formation contains chert, some minor beds of greenish shale, and occasional thin interbedded sandstone. The chert nodules associated with the Cotter frequently have concentric light and dark bands.”

Several DEQ documents available via download from their website (www.adeg.state.ar.us) were reviewed to evaluate existing geology at the site. Primary amongst these documents was the original Geotechnical and Hydrogeological Study prepared by Grubs, Garner & Hoskin, Inc. (GGH) in 1987. Their report described three typical strata below the site. Stratum I consisted of tan and brown sandy silt with chert fragments to depths of 1.5 to 3.5 feet below ground surface (bgs). Stratum II consisted of reddish tan to tan silty clay with chert to depths up to 55 feet bgs. Stratum III consisted of medium hard to hard gray and tan dolomite with chert interbedded with greenish gray and dark gray shale layers.

Usable sources of groundwater in this region occur within the Ozark Plateaus aquifer system, which consists of three distinct water-bearing zones separated by two distinct confining units (*Groundwater Atlas of the United States, Segment 5 – Arkansas, Louisiana, Mississippi, 1998*). The uppermost aquifer in this system, the Springfield Plateau aquifer, is absent at the site and surrounding areas. The primary aquifer in use below the site and surrounding areas is the Ozark aquifer, which consists of the Ordovician-aged stratigraphic units that underlie the site (Cotter Dolomite). Although the Cotter Dolomite is used for low-yield domestic wells in the vicinity of the site, the primary water-bearing zones below the site include the Rubidoux Formation and the Gunter Sandstone Member of the Van Buren Formation. The uppermost occurrence of groundwater below the site occurs in the pore spaces of overburden soils and weathered rock at the soil-rock interface, and in fractures, bedding planes, and solution cavities in the underlying bedrock.

1.2 Site Background

Solid Waste Permit No. 0249-S was originally issued to RLH, Inc. by the Arkansas Department of Pollution Control & Ecology (predecessor to ADEQ) in 1988 to begin operations as a Class I landfill. In 2005, NABORS took over operations at the landfill and the permit was transferred accordingly. NABORS operated the landfill under this permit until a new permit was issued in 2006 (No. 0249-S1-R2). NABORS continued operating the landfill until November 2012 when it ceased accepting waste. NABORS began conducting post-closure activities in late 2012; however, due to financial constraints, they could not fulfill their obligations. At this time, closure activities were taken over by DEQ. In addition, DEQ also took over leachate management at the facility. Currently, leachate is stored in aboveground storage tanks at the facility. Leachate is periodically transported to the City of Springfield, Missouri for disposal under Wastewater Contribution Permit No. 593, which was issued in September 2016. The landfill has been capped with ClosureTurf® over a 12-inch intermediate soil cover. The ClosureTurf® consists of a 40-mil linear low-density polyethylene (LLDPE) microspike geomembrane overlain by an engineered synthetic turf and 0.5-inch sand layer.

1.3 Previous Investigations

As required by the permit, ongoing groundwater monitoring is being conducted at the facility. A series of monitoring points have been established and expanded over time as a result of detections of volatile organic compounds (VOCs) and metals in several of the wells. Currently, the monitoring network consists of a network of two-inch monitoring wells and natural springs within and around the facility.

1.4 Groundwater Monitoring Network

The NABORS landfill currently has 24 two-inch polyvinyl chloride (PVC) monitoring wells and 13 documented springs and seeps, referred to as monitoring points. Due to the recent closure activities, access to some of the wells, springs and seeps has been affected. Table 1-1 below summarizes the monitoring points and their current condition. Figure 2 attached to this report shows the monitoring point locations.

Table 1-1 – Summary of Monitoring Points

Monitoring Wells	Status	Sampled (Y/N)
MW-1	Well intact and accessible by vehicle.	Y
MW-1R	Well intact and accessible by vehicle.	Y
MW-2	This well is intact but is down a steep, uneven, rocky slope that is highly overgrown with underbrush. Difficult access by foot only as it is behind a narrow gate in the fence.	Y
MW-3	This well was extended during the landfill closure. The casing is bent slightly and is situated on the side of a steep slope. Access is via ATV only along sloped pathway.	Y
MW-4	Well intact and accessible by vehicle; however, ATV access preferable.	Y
MW-5	Well intact and accessible by ATV via difficult, sloped pathway.	Y
MW-6	Well intact and accessible by vehicle; however, ATV access preferable.	Y
MW-7	Well intact and accessible by vehicle; however, ATV access preferable.	Y
CAO-1	Well intact and accessible by vehicle.	Y
CAO-2	This well was extended during the landfill closure. The casing is bent slightly and is situated on the side of a steep slope. Access is via ATV only along sloped pathway.	Y
CAO-3	Well intact and accessible by vehicle.	Y
NAB-2	This well was extended during the landfill closure. The casing is bent slightly and is situated on the side of a steep slope. Access is via ATV only along sloped pathway.	Y
NAB-3	Well intact and accessible by vehicle; however, ATV access preferable.	Y
NAB-4	This well was extended during the landfill closure. The casing is severely bent and is situated on the side of a steep, rocky slope. Access is on foot via gate.	Y
NAB-7	Well intact and accessible by vehicle; however, ATV access preferable. This well is located in a dense cedar grove and is hard to locate.	Y

Monitoring Wells	Status	Sampled (Y/N)
NAB-8	Well accessible by vehicle. Less than three feet of water was purged and sampled with bailer. Well goes dry and recovers slowly. Typically sampled on the next day.	Y
MW-509D	Well intact and accessible by ATV only via difficult, sloped pathway.	Y
MW-577	Well intact and accessible by ATV only via difficult, sloped pathway.	Y
MW-633D	Well intact and accessible by vehicle; however, ATV access preferable.	Y
MW-689D	Well intact and accessible by vehicle; however, ATV access preferable.	Y
NE-2	Well intact and accessible by ATV only via difficult, sloped pathway.	Y
NE-3	Well intact and accessible by vehicle; however, ATV access preferable.	Y
NE-4	Well intact and accessible by ATV only via difficult, sloped pathway.	Y
NE-6	Well intact and accessible by ATV only via steeply sloped pathway along power easement.	Y
Springs/Seeps	Status	Sampled (Y/N)
Landfill Entrance (LE) Seep	Flowing, collected sample.	Y
Spring A	Flowing, collected sample.	Y
Spring B	No flow observed.	N
TSP-1	Flowing, collected sample.	Y
TSP-2	Flowing, collected sample.	Y
TSP-3	No flow observed.	N
TSP-4	No flow observed.	N
Class I Draw	No flow observed.	N
Class IV Draw	No flow observed.	N
SP-4	Minimal flow in seep.	N
SP-5	No flow observed.	N
SP-7	Flowing, collected sample.	Y
Spring near NE-3	Minimal flow, mixed with surface water.	N

1.5 Leachate Sampling

Semi-annual monitoring of the landfill leachate is required under the City of Springfield wastewater contribution permit. A leachate sample (plus duplicate) was collected on July 10, 2024, and is included as part of the assessment monitoring. A summary of the leachate analysis is included in Section 4.0 below.

1.6 Investigative-Derived Wastes

Investigative-derived wastes (IDW) generated during the groundwater sampling event included purged groundwater, decontamination water, and expendables (e.g., nitrile gloves, plastic sheeting, plastic tubing, bailers, etc.). Purge and decontamination water were disposed of onsite into the leachate collection system. Expendables were placed in garbage bags for disposal offsite.

1.7 Assessment Monitoring Constituents

The Assessment Monitoring Constituents (AMCs) were established based on the Arkansas Pollution Control and Ecology Commission Regulation 22 assessment monitoring requirements. The designated AMCs for groundwater are summarized in Table 1-2 below. In addition, field-monitoring parameters are also listed in Table 1-2. Specific laboratory analytical methods for the AMCs are listed in Tables 3-3 and 3-4 in Section 3.0 below.

Table 1-2 – Field Parameters and Assessment Monitoring Constituents

Field Parameters		
Dissolved Oxygen (DO)	pH	Temperature
Oxidation-Reduction Potential (ORP)	Specific Conductance	Turbidity
Indicator Parameters		
Chloride	Sulfate	Total Dissolved Solids (TDS)
Cyanide	Sulfide	Total Organic Carbon (TOC)
Volatile Organic Compounds		
Acetone	1,4-Dichlorobenzene	Styrene
Acrylonitrile	trans-1,4-Dichloro-2-butene	1,1,1,2-Tetrachloroethane
Benzene	1,1-Dichloroethane	1,1,2,2-Tetrachloroethane
Bromochloromethane	1,2-Dichloroethane	Tetrachloroethene
Bromodichloromethane	cis-1,2-Dichloroethene	Toluene
Bromomethane	trans-1,2-Dichloroethene	1,1,1-Trichloroethane
Carbon disulfide	1,2-Dichloropropane	1,1,2-Trichloroethane
Carbon tetrachloride	cis-1,3-Dichloropropene	Trichloroethene
Chlorobenzene	trans-1,3-Dichloropropene	Trichlorofluoromethane
Dibromochloromethane	Ethylbenzene	1,2,3-Trichloropropane
Chloroethane	2-Hexanone	Vinyl acetate
Chloroform	Iodomethane	Vinyl chloride
Chloromethane	Methyl ethyl ketone	Xylenes
Dibromomethane	Methylene chloride	---
1,2-Dichlorobenzene	4-Methyl-2-pentanone	---
Inorganics		
Antimony	Copper	Selenium
Arsenic	Iron	Silver
Barium	Lead	Thallium
Beryllium	Manganese	Tin
Cadmium	Mercury	Vanadium
Chromium	Nickel	Zinc
Cobalt	---	---

2.0 Field Activities and Sampling Methodology

Sample identification, labeling, preservation, quality assurance/quality control (QA/QC) methods, and laboratory analytical methods were conducted in accordance with the following sections. All fieldwork was conducted in accordance with the site-specific Health and Safety Plan (HASP), included in Appendix A of the previously submitted Sampling and Analysis Plan (SAP).

2.1 Well/Spring Assessment and Water Level Measurement

Prior to sample collection, each well or spring was visually evaluated for physical condition including condition of riser and well pad, presence of locking device, and presence of any biological hazards such as wasps, snakes, etc. Photographs were taken to document the condition of the wells as needed. After each well riser was opened and the internal well cap removed, an electronic water level indicator was used to measure static groundwater level and total depth of each well. The static water level was allowed to equilibrate to atmospheric pressure prior to recording the final depth. Groundwater levels (measured to the nearest 0.01-foot) and total depths (TDs, measured to the nearest 0.1-foot) were measured from the surveyed reference mark on the top of the well casing (if available), or from the highest point of the well casing if no survey reference mark was present. Groundwater depths and total depths were recorded on a Groundwater Sampling Record (see Appendix A – Field Forms) prepared for each well or spring.

2.2 Monitoring Well Purging and Sampling

Most of the wells were purged utilizing the low-flow sampling technique. Wells were purged utilizing either a centrifugal submersible pump or an aboveground peristaltic pump. A peristaltic pump was used for shallower wells (generally 25 feet or less) in which only the low-density polyethylene (LDPE) tubing was lowered into the well. On deeper wells, a stainless-steel or polyethylene submersible pump with dedicated LDPE tubing was gently lowered into each well to a point within the screened interval of the well. Regardless of pump type, the discharge tubing was connected to a flow-through cell to enable measurement of field parameters by a multi-parameter instrument. Field parameters measured included DO, ORP, pH, specific conductance, temperature, and turbidity. All field meters were calibrated daily per the manufacturer's recommendations prior to sampling (see Appendix A – Field Forms).

The United States Environmental Protection Agency's (EPA's) *Low-Flow (Minimal Drawdown) Groundwater Sampling Procedures* (April 1996) was generally utilized to purge and sample the wells. Once the field parameters had stabilized, turbidity was less than 10 nephelometric turbidity units (NTUs), and minimal drawdown had occurred, the wells were sampled. Groundwater is considered stabilized if the field parameters are within ten percent (%) for three consecutive readings. All data collected was recorded on Groundwater Sampling Records.

Upon stabilization, the discharge tube was disconnected from the flow-through cell and groundwater samples were collected from each well and placed in laboratory-supplied pre-preserved containers. Samples were collected in order of volatility – VOCs, TOC, then indicator

parameters, then inorganics. The samples were properly labeled and preserved on ice. Final field measurements and other sampling information (date and time, sample identification (ID) numbers) were recorded on the Groundwater Sampling Record. One well could not be purged and sampled with the low-flow technique (NAB-8) was bailed dry and allowed to recharge before sampling later in the day.

2.3 Spring Sampling

Several spring sites were observed to have no or very minimal flow and were not sampled. Spring sites LE seep, Spring A, TSP-1, TSP2, and SP-7 exhibited sufficient flow and samples were collected. Prior to collecting groundwater samples from each spring, a multi-parameter instrument was utilized to measure the field parameters at the spring. Data was recorded on a Spring Sampling Record located in Appendix A. Each spring was sampled by dipping a dedicated, non-preserved sample container directly into the spring flow. This container was used to then fill the preserved containers to prevent preservative dilution.

2.4 Leachate Sampling

As previously noted, a leachate sample and a duplicate leachate sample were collected from the leachate tank battery on July 10, 2024. The samples were collected directly from the tank discharge valve located on the southeast side of the tank farm. The leachate samples were appropriately labeled and preserved on ice for later transport to the analytical laboratory under chain-of-custody. The leachate samples were analyzed for the constituents required under the City of Springfield wastewater contribution permit. Additional information regarding analytes and analytical procedures for the leachate samples are provided in Section 4.0 below.

2.5 Equipment Decontamination

All non-dedicated groundwater sampling equipment, such as the submersible pump and the water level indicator, were decontaminated before first use and between wells using the following procedure:

- Wash equipment using tap water and phosphate-free soap (e.g., Liquinox™);
- Turn pump on to allow soap solution to clean internal portion of pump;
- Thoroughly rinse equipment with potable water (including running pump);
- Double-rinse equipment with organic-free deionized water (including running pump); and
- Allow equipment to air dry and wrap in aluminum foil (if not used immediately).

The decontamination area contained a gross wash bucket with brush, tap water sprayer, deionized water sprayer, and equipment drying area. Plastic sheeting was used to contain any spills from the decontamination process. New polyethylene tubing was used for each well and did not require decontamination.

2.6 Sample Documentation and Shipment

Field notes were kept by each employee in a bound logbook using indelible ink. Information recorded included date, weather, site personnel, sampling procedures, site conditions, sample locations and ID codes, sampling dates and times, record of onsite arrival and departure, explanation of photographs, visual observations, sample handling or management procedures, deviations from the SAP, and any other pertinent site or project information. Harbor documented any abnormal conditions observed, such as damaged wells or other infrastructure, by photograph. Notes pertaining to any photographs taken were written in the field logbook. Groundwater sample collection forms were completed for each well or spring sampled. Completed field forms are included in Appendix A.

All samples were labeled according to the existing monitoring point network as listed in Table 1-1 of Section 1.4. The designated laboratory, Arkansas Analytical, Inc. of Little Rock, provided appropriate sample containers with pre-printed labels. In general, each label contained the following information: date, time, sample ID number, preservatives, and requested analysis.

A chain-of-custody form was completed for the samples collected and submitted to the designated laboratory for analysis. The chain-of-custody provides chronological documentation, or a paper trail, showing the collection, custody, control, transfer, analysis, and disposition of the samples. Information on the chain-of-custody includes general project information, personnel contact information, sample code identification, date and time of sampling, sample type, containers, preservatives, requested analyses, sampler signature, and shipping/delivery information. The chain-of-custody was transferred from Harbor to Arkansas Analytical upon hand-delivery of the sample ice chest(s) to the laboratory. Chain-of-custody copies are included in Appendix B – Analytical Results.

Tamper-evident custody seals were secured on the sample ice chests when the ice chests were not in Harbor's custody. When this occurred, the ice chests were locked in a vehicle, hotel room, or other secure structure. The custody seals were signed, dated, and placed on the lid of the ice chests to assure that the ice chests are not tampered with. The samples were hand delivered on May 16, 2024, at 0949 to Arkansas Analytical to ensure that hold times were met.

2.7 Field QC Sample Objectives and Collection Frequency

Primary measurements for field (and laboratory) QA/QC were derived from blind duplicate samples, matrix spike/matrix spike duplicate (MS/MSD) samples, rinsate (equipment) blanks, field blanks, and trip blanks collected in the field. QC samples utilized in the field during the groundwater monitoring event include field duplicates, rinsate blanks, and trip blanks. MS/MSD samples were prepared by the lab.

A field duplicate is an identical sample collected from the same location, at the same time, under identical conditions as the investigative sample. Field duplicate samples are analyzed along with the original to ascertain procedural precision and inherent source variability. Two field duplicate

samples were collected at a rate of 1 in 20 samples (5%) and analyzed for the same parameters as the associated investigation samples.

Rinsate (or equipment) blanks were collected by pouring distilled water over decontaminated sampling equipment (e.g., pump, water level indicator) and into a sample container. These blanks assess cross-contamination from improper decontamination. Equipment rinsate samples were collected at a rate of one per day.

Trip blanks prepared by the analytical laboratory were shipped with each cooler. Trip blanks were kept unopened in the sample coolers until the collected samples and coolers were returned to the lab for analysis. The trip blanks were then opened in the laboratory and analyzed for VOCs along with the investigative field samples. One trip blank per cooler was analyzed.

MS/MSD analyses are conducted by the laboratory to assess the heterogeneity of contaminant concentrations in the groundwater samples. MS/MSD samples were analyzed at a rate of 1 in 20 samples (5%) per matrix for the same parameters as the associated investigation samples.

2.8 Sample Identification, Collection, Processing and Documentation

Samples were collected and labeled according to the existing well and spring identification numbers. The following is a list of general sampling procedures and practices implemented during the groundwater sampling event to ensure consistency during sample collection.

- Pre-cleaned sample containers were provided by the designated laboratory.
- Sampler(s) donned clean pairs of protective Nitrile gloves between sampling locations and intervals.
- Samples for laboratory analysis were collected using either a peristaltic pump with dedicated polyethylene tubing, a decontaminated submersible pump (polyethylene or stainless-steel) with new disposable polyethylene tubing, or a disposable polyethylene bailer.
- All non-disposable sampling equipment was decontaminated in accordance with the procedures outlined in Section 2.5 above.
- Sample containers were labeled immediately prior to sample collection, and collected samples were preserved on ice in an ice chest.

2.9 Equipment Calibration

Field meters (pH, temperature, specific conductance, DO, ORP, and turbidity) were calibrated daily prior to use per the manufacturer's specifications. Calibration data was recorded on a calibration log and also in the field logbook. Field calibration logs are included in Appendix A.

3.0 Groundwater Analytical Results

The groundwater samples were delivered to Arkansas Analytical under proper chain-of-custody for analysis of the project AMCs. Depth to groundwater and total depth of each well were all measured on the first day of field work. This information is listed in Table 3-1 below. Groundwater elevations were utilized to prepare a potentiometric surface map, which is included as Figure 2 of this report. Field parameters (DO, specific conductance, ORP, pH, temperature and turbidity) were monitored during groundwater purging of wells to ensure that the well water had stabilized prior to sampling. The final field readings for each well prior to sampling are also listed in Table 3-1 below. Additionally, field parameters were measured at each spring location prior to sampling. Groundwater Sampling Records, completed for each sampling point, are included in Appendix A of this report.

3.1 Conceptual Groundwater Flow

The 24 monitoring wells in use for groundwater monitoring activities at the landfill were utilized to construct the potentiometric surface map. Figure 2 attached to this report shows the potentiometric groundwater surface below the site. The highest groundwater elevation during this event was measured in monitoring wells MW-1 and CAO-1, located east and south of Area 1-2, respectively. The lowest groundwater elevation occurred in monitoring well NE-3, located southeast of Area 1-3. The landfill is situated on a topographic high spot. Several monitoring wells (CAO-1, MW-1, MW-1R, MW-509D, MW-633D, MW-7, and NAB-7) define the highest groundwater elevations at the site. Groundwater generally flows radially outward and downward from these points.

Review of the 1987 Geotechnical and Hydrogeological Study prepared by GGH indicated an average hydraulic conductivity of 1.0×10^{-3} centimeters per second (cm/sec) for the unconfined aquifer below the site. Porosity in dolomite bedrock ranges from 0–20% but could be higher in soils and weathered rock above the bedrock. For consistency in calculating groundwater flow velocity at the site, Harbor utilized a porosity of 10% and an effective porosity of 9% (as utilized in previous groundwater sampling events).

The hydraulic gradient in the Area 1-2 portion of the landfill was calculated by comparing the upgradient well, MW-1, to a downgradient well, MW-5. The change in head of 72.70 feet between the two wells over a distance of approximately 1,459 feet produces a hydraulic gradient of 0.050 foot per foot (ft/ft).

The hydraulic gradient in the Area 1-3 portion of the landfill was calculated by comparing the upgradient well, MW-1, to a downgradient well, NAB-3. The change in head of 102.33 feet between the two wells over a distance of approximately 1,548 feet produces a hydraulic gradient of 0.066 ft/ft.

The hydraulic gradient was then used to calculate the average linear groundwater velocity (for unconfined conditions) for Areas 1-2 and 1-3 utilizing the following equation:

$$V_x = Ki/n_e$$

where, V_x is the average linear velocity (cm/sec), K is the hydraulic conductivity (cm/sec), i is the hydraulic gradient (ft/ft), and n_e is the effective porosity (%). From this, the following groundwater velocities were obtained for Areas 1-2 and 1-3.

Area 1-2:

$$V_x = [(1.0 \times 10^{-3} \text{ cm/sec})(0.050 \text{ ft/ft})]/(0.09) = 5.54 \times 10^{-4} \text{ cm/sec or } 1.57 \text{ ft/day}$$

Area 1-3:

$$V_x = [(1.0 \times 10^{-3} \text{ cm/sec})(0.066 \text{ ft/ft})]/(0.09) = 7.34 \times 10^{-4} \text{ cm/sec or } 2.08 \text{ ft/day}$$

Table 3-1 – Summary of Field Parameters

Well/ Spring ID	Sample Date	Sample Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)	Dissolved Oxygen (mg/L)	Specific Conductance (µS/cm)	Oxidation- Reduction Potential (mV)	pH (standard units)	Temperature (°C)	Turbidity (NTU)
CAO-1	5/15/24	1407	1026.40	26.73	999.67	36.8	5.29	1319	25.3	6.38	18.72	5.24
CAO-2	5/15/24	1045	991.58	25.63	965.95	45.6	2.87	912	7.2	6.70	17.65	2.98
CAO-3	5/15/24	1212	984.20	13.46	970.74	23.1	0.93	617	-15.9	7.10	16.45	6.27
MW-1	5/15/24	1405	1067.26	66.82	1000.44	77.2	0.69	896	-58.1	6.41	18.70	0.0
MW-1R	5/15/24	1455	1067.57	69.15	998.42	78.6	0.50	887	-66.9	6.42	19.05	10.8
MW-2	5/15/24	1145	1001.21	33.15	968.06	48.7	1.21	553	-41.4	7.11	17.49	0.0
MW-3	5/15/24	1300	1000.81	32.19	968.62	39.6	0.73	853	31.3	6.29	17.06	1.09
MW-4	5/14/24	0945	1012.11	86.86	925.25	99.9	3.93	671	94.4	6.90	17.04	10.9
MW-5	5/14/24	1055	1004.38	76.64	927.74	89.0	2.79	719	83.0	6.80	16.96	4.70
MW-6	5/15/24	1045	1000.38	56.93	943.45	68.3	0.53	658	53.6	6.88	15.74	1.50
MW-7	5/14/24	1101	999.66	6.92	992.74	22.9	1.38	559	-13.0	7.05	15.22	3.70
MW-509D	5/15/24	0945	1014.20	16.63	997.57	39.7	3.61	527	84.7	6.69	15.47	1.97
MW-577	5/14/24	1455	982.60	40.52	942.08	55.2	0.44	704	-9.0	6.85	17.42	2.71
MW-633D	5/14/24	1600	1050.10	63.36	986.74	88.1	1.20	582	46.8	6.86	17.82	19.3
MW-689D	5/15/24	1310	966.20	24.52	941.68	43.8	6.46	632	-16.9	7.12	18.17	7.15
NAB-2	5/14/24	1355	1004.94	76.38	928.56	102.8	1.19	649	38.5	6.82	17.64	0.0
NAB-3	5/14/24	1639	921.49	23.38	898.11	46.3	1.46	664	-11.8	7.03	15.69	13.9
NAB-4	5/14/24	0825	1015.41	116.14	899.27	140.0	1.42	801	92.5	6.60	17.31	12.7
NAB-7	5/15/24	0912	1012.36	22.59	989.77	43.7	4.98	581	-9.6	6.99	15.55	5.63
NAB-8	5/15/24	1507	1050.38	82.92	967.46	85.6	—	—	—	—	—	—
NE-2	5/15/24	0845	976.98	46.52	930.46	63.0	0.89	1100	38.6	6.94	16.82	15.5
NE-3	5/15/24	1526	846.91	5.82	841.09	27.8	0.78	564	-30.7	7.36	15.49	6.80
NE-4	5/14/24	1253	1009.85	65.45	944.4	112.2	0.61	538	-35.9	6.95	17.10	3.59
NE-6	5/14/24	0933	901.42	6.89	894.53	18.2	8.07	673	-12.8	7.05	15.02	1.69

Table 3-1 – Summary of Field Parameters (continued)

Well/ Spring ID	Sample Date	Sample Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)	Dissolved Oxygen (mg/L)	Specific Conductance (µS/cm)	Oxidation- Reduction Potential (mV)	pH (standard units)	Temperature (°C)	Turbidity (NTU)
Class I Draw	NS	NS	—	—	—	—	—	—	—	—	—	—
Class IV Draw	NS	NS	—	—	—	—	—	—	—	—	—	—
LE Seep	5/13/24	1340	—	—	—	—	8.15	258	31.5	7.93	23.21	10
NE-3 Spring	NS	NS	—	—	—	—	—	—	—	—	—	—
Spring A	5/13/24	1625	—	—	—	—	6.54	427	80.50	6.53	14.46	3.39
Spring B	NS	NS	—	—	—	—	—	—	—	—	—	—
SP-4	NS	NS	—	—	—	—	—	—	—	—	—	—
SP-5	NS	NS	—	—	—	—	—	—	—	—	—	—
SP-7	5/13/24	1310	—	—	—	—	6.84	291	-30.4	7.17	20.94	18.3
TSP-1	5/13/24	1420	—	—	—	—	3.79	510	129.4	6.10	14.09	5.42
TSP-2	5/13/24	1446	—	—	—	—	7.52	84	28.6	7.60	23.19	1.50
TSP-3	NS	NS	—	—	—	—	—	—	—	—	—	—
TSP-4	NS	NS	—	—	—	—	—	—	—	—	—	—

Notes: All groundwater depths in the monitoring wells were measured on 5/13/24. NS – not sampled; TOC – top of casing; amsl – above mean sea level; GW – groundwater; TD – total depth; mg/L – milligrams per liter; µS/cm – micro-Siemens per centimeter; mV – millivolts; °C – degrees Celsius; NTU – nephelometric turbidity units; LE – Landfill Entrance; dash indicates data not available or applicable for sample location.

3.2 Groundwater Analytical Results

The results of the laboratory analysis of the groundwater samples are summarized in Tables 3-2 and 3-3 below. The results were compared to the US EPA National Primary Drinking Water Regulations (NPDWR) – Maximum Contaminant Levels (MCLs) and the National Secondary Drinking Water Regulations (NSDWR) secondary maximum contaminant levels (SMCLs). MCLs are legally enforceable primary standards that protect public health by limiting the levels of contaminants in drinking water. The NSDWR SMCLs are non-mandatory (non-enforceable) contaminant levels that have been established for 15 contaminants. The SMCLs are established as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. Some AMCs were compared to regional screening levels (RSLs) which have been established by EPA in lieu of or in addition to MCLs. The RSL used for comparison purposes was the residential tap water screening level. Significant constituent detections that exceeded the MCLs or RSLs are discussed in the following paragraphs. The results of inorganic laboratory analyses are summarized in Table 3-2 below. The letter “J” indicates the value was estimated by the lab. Exceedances are listed below:

- Sulfate was detected in the sample from NE-2 at a concentration of 311 milligrams per liter (mg/L), which exceeded the SMCL of 250 mg/L for sulfate.
- TDS was measured in the samples from MW-1, MW-3, NAB-4, and NE-2 at concentrations ranging from 536 to 797 mg/L, which exceeded the SMCL of 500 mg/L for TDS.
- Arsenic was detected in all of the monitoring well and spring samples at concentrations that exceeded the RSL of 0.052 micrograms per liter (µg/L) for arsenic. The arsenic concentrations in samples from CAO-1, MW-1, and MW-1R ranged from 65.8 to 149 µg/L, which exceeded the MCL of 10 µg/L for arsenic.
- Cadmium was detected in the samples from MW-509D and MW-633D at concentrations of 3.28 and 3.17 µg/L, respectively, which exceeded the RSL of 1.8 µg/L for cadmium.
- Cobalt was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 12.6 to 78.8 µg/L, which exceeded the RSL of 6.0 µg/L for cobalt.
- Iron was detected in the samples from NAB-7, spring SP-7, and the Landfill Entrance seep at concentrations ranging from 342 to 2,250 µg/L, which exceeded the SMCL of 300 µg/L for iron. Iron was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 15,700 to 28,900 µg/L, which exceeded the RSL of 14,000 µg/L for iron.
- Manganese was detected in the samples from CAO-1, MW-1, MW-1R, NAB-2, NAB-3, and spring SP-7 at concentrations ranging from 53.6 to 371 µg/L, which exceeded the SMCL of 50 µg/L for manganese. Manganese was detected in the sample from MW-3 at a concentration of 2,030 µg/L, which exceeded the RSL of 430 µg/L for manganese.
- Thallium was detected in the samples from MW-1R and NAB-4 at concentrations of 0.814 and 0.812 µg/L, respectively, which exceeded the RSL of 0.2 µg/L for thallium.

The results of the organic laboratory analyses are summarized in Table 3-3 below. Exceedances are listed below:

- TOC was detected in 10 of the wells and four of the springs at concentrations ranging from 1.01 to 8.10 mg/L. No screening levels have been established for TOC.
- Benzene was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 1.52 to 4.56 µg/L, which exceeded the RSL of 0.46 µg/L for benzene.
- 1,4-dichlorobenzene was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 3.30 to 4.31 µg/L, which exceeded the RSL of 0.48 µg/L for 1,4-dichlorobenzene.
- 1,1-dichloroethane was detected in the sample from MW-1 at a concentration of 10.3, which exceeded the RSL of 2.8 µg/L for 1,1-dichloroethane.
- 1,2-dichloroethane was detected in the sample from MW-1R at a concentration of 0.357 J, which exceeded the RSL of 0.17 µg/L for 1,2-dichloroethane.
- Methyl-tert-butyl ether (MTBE) was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 41.1 to 52.1 µg/L, which exceeded the RSL of 14 µg/L for MTBE.
- Trichloroethene was detected in the sample from MW-1R at a concentration of 0.476 J, which exceeded the RSL of 0.49 µg/L for trichloroethene.
- Vinyl chloride was detected in the sample from CAO-1 at a concentration of 0.653 J, which exceeded the RSL of 0.019 µg/L for vinyl chloride. Vinyl chloride was detected in the samples from MW-1 and MW-1R at concentrations of 4.98 and 2.37 µg/L, respectively, which exceeded the MCL of 2 µg/L for vinyl chloride.

Additional VOC constituents were detected at concentrations lower than their respective RSLs or MCLs in several of the wells. These compounds included 2-butanone, tert-butylbenzene, carbon disulfide, chlorobenzene, chloroethane, 1,1-dichloroethane, cis-1,2-dichloroethene, trans-1,2-dichloroethene, MTBE, toluene, trichloroethene, and o-xylene. Many of these were "J-flagged" by the analytical laboratory as estimated concentrations.

Page Intentionally Blank

Table 3-2 - Summary of Inorganic Parameter Analyses

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1 Dup	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6
								5/15/2024	5/15/2024	5/14/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/14/2024	5/14/2024	5/15/2024
								1407	1045	1212	1405	1405	1455	1145	1300	0945	1055	1045
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	103	20.3	2.32	52.2	52.0	45.0	3.96	44.0	8.94	7.72	15.8
Sulfate as SO ₄	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	< 0.500	11.5	4.52	1.60	1.68	9.91	14.3	40.3	18.6	9.91	7.34
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.8	5	—	—	500	mg/L	162	418	259	536	498	134	332	567	427	465	411
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	1.31 J	0.434 J	0.586 J	< 2.08	< 2.08
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	149	0.077 J	0.102 J	65.8	65.3	115	4.62	0.099 J	0.491	0.571	0.449
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	204	11.9	30.5	113	113	141	28.1	9.63	41.1	35.9	42.8
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	0.105 J	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	0.089 J	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	< 0.260	< 0.260	0.523	0.133 J	0.120 J	0.067 J	0.047 J	0.334	1.03	0.144 J	0.409
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	0.412	0.126 J	0.448	1.72	1.78	0.513	0.445	< 0.260	0.620	0.427	0.496
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	12.6	< 0.260	< 0.260	78.8	78.9	27.1	0.082 J	0.099 J	0.083 J	0.050 J	0.051 J
Copper	SW 6020B, Rev 2-2014	0.12	0.395	1,300	800	1,000	µg/L	0.209 J	0.402 J	0.458 J	1.71	1.67	1.05	0.378 J	0.177 J	0.436 J	0.248 J	1.14
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	28,900	< 46.8	< 46.8	15,700	15,700	25,800	121	32.3 J	58.9	39.8 J	35.9 J
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	0.139 J	< 0.416	0.124 J	1.22	1.16	0.391 J	0.133 J	< 0.416	0.403 J	0.196 J	0.139 J
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	333	2.73	< 1.56	371	365	129	3.27	2,030	4.36	1.08 J	1.38 J
Mercury	SW7470A/EPA245.1,3.0- 1994	0.0031	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	< 0.200	<0.200	0.152 J	< 0.200	< 0.200	0.0675 J	0.0625 J	0.642
Nickel	SW 6020B, Rev 2-2014	0.16	0.520	—	390	—	µg/L	33.3	< 1.56	1.06 J	65.9	65.4	40.2	0.70 J	4.32	1.20 J	1.38 J	0.98 J
Selenium	SW 6020B, Rev 2-2014	1.5	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	0.156 J	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	< 0.260	< 0.260	< 0.260	0.114 J	0.101 J	0.814	< 0.260	0.103 J	0.162 J	0.110 J	0.110 J
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	0.580	0.050 J	0.194 J	0.356	0.356	0.179 J	0.803	< 0.260	0.148 J	0.106 J	0.139 J
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	19.5 J	< 20.8	26.5	120	111	341	20.4 J	27.1	119	32.7	47.2

Exceeds MCL

MCL = Maximum Contaminant Level (May 2024)

Exceeds RSL

RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2024)

Exceeds SMCL

SMCL = Secondary Maximum Contaminant Level

Bold

Indicates constituent detected below screening levels.

Dash (—)

Indicates no screening level has been established.

Notes:

SO₄ - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Table 3-2 - Summary of Inorganic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	MW-7	MW-509D	MW-577	MW-633D	MW-689D	NAB-2	NAB-3	NAB-4	NAB-7	NAB-7 Dup	NAB-8
								5/14/2024	5/15/2024	5/14/2024	5/14/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024
								1101	0945	1455	1600	1310	1355	1639	0825	0912	0912	1507
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	1.36	2.74	2.80	15.5	1.97	7.32	4.29	5.56	4.89	4.86	4.08
Sulfate as SO ₄	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	5.84	6.69	93.3	10.5	11.7	14.1	10.3	74.0	12.5	12.7	11.6
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.800	5.00	—	—	500	mg/L	267	323	455	336	315	404	351	539	319	330	338
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	0.408 J	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	0.516 J
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	0.210 J	0.177 J	5.72	0.348	1.41	5.16	0.443	9.10	6.72	3.39	2.91
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	29.0	25.6	27.2	80.5	28.9	52.6	41.2	35.0	24.2	24.4	26.2
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	0.065 J	3.28	< 0.260	3.17	0.108 J	0.048 J	1.01	1.55	0.136 J	0.128 J	0.131 J
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	0.390	0.617	0.743	1.08	0.448	0.410	0.477	0.538	0.359	0.350	0.520
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	0.277	< 0.260	< 0.260	0.079 J	0.081 J	0.340	0.346	0.413	0.094 J	0.106 J	0.076 J
Copper	SW 6020B, Rev 2-2014	0.120	0.395	1,300	800	1,000	µg/L	0.295 J	0.266 J	< 0.520	0.566	0.517 J	0.169 J	1.32	0.549	0.174 J	0.206 J	0.719
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	< 46.8	24.5 J	137	78.8	87.9	43.0 J	55.2	183	637	269	117
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	< 0.416	0.213 J	< 0.146	0.478	1.03	0.155 J	0.715	1.87	4.03	1.82	0.269 J
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	33.6	1.25 J	5.94	5.74	1.87	53.6	171	49.3	1.28 J	0.914 J	3.66
Mercury	SW7470A/EPA245.1,3.0- 1994	0.00310	0.200	2.0	0.63	—	µg/L	0.0625 J	< 0.200	< 0.200	0.178 J	< 0.200	< 0.200	0.0650 J	0.152 J	< 0.200	< 0.200	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.52	—	390	—	µg/L	1.02 J	0.88 J	0.58 J	8.67	0.78 J	5.73	3.12	8.99	1.97	2.02	0.50 J
Selenium	SW 6020B, Rev 2-2014	1.50	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	< 0.260	< 0.260	< 0.260	0.141 J	< 0.260	0.128 J	0.072 J	0.812	< 0.260	< 0.260	< 0.260
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	0.070 J	0.402	0.084 J	0.283	0.345	0.082 J	0.188 J	0.075 J	0.148 J	0.078 J	0.069 J
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	< 20.8	321	< 20.8	491	18.8 J	37.3	95.8	1820	44.7	49.8	14.3 J

Exceeds MCLMCL = Maximum Contaminant Level (November 2022)

Exceeds RSLRSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – May 2024)

Exceeds SMCLSMCL = Secondary Maximum Contaminant Level

BoldIndicates constituent detected below screening levels.

Dash (—)Indicates no screening level has been established.

Notes:SO₄ - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Table 3-2 - Summary of Inorganic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	NE-2	NE-3	NE-4	NE-6	SP-7	Spring A	L.E. Seep	TSP-1	TSP-2	EB-1	EB-2
								5/15/2024	5/14/2024	5/14/2024	5/14/2024	5/13/2024	5/13/2024	5/13/2024	5/13/2024	5/13/2024	5/14/2024	5/15/2024
								0845	1526	1253	0933	1310	1625	1340	1420	1446	1650	1441
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	11.6	3.86	2.66	2.34	2.66	1.67	2.21	3.01	8.61	< 0.500	< 0.500
Sulfate as SO ₄	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	311	19.9	18.8	31.9	5.95	8.12	6.28	8.02	1.44	< 0.500	< 0.500
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.800	5.00	—	—	500	mg/L	797	301	321	379	158	250	146	292	54.0	33.0	23.0
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	0.477 J	0.402 J	0.655 J	< 2.08	0.528 J	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	1.06	0.319	2.61	0.361	2.47	3.29	1.35	0.224 J	0.550	< 0.260	< 0.260
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	27.1	96.3	30.9	25.3	39.1	34.7	29.5	41.8	11.5	< 0.260	0.079 J
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	0.056 J	0.119 J	0.171 J	< 0.260	< 0.260	0.344	< 0.260	0.553	< 0.260	< 0.260	< 0.260
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	0.884	0.380	0.393	0.342	0.459	0.381	0.482	0.343	0.443	0.358	0.351
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	0.673	0.191 J	0.242 J	0.322	0.725	0.214 J	0.208 J	0.050 J	0.375	< 0.260	< 0.260
Copper	SW 6020B, Rev 2-2014	0.120	0.395	1,300	800	1,000	µg/L	0.654	0.249 J	0.292 J	< 0.520	0.764	0.400 J	0.598	0.218 J	1.03	< 0.520	0.246 J
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	259	35.4 J	59.3	36.7 J	2,250	109	342	31.7 J	77.8	< 46.8	< 46.8
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	0.601	0.187 J	0.121 J	< 0.416	1.86	0.201 J	1.17	0.209 J	< 0.416	< 0.416	< 0.416
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	17.3	3.99	10.8	4.79	357	24.3	46.2	5.37	38.4	< 1.56	< 1.56
Mercury	SW7470A/EPA245.1,3.0- 1994	0.00310	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	0.0625 J	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.52	—	390	—	µg/L	5.62	2.46	3.72	4.31	1.09 J	0.76 J	0.69 J	0.94 J	1.23 J	< 1.56	< 1.56
Selenium	SW 6020B, Rev 2-2014	1.50	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	0.070 J	0.106 J	0.070 J	0.059 J	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	0.681	0.231 J	< 0.260	< 0.260	0.689	0.279	0.581	0.245 J	0.214 J	< 0.260	< 0.260
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	17.0 J	35.1	138	601	7.38 J	28.7	< 20.8	58.7	33.6	< 20.8	10.9 J

- Exceeds MCLMCL = Maximum Contaminant Level (November 2022)
- Exceeds RSLRSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – May 2024)
- Exceeds SMCLSMCL = Secondary Maximum Contaminant Level
- BoldIndicates constituent detected below screening levels.
- Dash (—)Indicates no screening level has been established.
- Notes:SO₄ - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Page Intentionally Blank

Table 3-3 - Summary of Organic Parameter Analyses

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1 Duplicate	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7
							5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/14/2024	5/14/2024	5/15/2024	5/14/2024
							1407	1045	1212	1405	1405	1455	1145	1300	0945	1055	1045	1101
TOC	SM 5310 B-2011	0.26	1	—	—	mg/L	8.10	1.31	< 1.00	6.37	6.33	3.53	< 1.00	3.49	< 1.00	< 1.00	1.01	< 1.00
Acrolein	SW 8260C, Rev 3, 2006	1.1	4	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.08	1	5	0.46	µg/L	4.56	< 1.00	< 1.00	1.96	1.99	1.52	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.14	1	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.19	1	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.12	1	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.16	1	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.24	2	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.75	2	—	5600	µg/L	< 2.00	< 2.00	< 2.00	3.29	2.98	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.09	1	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.15	2	—	2000	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.11	1	—	690	µg/L	0.200 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.12	1	—	810	µg/L	< 1.00	< 1.00	< 1.00	0.346 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.17	1	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.1	1	100	78	µg/L	2.74	< 1.00	< 1.00	2.21	2.20	1.66	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.13	1	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.23	4	—	8300	µg/L	2.53	< 4.00	< 4.00	2.13	1.75 J	1.35 J	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.11	2	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloroform	SW 8260C, Rev 3, 2006	0.34	2	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.15	3	—	190	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.1	1	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.07	1	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.22	3	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.17	1	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.1	1	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.07	1	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.1	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.08	1	75	0.48	µg/L	4.31	< 1.00	< 1.00	4.05	4.16	3.30	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.12	1	—	2.8	µg/L	1.65	< 1.00	< 1.00	10.3	10.8	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.09	1	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	0.357 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.14	2	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.12	1	70	36	µg/L	< 1.00	< 1.00	< 1.00	3.01	3.17	5.11	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.08	1	100	68	µg/L	< 1.00	< 1.00	< 1.00	< 2.00	< 2.00	< 2.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1 Duplicate	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7
							5/15/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024	10/4/2022	5/15/2024	5/15/2024	5/15/2024	5/14/2024	5/15/2024	5/14/2024
							1407	1045	1212	1405	1405	1505	1145	1300	0945	1055	1045	1101
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.18	2	—	200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.22	1	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.07	1	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.2	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	2	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	1	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.12	1	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.08	1	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.12	3	—	0.14	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.43	1	—	38	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.07	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.09	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.25	3	5	11	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.2	1	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.13	1	—	14	µg/L	48.9	< 1.00	< 1.00	52.1	52.3	41.1	< 1.00	< 1.00	< 1.00	0.274 J	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.1	4	—	0.12	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 2.00	< 2.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
n-Propylbenzene	SW 8260C, Rev 3, 2006	0.1	1	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.07	1	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.2	1	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.29	1	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 2.00	< 2.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.13	1	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.08	1	1,000	1,100	µg/L	0.324 J	< 1.00	< 1.00	0.412 J	0.449 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.15	3	—	7	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 2.00	< 2.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.12	2	70	1.2	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 1.00	< 1.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.28	1	5	0.49	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	0.419 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.13	2	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.2	1	—	0.00075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4-Trimethylbenzene	SW 8260C, Rev 3, 2006	0.09	1	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5-Trimethylbenzene	SW 8260C, Rev 3, 2006	0.06	1	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.1	2	2	0.019	µg/L	0.653 J	< 2.00	< 2.00	4.98	5.24	2.37	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.15	2	—	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.07	1	—	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	0.206 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (May 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – May 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	MW-509D	MW-577	MW-633D	MW-689D	NAB-2	NAB-3	NAB-4	NAB-7	NAB-7 Duplicate	NAB-8	NE-2
							5/15/2024	5/14/2024	5/14/2024	5/15/2024	5/14/2024	5/14/2024	5/14/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024
							0945	1455	1600	1310	1355	1639	0825	0912	0912	1507	0845
TOC	SM 5310 B-2011	0.26	1	—	—	mg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	1.20	< 1.00	< 1.00	< 1.00	12.9	1.96
Acrolein	SW 8260C, Rev 3, 2006	1.1	4	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.08	1	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.14	1	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.19	1	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.12	1	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.16	1	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.24	2	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.75	2	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.09	1	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.15	2	—	2000	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.11	1	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.12	1	—	810	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.17	1	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.1	1	100	78	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.13	1	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.23	4	—	8300	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.11	2	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloroform	SW 8260C, Rev 3, 2006	0.34	2	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.15	3	—	190	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.1	1	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.07	1	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.22	3	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.17	1	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.1	1	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.07	1	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.1	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.08	1	75	0.48	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.12	1	—	2.8	µg/L	< 1.00	< 1.00	1.31	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.09	1	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.14	2	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.12	1	70	36	µg/L	< 1.00	< 1.00	0.466 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.08	1	100	68	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL

Exceeds RSL

Bold

Dash (—)

Notes:

MCL = Maximum Contaminant Level (May 2024)

RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2022)

Indicates constituent detected below screening levels.

Indicates no screening level has been established.

µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	MW-509D	MW-577	MW-633D	MW-689D	NAB-2	NAB-3	NAB-4	NAB-7	NAB-7 Duplicate	NAB-8	NE-2
							5/15/2024	5/14/2024	5/14/2024	5/15/2024	5/14/2024	5/14/2024	5/14/2024	5/15/2024	5/15/2024	5/15/2024	5/15/2024
							0945	1455	1600	1310	1355	1639	0825	0912	0912	1507	0845
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.18	2	—	200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.22	1	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.07	1	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.2	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	2	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	1	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.12	1	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.08	1	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.12	3	—	0.14	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.43	1	—	38	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.07	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.09	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.25	3	5	11	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.2	1	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.13	1	—	14	µg/L	< 1.00	< 1.00	1.79	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.1	4	—	0.12	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
n-Propylbenzene	SW 8260C, Rev 3, 2006	0.1	1	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.07	1	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.2	1	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.29	1	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.13	1	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.08	1	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.15	3	—	7	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.12	2	70	1.2	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.28	1	5	0.49	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.13	2	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.2	1	—	0.00075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.09	1	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.06	1	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.1	2	2	0.019	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.15	2	10000	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.07	1	10000	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL

Exceeds RSL

Bold

Dash (—)

Notes:

MCL = Maximum Contaminant Level (May 2024)

RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2022)

Indicates constituent detected below screening levels.

Indicates no screening level has been established.

µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	NE-3	NE-4	NE-6	SP-7	Spring A	L.E. Seep	TSP-1	TSP-2	EB-1	EB-2	TB-1
							5/14/2024	5/14/2024	5/14/2024	5/13/2024	5/13/2024	5/13/2024	5/13/2024	5/13/2024	5/14/2024	5/15/2024	5/16/2024
							1526	1253	0933	1310	1625	1340	1420	1446	1650	1441	0948
TOC	SM 5310 B-2011	0.26	1.00	—	—	mg/L	< 1.00	< 1.00	< 1.00	1.98	1.24	2.49	< 1.00	3.54	< 1.00	< 1.00	—
Acrolein	SW 8260C, Rev 3, 2006	1.10	4.00	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2.00	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.080	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.140	1.00	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.190	1.00	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.120	1.00	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.160	1.00	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.240	2.00	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.750	2.00	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	4.79	6.05	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.090	1.00	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.150	2.00	—	2000	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.110	1.00	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.120	1.00	—	810	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.170	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.100	1.00	100	78	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.130	1.00	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.230	4.00	—	8300	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.110	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloroform	SW 8260C, Rev 3, 2006	0.340	2.00	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	1.55 J	1.28 J	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.150	3.00	—	190	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.100	1.00	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.070	1.00	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.220	3.00	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.170	1.00	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.100	1.00	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.070	1.00	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.100	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.080	1.00	75	0.48	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.120	1.00	—	2.8	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.140	2.00	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.120	1.00	70	36	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.080	1.00	100	68	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (May 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – May 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established or constituent not analyzed.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	NE-3	NE-4	NE-6	SP-7	Spring A	L.E. Seep	TSP-1	TSP-2	EB-1	EB-2	TB-1
							5/14/2024	5/14/2024	5/14/2024	5/13/2024	5/13/2024	5/13/2024	5/13/2024	5/13/2024	5/14/2024	5/15/2024	5/16/2024
							1526	1253	0933	1310	1625	1340	1420	1446	1650	1441	0948
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.180	2.00	—	200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.220	1.00	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.070	1.00	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.200	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.090	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.090	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.120	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.080	1.00	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.120	3.00	—	0.14	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.430	1.00	—	38	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	0.678 J	< 1.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.070	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.090	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.250	3.00	5	11	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.200	1.00	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.130	1.00	—	14	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.100	4.00	—	0.12	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
n-Propyl benzene	SW 8260C, Rev 3, 2006	0.100	1.00	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.070	1.00	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.200	1.00	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.290	1.00	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.130	1.00	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.080	1.00	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.150	3.00	—	7	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.120	2.00	70	1.2	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.280	1.00	5	0.49	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.130	2.00	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.200	1.00	—	0.00075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.090	1.00	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.060	1.00	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.100	2.00	2	0.019	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.150	2.00	10000	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.070	1.00	10000	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (May 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – May 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

3.3 Statistical Analysis

Sanitas™ version 9.6.07 software was utilized to conduct a statistical analysis of the groundwater data for the May 2024 sampling event. The methods used in the Sanitas™ program are based on statistical procedures outlined in the EPA's Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities (*Unified Guidance*, March 2009).

Time plots of individual AMCs at wells showing current and historic detections were plotted to provide a visual summary of current and historic detections at individual wells, along with possible trends in the data and variability among the wells. The time plots also evaluate the potential presence of outliers that could disproportionately affect increasing or decreasing trends. Wells showing potential AMC outliers were then further analyzed using Rosner's Outlier Test and Tukey's Outlier Screening to evaluate outliers. Outliers were observed for barium in the sample from CAO-2; chloride in the sample from NAB-8; TDS in the sample from MW-1R; and sulfate in the sample from MW-3. No other outliers were observed. Time plots and outlier analysis are included in Appendix C.

The Mann-Kendall test for temporal trends combined with the Sen's slope estimate was performed on current and historically detected AMCs to evaluate whether statistical trends are evident in the data. The significant trend results are shown on the Mann-Kendall/Sen's Slope plots presented in Appendix C. Increasing and decreasing statistical trends for AMCs and wells are summarized in Table 3-4 below.

Table 3-4 – Summary of Statistical Trends

Well	Significant Increasing Trends	Significant Decreasing Trends
CAO-1	Arsenic, barium, benzene, chloride, 1,4-dichlorobenzene, iron, MTBE	Cadmium, chromium, cobalt, copper, 1,1-dichloroethane, chloroethane, lead, manganese, nickel, sulfate, thallium , toluene, vanadium, vinyl chloride, zinc
CAO-2	Chloride	Cadmium, chromium, cobalt, copper, iron, lead, nickel , thallium, vanadium, zinc
CAO-3	—	Arsenic, barium, cadmium, chromium, cobalt, copper, iron , lead, manganese, nickel, sulfate, thallium, TOC, vanadium, zinc
MW-1	Arsenic, barium, benzene, chloride, chlorobenzene, chloroethane, cobalt , 1,1-dichloroethane, 1,2-dichloroethane , cis-1,2-dichloroethene, 1,4-dichlorobenzene, cobalt, iron, manganese, MTBE , nickel, sulfate, TOC, trans-1,2-dichloroethene , vinyl chloride, zinc	Antimony, cadmium, chromium, copper, lead, thallium , vanadium
MW-1R	Arsenic, benzene , chlorobenzene, 1,2-dichloroethane , 1,4-dichlorobenzene, iron	Barium, chloride, cobalt, manganese, nickel, sulfate , thallium , TOC, zinc
MW-2	—	Barium , cadmium , chloride, chromium, cobalt, copper, lead, manganese, nickel, vanadium, zinc
MW-3	Barium, iron, manganese, nickel, TOC , zinc	Cadmium , chromium, cobalt, copper, lead, thallium , vanadium
MW-4	Barium , chloride, sulfate, zinc	Antimony, arsenic, cadmium, chromium, cobalt, copper, lead, manganese, mercury , nickel, thallium, vanadium
MW-5	Chloride, sulfate, zinc	Antimony, arsenic, cadmium, chromium, cobalt, copper, lead, manganese, mercury , nickel, thallium, vanadium
MW-6	Chloride, sulfate, zinc	Arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, thallium, vanadium
MW-7		Arsenic, barium, cadmium, chloride, chromium, cobalt, copper, iron , lead, nickel, sulfate, TOC , vanadium, zinc
MW-509D	Chloride	Arsenic, chromium, cobalt, copper, lead , manganese , nickel, TOC, vanadium
MW-577	Chloride	Barium, cadmium, chromium, cobalt, copper, lead, manganese , nickel, sulfate, TOC, vanadium
MW-633D	Barium, chloride, 1,1-dichloroethane, mercury, zinc	Arsenic, chromium, cobalt, copper, lead, nickel, sulfate, thallium , vanadium
MW-689D		Cadmium, chromium, cobalt, copper, lead, nickel, TOC, vanadium, zinc
NAB-2	Barium, chloride, manganese	Cadmium, chromium, cobalt, copper, nickel , sulfate, thallium, TOC, vanadium

Well	Significant Increasing Trends	Significant Decreasing Trends
NAB-3	Chloride	Arsenic, cadmium, chromium, cobalt, copper, lead, nickel, thallium, vanadium
NAB-4	Barium, chloride, manganese , sulfate, zinc	Cadmium , chromium, cobalt, copper, lead , nickel , vanadium
NAB-7	Antimony , barium, chloride, iron	Cadmium, chromium, cobalt, copper, manganese , nickel, TOC, vanadium
NAB-8	Chloride	Barium, cadmium , chromium, cobalt, copper , lead , manganese , nickel, vanadium, zinc
NE-2	Barium	Arsenic, chloride, chromium , iron, nickel, sulfate, TOC
NE-3		Barium, chloride, cobalt , copper , iron , lead, manganese , nickel , TOC, vanadium , zinc
NE-4	—	Cobalt, copper , sulfate , thallium
NE-6	—	Chromium

Generally, statistically increasing and decreasing trends were consistent with previous trends. Constituents that were previously noted as increasing or decreasing but are currently determined to be no longer significant are shown in **bold italicized green** text. Conversely, constituents that were added are shown in **bold red** text. It should be noted that many of the graphs in Appendix C are based on limited numbers of laboratory detections – the trends appear to be partially based on changes in detection limits over time.

As discussed in previous reports, an important consideration is whether the data is significantly influenced by seasonal changes. If so, then the data should be adjusted for seasonal influences. Based on the data generated to date, and as stated in previous reports, it is suspected that concentration levels are significantly influenced by the amount of precipitation and the timing of individual precipitation events in relation to sampling events. It is likely that the recently installed landfill cap will reduce the effect of precipitation at the site.

Confidence intervals are commonly used for assessment monitoring to demonstrate significance in AMC concentrations. The Groundwater Protection Standards (GWPS) utilized in the statistical evaluation (MCLs, RSLs and SMCLs) are included in Table 3-2 and Table 3-3 attached to this report. The statistical evaluation was conducted in accordance with recommended procedures found in the Unified Guidance (UG). Confidence intervals were constructed for any metal or VOC constituent detected in concentrations greater than the applicable screening level, also listed in Tables 3-2 and 3-3. Confidence interval statistical analysis was not performed for indicator parameters.

The calculation of confidence intervals consisted of the establishment of 95% Lower Confidence Limits (LCLs) and 95% Upper Confidence Limits (UCLs). If one or more of the events used for the confidence interval was above the constituent's MCL and the calculated coefficient of variation (CV) for the population was greater than 0.3, then additional evaluations were performed for that well/constituent pair. If, after further evaluation, a population that was compiled with the

statistical procedures outlined in UG Section 22.1.1 & UG Table 22-3, then a visual inspection of the data was performed to identify shift points in the data set. From these shift points, the most recent population was used in the calculation of confidence limits.

The evaluation results show that the calculated LCLs were exceeded for the following AMC parameters at the following monitoring points, indicating with statistical confidence that the measured concentrations are above the established GWPS. The LCL exceedances are summarized in Table 3-5 below.

Table 3-5 – Summary of LCL Exceedances

Monitoring Point	AMC
CAO-1	Arsenic, cobalt, iron, MTBE
MW-1	Arsenic, cobalt, 1,1-dichloroethane, MTBE, vinyl chloride
MW-1R	Arsenic, cobalt, iron, MTBE, vinyl chloride
MW-3	Manganese

The complete confidence interval evaluation results for the May 2024 sampling event are presented in Appendix C. Historic and current data are presented in Appendix D.

4.0 Leachate Analytical Results

As previously referenced, the leachate generated at the landfill is transported to the City of Springfield's wastewater collection system under Wastewater Contribution Permit No. 593. A sample of the leachate plus a duplicate sample were collected at 0915 on July 10, 2024, and submitted for laboratory analysis. Table 4-1 below summarizes the analytical methods and results of the analyses.

Table 4-1 – Summary of Leachate Analysis Results

Parameter	Analytical Method	Units	Leachate	Leachate Duplicate
Ammonia as N	SM 4500-NH ₃ B,D,C-2011	mg/L	27.8	26.8
Cyanide (total)	SM 4500-CN B,E-2011	mg/L	< 0.010	< 0.010
pH	SM 4500-H+ B-2011	S.U.	6.54	6.68
Flashpoint	SW 1010A, Rev 1, 2004	°C	Did Not Flash	Did Not Flash
Oil & Grease	EPA1664 Mod, Rev. B 2010	mg/L	< 5.15	< 4.90
Arsenic	EPA 200.8 Rev 5.4(1994)	µg/L	3.23	3.83
Cadmium	EPA 200.8 Rev 5.4(1994)	µg/L	< 0.260	< 0.260
Chromium	EPA 200.8 Rev 5.4(1994)	µg/L	1.82	2.02
Copper	EPA 200.8 Rev 5.4(1994)	µg/L	1.23	1.69
Lead	EPA 200.8 Rev 5.4(1994)	µg/L	< 0.416	0.540
Mercury	SW7470A/EPA245.1,3.0-1994	µg/L	< 0.200	< 0.200
Nickel	EPA 200.8 Rev 5.4(1994)	µg/L	20.5	20.8
Phosphorus	EPA 200.8 Rev 5.4(1994)	µg/L	< 0.094	0.100
Zinc	EPA 200.8 Rev 5.4(1994)	µg/L	< 20.8	< 20.8

Notes: N – nitrogen; DNF – did not flash; mg/L – milligrams per liter; µg/L – micrograms per liter; S.U. – standard units; °C – degrees Celsius.

5.0 Quality Assurance/Quality Control Results


Field duplicate samples were collected from monitoring wells MW-1 and NAB-7 during the May 2024 groundwater sampling event. In addition, a duplicate sample of leachate was also collected. With a few exceptions, comparison of the original and duplicate data shows generally good agreement between sample and duplicate pairs.

The calculated relative percent differences (RPD) for the MW-1 duplicate sample pair were all below 20% and mostly below 10%. The calculated RPDs for the NAB-7 duplicate sample pair were mostly below 20% with four exceptions. The RPD for arsenic was 65.9%, the RPD for iron was 81.2%, the RPD for manganese was 33.4%, and the RPD for vanadium was 61.9%. The calculated RPDs for the leachate duplicate sample pair were all below 20% with one exception, the RPD for copper was 31.5%.

Two equipment blanks were collected during groundwater sampling activities on the two days groundwater samples were collected. The equipment blank was collected by running deionized water over decontaminated equipment directly into the sample containers. TDS and chromium were detected in both equipment blanks. Barium, copper, and zinc were also detected in equipment blank EB-2. The organic compounds 2-butanone and chloroform were detected in equipment blanks EB-1 and EB-2. 2-hexanone was also detected in equipment blank EB-2. It should be noted that with the exception of 2-butanone in MW-1, none of these volatile constituents were detected in any of the field samples. One trip blank was analyzed for VOCs during this event. No VOC constituents were detected above their respective detection limits in the trip blank.

Figures

Page Intentionally Blank



Harbor

5800 Evergreen Drive
Little Rock, AR 72205
P: 501.663.8800
www.HarborEnv.com

Client:

ENSAFE



ARKANSAS
ENERGY & ENVIRONMENT



Figure 1 - Site Location Map

NABORS Landfill
Mountain Home, Baxter County, AR

Date: 5/2/2024
Drawn by: TH
Checked by: LD
Revision No: 0



Appendix A

Field Forms and Notes

Page Intentionally Blank



NABORS Landfill Monitoring Well Measurement Record

Well ID	Date	Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)
• CAO-1	5/13/24	1228	1026.40	20.73		36.8
• CAO-2	"	1213	991.58	25.63		45.5
• CAO-3	"	1349	984.20	13.46		23.1
→ MW-1	"	1404	1067.26	66.82		77.2
→ MW-1R	"	1401	1067.57	69.15		78.6
→ MW-2	"	1238	1001.21	33.15		48.9
→ MW-3	"	1213	1000.81	32.19		39.6
MW-4 ✓	"	1143	1012.11	86.86		99.9
MW-5 ✓	"	1137	1004.38	76.04		89.1
→ MW-6	"	1316	1000.38	56.93		68.5
MW-7 ✓	"	1549	999.66	6.92		23.1
• MW-509D	"	1517	1014.20	16.63		39.6
MW-577 ✓	"	1451	982.60	40.52		55.3
MW-633D ✓	"	1418	1050.10	63.36		87.9
• MW-689D	"	1423	966.20	24.52		43.8
NAB-2 ✓	"	1501	1004.94	76.38		102.8
NAB-3 ✓	"	1243	921.49	23.38		46.2
NAB-4 ✓	"	1403	1015.41	116.14		140.0
• NAB-7	"	1553	1012.36	22.59		43.6
NAB-8	"	1337	1050.38	82.92		85.7
NE-2	"	1520	976.98	16.56		62.9
NE-3 ✓	"	1439	846.91	5.82		27.7
NE-4 ✓	"	1512	1009.85	65.45		112.2
NE-6 ✓	"	1206	901.42	6.89		18.2

Notes: TOC – top of casing; amsl – above mean sea level; GW – groundwater; TD – total depth.



Sampling Data

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	5/15/24	Well ID:	CAO-2	Well Diameter (inches):	2"		
Well Depth (feet):	45.5	Initial Depth to Water (feet):	25.61	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	LOW-FLOW	Pump Type:	PERISTALTIC	Tubing Type:	LDPE	Tubing Diameter:	0.25 OD				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1028	—	—	—	25.61	17.22	952	10.25	6.81	1.1	13.30	—
1033	1.5	1.5	200	24.45	17.58	965	2.42	6.77	3.2	7.20	—
1038	1	2.5	200	24.45	17.95	945	2.61	6.75	4.1	4.33	—
1043	1	3.5	200	24.45	17.41	884	2.69	6.72	5.8	3.01	—
1048	1	4.5	200	24.45	17.65	912	2.87	6.70	7.2	2.98	—

Sampling Data

Sample ID:	CAO-2	Date:	5/15/24	Time:	1048	Sampler(s):	T. HUETTER
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/15/24		Well ID: CAO-3		Well Diameter (inches): 2"			
Well Depth (feet): 23.1		Initial Depth to Water (feet): 10.92		Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method: LOW-FLOW		Pump Type: PERISTALTIC		Tubing Type: LDPE		Tubing Diameter: 0.2500					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1152	—	—	—	10.92	16.04	613	0.16	7.21	-21.7	37.4	—
1157	1.5	1.5	300	10.96	16.25	617	1.24	7.07	-14.4	12.0	—
1202	1	2.5	200	10.97	16.37	617	0.96	7.08	-14.7	9.43	—
1207	1	3.5	200	10.97	16.47	616	0.90	7.09	-15.3	6.27	—
1212	1	4.5	200	10.97	16.45	617	0.93	7.10	-15.9	5.23	—

Sampling Data

Sample ID: CAO-3	Date: 5/15/24	Time: 1212	Sampler(s): T. HUSTON
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/15/24		Well ID: mw-1		Well Diameter (inches): 2"			
Well Depth (feet): 77.2		Initial Depth to Water (feet): 66.83		Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method: Low-Flow		Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: 0.375 in					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1330	2.0	2.0	400	67.85	17.84	942	2.19	6.45	-82.3	58.2	cloudy/leachate
1335	3.0	5.0	600	68.00	18.12	907	1.39	6.41	-74.1	35.1	" "
1340	2.0	7.0	400	67.92	18.45	902	0.93	6.41	-65.1	26.6	NA
1345	1.0	8.0	200	67.61	18.97	899	0.74	6.42	-62.5	2.14	NA
*1355	4.0	12.0	400	67.90	18.67	896	0.67	6.41	-58.0	0.0	NA
1400	1.0	13.0	200	67.95	18.70	896	0.69	6.41	-58.1	0.0	NA

Sampling Data

Sample ID: mw-1 * mw-1 Dup	Date: 5/15/24	Time: 1405	Sampler(s): CG
Laboratory Analysis: See report	# Bottles: 9	Preservative: Varies	
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)



Sampling Data

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	5/15/24	Well ID:	MW-2	Well Diameter (inches):	2"		
Well Depth (feet):	42.9	Initial Depth to Water (feet):	33.08	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	LOW-FLOW ~~PERMEAMETER~~	Pump Type:	LA SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1130	3.0	3.0	600	33.55	17.50	555	2.22	7.25	-48.0	0.0	Sewage
1135	2.0	5.0	400	33.49	17.35	551	1.73	7.15	-45.4	0.0	" "
1140	2.0	7.0	400	33.49	17.49	553	1.21	7.11	-46.4	0.0	NA
~~1145~~											

Sampling Data

Sample ID:	MW-2	Date:	1145	Time:	5/15/24	Sampler(s):	CG
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Sampling Data

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	nw-4	Date:	5/14/24	Time:	945	Sampler(s):	CG + RC		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:									

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Sampling Data

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Sampling Data

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	5/14/24	Well ID:	MW-7	Well Diameter (inches):	2"		
Well Depth (feet):	23.1	Initial Depth to Water (feet):	6.09	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	Low-Flow	Pump Type:	PERISTALTIC	Tubing Type:	LOPE	Tubing Diameter:	0.25"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1041	—	—	—	6.09	15.05	564	6.65	7.24	-23.2	3.52	—
1046	2	2	400	6.58	15.08	560	1.71	7.04	-13.4	2.95	—
1051	1	3	200	6.67	15.15	561	1.54	7.05	-12.8	4.00	—
1056	0.5	3.5	100	6.75	15.47	559	1.51	7.03	-12.1	3.70	—
1101	0.5	4	100	6.86	15.22	559	1.38	7.05	-13.0	2.50	—

Sampling Data

Sample ID:	MW-7	Date:	5/14/24	Time:	1101	Sampler(s):	T. HUSTEN
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)



Groundwater Sampling Record

* Overrange

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	5/15/24	Well ID:	MW-509D	Well Diameter (inches):	2"		
Well Depth (feet):	39.4	Initial Depth to Water (feet):	15.95	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	LOW-FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
915	3.0	3.0	600	16.00	15.65	535	3.82	6.74	71.9	OR*	cloudy
920	2.0	5.0	400	16.03	15.51	533	3.71	6.63	80.9	OR	" "
925	2.0	7.0	400	16.01	15.41	532	3.65	6.67	81.9	82.1	" "
930	2.0	9.0	400	16.01	15.44	529	3.66	6.68	83.0	32.8	NA
935	2.0	11.0	400	16.01	15.42	528	3.66	6.68	83.9	12.8	NA
940	2.0	13.0	400	16.02	15.47	527	3.61	6.69	84.7	1.97	NA

Sampling Data

Sample ID:	MW-509D	Date:	5/15/24	Time:	0945	Sampler(s):	CG
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	5/14/24	Well ID:	MW-577	Well Diameter (inches):	2"		
Well Depth (feet):	55.3	Initial Depth to Water (feet):	40.49	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	LOW-FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPB	Tubing Diameter:	0.375"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1425	5.0	5.0	1000	40.25	17.49	696	0.85	6.91	-31.0	69.69	NA
1430	2.0	7.0	400	40.24	17.36	701	0.70	6.76	-13.0	38.4	NA
1435	2.5	9.5	500	40.26	17.47	750	0.54	6.82	-15.1	1.33	NA
1440	1.5	11.0	300	40.22	17.34	700	0.49	6.83	-13.0	2.80	NA
1450	2.0	13.0	400	40.23	17.42	704	0.44	6.85	-9.0	2.71	NA

Sampling Data

Sample ID:	MW-577	Date:	5/14/24	Time:	1455	Sampler(s):	CG
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	5/14/24	Well ID:	MW-633D	Well Diameter (inches):	2"		
Well Depth (feet):	87.9	Initial Depth to Water (feet):	63.35	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	LOW-FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1525	1.5	1.5	300	63.38	17.37	593	1.22	6.86	44.9	67.1	clear
1530	1.5	3.0	300	63.69	17.26	592	1.54	6.88	44.7	94.8	" "
1535	1.0	4.0	200	63.57	17.56	590	1.21	6.85	45.0	91.4	" "
1540	0.5	4.5	100	63.64	17.68	591	1.21	6.87	42.1	78.0	" "
1545	2.5	7.0	500	64.13	17.65	585	1.20	6.85	43.3	32.1	" "
1550	3.0	10	600	64.27	17.82	582	1.20	6.86	46.8	19.3	clear

Sampling Data

Sample ID:	MW-633D	Date:	5/14/24	Time:	1600	Sampler(s):	CA
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	MW-G39	Date:	5/15/24	Time:	1310	Sampler(s):	T. HUNTER		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:									

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	NAB-2	Date:	5/14/24	Time:	1355	Sampler(s):	CG & RC		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:	Turbidimeter read 0.0 NTU's								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	NAB-3	Date:	5/14/24	Time:	1639	Sampler(s):	T. HUETTER		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:									

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	5/14/24	Well ID:	NAB-4	Well Diameter (inches):	2"		
Well Depth (feet):	140.0	Initial Depth to Water (feet):	116.75	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	LOW-FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
800	3.0	3.0	600	116.75	16.26	808	2.76	6.35	103.4	85.6	NA
805	3.0	6.0	600	116.82	16.72	802	2.38	6.50	94.8	58.0	NA
810	3.0	9.0	600	116.85	17.18	804	2.08	6.58	91.4	33.5	NA
815	2.0	11.0	400	116.75	17.29	803	1.66	6.60	91.3	~~17.8~~	NA
820	2.0	13.0	400	116.90	17.31	801	1.42	6.60	92.5	12.7	NA

Sampling Data

Sample ID:	NAB-4	Date:	5/14/24	Time:	825	Sampler(s):	CG + DCL
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)



Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/15/24		Well ID: NAB-7		Well Diameter (inches): 2"			
Well Depth (feet): 43.6		Initial Depth to Water (feet): 22.07		Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method: LOW-FLOW		Pump Type: PERISTALTIC		Tubing Type: LDPE		Tubing Diameter: 0.25"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
0847											
~~0843~~	—	—	—	22.07	15.02	582	9.42	7.16	-18.7	> 100	ORANGE
0852	1	1	200	22.65	14.62	559	8.75	6.98	-8.9	88.7	88.7
0857	1	2	200	22.48	15.39	570	5.21	6.98	-8.7	70.2	—
0902	1	3	200	22.36	15.51	575	4.99	6.99	-9.5	29.8	—
0907	1	4	200	22.37	15.49	580	4.83	6.99	-9.6	29.3	—
0912	1	5	200	22.37	15.55	581	4.98	6.99	-9.6	5.63	—

Sampling Data

Sample ID: NAB-7	Date: 5/15/24	Time: 0912	Sampler(s): T. HUESTER
Laboratory Analysis: See report	# Bottles: 9	Preservative: Varies	
Comments: IRON FLOC IN WELL			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Sampling Data

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



* Overrange

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/15/24		Well ID: NE-2		Well Diameter (inches): 2"			
Well Depth (feet): 42.9		Initial Depth to Water (feet): 46.22		Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method: Low-Flow		Pump Type: SUBMERSIBLE		Tubing Type: LDPE		Tubing Diameter: 0.375"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
805	3.0	3.0	600	49.33	16.13	1069	0.82	6.86	17.6	0.2	cloudy
810	2.0	5.0	400	50.33	16.21	1069	0.94	6.89	20.3	0.2	" "
815	1.0	6.0	200	50.97	16.44	1072	0.99	6.91	21.6	92.0	" "
820	1.5	7.5	300	52.02	16.63	1077	1.06	6.92	27.0	76.1	" "
825	1.5	9.0	300	53.06	16.87	1088	1.09	6.93	30.2	53.8	" "
830	1.5	10.5	300	53.85	16.96	1094	0.95	6.93	33.1	32.5	NA
835	1.5	12.0	300	54.35	16.97	1100	0.97	6.94	36.2	22.6	NA
840	1.0	13.0	200	55.05	16.82	1104	0.92	6.94	35.6	20.9	NA
845	1.0	14.0	200	55.30	16.82	1100	0.89	6.94	38.6	15.5	NA

Sampling Data

Sample ID: NE-2	Date: 5/15/24	Time: 0845	Sampler(s): CG
Laboratory Analysis: See report	# Bottles: 9	Preservative: Varies	
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Sampling Data

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Sampling Data

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	5/14/24	Well ID:	NE-6	Well Diameter (inches):	2"		
Well Depth (feet):	18.2	Initial Depth to Water (feet):	6.92	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	LOW-FLOW	Pump Type:	PERISTALTIC	Tubing Type:	LDPE	Tubing Diameter:	0.25"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
0903	—	—	—	6.92	15.29	727	12.47	7.04	-12.7	10.6	—
0913	1	1	200	7.29	15.26	697	10.35	7.00	-10.3	7.50	—
0918	21	2	"	7.56	15.12	688	9.83	7.02	-11.3	3.99	—
0923	1	3	"	7.78	15.05	681	9.24	7.03	-12.1	2.27	—
0928	1	4	"	7.94	15.00	675	8.71	7.04	-12.6	3.42	—
0933	1	5	"	8.09	15.02	673	8.07	7.05	-12.8	4.69	—

Sampling Data

Sample ID:	NE-6	Date:	5/14/24	Time:	0933	Sampler(s):	T. HUSTER
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Spring Sampling Record

Site Name: NABORS Landfill					Location: Three Brothers, AR				Date(s): 5/13/24		
Spring ID	Flow (Y/N)	Sampled (Y/N)	Sample Date	Sample Time	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/Color
Class I Draw	N	N									
Class IV Draw	N	N									
~~SP-7~~ SP-7	Y	Y	5/13/24	1310	6.84	291	-30.4	7.17	20.94	18.3	clear
NE-3 Spring *ran	N	N									Clear
Spring A	N	N	5/13/24	1625	6.54	427	80.50	6.53	14.46	3.39	Clear
Spring B	N	N									
SP-4	N	N									
SP-5*	N	N									
~~LE~~ LE Sup	Y	Y	5/13/24	1340	8.15	258	31.5	7.93	23.21	10	Clear
TSP-1	Y	Y	5/13/24	1420	3.79	510	129.4	6.10	14.09	5.42	Clear
TSP-2	Y	Y	5/13/24	1446	7.52	84	28.6	7.60	23.19	1.50	Clear
TSP-3	N	N									
TSP-4	N	N									

Sampling Data

Sampler(s):	CG										
Laboratory Analysis:	See report						# Bottles:	9		Preservative:	Varies
Comments:											

6/13/24

NABORS L.F. GW SAMPLING

WEATHER: OVERCAST, RAIN,
LIGHT BREEZE, 60s-70s

1035: T. HUETTER ON SITE
OFFLOAD SIDE BY SIDE

1104: START UNLOCKING WELLS
TO MEASURE G.W. LEVELS
AND GAS READINGS.

1215: C. COURSEY, P. CARPENTER
ON SITE. WILL COLLECT SPRING SAMPLES.

1250: NOTICE THAT THE LEFT
REAR TIRE ON SIDE X SIDE IS
FLAT. CALLED HUN'S. THEY
SAID TAKE IT TO A TIRE SHOP
FOR PATCH.

1604: FINISH MEASURING GW
WELL DEPTHS, LOAD SKS.

1620: T. HUETTER OFF SITE.

5/14/24

NABORS L.F. GW SAMPLING

WEATHER: OVERCAST, 60s, LIGHT
BREEZE

0729: T. HUETTER ON SITE, CG &
RC ALREADY ON SITE.

0742: SET UP ON NAB-4

0750: COMFORT SYSTEMS ON SITE
TO START ASSESSMENT / REPAIRS

0850: ARRIVE AT NE-6, SET
UP TO SAMPLE

0933: PURGE COMPLETE, COLLECT SAMPLE

1030: SET UP ON MW-7

1101: MW-7 PURGE COMPLETE, COLLECT
SAMPLE

1105: E. BUCKMAN, D. STOKER OF
GWSAFE ON SITE, PROVIDED
SITE TOUR

1330: TOUR COMPLETE, GWSAFE OFF SITE
BEGIN MEASURING REMAINING GAS
WELLS.

1459: ARRIVE AT NE-3

1526: NE-3 PURGED, COLLECT SAMPLES

1558: ARRIVE AT NAB-3

1639: NAB-3 PURGED, COLLECT SAMPLES

5/15/24

NABONS LF GW SAMPLING

WEATHER: CLEAR, LIGHT BREEZE
LOW - 70s

0750: T. HUSTON ON SITE, PREP
FOR SAMPLING

0824: ARRIVE AT NAB-7

0912: NAB-7 PURGED, COLLECT SAMPLE
PLUS DUPLICATE

0951: SET UP ON CAO-2

1048: COLLECT SAMPLE CAO-2

1140: SET UP ON CAO-3

1212: COLLECT SAMPLE CAO-3

1238: SET UP ON MW-689

1310: COLLECT SAMPLE MW-689


1336: SET UP ON CAO-1

1402: COLLECT SAMPLE CAO-1, BACK
TO TANK FARM

1441: COLLECT EB-2

1507: COLLECT SAMPLE NAB-8
W/BAILEY

1545: T. HUSTON OFF SITE





FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

YSI 556 MPS Calibration Certificate

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 7 @ 25°C	8306447	7/11/2025	7.25	7.00	(6.86 to 7.14)
			pH mV value	2.6	(0 mV +/- 50mV)

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 4 @ 25°C	8305080	5/17/2025	3.91	4.00	(3.92 to 4.08)
			pH mV value	174.0	(167.6mV to 182.6mV)

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 10 @ 25°C	6308010	8/23/2025	9.83	10.00	(9.80 to 10.20)
			pH mV value	-164.1	(-162.4mV to -177.4mV)

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
Conductivity	8310609	11/14/2025	1.491	1.409	(1.338 to 1.479)
			Gain	0.940	(0.9 to 1.10)

Check Standard	Temp °C	Reading	Acceptable Range
ORP	19.5	220.0	(+/- 20mV)

mV Offset (0 +/- 100)

Dissolved Oxygen	% Saturation	mg/L	Acceptable Range
	100.0	9.06	(.7 to 1.4)
Gain	0.99		

Model	556-4 MPS
S/N	08K101396
Barcode	113965
Cable	119437
Order #	551492

New DO Membrane
☐ Yes ☒ No

DO Cap Color
☐ Black ☒ Blue ☐ Yellow

Calibrated By

Date of Calibration

*Solutions provided by Reagents (800-732-8484)

Revision 1, 3/27/24

All calibrations performed by FEI conform to manufacturer's specifications. Please report any issues within 24 hours of receiving equipment.

All calibration solutions used are traceable to NIST. Additional documentation is available upon request.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

YSI 556 MPS Calibration Certificate

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 7 @ 25°C	8306447	7/11/2025	6.86	7.00	(6.86 to 7.14)
			pH mV value	-9.4	(0 mV +/- 50mV)

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 4 @ 25°C	8305080	5/17/2025	3.95	4.00	(3.92 to 4.08)
			pH mV value	162.0	(155.6mV to 170.6mV)

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 10 @ 25°C	6308010	8/23/2025	10.04	10.00	(9.80 to 10.20)
			pH mV value	-183.3	(-174.4mV to -189.4mV)

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
Conductivity	8310609	11/14/2025	1.439	1.409	(1.338 to 1.479)
			Gain	0.970	(0.9 to 1.10)

Check Standard	Temp °C	Reading	Acceptable Range
ORP	19.2	220.0	(+/- 20mV)

mV Offset (0 +/- 100)

Dissolved Oxygen

% Saturation	mg/L
100.0	9.05
Gain	Acceptable Range
1.03	(.7 to 1.4)

Model	556-4 MPS
S/N	12C102640
Barcode	111940
Cable	102439
Order #	551492

New DO Membrane
☐ Yes ☒ No

DO Cap Color
☐ Black ☒ Blue ☐ Yellow

Calibrated By


Date of Calibration

*Solutions provided by Reagents (800-732-8484)

Revision 1, 3/27/24

All calibrations performed by FEI conform to manufacturer's specifications. Please report any issues within 24 hours of receiving equipment.

All calibration solutions used are traceable to NIST. Additional documentation is available upon request.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Proactive Pump Conformance Certificate

	<u>12V</u>	<u>Max Voltage Acceptable</u>
Pressure Rating	26 psi	65 psi
Acceptable Range (Monsoon) :	10+	48+
Acceptable Range (Hurricane) :	10+	60+
Flow Rate Achieved (No Applied Head Pressure)	1.9 GPM	2.9 GPM
Acceptable Ranges :	1.4+ GPM	2.5+ GPM
Amps	14	43
Replaced Tubing and Tubing Connector Above Barb (ID: 14396 HDPE 3/8" x 1/2" for PFAS Compliance)		Confirmed

Pump Model	SS Hurricane
S/N	114567
Order #	551492

Proactive Controller Performance Test

	Max Voltage - Pump Attached		Max Voltage - Pump Dettached


Delta Less than 10 Volts	Yes
30 Second Video Attached to the Order	Yes
DO NOT CUT Tag Applied to Pump Head Cable Connection Prior to Rental?	Confirmed

Controller Model	Hurricane Controller
S/N	121152
Order #	

Calibrated By

Revision 1, 3/27/24 Date of Calibration

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Proactive PVC Pump Conformance Certificate

MAX

Pressure Rating psi

Flow Rate Achieved (No Applied
Head Pressure) GPM

Amps

Pump Model ▼
S/N
Order #

Controller Model ▼
S/N
Order #

Calibrated By ▼

Revision 2, 5/8/24

Date of Calibration

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



**FIELD ENVIRONMENTAL
INSTRUMENTS, INC.**

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Peristaltic Pump Conformance Sheet

Unit Cleaned Thoroughly?

Confirmed

Battery Voltage (Acceptable Range: 12.6V or Higher)

12.9

Speed Control Functioning?

Confirmed

No Power Loss When Cable is Moved Around?

Confirmed

All Housing Screws in place?

Confirmed

1' Silicone Tubing (3/16" x 3/8") in Pump Head?

Confirmed

Pump Head Functioning in Forward and Reverse?

Confirmed

Unit Packed in 18" Husky Bag?

Confirmed

Battery and Charger Packed in 12" Husky Bag?

Confirmed

EZ-Load Head installed on 0-600 rpm port

Confirmed

Model	Geopump II ▼
Unit S/N	4928
Unit UX	U87848X
Pump Head S/N	J17004286
Pump Head UX	U87853X
Order #	551492

Calibrated By

Carl Peterson ▼

Revision 1, 3/27/24

Date of Calibration

05/09/24

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



**FIELD ENVIRONMENTAL
INSTRUMENTS, INC.**

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Water Level Meter Certificate

Tape and Reel Cleaned/Checked for Nicks

Confirmed

Probe Tested?

Confirmed

Speaker Sounding?

Confirmed

All Housing Screws in place?

Confirmed

Draw-Down Mode Functioning? (Heron Units)

Confirmed

Thumb Screws Tightened? (Heron Units)

Confirmed

Video Taken and Attached to Order

Confirmed

Model

Heron Water Level Meter

S/N

11DF2202080M

UX

110440

Probe (Heron Units Only)

Model

Water Level Meter Probe

S/N

J08J051WX

UX

114406

Calibrated By

Jackson Loy

FEI Order #


551492

Date of Calibration

5/9/2024

Rev 2.0 2/23/24

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Water Level Meter Certificate

Tape and Reel Cleaned/Checked for Nicks

Confirmed

Probe Tested?

Confirmed

Speaker Sounding?

Confirmed

All Housing Screws in place?

Confirmed

Draw-Down Mode Functioning? (Heron Units)

Confirmed

Thumb Screws Tightened? (Heron Units)

Confirmed

Video Taken and Attached to Order

Confirmed

Model

Heron Water Level Meter

S/N

11FF230217

UX

115477

Probe (Heron Units Only)

Model

Water Level Meter Probe

S/N

K01J019WX

UX

115494

Calibrated By

Jackson Loy

FEI Order #


551492

Date of Calibration

5/9/2024

Rev 2.0 2/23/24

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Lamotte Turbidity Meter Calibration Certificate

Was the meter set to averaging mode (selected 5 measurements)?

(Reference the averaging mode setup instructions)

Confirmed

Was the vial housing and calibration vials cleaned properly before calibrating?

(Preferred cleaning product is Windex or if necessary, a similar product, while using a clean microfiber cloth)

Confirmed

Is the calibration solution provided still good and not expired?

(If within one month of expiration, please replace)

Confirmed

Are there 2 sample vials and are they clean with the visible measurement markings?

Confirmed

Are all the necessary meter accessories included and in good condition?

(charging cable, charging adaptor, manual, LBATT sticker)

Confirmed

Is the meter battery power fully charged?

Confirmed

Is the overall appearance of the meter satisfactory and is it confirmed to be in proper working condition?

Confirmed

	<u>Lot #</u>	<u>Exp Date</u>	<u>Reading</u>
0.0 NTU	24002975	6/30/24	0.0
10.0 NTU	24003205	6/30/24	10.0

Acceptable post cal range: +/- 2% of 10ntu (9.80ntu to 10.20ntu)

Order #

551492

Model

ID: 17846 LaMotte - 2020T Turbidity Meter LBATT - Rental

S/N

2231-3721

Barcode

U107283X

Calibrated By

Jackson Loy

Date of Calibration

05/09/24

Rev 2.0 3/5/24

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Lamotte Turbidity Meter Calibration Certificate

Was the meter set to averaging mode (selected 5 measurements)?

(Reference the averaging mode setup instructions)

Confirmed

Was the vial housing and calibration vials cleaned properly before calibrating?

(Preferred cleaning product is Windex or if necessary, a similar product, while using a clean microfiber cloth)

Confirmed

Is the calibration solution provided still good and not expired?

(If within one month of expiration, please replace)

Confirmed

Are there 2 sample vials and are they clean with the visible measurement markings?

Confirmed

Are all the necessary meter accessories included and in good condition?

(charging cable, charging adaptor, manual, LBATT sticker)

Confirmed

Is the meter battery power fully charged?

Confirmed

Is the overall appearance of the meter satisfactory and is it confirmed to be in proper working condition?

Confirmed

	<u>Lot #</u>	<u>Exp Date</u>	<u>Reading</u>
0.0 NTU	24002975	6/30/24	0.0
10.0 NTU	24003205	6/30/24	10.0

Acceptable post cal range: +/- 2% of 10ntu (9.80ntu to 10.20ntu)

Order #

551492

Model

ID: 17846 LaMotte - 2020T Turbidity Meter LBATT - Rental

S/N

4375-3123

Barcode

U117146X

Calibrated By

Jackson Loy

Date of Calibration

05/09/24

Rev 2.0 3/5/24

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



Field Meter Calibration Log

Date:	5/14/2024			Time:	0715		
Project:	May 2024 Groundwater Sampling Event						
Site Location:	NABORS Landfill						
Personnel:	T. HUETTER / C. GOURLET						
Manufacturer:	YSI						
Model #:	556 MAS						
Parameter:	Units:		Initial Reading:		Final Reading:		
pH:	S.U.	4	4.01		4.00		
pH:	S.U.	7	6.98		7.00		
pH:	S.U.	10	—		—		
Specific Conductance:	mS/cm		1.411		1.409		
Turbidity: LAMOTTE 2020T	NTU		9.98		10.0		
Dissolved Oxygen:	mg/L		—		—		
	%		—		—		
ORP:	mV		—		—		
Comments:							
Signature 					Date 5/14/2024		

Notes: S.U. – standard units; mS/cm – micro Siemens per centimeter; NTU – nephelometric turbidity units; mg/L – milligrams per liter; % - percent; mV - millivolt



Field Meter Calibration Log

Date:	5/15/2024	Time:	0805
Project:	May 2024 Groundwater Sampling Event		
Site Location:	NABORS Landfill		
Personnel:	T. HUETTER, C. COURNEY		
Manufacturer:	YSI		
Model #:	556 MPS		
Parameter:	Units:	Initial Reading:	Final Reading:
pH:	S.U. 4	3.98	4.00
pH:	S.U. 7	6.99	7.00
pH:	S.U. 10	—	—
Specific Conductance:	mS/cm	1.412	1.409
Turbidity: LANDMETER 2020T	NTU	9.96	10.0
Dissolved Oxygen:	mg/L	—	—
	%	—	—
ORP:	mV	—	—
Comments:			
			5/15/2024
Signature			Date

Notes: S.U. – standard units; mS/cm – micro Siemens per centimeter; NTU – nephelometric turbidity units; mg/L – milligrams per liter; % - percent; mV - millivolt

Field Meter Calibration Log

Date:	5/15/2024		Time:	0815	
Project:	May 2024 Groundwater Sampling Event				
Site Location:	NABORS Landfill				
Personnel:	T. HUETTER, C. GOURLEY				
Manufacturer:	YSI				
Model #:	556				
Parameter:	Units:		Initial Reading:	Final Reading:	
pH:	S.U.	4	4.01	4.00	
pH:	S.U.	7	6.97	7.00	
pH:	S.U.	10	—	—	
Specific Conductance:	mS/cm		1.404	1.409	
Turbidity: LAMOTTE 2020T	NTU		10.1	10.0	
Dissolved Oxygen:	mg/L		—	—	
	%		—	—	
ORP:	mV		—	—	
Comments:					
				5/15/24	
Signature				Date	

Notes: S.U. – standard units; mS/cm – micro Siemens per centimeter; NTU – nephelometric turbidity units; mg/L – milligrams per liter; % - percent; mV - millivolt

Appendix B

Laboratory Analytical Results

Page Intentionally Blank



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

31 May 2024

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205

Project: NABORS Landfill Sample(s)

Project Number: May 2024

SDG Number: 2405505

Enclosed are the results of analyses for samples received by the laboratory on 16-May-24 09:48. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Received On Ice	✓
Temperature on Receipt	3.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

31 May 2024

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48



CASE NARRATIVE

Sample Delivery Group – 2405505

One OR more of the qualifiers described below may appear in this report. Qualifiers in **RED apply to this SDG (Sample Delivery Group).**

QUALITY CONTROL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E20	Sample used as "parent" for the associated analytical batch.
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control Surrogate failed.

ANALYTICAL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).
HS-1	Estimated result due to headspace in vial(s) received. Insufficient number of vial(s) WITHOUT headspace provided by client.

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
E7	Internal Standard Response Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-01
Sample Name: SP-7
Date/Time Collected: 5/13/24 13:10
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.66		5/20/24 21:51	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	5.95		5/20/24 21:51	B405426	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.528	J	5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	2.47		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	39.1		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.459		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.725		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.764		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	2250	E20	5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	1.86		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	357		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 14:07	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.09	J	5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.689		5/24/24 12:40	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	7.38	J	5/24/24 12:40	B405549	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-01
Sample Name: SP-7
Date/Time Collected: 5/13/24 13:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-01
Sample Name: SP-7
Date/Time Collected: 5/13/24 13:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.8		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	116		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		5/20/24 14:41	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	158		5/22/24 16:16	B405416	SM 2540 C-2015
TOC	mg/L	1.98		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-02
Sample Name: LE SEEP
Date/Time Collected: 5/13/24 13:40
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.21		5/20/24 22:11	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	6.28		5/20/24 22:11	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.35		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	29.5		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.482		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.208	J	5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.598		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	342		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	1.17		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	46.2		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 14:11	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.69	J	5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.581		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/24/24 12:44	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-02
Sample Name: LE SEEP
Date/Time Collected: 5/13/24 13:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-02
Sample Name: LE SEEP
Date/Time Collected: 5/13/24 13:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	96.3		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	125		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	104		5/20/24 21:14	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	146		5/22/24 16:16	B405416	SM 2540 C-2015
TOC	mg/L	2.49		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-03
Sample Name: TSP-1
Date/Time Collected: 5/13/24 14:20
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	3.01		5/20/24 22:30	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	8.02		5/20/24 22:30	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.224	J	5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	41.8		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.553		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.343		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.050	J	5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.218	J	5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	31.7	J	5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.209	J	5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	5.37		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 14:14	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.94	J	5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.245	J	5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	58.7		5/24/24 12:47	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-03
Sample Name: TSP-1
Date/Time Collected: 5/13/24 14:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-03
Sample Name: TSP-1
Date/Time Collected: 5/13/24 14:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.3		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	118		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/20/24 15:06	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	292		5/22/24 16:16	B405416	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-04
Sample Name: TSP-2
Date/Time Collected: 5/13/24 14:46
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	8.61		5/20/24 22:50	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	1.44		5/20/24 22:50	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.550		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	11.5		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.443		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.375		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	1.03		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	77.8		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	38.4		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 14:17	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.23	J	5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.214	J	5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	33.6		5/24/24 12:55	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-04
Sample Name: TSP-2
Date/Time Collected: 5/13/24 14:46
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-04
Sample Name: TSP-2
Date/Time Collected: 5/13/24 14:46
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.2		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	117		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/20/24 15:31	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	54.0		5/22/24 16:16	B405416	SM 2540 C-2015
TOC	mg/L	3.54		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-05
Sample Name: Spring A
Date/Time Collected: 5/13/24 16:25
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.67		5/20/24 23:09	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	8.12		5/20/24 23:09	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.329		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	34.7		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.344		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.381		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.214	J	5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.400	J	5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	109		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.201	J	5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	24.3		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 14:27	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.76	J	5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.279		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	28.7		5/24/24 12:59	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-05
Sample Name: Spring A
Date/Time Collected: 5/13/24 16:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-05
Sample Name: Spring A
Date/Time Collected: 5/13/24 16:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.5		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	116		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/20/24 14:17	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	250		5/22/24 16:16	B405416	SM 2540 C-2015
TOC	mg/L	1.24		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-06
Sample Name: NAB-4
Date/Time Collected: 5/14/24 8:25
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	5.56		5/20/24 23:29	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	74.0		5/20/24 23:29	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	9.10		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	35.0		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	1.55		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.538		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.413		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.549		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	183		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	1.87		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	49.3		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	0.152	J	5/21/24 14:31	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	8.99		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.812		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.075	J	5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	1820		5/24/24 13:02	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-06
Sample Name: NAB-4
Date/Time Collected: 5/14/24 8:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-06
Sample Name: NAB-4
Date/Time Collected: 5/14/24 8:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.7		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	116		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	104		5/20/24 15:55	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	539		5/22/24 16:16	B405416	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

31 May 2024



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2024
 Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-07
 Sample Name: NE-6
 Date/Time Collected: 5/14/24 9:33
 Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.34		5/20/24 23:48	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	31.9		5/20/24 23:48	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.361		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	25.3		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.342		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.322		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.520		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	36.7	J	5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	4.79		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	0.0625	J	5/21/24 14:34	B405425	SW7470A/EPA245.1.3.0- 1994
Nickel	ug/L	4.31		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.059	J	5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	601		5/24/24 13:43	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-07
Sample Name: NE-6
Date/Time Collected: 5/14/24 9:33
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-07
Sample Name: NE-6
Date/Time Collected: 5/14/24 9:33
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	119		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/20/24 16:20	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	379		5/22/24 16:16	B405416	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-08
Sample Name: MW-4
Date/Time Collected: 5/14/24 9:45
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	8.94		5/21/24 0:07	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	18.6		5/21/24 0:07	B405426	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.586	J	5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.491		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	41.1		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	1.03		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.620		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.083	J	5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.436	J	5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	58.9		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.403	J	5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	4.36		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	0.0675	J	5/21/24 14:37	B405425	SW7470A/EPA245.1.3.0- 1994
Nickel	ug/L	1.20	J	5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.162	J	5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.148	J	5/24/24 13:47	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	119		5/24/24 13:47	B405549	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-08
Sample Name: MW-4
Date/Time Collected: 5/14/24 9:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-08
Sample Name: MW-4
Date/Time Collected: 5/14/24 9:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.5		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	121		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/20/24 16:44	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	427		5/22/24 16:16	B405416	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-09
Sample Name: MW-5
Date/Time Collected: 5/14/24 10:55
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	7.72		5/21/24 1:06	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	9.91		5/21/24 1:06	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.571		5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	35.9		5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.144	J	5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.427		5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.050	J	5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.248	J	5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	39.8	J	5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.196	J	5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	1.08	J	5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	0.0625	J	5/21/24 14:40	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.38	J	5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.110	J	5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.106	J	5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	32.7		5/24/24 13:51	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-09
Sample Name: MW-5
Date/Time Collected: 5/14/24 10:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	0.274	J	5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-09
Sample Name: MW-5
Date/Time Collected: 5/14/24 10:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.6		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	122		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	104		5/20/24 17:09	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	465		5/22/24 16:16	B405416	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-10
Sample Name: MW-7
Date/Time Collected: 5/14/24 11:01
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.36		5/21/24 1:25	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	5.84		5/21/24 1:25	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.210	J	5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	29.0		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.065	J	5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.390		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.277		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.295	J	5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	33.6		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	0.0625	J	5/21/24 14:44	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.02	J	5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.070	J	5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/24/24 13:54	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-10
Sample Name: MW-7
Date/Time Collected: 5/14/24 11:01
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-10
Sample Name: MW-7
Date/Time Collected: 5/14/24 11:01
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.8		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	125		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/20/24 17:34	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	267		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:51	B405434	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-11
Sample Name: NE-4
Date/Time Collected: 5/14/24 12:53
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.66		5/21/24 1:45	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	18.8		5/21/24 1:45	B405426	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.655	J	5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	2.61		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	30.9		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.171	J	5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.393		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.242	J	5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.292	J	5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	59.3		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.121	J	5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	10.8		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 14:47	B405425	SW7470A/EPA245.1.3.0- 1994
Nickel	ug/L	3.72		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.070	J	5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	138		5/24/24 14:16	B405549	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-11
Sample Name: NE-4
Date/Time Collected: 5/14/24 12:53
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-11
Sample Name: NE-4
Date/Time Collected: 5/14/24 12:53
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.0		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	123		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/20/24 17:58	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 8:27	B405457	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	321		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-12
Sample Name: NAB-2
Date/Time Collected: 5/14/24 13:55
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	7.32		5/21/24 2:04	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	14.1		5/21/24 2:04	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	5.16		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	52.6		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.048	J	5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.410		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.340		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.169	J	5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	43.0	J	5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.155	J	5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	53.6		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 14:50	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	5.73		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.128	J	5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.082	J	5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	37.3		5/24/24 14:19	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-12
Sample Name: NAB-2
Date/Time Collected: 5/14/24 13:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-12
Sample Name: NAB-2
Date/Time Collected: 5/14/24 13:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.7		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	122		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	104		5/20/24 18:23	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	404		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

31 May 2024



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2024
 Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-13
 Sample Name: MW-577
 Date/Time Collected: 5/14/24 14:55
 Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.80		5/21/24 2:24	B405426	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	93.3		5/21/24 7:15	B405426	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	5.72		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	27.2		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.743		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.520		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	137		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	5.94		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 14:54	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.58	J	5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.084	J	5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/24/24 14:23	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-13
Sample Name: MW-577
Date/Time Collected: 5/14/24 14:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-13
Sample Name: MW-577
Date/Time Collected: 5/14/24 14:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.1		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	124		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/20/24 18:47	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	455		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-14
Sample Name: NE-3
Date/Time Collected: 5/14/24 15:26
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	3.86		5/21/24 10:14	B405465	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	19.9		5/21/24 10:14	B405465	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	0.402	J	5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.319		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	96.3		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.119	J	5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.380		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.191	J	5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.249	J	5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	35.4	J	5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.187	J	5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	3.99		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 14:57	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	2.46		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.106	J	5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.231	J	5/24/24 14:30	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	35.1		5/24/24 14:30	B405549	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-14
Sample Name: NE-3
Date/Time Collected: 5/14/24 15:26
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E20	5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E21	5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-14
Sample Name: NE-3
Date/Time Collected: 5/14/24 15:26
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.4		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	124		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	104		5/20/24 19:12	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	301		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-15
Sample Name: MW-633D
Date/Time Collected: 5/14/24 16:00
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	15.5		5/21/24 10:33	B405465	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	10.5		5/21/24 10:33	B405465	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.348		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	80.5		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	3.17		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	1.08		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.079	J	5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.566		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	78.8		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.478		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	5.74		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	0.178	J	5/21/24 15:07	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	8.67		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.141	J	5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.283		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	491		5/24/24 14:34	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	1.31		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-15
Sample Name: MW-633D
Date/Time Collected: 5/14/24 16:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	0.466	J	5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	1.79		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-15
Sample Name: MW-633D
Date/Time Collected: 5/14/24 16:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	97.4		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	125		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	105		5/20/24 21:39	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	336		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-16
Sample Name: NAB-3
Date/Time Collected: 5/14/24 16:39
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	4.29		5/21/24 10:53	B405465	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	10.3		5/21/24 10:53	B405465	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.443		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	41.2		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	1.01		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.477		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.346		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	1.32		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	55.2		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.715		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	171		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	0.0650	J	5/21/24 15:10	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	3.12		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.072	J	5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.188	J	5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	95.8		5/24/24 14:38	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-16
Sample Name: NAB-3
Date/Time Collected: 5/14/24 16:39
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-16
Sample Name: NAB-3
Date/Time Collected: 5/14/24 16:39
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.3		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	124		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/20/24 19:36	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	351		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	1.20		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-17
Sample Name: EB-1
Date/Time Collected: 5/14/24 16:50
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	< 0.500		5/21/24 11:12	B405465	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		5/21/24 11:12	B405465	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	< 0.260		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.358		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.520		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 15:13	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/24/24 15:19	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-17
Sample Name: EB-1
Date/Time Collected: 5/14/24 16:50
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	4.79		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	1.55	J	5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-17
Sample Name: EB-1
Date/Time Collected: 5/14/24 16:50
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.9		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	113		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		5/20/24 13:52	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	33.0		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-18
Sample Name: NE-2
Date/Time Collected: 5/15/24 8:45
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	11.6		5/21/24 11:31	B405465	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	311		5/22/24 9:27	B405465	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	0.477	J	5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.06		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	27.1		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.056	J	5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.884		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.673		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.654		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	259		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.601		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	17.3		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 15:17	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	5.62		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	0.070	J	5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.681		5/24/24 15:22	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	17.0	J	5/24/24 15:22	B405549	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-18
Sample Name: NE-2
Date/Time Collected: 5/15/24 8:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-18
Sample Name: NE-2
Date/Time Collected: 5/15/24 8:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.3		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	126		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	104		5/20/24 20:01	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	797		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	1.96		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-19
Sample Name: NAB-7
Date/Time Collected: 5/15/24 9:12
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	4.89		5/21/24 12:30	B405465	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	12.5		5/21/24 12:30	B405465	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	6.72		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	24.2		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.136	J	5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.359		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.094	J	5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.174	J	5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	637		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	4.03		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	1.28	J	5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 15:20	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.97		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.148	J	5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	44.7		5/24/24 15:26	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-19
Sample Name: NAB-7
Date/Time Collected: 5/15/24 9:12
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-19
Sample Name: NAB-7
Date/Time Collected: 5/15/24 9:12
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.4		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	123		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	104		5/20/24 20:25	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	319		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-20
Sample Name: MW-509D
Date/Time Collected: 5/15/24 9:45
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.74		5/21/24 12:49	B405465	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	6.69		5/21/24 12:49	B405465	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.177	J	5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Barium	ug/L	25.6		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Cadmium	ug/L	3.28		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Chromium	ug/L	0.617		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Copper	ug/L	0.266	J	5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Iron	ug/L	24.5	J	5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Lead	ug/L	0.213	J	5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Manganese	ug/L	1.25	J	5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/21/24 15:23	B405425	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.88	J	5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.402		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
Zinc	ug/L	321		5/24/24 15:30	B405549	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-20
Sample Name: MW-509D
Date/Time Collected: 5/15/24 9:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E21	5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-20
Sample Name: MW-509D
Date/Time Collected: 5/15/24 9:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	96.9		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	126		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	104		5/20/24 20:50	B405418	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/17/24 12:44	B405394	SM 4500-S2 D-2011
TDS	mg/L	323		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/21/24 8:54	B405435	SM 5310/SW-846 9060A

31 May 2024



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2024
 Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-21
 Sample Name: CAO-2
 Date/Time Collected: 5/15/24 10:45
 Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	20.3		5/21/24 13:09	B405465	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	11.5		5/21/24 13:09	B405465	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.077	J	5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	11.9	E20	5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	0.105	J	5/28/24 15:24	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.126	J	5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	0.402	J	5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8	E20	5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	2.73		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 14:43	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.050	J	5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/28/24 18:45	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-21
Sample Name: CAO-2
Date/Time Collected: 5/15/24 10:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-21
Sample Name: CAO-2
Date/Time Collected: 5/15/24 10:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	108		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	130		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/21/24 16:48	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	418		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	1.31		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-22
Sample Name: MW-6
Date/Time Collected: 5/15/24 10:45
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	15.8		5/22/24 13:28	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	7.34		5/22/24 13:28	B405499	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.449		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	42.8		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.409		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.496		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.051	J	5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	1.14		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	35.9	J	5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	0.139	J	5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	1.38	J	5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	0.642		5/23/24 14:46	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.98	J	5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	0.110	J	5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.139	J	5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	47.2		5/28/24 15:39	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-22
Sample Name: MW-6
Date/Time Collected: 5/15/24 10:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-22
Sample Name: MW-6
Date/Time Collected: 5/15/24 10:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	124		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	105		5/21/24 19:40	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	411		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	1.01		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

31 May 2024



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2024
 Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-23
 Sample Name: MW-2
 Date/Time Collected: 5/15/24 11:45
 Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	3.96		5/22/24 13:48	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	14.3		5/22/24 13:48	B405499	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	1.31	J	5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	4.62		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	28.1		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.047	J	5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.445		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.082	J	5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	0.378	J	5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	121		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	0.133	J	5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	3.27		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 14:50	B405544	SW7470A/EPA245.1.3.0- 1994
Nickel	ug/L	0.70	J	5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.803		5/28/24 15:43	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	20.4	J	5/28/24 15:43	B405599	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-23
Sample Name: MW-2
Date/Time Collected: 5/15/24 11:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-23
Sample Name: MW-2
Date/Time Collected: 5/15/24 11:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	107		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	128		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/21/24 17:13	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	332		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-24
Sample Name: CAO-3
Date/Time Collected: 5/15/24 12:12
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.32		5/22/24 14:07	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.52		5/22/24 14:07	B405499	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.102	J	5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	30.5		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.523		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.448		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	0.458	J	5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	0.124	J	5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 14:53	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.06	J	5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.194	J	5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	26.5		5/28/24 15:46	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-24
Sample Name: CAO-3
Date/Time Collected: 5/15/24 12:12
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-24
Sample Name: CAO-3
Date/Time Collected: 5/15/24 12:12
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	107		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	126		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/21/24 17:37	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	259		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-25
Sample Name: MW-3
Date/Time Collected: 5/15/24 13:00
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	44.0		5/22/24 15:25	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	40.3		5/22/24 15:25	B405499	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.434	J	5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.099	J	5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	9.63		5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	0.089	J	5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.334		5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	< 0.260		5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.099	J	5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	0.177	J	5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	32.3	J	5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	2030		5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 14:56	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	4.32		5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 15:50	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	0.156	J	5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	0.103	J	5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	27.1		5/28/24 18:38	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-25
Sample Name: MW-3
Date/Time Collected: 5/15/24 13:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-25
Sample Name: MW-3
Date/Time Collected: 5/15/24 13:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	109		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	128		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	104		5/21/24 18:02	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	567		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	3.49		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-26
Sample Name: MW-689D
Date/Time Collected: 5/15/24 13:10
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.97		5/22/24 15:45	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	11.7		5/23/24 7:54	B405499	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.408	J	5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.41		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	28.9		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.108	J	5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.448		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.081	J	5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	0.517	J	5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	87.9		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	1.03		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	1.87		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 15:06	B405544	SW7470A/EPA245.1.3.0- 1994
Nickel	ug/L	0.78	J	5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.345		5/28/24 17:01	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	18.8	J	5/28/24 17:01	B405599	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-26
Sample Name: MW-689D
Date/Time Collected: 5/15/24 13:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-26
Sample Name: MW-689D
Date/Time Collected: 5/15/24 13:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	107		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	126		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/21/24 18:26	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	315		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

31 May 2024



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2024
 Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-27
 Sample Name: CAO-1
 Date/Time Collected: 5/15/24 14:07
 Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	103		5/23/24 8:14	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		5/22/24 16:04	B405499	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	149		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	204		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.412		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	12.6		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	0.209	J	5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	28900		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	0.139	J	5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	333		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 15:09	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	33.3		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.580		5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	19.5	J	5/28/24 17:05	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	1.65		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trimethylbenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,3,5-Trimethylbenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-27
Sample Name: CAO-1
Date/Time Collected: 5/15/24 14:07
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	4.31		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	4.56		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	2.74		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	2.53		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	48.9		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-27
Sample Name: CAO-1
Date/Time Collected: 5/15/24 14:07
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	0.200	J	5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	0.324	J	5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	0.653	J	5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	108		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	122		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/21/24 20:04	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	162		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	8.10		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-28
Sample Name: NAB-7 DUP
Date/Time Collected: 5/15/24 9:12
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	4.86		5/22/24 16:24	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	12.7		5/22/24 16:24	B405499	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	3.39		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	24.4		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.128	J	5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.350		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.106	J	5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	0.206	J	5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	269		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	1.82		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	0.914	J	5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 15:13	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	2.02		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.078	J	5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	49.8		5/28/24 17:08	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-28
Sample Name: NAB-7 DUP
Date/Time Collected: 5/15/24 9:12
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-28
Sample Name: NAB-7 DUP
Date/Time Collected: 5/15/24 9:12
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	107		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	126		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/21/24 18:51	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	330		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	< 1.00		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-29
Sample Name: MW-1R
Date/Time Collected: 5/15/24 14:55
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	45.0		5/22/24 16:43	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	9.91		5/22/24 16:43	B405499	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	115		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	141		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.067	J	5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.513		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	27.1		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	1.05		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	25800		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	0.391	J	5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	129		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	0.152	J	5/23/24 15:16	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	40.2		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	0.814		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.179	J	5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	341		5/28/24 17:12	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	10.6		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	0.342	J	5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-29
Sample Name: MW-1R
Date/Time Collected: 5/15/24 14:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	3.30		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E20, E21	5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	1.52		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	1.66		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	1.35	J	5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	5.11		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	41.1		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-29
Sample Name: MW-1R
Date/Time Collected: 5/15/24 14:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	0.419	J	5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	2.37		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	124		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/21/24 20:29	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	134		5/22/24 16:27	B405423	SM 2540 C-2015
TOC	mg/L	3.53		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-30
Sample Name: MW-1
Date/Time Collected: 5/15/24 14:05
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	52.2		5/22/24 17:03	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	1.60		5/22/24 17:03	B405499	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	65.8		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	113		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.133	J	5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	1.72		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	78.8		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	1.71		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	15700		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	1.22		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	371		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 15:19	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	65.9		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	0.114	J	5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.356		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	120		5/28/24 17:19	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	10.3		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number:		2405505-30				
Sample Name:		MW-1				
Date/Time Collected:		5/15/24 14:05				
Sample Matrix:		Water				
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	4.05		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	3.29		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	1.96		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	0.346	J	5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	2.21		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	2.13		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	3.01		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	52.1		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-30
Sample Name: MW-1
Date/Time Collected: 5/15/24 14:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	0.412	J	5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	4.98		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	124		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/21/24 20:54	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	536		5/24/24 15:00	B405496	SM 2540 C-2015
TOC	mg/L	6.37		5/24/24 9:18	B405529	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-31
Sample Name: MW-1 Dup
Date/Time Collected: 5/15/24 14:05
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	52.0		5/22/24 17:22	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	1.68		5/22/24 17:22	B405499	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	65.3		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	113		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.120	J	5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	1.78		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	78.9		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	1.67		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	15700		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	1.16		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	365		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 15:23	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	65.4		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	0.101	J	5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.356		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	111		5/28/24 17:23	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	10.8		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	0.357	J	5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number:		2405505-31					
Sample Name:		MW-1 Dup					
Date/Time Collected:		5/15/24 14:05					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
1,4-Dichlorobenzene	ug/L	4.16		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	2.98		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
2-Chlorotoluene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
2-Hexanone	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
4-Chlorotoluene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Acrolein	ug/L	< 4.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Benzene	ug/L	1.99		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Bromobenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Bromodichloromethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Bromoform	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	2.20		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	1.75	J	5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
cis-1,2-Dichloroethene	ug/L	3.17		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Ethylbenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Isopropylbenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Methyl-tert-Butyl Ether	ug/L	52.3		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Naphthalene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
m,p-Xylene	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
n-Butylbenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
n-Propylbenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
o-Xylene	ug/L	0.206	J	5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
sec-Butylbenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	
Styrene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006	

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-31
Sample Name: MW-1 Dup
Date/Time Collected: 5/15/24 14:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	0.449	J	5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	5.24		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	126		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/21/24 21:18	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/21/24 10:18	B405467	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	498		5/24/24 15:00	B405496	SM 2540 C-2015
TOC	mg/L	6.33		5/24/24 9:23	B405533	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-32
Sample Name: NAB-8
Date/Time Collected: 5/15/24 15:07
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	4.08		5/22/24 17:42	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	11.6		5/22/24 17:42	B405499	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.516	J	5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	2.91		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	26.2		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.131	J	5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.520		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.076	J	5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	0.719		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	117		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	0.269	J	5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	3.66		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 15:26	B405544	SW7470A/EPA245.1.3.0- 1994
Nickel	ug/L	0.50	J	5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.069	J	5/28/24 17:27	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	14.3	J	5/28/24 17:27	B405599	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-32
Sample Name: NAB-8
Date/Time Collected: 5/15/24 15:07
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-32
Sample Name: NAB-8
Date/Time Collected: 5/15/24 15:07
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	109		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		5/21/24 19:15	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/24/24 8:37	B405567	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	338		5/24/24 15:00	B405496	SM 2540 C-2015
TOC	mg/L	12.9		5/24/24 9:23	B405533	SM 5310/SW-846 9060A

31 May 2024



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2024
 Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-33
 Sample Name: EB-2
 Date/Time Collected: 5/15/24 14:41
 Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	< 0.500		5/22/24 18:01	B405499	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		5/22/24 18:01	B405499	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Barium	ug/L	0.079	J	5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Chromium	ug/L	0.351		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Copper	ug/L	0.246	J	5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/23/24 15:29	B405544	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
Zinc	ug/L	10.9	J	5/28/24 17:31	B405599	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-33
Sample Name: EB-2
Date/Time Collected: 5/15/24 14:41
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	6.05		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	0.678	J	5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	1.28	J	5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-33
Sample Name: EB-2
Date/Time Collected: 5/15/24 14:41
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	110		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	127		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/21/24 15:59	B405458	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/24/24 8:37	B405567	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		5/20/24 7:52	B405413	SM 4500-S2 D-2011
TDS	mg/L	23.0		5/24/24 15:00	B405496	SM 2540 C-2015
TOC	mg/L	< 1.00		5/24/24 9:23	B405533	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-34
Sample Name: TB-1
Date/Time Collected: 5/16/24 9:48
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E21	5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01	5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00	E-01	5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

ANALYTICAL RESULTS

Lab Number: 2405505-34
Sample Name: TB-1
Date/Time Collected: 5/16/24 9:48
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
cis-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	109		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	124		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		5/21/24 16:23	B405458	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

QUALITY CONTROL RESULTS**Wet Chemistry -- Batch: B405394 (Water)**

Prepared: 17-May-24 12:44 By: JB -- Analyzed: 17-May-24 12:44 By: JB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Sulfide	<0.150 mg/L	97.5% / 92.5%	106% / NA		5.26%	

Wet Chemistry -- Batch: B405413 (Water)

Prepared: 20-May-24 07:52 By: JB -- Analyzed: 20-May-24 07:52 By: JB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Sulfide	<0.150 mg/L	107% / 106%	107% / NA		0.939%	

Wet Chemistry -- Batch: B405416 (Water)

Prepared: 20-May-24 09:47 By: KW -- Analyzed: 22-May-24 16:16 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TDS	<5.00 mg/L	93.3% / 105%	NA / NA		11.4%	

Volatiles -- Batch: B405418 (Water)

Prepared: 20-May-24 09:59 By: CT -- Analyzed: 20-May-24 22:28 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	94.4% / NA	101% / 94.6%		6.55%	
1,1,1-Trichloroethane	<0.261 ug/L	90.8% / NA	109% / 106%		2.33%	
1,1,2,2-Tetrachloroethane	<0.274 ug/L	99.0% / NA	113% / 105%		7.61%	
1,1,2-Trichloroethane	<0.210 ug/L	105% / NA	123% / 117%		4.86%	
1,1-Dichloroethane	<0.248 ug/L	101% / NA	121% / 115%		4.96%	
1,1-Dichloroethene	<0.303 ug/L	86.8% / NA	105% / 99.5%		5.49%	
1,1-Dichloropropene	<0.322 ug/L	89.4% / NA	110% / 104%		5.07%	
1,2,3-Trichlorobenzene	<0.186 ug/L	105% / NA	112% / 107%		4.78%	
1,2,3-Trichloropropane	<0.471 ug/L	105% / NA	113% / 118%		4.83%	
1,2,4- Trimethylbenzene	<0.210 ug/L	92.9% / NA	96.0% / 91.5%		4.86%	
1,2,4-Trichlorobenzene	<0.139 ug/L	104% / NA	110% / 104%		5.61%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	101% / NA	109% / 99.8%		8.90%	
1,2-Dibromoethane	<0.250 ug/L	106% / NA	124% / 114%		7.68%	
1,2-Dichlorobenzene	<0.173 ug/L	98.5% / NA	106% / 101%		4.82%	
1,2-Dichloroethane	<0.235 ug/L	107% / NA	126% / 116%		8.85%	
1,2-Dichloropropane	<0.259 ug/L	104% / NA	118% / 110%		7.21%	
1,3,5- Trimethylbenzene	<0.237 ug/L	91.5% / NA	95.5% / 91.3%		4.43%	
1,3-Dichlorobenzene	<0.220 ug/L	96.5% / NA	102% / 96.7%		5.57%	
1,3-Dichloropropane	<0.152 ug/L	106% / NA	121% / 114%		6.11%	
1,4-Dichlorobenzene	<0.158 ug/L	96.3% / NA	101% / 97.6%		3.67%	
2,2-Dichloropropane	<0.389 ug/L	94.5% / NA	100% / 90.7%		9.89%	
2-Butanone	<0.461 ug/L	109% / NA	134% / 122%		9.35%	
2-Chloroethyl Vinyl Ether	<0.261 ug/L	88.6% / NA	MBI / MBI		NA	MBI
2-Chlorotoluene	<0.298 ug/L	93.4% / NA	99.8% / 93.8%		6.17%	
2-Hexanone	<0.372 ug/L	106% / NA	126% / 121%		4.27%	
4-Chlorotoluene	<0.282 ug/L	96.6% / NA	100% / 96.6%		3.78%	
4-Methyl-2-pentanone	<0.281 ug/L	105% / NA	133% / 118%		12.7%	
Acrolein	<1.00 ug/L	79.9% / NA	85.4% / 80.9%		5.49%	

31 May 2024



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2024
 Date Received: 16-May-24 09:48

QUALITY CONTROL RESULTS

Volatiles -- Batch: B405418 (Water)

Prepared: 20-May-24 09:59 By: CT -- Analyzed: 20-May-24 22:28 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Acrylonitrile	<0.600 ug/L	105% / NA	126% / 121%		4.44%	
Benzene	<0.263 ug/L	95.6% / NA	114% / 108%		5.75%	
Bromobenzene	<0.207 ug/L	98.7% / NA	105% / 100%		5.11%	
Bromochloromethane	<0.301 ug/L	104% / NA	122% / 118%		3.66%	
Bromodichloromethane	<0.195 ug/L	101% / NA	112% / 106%		5.37%	
Bromoform	<0.278 ug/L	109% / NA	112% / 105%		6.63%	
Bromomethane	<0.600 ug/L	91.2% / NA	94.6% / 92.5%		2.16%	
Carbon disulfide	<0.300 ug/L	83.5% / NA	101% / 92.5%		8.90%	
Carbon Tetrachloride	<0.484 ug/L	91.6% / NA	112% / 108%		3.87%	
Chlorobenzene	<0.181 ug/L	94.4% / NA	103% / 97.8%		5.55%	
Chloroethane	<0.600 ug/L	87.5% / NA	108% / 101%		6.14%	
Chloroform	<0.600 ug/L	97.6% / NA	118% / 110%		6.90%	
Chloromethane	<0.300 ug/L	85.1% / NA	104% / 102%		1.48%	
cis-1,2-Dichloroethene	<0.290 ug/L	97.4% / NA	114% / 110%		3.51%	
cis-1,3-Dichloropropene	<0.123 ug/L	100% / NA	108% / 101%		6.40%	
Dibromochloromethane	<0.202 ug/L	105% / NA	113% / 108%		5.22%	
Dibromomethane	<0.174 ug/L	108% / NA	124% / 118%		5.40%	
Dichlorodifluoromethane	<0.266 ug/L	68.2% / NA	87.3% / 82.5%		5.66%	E21
Ethylbenzene	<0.274 ug/L	94.0% / NA	101% / 95.4%		5.37%	
Hexachlorobutadiene	<0.247 ug/L	98.8% / NA	104% / 96.0%		8.21%	
Isopropylbenzene	<0.274 ug/L	90.7% / NA	96.3% / 92.4%		4.08%	
m,p-Xylene	<0.500 ug/L	93.7% / NA	100% / 95.5%		5.14%	
Methylene Chloride	<0.600 ug/L	103% / NA	118% / 109%		7.85%	
Methyl-tert-Butyl Ether	<0.166 ug/L	102% / NA	127% / 121%		4.30%	
Naphthalene	<0.114 ug/L	101% / NA	109% / 103%		5.36%	
n-Butylbenzene	<0.174 ug/L	90.2% / NA	91.2% / 87.4%		4.30%	
n-Propylbenzene	<0.284 ug/L	91.2% / NA	95.7% / 91.2%		4.80%	
o-Xylene	<0.206 ug/L	95.7% / NA	102% / 97.4%		5.02%	
p-Isopropyltoluene	<0.301 ug/L	88.6% / NA	92.5% / 87.8%		5.24%	
sec-Butylbenzene	<0.181 ug/L	88.4% / NA	93.3% / 90.2%		3.42%	
Styrene	<0.175 ug/L	95.3% / NA	104% / 96.6%		7.27%	
tert-Butylbenzene	<0.194 ug/L	92.1% / NA	96.7% / 92.7%		4.28%	
Tetrachloroethene	<0.268 ug/L	91.8% / NA	107% / 103%		4.45%	
Toluene	<0.295 ug/L	94.3% / NA	107% / 101%		6.35%	
trans-1,2-Dichloroethene	<0.320 ug/L	91.7% / NA	108% / 102%		6.01%	
trans-1,3-Dichloropropene	<0.155 ug/L	101% / NA	111% / 103%		7.50%	
Trichloroethene	<0.306 ug/L	93.9% / NA	106% / 97.3%		8.27%	
Trichlorofluoromethane	<0.423 ug/L	83.2% / NA	101% / 97.6%		3.70%	
Vinyl chloride	<0.369 ug/L	82.3% / NA	102% / 96.4%		5.98%	
1,2-Dichloroethane-d4 [surr]	111 %	109% / NA	122% / 122%		NA	
4-Bromofluorobenzene [surr]	101 %	99.0% / NA	97.5% / 97.7%		NA	
Toluene-d8 [surr]	102 %	102% / NA	105% / 103%		NA	

31 May 2024

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48



QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: B405423 (Water)

Prepared: 20-May-24 11:16 By: ST -- Analyzed: 23-May-24 08:53 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TDS	NA	94.0% / NA	NA / NA		NA	
TDS	<5.00 mg/L	NA / 97.3%	NA / NA		3.48%	D

Total Metals -- Batch: B405425 (Water)

Prepared: 20-May-24 13:18 By: KW -- Analyzed: 21-May-24 14:04 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Mercury	<0.0610 ug/L	102% / NA	101% / 102%		1.13%	

Anions -- Batch: B405426 (Water)

Prepared: 20-May-24 14:09 By: MB -- Analyzed: 20-May-24 21:32 By: MB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Chloride	<0.500 mg/L	96.4% / NA	93.2% / 95.5%		2.30%	
Sulfate as SO4	<0.500 mg/L	102% / NA	98.3% / 100%		1.01%	

Wet Chemistry -- Batch: B405434 (Water)

Prepared: 20-May-24 14:32 By: ST -- Analyzed: 21-May-24 08:51 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TOC	<1.00 mg/L	98.4% / NA	93.2% / 96.1%		2.19%	

Wet Chemistry -- Batch: B405435 (Water)

Prepared: 20-May-24 14:43 By: ST -- Analyzed: 21-May-24 08:54 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TOC	<1.00 mg/L	93.7% / NA	90.2% / 90.9%		0.702%	

Wet Chemistry -- Batch: B405457 (Water)

Prepared: 21-May-24 08:27 By: JB -- Analyzed: 21-May-24 08:27 By: JB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Cyanide (total)	<0.010 mg/L	101% / 96.0%	93.0% / NA		5.08%	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

QUALITY CONTROL RESULTS**Volatiles -- Batch: B405458 (Water)**

Prepared: 21-May-24 08:47 By: CT -- Analyzed: 21-May-24 22:07 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	97.2% / NA	91.7% / 92.8%		1.12%	
1,1,1-Trichloroethane	<0.261 ug/L	115% / NA	99.9% / 100%		0.0982%	
1,1,2,2-Tetrachloroethane	<0.274 ug/L	115% / NA	112% / 109%		2.59%	
1,1,2-Trichloroethane	<0.210 ug/L	117% / NA	115% / 115%		0.304%	
1,1-Dichloroethane	<0.248 ug/L	124% / NA	111% / 114%		1.94%	
1,1-Dichloroethene	<0.303 ug/L	111% / NA	93.5% / 94.8%		1.36%	
1,1-Dichloropropene	<0.322 ug/L	116% / NA	99.5% / 100%		0.707%	
1,2,3-Trichlorobenzene	<0.186 ug/L	112% / NA	103% / 101%		1.45%	
1,2,3-Trichloropropane	<0.471 ug/L	126% / NA	119% / 114%		4.55%	
1,2,4-Trimethylbenzene	<0.210 ug/L	104% / NA	92.1% / 92.0%		0.153%	
1,2,4-Trichlorobenzene	<0.139 ug/L	107% / NA	98.7% / 99.0%		0.247%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	120% / NA	100% / 98.0%		2.12%	
1,2-Dibromoethane	<0.250 ug/L	114% / NA	111% / 112%		1.53%	
1,2-Dichlorobenzene	<0.173 ug/L	108% / NA	99.3% / 102%		2.30%	
1,2-Dichloroethane	<0.235 ug/L	111% / NA	110% / 108%		1.82%	
1,2-Dichloropropane	<0.259 ug/L	111% / NA	107% / 105%		1.27%	
1,3,5-Trimethylbenzene	<0.237 ug/L	104% / NA	91.3% / 91.7%		0.428%	
1,3-Dichlorobenzene	<0.220 ug/L	105% / NA	93.8% / 95.1%		1.28%	
1,3-Dichloropropane	<0.152 ug/L	112% / NA	111% / 108%		2.78%	
1,4-Dichlorobenzene	<0.158 ug/L	104% / NA	94.5% / 96.2%		1.50%	
2,2-Dichloropropane	<0.389 ug/L	111% / NA	81.1% / 77.2%		4.89%	
2-Butanone	<0.461 ug/L	117% / NA	122% / 131%		7.61%	
2-Chloroethyl Vinyl Ether	<0.261 ug/L	67.8% / NA	MBI / MBI		NA	E21, MBI
2-Chlorotoluene	<0.298 ug/L	108% / NA	95.8% / 95.0%		0.754%	
2-Hexanone	<0.372 ug/L	123% / NA	116% / 115%		1.00%	
4-Chlorotoluene	<0.282 ug/L	108% / NA	96.5% / 97.2%		0.665%	
4-Methyl-2-pentanone	<0.281 ug/L	120% / NA	121% / 116%		4.88%	
Acrolein	<1.00 ug/L	90.5% / NA	77.8% / 78.6%		1.07%	
Acrylonitrile	<0.600 ug/L	133% / NA	127% / 127%		0.555%	E-01
Benzene	<0.263 ug/L	118% / NA	105% / 105%		0.709%	
Bromobenzene	<0.207 ug/L	101% / NA	96.3% / 94.4%		2.00%	
Bromochloromethane	<0.301 ug/L	125% / NA	116% / 116%		0.324%	E-01
Bromodichloromethane	<0.195 ug/L	106% / NA	99.7% / 97.3%		2.41%	
Bromoform	<0.278 ug/L	107% / NA	95.9% / 95.4%		0.522%	
Bromomethane	<0.600 ug/L	106% / NA	79.6% / 80.6%		1.20%	
Carbon disulfide	<0.300 ug/L	107% / NA	90.4% / 91.4%		1.10%	
Carbon Tetrachloride	<0.484 ug/L	110% / NA	106% / 106%		0.132%	
Chlorobenzene	<0.181 ug/L	102% / NA	96.2% / 95.8%		0.335%	
Chloroethane	<0.600 ug/L	110% / NA	96.6% / 101%		4.56%	
Chloroform	<0.600 ug/L	119% / NA	107% / 107%		0.270%	
Chloromethane	<0.300 ug/L	107% / NA	88.8% / 88.7%		0.0856%	
cis-1,2-Dichloroethene	<0.290 ug/L	119% / NA	106% / 108%		2.03%	
cis-1,3-Dichloropropene	<0.123 ug/L	103% / NA	94.5% / 92.5%		2.22%	
Dibromochloromethane	<0.202 ug/L	113% / NA	104% / 105%		0.779%	
Dibromomethane	<0.174 ug/L	107% / NA	105% / 102%		2.95%	
Dichlorodifluoromethane	<0.266 ug/L	91.0% / NA	75.5% / 76.5%		1.37%	
Ethylbenzene	<0.274 ug/L	99.6% / NA	90.9% / 90.5%		0.428%	
Hexachlorobutadiene	<0.247 ug/L	101% / NA	90.4% / 90.8%		0.487%	

31 May 2024



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2024
 Date Received: 16-May-24 09:48

QUALITY CONTROL RESULTS**Volatiles -- Batch: B405458 (Water)**

Prepared: 21-May-24 08:47 By: CT -- Analyzed: 21-May-24 22:07 By: ct

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Isopropylbenzene	<0.274 ug/L	107% / NA	92.9% / 91.9%		1.11%	
m,p-Xylene	<0.500 ug/L	99.6% / NA	90.1% / 88.7%		1.62%	
Methylene Chloride	<0.600 ug/L	117% / NA	106% / 106%		0.360%	
Methyl-tert-Butyl Ether	<0.166 ug/L	125% / NA	111% / 111%		0.151%	
Naphthalene	<0.114 ug/L	121% / NA	111% / 111%		0.782%	
n-Butylbenzene	<0.174 ug/L	102% / NA	86.5% / 85.9%		0.629%	
n-Propylbenzene	<0.284 ug/L	105% / NA	90.4% / 91.1%		0.786%	
o-Xylene	<0.206 ug/L	99.2% / NA	93.0% / 92.4%		0.651%	
p-Isopropyltoluene	<0.301 ug/L	101% / NA	87.7% / 87.3%		0.365%	
sec-Butylbenzene	<0.181 ug/L	101% / NA	89.6% / 88.4%		1.39%	
Styrene	<0.175 ug/L	100% / NA	92.5% / 93.4%		1.06%	
tert-Butylbenzene	<0.194 ug/L	105% / NA	92.2% / 94.8%		2.77%	
Tetrachloroethene	<0.268 ug/L	94.7% / NA	87.3% / 85.6%		2.00%	
Toluene	<0.295 ug/L	101% / NA	94.4% / 93.2%		1.28%	
trans-1,2-Dichloroethene	<0.320 ug/L	115% / NA	103% / 102%		1.02%	
trans-1,3-Dichloropropene	<0.155 ug/L	106% / NA	94.2% / 94.3%		0.0446%	
Trichloroethene	<0.306 ug/L	107% / NA	95.5% / 95.4%		0.156%	
Trichlorofluoromethane	<0.423 ug/L	106% / NA	89.3% / 93.3%		4.43%	
Vinyl chloride	<0.369 ug/L	105% / NA	83.6% / 86.4%		2.92%	
1,2-Dichloroethane-d4 [surr]	127 %	126% / NA	123% / 122%		NA	
4-Bromofluorobenzene [surr]	109 %	109% / NA	105% / 106%		NA	
Toluene-d8 [surr]	103 %	104% / NA	102% / 102%		NA	

Anions -- Batch: B405465 (Water)

Prepared: 21-May-24 09:40 By: MB -- Analyzed: 21-May-24 14:26 By: MB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Chloride	<0.500 mg/L	94.6% / NA	100% / 104%		1.45%	
Sulfate as SO4	<0.500 mg/L	98.8% / NA	100% / 103%		1.62%	

Wet Chemistry -- Batch: B405467 (Water)

Prepared: 21-May-24 10:18 By: JB -- Analyzed: 21-May-24 10:18 By: JB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Cyanide (total)	<0.010 mg/L	102% / 100%	100% / NA		1.98%	

Wet Chemistry -- Batch: B405496 (Water)

Prepared: 22-May-24 09:57 By: ST -- Analyzed: 24-May-24 15:00 By: KW

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TDS	<5.00 mg/L	84.7% / 88.0%	NA / NA		3.86%	

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

QUALITY CONTROL RESULTS

Anions -- Batch: B405499 (Water)

Prepared: 22-May-24 11:21 By: MB -- Analyzed: 23-May-24 10:38 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Chloride	<0.500 mg/L	100% / NA	109% / 103%		3.68%	
Sulfate as SO4	<0.500 mg/L	101% / NA	103% / 102%		0.878%	

Wet Chemistry -- Batch: B405529 (Water)

Prepared: 23-May-24 08:20 By: ST -- Analyzed: 24-May-24 09:18 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TOC	<1.00 mg/L	96.5% / NA	87.8% / 93.9%		5.29%	

Wet Chemistry -- Batch: B405533 (Water)

Prepared: 23-May-24 08:24 By: ST -- Analyzed: 24-May-24 09:23 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TOC	<1.00 mg/L	93.9% / NA	97.6% / 100%		1.16%	

Total Metals -- Batch: B405544 (Water)

Prepared: 23-May-24 11:16 By: KW -- Analyzed: 23-May-24 14:40 By: KW

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Mercury	<0.0610 ug/L	98.1% / NA	105% / 104%		1.30%	

Total Metals -- Batch: B405549 (Water)

Prepared: 23-May-24 14:04 By: ST -- Analyzed: 24-May-24 12:33 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	91.8% / NA	92.5% / 89.1%		3.65%	
Arsenic	<0.052 ug/L	98.4% / NA	103% / 104%		0.218%	
Barium	<0.078 ug/L	95.6% / NA	96.4% / 96.3%		0.0549%	
Beryllium	<0.074 ug/L	98.6% / NA	96.6% / 96.7%		0.112%	
Cadmium	<0.038 ug/L	98.5% / NA	97.1% / 97.3%		0.256%	
Chromium	<0.0751 ug/L	96.0% / NA	92.6% / 92.5%		0.0110%	
Cobalt	<0.035 ug/L	103% / NA	104% / 105%		0.666%	
Copper	<0.149 ug/L	99.3% / NA	96.5% / 97.7%		1.23%	
Iron	<13.8 ug/L	113% / NA	MBA / MBA		1.28%	MBA
Lead	<0.115 ug/L	100% / NA	98.3% / 98.7%		0.368%	
Manganese	<0.423 ug/L	96.8% / NA	95.9% / 91.6%		0.527%	
Nickel	<0.42 ug/L	98.6% / NA	97.9% / 98.4%		0.514%	
Selenium	<1.50 ug/L	99.5% / NA	105% / 107%		2.21%	
Silver	<0.099 ug/L	101% / NA	103% / 103%		0.227%	
Thallium	<0.035 ug/L	103% / NA	103% / 102%		0.653%	
Tin	<1.62 ug/L	93.1% / NA	92.9% / 90.1%		3.01%	
Vanadium	<0.042 ug/L	96.3% / NA	94.8% / 96.0%		1.25%	
Zinc	<4.89 ug/L	99.6% / NA	90.6% / 92.5%		1.71%	

31 May 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2024
Date Received: 16-May-24 09:48

QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: B405567 (Water)

Prepared: 24-May-24 08:37 By: JB -- Analyzed: 24-May-24 08:37 By: JB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.010 mg/L	114% / 113%	112% / NA		0.881%	

Total Metals -- Batch: B405599 (Water)

Prepared: 28-May-24 08:34 By: ST -- Analyzed: 28-May-24 15:21 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	94.8% / NA	105% / 102%		2.32%	
Arsenic	<0.052 ug/L	98.7% / NA	107% / 107%		0.715%	
Barium	<0.078 ug/L	95.3% / NA	183% / 181%		0.799%	%D1
Beryllium	<0.074 ug/L	96.2% / NA	86.0% / 84.9%		1.31%	
Cadmium	<0.038 ug/L	97.4% / NA	96.1% / 94.6%		1.57%	
Chromium	<0.0751 ug/L	94.5% / NA	94.4% / 93.0%		1.49%	
Cobalt	<0.035 ug/L	101% / NA	103% / 103%		0.483%	
Copper	<0.149 ug/L	99.0% / NA	96.9% / 96.3%		0.613%	
Iron	<13.8 ug/L	112% / NA	134% / 126%		5.84%	%D1
Lead	<0.115 ug/L	98.9% / NA	99.2% / 98.1%		1.13%	
Manganese	<0.423 ug/L	95.5% / NA	119% / 119%		0.0336%	
Nickel	<0.42 ug/L	98.6% / NA	92.9% / 91.4%		1.63%	
Selenium	<1.50 ug/L	98.7% / NA	111% / 112%		0.771%	
Silver	<0.099 ug/L	100% / NA	97.2% / 95.1%		2.25%	
Thallium	<0.035 ug/L	100% / NA	103% / 101%		1.94%	
Tin	<1.62 ug/L	94.9% / NA	102% / 99.5%		2.94%	
Vanadium	<0.042 ug/L	93.7% / NA	95.5% / 93.6%		1.93%	
Zinc	<4.89 ug/L	115% / NA	122% / 121%		0.679%	

QUALIFIER(S)

- *%D1: Matrix Spike and/or Matrix Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
- *D: RPD Value Does Not Meet Laboratory Acceptance Criteria
- *E-01: Estimated Result; This Analyte Failed "High" in the CCV; If the sample is non-detect for this analyte, the CCV demonstrated the analyte would have been detected were it present.
- *E20: Estimated Result Due to Matrix Spike and/or Matrix Spike Duplicate Failure; This sample was used as the "parent sample" in MS/MSD prep.
- *E21: Estimated Result; This Analyte failed (low) in the CCV.
- *J: Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- *MBA: Masked By Analyte
- *MBI: Masked By Interference

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: _____
Norma James
Technical Director



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD


CLIENT INFORMATION				Project Description		Turnaround Time	Preservation Codes:													
Harbor Environmental & Safety				NABORS Landfill		1 Day (100%)	1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination							
5800 Evergreen Dr.						2 Day (50%)	2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid(HCl)							
Little Rock, AR 72205				Reporting Information		3 Day (25%)	3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12							
Attn: Tom Huetter				Telephone: 501-663-8800		5 Day (Routine)	TEST PARAMETERS										Bottle Type Code			
				Email: thuetter@harborenv.com		Preservative Code:	1,5	1	1,6	1,6,Zn Acetate	1,5	1,3				G = Glass; P = Plastic				
						Bottle Type:	GV	P	P	P	GV	P				V = Septum; A = Amber				
Sampler(s) Signature				Sampler(s) Printed				Arkansas Analytical Work Order Number:												
				THOMAS HUETTER				2405505												
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION						Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg		
Date/s	Time/s																			
SP-7	5/13/24	1310	X		9	Water														
L.E. 93EP	"	1340	X		9	Water														
TSP-1	"	1420	X		9	Water														
TSP-2	"	1446	X		9	Water														
SPINX A	"	1625	X		9	Water														
NAB-4	5/14/24	0825	X		9	Water														
NERC	"	0933	X		9	Water														
MW-4	"	0945	X		9	Water														
MW-5	"	1055	X		9	Water														
MW-7	"	1101	X		9	Water														
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS					
			5/16/24 0915						1. CUSTODY SEALS: ☒ Yes ___ No											
									2. CONTAINERS CORRECT: ☒ Yes ___ No											
									3. COC/LABELS AGREE: ☒ Yes ___ No											
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			4. RECEIVED ON ICE: ☒ Yes ___ No											
			5/16/24 0948						5. TEMPERATURE ON RECEIPT: 3 °C											
									6. TEMPERATURE GUN ID: HHT# 5											
FOR COMPLETION BY LAB ONLY																				



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION				Project Description		Turnaround Time		Preservation Codes:												
Harbor Environmental & Safety				NABORS Landfill		1 Day (100%)		1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination						
5800 Evergreen Dr.						2 Day (50%)		2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid (HCl)						
Little Rock, AR 72205				Reporting Information		3 Day (25%)		3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12						
Attn: Tom Huetter				Telephone: 501-663-8800		5 Day (Routine)		TEST PARAMETERS										Bottle Type Code		
				Email: thuetter@harborenv.com		Preservative Code:		1,5	1	1,6	1,6, Zn Acetate	1,5	1,3				G = Glass; P = Plastic			
						Bottle Type:		GV	P	P	P	GV	P				V = Septum; A = Amber			
Sampler(s) Signature				Sampler(s) Printed				Arkansas Analytical Work Order Number:												
				THOMAS HUETTER				2405505												
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg						
NE-4	5/14/24	1253	X		9	Water			X	X	X	X	X	X			11			
NAB-2	"	1355	X		9	Water			X	X	X	X	X	X			12			
MW-577	"	1455	X		9	Water			X	X	X	X	X	X			13			
NE-3	"	1524	X		12	Water	+ MS/MSD		X	X	X	X	X	X			14			
MW-6339	"	1600	X		9	Water			X	X	X	X	X	X			15			
NAB-3	"	1639	X		9	Water			X	X	X	X	X	X			16			
EB-1	"	1650	X		9	Water			X	X	X	X	X	X			17			
NE-2	5/15/24	0845	X		9	Water			X	X	X	X	X	X			18			
NAB-7	"	0912	X		9	Water			X	X	X	X	X	X			19			
MW-5040	"	0945	X		9	Water			X	X	X	X	X	X			20			
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS					
			5/16/24 0915						1. CUSTODY SEALS: ☒ Yes ___ No											
									2. CONTAINERS CORRECT: ☒ Yes ___ No											
									3. COC/LABELS AGREE: ☒ Yes ___ No											
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			4. RECEIVED ON ICE: ☒ Yes ___ No											
			5-16-24 0948						5. TEMPERATURE ON RECEIPT: 3 °C											
5/16/24 0948									6. TEMPERATURE GUN ID: HHT# 5											
FOR COMPLETION BY LAB ONLY																				



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION				Project Description		Turnaround Time	Preservation Codes:										
Harbor Environmental & Safety				NABORS Landfill		1 Day (100%)	1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination				
5800 Evergreen Dr.						2 Day (50%)	2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid (HCl)				
Little Rock, AR 72205				Reporting Information		3 Day (25%)	3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12				
Attn: Tom Huetter				Telephone: 501-663-8800		5 Day (Routine)	TEST PARAMETERS										Bottle Type Code
				Email: thuetter@harborenv.com		Preservative Code:	1,5	1	1,6	1,6 Zn Acetate	1,5	1,3				G = Glass; P = Plastic	
						Bottle Type:	GV	P	P	P	GV	P				V = Septum; A = Amber	
				THOMAS HUETTER												Arkansas Analytical Work Order Number:	
Sampler(s) Signature				Sampler(s) Printed													
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg			
CAO-2	5/15/24	1045	X		9	Water			X	X	X	X	X	X			21
MW-6	"	1045	X		9	Water			X	X	X	X	X	X			22
MW-2	"	1145	X		9	Water			X	X	X	X	X	X			23
CAO-3	"	1212	X		9	Water			X	X	X	X	X	X			24
MW-3	"	1300	X		9	Water			X	X	X	X	X	X			25
MW-689P	"	1310	X		9	Water			X	X	X	X	X	X			26
~~MW-1~~	"	~~1405~~	X		9	Water			X	X	X	X	X	X	TH		
CAO-1	"	1407	X		9	Water			X	X	X	X	X	X			27
NAB 7 DUP	"	0912	X		9	Water			X	X	X	X	X	X			28
MW-1R	"	1455	X		12	Water	+ MS/MSD		X	X	X	X	X	X			29
1. Relinquished by: (Signature)		Date/Time		2. Received by: (Signature)		SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS					
		5/16/24 0915				1. CUSTODY SEALS: ☒ Yes ___ No											
						2. CONTAINERS CORRECT: ☒ Yes ___ No											
						3. COC/LABELS AGREE: ☒ Yes ___ No											
3. Relinquished by: (Signature)		Date/Time		4. Received by lab: (Signature)		4. RECEIVED ON ICE: ☒ Yes ___ No											
		5-16-24 0940				5. TEMPERATURE ON RECEIPT: 3 °C											
						6. TEMPERATURE GUN ID: HHT# 5											
FOR COMPLETION BY LAB ONLY																	



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:												
Harbor Environmental & Safety			NABORS Landfill			1 Day (100%)		1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination						
5800 Evergreen Dr.						2 Day (50%)		2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid(HCl)						
Little Rock, AR 72205			Reporting Information			3 Day (25%)		3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12						
			Telephone: 501-663-8800			5 Day (Routine)		TEST PARAMETERS										Bottle Type Code		
Attn: Tom Huetter			Email: thuetter@harborenv.com			Preservative Code:		1,5	1	1,6	1,6,Zn Acetate	1,5	1,3				G = Glass; P = Plastic			
						Bottle Type:		GV	P	P	P	GV	P				V = Septum; A = Amber			
Sampler(s) Signature			Sampler(s) Printed															Arkansas Analytical Work Order Number.		
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn) Hg						
MW-1	5/15/24	1405	X		9	Water			X	X	X	X	X	X				2405505		
MW-1 Dup	11	1405	X		9	Water			X	X	X	X	X	X				30		
NAB-2	11	1507	X		9	Water			X	X	X	X	X	X				31		
EB-2	11	1441	X		9	Water			X	X	X	X	X	X				32		
TB-1	5-16-2024	0915	X		9	Water			X	X	X	X	X	X				33		
			X		9	Water			X	X	X	X	X	X				34		
			X		9	Water			X	X	X	X	X	X						
			X		9	Water			X	X	X	X	X	X						
			X		9	Water			X	X	X	X	X	X						
			X		9	Water			X	X	X	X	X	X						
			X		9	Water			X	X	X	X	X	X						
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS					
			5/16/24 0915						1. CUSTODY SEALS: ☒ Yes ___ No											
									2. CONTAINERS CORRECT: ☒ Yes ___ No											
									3. COC/LABELS AGREE: ☒ Yes ___ No											
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			4. RECEIVED ON ICE: ☒ Yes ___ No											
			5/16/24 0949						5. TEMPERATURE ON RECEIPT: 3 °C											
									6. TEMPERATURE GUN ID: HHT#5											
FOR COMPLETION BY LAB ONLY																				


Appendix C

Statistical Plots

Page Intentionally Blank


Inorganic Statistical Plots

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:24 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:24 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:24 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:24 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:24 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Antimony Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Barium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series



Constituent: Barium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series



Constituent: Barium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Hollow symbols indicate censored values.

Time Series




Constituent: Barium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Beryllium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series







Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series



Constituent: Cadmium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Time Series




Constituent: Chloride Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:25 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series







Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series



Constituent: Lead Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Time Series




Constituent: Manganese Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 8/27/2024 4:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS DATABASE SanitasMatrix Thru 2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS DATABASE SanitasMatrix Thru 2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE SanitasMatrix Thru 2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix Thru 2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Selenium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS DATABASE SanitasMatrix Thru 2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS DATABASE SanitasMatrix Thru 2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS DATABASE SanitasMatrix Thru 2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix Thru 2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Silver Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 8/27/2024 4:27 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Tin Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Tin Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Tin Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Tin Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Tin Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Tin Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Tin Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Tin Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series











Constituent: Zinc Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05





Time Series











Constituent: Zinc Analysis Run 8/27/2024 4:28 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05











































Hollow symbols indicate censored values.











Hollow symbols indicate censored values.





















































































































































































































































Sen's Slope Estimator

MW-4




Constituent: Sulfate Analysis Run 8/27/2024 4:38 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Hollow symbols indicate censored values.

Sen's Slope Estimator


MW-5



Constituent: Sulfate Analysis Run 8/27/2024 4:38 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Sen's Slope Estimator

MW-577




Constituent: Sulfate Analysis Run 8/27/2024 4:38 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05





Hollow symbols indicate censored values.



Sen's Slope Estimator

MW-6




Constituent: Sulfate Analysis Run 8/27/2024 4:38 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05














Hollow symbols indicate censored values.











Hollow symbols indicate censored values.
































































EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 8/21/2024 8:29 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 8/21/2024 8:29 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 8/21/2024 8:29 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 8/21/2024 8:29 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


EPA 1989 Outlier Screening




EPA 1989 Outlier Screening




EPA 1989 Outlier Screening




EPA 1989 Outlier Screening




EPA 1989 Outlier Screening




EPA 1989 Outlier Screening











EPA 1989 Outlier Screening



EPA 1989 Outlier Screening








EPA 1989 Outlier Screening

CAO-3



n = 47

Statistical outlier is drawn as solid.
Mean 351.2, std. dev. 93.66, critical Tn 2.931.
After removing suspect data: mean 355.8, std. dev. 89.19, Tn 2.923.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.964
Critical = 0.945 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Dissolved Solids Analysis Run 8/21/2024 8:32 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-1R



n = 23


Statistical outlier is drawn as solid.
Mean 818.7, std. dev. 169, critical Tn 2.624.
After removing suspect data: mean 849.8, std. dev. 81.16, Tn 2.603.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.9536
Critical = 0.911
The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: Dissolved Solids Analysis Run 8/21/2024 8:33 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-2



n = 61


Statistical outliers are drawn as solid.
Mean 350.7, std. dev. 41, critical Tn 3.032.
After removing suspect data: mean 353.1, std. dev. 36.98, Tn 3.025;
mean 355.3, std. dev. 32.88, Tn 3.019; mean 357.2, std. dev. 30.03, Tn 3.013; mean 358.7, std. dev. 27.93, Tn 3.006;
mean 360.1, std. dev. 26.07, Tn 3.

Normality test used:
Shapiro Francia@alpha = 0.05
Calculated = 0.979
Critical = 0.959
The distribution, after removal of suspect values, was found to be normally distributed.

Constituent: Dissolved Solids Analysis Run 8/21/2024 8:33 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-689D











n = 42





Statistical outliers are drawn as solid.
Mean 354.2, std. dev. 66.37, critical Tn 2.887.
After removing suspect data: mean 359.3, std. dev. 58.45, Tn 2.877;
mean 363.8, std. dev. 51.56, Tn 2.866; mean 367.9, std. dev. 44.78, Tn 2.857; mean 371.8, std. dev. 38.11, Tn 2.846.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.9456
Critical = 0.938
The distribution, after removal of suspect values, was found to be normally distributed.


Constituent: Dissolved Solids Analysis Run 8/21/2024 8:33 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05









EPA 1989 Outlier Screening




EPA 1989 Outlier Screening



EPA 1989 Outlier Screening




EPA 1989 Outlier Screening



EPA 1989 Outlier Screening

MW-5



n = 61


Statistical outliers are drawn as solid.
Mean 7.712, std. dev. 2.072, critical Tn 3.032.
After removing suspect data: mean 7.889, std. dev. 1.864, Tn 3.019; mean 7.749, std. dev. 1.537, Tn 3.013.

Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9758
Critical = 0.961
The distribution, after removal of suspect values, was found to be normally distributed.

Constituent: Sulfate Analysis Run 8/21/2024 8:45 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-633D



n = 44


Statistical outlier is drawn as solid.
Mean 12.35, std. dev. 2.881, critical Tn 2.905.
After removing suspect data: mean 12.49, std. dev. 2.739, Tn 2.896.

Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9643
Critical = 0.943 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Sulfate Analysis Run 8/21/2024 8:45 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-7



n = 61


Statistical outliers are drawn as solid.
Mean 9.358, std. dev. 4.724, critical Tn 3.032.
After removing suspect data: mean 8.957, std. dev. 3.568, Tn 3.025; mean 9.067, std. dev. 3.496, Tn 3.019; mean 8.745, std. dev. 2.498, Tn 3.013.

Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9756
Critical = 0.961 (after natural log transformation)
The distribution, after removal of suspect values, was found to be log-normal.

Constituent: Sulfate Analysis Run 8/21/2024 8:46 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NAB-3



n = 44


Statistical outliers are drawn as solid.
Mean 13.95, std. dev. 14.96, critical Tn 2.905.
After removing suspect data: mean 12.01, std. dev. 7.626, Tn 2.896; mean 10.96, std. dev. 3.353, Tn 2.887.


Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9496
Critical = 0.942 (after natural log transformation)
The distribution, after removal of suspect values, was found to be log-normal.

Constituent: Sulfate Analysis Run 8/21/2024 8:46 AM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


EPA 1989 Outlier Screening

NAB-8







Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded.




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cadmium Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Cadmium Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Cobalt Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Cobalt Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cobalt Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Iron Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Iron Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Iron Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Manganese Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Thallium Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Thallium Analysis Run 8/27/2024 2:42 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Confidence Interval

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05 Printed 8/27/2024, 2:43 PM


<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Arsenic (ug/l)	CAO-1	134.3	79.24	10	Yes	21	0	No	0.01	Param.
Arsenic (ug/l)	CAO-2	1.588	0.3587	10	No	20	35	ln(x)	0.01	Param.
Arsenic (ug/l)	CAO-3	0.5635	0.102	10	No	9	0	ln(x)	0.01	Param.
Arsenic (ug/l)	MW-1	48.97	25.78	10	Yes	18	0	No	0.01	Param.
Arsenic (ug/l)	MW-1R	102.1	65.04	10	Yes	21	0	No	0.01	Param.
Arsenic (ug/l)	MW-2	6.17	4.19	10	No	21	4.762	No	0.01	NP (normality)
Arsenic (ug/l)	MW-3	5.281	1.905	10	No	19	10.53	No	0.01	Param.
Arsenic (ug/l)	MW-4	0.98	0.384	10	No	9	0	No	0.002	NP (normality)
Arsenic (ug/l)	MW-5	0.913	0.49	10	No	9	0	No	0.002	NP (normality)
Arsenic (ug/l)	MW-509D	0.925	0.15	10	No	9	0	No	0.002	NP (normality)
Arsenic (ug/l)	MW-577	5.72	0.998	10	No	9	0	No	0.002	NP (normality)
Arsenic (ug/l)	MW-6	0.4839	0.4093	10	No	9	0	No	0.01	Param.
Arsenic (ug/l)	MW-633D	0.7328	0.3038	10	No	9	0	ln(x)	0.01	Param.
Arsenic (ug/l)	MW-689D	6.937	2.088	10	No	9	0	No	0.01	Param.
Arsenic (ug/l)	MW-7	0.2838	0.2215	10	No	9	0	No	0.01	Param.
Arsenic (ug/l)	NAB-2	14.98	6.554	10	No	19	5.263	ln(x)	0.01	Param.
Arsenic (ug/l)	NAB-3	0.4286	0.2519	10	No	9	0	sqrt(x)	0.01	Param.
Arsenic (ug/l)	NAB-4	6.103	2.935	10	No	20	10	No	0.01	Param.
Arsenic (ug/l)	NAB-7	9.814	2.123	10	No	21	4.762	ln(x)	0.01	Param.
Arsenic (ug/l)	NAB-8	4.766	2.448	10	No	19	10.53	ln(x)	0.01	Param.
Arsenic (ug/l)	NE-2	7.221	0.6802	10	No	9	0	sqrt(x)	0.01	Param.
Arsenic (ug/l)	NE-3	1.17	0.319	10	No	9	0	No	0.002	NP (normality)
Arsenic (ug/l)	NE-4	5.519	2.212	10	No	9	0	No	0.01	Param.
Arsenic (ug/l)	NE-6	0.576	0.325	10	No	9	0	No	0.002	NP (normality)
Cadmium (ug/l)	MW-509D	5.027	3.917	5	No	21	0	No	0.01	Param.
Cadmium (ug/l)	MW-633D	2.04	1.46	5	No	21	4.762	No	0.01	NP (normality)
Cobalt (ug/l)	CAO-1	24.6	14.72	6	Yes	21	0	x^(1/3)	0.01	Param.
Cobalt (ug/l)	MW-1	81.49	46.15	6	Yes	18	0	sqrt(x)	0.01	Param.
Cobalt (ug/l)	MW-1R	69.8	50.86	6	Yes	21	0	No	0.01	Param.
Iron (ug/l)	CAO-1	33757	26833	14000	Yes	21	0	No	0.01	Param.
Iron (ug/l)	MW-1	11221	6171	14000	No	18	0	No	0.01	Param.
Iron (ug/l)	MW-1R	28613	19873	14000	Yes	21	0	No	0.01	Param.
Manganese (ug/l)	MW-3	2375	1135	430	Yes	19	5.263	No	0.01	Param.
Thallium (ug/l)	MW-1R	1.712	0.9101	2	No	9	0	x^2	0.01	Param.
Thallium (ug/l)	NAB-4	0.9858	0.8549	2	No	9	0	No	0.01	Param.

Organic Statistical Plots


Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Chloroethane Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloroethane Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series







Constituent: cis-1,2-Dichloroethene Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series



Constituent: cis-1,2-Dichloroethene Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Time Series




Constituent: Methyl-tert-Butyl Ether Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Methyl-tert-Butyl Ether Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: o-Xylene Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: o-Xylene Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05





Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series






Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS DATABASE SanitasMatrix Thru 2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Trichloroethene Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vinyl chloride Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series











Constituent: Vinyl chloride Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05





Time Series











Constituent: Vinyl chloride Analysis Run 8/26/2024 3:20 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05
























Sen's Slope Estimator

CAO-1




n = 47
Slope = -0.2107
units per year.
Mann-Kendall
normal approx. =
-4.569
critical = -2.33
Decreasing trend
significant at 98%
confidence level
($\alpha = 0.01$ per
tail).

Constituent: Vinyl chloride Analysis Run 8/26/2024 3:24 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05





Sen's Slope Estimator

MW-1




n = 58
Slope = 0.2047
units per year.
Mann-Kendall
normal approx. =
7.369
critical = 2.33
Increasing trend
significant at 98%
confidence level
($\alpha = 0.01$ per
tail).

Constituent: Vinyl chloride Analysis Run 8/26/2024 3:24 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



EPA 1989 Outlier Screening

CAO-2




n = 46
Statistical outlier is drawn as solid.
Mean 2.96, std. dev. 2.407, critical Tn 2.923. After removing suspect data: mean 2.692, std. dev. 1.6, Tn 2.914.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9701
Critical = 0.945 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-1R




n = 23
Statistical outlier is drawn as solid.
Mean 9.933, std. dev. 6.458, critical Tn 2.624. After removing suspect data: mean 8.793, std. dev. 3.523, Tn 2.603.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9573
Critical = 0.911
The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-633D




n = 44
Statistical outliers are drawn as solid.
Mean 1.925, std. dev. 1.652, critical Tn 2.905. After removing suspect data: mean 1.965, std. dev. 1.649, Tn 2.896; mean 1.75, std. dev. 0.865, Tn 2.887.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9631
Critical = 0.942 (after natural log transformation)
The distribution, after removal of suspect values, was found to be log-normal.

Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NAB-3





n = 44
Statistical outliers are drawn as solid.
Mean 4.278, std. dev. 14.11, critical Tn 2.905. After removing suspect data: mean 2.176, std. dev. 2.181, Tn 2.896; mean 2.225, std. dev. 2.183, Tn 2.887; mean 1.939, std. dev. 1.155, Tn 2.877.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9464
Critical = 0.941 (after natural log transformation)
The distribution, after removal of suspect values, was found to be log-normal.

Constituent: TOC [Total Organic Carbon] Analysis Run 8/26/2024 3:26 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


EPA 1989 Outlier Screening

NAB-4







Constituent: 1,1-Dichloroethane Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,4-Dichlorobenzene Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,4-Dichlorobenzene Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,4-Dichlorobenzene Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Benzene Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Benzene Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Benzene Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Methyl-tert-Butyl Ether Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Vinyl chloride Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Vinyl chloride Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval

Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Vinyl chloride Analysis Run 8/27/2024 3:16 PM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Confidence Interval

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05 Printed 8/27/2024, 3:17 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
1,1-Dichloroethane (ug/l)	MW-1	15.4	12.72	2.8	Yes	18	0	No	0.01	Param.
1,4-Dichlorobenzene (ug/l)	CAO-1	3.516	1.548	75	No	11	0	No	0.01	Param.
1,4-Dichlorobenzene (ug/l)	MW-1	4.769	3.331	75	No	11	9.091	No	0.01	Param.
1,4-Dichlorobenzene (ug/l)	MW-1R	4.172	2.795	75	No	11	0	No	0.01	Param.
Benzene (ug/l)	CAO-1	4.723	3.695	5	No	21	0	x^2	0.01	Param.
Benzene (ug/l)	MW-1	1.69	1	5	No	18	27.78	No	0.01	NP (normality)
Benzene (ug/l)	MW-1R	1.215	0.8254	5	No	21	23.81	No	0.01	Param.
Methyl-tert-Butyl Ether (ug/L)	CAO-1	39.6	16.42	14	Yes	11	0	No	0.01	Param.
Methyl-tert-Butyl Ether (ug/L)	MW-1	55.8	42.6	14	Yes	11	0	No	0.01	Param.
Methyl-tert-Butyl Ether (ug/L)	MW-1R	50.32	36.72	14	Yes	11	0	No	0.01	Param.
Vinyl chloride (ug/l)	CAO-1	2.267	1.344	2	No	21	0	No	0.01	Param.
Vinyl chloride (ug/l)	MW-1	5.697	3.51	2	Yes	18	0	No	0.01	Param.
Vinyl chloride (ug/l)	MW-1R	4.002	3.153	2	Yes	21	0	No	0.01	Param.

Appendix D

Historical Database

Page Intentionally Blank

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
CAO-1	10/11/2005	n/a	<6	15.7	62.6	0.447	10.9	46	3.6	47.6	5.17	12300	12.4	8430	n/a	95.4	<10	<3	31.2	<2	n/a	6.43	1370	<0.5	1.62
	1/16/2006	6.1	n/a	16.4	<100	<0.18	0.915	29.5	2.75	65.1	<2	12200	<1	8560	n/a	121	<3	<0.39	28.5	<1	n/a	<10	1140	1	2.29
	4/5/2006	6.7	<6	18.4	<100	<0.8	0.559	30	0.891	102	<8	15100	<5	10100	n/a	125	<10	<1.7	20.8	<2	n/a	<10	1140	1.28	2.34
	7/27/2006	6.8	<1	17	200	<2	<5	24	39	60	<20	17000	6.8	10000	n/a	75	33	<10	17	<1	n/a	<10	1200	1.6	2
	9/6/2006	6.63	<1	23	210	<2	<5	23	<10	64	<20	18000	5	10000	<0.2	64	30	<10	15	<1	n/a	<10	1200	<1	1.2
	2/7/2007	6.48	<1	22	220	<2	<5	25	<10	66	<20	17000	<5	11000	<0.2	52	<20	<10	18	<1	n/a	<10	960	1.9	1.9
	5/24/2007	6.94	<1	25	230	<2	<5	27	<10	66	<20	19000	<5	11000	<0.2	70	<20	<10	15	<10	n/a	<10	1100	1.5	<1
	8/25/2007	6.65	<1	24	220	<2	<5	2.7	<10	60	<20	21000	15	10000	<0.2	63	63	<10	15	<10	n/a	<10	1200	2.2	1.5
	11/6/2007	6.3	<1	31	240	<2	<5	24	<10	64	<20	22000	<5	10000	<0.2	65	<20	<10	14	<10	<20	<10	1200	2.1	<1
	2/22/2008	6.2	<1	30	240	<2	<5	14	<10	64	<20	24000	<5	7200	<0.2	51	<20	<10	13	<1	25	<10	750	3.5	0.84
	4/29/2008	7.08	<1	32	190	<1	<5	15	<10	70	<1	26000	<5	7800	<0.2	62	2.2	<10	9.6	<1	<20	<10	730	2.4	<1
	8/19/2008	6.64	<1	35	280	<1	<5	15	<10	68	<20	29000	<5	7600	<0.2	60	<20	<10	11	<1	<20	<10	770	2.9	<1
	11/18/2008	6.48	<1	36	220	<2	<5	14	<10	68	<20	27000	6.2	6600	<0.2	52	<20	<10	9.7	<1	<20	<10	630	1.8	<1
	2/20/2009	7.43	<1	<1	87	<1	<5	3	<10	12	<1	1000	1.2	980	<0.2	<20	<1	<10	7.5	<1	<1	<10	62	<1	<1
	5/20/2009	6.43	<1	24	150	<1	<5	20	<10	54	<1	24000	<1	5000	<0.2	34	<1	<10	10	<1	<1	<10	220	1.7	<1
	8/19/2009	5.83	<1	49	190	<1	<0.5	28	<10	78	<2	36000	<1	6300	<0.2	68	1.9	<10	15	<1	<1	<10	730	4.4	1.6
	12/15/2009	6.58	n/a	33	280	<2	<5	33	12	30	<20	20000	29	2100	<0.2	38	<40	<10	29	<1	77	22	1100	0.42	<1
	3/22/2010	6.28	<1	4.5	170	<1	<0.5	48	2.1	11	1.8	4500	1.8	950	<0.2	10	1	4.3	28	<1	<1	2.7	100	0.43	<1
	6/17/2010	n/a	0.21	46	170	<1	0.55	47	<10	75	0.65	35000	1	5800	<0.2	70	0.92	<10	13	<1	0.51	<10	590	2.9	<1
	9/23/2010	6.22	<1	35	200	0.18	2.2	44	5.7	45	5.7	29000	10	4500	<0.2	32	0.78	28	13	0.24	0.79	6.2	640	2.9	<1
	12/8/2010	6.08	<1	19	220	<1	<0.5	44	<10	52	<2	37000	<1	5000	<0.2	48	1.1	<10	11	<1	<1	3.5	150	3.8	0.88
	3/23/2011	6.36	<1	24	210	<1	<0.5	49	<10	46	0.92	27000	1.4	5200	<0.2	37	0.45	<10	17	<1	<1	<10	270	2.3	0.6
	6/29/2011	6.21	<1	36	210	<1	<0.5	48	<10	63	1.8	36000	2.2	5700	<0.2	83	<1	<10	11	<1	0.3	<10	230	3.9	0.44
	9/29/2011	n/a	0.28	13	260	0.44	0.49	40	6	37	<10	38000	1.8	4300	0.05	32	<5	<10	4.4	<1	0.66	<10	140	4.3	0.61
	6/21/2012	n/a	<1	21	240	<1	1	74	<10	42	2.4	39000	3.9	4800	<0.2	29	1.2	<10	<5	<1	<1	22	350	2.4	<1
	9/19/2012	n/a	<1	16	220	<1	<0.5	67	<10	20	<2	36000	<1	3000	<0.2	<20	1.2	<10	<5	<1	<1	<10	130	2.7	<1
	3/11/2015	n/a	<0.21	30	240	<0.12	<0.16	81	<1.4	20	<0.52	24000	10	2000	<0.049	28	<0.38	<2.8	5	<0.19	<0.3	<2.4	<2.6	1.5	<0.4
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	<0.21	54	290	<0.12	<0.16	12	<1.4	36	<0.52	38000	<0.24	3400	<0.049	49	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	3.2	<0.4
	9/16/2015	n/a	<0.21	32.8	284	<0.12	<0.16	123	<0.54	21.9	5.04	26500	<0.24	2000	<0.049	35.7	<0.38	<0.31	9.36	<0.19	<0.3	<0.18	<2.56	2.84	<0.398
	12/16/2015	n/a	<0.21	52	296	<0.12	<0.16	108	<0.54	26.4	<0.52	32000	<0.24	2420	<0.049	34.8	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	2.8	<0.398
	3/29/2016	n/a	<0.21	112	222	<0.12	<0.16	121	<0.54	44.1	<0.52	39600	<0.24	2420	<0.049	68.9	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	29.4	4.25	<0.398
	6/29/2016	n/a	<0.754	135	229	<0.12	<0.16	99.9	<0.54	39.1	<0.52	41200	<0.24	1950	<0.049	64	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	5.08	<0.398
	9/20/2016	n/a	<2	132	206	<2	<1	91.1	<2	32.1	<5	34500	<2	1210	<0.2	58.5	<2	<2	<5	<2	<2	<5	76.6	4.04	<1
	12/21/2016	n/a	<2	122	250	<2	<1	95.9	<2	28.6	<5	36300	<2	1200	<0.2	57.1	<2	<2	<5	<2	<2	<5	27.2	4.34	<1
	3/29/2017	n/a	<2	37.9	249	<2	<1	109	<2	12.7	<5	22000	3.31	1050	<0.2	23.6	<2	<2	7.66	<2	<2	<5	25.9	4.28	<1
	9/28/2017	n/a	<2	142	255	<2	<1	112	<2	24.9	<5	35100	<2	993	<0.2	50.8	<2	<2	<5	<2	<2	<5	36.2	4.12	<1
	4/30/2018	n/a	<10*	57.8	318	<0.416*	0.358	65	<12.5*	12.4	<5*	26400	<15.6*	886	<0.2*	30	<52*	<20.8*	12.1	<73*	<41.6*	<20*	19.2	4.9	<5*
	10/29/2018	n/a	<36*	108	260	<0.624*	<1.2*	82	<12.5*	15	<5*	33000	<15.6*	611	<0.2*	33	<52*	<20.8*	<0.5*	<73*	<728*	<21*	22.5	4.83	<5*
	4/23/2019	n/a	<2.08*	132	274	<0.26*	0.071	94.1	0.283	13.9	0.373	26200	0.312	553	<0.2*	22.6	<2.08*	<0.26*	<0.5*	<0.26*	<20.8*	0.877	69.4	4.74	<5*
	10/8/2019	n/a	<2.08*	32.8	228	0.177	0.127	36.6	0.633	9.93	1.38	21400	1.71	820	<0.2*	17.1	<4.16*	0.028	19.4	0.075	<20.8*	1.37	153	1.03	<1*
	4/21/2020	n/a	<2.08*	125	238	<0.26*	0.049	97.6	0.292	13.2	0.162	26300	0.159	517	<0.2*	30.2	<5.2*	<0.312*	<0.5*	<0.26*	<20.8*	0.969	56.6	5.57	<1*
	10/6/2020	n/a	<2.08	128	200	<0.26	<0.26	107	0.389	13.5	0.137	25400	<0.26	419	<0.2	13.7	<5.2	<0.312	<0.5	<0.26	<20.8	0.758	5.56	4.94	<1
	4/6/2021	n/a	<2.08*	150	225	<0.26*	<0.26*	107	0.114	12.7	0.366	40600	<0.26*	381	<0.2*	34	<5.2*	<0.312*	<0.5*	<0.26*	<20.8*	0.787	10.7	4.56	<1*
	10/5/2021	n/a	<2	171	210	<0.25	<0.25	96.6	0.323	15.2	0.34	25500	<0.25	376	<0.2	40.7	<5	<0.3	<0.5	<0.25	<20	0.776	6.65	4.65	<1
	4/19/2022	n/a	<2.08*	164	239	<0.26*	0.137	87.3	0.403	14.1	0.316	25200	0.29	390	0.07	38.6	<5.2*	<0.312*	<0.5*	0.05	<20.8*	0.811	91.8	4.84	<1*
	10/4/2022	n/a	<2.08*	175	199	<0.26*	<0.26*	99.2	0.218	14.4	<0.395*	28100	<0.26*	338	<0.2*	42.9	<5.2*	<0.312*	<0.5*	<0.26*	<20.8*	0.667	7.95	4.68	<1*
	5/15/2024	n/a	<2.08	149	204	<0.26	<0.26	103	0.412	12.6	0.209	28900	0.139	333	<0.2	33.3	<5.2	<0.312	n/a	<0.26	<20.8	0.58	19.5	4.56	<2
CAO-2	10/11/2005	n/a	<6	13.8	27.5	<1.2	1.15	25	<4.7	<50	3.18	12200	31.9	498	n/a	26.6	<10	<3	15.7	<2	n/a	8.4	69.2	<0.5	<0.25
	1/16/2006	6.52	n/a	2.26	<100	<0.18	<0.3	24.5	1.39	11.5	<2	483	3.76	127	n/a	27.9	<3	<0.39	25.2	<1	n/a	<10	19.4	<0.5	<0.25
	4/5/2006	7.2	<6	<10	<100	<0.8	<1.5	18.5	2.41	<200	<8	<50	<5	68.6	n/a	<200	<10	<1.7	6.06	<2	n/a	<10	<200	<0.5	<0.

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
	11/18/2008	6.83	<1	1.2	78	<2	<5	12	<10	<10	<20	<100	<5	85	<0.2	<20	<20	<10	6.9	<1	72	<10	<30	<1	<1	
	2/20/2009	6.88	<1	1.6	76	<1	<0.5	18	<10	<10	<1	<100	<1	42	<0.2	<20	<1	<10	5.9	<1	<1	<10	13	<1	<1	
	5/20/2009	6.57	<1	1.4	64	<1	<5	2.1	<10	<10	<1	<100	<1	18	<0.2	<20	<1	<10	8.2	<1	<1	<10	46	<1	<1	
	8/27/2009	6.34	<1	1.5	56	<1	2.8	18	<10	<10	<2	240	<1	36	<0.2	<20	<1	<10	10	<1	<1	<10	11	<1	<1	
	12/16/2009	7.57	n/a	110	200	2.7	5.5	16	51	57	29	44000	210	3300	0.21	130	<20	<10	12	3.3	<400	71	370	<1	<1	
	3/22/2010	7.5	<1	31	87	0.79	<0.5	16	13	19	11	10000	42	1100	<0.2	28	<1	3.3	10	0.49	<1	16	130	<1	<1	
	6/16/2010	n/a	<1	2.3	52	<1	<0.5	20	<10	1.8	0.75	810	2.3	74	0.06	5.6	0.65	<10	7.1	<1	<1	<10	16	<1	<1	
	9/22/2010	6.81	<1	5.4	80	<1	<0.5	18	<10	<10	1.3	1300	5.8	230	0.02	7.4	0.6	6.8	10	0.21	<1	2.6	25	<1	<1	
	12/6/2010	6.78	0.42	5.4	79	0.6	0.41	18	2.4	2.6	1.6	1400	4.8	410	<0.2	<20	<1	<10	11	0.2	0.39	<10	16	<1	<1	
	3/21/2011	6.79	<1	2.8	63	<1	<0.5	20	<10	<10	0.66	640	1.8	140	<0.2	<20	<1	<10	7.6	<1	<1	<10	14	<1	<1	
	6/27/2011	6.63	<1	3	63	<1	<0.5	19	2	3	0.79	1400	4.1	190	<0.2	11	<1	<10	8.6	<1	<1	<10	17	<1	<1	
	9/27/2011	n/a	0.26	5.6	110	0.37	0.17	17	<10	2.3	0.76	260	1.4	350	<0.2	<20	0.61	<10	10	0.3	<1	<10	4.1	<1	<1	
	6/20/2012	n/a	<1	6.3	72	<1	<0.5	22	<10	<10	<2	960	5.8	350	<0.2	<20	<1	<10	14	<1	<1	28	16	<1	<1	
	9/19/2012	n/a	<1	6.7	120	<1	<0.5	16	<10	<10	<2	330	<1	460	<0.2	<20	<1	<10	11	<1	<1	<10	<10	<1	<1	
	3/11/2015	n/a	<0.21	2.6	69	<0.12	<0.16	21	<1.4	<2.3	<0.52	140	12	40	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	2.5	86	<0.12	<0.16	64	<1.4	<2.3	<0.52	120	<0.24	120	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	9/15/2015	n/a	<0.21	2.84	87.4	<0.12	1.11	58.1	<0.54	2.77	<0.52	136	<0.24	1660	<0.049	30.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	26.6	<0.331	<0.398	
	12/15/2015	n/a	<0.21	<0.25	71.6	<0.12	<0.16	30.3	<0.54	<0.26	<0.52	<15	<0.24	1200	<0.049	21.1	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	3/29/2016	n/a	<0.21	2.18	78.3	<0.12	<0.16	49.3	<0.54	<0.26	<0.52	<15	<0.24	743	<0.049	19.5	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	6/28/2016	n/a	<0.754	<0.25	83.5	<0.12	1.33	60.2	<0.54	2.21	<0.52	<15	<0.24	1870	<0.049	27.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	28.4	<0.331	<0.398	
	9/20/2016	n/a	<2	<2	81.6	<2	1.29	61.8	<2	4.37	<5	106	<2	2590	<0.2	32.3	<2	<2	<5	<2	<2	<5	25.5	<1	<1	
	12/21/2016	n/a	<2	<2	99.6	<2	1.48	66.2	<2	11.1	<5	305	<2	4350	<0.2	43.8	<2	<2	<5	<2	<2	<5	42.9	<1	<1	
	3/29/2017	n/a	<2	<2	70.4	<2	1.37	28.2	<2	3.22	<5	171	<2	1950	<0.2	23	<2	<2	<5	<2	<2	<5	<25	<1	<1	
	4/20/2018	n/a	<10*	<23.4*	68	<0.416*	<1.2*	20.7	<12.5*	1.19	2	478	<15.6*	213	0.025	4	<52*	<20.8*	8.68	<73*	<41.6*	0.5	8.6	<5*	<5*	
	10/26/2018	n/a	<36*	<23.5*	107	<0.624*	<1.2*	27.4	<12.5*	<13.5*	1	171	<15.6*	321	<0.2*	9	<52*	<20.8*	10.4	<73*	<728*	<21*	16.2	<5*	<5*	
	4/24/2019	n/a	<2.08*	1.4	106	<0.26*	0.099	26.2	0.285	0.319	0.412	41.2	0.241	78.3	0.15	4.91	<2.08*	<0.26*	9.51	0.279	<20.8*	0.255	9.07	<5*	<5*	
	10/8/2019	n/a	<2.08*	3.36	139	<0.26*	0.133	30.7	9.85	0.933	0.743	104	0.167	272	0.2	17.7	<2.08*	0.031	9.74	0.333	<20.8*	0.255	8.14	<1*	<1*	
	4/21/2020	n/a	<2.08*	0.8	78	<0.26*	<0.26*	24.9	0.425	0.185	0.382	20.3	<0.26*	5.81	0.325	2.44	<5.2*	<0.312*	8.84	0.112	<20.8*	0.173	9.12	<1*	<1*	
	10/6/2020	n/a	0.589	1.99	104	<0.26	0.101	25.2	0.514	0.318	0.61	26.3	19.5	141	0.075	0.43	<5.2	<0.312	10.6	0.205	<20.8	0.222	12.8	<1	<1	
	4/6/2021	n/a	<2.08*	0.98	77.6	<0.26*	<0.26*	19	0.777	0.401	0.323	40.4	0.162	42.7	0.03	1.92	<5.2*	<0.312*	8.79	0.066	<20.8*	0.235	7.32	<1*	<1*	
	10/5/2021	n/a	<2	1.27	83.2	<0.25	0.087	23.4	0.603	0.672	0.632	53.2	0.387	91.8	0.152	3.62	<5	<0.3	10.5	0.076	<20	0.284	9.27	<1	<1	
	4/19/2022	n/a	<2.08*	0.456	73.1	<0.26*	0.045	18.2	0.521	0.14	0.309	9.54	<0.26*	2.8	0.672	1.35	<5.2*	<0.312*	6.96	0.056	<20.8*	0.22	7.2	<1*	<1*	
	10/4/2022	n/a	<2.08*	0.808	55	<0.26*	0.321	8.56	0.203	0.441	0.584	<20.8*	<0.26*	223	0.198	8.21	<5.2*	<0.312*	2.68	0.303	<20.8*	0.208	16.4	<1*	<1*	
	5/15/2024	n/a	<2.08	0.077	11.9	0.105	<0.26	20.3	0.126	<0.26	0.402	<46.8	<0.416	2.73	<0.2	<1.56	<5.2	<0.312	n/a	<0.26	<20.8	0.05	<20.8	<1	<2	
CAO-3	10/11/2005	n/a	<6	1.76	<50	0.728	0.978	25	1.25	<50	2.09	745	5.56	<50	n/a	<50	<10	<3	16.1	<2	n/a	<10	65.7	<0.5	<0.25	
	1/16/2006	6.85	n/a	12.6	<100	0.853	0.541	7.5	6.02	26	5.79	4310	36	196	n/a	68.3	<3	<0.39	64.6	<1	n/a	14.2	112	<0.5	<0.25	
	4/5/2006	7.33	<6	<10	<100	<0.8	0.575	6.5	0.992	<200	<8	<50	<5	<50	n/a	<200	<10	<1.7	10.5	<2	n/a	<10	<200	<0.5	<0.25	
	7/27/2006	7.34	<1	<10	43	<2	<5	2.8	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	9.2	<1	n/a	<10	<30	<1	<1	
	9/6/2006	7.28	<1	<10	44	<2	<5	3.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	<30	<1	<1	
	2/7/2007	7.02	<1	<1	44	<2	<5	3.2	<10	<10	<20	<10000	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	31	<1	<1	
	5/24/2007	8.91	<1	6.4	55	<2	<5	4.4	<10	<10	<20	1500	5.7	40	<0.2	<20	<20	<10	71	<1	n/a	<10	98	<1	<1	
	8/25/2007	7.45	<1	1.1	38	<2	<5	2.7	&																	

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
MW-1	9/20/2012	n/a	<1	1.6	45	<1	0.54	5.2	<10	<10	<2	730	3.4	33	<0.2	<20	<1	<10	66	<1	<1	<10	43	<1	<1	
	3/11/2015	n/a	<0.21	<0.25	39	<0.12	<0.16	4.3	<1.4	<2.3	<0.52	<14	8.1	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	6/9/2015	n/a	<0.21	<0.25	45	<0.12	<0.16	12	<1.4	<2.3	<0.52	920	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.6	<0.19	<0.3	<2.4	31	<0.33	<0.4	
	9/15/2015	n/a	<0.21	<0.25	43.5	<0.12	<0.16	20.5	<0.54	<0.26	11.6	<15	<0.24	12.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	12/15/2015	n/a	<0.21	<0.25	41.7	<0.12	<0.16	11.4	<0.54	<0.26	<0.52	<15	<0.24	5.77	<0.049	2.4	<0.38	<0.31	6.19	<0.19	<0.3	<0.18	27.5	<0.331	<0.398	
	3/29/2016	n/a	<0.21	<0.25	39	<0.12	<0.16	8.98	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	6.96	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	6/28/2016	n/a	<0.754	<0.25	40.4	<0.12	<0.16	18.2	<0.54	<0.26	<0.52	<15	<0.24	5.37	<0.049	<0.35	<0.38	<0.31	6.38	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	9/20/2016	n/a	<2	<2	39.6	<2	<1	22.3	<2	<2	<5	129	<2	28.2	<0.2	2.33	<2	<2	5.19	<2	<2	<5	<25	<1	<1	
	12/21/2016	n/a	<2	<2	41.2	<2	<1	17.9	<2	<2	<5	<100	<2	8.4	<0.2	<2	<2	<2	6.01	<2	<2	<5	<25	<1	<1	
	3/29/2017	n/a	<2	<2	40.7	<2	<1	7.32	<2	<2	<5	128	2.3	<5	<0.2	<2	<2	<2	7.41	<2	<2	<5	<25	<1	<1	
	9/29/2017	n/a	<2	<2	45.6	<2	1.43	13.9	<2	<2	<5	690	2.68	10.2	<0.2	2.18	<2	<2	12.5	<2	<2	<5	32.6	<1	<1	
	4/18/2018	n/a	<10*	<23.4*	36.8	<0.416*	<1.2*	7.84	<12.5*	<10*	<5*	319	<15.6*	<10.4*	<0.2*	<10*	<52*	<20.8*	9.2	<73*	<41.6*	<20*	24	<5*	<5*	
	10/29/2018	n/a	<36*	<23.5*	39.6	<0.624*	<1.2*	10.9	<12.5*	<13.5*	<5*	108	<15.6*	<10.4*	<0.2*	4	<52*	<20.8*	30.2	<73*	<728*	<21*	27.4	<5*	<5*	
	4/23/2019	n/a	<2.08*	0.132	42.8	<0.26*	0.626	6.21	0.298	<0.26*	0.363	15.9	0.178	0.568	<0.2*	0.73	0.514	<0.26*	9.94	<0.26*	<0.8*	0.192	20.5	<5*	<5*	
	10/8/2019	n/a	<2.08*	0.474	40.9	<0.26*	0.406	8.75	0.351	0.409	0.321	21.4	0.26	51.8	<0.2*	4.9	<2.08*	<0.26*	45.9	0.197	<0.8*	0.27	24.6	<1*	<1*	
	4/21/2020	n/a	<2.08*	0.092	37.4	<0.26*	0.555	3.22	0.317	0.035	0.249	23.4	0.104	0.965	<0.2*	0.87	<5.2*	<0.312*	6.82	<0.26*	<0.8*	0.185	23.7	<1*	<1*	
	10/6/2020	n/a	<2.08	0.455	32.7	<0.26	0.253	6.94	0.494	0.071	0.419	33.9	0.315	1.5	<0.2	0.16	<5.2	<0.312	54.2	0.209	<0.8	0.273	25.7	<1	<1	
	4/6/2021	n/a	<2.08*	0.206	30.8	<0.26*	0.49	4.98	0.0801	0.043	0.304	15.6	0.139	1.07	<0.2*	2.81	<5.2*	<0.312*	21.7	0.107	<0.8*	0.213	32.9	<1*	<1*	
	10/5/2021	n/a	<2	0.269	35.1	<0.25	0.784	7.23	0.396	<0.25	0.336	5.67	0.099	1.7	<0.2	2.63	<5	<0.3	48.2	0.24	<20	0.256	68.9	<1	<1	
	4/19/2022	n/a	<2.08*	0.131	21.3	<0.26*	0.18	2.42	0.423	<0.26*	0.245	51.4	0.318	<1.56*	<0.2*	0.4	<5.2*	<0.312*	2.76	<0.26*	<0.8*	0.267	8.6	<1*	<1*	
	10/3/2022	n/a	0.478	1.35	18.9	<0.26*	0.183	1.42	0.199	0.21	0.362	356	0.167	101	<0.2*	0.88	<5.2*	0.105	3.63	0.067	<0.8*	0.062	<20.8*	<1*	<1*	
	5/15/2024	n/a	<2.08	0.102	30.5	<0.26	0.523	2.32	0.448	<0.26	0.458	<46.8	0.124	<1.56	<0.2	1.06	<5.2	<0.312	n/a	<0.26	<20.8	0.194	26.5	<1	<2	
	MW-1	4/13/1999	7.11	<6	<5	<100	<2	<3	5.5	<10	<20	<5	277	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	75	<0.05	<0.5
		7/28/1999	7.06	<6	<5	<100	<2	<3	5	<10	<20	<5	148	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5
		10/12/1999	6.92	<6	<5	<100	<2	<3	4.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.6	<1	n/a	<400	<30	<0.05	<0.5
		1/25/2000	7.12	<6	<5	<100	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.9	<1	n/a	<400	<30	<0.05	<0.5
		4/26/2000	7	<6	<5	<100	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
		10/18/2000	6.94	<6	<5	<100	<2	<3	4.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
		4/19/2001	7.01	<6	<5	<100	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	7.2	<1	n/a	<400	131	<0.05	<0.5
		10/25/2001	7.06	<6	<5	<10	6	<3	5	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	6.7	<2	n/a	<400	<30	<0.05	<0.5
		4/18/2002	6.86	<6	<5	<10	<2	<3	5.5	<10	<20	<5	<30	<5	179	n/a	<10	<10	<10	8.2	<1	n/a	<400	<30	<0.05	<0.5
		10/31/2002	6.95	<6	<5	211	<2	<3	5.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.2	<1	n/a	<400	98.7	<0.05	<0.5
		4/15/2003	6.97	<6	<5	14	<2	<3	5.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.8	<1	n/a	<400	113.7	<0.05	<0.5
		10/29/2003	6.98	<6	<5	18.4	<2	<3	5.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	156	<0.05	<0.5
		4/13/2004	6.9	8.1	<5	47	<2	3.3	5.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.6	<1	n/a	<400	147.2	<0.05	<0.5
10/20/2004		6.78	<6	<5	<30	<2	3.8	6	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.06	<1	n/a	<400	<30	<0.05	<0.5	
4/14/2005		6.88	<2	<1.5	<25	<0.18	2.93	<10	0.186	<20	<2	77	<1	261	n/a	<10	<3	<1	11.8	<1	n/a	2.16	183	<0.05	<0.5	
10/11/2005		6.47	4.87	<4	<50	<0.8	2.21	6.5	1.56	<50	<10	122	<5	<50	n/a	<50	<10	<3	9.43	<2	n/a	<10	233	<1	<1	
4/4/2006		7.19	2.44	<5	<50	0.8	1.98	5.5	1.34	<100	<2	<30	<1	<30	n/a	<100	<5	<0.5	9.64	<1	n/a	<2	270	<0.5	0.86	
7/26/2006		7.25	<1	<10	54	<2	<5	2.6	<10	<10	<20	<100	<5	<10	n/a	<20	25	<10	9.4	<1	n/a	<10	220	<1	<1	
9/5/2006		7.07	<1	1.1	58	<2	<5	2.5	&lt																	

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
MW-1R	6/29/2011	6.77	<1	13	120	<1	<0.5	37	<10	95	0.77	4100	0.73	780	0.67	57	<1	<10	6.5	<1	<1	<10	110	0.7	1.2	
	9/29/2011	n/a	0.37	12	140	0.29	0.42	40	4	73	<10	1500	0.89	1100	0.15	55	2.6	<10	11	0.75	0.33	<50	240	0.91	2	
	6/20/2012	n/a	<1	8.3	170	<1	<0.5	81	<10	64	<2	4400	<1	1100	<0.2	63	1.1	<10	16	<1	<1	42	120	1.3	2	
	9/19/2012	n/a	<1	13	160	<1	<0.5	73	<10	85	<2	2500	<1	1100	<0.2	88	1.1(P1)	<10	20	<1	<1	<10	180	1	1.3	
	12/15/2015	n/a	<0.21	24.2	195	<0.12	<0.16	133	<0.54	41	<0.52	6100	<0.24	789(V)	<0.049	58.1	<0.38	<0.31	26.4	<0.19	<0.3	<0.18	163(O1)	1.06	<0.398	
	3/29/2016	n/a	<0.21	12.1	189	<0.12	<0.16	127	<0.54	33.6	<0.52	5400	<0.24	773(V)	<0.049	47.1	<0.38	<0.31	21.2	<0.19	<0.3	<0.18	101	1.62	1.4	
	6/28/2016	n/a	<0.754	47.1	196	<0.12	<0.16	137	<0.54	46.6	<0.52	5680	<0.24	804	<0.049	83.5	<0.38	<0.31	22	<0.19	<0.3	<0.18	154	1.69	1.37	
	9/20/2016	n/a	<2	39.8	172	<2	<1	119	3.66	45.2	<5	6300	3.93	730	<0.2	63.6	<2	<2	21	<2	<2	<5	243	<1	1.25	
	12/20/2016	n/a	<2	71	201	<2	<1	122	5.88	109	10.4	6300	2.9	780	<0.2	158	<2	<2	23.6	<2	<2	<5	619	<1	<1	
	3/28/2017	n/a	<2	17.4	176	<2	<1	117	<2	57.8	<5	3910	<2	983	<0.2	61.2	<2	<2	25.4	<2	<2	<5	493	<1	1.06	
	9/27/2017	n/a	<2	23.8	190	<2	<1	123	<2	61.3	<5	6340	<2	889	<0.2	83.6	<2	<2	19.3	<2	<2	<5	327	<1	<1	
	4/18/2018	n/a	<10*	37.3	179	<0.416*	<1.2*	98.1	<12.5*	120	<5*	3430	<15.6*	1320	<0.2*	90	<52*	<20.8*	45	<73*	<41.6*	<20*	1620	<5*	<5*	
	10/29/2018	n/a	<36*	44.1	171	<0.624*	<1.2*	91.3	127	47.7	3	9630	<15.6*	596	<0.2*	147	<52*	<20.8*	17.2	<73*	<728*	<21*	151	0.815	<5*	
	4/24/2019	n/a	<2.08*	18.8	187	<0.26*	0.294	95.4	0.961	28.5	1.1	7270	0.823	828	0.15	33.7	<2.08*	0.025	5.58	0.531	<20.8*	0.69	374	1.06	0.509	
	10/9/2019	n/a	0.388	49.7	182	<0.26*	<0.26*	96.6	0.854	70.1	0.306	9480	0.125	658	0.05	119	<2.08*	<0.26*	10.7	0.057	<20.8*	0.308	49.2	0.942	0.461	
	4/22/2020	n/a	<2.08*	18.9	182	<0.26*	0.072	84.1	0.49	34.9	1.54	7900	0.457	802	0.075	38.2	<5.2*	<0.312*	5.08	0.174	<20.8*	0.31	162	1.28	0.55	
	10/7/2020	n/a	<2.08	40.4	180	<0.26	0.064	76.8	0.492	59.6	0.353	8960	0.271	630	<0.2	89.7	<5.2	<0.312	7.6	0.141	<20.8	0.393	73.9	1.22	<1	
	4/7/2021	n/a	<2.08*	20.6	164	<0.26*	0.045	77.1	0.343	67.4	1.71	8830	0.53	778	0.08	58.8	<5.2*	<0.312*	9.68	0.114	<20.8*	0.29	164	1.16	0.527	
	10/6/2021	n/a	0.458	56.6	157	<0.25	0.14	65.7	0.403	107	0.593	12800	0.387	351	0.0725	128	<5	<0.3	10.5	0.325	<20	0.2	245	1.44	0.422	
	4/19/2022	n/a	<2.08*	18	144	<0.26*	0.041	55.4	0.449	44.7	0.669	13300	0.254	382	<0.2*	38.9	<5.2*	<0.312*	3.62	<0.26*	<20.8*	0.183	81.2	1.91	0.614	
	10/4/2022	n/a	2.88	67.2	161	<0.26*	0.364	57.5	5.14	131	1.08	19200	0.67	328	<0.2*	228	<5.2*	<0.312*	3.56	0.31	25.9	0.698	197	1.54	<1*	
	5/15/2024	n/a	<2.08	65.8	113	<0.26	0.133	52.2	1.72	78.8	1.71	15700	1.22	371	<0.2	65.9	<5.2	<0.312	n/a	0.114	<20.8	0.356	120	1.96	<2	
	MW-1R	6/21/2012	n/a	1.4	91	350	4	36	51	65	160	71	62000	240	4800	<0.2	160	<1	<10	16	6.6	2	83	4800	<1	1.3
		9/20/2012	n/a	<1	2.8	130	<1	2	34	<10	48	<2	210	<1	1000	7	43	<1	<10	14	<1	<1	<10	850	<1	<1
		3/10/2015	n/a	<0.21	34	180	<0.12	<0.16	100	<1.4	96	<0.52	11000	7.9	590	0.96(J3)	83	<0.38	<2.8	23	<0.19	<0.3	<2.4	1500	<0.33	<0.4
		3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
		6/8/2015	n/a	<0.21	48	190	<0.12	<0.16	110	<1.4	87	<0.52	15000	<0.24	510	0.83	83	<0.38	<2.8	20	<0.19	<0.3	<2.4	1300(O1)	1.3	1.5
		9/15/2015	n/a	<0.21	49.2	165	<0.12	<0.16	121	<0.54	76.1	<0.52	13400	<0.24	442	0.231	82.4	<0.38	<0.31	21	2.23	<0.3	<0.18	1490	1.23	1.18
		12/15/2015	n/a	<0.21	25.8	170	<0.12	4.06	112	5.03	65.9	<0.52	9810	17.9	528	3.07	76.8(B)	<0.38	<0.31	26.9	2.03	<0.3	<0.18	1650	1.18	<0.398
		3/29/2016	n/a	<0.21	59.9	175	<0.12	<0.16	117	<0.54	75.3	<0.52	19700	2.56	433	0.327	80.3	<0.38	<0.31	21.7	2.02	<0.3	<0.18	1630	1.14	1.42
		6/28/2016	n/a	<0.754	52.9	169	<0.12	<0.16	116	<0.54	67.4	<0.52	15400	<0.24	353	0.22	76.3	<0.38	<0.31	22.7	2.07	<0.3	<0.18	1590	1.19	1.26
		9/20/2016	n/a	<2	60.4	166	<2	<1	114	<2	64.9	<5	19500	<2	320	0.683	78.4	<2	<2	23	<2	<2	<5	1760	<1	1.33
12/20/2016		n/a	<2	62.7	173	<2	<1	102	<2	69.2	<5	23700	2.41	346	0.715	80.2	<2	<2	23.7	<2	<2	<5	1600	<1	1.11	
3/28/2017		n/a	<2	64.6	173	<2	<1	103	2.92	75.4	<5	22900	<2	364	0.206	82.8	<2	<2	21.7	<2	<2	<5	1420	<1	<1	
9/27/2017		n/a	<2	75	169	<2	<1	118	<2	65.6	<5	28000	<2	279	<0.2	82	<2	<2	21.8	<2	<2	<5	1370	<1	1.08	
4/30/2018		n/a	<10*	73.8	162	<0.416*	0.521	83.1	<12.5*	65	<5*	26800	<15.6*	271	0.625	80	<52*	<20.8*	25.7	<73*	<41.6*	<20*	1390	0.753	0.676	
10/29/2018		n/a	<36*	85.6	163	<0.624*	<1.2*	97.6	<12.5*	58.6	<5*	32900	<15.6*	231	0.225	83	<52*	<20.8*	22.7	<73*	<728*	<21*	1340	1.05	0.694	
4/24/2019		n/a	<2.08*	110	174	<0.26*	0.201	89.4	0.393	56.9	3.39	28100	1.99	284	0.35	72.8	<2.08*	0.016	<25*	1.79	<20.8*	0.307	1220	1.09	0.684	
10/9/2019		n/a	<2.08*	117	169	<0.26*	0.133	92.7	0.713	56.1	0.504	32000	0.782	236	0.275	80.4	<2.08*	<0.26*	18.7	1.65	<20.8*	0.265	1120	0.786	0.718	
4/22/2020		n/a	<2.08*	108	161	<0.26*	0.166	84.7	0.576	46.4	1.74	27000	1.05	247	0.5	63.8	<5.2*	<0.312*	11.1	1.62	<20.8*	0.29	858	1.26	0.553	
10/7/2020		n/a	<2.08	120	153	<0.26	<0.26	76.2	0.43	48.5	0.251	34900	0.263	215	0.075	75.2	<5.2	<0.312	15.5	1.6	<20.8	0.233	1090	1.27	0.59	
4/7/2021		n/a	<2.08*	123	152	<0.26*	0.193	79.7	0.155	44.7	3.77	37500	1.17	216	0.465	65.2	<5.2*	<0.312*	13.3	1.53	<20.8*					

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
	10/20/2004	6.96	<6	<5	<30	<2	<3	8.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	12	<1	n/a	<400	<30	<0.05	<0.5	
	4/14/2005	7.02	<2	2.85	<25	<0.18	<1.2	<10	0.154	<20	5.81	92.6	<1	<30	n/a	<10	<3	<1	14	<1	n/a	<20	<10	<0.05	<0.5	
	10/11/2005	6.76	<6	5.85	<50	<0.8	<1.5	8.5	0.269	<50	<10	72.2	<5	<50	n/a	<50	<10	<3	12.4	<2	n/a	<10	<30	<1	<1	
	4/4/2006	7.6	<2	5.36	<50	<0.18	<0.3	5.5	0.643	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	16.6	<1	n/a	<2	<100	<0.5	<0.25	
	7/26/2006	7.7	<1	<10	31	<2	<5	3.3	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1	
	9/5/2006	7.56	<1	5.4	31	<2	<5	2.9	<10	<10	<20	<100	<5	12	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1	
	2/7/2007	7.76	<1	5.5	29	<2	<5	5.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	<30	<1	<1	
	5/24/2007	7.98	<1	3.6	35	<2	<5	5.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	<30	<1	<1	
	8/25/2007	7.23	<1	4.4	28	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	45	<10	13	<1	n/a	<10	<30	<1	<1	
	11/6/2007	6.87	<1	4.7	33	<2	<5	3.9	<10	<10	<20	120	<5	14	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	<1	
	2/22/2008	7.57	<1	5.2	30	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	14	<1	21	<10	<30	<1	<1	
	4/29/2008	7.31	<1	2.8	32	<1	<0.5	4.4	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	14	<1	<20	<10	16	<1	<1	
	8/19/2008	7.32	<1	3.6	28	<1	<5	3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	<20	<10	<30	<1	<1	
	11/18/2008	7.43	<1	3.9	33	<2	<5	4.6	<10	<10	<20	<100	6.1	15	<0.2	<20	<20	<10	13	<1	<20	<10	<30	<1	<1	
	2/20/2009	7.43	<1	4.6	32	<1	<5	4.4	<10	<10	1.3	<100	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	<10	<1	<1	
	5/20/2009	6.98	<1	3.2	31	<1	<5	7.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	18	<1	<1	
	8/19/2009	6.35	<1	3.1	34	<1	<0.5	4.4	<10	<10	<2	<100	<1	14	<0.2	<20	<1	<10	16	<1	<1	<10	28	<1	<1	
	12/18/2009	10.2	0.52	2.2	28	<2	<5	16	2.1	<10	5.8	150	<5	5.4	0.07	<20	15	<10	39	<1	<20	4.8	<30	<1	<1	
	3/22/2010	10	<1	2.3	24	<1	<0.5	12	<10	<10	<2	36	<1	1.7	<0.2	<20	0.54	3.5	33	<1	<1	6	7.5	<1	<1	
	6/17/2010	n/a	0.69	2.5	25	<1	<0.5	16	<10	1.8	<2	32	<1	2.4	<0.2	<20	<1	<10	44	<1	<1	6.6	7.1	<1	<1	
	9/23/2010	9.74	0.6	1.9	26	<1	<0.5	15	<10	<10	<2	30	<1	<10	<0.2	<20	<1	<10	44	<1	<1	9.6	7.7	<1	<1	
	12/8/2010	7.47	<1	1.7	30	<1	<0.5	8.5	<10	<10	<2	34	<1	2	<0.2	<20	<1	<10	24	<1	<1	4.3	3.3	<1	<1	
	3/23/2011	7.46	<1	2.1	33	<1	<0.5	6.2	<10	<10	<2	<100	<1	4.1	<0.2	<20	<1	<10	19	<1	<1	<10	3.3	<1	<1	
	6/29/2011	9.4	<1	1.1	24	<1	<0.5	15	<10	<10	<2	21	2	1.1	<0.2	<20	<1	<10	27	<1	<1	4.4	<10	<1	<1	
	9/29/2011	n/a	1.9	4.3	27	0.27	0.91	11	<10	<10	3.6	110	4	3.8	0.03	11	<5	<10	26	<1	7.7	4.3	<50	<1	<1	
	6/21/2012	n/a	<1	1.5	17	<1	<0.5	12	<10	<10	<2	<100	<1	<10	<0.2	<20	1.6	<10	28	<1	<1	18	<10	<1	<1	
	9/19/2012	n/a	<1	1.8	29	<1	<0.5	10	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	25	<1	<1	10	<10	<1	<1	
	3/11/2015	n/a	<0.21	4	31	<0.12	<0.16	3.3	<1.4	<2.3	<0.52	<14	10	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	4.6	29	<0.12	<0.16	5.4	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	17	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	9/15/2015	n/a	<0.21	5.5	28.1	<0.12	<0.16	4.82	<0.54	<0.26	<0.52	<15	<0.24	11.2	<0.049	<0.35	<0.38	<0.31	17.6	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	12/15/2015	n/a	<0.21	4.76	30.3	<0.12	<0.16	3.6	<0.54	<0.26	<0.52	<15	<0.24	14.2	<0.049	<0.35	<0.38	<0.31	17	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	3/29/2016	n/a	<0.21	4.48	27.4	<0.12	<0.16	4.12	<0.54	<0.26	<0.52	<15	<0.24	7.62	<0.049	2.08(B)	<0.38	<0.31	15.5	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	6/29/2016	n/a	<0.754	4	29	<0.12	<0.16	4.1	<0.54	<0.26	<0.52	<15	<0.24	7.49	<0.049	<0.35	<0.38	<0.31	16.3	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	9/20/2016	n/a	<2	4.19	26.2	<2	<1	3.07	<2	<2	<5	<100	<2	8.12	<0.2	<2	<2	<2	14.9	<2	<2	<5	<25	<1	<1	
	12/20/2016	n/a	<2	4.66	31.5	<2	<1	3.6	<2	<2	<5	118	<2	10.4	<0.2	9.79	<2	<2	14.7	<2	<2	<5	<25	<1	<1	
	3/29/2017	n/a	<2	5.32	27.8	<2	<1	4.23	<2	<2	<5	152	<2	12	<0.2	<2	<2	<2	13.9	<2	<2	<5	<25	<1	<1	
	9/28/2017	n/a	<2	4.74	26.4	<2	<1	6.49	<2	<2	<5	<100	<2	6.43	<0.2	<2	<2	<2	16.1	<2	<2	<5	<25	<1	<1	
	4/30/2018	n/a	<10*	7.51	31.5	0.0568	<1.2*	3.76	<12.5*	<10.4*	<5*	167	<15.6*	8.06	<0.2*	<10*	<52*	<20.8*	15.6	<73*	<41.6*	<20*	<15.6*	<5*	<5*	
	10/30/2018	n/a	<36*	<23.5*	30.5	<0.624*	<1.2*	2.73	<12.5*	<13.5*	<5*	171	<15.6*	7.4	<0.2*	<10*	<52*	<20.8*	13.8	<73*	<728*	<21*	5.61	<5*	<5*	
	4/24/2019	n/a	<2.08*	6.17	39.7	<0.26*	0.057	4.13	0.632	0.256	0.471	251	0.459	12.9	<0.2*	0.86	<2.08*	0.024	13.6	<0.26*	<20.8*	0.636	6.39	<5*	<5*	
	10/9/2019	n/a	<2.08*	5.23	29.3	<0.26*	<0.26*	3.46	0.379	0.123	0.12	26.1	0.104	9.88	0.025	0.57	<2.08*	<0.26*	13.3	<0.26*	<20.8*	0.492	<20.8*	<1*	<1*	
	4/21/2020	n/a	<2.08*	4.24	28.9	<0.26*	<0.26*	3.46	0.518	0.075	0.806	25.8	0.088	4.52	<0.2*	0.31	<5.2*	<0.312*	13.8	<0.26*	<20.8*	0.69				

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
MW-4	10/29/2003	6.56	<6	<5	24	<2	<3	10.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	14.1	<1	n/a	<400	88.4	<0.05	<0.5	
	4/13/2004	6.74	<6	<5	59.1	<2	<3	10.5	<10	<20	<5	35	<5	<50	n/a	<10	<10	<10	9.7	<1	n/a	<400	35	<0.05	<0.5	
	10/20/2004	6.61	<6	<5	<30	<2	<3	10.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.12	<1	n/a	<400	<30	<0.05	<0.5	
	4/14/2005	6.76	<2	<1.5	<25	<0.18	1.65	6	0.333	<20	<2	119	<1	<30	n/a	<10	<3	<1	9.36	<1	n/a	<20	17.3	<0.05	<0.5	
	10/11/2005	6.41	<6	<4	<50	3	1.92	11.5	2.03	<50	<10	392	1.17	<50	n/a	<50	<10	<3	9.43	<2	n/a	<10	104	<1	<1	
	4/4/2006	7.24	<2	<5	<50	<0.18	1.35	9	1.16	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	10.1	<1	n/a	<2	<100	<0.5	<0.25	
	7/26/2006	7.11	<1	<10	52	<2	<5	6.9	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	8.8	<1	n/a	<10	100	<1	<1	
	9/5/2006	6.86	<1	<1	55	<2	<5	7.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.5	<1	n/a	<10	53	<1	<1	
	2/7/2007	7.08	<1	<1	45	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6.2	<1	n/a	<10	45	<1	<1	
	5/24/2007	7.43	<1	<1	49	<2	<5	5.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6.8	<1	n/a	<10	74	<1	<1	
	8/25/2007	6.67	<1	<1	50	<2	<5	7.6	<10	<10	<20	<100	7.2	<10	<0.2	<20	30	<10	8.2	<1	n/a	<10	110	<1	<1	
	11/6/2007	6.48	<1	<1	55	<2	<5	8.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.6	<1	<20	<10	100	<1	<1	
	2/22/2008	6.96	<1	<1	40	<2	<5	4.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.4	<1	23	<10	42	<1	<1	
	4/29/2008	7.02	<1	0.49	42	<1	0.66	3.5	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	7.2	<1	<20	<10	47	<1	<1	
	8/19/2008	6.86	<1	<1	49	<1	1.8	5.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.6	<1	<20	<10	79	<1	<1	
	11/18/2008	6.74	<1	<1	53	<2	<5	7.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.7	<1	<20	<10	98	<1	<1	
	2/20/2009	6.74	<1	1.1	41	<1	0.92	4.8	<10	<10	1.7	440	<1	<10	<0.2	<20	<1	<10	7.9	<1	<1	<10	45	<1	<1	
	5/20/2009	6.52	<1	1	47	<1	<5	4.7	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.7	<1	<1	<10	150	<1	<1	
	8/19/2009	5.84	<1	<1	59	<1	1.4	9.3	<10	<10	<2	<100	<1	12	<0.2	<20	<1	<10	9.3	<1	<1	<10	120	<1	<1	
	12/16/2009	6.82	<1	<1	48	<2	<5	4.9	<10	<10	<20	<100	6.5	<10	<0.2	<20	<20	<10	8.2	<1	<100	<10	46	<1	<1	
	3/22/2010	6.72	<1	<1	38	<1	0.17	2.8	<10	<10	<2	26	<1	1.7	<0.2	<20	<1	3.5	7	<1	<1	<10	56	<1	<1	
	6/16/2010	n/a	<1	<1	54	<1	1	3.7	<10	<10	0.57	20	<1	9.1	<0.2	<20	<1	<10	6.5	<1	<1	49	69	<1	<1	
	9/22/2010	6.47	<1	0.4	59	<1	2.7	5.7	<10	<10	<2	35	<1	92	<0.2	7.5	<1	<10	7.6	<1	<1	6	120	<1	<1	
	12/6/2010	6.64	<1	<1	56	<1	2.2	7.7	<10	<10	<2	24	<1	5.2	<0.2	<20	<1	<10	10	<1	<1	<10	97	<1	<1	
	3/21/2011	6.73	<1	<1	44	<1	<0.5	3.6	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	7.1	<1	<1	<10	45	<1	<1	
	6/27/2011	6.38	<1	<1	55	<1	1.1	4.6	2	<10	<2	27	0.26	31	<0.2	<20	<1	<10	7	<1	<1	<10	72	<1	<1	
	9/27/2011	n/a	0.22	1	64	0.37	3.4	7	<10	<10	<2	<100	0.72	62	0.05	6.6	<1	<10	9.5	<1	<1	<10	120	<1	<1	
	6/20/2012	n/a	<1	<1	67	<1	2.9	6.9	<10	<10	<2	180	<1	53	<0.2	<20	<1	<10	8.7	<1	<1	34	100	<1	<1	
	9/19/2012	n/a	<1	1	67	<1	4.2	7.3	<10	<10	<2	160	<1	120	<0.2	<20	<1	<10	9.1	<1	<1	16	150	<1	<1	
	3/11/2015	n/a	<0.21	<0.25	43	<0.12	<0.16	4.5	<1.4	<2.3	<0.52	<14	10	<1.2	<0.049	<4.9	<0.38	<2.8	6.4	<0.19	<0.3	<2.4	40	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	2.5	63	<0.12	2.8	5.4	<1.4	<2.3	<0.52	1400	<0.24	920	<0.049	24	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	120	<0.33	<0.4	
	9/15/2015	n/a	<0.21	6.12	72.3	<0.12	1.08	5.56	<0.54	5.42	<0.52	3850	<0.24	1800	<0.049	53.2	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	80.4	<0.331	<0.398	
	12/15/2015	n/a	<0.21	6.84	75.2	<0.12	1.13	5.75	<0.54	11.1	<0.52	4190	<0.24	2200	<0.049	55.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	31.6	<0.331	<0.398	
	3/29/2016	n/a	<0.21	3.62	76.5	<0.12	<0.16	8.21	<0.54	3.56	<0.52	3050	<0.24	1900	<0.049	25.3	<0.38	<0.31	5.33	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	6/29/2016	n/a	<0.754	6.25	80.8	<0.12	<0.16	6.78	<0.54	10.8	<0.52	4830	<0.24	3380	<0.049	66.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	72.2	<0.331	<0.398	
	9/20/2016	n/a	<2	7.65	84.4	<2	1.46	9.8	<2	7.1	<5	2710	<2	3670	<0.2	50.6	<2	<2	6.33	<2	<2	<5	113	<1	<1	
	12/21/2016	n/a	<2	2.31	81.2	<2	<1	9.54	<2	4.1	<5	473	<2	2230	<0.2	62.2	<2	<2	12.3	<2	<2	<5	146	<1	<1	
	3/29/2017	n/a	<2	<2	52.9	<2	3.04	5.11	<2	<2	<5	<100	<2	109	<0.2	28.5	<2	<2	6.95	<2	<2	<5	301	<1	<1	
	10/25/2018	n/a	<36*	4.48	105	<0.624*	2.75	32.5	<12.5*	10.2	1	1130	<15.6*	2460	<0.2*	43	5.6	<20.8*	12	<73*	<728*	<21*	124	<5*	<5*	
	4/23/2019	n/a	<2.08*	2.41	97.3	<0.26*	1.06	39.2	0.211	1.54	0.524	711	0.243	990	<0.2*	18.4	0.569	<0.26*	35.8	0.25	<20.8*	0.293	59.5	<5*	<5*	
	10/8/2019	n/a	<2.08*	2.98	108	<0.26*	0.646	32.8	0.252	3.44	1.06	862	0.388	2390	0.025	44.8	0.674	0.035	20.1	0.169	<20.8*	0.227	94.8	<1*	<1*	
	4/21/2020	n/a	<2.08*	1.59	70.1	<0.26*	0.604	27.9	0.368	0.945	1.04	644	0.166	932	<0.2*	20.4	<5.2*	<0.312*	56.2							

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
	10/29/2003	7.16	<6	<5	22.5	<2	<3	5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	11.3	<1	n/a	<400	80.6	<0.05	<0.5	
	4/13/2004	7.15	<6	<5	45.8	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.9	<1	n/a	<400	49.5	<0.05	<0.5	
	10/20/2004	7.14	<6	<5	<30	<2	<3	3.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8.9	<1	n/a	<400	<30	<0.05	<0.5	
	4/14/2005	7.09	<2	<1.5	<25	<0.18	1.29	<5	0.565	<20	<2	107	<1	<30	n/a	<10	<3	<1	10.7	<1	n/a	<20	37.8	<0.05	<0.5	
	10/11/2005	6.81	2.67	<4	<50	<0.8	0.603	9	1.1	<50	<10	70.9	<5	<50	n/a	<50	<10	<3	9.26	<2	n/a	<10	73.4	<1	<1	
	4/4/2006	7.7	<2	<5	<50	<0.18	1.1	5	7.06	<100	<2	965	<1	<30	n/a	<100	<5	6.32	10.6	<1	n/a	<2	101	<0.5	<0.25	
	7/26/2006	7.69	<1	<10	33	<2	<5	2.3	<10	<10	<20	<100	<5	<10	n/a	<20	22	<10	10	<1	n/a	<10	100	<1	<1	
	9/6/2006	7.61	<1	<10	30	<2	<5	2.1	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	9.7	<1	n/a	<10	45	<1	<1	
	2/7/2007	7.48	<1	<1	35	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.5	<1	n/a	<10	32	<1	<1	
	5/24/2007	7.94	<1	1	32	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	9.6	<1	n/a	<10	88	<1	<1	
	8/25/2007	7.36	<1	<1	27	<2	<5	2.5	<10	<10	<20	<100	<5	<10	0.2	<20	40	<10	11	<1	n/a	<10	95	<1	<1	
	11/6/2007	7.08	<1	<1	30	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	10	<1	<20	<10	66	<1	<1	
	2/22/2008	7.45	<1	<1	30	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	10	<1	21	<10	71	<1	<1	
	4/29/2008	7.26	<1	<1	31	<1	0.56	2.5	<10	<10	1.3	<100	<5	<10	<0.2	<20	<1	<10	10	<1	<20	<10	80	<1	<1	
	8/19/2008	7.37	<1	<1	31	<1	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	<20	<10	110	<1	<1	
	11/18/2008	7.26	<1	<1	30	<2	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	64	<10	130	<1	<1	
	2/20/2009	7.3	<1	<1	30	<1	0.81	3.9	<10	<10	1.4	<100	<1	<10	<0.2	<20	<1	<10	11	<1	<1	<10	80	<1	<1	
	5/20/2009	7.12	<1	<1	29	<1	<5	4.8	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	11	<1	<1	<10	77	<1	<1	
	8/19/2009	6.14	<1	<1	33	<1	0.87	5.2	32	<10	<2	370	<1	<10	<0.2	29	<1	<10	12	<1	<1	<10	86	<1	<1	
	12/17/2009	7.21	<1	<1	32	<2	<5	4.2	<10	<10	<20	30	<5	1.3	0.04	<20	<20	<10	12	<1	<20	<10	91	<1	<1	
	3/23/2010	7.16	<1	<1	32	<1	0.21	4.1	<10	<10	<2	20	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	100	<1	<1	
	6/16/2010	n/a	<1	0.27	33	<1	0.57	4.6	<10	<10	<2	25	<1	<10	0.02	<20	<1	<10	13	<1	<1	28	85	<1	<1	
	9/22/2010	7.1	0.36	0.84	32	0.84	1.2	4.6	3	<10	<2	21	0.93	<10	<0.2	<20	0.49	<10	13	<1	0.35	<10	81	<1	<1	
	12/6/2010	7.06	0.34	0.55	32	0.48	0.95	4.9	<10	<10	<2	<100	0.43	<10	<0.2	<20	<1	<10	13	<1	0.34	<10	81	<1	<1	
	3/21/2011	7.17	<1	<1	30	<1	<0.5	4.9	<10	<10	<2	33	<1	1.5	<0.2	<20	<1	<10	13	<1	<1	<10	92	<1	<1	
	6/28/2011	6.95	<1	<1	32	<1	0.36	5.1	<10	<10	<2	26	0.66	<10	<0.2	<20	<1	<10	14	<1	<1	<10	91	<1	<1	
	9/27/2011	n/a	0.21	0.91	31	0.34	0.99	5.3	<10	<10	0.65	42	1	<10	0.05	<20	<1	<10	14	<1	<1	<10	79	<1	<1	
	6/21/2012	n/a	<1	<1	38	<1	0.77	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	23	81	<1	<1	
	9/19/2012	n/a	<1	<1	35	<1	<0.5	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	12	82	<1	<1	
	3/11/2015	n/a	<0.21	<0.25	36	<0.12	<0.16	6.8	<1.4	<2.3	<0.52	<14	8.6	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	93	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	37	<0.12	1	7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	90	<0.33	<0.4	
	9/15/2015	n/a	<0.21	<0.25	34.3	<0.12	<0.16	7.08	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	15.6	<0.19	<0.3	<0.18	96.7	<0.331	<0.398	
	12/15/2015	n/a	<0.21	<0.25	35.4	<0.12	<0.16	7.15	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	16.5	<0.19	<0.3	<0.18	96.4	<0.331	<0.398	
	3/29/2016	n/a	<0.21	<0.25	34.6	<0.12	<0.16	6.94	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	14.9	<0.19	<0.3	<0.18	98.8	<0.331	<0.398	
	6/29/2016	n/a	<0.754	<0.25	35.5	<0.12	<0.16	7.13	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	16.3	<0.19	<0.3	<0.18	95.9	<0.331	<0.398	
	9/20/2016	n/a	<2	<2	33.4	<2	<1	7.19	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	14.8	<2	<2	<5	94.1	<1	<1	
	12/21/2016	n/a	<2	<2	35.8	<2	<1	7.31	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	14.9	<2	<2	<5	105	<1	<1	
	3/29/2017	n/a	<2	<2	35.3	<2	1.04	7.21	<2	<2	<5	110	<2	<5	<0.2	<2	<2	<2	15.5	<2	<2	<5	108	<1	<1	
	9/28/2017	n/a	<2	<2	34.7	<2	<1	7.46	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	15.8	<2	<2	<5	101	<1	<1	
	4/19/2018	n/a	<10*	<23.4*	39.4	<0.416*	0.943	6.49	<12.5*	<10.4*	<5*	103	<15.6*	0.956	0.025	<10*	<52*	<20.8*	17.2	<73*	<41.6*	<20*	106	<5*	<5*	
	10/24/2018	n/a	<36*	<23.5*	42.7	<0.624*	0.961	6.45	1.9	<13.5*	<5*	160	<15.6*	<10.4*	0.025	3	<52*	<20.8*	17.8	<73*	<728*	<21*	100	<5*	<5*	
	4/24/2019	n/a	<2.08*	0.98	53.7	<0.26*	0.945	7.7	0.606	0.096	0.582	110	0.554	6.26	<0.2*	1.24	0.567	<0.26*	15.9	0.18	<20.8*					

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
	10/31/2002	7.2	<6	<5	145	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.9	<1	n/a	<400	<30	<0.05	<0.5	
	4/15/2003	6.99	<6	<5	<10	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.1	<1	n/a	<400	<30	<0.05	<0.5	
	10/29/2003	7.13	<6	<5	<10	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.5	<1	n/a	<400	<30	<0.05	<0.5	
	4/13/2004	7.14	<6	<5	43.2	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	
	10/20/2004	6.96	<6	<5	<30	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.7	<1	n/a	<400	<30	<0.05	<0.5	
	4/14/2005	7.02	<2	<1.5	<25	<0.18	0.502	5.5	0.384	<20	<2	100	<1	<30	n/a	<10	<3	<1	7.79	<1	n/a	<20	<10	<0.05	<0.5	
	10/11/2005	6.71	<6	<4	<50	<0.8	<1.5	<5	0.631	<50	<10	47.9	<5	<50	n/a	<50	<10	<3	5.15	<2	n/a	<10	15.7	<1	<1	
	4/4/2006	7.6	<2	<5	<50	<0.18	<0.3	5	1.84	<100	<2	<30	<1	<30	n/a	<100	<5	<5.7	5.51	<1	n/a	<2	<100	<0.5	<0.25	
	7/26/2006	7.64	<1	<10	33	<2	<5	2.8	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	6.1	<1	n/a	<10	47	<1	<1	
	9/6/2006	7.36	1	<10	33	<2	<5	2.6	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	5.8	<1	n/a	<10	<30	<1	<1	
	2/7/2007	7.45	<1	<1	35	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.5	<1	n/a	<10	32	<1	<1	
	5/24/2007	7.77	<1	<1	33	<2	<5	5	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	6.2	<1	n/a	<10	42	<1	<1	
	8/25/2007	7.17	<1	<1	28	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	39	<10	7.7	<10	n/a	<10	43	<1	<1	
	11/6/2007	6.96	<1	<1	31	<2	<5	3.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	6.6	<10	<20	<10	<30	<1	<1	
	2/22/2008	7.2	<1	<1	32	<2	<5	3.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.2	<1	22	<10	<30	<1	<1	
	4/29/2008	7.22	<1	<1	32	<1	<5	3.2	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	7.2	<1	<20	<10	32	<1	<1	
	8/19/2008	7.28	<1	<1	31	<1	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.6	<1	<20	<10	42	<1	<1	
	11/18/2008	7.17	<1	<1	33	<2	<5	3.5	<10	<10	<20	130	<5	<10	<0.2	<20	<20	64	10	<1	74	<10	<30	<1	<1	
	2/20/2009	7.25	<1	<1	32	<1	0.81	4.5	<10	<10	1.1	<100	<1	<10	<0.2	<20	<1	<10	7.6	<1	<1	<10	35	<1	<1	
	5/20/2009	6.94	<1	<1	31	<1	<5	5.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	8.5	<1	<1	<10	34	<1	<1	
	8/19/2009	6.13	<1	<1	36	<1	<0.5	5.4	<10	<10	<2	140	<1	<10	<0.2	<20	<1	<10	7.8	<1	<1	<10	49	<1	<1	
	12/17/2009	7.03	<1	0.37	33	<2	<5	4.7	<10	<10	<20	50	<5	<10	0.03	<20	19	<10	7.4	<1	<20	<10	26	<1	<1	
	3/23/2010	7.03	<1	<1	35	<1	<0.5	4.3	<10	2.3	<2	62	<1	2.9	<0.2	<20	<1	<10	7.8	<1	<1	<10	33	<1	<1	
	6/16/2010	n/a	<1	0.57	35	<1	<0.5	4.6	<10	<10	<2	47	<1	1.2	0.02	<20	<1	<10	9.7	<1	<1	30	29	<1	<1	
	9/22/2010	7	0.51	1	35	0.83	0.56	4.5	4	<10	<2	52	0.8	<10	<0.2	<20	<1	<10	9.6	<1	0.34	<10	27	<1	<1	
	12/6/2010	7.05	0.44	0.74	32	0.5	0.36	4.8	<10	<10	<2	44	0.74	<10	<0.2	<20	<1	<10	9.1	<1	0.39	<10	27	<1	<1	
	3/21/2011	7.19	<1	<1	38	<1	<0.5	4.5	<10	<10	<2	74	<1	2	<0.2	<20	<1	<10	16	<1	<1	<10	28	<1	<1	
	6/28/2011	6.82	<1	<1	33	<1	<0.5	5	<10	<10	<2	41	0.45	<10	<0.2	<20	<1	<10	10	<1	<1	<10	21	<1	<1	
	9/27/2011	n/a	0.45	1.5	32	0.33	0.24	4.9	<10	<10	<2	31	1.2	<10	0.03	8.5	0.6	6.7	9	<1	<1	2.9	25	<1	<1	
	6/21/2012	n/a	<1	<1	39	<1	<0.5	5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	7.8	<1	<1	30	32	<1	<1	
	9/19/2012	n/a	<1	<1	35	<1	<0.5	4.9	<10	<10	<2	150	<1	<10	<0.2	<20	<1	<10	7	<1	<1	<10	30	<1	<1	
	3/11/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.4	<1.4	<2.3	<0.52	<14	11	<1.2	<0.049	<4.9	<0.38	<2.8	8	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.7	<0.19	<0.3	<2.4	26	<0.33	<0.4	
	9/15/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.67	<0.54	<0.26	<0.52	117	<0.24	5.41	<0.049	2	<0.38	<0.31	7.53	<0.19	<0.3	<0.18	30.4	<0.331	<0.398	
	12/16/2015	n/a	<0.21	<0.25	33.6	<0.12	<0.16	5.56	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.44	<0.19	<0.3	<0.18	25	<0.331	<0.398	
	3/29/2016	n/a	<0.21	<0.25	34.3	<0.12	<0.16	5.57	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.56	<0.19	<0.3	<0.18	26.1	<0.331	<0.398	
	6/29/2016	n/a	<0.754	<0.25	34.8	<0.12	<0.16	5.45	<0.54	<0.26	<0.52	<15	<0.24	13.3	<0.049	<0.35	<0.38	<0.31	7.91	<0.19	<0.3	<0.18	28.7	<0.331	<0.398	
	9/20/2016	n/a	<2	<2	30.6	<2	<1	5.79	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.35	<2	<2	<5	25.8	<1	<1	
	12/21/2016	n/a	<2	<2	34.1	<2	<1	5.76	3.28	<2	<5	<100	<2	<5	<0.2	2.81	<2	<2	7.07	<2	<2	<5	26.8	<1	<1	
	3/29/2017	n/a	<2	<2	31.9	<2	<1	5.72	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.02	<2	<2	<5	31.3	<1	<1	
	9/28/2017	n/a	<2	<2	35	<2	<1	5.85	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	8.56	<2	<2	<5	28.7	<1	<1	
	4/19/2018	n/a	<10*	<23.4*	35.1	<0.416*	<1.2*	5.06	<12.5*	<10.4*	<5*	113	<15.6*	2.15	0.025	<10*	<52*	<20.8*	9.56	<73*	<41.6*	<20*	26.1	<5*	<5*	
	10/24/2018	n/a	<36*	<23.5*	38	<0.624*	<1.2*	4.91</																		

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
	4/29/2008	6.95	<1	1.2	31	<1	2.9	3.4	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	4.8	<1	<20	<10	290	<1	<1	
	8/19/2008	7.16	<1	1.4	29	<1	5.5	2.6	<10	<10	<20	230	<5	12	<0.2	<20	<20	<10	7.9	<1	<20	<10	490	<1	<1	
	11/18/2008	6.87	<1	1.2	29	<2	6	3.5	<10	<10	<20	210	<5	<10	<0.2	<20	<20	<10	7	<1	<20	<10	410	<1	<1	
	2/20/2009	6.94	<1	<1	32	<1	3.7	3.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	380	<1	<1	
	5/20/2009	6.39	<1	<1	26	<1	2.5	3.4	<10	<10	<1	120	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	330	<1	<1	
	8/19/2009	6.76	<1	<1	28	<1	6.2	4	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	410	<10	410	<1	<1	
	12/16/2009	7.11	0.37	20	110	4.7	17	4.1	15	12	15	18000	90	780	0.22	<20	<20	<10	8.1	0.54	<20	35	1500	<1	<1	
	3/23/2010	6.81	<1	5	52	0.87	6.2	2.8	8.6	2.1	8.8	7300	20	180	<0.2	10	<1	<10	5.3	<1	<1	18	580	<1	<1	
	6/17/2010	n/a	<1	2	35	0.2	4.7	4.5	<10	<10	2.8	2200	5.8	50	<0.2	<20	0.41	<10	8.5	<1	<1	5.6	440	<1	<1	
	9/23/2010	6.72	<1	2.7	40	0.14	6.4	5.3	3.1	<10	3.9	2400	10	75	<0.2	<20	0.47	<10	8.7	<1	<1	12	520	<1	<1	
	12/7/2010	6.54	0.55	13	110	3.1	20	7.1	28	7	22	25000	59	570	0.15	21	1.4	<10	5.9	0.38	0.6	48	1200	<1	<1	
	3/22/2011	6.83	<1	15	69	1.3	12	5.4	14	4.4	28	14000	43	280	<0.2	<20	0.5	<10	10	<1	0.82	27	8200	<1	<1	
	6/29/2011	6.65	<1	1.9	39	<1	5	6.4	<10	<10	3.1	2400	7.6	63	0.04	<20	<1	77	10	<1	<1	8.3	500	<1	<1	
	9/28/2011	n/a	<1	5.8	49	0.44	11	5.4	5.8	3.8	8.8	5100	25	200	0.03	12	<1	<10	9.2	<1	<1	12	690	<1	<1	
	6/21/2012	n/a	<1	18	94	2.8	21	4.4	23	<10	29	22000	73	520	<0.2	<20	1.2	<10	9.2	<1	<1	74	1500	<1	<1	
	9/20/2012	n/a	<1	28	140	6.2	39	4.4	37	14	53	34000	160	1100	0.39	25	<1	<10	9.2	1.3	<1	77	2800	<1	<1	
	3/9/2015	n/a	<0.21	<0.25	27	<0.12	3.1	3.9	<1.4	<2.3	<0.52	<14	6	<1.2	<0.049	<4.9	<0.38	<2.8	9.7	<0.19	<0.3	<2.4	290	<0.33	<0.4	
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	31	<0.12	3.8	5.5	<1.4	<2.3	<0.52	240	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	13	<0.19	<0.3	<2.4	380	<0.33	<0.4	
	9/16/2015	n/a	<0.21	<0.25	32.1	<0.12	4.8	6.2	3.09	<0.26	<0.52	497	<0.24	7.57	<0.049	2.76	<0.38	<0.31	13.9	<0.19	<0.3	<0.18	415	<0.331	<0.398	
	12/15/2015	n/a	<0.21	<0.25	29.2	<0.12	3.93	4.87	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	11.6	<0.19	<0.3	<0.18	366	<0.331	<0.398	
	3/29/2016	n/a	<0.21	<0.25	31.7	<0.12	4.32	6.16	4.21(B)	<0.26	<0.52	1010	<0.24	8.69	<0.049	3.26(B)	<0.38	<0.31	12	<0.19	<0.3	<0.18	431	<0.331	<0.398	
	6/28/2016	n/a	<0.754	<0.25	32.6	<0.12	3.92	5.78	<0.54	<0.26	<0.52	534	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	12.3	<0.19	<0.3	<0.18	402	<0.331	<0.398	
	9/20/2016	n/a	<2	<2	30.9	<2	5.34	6.05	2.62	<2	<5	1130	2.94	17.1	<0.2	2.82	<2	<2	16.1	<2	<2	<5	436	<1	<1	
	12/20/2016	n/a	<2	<2	34	<2	6.21	6.42	2.32	<2	<5	882	2.9	14.9	<0.2	2.82	<2	<2	16	<2	<2	<5	457	<1	<1	
	3/28/2017	n/a	<2	<2	27.7	<2	3.78	5.19	<2	<2	<5	430	<2	6.51	<0.2	<2	<2	<2	9.04	<2	<2	<5	350	<1	<1	
	9/27/2017	n/a	<2	<2	32.7	<2	6.14	7	3.21	<2	6.45	989	2.71	16.5	<0.2	2.82	<2	<2	10.2	<2	<2	<5	518	<1	<1	
	4/20/2018	n/a	<10*	<23.4*	30.3	<0.416*	3.8	4.68	<12.5*	<10.4*	1	347	<15.6*	3.31	<0.2*	<10*	<52*	<20.8*	8.48	<73*	<41.6*	0.6	379	<5*	<5*	
	10/26/2018	n/a	<36*	<23.5*	34.8	<0.624*	4.62	4.82	1.7	<13.5*	2	701	<15.6*	9.44	<0.2*	<10*	<52*	<20.8*	11	<73*	<728*	<21*	423	<5*	<5*	
	4/24/2019	n/a	<2.08*	0.172	30.9	<0.26*	3.92	4.52	0.441	<0.26*	0.201	8.56	0.072	0.398	<0.2*	0.71	<2.08*	<0.26*	7.58	<0.26*	<20.8*	0.329	360	<5*	<5*	
	10/8/2019	n/a	<2.08*	0.183	30.9	<0.26*	4.49	4.06	0.494	<0.26*	0.258	13.5	0.083	0.237	0.025	1.03	<2.08*	<0.26*	8.81	<0.26*	<20.8*	0.491	435	<1*	<1*	
	4/21/2020	n/a	<2.08*	0.151	29.4	<0.26*	3.72	3.61	0.528	<0.26*	0.279	7.96	<0.26*	<1.56*	<0.2*	0.98	<5.2*	<0.312*	6.49	<0.26*	<20.8*	0.35	380	<1*	<1*	
	10/6/2020	n/a	<2.08	0.349	28.4	<0.26	5.65	4.34	0.567	0.086	6.85	78.3	1.06	3.64	<0.2	0.16	<5.2	<0.312	7.96	<0.26	<20.8	0.704	466	<1	<1	
	4/6/2021	n/a	<2.08*	0.15	28.2	<0.26*	3.66	3.11	0.19	<0.26*	0.249	7.84	<0.26*	<1.56*	<0.2*	1.42	<5.2*	<0.312*	6.86	<0.26*	<20.8*	0.363	395	<1*	<1*	
	10/5/2021	n/a	<2	0.925	33.3	0.078	6.12	3.76	1.45	0.207	3.09	661	1.5	6.11	<0.2	1.83	<5	<0.3	6.99	<0.25	<20	2.39	546	<1	<1	
	4/19/2022	n/a	<2.08*	0.212	29.6	<0.26*	3.53	2.72	0.496	<0.26*	0.207	8.61	<0.26*	<1.56*	<0.2*	0.86	<5.2*	<0.312*	6.09	<0.26*	<20.8*	0.369	393	<1*	<1*	
	10/4/2022	n/a	<2.08*	0.244	29.1	<0.26*	5.78	3.6	0.402	<0.26*	0.27	24.3	0.133	0.466	<0.2*	1.23	<5.2*	<0.312*	8.54	<0.26*	<20.8*	0.538	540	<1*	<1*	
	5/15/2024	n/a	<2.08	0.177	25.6	<0.26	3.28	2.74	0.617	<0.26	0.266	24.5	0.213	1.25	<0.2	0.88	<5.2	<0.312	n/a	<0.26	<20.8	0.402	321	<1	<2	
MW-577	2/7/2007	7.02	<1	2.9	30	<2	<5	1.1	<10	<10	<20	490	<5	13	<0.2	<20	<20	<10	48	<1	n/a	<10	<30	<1	<1	
	5/24/2007	8.2	<1	2.7	29	<2	<5	1.8	<10	<10	<20	320	<5	<10	<0.2	<20	<20	<10	56	<1	n/a	<10	42	<1	<1	
	8/25/2007	7.15	<1	2.3	27	<1	<0.5	1.3	<10	<10	<20	<100	6.3	<10	<0.2	<20	<20	<10	50	<1	n/a	<10	<30	<1	<1	
	11/6/2007	6.93	<1	2.8	27	<1	<0.5	1.3	<10	<10	<20	160	<5	<10	<0.2	<20	<20	<10	55	<1	<20	<10	<30	<1	<1	
	2/22/2008	7.49	<1	1.3	29	<2	<5	1.7	<10	<10	<20	180	<5	<10	<0.2											

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
MW-6	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	6/9/2015	n/a	<0.21	<0.25	23	<0.12	<0.16	2.2	<1.4	<2.3	<0.52	130	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	26	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	9/16/2015	n/a	<0.21	2.1	24.3	<0.12	<0.16	8.45	<0.54	<0.26	<0.52	<15	<0.24	5.32	<0.049	<0.35	<0.38	<0.31	22.8	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	12/15/2015	n/a	<0.21	<0.25	24.7	<0.12	<0.16	2.27	<0.54	<0.26	<0.52	189	<0.24	7.48	<0.049	<0.35	<0.38	<0.31	22.9	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	3/29/2016	n/a	<0.21	<0.25	21.8	<0.12	<0.16	2.44	<0.54	<0.26	<0.52	133	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	24.2	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	6/28/2016	n/a	<0.754	<0.25	23.1	<0.12	<0.16	2.33	<0.54	<0.26	<0.52	159	<0.24	6.1	<0.049	<0.35	<0.38	<0.31	21.4	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	9/20/2016	n/a	<2	<2	22	<2	<1	2.5	<2	<2	<5	286	<2	8.14	<0.2	<2	<2	<2	21.4	<2	<2	<5	<25	<1	<1	
	12/20/2016	n/a	<2	<2	23.3	<2	<1	2.48	<2	<2	<5	189	<2	<5	<0.2	4.8	<2	<2	20.2	<2	<2	<5	<25	<1	<1	
	3/28/2017	n/a	<2	<2	21.4	<2	<1	2.47	<2	<2	<5	160	<2	5.06	<0.2	<2	<2	<2	24.7	<2	<2	<5	<25	<1	<1	
	9/27/2017	n/a	<2	<2	23.1	<2	<1	3	<2	<2	<5	171	<2	5.8	<0.2	<2	<2	<2	25.1	<2	<2	<5	<25	<1	<1	
	4/17/2018	n/a	<10*	<23.4*	25.8	<0.416*	<1.2*	1.49	<12.5*	<10*	<5*	363	<15.6*	<10.4*	<0.2*	<10*	<52*	<20.8*	22.7	<73*	<41.6*	<20*	<16*	<5*	<5*	
	10/22/2018	n/a	<36*	<23.5*	25.2	<0.624*	<1.2*	1.99	<12.5*	<13.5*	1	288	<15.6*	7.25	<0.2*	<10*	<52*	<20.8*	24.3	<73*	<728*	<21*	<15.6*	<5*	<5*	
	4/24/2019	n/a	<2.08*	1.9	25.6	<0.26*	0.046	2.2	0.443	0.051	0.684	165	0.515	7.6	<0.2*	0.55	<2.08*	0.037	26.4	<0.26*	<20.8*	0.106	15.2	<5*	<5*	
	10/8/2019	n/a	<2.08*	1.77	23.4	<0.26*	<0.26*	2.5	0.342	<0.26*	0.11	180	0.096	5.65	0.025	0.21	<2.08*	<0.26*	23.6	<0.26*	<20.8*	<0.26*	<20.8*	<1*	<1*	
	4/21/2020	n/a	<2.08*	1.77	24.3	<0.26*	<0.26*	1.76	0.394	0.042	0.18	175	0.122	6.49	<0.2*	0.21	<5.2*	<0.312*	31	<0.26*	<20.8*	0.057	<20.8*	<1*	<1*	
	10/6/2020	n/a	<2.08	1.19	23.4	<0.26	<0.26	2.4	0.594	0.048	0.378	123	0.125	6.12	<0.2	<0.52	<5.2	<0.312	24.1	<0.26	<20.8	0.07	<20.8	<1	<1	
	4/6/2021	n/a	<2.08*	1.32	24.1	<0.26*	<0.26*	2.18	0.763	<0.26*	0.264	123	0.167	5.62	0.015	0.25	<5.2*	<0.312*	28.5	<0.26*	<20.8*	0.065	<20.8*	<1*	<1*	
	10/6/2021	n/a	<2	1.3	24.5	<0.25	<0.25	2.78	0.57	0.058	0.484	153	0.197	8.1	<0.2	0.36	<5	<0.3	23.7	<0.25	<20	0.078	<20	<1	<1	
	4/19/2022	n/a	<2.08*	0.998	24.1	<0.26*	<0.26*	2.72	0.408	<0.26*	<0.395*	90.7	<0.26*	5	<0.2*	0.23	<5.2*	<0.312*	25.1	<0.26*	<20.8*	<0.26*	<20.8*	<1*	<1*	
	10/4/2022	n/a	<2.08*	1.14	23.3	<0.26*	<0.26*	2.07	0.786	0.053	0.381	137	0.121	8.09	<0.2*	0.39	<5.2*	<0.312*	22.9	<0.26*	<20.8*	0.057	<20.8*	<1*	<1*	
	5/14/2024	n/a	<2.08	5.72	27.2	<0.26	<0.26	2.8	0.743	<0.26	<0.52	137	<0.416	5.94	<0.2	0.58	<5.2	<0.312	n/a	<0.26	<20.8	0.084	<20.8	<1	<2	
	MW-6	4/13/1999	6.72	<6	<5	<100	<2	<3	6.5	<10	<20	<5	204	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
		7/28/1999	6.99	<6	<5	<100	<2	<3	7.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.1	<1	n/a	<400	<30	<0.05	<0.5
		10/12/1999	6.95	<6	<5	<100	<2	<3	7.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
		1/25/2000	7.07	<6	<5	<100	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	6	n/a	<400	<30	<0.05	<0.5
		4/26/2000	6.96	<6	<5	<100	<2	<3	7.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
		10/18/2000	6.93	<6	<5	<100	<2	<3	8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
		4/19/2001	6.92	<6	<5	190	<2	<3	9.3	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5
		10/25/2001	6.92	<6	<5	<10	<2	<3	8.5	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	5.4	<2	n/a	<400	<30	<0.05	<0.5
		4/18/2002	6.9	<6	<5	58	<2	<3	7.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
10/31/2002		7.01	<6	<5	274	<2	<3	8.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8.3	<1	n/a	<400	<30	<0.05	<0.5	
4/15/2003		6.98	<6	<5	<10	<2	<3	8.3	<10	<20	<5	34	<5	<50	n/a	<10	<10	<10	6.5	<1	n/a	<400	<30	<0.05	<0.5	
10/29/2003		6.98	<6	<5	22.2	<2	<3	8.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8	<1	n/a	<400	<30	<0.05	<0.5	
4/13/2004		7.04	<6	<5	75.2	<2	<3	9	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05	<0.5	
10/20/2004		6.87	<6	<5	<30	<2	<3	7.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6	<1	n/a	<400	<30	<0.05	<0.5	
4/14/2005		6.87	<2	<1.5	<25	<0.18	0.654	7	0.186	<20	<2	112	<1	<30	n/a	<10	<3	<1	7.15	<1	n/a	<20	10.3	<0.05	<0.5	
10/11/2005		6.61	<6	<4	<50	<0.8	0.437	10	0.352	<50	<10	55.1	<5	<50	n/a	<50	<10	<3	5.82	<2	n/a	<10	39.8	<1	<1	
4/4/2006		7.4	<2	<5	<50	<0.18	0.453	8	1.31	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	5.97	<1	n/a	<2	<10	<0.5	<0.25	
7/27/2006		7.54	<1	<10	46	<2	<5	4.6	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	6.2	<1	n/a	<10	46	<1	<1	
9/6/2006		7.3	<1	<10	45	<2	<5	4.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.9	<1	n/a	<10	34	<1	<1	
2/7/2007		7.35	<1	<1	47	<2	<5	4.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.9	<1	n/a	<10	43	<1	<1	
5/24/2007		7.71	<1	<1	46	<2	<5	5.4	<10.																	

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
	9/19/2012	n/a	<1	<1	45	<1	<0.5	11	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.5	<1	<1	<10	35	<1	<1
	3/11/2015	n/a	<0.21	<0.25	46	<0.12	<0.16	16	<1.4	<2.3	<0.52	<14	9.8	<1.2	<0.049	<4.9	<0.38	<2.8	8.4	<0.19	<0.3	<2.4	36	<0.33	<0.4
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	47	<0.12	<0.16	16	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.8	<0.19	<0.3	<2.4	37	<0.33	<0.4
	9/15/2015	n/a	<0.21	<0.25	45.9	<0.12	<0.16	16.6	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.02	<0.19	<0.3	<0.18	42.7	<0.331	<0.398
	12/16/2015	n/a	<0.21	<0.25	47.3	<0.12	<0.16	17.9	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.66	<0.19	<0.3	<0.18	40.1	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	45.1	<0.12	<0.16	17.6	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.86	<0.19	<0.3	<0.18	37.9	<0.331	<0.398
	6/29/2016	n/a	<0.754	<0.25	46.5	<0.12	<0.16	18.5	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	2.05	<0.38	<0.31	8.23	<0.19	<0.3	<0.18	41	<0.331	<0.398
	9/20/2016	n/a	<2	<2	43.7	<2	<1	19.1	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.81	<2	<2	<5	37	<1	<1
	12/21/2016	n/a	<2	<2	46.5	<2	<1	21	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.76	<2	<2	<5	41.5	<1	<1
	3/29/2017	n/a	<2	<2	43.8	<2	<1	22.4	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.28	<2	<2	<5	43.2	<1	<1
	9/28/2017	n/a	<2	<2	46.8	<2	<1	26.4	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	8.25	<2	<2	<5	44.9	<1	<1
	4/21/2018	n/a	<10*	<23.4*	49.8	0.0773	0.479	30	<12.5*	<10.4*	<5*	110	<15.6*	1.54	0.25	<10*	<52*	<20.8*	8.62	<73*	<41.6*	<20*	39.1	<5*	<5*
	10/23/2018	n/a	<36*	<23.5*	52.6	<0.624*	0.437	30.5	2.73	<13.5*	1	163	<15.6*	<10.4*	0.45	4	<52*	<20.8*	8.58	<73*	<728*	<21*	46.2	<5*	<5*
	4/24/2019	n/a	<2.08*	0.473	53.8	53.8	0.495	30	0.369	0.042	0.304	13.3	0.067	1.18	0.175	0.74	<2.08*	<0.26*	8.41	0.122	<20.8*	0.233	47	<5*	<5*
	10/7/2019	n/a	<2.08*	0.504	50.5	<0.26*	0.384	29.4	0.875	0.08	0.357	39.5	0.115	2.63	0.6	1.48	<2.08*	0.031	7.84	0.096	<20.8*	0.169	48.3	<1*	<1*
	4/22/2020	n/a	<2.08*	0.462	48.5	<0.26*	0.339	28.4	0.358	0.044	0.336	20.2	<0.26*	1.1	0.125	0.99	<5.2*	<0.312*	7.78	0.111	<20.8*	0.125	45.3	<1*	<1*
	10/7/2020	n/a	<2.08	0.403	49.1	<0.26	0.414	25	0.405	<0.26	0.253	15.3	<0.26	0.498	<0.2	0.88	<5.2	<0.312	8.03	0.111	<20.8	0.113	43.8	<1	<1
	4/6/2021	n/a	<2.08*	0.486	48.6	<0.26*	0.477	24.4	0.751	0.077	0.488	26.6	0.15	3.11	0.248	0.85	<5.2*	<0.312*	8.88	0.108	<20.8*	0.165	45.2	<1*	<1*
	10/6/2021	n/a	<2	0.436	49.7	<0.25	0.402	21	0.404	0.101	0.233	8.3	<0.25	0.585	0.05	0.82	<5	<0.3	7.58	0.111	<20	0.127	44.8	<1	<1
	4/19/2022	n/a	<2.08*	0.39	46.7	<0.26*	0.456	18.3	0.4	0.041	0.281	22.3	<0.26*	0.499	<0.2*	0.79	<5.2*	<0.312*	6.61	0.109	<20.8*	0.139	41.7	<1*	<1*
	10/4/2022	n/a	<2.08*	0.416	46	<0.26*	0.407	18	0.27	0.042	0.239	8.39	<0.26*	0.754	<0.2*	0.75	<5.2*	<0.312*	7.52	0.116	<20.8*	0.116	44.2	<1*	<1*
	5/15/2024	n/a	<2.08	0.449	42.8	<0.26	0.409	15.8	0.496	0.051	1.14	35.9	0.139	1.38	0.642	0.98	<5.2	<0.312	n/a	0.11	<20.8	0.139	47.2	<1	<2
MW-633D	7/25/2006	7.74	<1	<10	38	<2	<5	4.6	<10	<10	<20	<100	<5	<10	n/a	<20	26	14	16	<1	n/a	<10	180	<1	<1
	9/8/2006	7.51	<1	<10	37	<2	<5	4.9	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	140	<1	<1
	2/7/2007	7.23	<1	<10	37	<2	<5	4.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	130	<1	<1
	5/24/2007	12.84	<1	1.5	38	<2	<5	4.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	230	<1	<1
	8/25/2007	7.19	<1	<10	33	<2	<5	6.4	<10	<10	<20	<100	6.5	<10	<0.2	<20	33	<10	13	<1	110	<10	250	<1	<1
	11/6/2007	6.99	<1	<1	33	<2	<5	6.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	32	<1	<1
	2/22/2008	7.18	<1	1	35	<2	<5	5.3	<10	1.3	<20	210	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	160	<1	<1
	4/29/2008	7.39	<1	<1	38	<1	0.67	6	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	15	<1	<20	<10	190	<1	<1
	8/19/2008	7.3	<1	1	36	<1	<5	4.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	<20	<10	320	<1	<1
	11/18/2008	7.1	<1	<1	37	<2	<5	5.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	80	<10	260	<1	<1
	2/20/2009	7.53	<1	<1	37	<1	1.5	4.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	250	<1	<1
	5/20/2009	7.05	<1	<1	35	<1	0.53	5.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	13	<1	<1	<10	230	<1	<1
	8/19/2009	6.14	<1	<1	36	<1	0.97	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	13	<1	<1	<10	200	<1	<1
	12/14/2009	6.97	<1	3.5	43	<2	<5	6	<10	<10	<20	2000	32	92	<0.2	<20	<20	<10	15	<1	<200	<10	270	<1	<1
	3/22/2010	6.95	<1	0.5	38	<1	0.55	6.3	<10	<10	0.56	380	1	20	<0.2	<20	<1	<10	14	<1	<1	<10	220	<1	<1
	6/17/2010	n/a	<1	0.93	40	<1	1.6	6.3	<10	<10	0.77	590	1.8	33	<0.2	<20	<1	<10	14	<1	<1	<10	250	<1	<1
	9/22/2010	6.93	0.53	1.3	36	0.91	1.7	5.8	4	<10	0.77	360	1.7	17	<0.2	<20	<1	<10	14	<1	0.56	<10	220	<1	<1
	12/7/2010	6.81	0.39	1.2	36	0.55	1.6	6	<10	<10	0.97	490	1.8	24	<0.2	<20	<1	7.6	14	<1	0.44	2.5	210	<1	<1
	3/23/2011	6.92	<1	<1	37	<1	0.52	5.7	<10	<10	<2	310	0.47	18	<0.2	<20	<1	<10	17	<1	<1	<10	200	<1	<1
	6/28/2011	6.77	<1	<1																					

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
MW-689D	10/9/2019	n/a	<2.08*	0.941	50.6	<0.26*	1.67	19.7	0.862	0.194	0.545	61.5	0.295	11.9	2.55	2.87	<2.08*	<0.26*	8.78	0.13	<20.8*	0.258	337	0.131	<1*
	4/21/2020	n/a	<2.08*	0.451	57.5	<0.26*	1.41	24.6	0.435	0.259	0.325	24.1	0.101	33.9	1.58	4.56	<5.2*	<0.312*	5.94	0.182	<20.8*	0.085	390	<1*	<1*
	10/7/2020	n/a	<2.08	0.359	63.1	<0.26	1.98	15.5	1.55	0.172	1.15	30.3	0.16	60.8	2	7.17	<5.2	<0.312	9.73	0.248	<20.8	0.061	449	0.245	<1
	4/6/2021	n/a	<2.08*	0.264	65.4	<0.26*	5.18	18.9	0.681	0.052	1.19	22.8	0.225	9.89	0.46	4.22	<5.2*	<0.312*	9.88	0.232	<20.8*	0.529	411	<1*	<1*
	10/6/2021	n/a	<2	0.562	69.4	<0.25	2.3	14.5	0.621	0.119	0.457	44.7	0.251	14.3	0.538	5.57	<5	<0.3	9.36	0.199	<20	0.219	488	<1	<1
	4/19/2022	n/a	0.533	0.379	66.4	<0.26*	2.04	16.8	1.04	0.14	0.839	40.3	0.233	12.9	0.73	5.68	<5.2*	<0.312*	10.3	0.174	<20.8*	0.282	365	<1*	<1*
	10/4/2022	n/a	<2.08*	1	78.9	<0.26*	2.66	13.7	1.1	0.22	0.589	288	0.69	33.7	0.52	7.74	<5.2*	<0.312*	10.4	0.144	<20.8*	0.633	552	<1*	<1*
	5/14/2024	n/a	<2.08	0.348	80.5	<0.26	3.17	15.5	1.08	0.079	0.566	78.8	0.478	5.74	0.178	8.67	<5.2	<0.312	n/a	0.141	<20.8	0.283	491	<1	<2
	2/7/2007	7.22	<1	<1	21	<2	<5	2.7	<10	<10	<20	130	<5	<10	<0.2	<20	<20	<10	8.3	<1	n/a	<10	<30	<1	<1
	5/24/2007	8.06	<1	<1	30	<2	<5	1.4	<10	<10	<20	130	<5	14	<0.2	<20	<20	<10	13	<1	n/a	<10	<30	<1	<1
	8/25/2007	6.95	<1	<1	26	<2	<5	1.7	<10	<10	<20	140	<5	11	<0.2	<20	52	<10	14	<1	46	<10	32	<1	<1
	11/6/2007	6.95	<1	2	29	<2	<5	1.8	<10	<10	<20	300	<5	11	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	<1
	2/22/2008	6.98	<1	<1	28	<2	<5	2	<10	<10	<20	200	<5	10	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	<1
	4/29/2008	7.44	<1	1.5	29	<1	<0.5	2.3	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	13	<1	<20	<10	31	<1	<1
	8/19/2008	7.24	<1	<1	28	<1	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	110	13	<1	<20	<10	14	<1	<1
	11/18/2008	7.09	<1	<1	29	<2	<5	2.3	<10	<10	<20	140	<5	<10	<0.2	<20	<20	<10	14	<1	77	<10	<30	<1	<1
	2/20/2009	7.16	<1	<1	27	<1	<1	2.6	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	24	<1	<1
	5/20/2009	6.9	<1	<1	25	<1	<0.5	3.7	<10	<10	<1	100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	11	<1	<1
8/19/2009	6.03	<1	1.2	31	<1	<0.5	2.6	17	<10	<2	250	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	18	<1	<1	
12/15/2009	7.1	<1	7	46	<2	<5	3.6	<10	<10	<20	6000	44	72	<0.2	<20	<20	<10	7.3	<1	<100	15	67	<1	<1	
3/23/2010	6.66	<1	0.96	25	<1	<0.5	2.1	2.7	<10	1.3	1700	8.5	6.5	<0.2	<20	<1	<10	8	<1	<1	3	22	<1	<1	
6/17/2010	n/a	<1	3.9	37	0.4	0.18	4.4	6.6	2.1	3.9	5500	24	30	0.03	<20	0.62	<10	5.6	<1	0.31	12	62	<1	<1	
9/21/2010	6.24	0.29	12	87	1.6	0.51	3.8	26	2	24	22000	110	190	0.12	9.4	1	<10	8.8	0.33	0.59	50	140	<1	<1	
12/7/2010	6.61	0.71	15	69	2.2	0.75	7.3	16	3.1	22	14000	87	230	0.09	13	0.85	<10	12	0.38	0.9	17	150	<1	<1	
3/22/2011	6.89	<1	9.2	59	0.25	<0.5	3.4	13	2.2	13	12000	50	110	<0.2	8.2	<1	<10	8.1	<1	<1	22	120	<1	<1	
6/27/2011	6.75	<1	0.69	34	<1	<0.5	2.4	3	2	1.7	1800	8.2	22	<0.2	6	<1	<10	15	<1	<1	<10	27	<1	<1	
9/28/2011	n/a	0.22	1.8	32	0.44	0.22	3	<10	<10	1.8	880	4.7	25	0.03	9.7	<1	<10	14	<1	<1	<10	16	<1	<1	
6/21/2012	n/a	<1	<1	32	<1	<0.5	5.4	<10	<10	<2	710	3.2	<10	<0.2	<20	<1	<10	<5	<1	<1	23	13	<1	<1	
9/20/2012	n/a	<1	4.7	45	<1	<0.5	2.3	<10	<10	5	7100	32	100	<0.2	<20	<1	<10	16	<1	<1	14	43	<1	<1	
3/10/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2.4	<1.4	<2.3	<0.52	200	6.7	<1.2	<0.049	<4.9	<0.38	<2.8	15	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
6/8/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2.4	<1.4	<2.3	<0.52	270	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	14	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
9/15/2015	n/a	<0.21	<0.25	29.6	<0.12	<0.16	2.43	<0.54	<0.26	<0.52	<15	2	17.4	<0.049	<0.35	<0.38	<0.31	13.7	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
12/15/2015	n/a	<0.21	<0.25	27.7	<0.12	<0.16	2.11	<0.54	<0.26	<0.52	125	<0.24	14.3	<0.049	<0.35	<0.38	<0.31	13.7	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
3/29/2016	n/a	<0.21	<0.25	27.4	<0.12	<0.16	2.53	<0.54	<0.26	<0.52	155	<0.24	6.55	<0.049	<0.35	<0.38	<0.31	12.9	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
6/28/2016	n/a	<0.754	<0.25	28.9	<0.12	<0.16	2.09	<0.54	<0.26	<0.52	147	<0.24	7.41	<0.049	<0.35	<0.38	<0.31	13.8	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
9/20/2016	n/a	<2	<2	25.7	<2	<1	2.28	<2	<2	<5	338	<2	8.64	<0.2	<2	<2	<2	13.8	<2	<2	<5	<25	<1	<1	
12/20/2016	n/a	<2	<2	27.7	<2	<1	2.48	<2	<2	<5	143	<2	8.02	<0.2	<2	<2	<2	14.2	<2	<2	<5	<25	<1	<1	
3/28/2017	n/a	<2	<2	27.1	<2	<1	2.26	3.13	<2	<5	181	<2	5.8	<0.2	<2	<2	<2	12.8	<2	<2	<5	<25	<1	<1	
9/27/2017	n/a	<2	<2	26.8	<2	<1	2.91	<2	<2	<5	<100	<2	5.69	<0.2	<2	<2	<2	13.7	<2	<2	<5	<25	<1	<1	
4/20/2018	n/a	<10*	<23.4*	35.9	<0.416*	<1.2*	1.72	<12.5*	0.699	<5*	500	<15.6*	9.54	0.025	<10*	<52*	<20.8*	13.6	<73*	<41.6*	0.5	7.89	<5*	<5*	
10/23/2018	n/a	<36*	<23.5*	31.1	<0.624*	<1.2*	1.67	2.33	<13.5*	<5*	321	<15.6*	24.1	0.025	3	<52*	<20.8*	13.2	<73*	<728*	<21*	5.34	<5*	<5*	
4/23/2019	n/a	<2.08*	0.682	30.5	<0.26*	0.038	2.01	0.241	0.145	0.31	30.6	0.443	5.43	<0.2*	0.53	<2.08*	<0								

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
	4/18/2002	6.96	<6	<5	318	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05	<0.5
	10/31/2002	7.12	<6	<5	2670	<2	<3	6.5	<10	<20	<5	118	<5	<50	n/a	<10	<10	<10	5.8	<1	n/a	<400	<30	<0.05	<0.5
	4/15/2003	6.98	<6	<5	26	<2	<3	7	<10	<20	<5	46	<5	<50	n/a	<10	<10	<10	11.6	<1	n/a	<400	<30	<0.05	<0.5
	10/29/2003	7.07	<6	<5	279	<2	<3	6.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05	<0.5
	4/13/2004	7.16	<6	<5	432	<2	<3	5	<10	<20	<5	153	<5	<50	n/a	<10	<10	<10	10.5	<1	n/a	<400	<30	<0.05	<0.5
	10/20/2004	7.02	<6	<5	71	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05	<0.5
	4/14/2005	6.77	<2	1.58	25.4	<0.18	0.506	<5	0.293	<20	<2	539	1.14	<30	n/a	<10	<3	<1	13.8	<1	n/a	<20	<10	<0.05	<0.5
	10/11/2005	6.62	<6	1.53	77.5	1.87	0.421	9	<0.45	<50	<10	179	<5	632	n/a	14.5	<10	<3	7	<2	n/a	<10	11.8	<1	<1
	4/4/2006	7.6	<2	<5	<50	<0.18	<0.3	<5	0.705	<100	<2	<30	<1	124	n/a	<100	<5	<0.57	10.5	<1	n/a	<2	<100	<0.5	<0.25
	7/27/2006	7.62	<1	<10	180	<2	<5	1.7	<10	<10	<20	<100	<5	100	n/a	<20	21	<10	8.9	<1	n/a	<10	<30	<1	<1
	9/6/2006	7.41	<1	<10	190	<2	<5	1.6	<10	<10	<20	<100	<5	200	<0.2	<20	<20	<10	7.9	<1	n/a	<10	<30	<1	<1
	2/7/2007	7.36	<1	<1	150	<2	<5	1.7	<10	<10	<20	<100	<5	160	<0.2	<20	<20	<10	9.9	<1	n/a	<10	<30	<1	<1
	5/24/2007	8.27	<1	<1	160	<2	<5	2.5	<10	<10	<20	<100	<5	91	<0.2	<20	<20	<10	9.1	<1	n/a	<10	<30	<1	<1
	8/25/2007	7.26	<1	<1	150	<2	<5	1.7	<10	<10	<20	<100	5	130	<0.2	<20	39	<10	8.5	<1	n/a	<10	<30	<1	<1
	11/6/2007	6.93	<1	<1	160	<2	<5	2.7	<10	<10	<20	<100	<5	86	<0.2	<20	<20	<10	8	<1	<20	<10	<30	<1	<1
	2/22/2008	7.21	<1	<1	140	<2	<5	2.3	<10	<10	<20	<100	<5	36	<0.2	<20	<20	<10	12	<1	<20	<10	<30	<1	<1
	4/29/2008	7.35	<1	<1	120	<1	<5	2.1	<10	<10	<1	<100	<5	25	<0.2	<20	<1	<10	12	<1	<20	<10	11	<1	<1
	8/19/2008	7.26	<1	<1	140	<1	<5	1.7	<10	<10	<20	<100	<5	70	<0.2	<20	<20	<10	9.6	<1	<20	<10	12	<1	<1
	11/18/2008	7.18	<1	<1	140	<2	<5	2.9	<10	<10	<20	<100	<5	99	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	<1
	2/20/2009	7.3	<1	<1	120	<1	<0.5	2.8	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	13	<1	<1	<10	11	<1	<1
	5/20/2009	6.98	<1	<1	100	<1	<5	3.7	<10	<10	<1	<100	<1	27	<0.2	<20	<1	34	14	<1	<1	<10	23	<1	<1
	8/27/2009	6.12	<1	1.5	150	<1	1	2.8	<10	<10	2.2	350	2	850	<0.2	<20	<1	<10	10	<1	<1	<10	71	<1	<1
	12/18/2009	6.9	<1	0.45	130	<2	<5	3.5	<10	7.3	4.5	290	<5	740	0.08	5.4	20	<10	8.9	<1	<20	<10	19	<1	<1
	3/23/2010	7.09	<1	<1	120	<1	<0.5	2.1	<10	5	1.2	110	<1	410	<0.2	54	<1	3.7	10	<1	<1	<10	21	<1	<1
	6/17/2010	n/a	<1	0.52	120	<1	<0.5	2.5	<10	<10	0.59	85	<1	340	<0.2	7.4	<1	<10	7.9	<1	<1	40	15	<1	<1
	9/23/2010	6.91	<1	0.41	82	<1	<0.5	2.5	<10	<10	<2	<100	<1	86	<0.2	<20	<1	<10	9.2	<1	<1	5.6	9.8	<1	<1
	12/8/2010	6.72	0.39	0.73	70	0.49	0.34	3.2	<10	2.5	0.95	67	0.8	360	<0.2	5.9	0.59	<10	11	<1	0.34	<10	13	<1	<1
	3/22/2011	7.02	<1	<1	81	<1	<0.5	2.7	<10	5.8	1.3	180	0.33	690	<0.2	17	<1	<10	12	<1	<1	<10	85	<1	<1
	6/28/2011	6.88	<1	<1	96	<1	<0.5	2.8	<10	12	1.5	340	1.2	1200	<0.2	20	<1	<10	8.1	<1	<1	<10	26	<1	<1
	9/28/2011	n/a	<1	0.32	61	<1	<0.5	2.7	<10	2.4	<2	56	1.1	200	0.03	11	<1	<10	9.9	<1	<1	<10	8	<1	<1
	6/21/2012	n/a	<1	<1	61	<1	<0.5	2.8	<10	<10	<2	<100	<1	86	<0.2	<20	<1	<10	8.1	<1	<1	25	19	<1	<1
	9/19/2012	n/a	<1	<1	110	<1	<0.5	2.8	<10	13	<2	340	<1	1300	<0.2	29	<1	<10	12	<1	<1	<10	35	<1	<1
	3/11/2015	n/a	<0.21	<0.25	35	<0.12	<0.16	1.8	<1.4	<2.3	<0.52	<14	8.5	<1.2	<0.049	<4.9	<0.38	<2.8	9.7	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	37	<0.12	<0.16	2.4	<1.4	<2.3	<0.52	<14	<0.24	22	<0.049	<4.9	<0.38	<2.8	7.2	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	9/15/2015	n/a	<0.21	<0.25	37.4	<0.12	<0.16	1.96	<0.54	<0.26	<0.52	<15	<0.24	80.2	<0.049	2.38	<0.38	<0.31	7.19	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/15/2015	n/a	<0.21	<0.25	34.5	<0.12	<0.16	1.69	<0.54	<0.26	<0.52	<15	<0.24	9.7	<0.049	<0.35	<0.38	<0.31	7.59	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	31.6	<0.12	<0.16	1.69	<0.54	<0.26	<0.52	<15	<0.24	7.78	<0.049	<0.35	<0.38	<0.31	6.66	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	6/28/2016	n/a	<0.754	<0.25	36.5	<0.12	<0.16	1.5	<0.54	<0.26	<0.52	<15	<0.24	55.3	<0.049	<0.35	<0.38	<0.31	6.16	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	9/20/2016	n/a	<2	<2	38	<2	<1	1.69	<2	<2	<5	<100	<2	43.7	<0.2	<2	<2	<2	6.49	<2	<2	<5	<25	<1	<1
	12/20/2016	n/a	<2	<2	46.2	<2	<1	1.5	<2	3.56	<5	153	<2	363	<0.2	10.6	<2	<2	6.39	<2	<2	<5	<25	<1	<1
	3/29/2017	n/a	<2	<2	31.2	<2	<1	1.91	<2	<2	<5	<100	<2	54.4	<0.2	2.05	<2	<2	6.07	<2	<2	<5	<25	<1	<1
	9/27/2017	n/a	<2	<2	37.1	<2	<1	2.19	<2	<2	<5	<100	<2	22.9	<0.2	<2	<2	<2	5.68	<2	<2	<5	<25	<1	<1
	4/21/2018	n/a	3	<23.4*	35	0.091	<1.2*	1.22	<12.5*	1.54	<5*	142	<15.6*	172	0.025	4	<52*	<20.8*	8.1	<73*	<41.6*	<20*	9.42	<5*	<5*
	10/23/2018	n/a	<36*	<23.5*	38.4	<0.624*	<1.2*	1.3	2.48	<13.5*	<5*	94.3	<15.6*	19.6	0.025	<10*	<52*	<20.8*	12.2	<73*	<728*	<21*	6.29	<5*	<5*
	4/23/2019	n/a	<2.08*	0.257	31.1	<0.26*	0.047	1.4	0.294	0.14	0.208	5.47	<0.26*	14.3	<0.2*	0.43	<2.08*	<0.26*	6.97	<0.26*	<20.8*	0.069	<20.8*	<5*	<5*
	10/7/2019	n/a	<2.08*	0.293	34.5	<0.26*	<0.26*	1.56	0.36	0.125	0.439	4.78	<0.26*	13	<0.2*	0.36	0.666	0.032	6.53	<0.26*	<20.8*	0.092	5.65	<1*	<1*
	4/20/2020	n/a	<2.08*	0.249	28.9	<0.26*	<0.26*	1.03	0.281	0.074	0.237	<20.8*	<0.26*	6.17	<0.2*	0.28	<5.2*	<0.312*	6.17	<0.26*	<20.8*	0.078	<20.8*	<1*	<1*
	10/5/2020	n/a	<2.08	0.278	32.3	<0.26	0.066	1.54	0.399	<0.26	0.271	<20.8	0.1	3.08	<0.2	<0.52	<5.2	<0.312	5.95	0.077	<20.8	0.117	5.19	<1	<1
	4/5/2021	n/a	<2.08*	0.218	26.1	<0.26*	<0.26*	1.3	0.571	<0.26*	0.229	<20.8*	<0.26*	0.677	0.0125	0.18	<5.2*	<0.312*	6.72	<0.26*	<20.8*	0.066	<20.8*	<1*	<1*
	10/5/2021	n/a	<2	0.291	34.8	<0.25	<0.25	1.59	0.418	<0.25	0.185	<20	<0.25	<1.5	<0.2	<0.5	<5	<0.3	7.26	<0.25	<20	0.108	<20	<1	<1
	4/18/2022	n/a	<2.08*	0.215	29.7	<0.26*	0.039	1.28	0.401	0.049	0.226	<20.8*	<0.26*	5.11	<0.2*	0.19	<5.2*	<0.312*	6.38	<0.26*	<20				

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
NAB-2	2/22/2008	7.08	<1	46	25	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	22	<1	22	<10	66	<1	<1
	4/29/2008	7.24	1.5	44	27	<1	<0.5	3.1	<10	<10	4.7	<100	<5	14	<0.2	<20	<1	<10	21	<1	<20	<10	100	<1	<1
	8/19/2008	7.19	<1	53	28	<1	<5	2.2	<10	<10	<20	48	<5	11	<0.2	<20	<20	<10	19	<1	<20	<10	140	<1	<1
	11/18/2008	6.98	1.4	37	29	<2	<5	3.3	<10	<10	<20	<100	<5	12	<0.2	<20	<20	<10	24	<1	<20	<10	140	<1	<1
	2/20/2009	7.12	1.2	34	28	<1	<5	3.5	<10	<10	<1	140	<1	12	<0.2	<20	<1	<10	27	<1	<1	<10	140	<1	<1
	5/20/2009	7.4	<1	24	26	<1	<5	3.4	<10	<10	<1	<100	<1	15	<0.2	<20	<1	<10	24	<1	<1	<10	160	<1	<1
	8/19/2009	6.11	<1	23	31	<1	<0.5	4.8	<10	<10	<2	<100	<1	19	<0.2	<20	<1	<10	28	<1	<1	<10	120	<1	<1
	12/17/2009	7.19	0.59	11	31	<2	<5	3.9	2	<10	<20	990	5.4	49	0.03	<20	22	<10	27	<1	<20	<10	170	<1	<1
	3/23/2010	7.19	<1	8.2	32	<1	<0.5	4.6	1.9	3.3	4	1100	5.6	67	<0.2	11	<1	3.7	26	<1	<1	<10	190	<1	<1
	6/16/2010	n/a	0.3	10	32	0.15	0.27	4.4	1.7	<10	1.8	1200	7.2	62	<0.2	11	<1	<10	25	<1	<1	55	200	<1	<1
	9/23/2010	5.56	0.72	17	40	1.1	1.2	4.4	6	<10	2.3	2200	9.3	100	<0.2	9	<1	<10	23	<1	0.42	13	280	<1	<1
	12/7/2010	6.7	0.66	4.9	29	0.51	0.54	3.6	<10	<10	0.94	280	3.2	27	<0.2	8.8	<1	3.6	28	<1	0.38	<10	150	<1	<1
	3/22/2011	6.9	<1	3.9	30	<1	<0.5	4.5	<10	2.1	<2	380	3.2	47	<0.2	6.6	<1	<10	39	<1	<1	<10	220	<1	<1
	6/29/2011	6.65	<1	2.4	30	<1	<0.5	3.8	<10	<10	<2	200	1.6	37	<0.2	10	<1	<10	27	<1	<1	<10	160	<1	<1
	9/28/2011	n/a	<1	3.6	30	<1	<0.5	3.2	<10	<10	<2	140	1.7	23	<0.2	15	<1	<10	27	<1	<1	<10	120	<1	<1
	6/21/2012	n/a	<1	13	36	<1	0.57	3.7	<10	<10	2.4	1500	9.3	68	<0.2	<20	<1	<10	28	<1	<1	36	210	<1	<1
	9/20/2012	n/a	<1	8.1	34	<1	<0.5	3	<10	<10	<2	410	1.8	33	<0.2	<20	<1	<10	29	<1	<1	<10	140	<1	<1
	7/25/2006	7.63	<1	20	28	<2	<5	2.2	<10	<10	<20	<100	<5	23	n/a	<20	23	<10	24	<1	n/a	<10	30	<1	<1
	9/7/2006	7.35	<1	110	31	<2	<5	3.9	<10	<10	<20	330	<5	33	<0.2	<20	<20	<10	53	<1	n/a	<10	<30	<1	<1
	2/7/2007	7.18	<1	12	24	<2	<5	1.7	<10	<10	<20	100	<5	16	<0.2	<20	<20	<10	24	<1	n/a	<10	<30	<1	<1
	5/24/2007	8.36	<1	13	24	<2	<5	2.4	<10	<10	<20	<100	<5	14	<0.2	<20	<20	<10	19	<1	n/a	<10	31	<1	<1
	8/25/2007	7.21	<1	7.9	20	<2	<5	1.5	<10	<10	<20	<100	<25	10	<0.2	<20	<20	<10	18	<1	110	<10	49	<1	<1
	11/6/2007	6.9	<1	44	23	<2	<5	1.9	<10	<10	<20	140	16	19	<0.2	<20	<20	<10	20	<1	<20	<10	72	<1	<1
	2/22/2008	7.01	<1	13	24	<2	<5	2.2	<10	<10	<20	<100	<5	16	<0.2	<20	<20	<10	26	<1	22	<10	<30	<1	<1
	4/29/2008	7.07	<1	21	23	<1	<0.5	1.6	<10	<10	<1	<100	<5	13	<0.2	<20	<1	<10	18	<1	<20	<10	62	<1	<1
	8/19/2008	7.33	<1	27	23	<1	<5	1.7	<10	<10	<20	<100	<5	13	<0.2	<20	<20	<10	17	<1	<20	<10	47	<1	<1
	11/18/2008	7.15	<1	25	23	<2	<5	2.6	11	<10	<20	300	5.5	13	<0.2	44	<20	<10	22	<1	<20	<10	61	<1	<1
	2/20/2009	7.19	<1	18	22	<1	<5	2.5	<10	<10	1	<100	1.7	<10	<0.2	<20	<1	<10	25	<1	<1	<10	35	<1	<1
	5/20/2009	6.9	<1	13	22	<1	<5	2.5	<10	<10	<1	<100	<1	15	<0.2	<20	<1	<10	23	<1	<1	<10	32	<1	<1
	8/19/2009	6.13	<1	11	25	<1	<0.5	2.3	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	19	<1	<1	<10	37	<1	<1
	12/16/2009	7.39	0.63	28	23	<2	<5	2.6	<10	<10	<20	140	2.3	8.4	0.03	<20	9.8	<10	18	<1	<20	<10	24	<1	<1
	3/23/2010	7.29	<1	46	24	<1	<0.5	3.2	<10	2.3	<2	350	1.9	15	<0.2	<20	<1	5.8	18	<1	<1	<10	29	<1	<1
6/17/2010	n/a	0.91	42	23	<1	<0.5	2.3	<10	<10	0.65	430	2.9	12	<0.2	<20	<1	<10	17	<1	0.39	17	28	<1	<1	
9/21/2010	6.77	0.43	120	25	<1	<0.5	2.2	<10	<10	0.65	1000	6.8	27	<0.2	<20	<1	<10	17	<1	<1	5.6	23	<1	<1	
12/7/2010	6.86	0.82	110	25	0.56	0.34	2.4	3	<10	1.3	1600	10	41	<0.2	<20	<1	<10	15	<1	0.77	<10	37	<1	<1	
3/22/2011	7.04	<1	52	23	<1	<0.5	2.5	<10	<10	<2	480	2.8	19	<0.2	<20	<1	<10	18	<1	<1	<10	28	<1	<1	
6/29/2011	6.82	<1	52	23	<1	<0.5	2.6	<10	<10	<2	440	3.2	13	<0.2	<20	<1	<10	16	<1	<1	<10	37	<1	<1	
9/28/2011	n/a	<1	39	25	<1	<0.5	2.7	<10	<10	<2	420	3.3	19	0.03	7.8	<1	<10	14	<1	<1	<10	26	<1	<1	
6/21/2012	n/a	<1	82	32	<1	<0.5	3	<10	<10	3.1	1100	8.6	30	<0.2	<20	<1	<10	14	<1	<1	26	34	<1	<1	
9/20/2012	n/a	<1	110	35	<1	<0.5	2.9	<10	<10	<2	2600	20	66	<0.2	<20	<1	<10	14	<1	<1	<10	36	<1	<1	
3/9/2015	n/a	<0.21	6.6	48	<0.12	<0.16	4.2	<1.4	<2.3	<0.52	<14	6.2	13	<0.049	<4.9	<0.38	<2.8	19	<0.19	<0.3	<2.4	46	<0.33	<0.4	
3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
6/9/2015	n/a	<0.21	5.1	48	<0.12	<0.16	4.7	<1.4	<2.3	<0.52	160	<0.24	17	<0.049	<4.9	<0.38	<2.8	18	<0.19	<0.3	<2.4	45	<0.33	<0.4	
9/16/2015	n/a	<0.21	3.52	34.4	<0.12	<0.16	5.27	<0.54	<0.26	<0.52	190	2.9	22.4	<0.049	6.26	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	56.6	<0.331	<0.398	
12/15/2015	n/a	<0.21	5.57	50.6	<0.12	<0.16	5.72	<0.54	<0.26	<0.52	<15	<0.24	17	<0.049	3.08	<0.38	<0.31	17	<0.19	&					

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
NAB-3	7/25/2006	7.89	<1	<10	31	<2	<5	1.9	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	9.7	<1	n/a	<10	86	<1	<1	
	9/8/2006	7.58	<1	<10	32	<2	<5	1.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.7	<1	n/a	<10	54	<1	<1	
	2/7/2007	7.18	<1	<10	36	<2	<5	1.7	<10	<10	<20	130	<5	31	<0.2	<20	<20	<10	7.2	<1	n/a	<10	89	<1	<1	
	5/24/2007	8.11	<1	1.2	40	<2	<5	2.9	<10	<10	<20	<100	<5	76	<0.2	<20	<20	<10	6.1	<1	n/a	<10	79	<1	<1	
	8/25/2007	7.29	<1	<10	32	<2	<5	1.9	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.7	<1	48	<10	110	<1	<1	
	11/6/2007	6.87	<1	<10	36	<2	<5	2.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	<20	<10	110	<1	<1	
	2/22/2008	6.28	<1	<1	32	<2	<5	2.6	<10	<10	<20	130	<5	20	<0.2	<20	<20	<10	12	<1	22	<10	130	<1	<1	
	4/29/2008	7.34	<1	<1	36	<1	<0.5	3.1	<10	<10	1.1	<100	<5	<10	0.12	<20	<1	<10	12	<1	<20	<10	140	<1	<1	
	8/19/2008	7.26	<1	6.6	37	<1	<5	2.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	120	11	<1	<20	<10	120	<1	<1	
	11/18/2008	7.03	<1	<1	38	<2	<5	4.5	11	<10	<20	<100	<5	18	<0.2	44	<20	<10	13	<1	<20	<10	150	<1	<1	
	2/20/2009	7.06	<1	<1	42	<1	0.56	4.6	<10	<10	1.2	120	<1	16	<0.2	<20	<1	<10	9.4	<1	<1	<10	99	<1	<1	
	5/20/2009	6.81	<1	<1	36	<1	<5	3.7	<10	<10	<1	<100	<1	21	<0.2	<20	<1	<10	9.3	<1	<1	<10	120	<1	<1	
	8/19/2009	6.07	<1	1.1	44	<1	0.68	3.7	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	8.6	<1	<1	<10	82	<1	<1	
	12/15/2009	6.83	<1	1	50	<2	<5	3.9	<10	<10	<20	160	<5	170	0.28	<20	<100	<10	7	<1	130	<10	53	<1	<1	
	3/23/2010	6.89	<1	2	39	<1	<0.5	2.4	1.7	2.9	0.62	120	<1	95	0.05	<20	<1	4	18	<1	<1	<10	180	<1	<1	
	6/17/2010	n/a	<1	0.9	47	<1	0.49	2.8	1.8	<10	1.2	420	0.75	160	0.18	<20	<1	<10	7.9	<1	<1	46	70	<1	<1	
	9/21/2010	6.31	<1	1.3	52	<1	1.1	4.4	<10	2	2	440	2.2	320	0.2	<20	<1	<10	9.8	<1	<1	<10	69	<1	<1	
	12/7/2010	6.57	0.4	0.95	48	0.51	0.88	4.4	<10	<10	1.3	130	1.1	140	0.09	<20	<1	9.1	9.8	<1	0.33	10	59	<1	<1	
	3/22/2011	6.83	<1	<1	52	<1	0.24	4.2	<10	<10	1.4	220	1.3	340	0.03	<20	<1	<10	12	<1	<1	<10	75	<1	<1	
	6/29/2011	6.57	<1	<1	42	<1	<0.5	3.6	<10	<10	1.6	160	0.8	270	0.08	<20	<1	<10	14	<1	<1	<10	77	<1	<1	
	9/28/2011	n/a	0.55	2.3	44	0.38	2	3.3	<10	4	2.9	820	4.1	790	0.19	11	<1	<10	21	<1	0.4	2.8	180	<1	<1	
	6/20/2012	n/a	<1	1.8	54	<1	2.6	3.5	<10	<10	4.3	980	4.5	820	<0.2	<20	<1	<10	20	<1	<1	30	210	<1	<1	
	9/20/2012	n/a	<1	2.2	37	<1	2.3	2.3	<10	<10	4.1	1700	1.8	1100	<0.2	<20	<1	<10	56	<1	<1	<10	240	<1	<1	
	3/10/2015	n/a	<0.21	<0.25	33	<0.12	<0.16	2.8	<1.4	<2.3	<0.52	310	6	12	<0.049	<4.9	<0.38	<2.8	14	<0.19	<0.3	<2.4	120	<0.33	<0.4	
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	38	<0.12	<0.16	4.9	<1.4	<2.3	<0.52	140	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	100	<0.33	<0.4	
	9/15/2015	n/a	<0.21	<0.25	39.2	<0.12	<0.16	5.08	<0.54	<0.26	<0.52	<15	<0.24	11.4	<0.049	<0.35	<0.38	<0.31	12.1	<0.19	<0.3	<0.18	100	<0.331	<0.398	
	12/15/2015	n/a	<0.21	<0.25	37.2	<0.12	<0.16	3.14	<0.54	<0.26	<0.52	506	<0.24	31.6	<0.049	2.28	<0.38	<0.31	9.93	<0.19	<0.3	<0.18	96.3	<0.331	<0.398	
	3/29/2016	n/a	<0.21	<0.25	45.6	<0.12	<0.16	5.52	2.6(B)	<0.26	<0.52	248	<0.24	44.9	<0.049	2.69(B)	<0.38	<0.31	8.03	<0.19	<0.3	<0.18	70.7	<0.331	<0.398	
	6/28/2016	n/a	<0.754	<0.25	38.3	<0.12	<0.16	51	2.71	<0.26	<0.52	<15	<0.24	13.7	<0.049	<0.35	<0.38	<0.31	97.7	<0.19	<0.3	<0.18	57.9	<0.331	<0.398	
	9/20/2016	n/a	<2	<2	39.8	<2	<1	6.08	34.2	<2	<5	519	<2	53	<0.2	23.6	<2	<2	11.8	<2	<2	<5	93	<1	<1	
	12/20/2016	n/a	<2	<2	50.2	<2	<1	9.17	<2	<2	<5	108	<2	48.3	<0.2	2.68	<2	<2	8.97	<2	<2	<5	82.3	<1	<1	
	3/28/2017	n/a	<2	<2	37.7	<2	<1	5.18	<2	<2	<5	648	<2	30.1	<0.2	2.46	<2	<2	8.24	<2	<2	<5	83.3	<1	<1	
	9/27/2017	n/a	<2	<2	47.3	<2	<1	12	<2	<2	<5	187	<2	49.7	<0.2	2.28	<2	<2	9.89	<2	<2	<5	60.3	<1	<1	
	4/17/2018	n/a	<10*	<23.4*	43.1	<0.416*	<1.2*	8.92	<12.5*	<10*	<5*	168	<15.6*	30.9	<0.2*	<10*	<52*	<20.8*	10.6	<73*	<41.6*	<20*	91	<5*	<5*	
	10/22/2018	n/a	<36*	<23.5*	54.5	<0.624*	0.691	11.6	<12.5*	<13.5*	1	184	<15.6*	29.2	0.025	3	<52*	<20.8*	11.9	<73*	<728*	<21*	88.7	<5*	<5*	
	4/23/2019	n/a	<2.08*	0.29	43.3	<0.26*	0.372	6.37	0.244	0.043	0.588	7.3	0.086	6.64	<0.2*	0.86	<2.08*	<0.26*	9.47	0.075	<20.8*	0.124	64.4	<5*	<5*	
	10/8/2019	n/a	<2.08*	0.329	50.9	<0.26*	0.717	7.15	0.301	<0.26*	0.736	6.74	<0.26*	25.4	0.025	2	<2.08*	<0.26*	6.88	0.102	<20.8*	0.136	73.6	<1*	<1*	
	4/20/2020	n/a	<2.08*	0.278	37.6	<0.26*	0.245	4.96	0.237	<0.26*	0.419	9.11	<0.26*	1.54	<0.2*	0.78	<5.2*	<0.312*	9.3	0.063	<20.8*	0.112	67.6	<1*	<1*	
	10/5/2020	n/a	<2.08	0.258	36.5	<0.26	0.611	4.63	0.318	0.084	0.606	7.88	0.184	51.4	<0.2	<0.52	<5.2	<0.312	8.98	0.07	<20.8	0.12	84.8	<1	<1	
	4/5/2021	n/a	<2.08*	0.321	37.2	<0.26*	0.246	3.83	0.703	<0.26*	0.478	8.33	<0.26*	1.92	<0.2*	0.82	<5.2*	<0.312*	9.24	0.058	<20.8*	0.101	61.3	<1*	<1*	
	10/4/2021	n/a	<2	0.248	33.2	<0.25	0.406	4.19	0.378	<0.25	1.35	11.3	0.099	16.1	<0.2	0.86	<5	<0.3	10	0.057	<20	0.101	82.2	<1	<1	
	4/18/2022	n/a	<2.08*	0.55	39.7	<0.26*	1.14	3.62	0.411	0.336	1.36	42.5	0.685	282	<0.											

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
NAB-7	6/15/2010	n/a	0.4	5.2	32	<1	3.1	4.3	3.4	<10	2	1200	4.9	80	0.02	12	<1	<10	57	0.46	<1	62	670	<1	<1	
	9/22/2010	6.87	0.89	4.6	32	0.87	3	4	5	<10	1.4	370	3.6	30	<0.2	8	0.46	<10	76	0.46	0.39	<10	580	<1	<1	
	12/8/2010	6.82	<1	3.9	24	<1	2.3	4	<10	<10	<2	310	2.2	19	<0.2	13	<1	9.9	54	<1	<1	<10	600	<1	<1	
	3/22/2011	6.9	<1	5.3	24	<1	1.6	3.9	<10	<10	0.83	230	2.4	18	<0.2	9.7	<1	<10	42	<1	<1	<10	640	<1	<1	
	6/28/2011	6.62	<1	11	28	<1	1.8	3.7	3	2	<2	250	3.1	19	<0.2	12	<1	<10	32	0.2	<1	<10	440	<1	<1	
	9/28/2011	n/a	2.1	16	30	0.32	3.2	3.8	<10	<10	3.2	370	3.7	21	0.03	16	<5	4.1	26	0.28	2	<10	280	<1	<1	
	6/21/2012	n/a	<1	11	33	<1	2.4	3.9	<10	<10	5	430	2.8	27	<0.2	<20	<1	<10	40	<1	<1	31	540	<1	<1	
	9/20/2012	n/a	<1	20	32	<1	1.7	3.7	<10	<10	<2	740	5.4	40	<0.2	<20	<1	<10	38	<1	<1	<10	400	<1	<1	
	3/10/2015	n/a	<0.21	3.3	43	<0.12	1.2	3.7	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	52	<0.19	<0.3	<2.4	830	<0.33	<0.4	
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	6/9/2015	n/a	<0.21	2.7	50	<0.12	1.6	3.7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	46	<0.19	<0.3	<2.4	930	<0.33	<0.4	
	9/15/2015	n/a	<0.21	3.62	49.5	<0.12	1.34	4.05	<0.54	<0.26	<0.52	<15	<0.24	8.06	<0.049	14.7	<0.38	<0.31	34.7	<0.19	<0.3	<0.18	660	<0.331	<0.398	
	12/15/2015	n/a	<0.21	3.38	48.3	<0.12	1.42	3.41	<0.54	<0.26	<0.52	<15	<0.24	7.68	<0.049	10.2	<0.38	<0.31	30	<0.19	<0.3	<0.18	482	<0.331	<0.398	
	3/29/2016	n/a	<0.21	2.13	56.5	<0.12	1.65	3.87	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	11.1(B)	<0.38	<0.31	46.8	<0.19	<0.3	<0.18	808	<0.331	<0.398	
	6/28/2016	n/a	<0.754	<0.25	58.7	<0.12	1.56	3.59	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	11	<0.38	<0.31	59.2	<0.19	<0.3	<0.18	844	<0.331	<0.398	
	9/20/2016	n/a	<2	2.37	40	<2	1.04	4.03	<2	<5	<100	<2	<5	<2	<2	11.7	<2	<2	43.7	<2	<2	<5	695	<1	<1	
	12/20/2016	n/a	<2	4.58	41.9	<2	1.28	4.11	5.71	<2	<5	247	<2	16.6	<0.2	18.7	<2	<2	41.8	<2	<2	<5	656	<1	<1	
	3/28/2017	n/a	<2	4.46	44.6	<2	1.2	3.7	<2	<5	<5	<100	<2	6.21	<0.2	9.69	<2	<2	22.2	<2	<2	<5	460	<1	<1	
	4/18/2018	n/a	<10*	<23.4*	46.2	<0.416*	<1.2*	3.41	<12.5*	<10*	<5*	145	<15.6*	<10.4*	<0.2*	10	<52*	<20.8*	49.5	<73*	<41.6*	<20*	1000	<5*	<5*	
	11/2/2018	n/a	<36*	6.96	43.5	<0.624*	1.33	4.38	<12.5*	<13.5*	<5*	176	<15.6*	7.45	<0.2*	15	<52*	<20.8*	43.9	<73*	<728*	<21*	1120	<0.7	<1.5	
	4/25/2019	n/a	<2.08*	1.96	80	<0.26*	2.98	7.85	0.306	1.16	0.903	15.8	0.237	368	3.55	10.8	0.537	<0.26*	39.2	0.997	<20.8*	0.053	1550	<5*	<5*	
	10/8/2019	n/a	0.596	7.77	65.3	<0.26*	1.95	6.84	0.818	3.73	0.89	237	3.28	293	0.925	12.1	<2.08*	<0.26*	42.3	0.839	<20.8*	0.168	1230	<1*	<1*	
	4/20/2020	n/a	<2.08*	2.51	80	<0.26*	3.39	7.23	0.507	1.2	1.19	77.4	0.887	584	2.08	16.4	<5.2*	<0.312*	99.2	1	<20.8*	0.113	1700	<1*	<1*	
	10/6/2020	n/a	0.429	4.7	56.5	<0.26	1.83	7.26	1.35	2.08	0.739	130	1.54	188	1.22	2.26	<5.2	<0.312	67	0.905	<20.8	0.095	1390	<1	<1	
	4/6/2021	n/a	<2.08*	3.28	58.7	<0.26*	2.83	5.43	0.104	1.05	0.753	39.5	0.299	295	0.7	16.9	<5.2*	<0.312*	118	0.912	<20.8*	0.065	1910	<1*	<1*	
	10/5/2021	n/a	<2	3.95	57.2	<0.25	1.95	8.7	0.672	0.433	0.564	49.1	0.358	153	0.818	13.2	<5	<0.3	69.3	0.995	<20	0.058	1370	<1	<1	
	4/19/2022	n/a	0.771	7.62	52.3	<0.26*	2.32	5.85	1.16	0.805	0.942	165	1.6	183	0.405	12.8	<5.2*	<0.312*	82.4	0.903	<20.8*	0.12	1390	<1*	<1*	
	10/4/2022	n/a	0.361	4.17	49.2	<0.26*	1.76	5.42	0.307	0.518	0.444	72.5	0.377	155	0.14	14.2	<5.2*	<0.312*	82.5	0.92	<20.8*	0.049	1320	<1*	<1*	
	5/14/2024	n/a	<2.08	9.1	35	<0.26	1.55	5.56	0.538	0.413	0.549	183	1.87	49.3	0.152	8.99	<5.2	<0.312	n/a	0.812	<20.8	0.075	1820	<1	<2	
	NAB-7	7/25/2006	7.89	<1	<10	19	<2	<5	1.4	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	9.6	<1	n/a	<10	58	<1	<1
		9/8/2006	7.5	<1	<10	17	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	n/a	<10	<30	<1	<1
		2/7/2007	7.39	<1	5.6	20	<2	<5	1.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1
5/24/2007		8.18	<1	1.7	26	<2	<5	2.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	n/a	<10	33	<1	<1	
8/25/2007		7.3	<1	1.4	18	<2	<5	1.5	<10	<10	<20	<100	6.6	<10	<0.2	<20	24	<10	14	<1	43	<10	42	<1	<1	
11/6/2007		6.91	<1	2.9	19	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	<20	<10	<30	<1	<1	
2/22/2008		7.35	1.6	5.5	22	<2	<5	3.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	30	<1	<20	<10	<30	<1	<1	
4/29/2008		7.14	<1	5.5	20	<1	<0.5	2	<10	<10	<1	<100	<5	12	<0.2	<20	<1	<10	19	<1	<20	<10	22	<1	<1	
8/19/2008		7.47	<1	<1	19	<1	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	21	<1	<20	<10	32	<1	<1	
11/18/2008		7.22	1.2	6.7	20	<2	<5	2.5	<10	<10	<20	<100	8.6	<10	<0.2	<20	<20	<10	23	<1	<20	<10	<30	<1	<1	
2/20/2009		7.29	1	1.3	20	<1	0.56	3.1	<10	<10	<1	40	1	<10	<0.2	<20	<1	<10	27	<1	<1	<10	33	<1	<1	
5/20/2009		6.81	<1	2.1	18	<1	0.58	2.6	<10	<10	<1	<100	<1	10	<0.2	<20	<1	<10	17	<1	<1	<10	42	<1	<1	
8/27/2009		6.14	<1	3.8	27	<1	0.62	2.2	<10	<10	<2	140	2.9	14	<0.2	<20	<1	<10	21	<1	<1	<10	36	<1	<1	
12/18/2009		7.03	0.24	14	23	0.86	<5	3.3	2.3	1.7	<20	890	40	24	0.07	<20	8.6	<10	21	<1	8.7	<10</				

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
	12/20/2016	n/a	<2	5.74	23	<2	<1	3.05	7.44	<2	5.29	400	5.55	7.01	<0.2	19.4	<2	<2	29.7	<2	<2	<5	43	<1	<1
	3/28/2017	n/a	<2	3.99	34.4	<2	<1	3.97	<2	<2	<5	270	4.63	8.34	<0.2	4.41	<2	<2	21.2	<2	<2	<5	42.4	<1	<1
	9/28/2017	n/a	<2	8.97	21.7	<2	<1	2.98	<2	<2	<5	136	4.78	5.63	<0.2	6.34	<2	<2	22.9	<2	<2	<5	62.6	<1	<1
	4/21/2018	n/a	<10*	205	63.6	0.0654	1.28	2.32	<12.5*	5.25	2	21800	265	103	0.025	7	<52*	<20.8*	15.2	<73*	<41.6*	5	405	<5*	<5*
	10/26/2018	n/a	<36*	11.7	22.7	<0.624*	<1.2*	1.58	<12.5*	<13.5*	<5*	1180	13.6	6.09	<0.2*	4	<52*	<20.8*	20.9	<73*	<728*	<21*	43.2	<5*	<5*
	4/23/2019	n/a	<2.08*	1.47	28.4	<0.26*	0.09	5.22	0.368	0.258	2.41	36.4	0.493	3.31	<0.2*	3.01	<2.08*	<0.26*	18.8	<0.26*	<20.8*	0.091	40	<5*	<5*
	10/8/2019	n/a	<2.08*	4.5	24	<0.26*	<0.26*	2.44	0.333	0.387	0.295	226	2.86	5.83	<0.2*	5.22	<2.08*	<0.26*	24.6	<0.26*	<20.8*	0.134	48.9	<1*	<1*
	4/20/2020	n/a	<2.08*	2.27	25.6	<0.26*	0.162	2.34	0.221	0.115	<0.395*	148	2.05	2.86	<0.2*	1.76	<5.2*	<0.312*	14	<0.26*	<20.8*	0.169	37.4	<1*	<1*
	10/5/2020	n/a	<2.08	43.3	22.6	0.156	0.084	2.14	0.25	0.598	0.347	5040	63.5	10	<0.2	0.72	<5.2	<0.312	18.3	<0.26	<20.8	1.26	60.2	<1	<1
	4/5/2021	n/a	<2.08*	1.82	24.3	<0.26*	0.134	3.35	0.625	0.151	0.127	40.7	0.441	3.4	0.0125	1.78	<5.2*	<0.312*	17.4	<0.26*	<20.8*	0.092	33.9	<1*	<1*
	10/4/2021	n/a	<2	3.82	21	<0.25	<0.25	2.96	0.317	0.115	<0.38	240	2.28	2.6	<0.2	2.5	<5	<0.3	19.5	<0.25	<20	0.108	31.8	<1	<1
	4/18/2022	n/a	<2.08*	3.16	25.7	<0.26*	0.227	3.45	0.325	0.126	0.145	233	3.87	2.84	<0.2*	1.51	<5.2*	<0.312*	13.5	<0.26*	<20.8*	0.215	39.8	<1*	<1*
	10/4/2022	n/a	<2.08*	2.52	21.1	<0.26*	<0.26*	2.03	<0.26*	0.038	<0.395*	164	1.3	1.83	<0.2*	2.86	<5.2*	<0.312*	18.7	<0.26*	<20.8*	0.055	33.1	<1*	<1*
	5/15/2024	n/a	<2.08	6.72	24.2	<0.26	0.136	4.89	0.359	0.094	0.174	637	4.03	1.28	<0.2	1.97	<5.2	<0.312	n/a	<0.26	<20.8	0.148	44.7	<1	<2
NAB-8	7/25/2006	7.79	<1	<10	29	<2	<5	1.7	<10	<10	<20	<100	<5	32	n/a	<20	23	<10	24	<1	n/a	<10	<30	<1	<1
	9/8/2006	7.59	<1	<10	33	<2	<5	1.4	<10	<10	<20	<100	<5	18	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1
	2/7/2007	7.39	<1	3.3	48	<2	<5	1.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	n/a	<10	<30	<1	<1
	5/24/2007	8.17	<1	2.1	60	<2	<5	2.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	<30	<1	<1
	8/25/2007	7.31	<1	<1	58	<2	<5	1.5	13	<10	<20	220	5.5	<10	<0.2	24	49	<10	15	<1	40	<10	39	<1	<1
	11/6/2007	7.07	<1	1.5	49	<2	<5	1.7	<10	<10	<20	<100	6.1	20	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	<1
	2/22/2008	7.26	<1	1.4	47	<2	<5	2	<10	<10	<20	510	<5	17	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	<1
	4/29/2008	6.68	<1	1.4	56	<1	<0.5	1.8	34	<10	3.5	1100	<5	29	<0.2	22	<1	6100	12	<1	<20	<10	37	<1	<1
	11/18/2008	7.57	<1	<1	49	<2	<5	2.1	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	<1
	9/22/2010	6.99	0.38	2.7	47	0.93	0.66	1.4	4	<10	1.5	660	3.9	16	<0.2	<20	0.39	<10	9.3	<1	0.59	<10	16	<1	<1
	12/7/2010	6.89	0.93	27	170	3.5	6.4	1.6	63	20	54	48000	150	730	0.14	44	1.5	<10	8.4	0.8	8.4	95	700	<1	<1
	3/23/2011	7.06	<1	1.2	52	<1	<0.5	1.7	<10	<10	1.2	730	2.3	20	<0.2	<20	<1	<10	9.6	<1	<1	<10	22	<1	<1
	6/28/2011	6.88	<1	<1	62	<1	<0.5	2.2	2	<10	1.1	710	2	17	<0.2	<20	<1	<10	14	<1	<1	<10	14	<1	<1
	9/28/2011	n/a	<1	1.5	53	<1	<0.5	2	<10	<10	0.91	390	2.5	14	<0.2	5.6	<1	<10	12	<1	<1	3.5	16	<1	<1
	6/20/2012	n/a	<1	5.4	49	<1	<0.5	1.6	<10	<10	2.1	2800	9.8	41	<0.2	<20	<1	<10	9	<1	2.4	28	23	<1	<1
	9/20/2012	n/a	<1	2.6	35	<1	<0.5	1.7	<10	<10	<2	360	1.8	<10	<0.2	<20	<1	<10	9.8	<1	<1	<10	11	<1	<1
	3/10/2015	n/a	<0.21	5.9	33	<0.12	<0.16	1.8	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	2.6	34	<0.12	<0.16	2	<1.4	<2.3	<0.52	140	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	9/16/2015	n/a	<0.21	5.88	32.7	<0.12	<0.16	1.92	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.96	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/15/2015	n/a	<0.21	4.79	30.6	<0.12	<0.16	1.86	<0.54	<0.26	<0.52	<15	<0.24	6.9	<0.049	<0.35	<0.38	<0.31	10.7	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	3/29/2016	n/a	<0.21	3.42	29.6	<0.12	<0.16	2.3	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.25	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	6/28/2016	n/a	<0.754	3.73	29.7	<0.12	<0.16	1.79	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	10.3	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
9/20/2016	n/a	<2	2.87	27.6	<2	<1	2.22	<2	<2	<5	<100	<2	5.29	<0.2	<2	<2	<2	9.94	<2	<2	<5	<25	<1	<1	
12/20/2016	n/a	<2	3.54	31.9	<2	<1	2.22	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	11.2	<2	<2	<5	<25	<1	<1	
3/28/2017	n/a	<2	2.32	29	<2	<1	1.94	<2	<2	<5	106	<2	5.05	<0.2	<2	<2	<2	9.68	<2	<2	<5	<25	<1	<1	
9/27/2017	n/a	<2	2.64	30	<2	<1	3.01	<2	<2	<5	114	<2	9.64	<0.2	<2	<2	<2	11.6	<2	<2	<5	<25	<1	<1	
4/30/2018	n/a	<10*	<23.4*	33.6	0.538	<1.2*	1.6	<12.5*	<10.4*	<5*	159	<15.6*	4.87	<0.2*	<10*	<52*	<20.8*	12.7	<73*	<41.6*	<20*	5.02	<5*	<5*	
10/30/2018	n/a	<36*	<23.5*	91.8	0.195	0.911																			

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
NE-3	3/28/2016	n/a	<0.21	4.09	18.6	<0.12	<0.16	27.9	<0.54	<0.26	<0.52	1830	<0.24	45.4	<0.049	11.3(B)	<0.38	<0.31	933	<0.19	<0.3	<0.18	214	<0.331	<0.398
	6/27/2016	n/a	<0.754	4.72	19.2	<0.12	<0.16	25.9	<0.54	2.36	<0.52	1520	<0.24	52.8	<0.049	10.8	<0.38	<0.31	870	<0.19	<0.3	<0.18	133	<0.331	<0.398
	9/19/2016	n/a	<2	4.69	19.9	<2	<1	25.1	<2	2.82	<5	1670	<2	65.6(O1)	<0.2	9.44	<2	<2	849	<2	<2	<5	83.4	<1	<1
	12/19/2016	n/a	<2	<2	18.5	<2	<1	24.9	<2	<2	<5	600	<2	22	<0.2	7.19	<2	<2	737	<2	<2	<5	79.7	<1	<1
	3/27/2017	n/a	<2	<2	19	<2	<1	24.7	<2	<2	<5	276	<2	26.6	<0.2	7.84	<2	<2	773	<2	<2	<5	205	<1	<1
	9/26/2017	n/a	<2	<2	20.2	<2	<1	24.9	<2	<2	<5	414	<2	34.4	<0.2	7.86	<2	<2	693	<2	<2	<5	273	<1	<1
	4/21/2018	n/a	3	<23.4*	20.7	0.121	<1.2*	23.1	<12.5*	4.94	<5*	631	<15.6*	82.2	0.025	7	<52*	<20.8*	688	<73*	<41.6*	<20*	12.9	<5*	<5*
	10/30/2018	n/a	<36*	25.6	132	<0.624*	<1.2*	18.3	17.9	9.45	8	5220	27.2	229	<0.2*	40	<52*	<20.8*	570	<73*	<728*	20	56.2	<5*	<5*
	4/24/2019	n/a	2.71	12.2	24	<0.26*	0.173	15	0.499	4.28	0.813	116	0.29	23.8	<0.2*	30.9	1.96	<0.26*	488	0.08	<20.8*	4.46	20.7	<5*	<5*
	10/9/2019	n/a	<2.08*	4.9	26.3	<0.26*	0.134	15.1	0.66	1.42	1.2	462	0.426	40.3	0.025	5.8	0.631	<0.26*	399	0.057	<20.8*	1.31	7.69	<1*	<1*
	4/21/2020	n/a	<2.08*	2.02	22.9	<0.26*	0.086	10.7	0.982	1.06	1.28	50.6	0.123	20.6	<0.2*	6.71	<5.2*	<0.312*	344	0.052	<20.8*	1.56	<20.8*	<1*	<1*
	10/7/2020	n/a	<2.08	0.916	28.1	<0.26	0.089	10.4	0.435	1.04	1.13	38.4	0.145	45.4	<0.2	3.31	<5.2	<0.312	264	<0.26	<20.8	0.565	4.98	<1	<1
	4/7/2021	n/a	<2.08*	1.14	33.4	<0.26*	0.362	9.82	1.29	0.325	1.49	262	1.18	11.3	0.015	5.21	<5.2*	<0.312*	352	0.081	<20.8*	1.01	31.3	<1*	<1*
	10/6/2021	n/a	<2	3.67	70	0.148	0.311	18	7.06	4.1	5.9	2530	9.86	145	0.0275	7.51	<5	<0.3	256	0.086	<20	6.48	36.2	<1	<1
	4/20/2022	n/a	<2.08*	0.567	24.9	<0.26*	0.128	9.86	0.535	0.106	0.999	159	0.154	1.96	<0.2*	4.95	<5.2*	<0.312*	295	0.078	<20.8*	0.45	12.4	<1*	<1*
	10/4/2022	n/a	0.537	8.72	119	0.294	0.271	8.25	8.1	4.84	7.66	5380	14.7	220	<0.2*	14	<5.2*	<0.312*	274	0.142	<20.8*	10.1	32.1	<1*	<1*
	5/15/2024	n/a	0.477	1.06	27.1	<0.26	0.056	11.6	0.884	0.673	0.654	259	0.601	17.3	<0.2	5.62	<5.2	<0.312	n/a	0.07	<20.8	0.681	17	<1	<2
	6/20/2012	n/a	<1	16	160	<1	1.5	2.2	50	12	19	14000	39	480	<0.2	32	1.3	<10	34	<1	4.3	17	270	<1	<1
	9/20/2012	n/a	<1	3.7	120	<1	0.72	1.8	<10	<10	<2	1400	2.3	55	<0.2	<20	<1	<10	27	<1	18	<10	70	<1	<1
	3/11/2015	n/a	<0.21	<0.25	150	<0.12	<0.16	5.5	<1.4	<2.3	<0.52	<14	6.7	26	<0.049	<4.9	<0.38	<2.8	22	<0.19	<0.3	<2.4	47	<0.33	<0.4
3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
6/10/2015	n/a	<0.21	3.4	180	<0.12	<0.16	6.3	<1.4	<2.3	<0.52	1000	3.1	96	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	97	<0.33	<0.4	
9/16/2015	n/a	<0.21	2.29	<0.36	<0.12	<0.16	6.56	<0.54	<0.26	<0.52	151	<0.24	49.4	<0.049	3.37	<0.38	<0.31	12.2	<0.19	<0.3	<0.18	36.2	<0.331	<0.398	
12/15/2015	n/a	<0.21	2.81	131	<0.12	<0.16	5.61	8.93	2.06	<0.52	1210	3.93	76.8	<0.049	10.2	<0.38	<0.31	24.5	<0.19	<0.3	<0.18	85.4	<0.331	<0.398	
3/29/2016	n/a	<0.21	<0.25	131	<0.12	<0.16	6.2	<0.54	<0.26	<0.52	<15	<0.24	26	<0.049	3.95	<0.38	<0.31	19.2	<0.19	<0.3	<0.18	44.1	<0.331	<0.398	
6/28/2016	n/a	<0.754	<0.25	153	<0.12	<0.16	5.89	<0.54	<0.26	<0.52	127	<0.24	53.4	<0.049	3.32	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	69.3	<0.331	<0.398	
9/20/2016	n/a	<2	<2	197	<2	<1	5.64	<2	<2	<5	<100	<2	62.7(O1)	<0.2	<2	<2	<2	11	<2	<2	<5	38.7	<1	<1	
12/20/2016	n/a	<2	<2	128	<2	<1	5.54	<2	<2	<5	<100	<2	32.9	<0.2	3.64	<2	<2	15.3	<2	<2	<5	41.1	<1	<1	
3/28/2017	n/a	<2	<2	152	<2	<1	5.8	<2	<2	<5	<100	<2	19.1	<0.2	4.18	<2	<2	32.9	<2	<2	<5	53.2	<1	<1	
9/27/2017	n/a	<2	<2	167	<2	<1	6.9	<2	<2	<5	<100	<2	56.2	<0.2	<2	<2	<2	12.3	<2	<2	<5	69.2	<1	<1	
4/17/2018	n/a	<10*	<23.4*	140	<0.416*	<1.2*	3.38	<12.5*	<10*	<5*	125	<15.6*	26.8	<0.2*	<10*	<52*	<20.8*	13.9	<73*	<41.6*	<20*	57	<5*	<5*	
10/22/2018	n/a	<36*	<23.5*	131	<0.624*	<1.2*	2.9	1.83	<13.5*	<5*	122	<15.6*	72.1	<0.2*	6	<52*	<20.8*	26.2	<73*	<728*	<21*	49.3	<5*	<5*	
4/22/2019	n/a	<2.08*	0.385	119	<0.26*	0.076	3.26	0.294	0.147	0.232	21.1	<0.26*	7.64	<0.2*	2.73	<2.08*	0.059	23.5	0.074	<20.8*	0.139	44.7	<5*	<5*	
10/7/2019	n/a	<2.08*	1.17	94	<0.26*	<0.26*	2.24	0.326	2.61	0.079	187	<0.26*	64.6	<0.2*	4.25	<2.08*	0.016	19.9	0.108	<20.8*	<0.26*	<20.8*	<1*	<1*	
4/20/2020	n/a	<2.08*	0.394	101	<0.26*	0.076	1.93	0.28	0.104	0.164	18	<0.26*	5.88	<0.2*	3.03	<5.2*	<0.312*	22.5	0.088	<20.8*	0.172	42.4	<1*	<1*	
10/5/2020	n/a	<2.08	0.604	97.4	<0.26	<0.26	1.94	0.348	2.01	0.148	104	0.109	52.1	<0.2	2.09	<5.2	<0.312	19.5	0.09	<20.8	0.056	<20.8	<1	<1	
4/5/2021	n/a	<2.08*	0.36	116	<0.26*	0.068	2.19	0.608	0.103	0.362	21.3	0.083	11.1	0.015	2.27	<5.2*	<0.312*	22.3	0.06	<20.8*	0.141	38.3	<1*	<1*	
10/4/2021	n/a	<2	0.482	103	<0.25	<0.25	2.72	0.377	1.66	<0.38	69.4	<0.25	45.6	<0.2	3.48	<5	<0.3	18.7	0.112	<20	0.049	<20	<1	<1	
4/18/2022	n/a	0.656	0.39	125	<0.26*	0.106	1.8	0.368	0.111	0.316	25.8	<0.26*	12.8	<0.2*	1.94	<5.2*	0.108	18.6	0.075	<20.8*	0.122	38.9	<1*	<1*	
10/3/2022	n/a	<2.08*	0.425	91.3	<0.26*	0.04	1.46	0.283	1.08	0.197	37.1	0.094	27.3	<0.2*	3.46	<5.2*	<0.312*	20.1	0.101	<20.8*	0.061	<20.8*	<1*	<1*	
5/14/2024	n/a	0.402	0.319	96.3	<0.26	0.119	3.86	0.38	0.191	0.249	35.4	0.187	3.99	<0.2	2.46	<5.2	<0.312	n/a	0.106	<20.8	0.231	35.1	<1	<2	
NE-4	9/27/2017	n																							

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
	9/15/2015	n/a	<0.21	<0.25	28.9	<0.12	<0.16	2.36	<0.54	<0.26	<0.52	<15	<0.24	6.11	<0.049	4.75	<0.38	<0.31	29	<0.19	<0.3	<0.18	623	<0.331	<0.398
	12/14/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2.09	4.05	<0.26	<0.52	<15	<0.24	<0.25	<0.049	4.99	<0.38	<0.31	32.5	<0.19	<0.3	<0.18	627	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	29.2	<0.12	<0.16	2.42	<0.54	<0.26	<0.52	<15	<0.24	5.04	<0.049	4.72	<0.38	<0.31	31.3	<0.19	<0.3	<0.18	682	<0.331	<0.398
	6/28/2016	n/a	<0.754	<0.25	32.6	<0.12	<0.16	2.08	<0.54	<0.26	<0.52	185	<0.24	24.3	<0.049	3.97	<0.38	<0.31	28	<0.19	<0.3	<0.18	462	<0.331	<0.398
	9/20/2016	n/a	<2	<2	29.3	<2	<1	2.24	<2	<2	<5	270	<2	7.59	<0.2	3.31	<2	<2	29.9	<2	<2	<5	290	<1	<1
	12/21/2016	n/a	<2	<2	32.8	<2	<1	2.3	3.12	<2	<5	345	<2	15.2	<0.2	7.82	<2	<2	22.4	<2	<2	<5	202	<1	<1
	3/29/2017	n/a	<2	<2	31.1	<2	<1	2.21	<2	<2	<5	<100	<2	9.5	<0.2	4.71	<2	<2	26.2	<2	<2	<5	409	<1	<1
	9/28/2017	n/a	<2	<2	31.6	<2	<1	2.82	<2	<2	<5	309	<2	20.1	<0.2	2.93	<2	<2	13.4	<2	<2	<5	183	<1	<1
	4/17/2018	n/a	<10*	<23.4*	29.9	0.511	<1.2*	1.56	<12.5*	<10.4*	<5*	139	<15.6*	4.66	0.025	4	<52*	<20.8*	25.6	<73*	<41.6*	<20*	676	<5*	<5*
	10/22/2018	n/a	<36*	<23.5*	34.3	<0.624*	<1.2*	1.83	3.62	<13.5*	<5*	246	<15.6*	12.2	<0.2*	9	<52*	<20.8*	20.3	<73*	<728*	<21*	336	<5*	<5*
	4/22/2019	n/a	<2.08*	0.382	29.3	<0.26*	0.051	2.15	0.263	0.339	<0.26*	21.2	0.14	3.57	<0.2*	4.48	<2.08*	<0.26*	33	0.084	<20.8*	<0.26*	727	<5*	<5*
	10/8/2019	n/a	<2.08*	0.57	30.5	<0.26*	<0.26*	2.09	0.338	0.305	<0.26*	83.3	0.567	9.31	<0.2*	3.62	<2.08*	<0.26*	22.2	<0.26*	<20.8*	<0.26*	178	<1*	<1*
	4/20/2020	n/a	<2.08*	0.392	27.8	<0.26*	0.359	1.74	0.281	0.307	<0.395*	19.6	0.205	2.71	<0.2*	5.02	<5.2*	<0.312*	31.5	0.088	<20.8*	<0.26*	826	<1*	<1*
	10/6/2020	n/a	<2.08	0.424	27.5	<0.26	0.083	2.16	0.34	0.159	<0.395	73.8	0.11	2.93	<0.2	0.25	<5.2	<0.312	29.8	0.055	<20.8	<0.26	421	<1	<1
	4/6/2021	n/a	<2.08*	0.325	26.8	<0.26*	0.205	2.36	<0.26*	0.25	<0.395*	19.4	0.179	2.11	<0.2*	5.37	<5.2*	<0.312*	31.9	0.073	<20.8*	<0.26*	899	<1*	<1*
	10/5/2021	n/a	<2	0.576	31	<0.25	<0.25	3.78	0.355	0.225	<0.38	72.6	<0.25	6.41	<0.2	3.66	<5	<0.3	22.1	<0.25	<20	<0.25	202	<1	<1
	4/18/2022	n/a	<2.08*	0.347	28.4	<0.26*	0.103	2.47	0.378	0.388	<0.395*	57.6	0.122	5.41	<0.2*	4.82	<5.2*	<0.312*	33	0.066	<20.8*	<0.26*	812	<1*	<1*
	10/4/2022	n/a	<2.08*	0.566	30	<0.26*	0.042	1.92	0.231	0.237	<0.395*	83.3	<0.26*	6.22	<0.2*	3.88	<5.2*	<0.312*	27.2	<0.26*	<20.8*	<0.26*	218	<1*	<1*
	5/14/2024	n/a	<2.08	0.361	25.3	<0.26	<0.26	2.34	0.342	0.322	<0.52	36.7	<0.416	4.79	0.0625	4.31	<5.2	<0.312	n/a	0.059	<20.8	<0.26	601	<1	<2
	Class I Draw Spring	6/10/2015	n/a	2	37	170	<0.12	1	25	<1.4	<2.3	<0.52	51000	4.5	2600	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33
9/16/2015		n/a	<0.21	2.9	42.6	<0.12	<0.16	33.6	<0.54	<0.26	<0.52	1120	2.87	149	<0.049	3.93	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
12/16/2015		n/a	<0.21	3.21	50.6	<0.12	<0.16	31.3	2	<0.26	<0.52	2090	4.65	149	<0.049	4.14	<0.38	<0.31	6.34	<0.19	<0.3	<0.18	33.5	<0.331	<0.398
3/30/2016		n/a	<0.21	<0.25	75.1	<0.12	2.32	10.9	<0.54	<0.26	<0.52	951	2.56	622	<0.049	2.55	<0.38	<0.31	44.9	<0.19	<0.3	<0.18	56.5	<0.331	<0.398
6/28/2016		n/a	<0.754	2.78	52.8	<0.12	<0.16	42.2	<0.54	<0.26	<0.52	1250	2.24	171	<0.049	4.61	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
9/21/2016		n/a	<2	3.19	44.6	<2	<1	39.9	<2	<2	<5	947	<2	170	<0.2	4.03	<2	<2	<5	<2	<2	<5	<25	<1	<1
12/21/2016		n/a	<2	<2	66.1	<2	<1	45	<2	<2	<5	567	<2	464	<0.2	3.33	<2	<2	<5	<2	<2	<5	<25	<1	<1
9/28/2017		n/a	<2	<2	68.9	<2	<1	48.7	<2	<2	<5	285	<2	69.3	<0.2	4.75	<2	<2	13.2	<2	<2	<5	<25	<1	<1
4/17/2018		n/a	<10*	<23.4*	43.5	<0.416*	<1.2*	11	<12.5*	<10*	<5*	205	<15.6*	13.7	<0.2*	<10*	<52*	<20.8*	8.86	<73*	<41.6*	<20*	<16*	<5*	<5*
10/9/2019		n/a	<2.08*	0.953	38.1	<0.26*	<0.26*	9.44	0.825	0.522	0.83	1710	1.18	149	0.025	1.02	<2.08*	<0.26*	5.6	<0.26*	<20.8*	1	13.1	<1*	<1*
4/19/2022	n/a	<2.08*	0.886	30	<0.26*	0.075	3.88	0.473	0.695	0.452	528	0.851	181	<0.2*	0.65	<5.2*	<0.312*	2.66	<0.26*	<20.8*	0.383	35.1	<1*	<1*	
Class IV Draw Spring	6/10/2015	n/a	<0.21	<0.25	96	<0.12	1.9	13	<1.4	<2.3	<0.52	1400	3.6	670	<0.049	<4.9	<0.38	<2.8	49	<0.19	<0.3	<2.4	40	<0.33	<0.4
	9/16/2015	n/a	<0.21	4.01	99.6	<0.12	3.19	13.6	<0.54	5.95	<0.52	3920	5.96	3680	<0.049	5.89	<0.38	<0.31	34.7	<0.19	<0.3	<0.18	100	<0.331	<0.398
	12/16/2015	n/a	<0.21	<0.25	53.8	<0.12	<0.16	5.98	<0.54	<0.26	<0.52	655	2.74	328	<0.049	<0.35	<0.38	<0.31	37.8	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	3/30/2016	n/a	<0.21	3.63	66	<0.12	<0.16	44.2	2.24	2.04	5.09	3390	3.93	363	<0.049	6.24	<0.38	<0.31	5.24	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	9/21/2016	n/a	<2	<2	52.9	<2	1.78	11.9	<2	<2	<5	<100	<2	223	<0.2	2.63	<2	<2	40	<2	<2	<5	45.9	<1	<1
	10/18/2018	n/a	<36*	5.6	56	<0.624*	0.966	9.24	<12.5*	<13.5*	<5*	335	<15.6*	335	<0.2*	4	<52*	<20.8*	29	<73*	<728*	<20*	37.4	<5*	<5*
	10/8/2019	n/a	<2.08*	1.5	78.1	<0.26*	<0.26*	9.53	0.374	1.04	0.182	1810	0.303	551	<0.2*	1.31	<2.08*	<0.26*	27.9	<0.26*	<20.8*	0.284	<20.8*	<1*	<1*
	4/19/2022	n/a	<2.08*	0.475	29.9	<0.26*	0.141	2.26	0.401	0.205	0.592	158	1.33	42.1	<0.2*	0.65	<5.2*	<0.312*	8.95	<0.26*	<20.8*	0.375	34.3	<1*	<1*
Landfill Entrance Seep	6/20/2012	n/a	<1	10	120	<1	<0.5	12	<10	<10	<2	10000	1.3	2300	<0.2	<20	<1	<10	<5	<1	<1	<10	<10	<1	<1
	6/10/2015	n/a	2.2	2.6	61	<0.12	<0.16	14	<1.4	<2.3	<0.52	870	<0.24	230	<0.049	<4.9	<0.3								

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
NE-3 Spring	5/13/2024	n/a	<2.08	1.35	29.5	<0.26	<0.26	2.21	0.482	0.208	0.598	342	1.17	46.2	<0.2	0.69	<5.2	<0.312	n/a	<0.26	<20.8	0.581	<20.8	<1	<2
	3/10/2015	n/a	<0.21	<0.25	24	<0.12	<0.16	2.1	<1.4	<2.3	<0.52	1500	5	23	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.1	<0.25	47	<0.12	<0.16	7.6	<1.4	<2.3	<0.52	1200	3.4	99	<0.049	<4.9	<0.38	<2.8	7.9	<0.19	<0.3	<2.4	76	<0.33	<0.4
	9/15/2015	n/a	<0.21	<0.25	30.2	<0.12	<0.16	11.3	<0.54	<0.26	<0.52	595	2.57	14.9	<0.049	<0.35	<0.38	<0.31	7.2	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/15/2015	n/a	<0.21	4.5	32.1	<0.12	<0.16	19.1	3.69	<0.26	<0.52	3730	12.4	16.4	<0.049	3.58	<0.38	<0.31	6.81	<0.19	<0.3	7.42	52.2	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	39.1	<0.12	<0.16	5.84	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.33	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	6/27/2016	n/a	<0.754	<0.25	39.7	<0.12	<0.16	5.54	<0.54	<0.26	<0.52	<15	<0.24	50	<0.049	<0.35	<0.38	<0.31	6.98	<0.19	<0.3	<0.18	29.3	<0.331	<0.398
	10/22/2018	n/a	<36*	<23.5*	28.8	<0.624*	<1.2*	1.78	<12.5*	<13.5*	<5*	171	<15.6*	6.83	<0.2*	<10*	<52*	<20.8*	5.61	<73*	<728*	<21*	21.9	<5*	<5*
	4/22/2019	n/a	<2.08*	0.199	27.3	<0.26*	0.123	1.62	0.368	0.054	0.4	43.3	0.427	4.23	<0.2*	0.29	<2.08*	0.022	5.12	<0.26*	<20.8*	0.231	18.5	<5*	<5*
	10/9/2019	n/a	<2.08*	0.712	18.9	<0.26*	0.086	0.705	1.31	0.17	0.896	525	1.88	5.79	0.025	0.82	<2.08*	<0.26*	4	<0.26*	<20.8*	1.85	21.2	<1*	<1*
	4/20/2020	n/a	<2.08*	0.268	25.2	<0.26*	0.116	1.29	0.458	0.099	0.607	122	0.912	8.2	<0.2*	0.54	<5.2*	0.587	4.51	<0.26*	<20.8*	0.487	24.7	<1*	<1*
	4/5/2021	n/a	<2.08*	0.152	26.7	<0.26*	0.094	1.68	0.611	0.041	0.449	25.1	0.361	3.44	0.0125	0.44	<5.2*	<0.312*	6.78	<0.26*	<20.8*	0.211	19.6	<1*	<1*
	4/18/2022	n/a	<2.08*	0.168	23.5	<0.26*	0.082	1.28	0.358	<0.26*	0.35	30.6	0.219	0.818	<0.2*	0.29	<5.2*	<0.312*	4.92	<0.26*	<20.8*	0.229	13.3	<1*	<1*
Spring RD	7/18/2007	n/a	<1	1.1	50	<2	<5	n/a	<10	<10	<20	1600	<5	77	<0.2	<20	<20	<10	n/a	<1	n/a	<10	220	n/a	n/a
Spring SP-4	4/19/2022	n/a	<2.08*	47.5	74.1	<0.26*	0.042	2.03	0.28	52.4	0.278	15800	<0.26*	5390	<0.2*	70.9	<5.2*	<0.312*	1.33	0.257	<20.8*	0.093	12.8	0.22	<1*
Spring SP-5	4/29/2008	8.23	<1	1.5	140	<1	<0.5	11	<10	<10	1.1	<100	<5	1200	<0.2	<20	<1	<10	18	<1	<20	<10	18	<1	<1
Spring SP-7	7/18/2007	n/a	<1	3.5	76	<2	<5	3.2	<10	<10	<20	3100	<5	1500	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1
	8/25/2007	n/a	<1	14	71	<2	<5	2.5	<10	<10	<20	6400	<5	1600	<0.2	<20	25	15	8.2	<1	n/a	<10	<30	<1	<1
	2/22/2008	5.29	<1	5.4	63	63	<5	3.2	<10	<10	<20	6600	6.8	490	<0.2	<20	<20	<10	16	<1	<20	12	64	<1	<1
	4/29/2008	7.95	<1	<1	48	<1	<0.5	3.2	<10	<10	1.2	1200	<5	290	<0.2	<20	<1	<10	11	<1	<20	<10	<10	<1	<1
	2/20/2009	8.3	<1	2.5	55	<1	<0.5	5.1	<10	<10	1.7	1800	2.4	400	<0.2	<20	<1	<10	12	<1	<1	<10	57	<1	<1
	12/18/2009	n/a	0.29	1	62	<1	<0.5	8.9	<10	1.8	<2	1600	0.53	650	0.03	<20	0.66	<10	9.1	<1	<1	<10	8.2	<1	<1
	9/23/2010	7.93	<1	2.5	56	<1	<0.5	10	<10	<10	2	3300	5.5	430	<0.2	<20	0.45	5.1	8.5	<1	<1	9.4	26	<1	<1
	12/8/2010	7.69	<1	0.97	59	<1	<0.5	9.6	<10	3	<2	720	<1	680	<0.2	<20	<1	<10	7.1	<1	<1	<10	6	<1	<1
	3/21/2011	6.54	<1	4.4	62	<1	<0.5	17	<10	<10	1.7	4200	2.8	720	<0.2	<20	<1	<10	14	<1	<1	<10	28	<1	<1
	6/29/2011	7.52	<1	2.2	59	<1	<0.5	11	<10	<10	1	2300	3.1	660	<0.2	<20	<1	<10	12	<1	<1	<10	15	<1	<1
	9/27/2011	n/a	0.31	3.9	55	0.39	<0.5	11	<10	<10	1.2	3400	2.3	650	0.03	9.8	0.57	4.3	10	<1	<1	<10	10	<1	<1
	9/19/2012	n/a	<1	3.4	65	<1	<0.5	9.7	<10	<10	<2	1900	<1	1200	<0.2	<20	<1	<10	8.1	<1	<1	<10	<10	<1	<1
	3/9/2015	n/a	<0.21	<0.25	50	<0.12	<0.16	13	<1.4	<2.3	<0.52	1200	5.3	110	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	3.1	2.6	67	<0.12	<0.16	15	<1.4	<2.3	<0.52	2300	<0.24	460	<0.049	<4.9	<0.38	<2.8	7.2	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	9/16/2015	n/a	<0.21	5.03	52.6	<0.12	<0.16	11.7	<0.54	<0.26	<0.52	2360	2.13	525	<0.049	2.05	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/16/2015	n/a	<0.21	2.5	45	<0.12	<0.16	13.6	<0.54	<0.26	<0.52	1330	2.33	123	<0.049	2.17	<0.38	<0.31	7.47	<0.19	<0.3	<0.18	29.1	<0.331	<0.398
	3/30/2016	n/a	<0.21	5.47	66.3	<0.12	<0.16	14.8	<0.54	<0.26	<0.52	4480	3.52	653	<0.049	2.68	<0.38	<0.31	8.28	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	6/28/2016	n/a	<0.754	4.66	54.3	<0.12	<0.16	11.7	<0.54	<0.26	<0.52	1960	<0.24	385	<0.049	2.07	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	9/21/2016	n/a	<2	6.55	88.5	<2	<1	14.9	<2	3.21	<5	2300	<2	1570	<0.2	3.27	<2	<2	<5	<2	<2	<5	<25	<1	<1
	12/21/2016	n/a	<2	4.73	72.7	<2	<1	16.1	<2	2.71	<5	2050	<2	1140	<0.2	3.35	<2	<2	5.17	<2	<2	<5	<25	<1	<1
	9/28/2017	n/a	<2	5.33	65.4	<2	<1	12.1	<2	2.65	<5	1680	<2	1220	<0.2	2.87	<2	<2	<5	<2	<2	<5	<25	<1	<1
	4/29/2018	n/a	<10*	<23.4*	47.6	0.111	<1.2*	4.38	<12.5*	1.3	1	2260	<15.6*	192	<0.2*	<10*	<52*	<20.8*	10.1	<73*	<41.6*	4	28.6	<5*	<5*
	10/23/2018	n/a	<36*	<23.5*	42.7	<0.624*	<1.2*	3.02	<12.5*	<13.5*	<5*	1270	<15.6*	536	0.025	<10*	<52*	<20.8*	5.37	<73*	<728*	<			

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
	11/18/2008	8.04	<1	<1	34	<2	<5	2.1	<10	<10	<20	260	<5	81	<0.2	<20	<20	<10	6.1	<1	<20	<10	<30	<1	<1
	2/20/2009	7.64	<1	<1	45	<1	0.54	2.8	<10	<10	<1	550	1.2	62	<0.2	<20	<1	<10	14	<1	<1	<10	41	<1	<1
	5/20/2009	7.15	<1	<1	29	<1	<5	2.5	<10	<10	<1	150	<1	59	<0.2	<20	<1	<10	7.1	<1	<1	<10	21	<1	<1
	8/27/2009	6.29	<1	<1	41	<1	1.8	3.9	<10	<10	<2	220	<1	120	<0.2	<20	<1	<10	12	<1	<1	<10	190	<1	<1
	12/18/2009	n/a	<1	<1	44	<1	1.2	5.2	<10	<10	<2	78	0.29	120	0.03	<20	<1	<10	16	<1	<1	<10	98	<1	<1
	3/23/2010	6.32	<1	<1	45	<1	0.62	3.5	<10	<10	1.2	580	0.46	140	<0.2	<20	<1	3.4	16	<1	<1	<10	91	<1	<1
	6/17/2010	n/a	<5	<5	46	<1	1.1	4.4	<10	<10	<10	98	<5	90	0.02	<20	<5	<10	17	<5	<5	30	120	<1	<1
	9/23/2010	6.92	<1	0.89	34	<1	0.35	2.2	<10	<10	<2	600	1.4	74	<0.2	<20	<1	<10	5.8	<1	<1	4	32	<1	<1
	12/8/2010	7.61	0.5	0.54	39	0.5	0.68	3.5	<10	<10	<2	110	0.48	38	<0.2	<20	<1	<10	11	<1	0.32	<10	77	<1	<1
	3/22/2011	7.24	<1	<1	43	<1	<0.5	3.5	<10	<10	<2	110	<1	50	<0.2	<20	<1	<10	16	<1	<1	<10	64	<1	<1
	6/28/2011	7.25	<1	<1	47	<1	<0.5	4.9	<10	<10	<2	120	0.38	56	<0.2	<20	<1	<10	20	<1	<1	<10	57	<1	<1
	9/28/2011	n/a	<1	3.1	37	<1	0.3	3.2	<10	<10	<2	82	0.8	140	0.05	8	<1	<10	11	<1	<1	3.5	94	<1	<1
	6/20/2012	n/a	<1	<1	41	<1	1.3	4.6	<10	<10	<2	<100	<1	190	<0.2	<20	<1	<10	18	<1	<1	<10	150	<1	<1
	9/19/2012	n/a	<1	<1	42	<1	<0.5	3.9	<10	<10	<2	<100	<1	200	<0.2	<20	<1	<10	13	<1	<1	<10	130	<1	<1
	3/11/2015	n/a	<0.21	<0.25	38	<0.12	<0.16	2	<1.4	<2.3	<0.52	290	9.8	20	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	45	<0.33	<0.4
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.8	<0.25	49	<0.12	<0.16	3.6	<1.4	<2.3	<0.52	<14	<0.24	19	<0.049	<4.9	<0.38	<2.8	19	<0.19	<0.3	<2.4	35	<0.33	<0.4
	9/16/2015	n/a	<0.21	<0.25	32.7	<0.12	<0.16	1.86	<0.54	<0.26	<0.52	248	<0.24	79.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/16/2015	n/a	<0.21	<0.25	32.8	<0.12	<0.16	1.03	<0.54	<0.26	<0.52	516	<0.24	17.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	36.4	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	40.2	<0.12	<0.16	2.95	<0.54	<0.26	<0.52	<15	<0.24	32.7	<0.049	<0.35	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	37.3	<0.331	<0.398
	6/28/2016	n/a	<0.754	<0.25	27.8	<0.12	<0.16	1.88	<0.54	<0.26	<0.52	<15	<0.24	34.9	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	9/21/2016	n/a	<2	<2	39.9	<2	<1	2.73	<2	<2	<5	<100	<2	229	<0.2	4.47	<2	<2	9.55	<2	<2	<5	117	<1	<1
	12/21/2016	n/a	<2	<2	41.8	<2	1.61	2.37	<2	<2	<5	118(B)	<2	327	<0.2	4.46	<2	<2	8.17	<2	<2	<5	122	<1	<1
	10/23/2018	n/a	<36*	<23.5*	38.4	<0.624*	<1.2*	1.1	<12.5*	<13.5*	<5*	143	<15.6*	19.2	0.025	<10*	<52*	<20.8*	6.33	<73*	<728*	<21*	33.2	<5*	<5*
	4/23/2019	n/a	<2.08*	0.344	41.8	<0.26*	0.328	2.04	0.266	0.188	0.33	37.2	0.159	16.2	<0.2*	0.37	<2.08*	<0.26*	12.6	<0.26*	<20.8*	0.272	24.6	<5*	<5*
	10/7/2019	n/a	0.543	0.454	39.7	<0.26*	0.823	1.63	0.421	1.1	0.652	146	0.409	177	0.025	4.08	<2.08*	0.09	6.77	<0.26*	<20.8*	0.523	121	<1*	<1*
	4/20/2020	n/a	<2.08*	1.31	32.6	<0.26*	0.039	<0.5*	1.03	0.259	1.28	590	1.81	9.47	<0.2*	1.05	<5.2*	<0.312*	1.37	<0.26*	<20.8*	1.55	14.8	<1*	<1*
	4/5/2021	n/a	<2.08*	0.362	36.5	<0.26*	0.27	1.78	0.624	0.142	0.493	72.6	0.297	11.3	0.0175	0.48	<5.2*	<0.312*	11.5	<0.26*	<20.8*	0.374	24.9	<1*	<1*
	10/5/2021	n/a	<2	0.463	57.5	<0.25	0.904	2.81	0.402	0.739	0.555	133	0.371	198	<0.2	4.62	<5	<0.3	14.4	0.058	<20	0.495	148	<1	<1
	4/18/2022	n/a	<2.08*	1.51	34	0.14	0.154	0.836	1.81	0.362	2.28	1520	3.33	14.3	<0.2*	1.63	<5.2*	<0.312*	0.926	<0.26*	<20.8*	2.64	58.8	<1*	<1*
	5/13/2024	n/a	<2.08	0.329	34.7	<0.26	0.344	1.67	0.381	0.214	0.4	109	0.201	24.3	<0.2	0.76	<5.2	<0.312	n/a	<0.26	<20.8	0.279	28.7	<1	<2
Spring B	1/31/2007	n/a	<1	1	84	<2	<5	4.1	<10	<10	<20	<100	<5	82	<0.2	<20	<20	<10	13	<1	n/a	<10	<30	<1	<1
	2/22/2008	4.67	<1	<1	68	<2	<5	6.6	<10	<10	<20	320	<5	<10	<0.2	<20	<20	<10	31	<1	<20	7.3	<30	<1	<1
	4/29/2008	7.5	<1	3.4	99	<1	<0.5	9	<10	13	1.4	3400	<5	2600	<0.2	<20	<1	<10	6	<1	<20	<10	<10	<1	<1
	2/20/2009	7.7	<1	<1	130	<1	<0.5	15	<10	<10	<1	<100	<1	380	<0.2	<20	<1	<10	19	<1	1.6	<10	49	<1	<1
	12/18/2009	n/a	<1	1.4	120	<1	<0.5	39	<10	4.6	<2	3400	<1	1400	0.03	<20	0.86	<10	7.6	<1	<1	<10	21	<1	<1
	3/23/2010	7.56	<1	2.2	56	<1	<0.5	15	3.5	2.7	3.2	2500	3.3	160	<0.2	<20	0.71	3.6	12	<1	<1	4.8	40	<1	<1
	3/22/2011	7.55	<1	<1	140	<1	<0.5	80	<10	<10	<2	180	<1	160	<0.2	<20	<1	<10	42	<1	<1	<10	24	<1	<1
	3/9/2015	n/a	<0.21	<0.25	120	<0.12	<0.16	76	<1.4	<2.3	<0.52	370	6.3	320	<0.049	<4.9	<0.38	<2.8	21	<0.19	<0.3	<2.4	31	<0.33	<0.4
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.6	<0.25	150	<0.12	<0.16	110	<1.4	<2.3	<0.52	530	<0.24	820	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	44	<0.33	<0.4
	9/16/2015	n/a	<0.21	<0.25	93.1	<0.12	<0.16	109	<0.54	<0.26	<0.52	<15	<0.24	74.2	<0.049	8.19	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/16/2015	n/a	<0.																						

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
TSP-2 Spring	5/13/2024	n/a	<2.08	0.224	41.8	<0.26	0.553	3.01	0.343	0.05	0.218	31.7	0.209	5.37	<0.2	0.94	<5.2	<0.312	n/a	<0.26	<20.8	0.245	58.7	<1	<2
	1/31/2007	n/a	<1	1.3	39	<2	<5	2.5	<10	<10	<20	270	<5	12	<0.2	<20	<20	<10	7.3	<1	n/a	<10	74	<1	<1
	12/16/2009	n/a	0.92	1.6	100	<1	0.34	4.7	<10	3.5	0.7	1700	2.8	4000	0.04	<20	<1	<10	3.1	<1	<1	<10	43	<1	<1
	3/23/2010	7.48	<1	0.27	93	<1	<0.5	4.1	<10	5.5	1.4	420	<1	2500	<0.2	<20	<1	<10	23	<1	<1	<10	43	<1	<1
	6/17/2010	n/a	<1	4.7	140	0.16	<0.5	4.6	7	3.7	4	6100	32	1200	0.02	<20	0.54	<10	9.2	<1	<1	54	180	<1	<1
	9/21/2010	6.13	<1	0.78	90	<1	<0.5	4.8	<10	4.5	<2	190	0.61	560	<0.2	17	<1	8.2	16	<1	<1	<10	8.9	<1	<1
	12/7/2010	7.45	0.56	1.1	80	0.58	2	4.5	<10	<10	0.73	1100	2.8	710	<0.2	<20	<1	<10	7.1	<1	0.42	<10	170	<1	<1
	3/22/2011	7.52	<1	2	88	<1	<0.5	4.9	1.9	<10	1.7	2200	5.7	520	<0.2	<20	<1	<10	15	<1	<1	3.5	60	<1	<1
	6/29/2011	7.25	<1	5.1	110	<1	<0.5	6.2	4	6.2	4.3	5100	20	1000	0.06	7	<1	<10	11	<1	<1	9	100	<1	<1
	9/28/2011	n/a	<1	4.8	140	<1	<0.5	7.6	5.9	5.2	3.2	6300	27	630	0.04	12	<1	<10	21	<1	<1	12	68	<1	<1
	9/19/2012	n/a	<1	<1	200	<1	0.9	14	<10	<10	<2	540	5.4	1500	<0.2	<20	<1	<10	11	<1	<1	<10	74	<1	<1
	4/16/2018	n/a	2	<23.4*	114	0.448	0.391	42.1	<12.5*	2.04	<5*	189	<15.6*	251	0.025	3	<52*	<20.8*	28.6	2	<41.6*	<20*	52.3	<5*	<5*
	5/13/2024	n/a	<2.08	0.55	11.5	<0.26	<0.26	8.61	0.443	0.375	1.03	77.8	<0.416	38.4	<0.2	1.23	<5.2	<0.312	n/a	<0.26	<20.8	0.214	33.6	<1	<2
TSP-3 Spring	1/31/2007	n/a	<1	2.1	70	<2	<5	3.1	<10	<10	<20	140	<5	2200	<0.2	<20	<20	<10	<5	<1	n/a	<10	<30	<1	<1
	2/22/2008	7.1	<1	<1	76	<2	<5	5	<10	<10	<20	<100	<5	32	<0.2	<20	<20	<10	8	<1	<20	<10	<30	<1	<1
	5/20/2009	7.45	<1	<1	75	<1	<5	4.1	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	4.3	<1	<1	<10	<30	<1	<1
	3/23/2010	7.96	<1	0.86	39	<1	<0.5	5.1	2.6	<10	1.1	1600	5.5	15	<0.2	<20	<1	<10	13	<1	<1	2.5	17	<1	<1
	3/22/2011	7.41	<1	<1	96	<1	<0.5	4.7	<10	<10	4.6	53	0.3	34	<0.2	<20	<1	<10	11	<1	<1	<10	3300	<1	<1
	6/29/2011	6.71	<1	0.43	220	<1	<0.5	6.3	<10	3.8	0.59	160	0.3	1700	<0.2	<20	<1	<10	8.1	<1	<1	<10	17	<1	<1
	3/10/2015	n/a	<0.21	<0.25	72	<0.12	<0.16	5.8	<1.4	<2.3	<0.52	360	6.6	<1.2	<0.049	<4.9	<0.38	<2.8	8.1	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	3.4	<0.25	110	<0.12	<0.16	11	<1.4	<2.3	<0.52	<14	<0.24	320	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	9/16/2015	n/a	<0.21	<0.25	129	<0.12	<0.16	6.68	<0.54	2.3	<0.52	294	<0.24	1340	<0.049	4	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/16/2015	n/a	<0.21	<0.25	86.4	<0.12	<0.16	5.02	<0.54	<0.26	<0.52	<15	<0.24	26.5	<0.049	<0.35	<0.38	<0.31	6.24	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	96.3	<0.12	<0.16	6.69	<0.54	<0.26	<0.52	<15	<0.24	39	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	6/28/2016	n/a	<0.754	<0.25	115	<0.12	<0.16	7.31	<0.54	2.31	<0.52	609	<0.24	1510	<0.049	3.83	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	4/29/2018	n/a	<10*	<23.4*	202	0.384	<1.2*	13	<12.5*	1.61	1	1060	<15.6*	549	<0.2*	<10*	7.31	<20.8*	5.74	<73*	<41.6*	<20*	9.89	<5*	<5*
	10/9/2019	n/a	<2.08*	0.381	95.8	<0.26*	0.071	8.93	0.374	0.059	0.659	14.5	0.071	2.51	0.025	0.66	<2.08*	<0.26*	11.1	<0.26*	<20.8*	0.299	312	<1*	<1*
	4/20/2020	n/a	<2.08*	2.71	214	<0.26*	0.048	6.24	0.223	5.54	0.255	3480	<0.26*	1840	<0.2*	3.28	<5.2*	<0.312*	2.02	<0.26*	<20.8*	0.081	<20.8*	<1*	<1*
	4/7/2021	n/a	<2.08*	2.65	253	<0.26*	0.097	6.53	1.07	4.01	0.442	3400	0.155	1350	<0.2*	3.19	<5.2*	<0.312*	2.97	<0.26*	<20.8*	0.106	7.33	<1*	<1*
TSP-4 Spring	1/31/2007	n/a	<1	<1	38	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.2	<1	n/a	<10	<30	<1	<1
	2/22/2008	8	<1	<1	50	<2	<5	8.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	<30	<1	<1
	3/10/2015	n/a	<0.21	<0.25	65	<0.12	<0.16	2.9	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	13	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	12/16/2015	n/a	<0.21	<0.25	56.2	<0.12	<0.16	2.22	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.48	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	81.3	<0.12	<0.16	5.85	<0.54	<0.26	<0.52	441	10.5	93.6	<0.049	<0.35	<0.38	<0.31	10.9	<0.19	<0.3	<0.18	30.4	<0.331	<0.398
	4/29/2018	n/a	<10*	<23.4*	32.3	0.189	<1.2*	6.57	4.51	0.909	1	2150	4.99	12.5	<0.2*	<10*	<52*	<20.8*	8.84	<73*	<41.6*	6	41.2	<5*	<5*
	10/7/2019	n/a	<2.08*	0.782	10.1	<0.26*	0.054	0.517	1.32	0.155	1.07	515	2.8	4.13	<0.2*	0.69	<2.08*	<0.26*	2.15	<0.26*	<20.8*	1.61	11.7	<1*	<1*
	4/20/2020	n/a	<2.08*	0.772	16.2	<0.26*	0.042	0.545	1.04	0.207	0.818	461	3.41	14.9	<0.2*	0.73	<5.2*	<0.312*	1.5	<0.26*	<20.8*	1.38	15	<1*	<1*
	4/18/2022	n/a	<2.08*	0.217	24.9	<0.26*	<0.26*	1.33	0.47	0.047	0.383	90.5	0.475	1.92	<0.2*	0.26	<5.2*	<0.312*	4.56	<0.26*	<20.8*	0.437	5.81	<1*	<1*

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)
CAO-1	4.57	4.9	13.2	82.1	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	3.68	7.46	29.8	86.3	<0.25	<0.5	<0.25	<0.5	<0.5	<0.42	<0.2
	4.48	7.76	23	100	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	5.8	10	18	100	<1	<1	<1	<1	<1	<1	<1
	<1	8.4	16	77	<1	<1	<1	<1	<1	<1	<0.02
	6.4	15	26	110	<1	<1	<1	<1	<1	<1	n/a
	<1	12	12	100	<1	<1	<1	<1	<1	<1	n/a
	3.9	15	10	83	<1	<1	<1	<1	<1	<1	n/a
	3.9	15	13	78	<1	<1	<1	<1	<1	<1	n/a
	6.3	8.3	12	50	<1	<1	<1	<1	<1	<1	n/a
	5.3	6.4	8.5	39	<1	<1	<1	<1	<1	<1	<5
	7	11	11	54	<1	<1	<1	<1	<1	<1	<5
	4.2	7.7	6.1	35	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	3.7	5.1	<5	21	<1	<1	<1	<1	<1	<1	<5
	5.5	9.1	5.6	27	<1	<1	<1	<1	<1	<1	<5
	1.3	0.81	1.1	3.7	<1	<1	<1	<1	<1	<1	<5
	2.2	0.92	<5	3.3	<1	<1	<1	<1	<1	<1	<5
	2.2	2.1	2.4	7.9	<1	<1	<1	<1	<1	<1	<5
	4.5	1.5	3.9	7.5	<1	<1	<1	<1	<1	<1	<5
	2.9	3.9	3.8	12	<1	<1	<1	<1	<1	<1	<5
	2.3	2.8	2.1	8.1	<1	<1	<1	<1	<1	<1	<2.5
	3.4	3.5	2.6	11	<1	<1	<1	<1	<1	<1	<2.5
	4.2	3.4	3.5	12	<1	<1	<1	<1	<1	<1	<2.5
	2.1	2	<5	6.9	<1	<1	<1	<1	<1	<1	<2.5
	2.7	1.9	<5	7.7	<1	<1	<1	<1	<1	<1	<2.5
	1.6	<0.26	<0.45	1.8	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2.2	1	<0.45	3	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	2.17	<0.26	<0.453	3.55	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	1.59	<0.26	<0.453	4.31	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	2.52	1.21	<0.453	4.67	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	2.96	1.12	<0.453	5.81	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	3.53	<1	<5	4.69	<1	<1	<1	<1	<1	<2.5	<5
	2.6	<1	<5	5.43	<1	<1	<1	<1	<1	<2.5	<5
	2.28	1.19	<5	3.55	<1	<1	<1	<1	<1	<2.5	<5
	2.69	<1	<5	3.83	<1	<1	<1	<1	<1	<2.5	<5
	2.25	0.596	<50*	3.31	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	2.41	0.533	<50*	3.6	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	1.51	0.577	1.4	3.24	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	1.27	0.335	0.996	2.32	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	1.47	0.327	1.96	3.3	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	1.14	0.289	1.85	3.33	<1	<1	<1	<1	<2	<1	<3
	0.912	<1*	1.75	2.85	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	0.783	<1	2.29	2.58	<1	<1	<1	<1	<2	<1	<3
0.691	<1*	2.71	2.21	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
0.681	<1*	2.3	1.87	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
0.653	<1	2.53	1.65	<1	<1	<1	<1	<2	<2	<3	
CAO-2	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)	
MW-1R	2.2	6.7	1.8	15	<1	<1	<1	<1	0.52	<2.5	<5	
	4	7.4	3.6	18	<1	<1	<1	<1	0.64	<2.5	<5	
	3.5	8.3	<5	17	<1	<1	<1	<1	<1	<2.5	<5	
	3.2	8	<5	15	<1	<1	<1	<1	<1	<2.5	<5	
	1.71	7.83	<0.453	11.6	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	3.32	12.3	<0.453	15.4	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	5.16	13.1	<0.453	18.3	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	3.73	10.7	<5	14.2	<1	<1	<1	<1	<1	<2.5	<5	
	1.36	7.76	<5	11.1	<1	<1	<1	<1	<1	<2.5	<5	
	3.52	10.9	<5	13.4	<1	<1	<1	<1	<1	<2.5	<5	
	4.86	12	<5	14.7	<1	<1	<1	<1	<1	<2.5	<5	
	3.36	8.9	<50*	16.8	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	5.12	9.33	<50*	16.7	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	3.71	12.4	1.8	16	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	6.57	7.51	1.4	15.2	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	5.96	9.67	2.07	14.1	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	9.33	3.71	1.84	15.1	<1	<1	<1	<1	<2	<1	<3	
	4.27	8.48	1.23	12.9	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
	5.15	6.77	1.37	13.2	<1	<1	<1	<1	<2	<1	<3	
	5	8	1.77	13.2	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
	5.75	1.86	1.12	10.9	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
	4.98	3.01	2.13	10.3	<1	<1	<1	<1	<2	<2	<3	
	4.2	6.3	<5	14	<1	<1	<1	<1	<1	<1	<2.5	<5
	3.8	5.3	<5	11	<1	<1	<1	<1	<1	<1	<2.5	<5
	3	6.8	<0.45	12	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	3.6	9.6	<0.45	15	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	2	8.78	<0.453	12.1	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	3.18	9.65	<0.453	16.2	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	2.97	9.83	<0.453	14.8	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	4.13	13.1	<0.453	17.9	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	4.69	11.3	<5	15.6	<1	<1	<1	<1	<1	<1	<2.5	<5
	3.69	10.2	<5	16.2	<1	<1	<1	<1	<1	<1	<2.5	<5
	2.57	9.68	<5	15.1	<1	<1	<1	<1	<1	<1	<2.5	<5
	3.96	9.76	<5	13.8	<1	<1	<1	<1	<1	<1	<2.5	<5
	3.23	8.99	<50*	19.7	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
3.85	9.51	<50*	18.6	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
3.61	10.4	1.52	17.1	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
3.43	9.46	1.39	15.1	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
5.11	9.95	1.8	16.7	<1*	<1*	<1*	<1*	0.183	<1*	<1*	<1*	
4.51	9.46	1.57	16.6	<1	<1	<1	<1	<1	<2	<1	<3	
4.03	8.04	1.14	15.1	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
4.12	8.68	1.58	14.7	<1	<1	<1	<1	<1	<2	<1	<3	
3.98	6.65	1.12	14.3	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
3.1	6.67	1.21	12.2	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
2.37	5.11	1.35	10.6	<1	<1	<1	<1	<1	<2	<2	<3	
MW-2	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

MW-509D

[illegible]

[illegible]

[illegible]

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
MW-633D	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.84	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.62	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	1.2	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.81	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.92	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	1.1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.63	&						

NABORS Landfill Historic Data through May 2024[illegible]

NAB-1

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
NAB-8	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<2.5	<5
<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<2.5	<5
<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<2.5	<5
<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<2.5	<5
<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<2	<3
NE-2	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- chloropropane (ug/l)
NE-3	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33(j3)	
<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
<2*	0.278	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<2	<1	<2	<1								

[illegible]

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
NE-3 Spring	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	Spring RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Spring SP-4	0.471	0.677	<4*	2.19	<1*	<1*	<1*	<1*	<2*	<1*	<3*
Spring SP-5	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
Spring SP-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	1.6	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	2.5	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	3.3	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	3.1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.44	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	1.3	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	1.3	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	2.4	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	3	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	2.9	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<5	2.96	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	2.92	<1	<1	<1	<1	<1	<2.5	<5
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	0.153	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	0.321	0.526	3.58	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	0.661	<4	6.01	<1	<1	<1	<1	<2	<1	<3
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
Spring B	<1	<1	<1	1.6	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	1.6	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	2	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.8	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
TSP-1 Spring	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
TSP-2 Spring	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
TSP-3 Spring	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
TSP-4 Spring	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
CAO-1	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<0.05	<0.1	0.28	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	0.72
	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	1.33
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	1.2	<10	<10	<1	<1	<1	<1	<1	<1	1.5
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	1.2
	n/a	<1	<1	<1	1.7	<5	<5	<1	<1	<1	<5	<1	<1	1.2
	<1	<1	<1	<1	1.1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	1.3	<15	<5	<1	<1	<1	<5	<1	<1	1
	<1	<1	<1	<1	1.1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	0.45	<1	1.7	<15	<5	<1	<1	<1	<5	<1	<1	1.2
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	0.51
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	0.33
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	0.63
	<1	<1	<1	<1	0.69	<15	<5	<1	<1	<1	<5	<1	<1	0.52
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	0.56
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	0.6
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	1.39	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.01
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.11
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.03
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	0.938	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	0.827
	<5*	<5*	<5*	<5*	1.35	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.14
	<5*	<5*	<5*	<5*	1.44	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.07
	<1*	<1*	<1*	<1*	1.19	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	0.322
	<1*	0.07	<1*	<1*	2.42	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	1.56
	<1	<1	<1	<1	2.76	0.872	<1	<1	<1	<1	<2	<1	<1	1.77
	<1*	<1*	<1*	<1*	2.68	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	1.66
	<1	<1	<1	<1	3.11	<2	<1	<1	<1	<1	<2	<1	<1	1.84
	<1*	<1*	<1*	<1*	3.62	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.11
	<1*	<1*	<1*	<1*	4.03	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.14
	<1	<1	<1	<1	4.31	n/a	<2	<1	<1	<1	<2	<1	<2	2.74
CAO-2	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)	
CAO-1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<1	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	0.279	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	&lt	

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<1	<1	<1	<1	<1	9.4	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.381	<0.349	<0.361	<0.306	1.81	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.86
	<0.381	<0.349	<0.361	<0.306		<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	2.28
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.98
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.2
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.74
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	2.15
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	0.528		3.66	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	2.16
	<5*	<5*	0.519	0.223	2.63	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.86
	<1*	<1*	0.65	<1*	4.15	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	2.55
	<1*	<1*	0.557	<1*	4.35	2.86	<1*	<1*	<1*	<1*	<1*	<1*	<1*	2.57
	<1	<1	0.632	<1	4.97	1.07	<1	<1	<1	<1	<2	<1	<1	2.94
	<1*	<1*	0.622	<1*	4.06	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.31
	<1	<1	0.558	<1	5.1	0.67	<1	<1	<1	<1	<2	<1	<1	2.65
	<1*	<1*	0.527	0.257	4.95	0.788	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.65
	<1*	<1*	<1*	<1*	4.13	0.834	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.04
	<1	<1	<1	<1	4.05	n/a	<2	<1	<1	<1	<2	0.346	<2	2.21
MW-1R	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.381	<0.349	<0.361	<0.306	2.07	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.08
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	2.44	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.57
	<0.381	<0.349	<0.361	<0.306	2.86	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.5
	<1	<1	<1	<1	3.17	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	2.63	<15	<10	<1	<1	<1	<5	<1	<1	1.46
	<1	<1	<1	<1	2.3	<15	<10	<1	<1	<1	<5	<1	<1	1.14
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.74
	<5*	<5*	0.431	<5*	2.02	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.08
	<5*	<5*	0.408	<5*	2.48	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.38
	<5*	<5*	0.5	<5*	2.84	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.76
	<1*	<1*	0.524	<1*	2.98	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	1.67
	<1*	<1*	0.562	<1*	3.8	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	2.19
	<1	<1	0.681	0.257	4.55	0.624	<1	<1	<1	<1	<2	<1	<1	2.64
	<1*	<1*	0.571	<1*	3.71	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	1.98
	<1	<1	0.581	<1	4.36	<2	<1	<1	<1	<1	<2	<1	<1	2.39
	<1*	<1*	0.399	<1*	3.98	5.06	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.03
	<1*	<1*	0.45	<1*	4.3	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.09
	<1	<1	0.342	<1	3.3	n/a	<2	<1	<1	<1	<2	<1	<2	1.66
MW-2	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<2	<1	<2	<1
MW-6	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.05	<0.2	<0.2	<0.2	<0.2	<5</								

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
<1*	<1*	<1*	<1*	<1*	3.19	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*
<1*	<1*	<1*	<1*	<1*	1.5	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*
<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<2	<1	<2	<1	<1
MW-633D	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1										

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
MW-689D	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	0.632	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<2	<1	<2	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
MW-7	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	0.965	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<2	<1	<2	<1

NAB-1

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)	
NAB-7	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*
	<0.87	<0.96	<0.7	<0.87	<0.7	<7.3	<6.3	<2.5	<1.1	<1.9	<2.4	<4.6	<1.7	<2.8	<2.8
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<2	<1	<2	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<1	<10								

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)	
NAB-8	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	
	<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<1	<2	<1	<2	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	<1	
<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	<1	
<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	<1	
<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	<1	
<1	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
<1	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	<0.35	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	<0.35	
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	<0.348	
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	<0.348	
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	<0.348	
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	<0.348	
<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	<1	
<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	<1	
<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	<1	
<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	<1	
<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	
<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	
<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	
<1	<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<2	<1	<2	<1	
NE-2	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348		

[illegible]

[illegible]

[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)	
Spring B	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	
	<1*	0.077	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	
	<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<2	<1	<2	<1	
	TSP-1 Spring	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
		n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
n/a		<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	&lt	

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
TSP-2 Spring	<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<2	<1	<2	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1	<1	<1	<1	<1	n/a	<2	<1	<1	<1	<2	<1	<2	<1
TSP-3 Spring	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
TSP-4 Spring	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	
CAO-1	<0.5	37.9	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	
	<0.5	51.3	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	
	<0.5	59.7	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	0.3	<1	<1	2.4	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	0.58	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	0.95	<10	<1	<1	0.36	<1	<5	<10
	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<2.1
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
	<1	<2.5	<1	<1	<1	<10	<1	<1	&lt				

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	
CAO-3	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	<1
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*	<1*
	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	<1
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*	<1*
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	n/a	n/a
	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	
	<0.5</												

NABORS Landfill Historic Data through May 2024[illegible]

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<10	<1	0.4	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*		0.485	<5*	0.166	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*		0.584	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*		0.679	<1*	<1*	<1*
	n/a	<3	<1	<1	<1	n/a	<1	<1		0.551	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*		0.361	<1*	<2*	<1*
	n/a	<3	<1	<1	<1	n/a	<1	<1		0.513	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*		0.593	<1*	<2*	<1*
n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*		0.414	<1*	<2*	n/a	
n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	
MW-1R	<1	<2.5	<1	<1	<1	<10	<1	1.2	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1										

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
MW-577	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*
	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	n/a
	n/a	&lt										

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a
	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
MW-689D	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	
n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	
n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	
n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*	
n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	
n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*	
n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*	
n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	n/a	
n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	n/a	
MW-7	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5

NAB-1

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
NAB-3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<			

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	
NAB-7	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<50*	<50*	
	n/a	<1.4	<2.7	<0.71	<0.66	n/a	<0.74	<2.4	<1.1	<2.3	<2.6	<6.6	
	n/a	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<50*	<50*	
	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	
	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	
	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*	
	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*	
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	n/a	
	n/a	<1	<1	<1	<1	<1	n/a	<1	<2	<1	<2	n/a	
	NAB-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10
		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
<1		<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
<1		<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
<1		<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	
	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	
	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	
	NAB-8	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10
		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1		<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<0.33		<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.33		<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14		
<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14		
<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14		
<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14		
<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10		
<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10		
<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10		
<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10		
<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*		
<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*		
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		
n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*		
n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*		
n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*		
n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*		
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		
n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*		
n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a		
n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	
NE-2	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	
NE-3	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	
	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	
	NE-3	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
		<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
		<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.33		<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
<0.327		<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
<0.327		<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
<0.327		<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
<0.327		<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<5*		<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
<5*		<50*	<5*	<5*	<5*	n/a	<5*	0.423	<5*	<5*	<50*	<50*	
n/a		<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	
n/a		<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	
n/a		<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	
n/a		<3	<1	<1	<1	n							

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a
	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	Class I Draw Spring	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2
<0.327		<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
<0.327		<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
<0.327		<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
<0.327		<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
<1		<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
<5*		<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
n/a		<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	
Class IV Draw Spring	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346								

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
NE-3 Spring	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
Spring RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Spring SP-4	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
Spring SP-5	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
Spring SP-7	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a
	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
Spring A	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	
Spring B	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*	<1*
	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	<1
	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<2*	<1*	<1*
	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	n/a
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
<1													

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
TSP-2 Spring	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
TSP-3 Spring	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
TSP-4 Spring	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
CAO-1	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	715	3.77	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	0.57	<0.5	0.93	<0.25	<10	<0.15	n/a	n/a	738	5.57	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	801	5.78	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	790	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	790	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	770	2.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	780	7.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	850	16	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	810	6.2	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	0.44	11	n/a	n/a	n/a	650	17	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	660	6.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	740	11	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	630	9.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	120	1.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	10	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	570	13	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	9	n/a	0.0042	<0.05	460	9.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	400	11	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	0.34	<50	n/a	0.0012	0.059	590	5.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	0.42	<50	n/a	<0.005	<0.05	570	83	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	560	10	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	590	7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	1	0.43	15	n/a	<0.005	<0.05	630	7.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	630	8.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	630	3.9	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	550	12	460	240	0.69	95	52
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	790	18	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	696	14	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	798	9.95	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00625	<0.0065	676	12	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	802	12.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	407	11.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	794	10.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	708	8.53	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	874	10.2	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	0.109	747	5.78	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	0.628	n/a	<50*	n/a	<0.1*	807	8.88	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	0.361	n/a	0.283	n/a	<0.15*	659	10.5	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.308	<1*	n/a	<1*	n/a	0.266	521	7.87	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.32	n/a	<1*	n/a	<0.15*	835	9.72	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.39	n/a	<2	n/a	<0.15	731	10.3	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.452	n/a	<2*	n/a	<0.15*	763	10.5	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.301	n/a	<2	n/a	<0.15	757	10.5	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.346	n/a	<2*	n/a	<0.15*	746	9.75	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.277	n/a	<2*	n/a	<0.15*	778	9.79	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	0.324	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CAO-2	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	440	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	484	1.62	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	412	5.44	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	770	2.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	7.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	3.4	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	4.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.018	370	4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0071	450	0.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.019	400	15	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	440	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	1.4	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	340	1.8	290	170	<0.038	67	37
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	550	5	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	445	6.32	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	356	2.33	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	397	3.5	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	494	6.11	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	419	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	433	5.77	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	349	2.05	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	1.54	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	468	2.31	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	450	2.41	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.309	<1*	n/a	<1*	n/a	<0.15*	537	3	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	473	1.74	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	512	1.97	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	446	1.37	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	495	2.43	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	418	1.37	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	305	2.06	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CAO-3	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	296	2.61	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	509	5.15	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	368	4.66	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	590	5.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	650	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.9	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.02	260	3.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.34	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.98	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	11	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	0.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	1.7	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	1.7	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	270	<0.1	270	160	<0.038	63	37
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	350	1.1	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	289	2.51	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	269	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00626	<0.0065	389	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	280	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	293	5.05	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	305	1.64	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	278	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	386	1.02	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	291	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	456	1.2	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	313	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.263	<1*	n/a	<1*	n/a	<0.15*	449	1.04	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	286	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	410	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	348	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	445	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	140	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	179	1.05	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-1	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	335	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	357	3.3	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	343	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	6.7	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	371	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	362	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	363	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	359	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	379	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	394	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	402	1.2	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	400	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	435	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	480	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	561	<1	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	520	1.82	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	553	2.61	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	550	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	520	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	580	3.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	610	3.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	600	3.8	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	0.33	<5	<50	n/a	n/a	n/a	550	4.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	590	5.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	620	4.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	630	6.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	600	4.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	620	4.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	680	8.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	0.46	<5	<50	n/a	<0.005	<0.05	690	3.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	33	n/a	n/a	0.014	700	9.8	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	1.4	<5	<50	n/a	<0.005	0.0072	780	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	750	3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	710	68	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	710	3	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<10	<5	<2.5	<3	<5	1	<5	<50	n/a	<0.005	<0.05	780	4.9	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	1.6	<5	<50	n/a	<0.005	<0.05	830	9.3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.064	880	7.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	910	12	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1140	9.79	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1080	9.13	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1060	11.6(13)	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1020	9.47	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	972	9.23	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	992	10.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	970	10.2	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1020	8.62	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	0.267	n/a	<50*	n/a	<0.1*	965	8.62	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	0.412	0.305	n/a	<50*	n/a	<0.15*	953	10.7	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.567	0.645	n/a	<1*	n/a	<0.15*	934	8.12	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.705	n/a	<1*	n/a	0.227	903	9.05	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.303	n/a	<2	n/a	<0.15	877	5.71	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	834	6.53	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.315	n/a	<2	n/a	<0.15	738	5.57	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.446	n/a	<2*	n/a	<0.15*	681	5.58	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	661	5.05	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	0.412	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-1R	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	840	35	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	740	3.4	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	840	11	710	390	<0.038	160	100
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	980	17	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	978	12.5	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	868	15.2	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	860	8.63	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	914	11.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	894	7.74	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	928	7.52	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	764	8.98	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	894	9.34	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	0.533	0.367	n/a	<50*	n/a	<0.1*	906	6.51	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	860	7.78	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	0.419	0.172	n/a	0.342	n/a	<0.15*	881	13.4	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.612	0.198	n/a	<1*	n/a	<0.15*	878	8.22	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.31	n/a	<1*	n/a	<0.15*	902	7.85	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.265	n/a	<2	n/a	<0.15	815	5.75	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	819	7.72	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	726	5.34	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	745	9.98	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	664	4.86	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-2	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	331	1.96	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	2.76	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	393	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	345	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	344	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	341	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	355	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	371	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	363	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	367	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	367	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	367	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	367	<1	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	409	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	411	<1	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	356	1.55	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	366	2.27	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	1.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	280	3.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	220	2.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0082	210	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	270	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	12	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.38	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	0.88	<5	<50	n/a	<0.005	<0.05	320	0.95	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310	2	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	360	1.1	330	200	<0.038	80	43
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	49	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	365	1.54	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	351	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	1.63	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.49	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	381	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	362	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	365	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	382	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	369	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.329	<1*	n/a	<1*	n/a	<0.15*	365	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	335	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	376	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	349	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	367	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	356	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-3	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	252	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	368	4.78	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	388	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	360	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	401	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	338	1.38	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	421	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	361	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	452	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	412	1.4	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	787	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	437	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	508	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	425	<1	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	474	<1	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	453	2.78	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	480	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	2.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	520	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	2.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	3.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	5.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	3.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.019	300	3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0078	500	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	30	n/a	<0.005	<0.05	500	0.54	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	520	28	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	0.36	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	510	1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.046	540	0.84	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	510	1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	590	2.5	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	410	2.4	380	220	<0.038	90	49
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	530	2.1	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	525	8.26	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	143	n/a	<0.0018	<0.0065	436	5.48	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	458	1.14(B)	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	499	2.65	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	511	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	525	2.32	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	411	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	653	6.33	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	750	3.6	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.296	<1*	n/a	<1*	n/a	0.357	684	4.52	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	0.544	664	2.76	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	599	5.3	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	624	2.74	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	559	1.75	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	597	2.63	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	567	1.72	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-4	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	292	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	304	4.48	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	293	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	310	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	7.2	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	303	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	296	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	299	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	311	1.7	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	421	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	329	<1	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	299	<1	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	332	2.19	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2.7	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.06	<0.05	340	0.68	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0038	330	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0043	360	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	7.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.028	340	0.72	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	2.4	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	370	1.1	340	210	<0.038	84	46
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	420	51	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	396	1.31	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	365	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	366	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	384	1.93	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	368	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	376	1.09	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	388	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	405	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	438	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	396	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	423	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	425	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	415	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	416	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	444	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	417	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-5	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	5.86	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	335	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	333	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	324	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	332	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	338	<1	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	345	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	352	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	354	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	366	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	393	<1	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	362	17.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.004	370	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.015	370	0.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	8.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.33	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.039	400	0.88	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	4.8	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	400	1.7	400	230	<0.038	92	52
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	<0.1	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	431	1.59	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	402	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	406	<0.102	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	401	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	416	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	444	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	426	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	443	1.01	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	468	1.07	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.27	<1*	n/a	<1*	n/a	<0.15*	441	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	455	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	475	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	459	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	435	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	450	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	443	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-509D	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	4.3	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0085	290	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0035	340	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.26	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.029	370	7.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	<1	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	290	1.1	250	150	<0.038	60(V)	36(J6)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	390	3.8	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	373	1.53	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	300	1.78	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	380	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	361	<0.102	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	391	1.25	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	395	1.23	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	300	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	396	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	330	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	378	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	356	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.371	<1*	n/a	<1*	n/a	<0.15*	357	1.1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	338	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	330	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	337	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	367	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	315	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	369	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-577	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	4.3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	0.31	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	430	3.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	490	2.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	2.5	<50	n/a	<0.005	0.015	500	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	510	3.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0073	490	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	0.54	<50	n/a	<0.005	<0.05	460	0.37	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	6.7	<50	n/a	<0.005	<0.05	490	52	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	35	n/a	<0.005	<0.05	460	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	3.3	<50	n/a	<0.005	<0.05	490	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.046	480	1.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	440	1.1	410	250	<0.038	100	52

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	3.3	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	398	3.17	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	382	1.93	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	390	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	435	<0.102	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	398	1.14	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	399	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	416	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	408	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	0.421	403	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	416	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.321	<1*	n/a	<1*	n/a	<0.15*	411	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	461	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	391	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	414	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	420	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	581	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	399	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-6	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	381	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	3.41	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	379	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	401	<6	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	404	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	404	1.08	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	393	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	403	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	410	1.1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	394	1.08	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	400	1.03	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	405	1.23	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	408	1.82	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	364	1.88	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	392	3.37	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.9	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	12	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	3.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	390	2.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0055	400	0.28	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.58	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	31	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.79	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	0.67	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.022	430	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	2	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	5.4	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	410	2.2	390	220	<0.038	87	52
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	460	<0.1	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	440	2.65	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	399	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	461	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	1.02	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	434	1.29	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	432	1.75	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	432	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	446	1.39	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	453	1.21	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	470	1.58	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	473	1.54	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	458	1.65	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	507	1.2	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	477	1.11	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	471	1	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	428	1.12	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	447	1.07	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	427	1.11	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-633D	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0073	380	3.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0087	430	0.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	11	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	0.65	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	0.87	<5	<50	n/a	<0.005	0.016	420	0.55	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	2.7	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	420	2	390	220	<0.038	89	52
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	460	3.8	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	425	1.97	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	442	3.29	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	1.28	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	466	1.88	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	423	1.73	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	366	1.53	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	406	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	430	1.31	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	413	1.06	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	427	1.19	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	434	1.36	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
MW-689D	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	413	1.74	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	405	1.56	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	438	1.36	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.13	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	393	1.22	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	359	1.08	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	180	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	200	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	2	n/a	n/a	n/a	n/a	n/a
MW-7	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.015	220	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	11	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.56	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.029	410	0.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	280	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	370	1.6	370	210	<0.038	86	44
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	410	2.9	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	395	1.19	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	377	2	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	375	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	392	<0.102	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	398	1.05	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	408	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	376	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	393	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	404	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	400	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	378	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.311	0.106	n/a	<1*	n/a	0.179	384	1.4	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	147	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	0.388	371	1.67	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	304	1.04	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	0.325	360	1.72	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	291	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	0.494	349	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	294	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	336	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	337	1.11	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	312	1.62	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	324	2.85	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	305	1.95	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	324	2.44	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	3.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	2.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	3.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0039	<0.05	340	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.01	310	2.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0095	330	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	31	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.59	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	69	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	1.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	6.4	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	320	1.4	310	170	<0.038	69	40
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	330	<0.1	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	341	1.48	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	341	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	274	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	327	<0.102	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	338	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	338	1.06	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	330	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	328	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	315	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	328	1.04	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	353	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.353	<1*	n/a	<1*	n/a	<0.15*	328	1.25	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	0.249	223	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	283	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	298	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	321	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	302	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	324	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-1	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	20	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.8	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	5.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	0.31	<50	n/a	<0.005	<0.05	420	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.011	370	4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.33	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.021	420	25	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	0.37	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.019	420	0.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	2.6	n/a	n/a	n/a	n/a	n/a
NAB-2	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.9	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	4.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	0.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0092	360	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	370	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	8.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.68	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	1.3	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	400	<0.1	390	240	<0.038	96	47
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	<0.1	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	433	2.02	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	412	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	254	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	443	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	443	1.39	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	440	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	433	1.28	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.303	<1*	n/a	<1*	n/a	<0.15*	449	1.38	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	451	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	462	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	433	1.2	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	413	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	416	1.11	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	423	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
NAB-3	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	250	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	5.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	3.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0064	400	3.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0042	410	0.41	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	460	14	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	3.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.031	430	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	<1	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	330	2	310	180	<0.038	72	42
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	410	<0.1	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	397	2.17	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	372	1.51	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	368	1.14	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	1.58	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	396	1.43	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	425	94.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	360	1.72	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	418	1.2	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	407	1.32	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	425	1.89	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	356	1.53	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.34	<1*	n/a	<1*	n/a	<0.15*	425	1.85	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	253	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	306	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	357	1.13	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	319	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	368	1.07	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	340	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-4	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	1.9	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0067	<0.05	430	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0099	430	5.1	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
NAB-7	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0037	460	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	0.48	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	33	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	0.68	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	0.95	<5	<50	n/a	<0.005	<0.05	420	0.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.6	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	420	2.3	330	240	<0.038	96	46
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	490	<0.1	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	466	1.97	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	436	1.01	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	453	1.22	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	466	1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	458	1.79	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	417	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	505	<1*	n/a	n/a	n/a	n/a	n/a
	n/a	<3.9	n/a	n/a	<1.2	<4.9	<0.84	<6.7	<0.94	n/a	<0.1*	501	1.07	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	0.089	n/a	<50*	n/a	<0.15*	528	1.85	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	543	1.46	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	558	1.82	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	450	1.17	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	619	1.69	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	564	1.3	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	404	1.79	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	593	1.59	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	5.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	4.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	3.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0039	320	2.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0088	360	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.69	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	31	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.46	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	0.72	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	310	1.8	270	170	<0.038	69	38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	400	4.4	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	384	1.44	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	303	2.34	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	345	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	388	1.02	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	399	1.61	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	350	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	371	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	336	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	369	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	388	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	374	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	285	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	327	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	356	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	354	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	312	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	4.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	5.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	2	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	3.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.56	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.028	330	10	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	0.52	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	0.45	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.9	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	340	1.9	340	190	<0.038	77	42
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	8.4	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.007	<0.0065	358	9.86	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	341	2.32	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	322	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	354	<0.102	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	341	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	371	23.3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	360	3.35	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	374	5.1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	7.27	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	n/a	1.53	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	377	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	358	121	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.29	<1*	n/a	<1*	n/a	<0.15*	392	10.1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	379	23	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	4.46	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	395	95.6	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	3200	100	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	3300	100	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	2800	60	550	760	<0.038	300	140
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	2800	40	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	2070	23	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	2030	20.2	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1600	15.2	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	120	14.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1590	12.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	1660	12.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	1560	13.9	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	1420	12.9	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1520	12.8	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1320	11.7	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	1170	7.36	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.285	<1*	n/a	<1*	n/a	<0.15*	1020	5.09	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	948	3.89	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.287	n/a	<2	n/a	<0.15	809	3.25	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	872	3.17	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	785	3.42	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	842	3.19	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	791	2.49	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	330	1.9	<52	190	<0.038	76	41
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	360	5.6	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	326	1.37	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	331	3.59	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	306	1.13	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	332	<0.102	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	337	11.9	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	347	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	354	1.45	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	352	3.65	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	366	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	352	1.24	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	401	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	359	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	308	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	296	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	317	<1*	n/a	n/a	n/a	n/a	n/a
NE-4	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	317	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	332	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	331	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	355	2.31	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	394	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	437	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	385	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.336	<1*	n/a	<1*	n/a	<0.15*	404	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.158	n/a	<1*	n/a	<0.15*	359	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	344	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	320	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	365	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	349	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	383	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	<1	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	390	<0.1	340	220	<0.038	86	47
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	2.4	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	414	1.2	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	407	1.79	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	393	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	406	2.67	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	394	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	398	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	384	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	352	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	409	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	384	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	456	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.31	<1*	n/a	<1*	n/a	<0.15*	388	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	354	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	347	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	387	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	374	<1	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	395	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	389	<1*	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	9.9	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	209	6.1	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	250	6.09	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	318	4.2	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	190	7.23	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	194	6.08	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	319	4.23	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	285	5.51	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	257	2.57	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.296	<1*	n/a	<1*	n/a	<0.15*	138	2.41	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	136	2.08	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	420	9.7	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	337	6.29	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	245	4.69	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	246	5.79	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	378	4.79	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	343	1.6	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.305	<1*	n/a	<1*	n/a	<0.15*	432	6.45	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	197	3.18	n/a	n/a	n/a	n/a	n/a
Landfill Entrance Seep	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310	3	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	300	7.5	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	305	3.39	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	206	5.69	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	295	3.3	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	203	7.42	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	336	3.63	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	335	2.38	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	334	3.72	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	311	2.18	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	288	2.73	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	314	2.83	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.381	<1*	n/a	<1*	n/a	<0.15*	307	2.43	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	320	2.34	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.83	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.83	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	311	2.28	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	294	2.31	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	294	2.31	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	321	2.22	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3 Spring	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	170	3.6	140	76	0.34	30	18
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	350	3.6	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	248	2.14	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	205	3.88	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	298	1.45	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	172	2.61	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	199	1.89	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	268	1.3	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.329	<1*	n/a	<1*	n/a	<0.15*	158	1.72	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	202	1.08	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	236	1.04	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	213	1.2	n/a	n/a	n/a	n/a	n/a
Spring RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Spring SP-4	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	315	1.89	n/a	n/a	n/a	n/a	n/a
Spring SP-5	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	6.2	n/a	n/a	n/a	n/a	n/a
Spring SP-7	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	210	3.9	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	160	4.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	190	3.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	220	5.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	3.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	230	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	270	16	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.7	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.032	250	2.9	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310(Q)	1.5	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	250	3.8	190	110	0.35	43	26
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	290	5.6	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	210	3.78	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	212	5.17	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	236	2.93	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	228	5.85	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	335	3.01	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	275	2.37	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	228	3.55	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	173	2.86	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	144	2.57	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	115	2.58	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	97	2.19	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	226	1.71	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	192	1.86	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	234	1.65	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	171	2.85	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	223	2.05	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Spring A	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	3.9	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.8	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	250	4.8	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	3.4	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	320	3.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	0.014	0.0094	370	0.26	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	290	0.73	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	27	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.59	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420(Q)	<1	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	250	1.5	220	130	<0.038	54	30
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	360	2.9	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	279	1.9	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	208	2.59	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	292	<0.102	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	287	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	339	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	359	<1	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	283	1.92	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	287	1.3	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.286	<1*	n/a	<1*	n/a	<0.15*	285	1.78	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	65	3.48	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	242	1.06	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	370	1.01	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	153	3.47	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Spring B	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	430	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	6.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	11	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	3.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	550	4.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0091	230	6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	660	3.3	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	570	7.8	440	230	0.44	91	54
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	670	15	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	631	8.19	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	554	7.81	n/a	n/a	n/a	n/a	n/a
TSP-1 Spring	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	609	5.9	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	1.6	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	4.5	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.5	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	320	4.8	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	1.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	330	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.68	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	390	0.82	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	294	<1*	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	367	3.06	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.285	<1*	n/a	<1*	n/a	<0.15*	354	1.13	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	267	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	290	1.02	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)
TSP-2 Spring	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0045	260	2.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0071	350	1.3	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	0.24	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	7.1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	1.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.016	320	1.8	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	5.4	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0082	<0.05	460	2.9	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	466	6.46	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.6	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	6.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	4.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	170	2.9	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	2.2	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	3	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	270	3.4	240	140	<0.038	54	32
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	6.2	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	417	4.58	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	311	3.79	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	386	2.3	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	4.89	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	3.24	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.346	<1*	n/a	<1*	n/a	<0.15*	401	3.87	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	293	3.03	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	441	3.13	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	240	2.3	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	5	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	310	4.2	280	160	0.28	64	40
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	307	4.01	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00596	<0.0065	346	4.4	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	187	1.65	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	55	2.18	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	<5*	1.63	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	214	1.35	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024[illegible]

Well/Spring ID	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	1.6	14	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.001	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	<0.004*	<												

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropane (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	1	2.6	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a													

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NAB-1

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

Well/Spring ID	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	1.9	2.6	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.0047	<0.00058	<0.00083	<0.0019	<0.00073	<0.00081	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a
NAB-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a										

NABORS Landfill Historic Data through May 2024[illegible]

Well/Spring ID	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.001	<0.002	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	&lt											

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropane (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)
Spring A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2.2	2.5	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	n/a	n/a	n/a	n/a	n/a	
Spring B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	5.6	72	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
TSP-1 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)
TSP-2 Spring	n/a	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	1.5	2.4	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	1.5	2.3	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

Well/Spring ID	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0012	<0.018	<0.00033	<0.0011	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	MW-633D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<0.0012		<0.018	<0.00033	<0.0011	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<	

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	MW-1R	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.00033		<0.00026	<0.39	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
MW-2		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.00026	<0.39	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	
MW-577	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.00026	<0.39	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NAB-1

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<0.00033		<0.00026	<0.39	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a				

[illegible]

Well/Spring ID	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.00026	<0.39	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	NAB-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.00033		<0.00026	<0.39	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036</						

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NAB-1

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NAB-1

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

Well/Spring ID	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)
TSP-2 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05	<1.8E-05	<0.00034	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.00016	<0.00021	<0.00027	<0.00032
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05	<1.8E-05	<0.00034	<1.9E-05	<0.00017	<2E-05	<2.4E-05									

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

Well/Spring ID	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a] anthracene (mg/l)	Benzo[b] fluoranthene (mg/l)	Benzo[k] fluoranthene (mg/l)	Benzo[g,h,i] perylene (mg/l)	Benzo[a] pyrene (mg/l)	Benzy l alcohol (mg/l)	Bis[2-chlorethoxy] methane (mg/l)	Bis[2-chloroethyl] ether (mg/l)	Bis[2-chloroisopropyl] ether (mg/l)	4-Bromophenyl- phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl- phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-689D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00031	<0.00029	<0.00032	<0.00027	<0.00036	<0.00033	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
n/a	n/a	n/a	n/a	n/a												

NAB-1

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-1R	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	MW-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

Well/Spring ID	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-633D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	
n/a	n/a	n/a	n											

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)
TSP-2 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NAB-1

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	0.34	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	0.161	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
MW-1R	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	0.288	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	0.33	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
MW-2	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NAB-1

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*

NABORS Landfill Historic Data through May 2024

Well/Spring ID	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr]	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1
	Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
n/a		n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*
n/a		n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*
n/a		n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1
n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	
n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	
n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	
n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)
TSP-2 Spring	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)
CAO-1	n/a	n/a	n/a	17.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	21.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	21.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

Well/Spring ID	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<5*	<5*	<50*	34.7	<5*	<5*	<5*	<5*	<5*	41.3	<5*	n/a	
	<5*	<5*	<50*	37.4	<5*	<5*	<5*	<5*	<5*	41.4	<5*	n/a	
	<5*	<5*	0.11	40.8	<5*	<5*	<5*	<5*	<5*	41.9	<5*	n/a	
	<1*	<1*	<1*	55.8	<1*	<1*	<1*	<1*	<1*	40.3	<1*	n/a	
	<1*	<1*	0.119	57.3	<1*	<1*	<1*	<1*	<1*	38.4	<1*	n/a	
	<1	<3	<1	49.6	<1	<1	<1	<2	<1	n/a	<3	n/a	
	<1*	<3*	<1*	52.8	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	
	<1	<3	<1	55.7	<1	<1	<1	<2	<1	n/a	<3	n/a	
	<1*	<3*	<1*	55	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	
	<1*	<3*	<1*	50	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	
	<1	<1	<1	52.1	<1	<1	<1	<1	<1	n/a	<1	n/a	
	MW-1R	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<5*		<5*	<50*	29.4	<5*	<5*	<5*	<5*	<5*	39.8	<5*	n/a	
<5*		<5*	<50*	31.7	<5*	<5*	<5*	<5*	<5*	38.3	<5*	n/a	
<5*		<5*	0.122	35.5	<5*	<5*	<5*	<5*	<5*	41.8	<5*	n/a	
<1*		<1*	<1*	45.7	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a	
<1*		<1*	0.148	53.6	<1*	<1*	<1*	<1*	<1*	38.4	<1*	n/a	
<1		<3	<1	46.8	<1	<1	<1	<2	<1	n/a	<3	n/a	
<1*		<3*	<1*	48.7	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	
<1		<3											

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)
NAB-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	40.9	<5*	n/a
<5*	<5*	<50*	<5*	<5*	<5*	0.11	<5*	<5*	40.4	<5*	n/a	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.2	<1*	n/a	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	38.7	<1*	n/a	
<1	<3	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	
<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	
<1	<3	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	
<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	
<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	
<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	

NABORS Landfill Historic Data through May 2024[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	39.5	<5*	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	40.5	<5*	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.5	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.9	<1*	n/a
	<1	<3	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a
	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a
	<1	<3	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a
	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a
	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.4	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.2	<1*	n/a
	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	38.7	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41	<1*	n/a
Landfill Entrance Seep	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	1.39	<5*	<5*	<5*	<5*	<5*	39.8	<5*	n/a
	<5*	<5*	<50*	1.11	<5*	<5*	<5*	<5*	<5*	39.3	<5*	n/a
	<5*	<5*	<50*	0.435	<5*	<5*	<5*	<5*	<5*	40.3	<5*	n/a
	<1*	<1*	<1*	2.59	<1*	<1*	<1*	<1*	<1*	40.5	<1*	n/a
	<1*	<1*	<1*	3.38	<1*	<1*	<1*	<1*	<1*	41.3	<1*	n/a
	<1	<3	<1	1.98	<1	<1	<1	<2	<1	n/a	<3	n/a
	<1	<3	<1	1.98	<1	<1	<1	<2	<1	n/a	<3	n/a
	<1*	<3*	<1*	2.47	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a
	<1	<3	<1	2.3	<1	<1	<1	<2	<1	n/a	<3	n/a
	<1	<3	<1	2.3	<1	<1	<1	<2	<1	n/a	<3	n/a
	<1*	<3*	<1*	2.06	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	37.1	<5*	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41	<5*	n/a
	<1*	<1*	<1*	0.214	<1*	<1*	<1*	<1*	<1*	40.9	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41.2	<1*	n/a
	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a
Spring B	<1	<3	<1	0.496	<1	<1	<1	<2	<1	n/a	<3	n/a
	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	39.5	<5*	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	40.8	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	39.6	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41	<1*	n/a
	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a

NABORS Landfill Historic Data through May 2024

Well/Spring ID	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromoffluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a
TSP-2 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.3	<5*	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.4	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	39.6	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a
	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.7	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41.4	<1*	n/a
	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2-pentanone (ug/L)	TOC (mg/L)	TDS (mg/L)	Sulfate as SO4 (mg/L)	2-Butanone (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a							

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2- pentanone (ug/L)	TOC (mg/L)	TDS (mg/L)	Sulfate as SO4 (mg/L)	2-Butanone (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<5*	n/a	<5*	<10*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	<1*	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	<1	1.01	411	7.34	<2
MW-633D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<5*	n/a	<5*	<10*	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2-pentanone (ug/L)	TOC (mg/L)	TDS (mg/L)	Sulfate as SO4 (mg/L)	2-Butanone (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		

NABORS Landfill Historic Data through May 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2- pentanone (ug/L)	TOC (mg/L)	TDS (mg/L)	Sulfate as SO4 (mg/L)	2-Butanone (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<5*	n/a	<5*	<10*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	<1*	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	<1	<1	379	31.9	<2
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<5*	n/a	<5*	<10*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	n/a	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	n/a	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2024

[illegible]

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2-pentanone (ug/L)	TOC (mg/L)	TDS (mg/L)	Sulfate as SO4 (mg/L)	2-Butanone (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a									

NABORS Landfill Historic Data through May 2024

Well/Spring ID	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2- pentanone (ug/L)	TOC (mg/L)	TDS (mg/L)	Sulfate as SO4 (mg/L)	2-Butanone (ug/L)
	n/a	<1	n/a	<1	<2	<1	<1	292	8.02	<2
TSP-2 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<1	n/a	<1	<2	<1	3.54	54	1.44	<2
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a
	n/a	<1*	n/a	<1*	<2*	n/a	n/a	n/a	n/a	n/a