



A  Terracon Company

Client:

ARKANSAS DEPARTMENT OF ENERGY & ENVIRONMENT
Division of Environmental Quality

c/o

EnSafe, Inc.

5724 Summer Trees Drive

Memphis, TN 38134

Phone: 214-529-5600

Contact: Ms. Emily Brickman, P.G.
Senior Project Manager - Geologist
ebrickman@ensafe.com

MAY 2025 GROUNDWATER MONITORING EVENT

NABORS Landfill
Three Brothers, Arkansas

Revision 0
July 2025

Prepared by: Harbor
5800 Evergreen Drive
Little Rock, AR 72205
P: 501.663.8800
F: 501.588.0123
www.harborenv.com

Page Intentionally Blank

May 2025 Semi-Annual Groundwater Monitoring Report
NABORS Landfill
Three Brothers, Arkansas

Prepared for:
EnSafe, Inc.
and
Arkansas Department of Energy and Environment
Division of Environmental Quality

Prepared by:
Harbor, A Terracon Company



Date: July 7, 2025

Thomas Huetter, PG, Project Geologist




Date: July 7, 2025

Lisa Rotenberry, Senior Technical Reviewer



Date: July 7, 2025

Leslie Davis, Harbor, Program Manager, Principal



Page Intentionally Blank

Table of Contents

1.0	Introduction.....	1
1.1	Geologic Setting	1
1.2	Site Background.....	2
1.3	Previous Investigations	3
1.4	Groundwater Monitoring Network.....	3
1.5	Leachate Sampling.....	4
1.6	Investigative-Derived Wastes	5
1.7	Assessment Monitoring Constituents	5
2.0	Field Activities and Sampling Methodology.....	7
2.1	Well/Spring Assessment and Water Level Measurement.....	7
2.2	Monitoring Well Purging and Sampling.....	7
2.3	Spring Sampling	8
2.4	Leachate Sampling.....	8
2.5	Equipment Decontamination.....	8
2.6	Sample Documentation and Shipment.....	9
2.7	Field QC Sample Objectives and Collection Frequency.....	9
2.8	Sample Identification, Collection, Processing and Documentation	10
2.9	Equipment Calibration.....	11
3.0	Groundwater Analytical Results.....	12
3.1	Conceptual Groundwater Flow	12
3.2	Groundwater Analytical Results.....	17
3.3	Statistical Analysis.....	30
4.0	Leachate Analytical Results	34
5.0	Quality Assurance/Quality Control Results	35

LIST OF FIGURES:

- Figure 1 Site Location Map
 Figure 2 Assessment Monitoring Points and Potentiometric Surface Map

LIST OF TABLES:

- Table 1-1 Summary of Assessment Monitoring Points
 Table 1-2 Field Parameters and Assessment Monitoring Constituents
 Table 3-1 Summary of Field Parameters
 Table 3-2 Summary of Inorganic Parameter Analyses
 Table 3-3 Summary of Organic Parameter Analyses
 Table 3-4 Summary of Statistical Trends
 Table 3-5 Summary of LCL Exceedances
 Table 4-1 Summary of Leachate Analysis Results

APPENDICES:

Appendix A – Field Forms and Notes

Appendix B – Laboratory Analytical Results

Appendix C – Statistical Plots

Appendix D – Historical Database

Acronyms and Abbreviations

ADE&E	Arkansas Department of Energy and Environment
ADEQ	Arkansas Department of Environmental Quality
AMC	Assessment monitoring constituent
amsl	Above mean sea level
bgs	Below ground surface
°C	Degrees Celsius
cm/sec	Centimeter per second
CV	Coefficient of Variation
DEQ	Division of Environmental Quality
DO	Dissolved oxygen
DNF	Did not flash
Dup	Duplicate
EB	Equipment blank
EPA	U.S. Environmental Protection Agency
ft/ft	Foot per foot
GW	Groundwater
GWPS	Groundwater Protection Standard
GGH	Grubs, Garner & Hoskin, Inc.
Harbor	Harbor Environmental and Safety
HASP	Health and Safety Plan
ID	Identification
IDW	Investigation-derived waste
J	Estimated value
LDPE	Low-density polyethylene
LE	Landfill Entrance (seep)
LLDPE	Linear low-density polyethylene
LCL	Lower Confidence Limit
MCL	Maximum Contaminant Level
mg/L	milligrams per liter
MS/MSD	Matrix spike and matrix spike duplicate
mV	Millivolt
NABORS	North Arkansas Board of Regional Sanitation
NPDWR	National Primary Drinking Water Regulations
NS	Not sampled
NSDWR	National Secondary Drinking Water Regulations
NTU	Nephelometric turbidity units
ORP	Oxidation-reduction potential
PG	Professional Geologist
PVC	Polyvinyl chloride
QA/QC	Quality Assurance/Quality Control
RSL	Risk-based screening levels
RPD	Relative percent difference

Acronyms and Abbreviations (continued)

SAP	Sampling and Analysis Plan
SMCL	Secondary Maximum Contaminant Level
TD	Total depth
TDS	Total dissolved solids
TOC	Total organic carbon
TOC	Top of casing
UCL	Upper Confidence Limit
UG	Unified Guidance
USGS	United States Geological Survey
UTV	Utility Terrain Vehicle
µS/cm	Micro-Siemens per centimeter
µg/L	Micrograms per liter
VOC	Volatile organic compound

1.0 Introduction

This report summarizes the May 2025 groundwater assessment monitoring event at the North Arkansas Board of Regional Sanitation (NABORS) Landfill (the “facility” or the “site”) near Three Brothers, Baxter County, Arkansas. Field work was conducted by Harbor, a Terracon Company (Harbor) on May 5-7, 2024. All groundwater sampling activities were directed by an Arkansas-registered Professional Geologist (PG). This report was prepared under EnSafe Inc.’s contract on behalf of the Arkansas Department of Energy and Environment (ADE&E), Division of Environmental Quality (DEQ), formerly known as the Arkansas Department of Environmental Quality (ADEQ).

The NABORS Landfill is located approximately 0.7-mile northeast of the community of Three Brothers, Arkansas, which is approximately nine miles north/northwest of Mountain Home in Baxter County, Arkansas. The facility location is further described as being in portions of Sections 25, 26, 35, and 36, Township 21 North, Range 14 West, at latitude 36.46339° north and longitude 92.44402° west. A site location map is included as Figure 1.

The facility consists of approximately 56 acres west of Arkansas State Highway 5. Areas surrounding the facility are rural and sparsely populated. Land use is largely agricultural and consists of cleared pasture for cattle farming or is wooded and undeveloped. Review of the United States Geological Survey (USGS) 7.5-minute topographic map of the area (Midway, AR quadrangle) shows moderate topographic relief across the area with elevations ranging from approximately 900 feet above mean sea level (amsl) to over 1,100 feet amsl at the site. The facility is situated on top of a drainage divide. The site drainage is to the east, south, and west to several named and unnamed tributaries of Pigeon Creek, which flows southeast into Norfolk Lake, an impoundment of the North Fork of the White River.

1.1 Geologic Setting

The site is located in the Ozark Plateaus physiographic province, which consists of Pennsylvanian to Ordovician-aged, mostly marine deposited sedimentary rocks. The Ozark Plateaus province is comprised of three plateaus, from youngest to oldest, the Boston Mountains in the south, the Springfield Plateau to the west, and the Salem Plateau to the east. The site is located in the Salem Plateau, where the surface geology consists primarily of dolostone, with some limestone and sandstone.

Review of the Geologic Worksheet of the Midway quadrangle (Glick, 1974) shows that the site and surrounding areas are underlain by the early Ordovician-aged Cotter Dolomite. According to the Stratigraphic Summary of Arkansas (McFarland 1998), the “Cotter Dolomite is composed of dolostone of predominantly two types: a fine-grained, argillaceous, earthy textured, relatively soft, white to buff or gray dolostone called “cotton rock,” and a more massive, medium-grained, gray dolostone that weathers to a somewhat hackly surface texture and becomes dark on exposure. The formation contains chert, some minor beds of greenish shale, and occasional thin interbedded

sandstone. The chert nodules associated with the Cotter frequently have concentric light and dark bands.”

Several DEQ documents available via download from their website (www.adeg.state.ar.us) were reviewed to evaluate existing geology at the site. Primary amongst these documents was the original Geotechnical and Hydrogeological Study prepared by Grubs, Garner & Hoskin, Inc. (GGH) in 1987. Their report described three typical strata below the site. Stratum I consisted of tan and brown sandy silt with chert fragments to depths of 1.5 to 3.5 feet below ground surface (bgs). Stratum II consisted of reddish tan to tan silty clay with chert to depths up to 55 feet bgs. Stratum III consisted of medium hard to hard gray and tan dolomite with chert interbedded with greenish gray and dark gray shale layers.

Usable sources of groundwater in this region occur within the Ozark Plateaus aquifer system, which consists of three distinct water-bearing zones separated by two distinct confining units (*Groundwater Atlas of the United States, Segment 5 – Arkansas, Louisiana, Mississippi, 1998*). The uppermost aquifer in this system, the Springfield Plateau aquifer, is absent at the site and surrounding areas. The primary aquifer in use below the site and surrounding areas is the Ozark aquifer, which consists of the Ordovician-aged stratigraphic units that underlie the site (Cotter Dolomite). Although the Cotter Dolomite is used for low-yield domestic wells in the vicinity of the site, the primary water-bearing zones below the site include the Rubidoux Formation and the Gunter Sandstone Member of the Van Buren Formation. The uppermost occurrence of groundwater below the site occurs in the pore spaces of overburden soils and weathered rock at the soil-rock interface, and in fractures, bedding planes, and solution cavities in the underlying bedrock.

1.2 Site Background

Solid Waste Permit No. 0249-S was originally issued to RLH, Inc. by the Arkansas Department of Pollution Control & Ecology (predecessor to ADEQ) in 1988 to begin operations as a Class I landfill. In 2005, NABORS took over operations at the landfill and the permit was transferred accordingly. NABORS operated the landfill under this permit until a new permit was issued in 2006 (No. 0249-S1-R2). NABORS continued operating the landfill until November 2012 when it ceased accepting waste. NABORS began conducting post-closure activities in late 2012; however, due to financial constraints, they could not fulfill their obligations. At this time, closure activities were taken over by DEQ. In addition, DEQ also took over leachate management at the facility. Currently, leachate is stored in aboveground storage tanks at the facility. Leachate is periodically transported to the City of Springfield, Missouri, for disposal under Wastewater Contribution Permit No. 593, which was issued in September 2016. The landfill has been capped with ClosureTurf® over a 12-inch intermediate soil cover. The ClosureTurf® consists of a 40-mil linear low-density polyethylene (LLDPE) microspike geomembrane overlain by an engineered synthetic turf and 0.5-inch sand layer.

1.3 Previous Investigations

As required by the permit, ongoing groundwater monitoring is being conducted at the facility. A series of monitoring points have been established and expanded over time as a result of detections of volatile organic compounds (VOCs) and metals in several of the wells. Currently, the monitoring network consists of a network of two-inch monitoring wells and natural springs within and around the facility.

1.4 Groundwater Monitoring Network

The NABORS landfill currently has 24 two-inch polyvinyl chloride (PVC) monitoring wells and 13 documented springs and seeps, referred to as monitoring points. Due to the landfill closure activities, access to some of the wells, springs and seeps has been affected. Table 1-1 below summarizes the monitoring points and their current condition. Figure 2 attached to this report shows the monitoring point locations. Groundwater samples were collected from the springs and wells on May 5 – 7, 2025. Monitoring wells NAB-2 and NE-4 were not sampled due to obstructions that prevented insertion of the sampling pump.

Table 1-1 – Summary of Monitoring Points

Monitoring Wells	Status	Sampled (Y/N)
MW-1	Well intact and accessible by vehicle.	Y
MW-1R	Well intact and accessible by vehicle.	Y
MW-2	This well is intact but is down a steep, uneven, rocky slope that is highly overgrown with underbrush. Difficult access by foot only as it is located behind a narrow gate in the fence.	Y
MW-3	This well was extended during the landfill closure. The casing is bent slightly and is situated on the side of a steep slope. Access is via Utility Terrain Vehicle (UTV) only along sloped pathway.	Y
MW-4	Well intact and accessible by vehicle; however, UTV access preferable.	Y
MW-5	Well intact and accessible by UTV via difficult, sloped pathway.	Y
MW-6	Well intact and accessible by vehicle; however, UTV access preferable.	Y
MW-7	Well intact and accessible by vehicle; however, UTV access preferable.	Y
CAO-1	Well intact and accessible by vehicle.	Y
CAO-2	This well was extended during the landfill closure. The casing is bent slightly and is situated on the side of a steep slope. Access is via UTV only along sloped pathway.	Y
CAO-3	Well intact and accessible by vehicle.	Y
NAB-2	This well was extended during the landfill closure. The casing is bent slightly and is situated on the side of a steep slope. Access is via UTV only along sloped pathway. Well contained an obstruction and pump could not be inserted.	N
NAB-3	Well intact and accessible by vehicle; however, UTV access preferable.	Y
NAB-4	This well was extended during the landfill closure. The casing is severely bent and is situated on the side of a steep, rocky slope. Access is on foot via gate.	Y

Monitoring Wells	Status	Sampled (Y/N)
NAB-7	Well intact and accessible by vehicle; however, UTV access preferable. This well is located in a dense cedar grove and is hard to locate.	Y
NAB-8	Well accessible by vehicle. Less than three feet of water was purged and sampled with bailer. Well goes dry and recovers slowly. Typically sampled on the next day.	Y
MW-509D	Well intact and accessible by UTV only via difficult, sloped pathway.	Y
MW-577	Well intact and accessible by UTV only via difficult, sloped pathway.	Y
MW-633D	Well intact and accessible by vehicle; however, UTV access preferable.	Y
MW-689D	Well intact and accessible by vehicle; however, UTV access preferable.	Y
NE-2	Well intact and accessible by UTV only via difficult, sloped pathway. Well contained an obstruction and pump could not be inserted.	Y
NE-3	Well intact and accessible by vehicle; however, UTV access preferable.	Y
NE-4	Well intact and accessible by UTV only via difficult, sloped pathway. Well contained an obstruction and pump could not be inserted.	N
NE-6	Well intact and accessible by UTV only via steeply sloped pathway along power easement.	Y
Springs/Seeps	Status	Sampled (Y/N)
Class I Draw	Flowing, collected sample.	Y
Class IV Draw	No flow observed.	N
Landfill Entrance (LE) Seep	Flowing, collected sample.	Y
NE-3 Spring	Flowing, collected sample.	Y
Spring A	Flowing, collected sample.	Y
Spring B	No flow observed.	N
SP-4	No flow observed.	N
SP-5	No flow observed.	N
SP-7	Flowing, collected sample.	Y
TSP-1	Flowing, collected sample.	Y
TSP-2	No flow observed.	N
TSP-3	No flow observed.	N
TSP-4	Flowing, collected sample.	Y

1.5 Leachate Sampling

Semi-annual monitoring of the landfill leachate is required under the City of Springfield wastewater contribution permit number 593. A leachate sample (plus duplicate) was collected on May 7, 2025, and is included as part of the assessment monitoring. A summary of the leachate analysis is included in Section 4.0 below.

1.6 Investigative-Derived Wastes

Investigative-derived wastes (IDW) generated during the groundwater sampling event included purged groundwater, decontamination water, and expendables (e.g., nitrile gloves, plastic sheeting, plastic tubing, bailers, etc.). Purge and decontamination water were disposed of onsite into the leachate collection system. Expendables were placed in garbage bags for disposal offsite.

1.7 Assessment Monitoring Constituents

The Assessment Monitoring Constituents (AMCs) were established based on the Arkansas Pollution Control and Ecology Commission Rule 22 assessment monitoring requirements. The designated AMCs for groundwater are summarized in Table 1-2 below. In addition, field-monitoring parameters are also listed in Table 1-2. Specific laboratory analytical methods for the AMCs are listed in Tables 3-3 and 3-4 in Section 3.0 below.

Table 1-2 – Field Parameters and Assessment Monitoring Constituents

Field Parameters		
Dissolved Oxygen (DO)	pH	Temperature
Oxidation-Reduction Potential (ORP)	Specific Conductance	Turbidity
Indicator Parameters		
Chloride	Sulfate	Total Dissolved Solids (TDS)
Cyanide	Sulfide	Total Organic Carbon (TOC)
Volatile Organic Compounds		
Acetone	1,4-Dichlorobenzene	Styrene
Acrylonitrile	trans-1,4-Dichloro-2-butene	1,1,1,2-Tetrachloroethane
Benzene	1,1-Dichloroethane	1,1,2,2-Tetrachloroethane
Bromochloromethane	1,2-Dichloroethane	Tetrachloroethene
Bromodichloromethane	cis-1,2-Dichloroethene	Toluene
Bromomethane	trans-1,2-Dichloroethene	1,1,1-Trichloroethane
Carbon disulfide	1,2-Dichloropropane	1,1,2-Trichloroethane
Carbon tetrachloride	cis-1,3-Dichloropropene	Trichloroethene
Chlorobenzene	trans-1,3-Dichloropropene	Trichlorofluoromethane
Dibromochloromethane	Ethylbenzene	1,2,3-Trichloropropane
Chloroethane	2-Hexanone	Vinyl acetate
Chloroform	Iodomethane	Vinyl chloride
Chloromethane	Methyl ethyl ketone	Xylenes
Dibromomethane	Methylene chloride	---
1,2-Dichlorobenzene	4-Methyl-2-pentanone	---

Table 1-2 – Field Parameters and Assessment Monitoring Constituents (continued)

Inorganics		
Antimony	Copper	Selenium
Arsenic	Iron	Silver
Barium	Lead	Thallium
Beryllium	Manganese	Tin
Cadmium	Mercury	Vanadium
Chromium	Nickel	Zinc
Cobalt	---	---

2.0 Field Activities and Sampling Methodology

Sample identification, labeling, preservation, quality assurance/quality control (QA/QC) methods, and laboratory analytical methods were conducted in accordance with the following sections. All fieldwork was conducted in accordance with the site-specific Health and Safety Plan (HASP), included in Appendix A of the previously submitted Sampling and Analysis Plan (SAP).

2.1 Well/Spring Assessment and Water Level Measurement

Prior to sample collection beginning on May 5, 2025, each well or spring was visually evaluated for physical condition including condition of riser and well pad, presence of locking device, and presence of any biological hazards such as wasps, snakes, etc. Photographs were taken to document the condition of the wells as needed. After each well riser was opened and the internal well cap removed, an electronic water level indicator was used to measure static groundwater level and total depth of each well. The static water level was allowed to equilibrate to atmospheric pressure prior to recording the final depth. Groundwater levels (measured to the nearest 0.01-foot) and total depths (TDs, measured to the nearest 0.1-foot) were measured from the surveyed reference mark on the top of the well casing (if available), or from the highest point of the well casing if no survey reference mark was present. Groundwater depths and total depths were recorded on a Groundwater Sampling Record (see Appendix A – Field Forms) prepared for each well or spring.

2.2 Monitoring Well Purging and Sampling

Most of the wells were purged and sampled utilizing the low-flow sampling technique. Wells were purged utilizing either a bladder pump or an aboveground peristaltic pump. A peristaltic pump was used for shallower wells (generally 25 feet or less) in which only the low-density polyethylene (LDPE) tubing was lowered into the well. On deeper wells, a bladder pump with dedicated LDPE tubing was gently lowered into each well to a point within the screened interval of the well. Regardless of pump type, the discharge tubing was connected to a flow-through cell to enable measurement of field parameters by a multi-parameter instrument. Field parameters measured included DO, ORP, pH, specific conductance, temperature, and turbidity. All field meters were calibrated daily per the manufacturer's recommendations prior to sampling (see Appendix A – Field Forms).

The United States Environmental Protection Agency's (EPA's) *Low-Flow (Minimal Drawdown) Groundwater Sampling Procedures* (April 1996) was generally utilized to purge and sample the wells. Once the field parameters had stabilized, turbidity was less than 10 nephelometric turbidity units (NTUs), and minimal drawdown had occurred, the wells were sampled. Groundwater is considered stabilized if the field parameters are within ten percent (%) for three consecutive readings. All data collected was recorded on Groundwater Sampling Records.

Upon stabilization, the discharge tube was disconnected from the flow-through cell and groundwater samples were collected from each well and placed in laboratory-supplied pre-

preserved containers. Samples were collected in order of volatility – VOCs, TOC, then indicator parameters, then inorganics. The samples were properly labeled and preserved on ice. Final field measurements and other sampling information (date and time, sample identification (ID) numbers) were recorded on the Groundwater Sampling Record. One well (NAB-8) could not be purged and sampled with the low-flow technique. NAB-8 was manually bailed dry on May 6, 2025, allowed to recharge, and then sampled on May 7, 2025. An attempt was made to sample monitoring wells NAB-2 and NE-4 with the stainless-steel submersible pump. Both wells contained obstructions that prevented proper pump insertion.

2.3 Spring Sampling

Several spring sites were observed to be flowing and were sampled. Samples were collected from the Class I Draw seep, landfill entrance seep, NE-3 Spring, Spring A, SP-7, TSP-1, and TSP-4. Prior to collecting groundwater samples from each spring, a multi-parameter instrument was utilized to measure the field parameters at the spring. Data was recorded on the Spring Sampling Record located in Appendix A. Each spring was sampled by dipping a dedicated, non-preserved sample container directly into the spring flow. This container was used to then fill the preserved containers to prevent preservative dilution.

2.4 Leachate Sampling

As previously noted, a leachate sample and a duplicate leachate sample were collected from the leachate tank battery on May 7, 2025. The samples were collected directly from the tank discharge valve located on the southeast side of the tank farm. The leachate samples were appropriately labeled and preserved on ice for later transport to the analytical laboratory under chain-of-custody. The leachate samples were analyzed for the constituents required under the City of Springfield wastewater contribution permit. Additional information regarding analytes and analytical procedures for the leachate samples is provided in Section 4.0 below.

2.5 Equipment Decontamination

All non-dedicated groundwater sampling equipment, such as the submersible pump and the water level indicator, were decontaminated before first use and between wells using the following procedure:

- Wash equipment using tap water and phosphate-free soap (e.g., Liquinox™);
- Turn pump on to allow soap solution to clean internal portion of pump;
- Thoroughly rinse equipment with potable water (including running pump);
- Double-rinse equipment with organic-free deionized water (including running pump); and
- Allow equipment to air dry and wrap in aluminum foil (if not used immediately).

The decontamination area contained a gross wash bucket with brush, tap water sprayer, deionized water sprayer, and equipment drying area. Plastic sheeting was used to contain any spills from the decontamination process. New polyethylene tubing was used for each well and did not require decontamination.

2.6 Sample Documentation and Shipment

Field notes were kept by each employee in a bound logbook using indelible ink. Information recorded included date, weather, site personnel, sampling procedures, site conditions, sample locations and ID codes, sampling dates and times, record of onsite arrival and departure, explanation of photographs, visual observations, sample handling or management procedures, deviations from the SAP, and any other pertinent site or project information. Harbor documented any abnormal conditions observed, such as damaged wells or other infrastructure, by photograph. Notes pertaining to any photographs taken were written in the field logbook. Groundwater sample collection forms were completed for each well or spring sampled. Completed field forms are included in Appendix A.

All samples were labeled according to the existing monitoring point network as listed in Table 1-1 of Section 1.4. The designated laboratory, Arkansas Analytical, Inc. (AAI) of Little Rock, provided appropriate sample containers with pre-printed labels. In general, each label contained the following information: date, time, sample ID number, preservatives, and requested analysis.

A chain-of-custody form was completed for the samples collected and submitted to the designated laboratory for analysis. The chain-of-custody provides chronological documentation, or a paper trail, showing the collection, custody, control, transfer, analysis, and disposition of the samples. Information on the chain-of-custody includes general project information, personnel contact information, sample code identification, date and time of sampling, sample type, containers, preservatives, requested analyses, sampler signature, and shipping/delivery information. The chain-of-custody was transferred from Harbor to AAI upon hand-delivery of the sample ice chest(s) to the laboratory. Chain-of-custody copies are included in Appendix B – Analytical Results.

Tamper-evident custody seals were secured on the sample ice chests when the ice chests were not in Harbor's custody. When this occurred, the ice chests were locked in a vehicle, hotel room, or other secure structure. The custody seals were signed, dated, and placed on the lid of the ice chests to assure that the ice chests are not tampered with. The samples were hand delivered on May 8, 2024 to AAI to ensure that hold times were met.

2.7 Field QC Sample Objectives and Collection Frequency

Primary measurements for field (and laboratory) QA/QC were derived from blind duplicate samples, matrix spike/matrix spike duplicate (MS/MSD) samples, rinsate (equipment) blanks, field blanks, and trip blanks collected in the field. QC samples utilized in the field during the

groundwater monitoring event include field duplicates, rinsate blanks, and trip blanks. MS/MSD samples were prepared by the lab.

A field duplicate is an identical sample collected from the same location, at the same time, under identical conditions as the investigative sample. Field duplicate samples are analyzed along with the original to ascertain procedural precision and inherent source variability. Two field duplicate samples were collected at a rate of 1 in 20 samples (5%) and analyzed for the same parameters as the associated investigation samples.

Rinsate (or equipment) blanks were collected by pouring distilled water over decontaminated sampling equipment (e.g., pump, water level indicator) and into a sample container. These blanks assess cross-contamination from improper decontamination. Equipment rinsate samples were collected at a rate of one per day.

Trip blanks prepared by the analytical laboratory were shipped with each cooler. Trip blanks were kept unopened in the sample coolers until the collected samples and coolers were returned to the lab for analysis. The trip blanks were then opened in the laboratory and analyzed for VOCs along with the investigative field samples. One trip blank was analyzed.

MS/MSD analyses are conducted by the laboratory to assess the heterogeneity of contaminant concentrations in the groundwater samples. MS/MSD samples were analyzed at a rate of 1 in 20 samples (5%) per matrix for the same parameters as the associated investigation samples.

2.8 Sample Identification, Collection, Processing and Documentation

Samples were collected and labeled according to the existing well and spring identification numbers. The following is a list of general sampling procedures and practices implemented during the groundwater sampling event to ensure consistency during sample collection.

- Pre-cleaned sample containers were provided by the designated laboratory.
- Sampler(s) donned clean pairs of protective Nitrile gloves between sampling locations and intervals.
- Samples for laboratory analysis were collected using either a peristaltic pump with dedicated polyethylene tubing, a decontaminated submersible pump (polyethylene or stainless-steel) with new disposable polyethylene tubing, or a disposable polyethylene bailer.
- All non-disposable sampling equipment was decontaminated in accordance with the procedures outlined in Section 2.5 above.
- Sample containers were labeled immediately prior to sample collection, and collected samples were preserved on ice in an ice chest.

2.9 Equipment Calibration

Field meters (pH, temperature, specific conductance, DO, ORP, and turbidity) were calibrated daily prior to use per the manufacturer's specifications. Calibration data was recorded on a calibration log and also in the field logbook. Field calibration logs are included in Appendix A.

3.0 Groundwater Analytical Results

The groundwater samples were delivered to AAI under proper chain-of-custody for analysis of the project AMCs. Depth to groundwater and total depth of each well were all measured on the first day of field work. This information is listed in Table 3-1 below. Groundwater elevations were utilized to prepare a potentiometric surface map, which is included as Figure 2 of this report. Field parameters (DO, specific conductance, ORP, pH, temperature, and turbidity) were monitored during groundwater purging of wells to ensure that the well water had stabilized prior to sampling. The final field readings for each well prior to sampling are also listed in Table 3-1 below. Additionally, field parameters were measured at each spring location prior to sampling. Groundwater Sampling Records, completed for each sampling point, are included in Appendix A of this report.

3.1 Conceptual Groundwater Flow

The 24 monitoring wells in use for groundwater monitoring activities at the landfill were utilized to construct the potentiometric surface map. Figure 2 attached to this report shows the potentiometric groundwater surface below the site. The highest groundwater elevation during this event was measured in monitoring well CAO-1, located south of Area 1-2. The lowest groundwater elevation occurred in monitoring well NE-3, located southeast of Area 1-3. The landfill is situated on a topographic high spot. Several monitoring wells (CAO-1, MW-1, MW-1R, MW-509D, MW-633D, MW-7, and NAB-7) define the highest groundwater elevations at the site. Groundwater generally flows radially outward and downward from these points.

Review of the 1987 Geotechnical and Hydrogeological Study prepared by GGH indicated an average hydraulic conductivity of 1.0×10^{-3} centimeters per second (cm/sec) for the unconfined aquifer below the site. Porosity in dolomite bedrock ranges from 0–20% but could be higher in soils and weathered rock above the bedrock. For consistency in calculating groundwater flow velocity at the site, Harbor utilized a porosity of 10% and an effective porosity of 9% (as utilized in previous groundwater sampling events).

The hydraulic gradient in the Area 1-2 portion of the landfill was calculated by comparing the upgradient well, MW-1, to a downgradient well, MW-5. The change in head of 72.30 feet between the two wells over a distance of approximately 1,459 feet produces a hydraulic gradient of 0.051 foot per foot (ft/ft).

The hydraulic gradient in the Area 1-3 portion of the landfill was calculated by comparing the upgradient well, MW-1, to a downgradient well, NAB-3. The change in head of 102.88 feet between the two wells over a distance of approximately 1,548 feet produces a hydraulic gradient of 0.066 ft/ft.

The hydraulic gradient was then used to calculate the average linear groundwater velocity (for unconfined conditions) for Areas 1-2 and 1-3 utilizing the following equation:

$$V_x = Ki/n_e$$

where, V_x is the average linear velocity (cm/sec), K is the hydraulic conductivity (cm/sec), i is the hydraulic gradient (ft/ft), and n_e is the effective porosity (%). From this, the following groundwater velocities were obtained for Areas 1-2 and 1-3.

Area 1-2:

$$V_x = [(1.0 \times 10^{-3} \text{ cm/sec})(0.051 \text{ ft/ft})]/(0.09) = 5.51 \times 10^{-4} \text{ cm/sec or } 1.56 \text{ ft/day}$$

Area 1-3:

$$V_x = [(1.0 \times 10^{-3} \text{ cm/sec})(0.066 \text{ ft/ft})]/(0.09) = 7.38 \times 10^{-4} \text{ cm/sec or } 2.09 \text{ ft/day}$$

Page Intentionally Blank

Table 3-1 – Summary of Field Parameters

Well/ Spring ID	Sample Date	Sample Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)	Temperature (°C)	Specific Conductance (µS/cm)	Dissolved Oxygen (mg/L)	pH (standard units)	Oxidation- Reduction Potential (mV)	Turbidity (NTU)
CAO-1	5/6/25	0755	1026.40	26.66	999.74	36.8	16.5	1233	0.17	6.28	-24.8	15.9
CAO-2	5/6/25	1251	991.58	22.84	968.74	45.6	17.2	747	3.25	6.54	129.9	48**
CAO-3	5/6/25	1412	984.20	11.02	973.18	23.1	14.8	542	2.79	6.96	142.4	127**
MW-1	5/7/25	1124	1067.26	65.24	1002.02	77.2	16.8	852	0.79	6.46	-61.2	17.3
MW-1R	5/7/25	1200	1067.57	68.72	998.85	78.6	18.1	921	0.21	6.55	-78.6	14.8
MW-2	5/6/25	1325	1001.21	30.45	970.76	48.7	17.7	589	0.52	7.10	29.8	2.34
MW-3	5/6/25	1415	1000.81	32.20	968.61	39.6	17.5	878	0.61	6.39	178.7	19.4
MW-4	5/6/25	1515	1012.11	85.63	926.48	99.9	17.6	714	4.28	6.97	209.1	9.85
MW-5	5/6/25	1601	1004.38	74.66	929.72	89.1	16.4	885	2.17	6.76	245.2	9.16
MW-6	5/7/25	1043	1000.38	54.38	946.00	68.5	14.9	697	0.41	6.92	212.2	3.21
MW-7	5/6/25	0842	999.66	6.13	993.53	23.1	13.6	499	0.86	6.99	101.1	1.85
MW-509D	5/7/25	0821	1014.20	13.36	1000.84	39.6	13.6	439	5.06	6.74	184.2	191**
MW-577	5/6/25	1720	982.60	39.53	943.07	55.3	17.0	671	0.12	6.93	-78.1	24.43
MW-633D	5/7/25	0957	1050.10	61.66	988.44	87.9	16.7	605	0.84	6.96	199.6	9.04
MW-689D	5/7/25	0932	966.20	23.75	942.45	43.8	16.92	491.7	2.38	7.44	99.8	1.24
NAB-2*	NS	NS	1004.94	69.91	935.03	102.8	—	—	—	—	—	—
NAB-3	5/6/25	1647	921.49	22.35	899.14	46.2	14.8	566	1.40	6.98	168.4	5.10
NAB-4	5/7/25	0913	1015.41	115.90	899.51	140.0	16.5	865	1.10	6.61	232.8	16.7
NAB-7	5/6/25	0925	1012.36	21.81	990.55	43.7	13.8	517	2.79	6.80	184.9	238**
NAB-8	5/7/25	1008	1050.38	81.51	968.87	85.6	18.3	594	5.05	7.29	-8.4	9.72
NE-2	5/7/25	0830	976.98	47.88	929.10	62.9	16.4	1099	2.51	7.02	198.2	165**
NE-3	5/6/25	1455	846.91	5.39	841.52	27.8	15.0	523	0.52	7.25	142.9	52**
NE-4*	NS	NS	1009.85	64.45	945.40	112.2	—	—	—	—	—	—
NE-6	5/6/25	1135	901.42	2.95	898.47	18.2	15.1	633	0.15	6.93	161.0	113**

Table 3-1 – Summary of Field Parameters (continued)

Well/ Spring ID	Sample Date	Sample Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)	Dissolved Oxygen (mg/L)	Specific Conductance (µS/cm)	Oxidation- Reduction Potential (mV)	pH (standard units)	Temperature (°C)	Turbidity (NTU)
Class I Draw	5/5/25	1710	—	—	—	—	8.76	156	141.1	8.05	19.7	12.0
Class IV Draw	NS	NS	—	—	—	—	—	—	—	—	—	—
LE Seep	5/5/25	1520	—	—	—	—	8.20	227	127.1	8.03	21.3	16.7
NE-3 Spring	5/6/25	1529	—	—	—	—	5.21	334	137.2	7.59	13.3	6.18
Spring A	5/5/25	1610	—	—	—	—	7.76	190	144.5	7.40	15.8	36.5
Spring B	NS	NS	—	—	—	—	—	—	—	—	—	—
SP-4	NS	NS	—	—	—	—	—	—	—	—	—	—
SP-5	NS	NS	—	—	—	—	—	—	—	—	—	—
SP-7	5/5/25	1440	—	—	—	—	7.56	251	53.7	7.34	19.5	17.2
TSP-1	5/5/25	1640	—	—	—	—	4.05	417	159.1	7.01	14.2	-0.28
TSP-2	NS	NS	—	—	—	—	—	—	—	—	—	—
TSP-3	NS	NS	—	—	—	—	—	—	—	—	—	—
TSP-4	5/5/25	1800	—	—	—	—	7.18	138	164.0	7.44	16.3	18.9

Notes: All groundwater depths in the monitoring wells were measured on 5/5/25.

Dash indicates data not available or applicable for sample location;

*Indicates well not sampled due to obstruction

**Indicates elevated turbidity reading due to malfunctioning instrument – groundwater appeared clear prior to sampling.

NS – not sampled; TOC – top of casing; amsl – above mean sea level; GW – groundwater; TD – total depth; mg/L – milligrams per liter; µS/cm – micro-Siemens per centimeter; mV – millivolts; °C – degrees Celsius; NTU – nephelometric turbidity units; LE – Landfill Entrance;

3.2 Groundwater Analytical Results

The results of the laboratory analysis of the groundwater samples are summarized in Tables 3-2 and 3-3 below. The results were compared to the US EPA National Primary Drinking Water Regulations (NPDWR) – Maximum Contaminant Levels (MCLs) and the National Secondary Drinking Water Regulations (NSDWR) – Secondary Maximum Contaminant Levels (SMCLs). MCLs are legally enforceable primary standards that protect public health by limiting the levels of contaminants in drinking water. The NSDWR SMCLs are non-mandatory (non-enforceable) contaminant levels that have been established for 15 contaminants. The SMCLs are established as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. Some AMCs were compared to regional screening levels (RSLs) which have been established by EPA in lieu of or in addition to MCLs. The RSL used for comparison purposes was the residential tap water screening level. Significant constituent detections that exceeded MCLs or RSLs are discussed in the following paragraphs. The results of inorganic laboratory analyses are summarized in Table 3-2 below. The letter “J” indicates the value was estimated by the lab. Exceedances are listed below:

- Sulfate was detected in the sample from NE-2 at a concentration of 283 milligrams per liter (mg/L), which exceeded the SMCL of 250 mg/L for sulfate.
- TDS was measured in the samples from CAO-1, MW-1, MW-1R, MW-3, MW-5, NAB-4 and NE-2 at concentrations ranging from 502 to 807 mg/L, which exceeded the SMCL of 500 mg/L for TDS.
- Arsenic was detected in all of the monitoring well and spring samples at concentrations that exceeded the RSL of 0.052 micrograms per liter (µg/L) for arsenic. The arsenic concentrations in samples from CAO-1, MW-1, MW-1R, and NAB-4 ranged from 25.1 to 163 µg/L, which exceeded the MCL of 10 µg/L for arsenic.
- Cadmium was detected in the samples from MW-3, MW-509D, MW-633D, and NAB-4 at concentrations ranging from 2.62 to 3.66 µg/L, which exceeded the RSL of 1.8 µg/L for cadmium.
- Cobalt was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 11.9 to 41.1 µg/L, which exceeded the RSL of 6.0 µg/L for cobalt.
- Iron was detected in the samples from MW-689D, NAB-4, NAB-7, NE-2, Class I Draw spring, landfill entrance seep, spring A, and spring SP-7 at concentrations ranging from 395 to 2,540 µg/L, which exceeded the SMCL of 300 µg/L for iron. Iron was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 11,500 to 26,800 µg/L, which exceeded the RSL of 14,000 µg/L for iron.
- Lead was detected in the sample from NAB-7 at a concentration of 21.1 µg/L, which exceeds the RSL and MCL of 15 µg/L for lead.
- Manganese was detected in the samples from CAO-1, MW-1, MW-1R, MW-3, NAB-4, NE-2, landfill entrance seep, and spring SP-7 at concentrations ranging from 58.5 to 290 µg/L, which exceeded the SMCL of 50 µg/L for manganese.

- Mercury was detected in the sample from MW-1R at a concentration of 0.650 µg/L, which exceeds the RSL and MCL of 0.63 µg/L for mercury.
- Thallium was detected in the samples from MW-1, MW-1R, and MW-3 at concentrations ranging from 0.418 to 1.32 µg/L, which exceeded the RSL of 0.2 µg/L for thallium.

The results of the organic laboratory analyses are summarized in Table 3-3 below. Exceedances are listed below:

- Benzene was detected in the samples from MW-1 and MW-1R at concentrations of 2.00 and 2.03 µg/L, respectively, which exceeded the RSL of 0.46 µg/L for benzene.
- 1,4-dichlorobenzene was detected in the sample from MW-1 at a concentration of 3.35 µg/L, which exceeded the RSL of 0.48 µg/L for 1,4-dichlorobenzene.
- 1,1-dichloroethane was detected in the samples from MW-1 and MW-1R at concentrations of 7.68 and 7.76 µg/L, respectively, which exceeded the RSL of 2.8 µg/L for 1,1-dichloroethane.
- Methyl-tert-butyl ether (MTBE) was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 37.7 to 80.8 µg/L, which exceeded the RSL of 14 µg/L for MTBE.

Additional VOC constituents were detected at concentrations lower than their respective RSLs or MCLs in several of the wells. These compounds included carbon disulfide, chlorobenzene, chloroethane, 1,1-dichloroethane, cis-1,2-dichloroethene, trans-1,2-dichloroethene, toluene, and 1,2,4-trichlorobenzene. Many of these were "J-flagged" by the analytical laboratory as estimated concentrations.

Page Intentionally Blank

Table 3-2 - Summary of Inorganic Parameter Analyses

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1 Duplicate	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6
								5/6/2025	5/6/2025	5/6/2025	5/7/2025	5/7/2025	5/7/2025	5/6/2025	5/6/2025	5/6/2025	5/6/2025	5/7/2025
								0755	1251	1412	1124	1124	1200	1325	1415	1515	1601	1043
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	96.3	21.2	2.02	33.6	32.1	33.0	2.93	27.9	7.71	6.96	13.1
Sulfate as SO ₄	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	< 0.500	8.93	8.58	1.42	1.42	18.5	14.2	38.1	17.8	8.32	6.50
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.8	5	—	—	500	mg/L	696	444	252	508	508	528	338	532	414	502	407
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	163	0.290	0.139 J	66.2	69.8	90.3	2.95	0.387	0.530	0.563	0.442
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	232	87.2	28.7	83.8	86.8	145	28.4	84.5	43.8	45.0	46.2
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	0.105 J	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	0.059 J	0.071 J	0.477	0.820	0.705	0.261	< 0.260	3.66	1.18	0.158 J	0.482
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	0.118 J	0.291	0.0905 J	0.752	0.729	0.921	< 0.260	0.131 J	0.220 J	0.112 J	0.409
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	11.9	0.095 J	< 0.260	41.1	40.1	17.1	0.047 J	0.217 J	0.060 J	< 0.260	0.049 J
Copper	SW 6020B, Rev 2-2014	0.12	0.395	1,300	800	1,000	µg/L	0.205 J	0.270 J	0.261 J	1.12	1.12	1.24	1.28	3.05	1.54	0.640	0.348 J
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	26,800	17.8 J	< 46.8	11,500	12,600	17,600	49.5	19.0 J	57.9	< 46.8	64.5
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	0.232 J	< 0.416	< 0.416	1.74	1.53	1.13	< 0.416	0.399 J	0.492	< 0.416	< 0.416
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	290	6.61	< 1.56	219	216	119	4.53	79.3	4.97	0.620 J	1.80
Mercury	SW7470A/EPA245.1,3.0- 1994	0.0031	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	0.318	0.265	0.650	< 0.200	< 0.200	< 0.200	< 0.200	0.302
Nickel	SW 6020B, Rev 2-2014	0.16	0.520	—	390	—	µg/L	39.8	1.13 J	1.45 J	45.5	45.5	30.7	< 1.56	7.73	0.96 J	1.36 J	0.83 J
Selenium	SW 6020B, Rev 2-2014	1.5	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	0.048 J	0.063 J	0.073 J	1.32	1.20	0.639	< 0.260	0.418	0.174 J	0.149 J	0.134 J
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	0.703	0.283	0.204 J	0.502	0.490	0.282	0.363	0.203 J	0.179 J	0.129 J	0.173 J
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	18.7 J	16.4 J	34.5	1,100	969	305	4.98 J	118	133	40.5	44.7

Exceeds MCL

MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL

RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – November 2024)

Exceeds SMCL

SMCL = Secondary Maximum Contaminant Level

Bold

Indicates constituent detected below screening levels.

Dash (—)

Indicates no screening level has been established.

Notes:

SO₄ - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Table 3-2 - Summary of Inorganic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	MW-7	MW-509D	MW-509D Duplicate	MW-577	MW-633D	MW-689D	NAB-3	NAB-4	NAB-7	NAB-8	NE-2
								5/6/2025	5/7/2025	5/7/2025	5/6/2025	5/7/2025	5/7/2025	5/6/2025	5/7/2025	5/6/2025	5/7/2025	5/7/2025
								0842	0821	0821	1720	0957	0932	1647	0913*	0925	1008	0830
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	1.08	1.71	1.67	2.11	13.0	1.65	2.80	3.17	2.97	1.01	8.69
Sulfate as SO ₄	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	5.87	4.61	4.55	42.8	10.9	10.1	8.15	70.9	11.0	4.71	283
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.800	5.00	—	—	500	mg/L	277	237	237	404	335	294	326	548	290	148	807
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	0.361 J	< 2.08	0.950 J	0.623 J
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	0.188 J	0.122 J	0.133 J	6.56	0.327	3.43	0.255 J	25.1	8.52	3.25	4.88
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	30.4	26.4	26.5	25.2	92.8	31.3	33.9	51.1	26.0	30.6	51.8
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	0.093 J	0.098 J
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	< 0.260	2.80	2.62	0.046 J	3.13	0.045 J	0.475	3.36	0.439	0.162 J	0.208 J
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	0.0926 J	0.203 J	0.174 J	0.256 J	0.194 J	< 0.260	< 0.260	0.650	< 0.260	0.707	3.37
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	0.073 J	< 0.260	< 0.260	0.108 J	0.042 J	0.053 J	0.051 J	2.48	0.310	0.104 J	5.80
Copper	SW 6020B, Rev 2-2014	0.120	0.395	1,300	800	1,000	µg/L	0.277 J	0.154 J	0.181 J	0.836	0.535	0.173 J	0.592	1.30	0.254 J	1.50	3.11
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	< 46.8	< 46.8	16.1 J	176	30.7 J	395	16.6 J	744	903	292	2,540
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	< 0.416	< 0.416	< 0.416	1.09	0.329 J	0.523	< 0.416	8.75	21.1	3.79	5.64
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	7.85	< 1.56	< 1.56	8.92	4.50	3.75	43.9	240	4.78	5.31	151
Mercury	SW7470A/EPA245.1,3.0- 1994	0.00310	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	< 0.200	0.140 J	< 0.200	< 0.200	0.112 J	< 0.200	< 0.200	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.52	—	390	—	µg/L	< 1.56	0.69 J	0.71 J	0.49 J	7.96	0.48 J	1.26 J	14.1	1.71	1.00 J	7.64
Selenium	SW 6020B, Rev 2-2014	1.50	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	< 0.260	< 0.260	< 0.260	< 0.260	0.181 J	< 0.260	0.058 J	0.194 J	< 0.260	< 0.260	0.098 J
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	2.13 J	< 20.8	< 20.8	< 20.8	2.24 J	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	0.062 J	0.334	0.357	0.288	0.233	0.257 J	0.096 J	0.267	0.586	0.955	4.25
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	5.18 J	264	266	7.40 J	492	13.0 J	106	1,500	45.6	17.6 J	24.7

Exceeds MCL

MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL

RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Exceeds SMCL

SMCL = Secondary Maximum Contaminant Level

Bold

Indicates constituent detected below screening levels.

Dash (—)

Indicates no screening level has been established.

Notes:

SO₄ - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; *lab report and COC list 0915.

Table 3-2 - Summary of Inorganic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	NE-3	NE-6	Class I Draw	L.E. Seep	NE-3 Spring	Spring A	SP-7	TSP-1	TSP-4	EB-1	EB-2
								5/6/2025	5/6/2025	5/5/2025	5/5/2025	5/6/2025	5/5/2025	5/5/2025	5/5/2025	5/5/2025	5/5/2025	5/7/2025
								1455	1135	1710	1520	1529	1610	1440	1640*	1800	1735	0735
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	1.57	1.98	1.79	1.41	0.884	< 0.500	2.12	1.54	0.552	< 0.500	< 0.500
Sulfate as SO ₄	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	19.1	30.9	1.33	5.80	3.81	1.24	5.64	5.52	0.953	< 0.500	< 0.500
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.800	5.00	—	—	500	mg/L	307	386	88.0	130	192	137	139	232	74.0	< 5.00	< 5.00
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	0.244 J	0.284	0.884	1.26	0.176 J	1.85	1.67	0.184 J	0.306	< 0.260	< 0.260
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	91.5	27.0	22.9	30.2	22.5	28.7	34.7	39.5	14.5	0.448	0.307
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	0.094 J	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	0.100 J	0.095 J	< 0.260	< 0.260	0.081 J	0.048 J	< 0.260	0.102 J	< 0.260	< 0.260	< 0.260
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	< 0.260	< 0.260	0.187 J	0.250 J	0.0967 J	0.656	0.242 J	< 0.260	0.268	0.082 J	0.219 J
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	< 0.260	0.196 J	0.277	0.229 J	< 0.260	0.356	0.420	0.056 J	0.102 J	< 0.260	< 0.260
Copper	SW 6020B, Rev 2-2014	0.120	0.395	1,300	800	1,000	µg/L	0.159 J	< 0.520	0.724	0.914	0.289 J	1.33	0.873	0.283 J	0.653	0.604	0.205 J
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	30.8 J	18.8 J	450	412	23.7 J	1,080	1,150	< 46.8	148	< 46.8	< 46.8
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	< 0.416	0.142 J	1.05	1.13	0.178 J	1.98	1.26	< 0.416	1.69	< 0.416	< 0.416
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	1.01 J	1.31 J	34.8	58.5	2.13	22.1	143	12.1	6.65	< 1.56	0.681 J
Mercury	SW7470A/EPA245.1,3.0- 1994	0.00310	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.52	—	390	—	µg/L	1.95	4.47	0.87 J	0.87 J	< 1.56	1.48 J	0.86 J	< 1.56	0.50 J	< 1.56	< 1.56
Selenium	SW 6020B, Rev 2-2014	1.50	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	0.084 J	0.105 J	< 0.260	< 0.260	< 0.260	0.045 J	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	4.41 J	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	0.137 J	< 0.260	0.416	0.760	0.198 J	1.44	0.662	0.189 J	0.599	< 0.260	< 0.260
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	41.6	850	9.48 J	7.59 J	12.8 J	19.5 J	13.1 J	12.4 J	5.78 J	< 20.8	< 20.8

Exceeds MCL

MCL = Maximum Contaminant Level (November 2022)

Exceeds RSL

RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Exceeds SMCL

SMCL = Secondary Maximum Contaminant Level

Bold

Indicates constituent detected below screening levels.

Dash (—)

Indicates no screening level has been established.

Notes:

SO₄ - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; *lab report and COC list 1650.

Page Intentionally Blank

Table 3-3 - Summary of Organic Parameter Analyses

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1 Duplicate	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7
							5/6/2025	5/6/2025	5/6/2025	5/7/2025	5/7/2025	5/7/2025	5/6/2025	5/6/2025	5/6/2025	5/6/2025	5/7/2025	5/6/2025
							0755	1251	1412	1124	1124	1200	1325	1415	1515	1601	1043	0842
TOC	SM 5310 B-2011	0.26	1.00	—	—	mg/L	8.72	< 1.00	< 1.00	4.72	5.09	5.10	< 1.00	3.11	< 1.00	1.05	1.05	< 1.00
Acrolein	SW 8260C, Rev 3, 2006	1.1	4.00	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2.00	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.08	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	2.00	1.53	2.03	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.14	1.00	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.19	1.00	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.12	1.00	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.16	1.00	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.24	2.00	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.75	2.00	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.09	1.00	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.15	1.00	—	2000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.11	1.00	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.12	1.00	—	810	µg/L	< 1.00	< 1.00	< 1.00	0.387 J	< 1.00	0.394 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.17	2.00	5	0.46	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.1	1.00	100	78	µg/L	< 1.00	< 1.00	< 1.00	1.76	1.34	1.39	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.13	1.00	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.23	2.00	—	8300	µg/L	< 2.00	< 2.00	< 2.00	1.74 J	1.24 J	1.22 J	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.11	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroform	SW 8260C, Rev 3, 2006	0.34	2.00	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.15	1.00	—	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.1	1.00	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.07	1.00	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.22	3.00	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.17	1.00	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.1	1.00	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.07	1.00	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.1	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	2.82	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.08	1.00	75	0.48	µg/L	< 1.00	< 1.00	< 1.00	3.35	2.46	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.12	1.00	—	2.8	µg/L	< 1.00	< 1.00	< 1.00	7.68	5.96	7.76	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.14	2.00	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.12	1.00	70	36	µg/L	< 1.00	< 1.00	< 1.00	1.08	0.651 J	3.42	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.08	2.00	100	68	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	0.406 J	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1 Duplicate	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7
							5/6/2025	5/6/2025	5/6/2025	5/7/2025	5/7/2025	5/7/2025	5/6/2025	5/6/2025	5/6/2025	5/6/2025	5/7/2025	5/6/2025
							0755	1251	1412	1124	1124	1200	1325	1415	1515	1601	1043	0842
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.18	1.00	—	200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.22	1.00	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.07	1.00	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.2	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.12	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.08	1.00	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.12	1.00	—	0.14	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.43	2.00	—	38	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.07	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.09	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.25	2.00	5	11	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.2	1.00	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.13	1.00	—	14	µg/L	< 1.00	< 1.00	< 1.00	22.6	18.6	17.1	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.1	1.00	—	0.12	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
n-Propylbenzene	SW 8260C, Rev 3, 2006	0.1	1.00	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.07	1.00	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.2	1.00	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.29	1.00	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.13	1.00	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.08	1.00	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	0.526 J	0.366 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.15	1.00	—	7	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.12	1.00	70	1.2	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	0.285 J	< 1.00	< 1.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.28	2.00	5	0.49	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.13	2.00	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.2	2.00	—	0.00075	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,4-Trimethylbenzene	SW 8260C, Rev 3, 2006	0.09	1.00	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5-Trimethylbenzene	SW 8260C, Rev 3, 2006	0.06	1.00	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.1	2.00	2	0.019	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.15	2.00	—	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.07	1.00	—	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	MW-509D	MW-509D Duplicate	MW-577	MW-633D	MW-689D	NAB-3	NAB-4	NAB-7	NAB-8	NE-2	NE-3	NE-6
							5/7/2025	5/7/2025	5/6/2025	5/7/2025	5/7/2025	5/6/2025	5/7/2025	5/6/2025	5/7/2025	5/7/2025	5/6/2025	5/6/2025
							0821	0821	1720	0957	0932	1647	0913*	0925	1008	0830	1455	1135
TOC	SM 5310 B-2011	0.26	1.00	—	—	mg/L	< 1.00	< 1.00	< 1.00	1.17	< 1.00	1.06	1.81	< 1.00	6.68	2.92	< 1.00	< 1.00
Acrolein	SW 8260C, Rev 3, 2006	1.1	4.00	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2.00	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.08	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.14	1.00	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.19	1.00	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.12	1.00	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.16	1.00	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.24	2.00	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.75	2.00	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.09	1.00	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.15	1.00	—	2000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.11	1.00	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.12	1.00	—	810	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.17	2.00	5	0.46	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.1	1.00	100	78	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.13	1.00	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.23	2.00	—	8300	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.11	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroform	SW 8260C, Rev 3, 2006	0.34	2.00	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.15	1.00	—	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.1	1.00	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.07	1.00	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.22	3.00	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.17	1.00	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.1	1.00	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.07	1.00	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.1	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.08	1.00	75	0.48	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.12	1.00	—	2.8	µg/L	< 1.00	< 1.00	< 1.00	1.19	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.14	2.00	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.12	1.00	70	36	µg/L	< 1.00	< 1.00	< 1.00	0.296 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.08	2.00	100	68	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon; *lab report and COC list 0915.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	MW-509D	MW-509D Duplicate	MW-577	MW-633D	MW-689D	NAB-3	NAB-4	NAB-7	NAB-8	NE-2	NE-3	NE-6
							5/7/2025	5/7/2025	5/6/2025	5/7/2025	5/7/2025	5/6/2025	5/7/2025	5/6/2025	5/7/2025	5/7/2025	5/6/2025	5/6/2025
							0821	0821	1720	0957	0932	1647	0913*	0925	1008	0830	1455	1135
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.18	1.00	—	200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.22	1.00	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.07	1.00	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.2	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.12	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.08	1.00	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.12	1.00	—	0.14	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.43	2.00	—	38	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.07	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.09	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.25	2.00	5	11	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.2	1.00	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.13	1.00	—	14	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.1	1.00	—	0.12	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
n-Propylbenzene	SW 8260C, Rev 3, 2006	0.1	1.00	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.07	1.00	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.2	1.00	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.29	1.00	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.13	1.00	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.08	1.00	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.15	1.00	—	7	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.12	1.00	70	1.2	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.28	2.00	5	0.49	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.13	2.00	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.2	2.00	—	0.00075	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,4- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.09	1.00	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.06	1.00	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.1	2.00	2	0.019	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.15	2.00	10000	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.07	1.00	10000	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon; *lab report and COC list 0915.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	Class I Draw	L.E. Seep	NE-3 Spring	Spring A	SP-7	TSP-1	TSP-4	EB-1	EB-2	TB-1
							5/5/2025	5/5/2025	5/6/2025	5/5/2025	5/5/2025	5/5/2025	5/5/2025	5/5/2025	5/7/2025	5/8/2025
							1710	1520	1529	1610	1440	1640*	1800	1735	0735	0813
TOC	SM 5310 B-2011	0.26	1.00	—	—	mg/L	1.71	4.11	1.25	4.54	3.62	1.06	1.53	< 1.00	< 1.00	—
Acrolein	SW 8260C, Rev 3, 2006	1.10	4.00	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2.00	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.080	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.140	1.00	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.190	1.00	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.120	1.00	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.160	1.00	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.240	2.00	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.750	2.00	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.090	1.00	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.150	1.00	—	2000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.110	1.00	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.120	1.00	—	810	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.170	2.00	5	0.46	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.100	1.00	100	78	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.130	1.00	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.230	2.00	—	8300	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.110	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroform	SW 8260C, Rev 3, 2006	0.340	2.00	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.150	1.00	—	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.100	1.00	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.070	1.00	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.220	3.00	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.170	1.00	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.100	1.00	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.070	1.00	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.100	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.080	1.00	75	0.48	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.120	1.00	—	2.8	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.140	2.00	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.120	1.00	70	36	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.080	2.00	100	68	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established or constituent not analyzed.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon; *lab report and COC list 1650.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	Class I Draw	L.E. Seep	NE-3 Spring	Spring A	SP-7	TSP-1	TSP-4	EB-1	EB-2	TB-1
							5/5/2025	5/5/2025	5/6/2025	5/5/2025	5/5/2025	5/5/2025	5/5/2025	5/5/2025	5/7/2025	11/7/2024
							1710	1520	1529	1610	1440	1640*	1800	1735	0735	1022
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.180	1.00	—	200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.220	1.00	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.070	1.00	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.200	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.090	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.090	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.120	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.080	1.00	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.120	1.00	—	0.14	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.430	2.00	—	38	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.070	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.090	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.250	2.00	5	11	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.200	1.00	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.130	1.00	—	14	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.100	1.00	—	0.12	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
n-Propyl benzene	SW 8260C, Rev 3, 2006	0.100	1.00	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.070	1.00	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.200	1.00	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.290	1.00	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.130	1.00	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.080	1.00	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.150	1.00	—	7	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.120	1.00	70	1.2	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.280	2.00	5	0.49	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.130	2.00	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.200	2.00	—	0.00075	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,4- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.090	1.00	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.060	1.00	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.100	2.00	2	0.019	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.150	2.00	10000	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.070	1.00	10000	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon; *lab report and COC list 1650.

3.3 Statistical Analysis

Sanitas™ version 9.6.07 software was utilized to conduct a statistical analysis of the groundwater data for the May 2025 sampling event. The methods used in the Sanitas™ program are based on statistical procedures outlined in the EPA's Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities (*Unified Guidance*, March 2009).

Time plots of individual AMCs at wells showing current and historic detections were plotted to provide a visual summary of current and historic detections at individual wells, along with possible trends in the data and variability among the wells. The time plots also evaluate the potential presence of outliers that could disproportionately affect increasing or decreasing trends. Wells showing potential AMC outliers were then further analyzed using Rosner's Outlier Test and Tukey's Outlier Screening to evaluate outliers. Outliers were observed for barium in the sample from NE-2; cobalt, 1,1-dichloroethane, MTBE, and vinyl chloride in the sample from MW-1R; sulfate in the sample from NAB-8; and MTBE in the samples from MW-1 and CAO-1. No other outliers were observed. Time plots and outlier analysis are included in Appendix C.

The Mann-Kendall test for temporal trends combined with the Sen's slope estimate was performed on current and historically detected AMCs to evaluate whether statistical trends are evident in the data. The significant trend results are shown on the Mann-Kendall/Sen's Slope plots presented in Appendix C. Increasing and decreasing statistical trends for AMCs and wells are summarized in Table 3-4 below.

Table 3-4 – Summary of Statistical Trends

Well	Significant Increasing Trends	Significant Decreasing Trends
CAO-1	Arsenic, barium, benzene, chloride, chlorobenzene , 1,4-dichlorobenzene, iron, MTBE	Cadmium, chromium, cobalt, copper, 1,1-dichloroethane , chloroethane, lead, manganese, nickel, sulfate, thallium, vanadium, vinyl chloride, zinc
CAO-2	—	Cadmium, chromium, cobalt, copper, iron, lead, nickel, thallium, vanadium, zinc
CAO-3	—	Arsenic, barium, cadmium, chromium, cobalt, copper, iron, lead, manganese, nickel, sulfate, thallium, TOC, vanadium, zinc
MW-1	Arsenic, barium, benzene, chloride, chlorobenzene, chloroethane, cobalt, 1,1-dichloroethane, 1,2-dichloroethane, cis-1,2-dichloroethene, 1,4-dichlorobenzene, cobalt, iron, manganese, MTBE , nickel, sulfate, TOC, trans-1,2-dichloroethene , vinyl chloride, zinc	Cadmium, chromium, copper, lead, thallium, vanadium, trans-1,2-dichloroethene
MW-1R	Arsenic, benzene, chlorobenzene, 1,4-dichlorobenzene, iron	Barium, cadmium, chloride, cobalt, manganese, nickel, sulfate, thallium, TOC, zinc
MW-2	—	Barium, cadmium, chloride, chromium, cobalt, copper, lead, manganese, nickel, thallium, vanadium, zinc
MW-3	Barium, iron, manganese, nickel, TOC, zinc	Arsenic , cadmium, chromium, cobalt, copper, lead, thallium, vanadium
MW-4	Chloride, sulfate, zinc	Arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, thallium, vanadium
MW-5	Chloride, sulfate	Arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, thallium, vanadium
MW-6	Chloride, sulfate, zinc	Arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, thallium, vanadium
MW-7		Arsenic, barium, cadmium, chloride, chromium, cobalt, copper, iron, lead, manganese, nickel, sulfate, thallium, TOC, vanadium, zinc
MW-509D	—	Arsenic, chromium, cobalt, copper, lead, manganese, nickel, TOC, vanadium
MW-577	Chloride	Barium, cadmium, chromium, cobalt, copper, lead, manganese, nickel, sulfate, TOC, vanadium
MW-633D	Barium, chloride, 1,1-dichloroethane, mercury, zinc	Arsenic, chromium, cobalt, copper, lead, nickel, sulfate, thallium, TOC, vanadium
MW-689D		Cadmium, chloride , chromium, cobalt, copper, lead, nickel, thallium, TOC, vanadium, zinc
NAB-2*	Barium, chloride, manganese	Cadmium, chromium, cobalt, copper, nickel, sulfate, thallium, TOC, vanadium

Well	Significant Increasing Trends	Significant Decreasing Trends
NAB-3	Chloride	Arsenic, cadmium, chromium, cobalt, copper, lead, nickel, thallium, TOC, vanadium
NAB-4	Barium, chloride, manganese, sulfate, zinc	Cadmium, chromium, cobalt, copper, lead, nickel, vanadium
NAB-7	Barium, iron	Cadmium, chromium, cobalt, copper, manganese, nickel, vanadium
NAB-8	Chloride	Cadmium, chromium, cobalt, copper, lead, manganese, nickel, vanadium, zinc
NE-2	Barium	Arsenic, chloride, iron, nickel, sulfate, TOC
NE-3		Arsenic , barium, chloride, chromium , cobalt, copper, iron, lead, manganese, nickel, thallium , TOC, vanadium , zinc
NE-4*	—	Cobalt, copper, sulfate, thallium
NE-6	—	Barium, chromium, cobalt

*Locations not sampled during current event. Trends are from previous sampling event data.

Generally, statistically increasing and decreasing trends were consistent with previous trends. Constituents that were previously noted as increasing or decreasing but are currently determined to be no longer significant are shown in **bold italicized green** text. Conversely, constituents that were added are shown in **bold red** text. It should be noted that many of the graphs in Appendix C are based on limited numbers of laboratory detections – the trends appear to be partially based on changes in detection limits over time.

Confidence intervals are commonly used for assessment monitoring to demonstrate significance in AMC concentrations. The Groundwater Protection Standards (GWPS) utilized in the statistical evaluation (MCLs, RSLs and SMCLs) are included in Table 3-2 and Table 3-3 attached to this report. The statistical evaluation was conducted in accordance with recommended procedures found in the Unified Guidance (UG). Confidence intervals were calculated for any metal or VOC constituent detected in concentrations greater than the applicable screening level, also listed in Tables 3-2 and 3-3. Confidence interval statistical analysis was not performed for indicator parameters.

The calculation of confidence intervals consisted of the establishment of 95% Lower Confidence Limits (LCLs) and 95% Upper Confidence Limits (UCLs). If one or more of the events used for the confidence interval was above the constituent's MCL and the calculated coefficient of variation (CV) for the population was greater than 0.3, then additional evaluations were performed for that well/constituent pair. If, after further evaluation, a population that was compiled with the statistical procedures outlined in UG Section 22.1.1 & UG Table 22-3 showed a potentially significant change, then a visual inspection of the data was performed to identify shift points in the data set. From these shift points, the most recent population was used in the calculation of confidence limits.

The evaluation results show that the calculated LCLs were exceeded for the following AMC parameters at the following monitoring points, indicating with statistical confidence that the

measured concentrations are above the established GWPS. The LCL exceedances are summarized in Table 3-5 below.

Table 3-5 – Summary of LCL Exceedances

Monitoring Point	AMC
CAO-1	Arsenic, cobalt, iron
MW-1	Arsenic, cobalt, 1,1-dichloroethane, MTBE
MW-1R	Arsenic, cobalt, iron, 1,1-dichloroethane, MTBE

The complete confidence interval evaluation results for the May 2025 sampling event are presented in Appendix C. Historic and current data are presented in Appendix D.

4.0 Leachate Analytical Results

As previously referenced, the leachate generated at the landfill is transported to the City of Springfield's wastewater collection system under Wastewater Contribution Permit No. 593. A sample of the leachate plus a duplicate sample were collected at 1041 on May 7, 2025, and submitted for laboratory analysis. Table 4-1 below summarizes the analytical methods and results of the analyses.

Table 4-1 – Summary of Leachate Analysis Results

Parameter	Analytical Method	Units	Leachate	Leachate Duplicate
Arsenic	EPA 200.8 Rev 5.4(1994)	µg/L	2.91	2.94
Cadmium	EPA 200.8 Rev 5.4(1994)	µg/L	< 0.260	< 0.260
Chromium	EPA 200.8 Rev 5.4(1994)	µg/L	0.629	0.658
Copper	EPA 200.8 Rev 5.4(1994)	µg/L	1.84	1.88
Lead	EPA 200.8 Rev 5.4(1994)	µg/L	< 0.416	< 0.416
Mercury	SW7470A/EPA245.1,3.0-1994	µg/L	< 0.200	< 0.200
Nickel	EPA 200.8 Rev 5.4(1994)	µg/L	7.14	7.04
Phosphorus	EPA 200.8 Rev 5.4(1994)	mg/L	< 0.094	< 0.094
Zinc	EPA 200.8 Rev 5.4(1994)	µg/L	27.0	28.4
Ammonia as N	SM 4500-NH3 B,D,C-2011	mg/L	27.1	27.0
Cyanide (total)	SM 4500-CN B,E-2011	mg/L	< 0.010	< 0.010
Flashpoint	SW 1010A, Rev 1, 2004	°C	Did Not Flash	Did Not Flash
Oil & Grease	EPA1664 Mod, Rev. B 2010	mg/L	< 4.95	< 4.95
pH	SM 4500-H+ B-2011	S.U.	6.44	6.54

Notes:; mg/L – milligrams per liter; µg/L – micrograms per liter; S.U. – standard units; °C – degrees Celsius.

5.0 Quality Assurance/Quality Control Results

Field duplicate samples were collected from monitoring wells MW-1 and MW-509D during the May 2025 groundwater sampling event. In addition, a duplicate sample of leachate was also collected. With a few exceptions, comparison of the original and duplicate data shows generally good agreement between sample and duplicate pairs.

The calculated relative percent differences (RPD) for the MW-1 duplicate sample pair ranged from 0.0 to 49.6%, with several constituents exceeding 20%. The RPD for benzene was 26.6%; the RPD for chlorobenzene was 27.1%; the RPD for chloroethane was 33.6%; the RPD for 1,4-dichlorobenzene was 30.6%; the RPD for 1,1-dichloroethane was 25.2%; and the RPD for cis-1,2-dichloroethene was 49.6%. The remaining RPDs for the MW-1 duplicate sample pair were less than 20% with most being under 10%.


The calculated RPDs for the MW-509D duplicate sample pair ranged from 0.0 to 16.1%, with all but two constituents under 10%. The calculated RPDs for the leachate duplicate sample pair ranged from 0.4 to 4.5%.

Two equipment blanks, EB-1 and EB-2, were collected during the three-day groundwater sampling event. The equipment blanks were collected by running deionized water over decontaminated equipment directly into the sample containers. Barium, cobalt, and copper were detected in both equipment blanks. No VOC constituents were detected above their respective detection limits in the equipment blanks.

One trip blank was analyzed for VOCs during this event. No VOC constituents were detected above their respective detection limits in the trip blank.

Figures

Page Intentionally Blank



Harbor

5800 Evergreen Drive
Little Rock, AR 72205
P: 501.663.8800
www.HarborEnv.com

Client:

ENSAFE



ARKANSAS
ENERGY & ENVIRONMENT



Figure 1 - Site Location Map

NABORS Landfill
Mountain Home, Baxter County, AR

Date: 5/2/2024
Drawn by: TH
Checked by: LD
Revision No: 0



Appendix A

Field Forms and Notes

Page Intentionally Blank

NABORS Landfill Monitoring Well Measurement Record

Well ID	Date	Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)
CAO-1	5/5/25	1216	1026.40	26.66	999.74	36.8
CAO-2	"	1348	991.58	22.81	968.74	45.5
CAO-3	"	1429	984.20	11.02	973.18	23.1
MW-1	"	1743	1067.26	65.24	1002.02	77.2
MW-1R	"	1740	1067.57	68.72	998.85	78.6
MW-2	"	1404	1001.21	30.45	970.76	48.9
MW-3	"	1353	1000.81	32.20	968.61	39.6
MW-4	"	1321	1012.11	85.63	926.48	99.9
MW-5	"	1303	1004.38	74.66	929.72	89.1
MW-6	"	1550	1000.38	54.38	946.00	68.5
MW-7	"	1616	999.66	6.13	993.53	23.1
MW-509D	"	1608	1014.20	13.36	1000.84	39.6
MW-577	"	1546	982.60	39.53	943.07	55.3
MW-633D	"	1503	1050.10	61.66	988.44	87.9
MW-689D	"	1524	966.20	23.75	942.45	43.8
NAB-2	"	1555	1004.94	69.91	935.03	102.8
NAB-3	"	1532	921.49	22.35	899.14	46.2
NAB-4	"	1514	1015.41	115.90	899.51	140.0
NAB-7	"	1626	1012.36	21.81	990.55	43.6
NAB-8	"	1635	1050.38	81.51	968.87	85.7
NE-2	"	1601	976.98	47.88	929.10	62.9
NE-3	"	1536	846.91	5.39	841.52	27.7
NE-4	"	1624	1009.85	64.45	945.40	112.2
NE-6	"	1338	901.42	2.95	898.47	18.2

Notes: TOC – top of casing; amsl – above mean sea level; GW – groundwater; TD – total depth.

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: C40-1		Well Diameter (inches): 2"			
Well Depth (feet): 36.8		Initial Depth to Water (feet): 26.82		Water Column (feet): 10.14		Volume in Liters (multiply by 0.617): 6.26		Screened Interval: 26.3' - 36.3'			
Sampling Method: Low-Flow		Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: .375"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color (each date)
740	-	-	-	26.50	16.5	1228	1.34	6.27	-1.7	321.5	same
745	2L	2L	400	26.82	16.3	1231	0.52	6.28	-16.5	22.63	" "
750	0.5L	2.5L	100	26.85	16.5	1231	0.19	6.29	-24.6	13.5	clear
755	0.5L	3.0L	100		16.5	1233	0.17	6.28	-24.8	15.85	" "

Sampling Data

Sample ID: C40-1	Date: 5/6/25	Time: 755	Sampler(s): CG + FL
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: CAO-2		Well Diameter (inches): 2"			
Well Depth (feet): 45.5		Initial Depth to Water (feet): 23.11		Water Column (feet): 22.39		Volume in Liters (multiply by 0.617): 13.8		Screened Interval: 35.0' - 45.0'			
Sampling Method: LOW FLOW		Pump Type: PERISTALTIC		Tubing Type:		Tubing Diameter:					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1231	1	1	200	23.11	16.8	861	2.05	6.63	99.7	425	CLEAR
1236	1	2	200	23.14	17.5	768	2.76	6.54	113.1	121	"
1241	1	3	200	23.16	17.3	756	3.05	6.54	120.5	93	"
1246	1	4	200	23.16	17.3	719	3.16	6.54	125.0	26	"
1251	1	5	200	23.16	17.2	747	3.25	6.54	129.9	48	"

Sampling Data

Sample ID: CAO-2	Date: 5/6/25	Time: 1251	Sampler(s): T. HETTER
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments: TURBIDITY MALFUNCTIONING - SAMPLE CLEAR			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: CAO-3		Well Diameter (inches): 2"			
Well Depth (feet): 23.1		Initial Depth to Water (feet): 11.46		Water Column (feet): 11.64		Volume in Liters (multiply by 0.617): 7.2		Screened Interval: 12.6' - 22.6'			
Sampling Method: Low-Flow		Pump Type: PERISTALTIC		Tubing Type: LDPE		Tubing Diameter: 0.25"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1352	—	—	200	11.46	15.4	546	4.05	7.06	126.3	98	CLEAR
1357	1	1	11	11.52	15.3	544	2.72	6.96	137.3	102	↓
1402	1	2	11	11.54	14.9	540	2.45	6.96	140.1	100	
1407	1	3	11	11.55	15.1	541	2.42	6.97	141.7	125	
1412	1	4	11	11	14.8	542	2.79	6.96	142.4	127	

Sampling Data

Sample ID: CAO-3	Date: 5/6/25	Time: 1412	Sampler(s): T. HUSTEN
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments: TURBIDITY MALFUNCTIONING - SAMPLE WAS CLEAR			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/7/25		Well ID: MW-1		Well Diameter (inches): 2"			
Well Depth (feet): 77.2		Initial Depth to Water (feet): 65.24		Water Column (feet): 11.96		Volume in Liters (multiply by 0.617): 7.38		Screened Interval: 66.7 - 76.7'			
Sampling Method: Low-Flow			Pump Type: submersible			Tubing Type: LDPE			Tubing Diameter: 3/8"		
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1109	—	—	—	65.18	16.6	910	1.86	6.41	-42.6	28.6 28.6	✓
1114	1.5L	1.5L	300	65.84	16.5	896	0.65	6.43	-62.6	19.1	↓
1119	1.0	2.5	200	65.92	16.8	852	0.79	6.46	-61.2	17.3	↓

Sampling Data

Sample ID: MW-1 + D-P	Date: 5/7/25	Time: 1124	Sampler(s): C.G.
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/7		Well ID: MW-1R		Well Diameter (inches): 2"			
Well Depth (feet): 78.6		Initial Depth to Water (feet): 68.72		Water Column (feet): 9.88		Volume in Liters (multiply by 0.617) 6.09		Screened Interval: 68.1' - 78.1'			
Sampling Method: Low-Flow		Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: 0.375					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1140	—	—	—	68.67	16.7	915	2.12	6.44	-43.5	200	N/A
1145	2.5L	2.5L	500	69.3	16.9	915	0.52	6.50	-55.6	100	↓
1150	1.5	4.0L	300	69.3	17.3	915	0.37	6.53	-64.1	77	
1155	2.5L	6.5L	500	69.3	17.7	919	0.26	6.54	-72.4	38	
1200	2.5L	9L	500	69.65	18.1	921	0.21	6.55	-78.2	14.76	

Sampling Data

Sample ID: MW-1R	Date: 5/7/25	Time: 1200	Sampler(s): C.G. + J.K.
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: MW-2		Well Diameter (inches): 2"			
Well Depth (feet): 48.9		Initial Depth to Water (feet): 30.45		Water Column (feet): 18.45		Volume in Liters (multiply by 0.617): 11.38		Screened Interval: 38.4 - 46.9'			
Sampling Method: Low-Flow			Pump Type: Submersible			Tubing Type: LDPE			Tubing Diameter: .375"		
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
110	—	—	—	30.65	18.2	566	3.85	7.24	33.8	24.25	clear / strong
115	2L	2L	400	30.87	18.2	564	2.18	7.18	35.2	29.72	
120	2L	2L	400	31.44	18.2	578	1.23	7.13	45.2	5.65	
125	2L	2L	400	31.50	17.7	586	0.52	7.10	29.8	2.34	

Sampling Data

Sample ID: MW-2	Date: 5/6/25	Time: 1325	Sampler(s): C.G. + F.K.
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: MW-3		Well Diameter (inches): 2"			
Well Depth (feet): 39.6		Initial Depth to Water (feet): 32.20		Water Column (feet): 7.4		Volume in Liters (multiply by 0.617): 4.57		Screened Interval: 18.0' - 19.0'			
Sampling Method: Low-Flow				Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: .375"			
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1400	—	—	—	32.14	18.7	873	3.30	6.35	199.9	176.05	N/A
1405	2L	2L	400	32.19	19.7	874	1.78	6.38	190.4	19.4	N/A
1410	1.5	3.5L	300	32.25	17.9	867	0.91	6.39	180.9	19.4	N/A
1415	3.5L	7L	700	32.28	17.5	878	0.61	6.39	178.7	19.4	N/A

Sampling Data

Sample ID: MW-3	Date: 5/6/25	Time: 1415	Sampler(s): C.G. + J.K.
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: MW-4		Well Diameter (inches): 2"			
Well Depth (feet): 99.9		Initial Depth to Water (feet): 85.63		Water Column (feet): 14.27		Volume in Liters (multiply by 0.617): 8.80		Screened Interval: 89.4 - 99.4'			
Sampling Method: Low-Flow		Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: 3/8"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1500	—	—	—	86.89	17.4	713	5.51	6.96	211.3	20.38	
1505	2.5L	2.5L	500	87.09	17.1	760	4.65	6.98	211.5	15.02	
1510	2.0	4.5L	400	87.38	17.5	713	4.35	6.97	209.9	10.60	
1515	2.0	6.5L	400	87.69	17.6	714	4.28	6.97	209.1	9.85	

Sampling Data

Sample ID: MW-4	Date: 5/6/25	Time: 1515	Sampler(s): C. Gentry
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: MW-5		Well Diameter (inches): 2"			
Well Depth (feet): 87.1		Initial Depth to Water (feet): 74.66		Water Column (feet): 14.44		Volume in Liters (multiply by 0.617): 8.91		Screened Interval: 74.6 - 88.6'			
Sampling Method: Low-Flow			Pump Type: Submersible			Tubing Type: LDPE			Tubing Diameter: .375"		
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1546	—	—	—	74.87	19.2	740	6.82	6.85	279.5	8.46	NA
1551	2L	2L	400	75.51	16.1	888	2.52	6.74	256.3	17.98	NA
1556	2L	4L	400		16.6	885	2.30	6.75	249.7	13.64	
1601	2L	6L	400	75.55	16.4	885	2.17	6.76	245.2	9.16	

Sampling Data

Sample ID: MW-5	Date: 5/6/25	Time: 1601	Sampler(s): C. Gentry
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/7/25		Well ID: MW-6		Well Diameter (inches): 2"			
Well Depth (feet): 68.5		Initial Depth to Water (feet): 54.38		Water Column (feet): 14.12		Volume in Liters (multiply by 0.617) 8.71		Screened Interval: 58 - 68'			
Sampling Method: Low-Flow		Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: 3/8"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1028	—	—	—	54.43	14.7	693	1.71	6.93	217.0	3.37	
1033	4L	4L	800	54.61	14.9	697	0.56	6.91	215.1	3.17	
1038	1L	5L	200	54.53	14.9	697	0.41	6.92	212.2	3.21	

Sampling Data

Sample ID: MW-6	Date: 5/7/25	Time: 1043	Sampler(s): C.G + EK
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: MW-7		Well Diameter (inches): 2"			
Well Depth (feet): 23.1		Initial Depth to Water (feet): 6.13		Water Column (feet): 16.97		Volume in Liters (multiply by 0.617): 10.47		Screened Interval: 16.6 - 22.6'			
Sampling Method: low flow				Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter:			
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
832	—	—	—	6.13	13.7	512	3.81	7.19	64.3	6.20	clear
837	2 L	2 L	400	6.72	13.6	499.2	1.03	7.04	91.2	2.13	" "
842	1 L	3 L	200	6.80	13.6	499.4	0.86	6.99	101.1	1.85	" "

Sampling Data

Sample ID: MW-7		Date: 5/6/25		Time: 842		Sampler(s): C. Gaudin			
Laboratory Analysis: See report						# Bottles: 9		Preservative: Varies	
Comments:									

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/7/25		Well ID: MW-509D		Well Diameter (inches): 2"			
Well Depth (feet): 39.6		Initial Depth to Water (feet): 13.71		Water Column (feet): 25.89		Volume in Liters (multiply by 0.617): 15.9		Screened Interval: 29.0 - 39.0			
Sampling Method: LOW FLOW		Pump Type: PERISTALTIC		Tubing Type: LDPE		Tubing Diameter: 0.25"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
0806	—	—	200	13.71	13.7	143	6.12	7.26	145.1	96.3	
0811	1	1	200	13.85	13.6	142	6.20	6.77	180.2	115	
0816	1	2	200	13.85	13.5	139	6.13	6.75	123.7	91.4	
0821	1	3	200	13.85	13.6	139	6.06	6.74	184.2	191	CLEAR

Sampling Data

Sample ID: MW-509D	Date: 5/7/25	Time: 0821	Sampler(s): TI HUSTER
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments: TURBIDITY OFF - WATER CLEAR			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: MW-577		Well Diameter (inches): 2"			
Well Depth (feet): 55.3		Initial Depth to Water (feet): 39.53		Water Column (feet): 15.77		Volume in Liters (multiply by 0.617) 9.73		Screened Interval: 44.8 - 54.8'			
Sampling Method: Low Flow		Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: 3/8"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1700	—	—	—	39.79	18.3	658	4.13	6.97	-5.6	462.7	cloudy
1705	2.5	2.5	500	39.83	16.9	204.7	0.50	6.91	-31.8	196.3	
1710	2.5	5.0	500	39.91	17.0	678	0.19	6.93	-32.0	43.29	
1715	2L	7.0	400	39.94	17.0	671	0.12	6.93	-78.1	24.43	

Sampling Data

Sample ID: MW-577	Date: 5/6/25	Time: 1720	Sampler(s): C.G.
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/7/25		Well ID: MW-633D		Well Diameter (inches): 2"			
Well Depth (feet): 87.9		Initial Depth to Water (feet): 61.66		Water Column (feet): 26.24		Volume in Liters (multiply by 0.617): 16.19		Screened Interval: 77.4-87.4'			
Sampling Method: Low Flow		Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: .375"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
942	—	—	—	62.10	16.5	613	1.17	6.98	207.6	18.36	N/A
947	2L	2L	400	61.95	16.5	607	0.79	6.97	204.1	8.10	
952	2L	4L	400	61.98	16.7	605	0.84	6.96	199.6	9.04	

Sampling Data

Sample ID: MW-633D	Date: 5/7/25	Time: 957	Sampler(s): C.C.
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/7/25		Well ID: MW-689D		Well Diameter (inches): 2"			
Well Depth (feet): 43.8		Initial Depth to Water (feet): 24.01		Water Column (feet): 19.79'		Volume in Liters (multiply by 0.617): 12.2		Screened Interval: 33.2' - 43.2'			
Sampling Method: Low-Flow		Pump Type: PERISTALTIC		Tubing Type: LDPE		Tubing Diameter: 0.25"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
0912	-	-	200	24.01 24.0	15.3	416	8.77	7.27	174.0	10.2	CLEAR
0917	1	1	200	24.13	15.1	525	3.05	6.98	81.4	11.7	"
0922	1	2	200	24.13	15.1	601	0.42	6.97	-74.4	18.3	"
0927	1	3	200	24.12	15.2	582	1.01	6.99	-64.8	22.9	"
0932	1	4	200	24.11	15.2	593	2.63	7.01	-29.2	30.1	"

Sampling Data

Sample ID: MW-689D	Date: 5/7/25	Time: 0932	Sampler(s): T. Huetter
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: NAB-3		Well Diameter (inches): 2"			
Well Depth (feet): 46.2		Initial Depth to Water (feet): 22.58		Water Column (feet): 23.62		Volume in Liters (multiply by 0.617): 14.6		Screened Interval: 35.7' - 45.7'			
Sampling Method: LOW-FLOW		Pump Type: PERISTALTIC		Tubing Type: LOPE		Tubing Diameter: 0.25"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1632	—	—	200	22.58	20.2	573	4.11	7.19	159.4	14.3	CLEAR
1637	1	1	200	23.03	14.6	565	1.69	6.97	168.1	14.5	"
1642	1	2	200	23.10	14.8	564	1.51	6.98	168.3	4.15	"
1647	1	3	200	23.11	14.3	566	1.40	6.98	168.4	5.10	"

Sampling Data

Sample ID: NAB-3	Date: 5/6/25	Time: 1647	Sampler(s): T. HUETTEN
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/7/25		Well ID: NAB-4		Well Diameter (inches): 2"			
Well Depth (feet): 140.0		Initial Depth to Water (feet): 115.90		Water Column (feet): 24.1		Volume in Liters (multiply by 0.617) 14.87		Screened Interval: 129.5 - 139.5'			
Sampling Method: Low Flow		Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: .375"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
858	—	—	—	115.85	16.1	835 875	2.89	6.61	259.4	37.60	NA
903	2L	2L	400	116.46	16.1	845 865	1.54	6.60	250.4	8000 13.54	
908	2L	4L	400	116.8	16.2	845 865	1.26	6.61	239.8	12.82	
913	2.9L	6.5L	500	116.76	16.5	865	1.10	6.61	232.8	16.7	

Sampling Data

Sample ID: NAB-4	Date: 5/7/25	Time: 913	Sampler(s): C. Gentry
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: NAB-7		Well Diameter (inches): 2"			
Well Depth (feet): 43.6		Initial Depth to Water (feet): 21.87		Water Column (feet): 21.79		Volume in Liters (multiply by 0.617) 13.44		Screened Interval: 33 - 43'			
Sampling Method: Low Flow		Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter: 3/5"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
905	—	—	—	21.95	13.9	517	3.65	6.90	172.6	479	cloudy
910	2L	2L	400	22.64	13.8	516	2.99	6.88	170.2	617	" "
915	2L	4L	400	22.76	13.7	516	2.99	6.94	175.6	643	" "
920	1.5L	5.5L	300	22.89	13.7	514	3.00	6.94	180.6	173	clear
925	1.5L	7L	400	22.79	13.8	517	2.79	6.80	184.9	238	" "

Sampling Data

Sample ID: NAB-7	Date: 5/6/25	Time: 925	Sampler(s): C. Gowdy
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)



Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:		Date:		Time:		Sampler(s):	
Laboratory Analysis:	See report					# Bottles:	9
Comments:							
Preservative:	Varies						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/7/25		Well ID: NE-2		Well Diameter (inches): 2"			
Well Depth (feet): 62.9		Initial Depth to Water (feet): 47.89		Water Column (feet): 15.02		Volume in Liters (multiply by 0.617)		Screened Interval: 52.4 - 62.4'			
Sampling Method: Low flow				Pump Type: Submersible		Tubing Type: LDPE		Tubing Diameter:			
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
807	—	—	—	49.31	15.5	1082	5.56	7.10	240.6	200	cloudy
813	2L	2L	400	50.40	15.7	1085	3.01	7.02	220.8	98	
818	2L	4L	400	51.57	16.3	1090	2.56	7.02	203.0	110	
823	1.5	5.5L	300	52.56	16.4	1099	2.51	7.02	198.2	165	

Sampling Data

Sample ID: NE-2	Date: 5/7/25	Time: 0830	Sampler(s): C. Gaudin
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: NE-3		Well Diameter (inches): 2"			
Well Depth (feet): 22.7		Initial Depth to Water (feet): 5.58		Water Column (feet): 22.12		Volume in Liters (multiply by 0.617): 13.6		Screened Interval: 17.7' - 22.2'			
Sampling Method: LOW-FLOW		Pump Type: PERISTALTIC		Tubing Type: LOPE		Tubing Diameter: 0.25"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1410	—	—	200	5.58	14.0	520	6.92	7.41	135.9	58	CLEAR
1445	1	1	200	7.41	14.4	521	0.74	7.25	142.9	54	"
1450	1	2	200	8.02	14.6	512	0.58	7.25	142.9	54	"
1455	1	3	200	8.19	15.0	523	0.52	7.25	142.9	52	"

Sampling Data

Sample ID: NE-3	Date: 5/6/25	Time: 1455	Sampler(s): T. HUETTER
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments: TURBIDITY MALFUNCTIONING - SAMPLE WAS CLEAR			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 5/6/25		Well ID: NE-6		Well Diameter (inches): 2"			
Well Depth (feet): 18.2		Initial Depth to Water (feet): 3.06		Water Column (feet): 15.14		Volume in Liters (multiply by 0.617): 27.0		Screened Interval: 10.7 - 17.7			
Sampling Method: Low-Flow		Pump Type: PERISTALTIC		Tubing Type: LIPE		Tubing Diameter: 0.25"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1115	—	—	200	3.06	14.5	730 19	1.91	7.01	183.9	26.2	CLEAR
1120	1	1	200	3.34	15.4	642	0.48	6.91	196.0	293	"
1125	1	2	200	4.03	15.2	635	0.24	6.92	184.7	376	"
1130	1	3	200	4.23	14.9	634	0.19	6.92	173.1	807	"
1135	1	4	200	4.33	15.1	633	0.15	6.93	161.0	113	"

Sampling Data

Sample ID: NE-6	Date: 5/6/25	Time: 1135	Sampler(s): T. HUETTER
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments: TURBIDITY MALFUNCTIONING - SAMPLE WAS CLEAR			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Spring Sampling Record

Site Name: NABORS Landfill					Location: Three Brothers, AR				Date(s): 5/5/25		
Spring ID	Flow (Y/N)	Sampled (Y/N)	Sample Date	Sample Time	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/Color
Class I Draw	Y	Y	5/5/25	1710	8.76	156.4	141.1	8.05	19.7	12.03	sewage
Class IV Draw	N	—	—	—	—	—	—	—	—	—	—
LE seep	Y	Y	5/5/25	1520	8.20	227	127.1	8.03	21.3	16.73	N/A
NE-3 Spring	N	—	5/6/25	1529	5.21	334	137.2	7.59	13.3	6.18	clear
Spring A	Y	Y	5/5/25	1610	7.76	189.9	144.5	7.40	15.8	36.52	sewage
Spring B	N	N									
SP-4	N	—	—	—	—	—	—	—	—	—	—
SP-5	N	—	—	—	—	—	—	—	—	—	—
SP-7	Y	Y	5/5/25	1540	7.56	251	53.7	7.34	19.5	17.23	sewage
TSP-1	Y	Y	5/5/25	1640	4.85	416.7	159.1	7.01	14.2	-0.28	N/A
TSP-2	N	—	—	—	—	—	—	—	—	—	—
TSP-3	N	N									
TSP-4	Y	Y	5/5/25	1800	7.18	137.7	164	7.44	16.3	18.98	N/A

Sampling Data

Sampler(s):	CG + IK										
Laboratory Analysis:	See report						# Bottles:	9		Preservative:	Varies
Comments:											

5/5/2025

NABORS LF SSMI - ANNUAL GW
MONITORING

WEATHER: MOSTLY CLOUDY, MID
70s, 5-10 MPH WIND

1159: TH ON SITE, GO TO
TANK BATTERY, START UNLOADING

1250: ARRIVE AT AP-16, START
FIELD MEASUREMENTS OF GAS
WELLS & MONITORING WELLS.
SEE FIELD FORMS.

1727: FIELD MEASUREMENTS
COMPLETE, BACK TO STAGING
AREA

1735: COLLECT EQUIPMENT BLANK
SAMPLE EB-1, DISCONNECT UTV
TRAILER

1758: TH OFF SITE

5/6/2025

NABORS LF SSMI - ANNUAL GW
MONITORING

WEATHER: MOSTLY SUNNY, 70s,
5-10 MPH WIND

1005: TH ON SITE, C. GOURLEY &
I. KLEIN ON SITE, GFC LAND

CLEARING ON SITE TO FINISH UP

1040: GO TO NE-6 TO START SAMPLING

1113: START PURGING NE-6

1135: NE-6 PURGE COMPLETE, COLLECT
SAMPLE, TURBIDITY SENSOR NOT
WORKING. DISCHARGE APPEARED
CLEAR AND < 20 NTU

1218: ARRIVE AT CAO-2, SET UP
TO PURGE.

1229: START PURGING CAO-2

1251: CAO-2 PURGE COMPLETE, COLLECT
SAMPLE

1323: ~~SET UP ON CAO-3~~ TOO DEEP
FOR PERISTALTIC - GO TO CAO-3

1344: ARRIVE AT CAO-3, SET UP TO PURGE

1352: START PURGING CAO-3

1412: CAO-3 PURGE COMPLETE, COLLECT
SAMPLES

5/6/25

NABORS LF GW SAMPLING

1430: ARRIVE AT NE-3

1440: START PURGING NE-3

1445: NE-3 PURGE COMPLETE, COLLECT
SAMPLE

1522: CHECK NE-3 SPRING FIELD
PARAMETERS

TEMP	DO	SPC	pH	ORP	TURB
13.3	5.21	334	7.59	137.7	6.18

1529: COLLECT NE-3 SPRING SAMPLE

1545: ARRIVE AT NAB-3, HAVING
TROUBLE WITH PUMP BUT GOT
IT WORKING

1632: START PURGING NAB-3

1647: NAB-3 PURGE COMPLETE,
COLLECT SAMPLE, BACK TO
STAGING AREA.

1759: TH OFF SITE



5/7/25

NABORS LF GW SAMPLING

WEATHER: OVERCAST, 60s

10-15 mph WIND

0730: T. HUETTER, C. COURLET &
I. KLEIN ON SITE, LOAD EQUIP.,
CALIBRATE INSTRUMENTS

0754: ARRIVE AT MW-509D

0806: START PURGING MW-509D

0821: PURGE COMPLETE, COLLECT
SAMPLE PLUS DUPLICATE

0901: ARRIVE AT MW-689D

0912: START PURGING MW-689D

0932: PURGE COMPLETE, COLLECT
SAMPLE

1008: ARRIVE AT NAB-8

COLLECT SAMPLE WITH BAILER

1041: BACK TO TANK BATTERY
TO COLLECT USACUATE SAMPLE

1051: M. MURPHY ON SITE TO LOOK
AT WELLS NEEDING REPAIR

1202: BACK TO TANK AREA, LEAVING
UP

1230: ALL PERSONNEL OFF SITE



NABORS Landfill

5/5/25

Semi-Annual Monitoring Event

1430: C. Gough on-site

1509: Arrive at LE Entrance ramp

1520: Sample at LE Entrance

1540: Sample at SP-7 spring


1610: Sample at spring A

1640: Sample at TSP-1

1710: Sample at Class I draw

1800: Sample at TSP-4

1830: C. Gough + J. Klein off-site



[Signature]

NABORS Landfill

5/6/25

Semi-Annual Monitoring Event

709: C. Gough + J. Klein on-site

719: Decom WLF

731: Arrive at C10-1

740: Pump-on

755: Sample @ C10-1

820: Arrive @ NW-7

832: Pump-on

842: Sample @ NW-7

855: Arrive @ NAB-7

905: Pump-on

925: Sample @ NAB-7

1000: Escort cleanup guys

1045: Arrive @ NW-2

1055: Pump-on

- Failed sample attempt.

1120: Arrive @ NAB-8

1129: Bail and parameters on WLF

1203: Arrive @ NW-2

1310: Pump-on

1325: Sample @ NW-2

1357: Arrive @ NW-3

1415: Sample @ NW-3

1449: Arrive @ NW-4

1515: Sample @ NW-4

1601: Sample @ NW-5

5/6/25

~~1630~~ 1630: NE-4 blockage


1720: Sample @ NW-577

1721: Pump button down

1722: Pump restarted

- confirmed sampling

1745: C. Gouby + I. Klein off-site



[Signature]

NABORS Landfill

5/7/25

727: on-site

735: Sample EB-2

807: Pump on @ NE-2

830: Sample @ NE-2

845: Arrive @ NAB-4

847: Decon Eq.

858: Pump on @ NAB-4

913: Sample @ NAB-4

936: Arrive @ MW-633

957: Sample @ MW-633D

1010: Arrive @ LCS-8

- no display

1012: Arrive @ LCS-7

- 24hr, PF, 0.0 Lvl

1014: Arrive @ LCS-6

- no display

1018: Arrive @ VLCS-2

- 1/2 capacity

1020: Arrive @ NW-6

1028: Pump on

1043: Sample @ NW-6

1058: Arrive @ NW-1

1109: Pump on @ NW-1

1124: Sample NW-1

+ NW-1 dup

NABORS Candem

5/7/25

11:35: Arrive @ NW-102

12:00: Sample @ NW-102

12:20 91.1" Tank Level @ Leachate Battery
1.5" of stormwater in containment

12:22 LCS-1 No Display

11:50 Turbine Vent Repaired

12:25 LCS-2 1853 hr, 0.0 ~~min~~, pf

12:26 LCS-3 No Display

12:26 LCS-4 No Display

12:28 LCS-5 9.7, 0 hr, Station OK

12:31 VCLS-1 Overflow

12:35 Caleb + Ian off-site





FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Proactive Pump Conformance Certificate

	<u>12V</u>	<u>Max Voltage Acceptable</u>
Pressure Rating	20 psi	70 psi
Acceptable Range (Monsoon) :	10+	48+
Acceptable Range (Hurricane) :	10+	60+
Flow Rate Achieved (No Applied Head Pressure)	1.68 GPM	2.99 GPM
Acceptable Ranges :	1.4+ GPM	2.5+ GPM
Amps	30	46
Replaced Tubing and Tubing Connector Above Barb (ID: 14396 HDPE 3/8" x 1/2" for PFAS Compliance)		Confirmed
Pump Model	SS Hurricane	
S/N	24764	
Order #	586323	

Proactive Controller Performance Test

	22.7 Max Voltage - Pump Attached	22.8 Max Voltage - Pump Dettached
Delta Less than 10 Volts	Yes	
30 Second Video Attached to the Order	Yes	
DO NOT CUT Tag Applied to Pump Head Cable Connection Prior to Rental?	Confirmed	
Controller Model	Hurricane Controller	
S/N	647602	
Order #	586323	
Calibrated By	Kent Mitchell	

Revision 1, 3/27/24

Date of Calibration

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Water Level Meter Certificate

Tape and Reel Cleaned/Checked for Nicks

Confirmed

Probe Tested?

Confirmed

Speaker Sounding?

Confirmed

All Housing Screws in place?

Confirmed

Draw-Down Mode Functioning? (Heron Units)

Confirmed

Thumb Screws Tightened? (Heron Units)

Confirmed

Video Taken and Attached to Order

Confirmed

Twist Knob Brake Contains Rubber Stopper

Confirmed

Model

Heron Water Level Meter

S/N

12FF2307002HB

UX

117682

Probe (Heron Units Only)

Model

S/N

N/A

UX

N/A

Calibrated By

Kent Mitchell

FEI Order #

586323

Date of Calibration

5/1/2025

Rev 2.0 2/23/24

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



**FIELD ENVIRONMENTAL
INSTRUMENTS, INC.**

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Peristaltic Pump Conformance Sheet

Unit Cleaned Thoroughly?

Confirmed

Battery Voltage (Acceptable Range: 12.6V or Higher)

13.07

Speed Control Functioning?

Confirmed

No Power Loss When Cable is Moved Around?

Confirmed

All Housing Screws in place?

Confirmed

1' Silicone Tubing (3/16" x 3/8") in Pump Head?

Confirmed

Pump Head Functioning in Forward and Reverse?

Confirmed

Unit Packed in 18" Husky Bag?

Confirmed

Battery and Charger Packed in 12" Husky Bag?

Confirmed

EZ-Load Head installed on 0-600 rpm port

Confirmed

Model

Geopump II ▼

Unit S/N

7736

Unit UX

112759

Pump Head S/N

G22004766

Pump Head UX

112795

Order #

586323

Calibrated By


Kent Mitchell ▼

Revision 1, 3/27/24

Date of Calibration

05/01/25

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Peristaltic Pump Conformance Sheet

Unit Cleaned Thoroughly?	Confirmed
Battery Voltage (Acceptable Range: 12.6V or Higher)	13.32
Speed Control Functioning?	Confirmed
No Power Loss When Cable is Moved Around?	Confirmed
All Housing Screws in place?	Confirmed
1' Silicone Tubing (3/16" x 3/8") in Pump Head?	Confirmed
Pump Head Functioning in Forward and Reverse?	Confirmed
Unit Packed in 18" Husky Bag?	Confirmed
Battery and Charger Packed in 12" Husky Bag?	Confirmed
EZ-Load Head installed on 0-600 rpm port	Confirmed

Model	Geopump II
Unit S/N	8991
Unit UX	128802
Pump Head S/N	325142744
Pump Head UX	128804
Order #	583390

Calibrated By Nate Beard

Revision 1, 3/27/24

Date of Calibration 04/07/25

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

Lamotte Turbidity Meter Calibration Certificate

Was the meter set to averaging mode (selected 5 measurements)?

Confirmed

(Reference the averaging mode setup instructions)

Was the vial housing and calibration vials cleaned properly before calibrating?

Confirmed

(Preferred cleaning product is Windex or if necessary, a similar product, while using a clean microfiber cloth)

Is the calibration solution provided still good and not expired?

Confirmed

(If within one month of expiration, please replace)

Are there 2 sample vials and are they clean with the visible measurement markings?

Confirmed

Are all the necessary meter accessories included and in good condition?

Confirmed

(charging cable, charging adaptor, manual, LBATT sticker)

Is the meter battery power fully charged?

Confirmed

Is the overall appearance of the meter satisfactory and is it confirmed to be in proper working condition?

Confirmed

	<u>Lot #</u>	<u>Exp Date</u>	<u>Reading</u>
0.0 NTU	24018094	1/30/26	0.0
10.0 NTU	24015432	1/30/26	10.0

Acceptable post cal range: +/- 2% of 10ntu (9.80ntu to 10.20ntu)

Order #	586323
Model	ID: 9334 LaMotte - 2020we Turbidity Meter LBATT - Rental
S/N	9983-3518
Barcode	U121304X

Calibrated By


Jackson Loy

Date of Calibration

05/01/25

Rev 2.0 3/5/24

All calibrations performed by Field Environmental Instruments conform to manufacturer's specifications.
Any problems must be reported to Field Environmental within 24 hours of receiving equipment.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

YSI 6-Series Calibration Certificate

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 7 @ 25°C	45010134	1/9/2027	7.15	7.01	(6.86 to 7.14)
			pH mV value	-16.4	(0 mV +/- 50mV)
Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 4 @ 25°C	44100439	11/7/2026	4.05	4.00	(3.92 to 4.08)
			pH mV value	162.30	(148.6mV to 163.6mV)
Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 10 @ 25°C	44090097	9/19/2026	9.96	10.01	(9.80 to 10.20)
			pH mV value	-181.70	(-181.4mV to -196.4mV)
Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
Conductivity	8411082	12/5/2026	1.389	1.413	(1.338 to 1.479)

Dissolved Oxygen

	Pre-Cal Reading	Post-Cal Reading	
100% Saturation	8.8	8.60	mg/L
Check Standard	Temp °C	Relative Reading	Acceptable Range
ORP	22.7	220.0	(+/- 20mV from the solution mv value)
	mV Offset	-8.6	(+/-100mV)
Turbidity	Pre-Cal Reading	Post-Cal Reading	
0 NTU	1.2	0.0	
124 NTU	121.6	124.0	

Model	YSI Pro DSS	▼
Cable Length	4 Meter	▼
Cable SN	19H102222	
S/N	18H111014	
Barcode	U90378X	
Order #	586323	


Calibrated By	Eric Boffemmyer	▼
Date of Calibration	5/1/2025	

*Solutions provided by Reagents (800-732-8484)

Revision 1, 3/27/24

All calibrations performed by FEI conform to manufacturer's specifications. Please report any issues within 24 hours of receiving equipment.

All calibration solutions used are traceable to NIST. Additional documentation is available upon request.



FIELD ENVIRONMENTAL INSTRUMENTS, INC.

www.fieldenvironmental.com

301 Brushton Ave
Suite A
Pittsburgh, PA 15221
Toll Free (800) 393-4009
Local (412) 436-2600
Fax (412) 436-2616

YSI 6-Series Calibration Certificate

Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 7 @ 25°C	45010134	1/9/2027	7.13	7.00	(6.86 to 7.14)
			pH mV value	-17.8	(0 mV +/- 50mV)
Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 4 @ 25°C	44100439	11/7/2026	4.00	4.00	(3.92 to 4.08)
			pH mV value	155.60	(147.2mV to 162.2mV)
Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
PH 10 @ 25°C	44090097	9/19/2026	10.03	10.00	(9.80 to 10.20)
			pH mV value	-190.30	(-182.8mV to -197.8mV)
Cal Standard	Lot #	Expiration	Pre-Cal Reading	Post-Cal Reading	Acceptable Range
Conductivity	8411082	12/5/2026	1.419	1.413	(1.338 to 1.479)

Dissolved Oxygen

	Pre-Cal Reading	Post-Cal Reading	
100% Saturation	8.67	8.71	mg/L
Check Standard	Temp °C	Relative Reading	Acceptable Range
ORP	21.1	220.0	(+/- 20mV from the solution mv value)
	mV Offset	-3.7	(+/-100mV)
Turbidity	Pre-Cal Reading	Post-Cal Reading	
0 NTU	0.0	0.0	
124 NTU	88.4	124.0	

Model	YSI Pro DSS
Cable Length	4 Meter
Cable SN	19J101007
S/N	23B102819
Barcode	U115718X
Order #	586323

Calibrated By	Eric Boffemmyer
Date of Calibration	5/1/2025

*Solutions provided by Reagents (800-732-8484)

Revision 1, 3/27/24

All calibrations performed by FEI conform to manufacturer's specifications. Please report any issues within 24 hours of receiving equipment.

All calibration solutions used are traceable to NIST. Additional documentation is available upon request.

Appendix B

Laboratory Analytical Results

Page Intentionally Blank



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

06 June 2025

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205

Project: NABORS Landfill Sample(s)

Project Number: May 2025

SDG Number: 2505208

Enclosed are the results of analyses for samples received by the laboratory on 08-May-25 08:13. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Received On Ice	✓
Temperature on Receipt	6.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

CASE NARRATIVE

Sample Delivery Group – 2505208

One OR more of the qualifiers described below may appear in this report. Qualifiers in **RED apply to this SDG (Sample Delivery Group).**

ANALYTICAL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-F	Second Source Verification Failure
E7	Internal Standard Response Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

QUALITY CONTROL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01	Surrogate failed to recover within acceptance criteria (%D3/S-01).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5/NREC	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5 and/or NREC (No Recovery)).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control failed: No Recovery.
NS	Quality Control failed: Not Spiked.

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-01
Sample Name: MW-5
Date/Time Collected: 5/6/25 16:01
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	6.96		5/12/25 11:08	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	8.32		5/12/25 11:08	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.563		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	45.0		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.158	J	5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.112	J	5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.640		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	0.620	J	5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 10:34	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.36	J	5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.149	J	5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.129	J	5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	40.5		5/16/25 11:53	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	0.285	J	5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-01
Sample Name: MW-5
Date/Time Collected: 5/6/25 16:01
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-01
Sample Name: MW-5
Date/Time Collected: 5/6/25 16:01
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	108		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.2		5/8/25 18:21	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	502		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	1.05		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-02
Sample Name: MW-4
Date/Time Collected: 5/6/25 15:15
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	7.71		5/12/25 11:27	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	17.8		5/12/25 11:27	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.530		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	43.8		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	1.18		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.220	J	5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.060	J	5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	1.54		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	57.9		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	0.492		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	4.97		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 10:37	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.96	J	5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.174	J	5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.179	J	5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	133		5/16/25 11:56	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-02
Sample Name: MW-4
Date/Time Collected: 5/6/25 15:15
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-02
Sample Name: MW-4
Date/Time Collected: 5/6/25 15:15
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	97.6		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	102		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.1		5/8/25 18:45	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	414		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-03
Sample Name: MW-2
Date/Time Collected: 5/6/25 13:25
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.93		5/12/25 12:25	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	14.2		5/12/25 12:25	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	2.95		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	28.4		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	< 0.260		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.047	J	5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	1.28		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	49.5		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	4.53		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 10:40	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.363		5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	4.98	J	5/16/25 12:27	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-03
Sample Name: MW-2
Date/Time Collected: 5/6/25 13:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-03
Sample Name: MW-2
Date/Time Collected: 5/6/25 13:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.5		5/8/25 19:09	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	338		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-04
Sample Name: MW-3
Date/Time Collected: 5/6/25 14:15
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	27.9		5/12/25 12:45	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	38.1		5/12/25 12:45	B505246	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.387		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	84.5		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	3.66		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.131	J	5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.217	J	5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	3.05		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	19.0	J	5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	0.399	J	5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	79.3		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 10:43	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	7.73		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.418		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.203	J	5/16/25 12:30	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	118		5/16/25 12:30	B505290	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-04
Sample Name: MW-3
Date/Time Collected: 5/6/25 14:15
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-04
Sample Name: MW-3
Date/Time Collected: 5/6/25 14:15
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	109		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.5		5/8/25 19:33	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	532		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	3.11		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-05
Sample Name: MW-633D
Date/Time Collected: 5/7/25 9:57
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	13.0		5/12/25 13:04	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	10.9		5/12/25 13:04	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.327		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	92.8		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	3.13		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.194	J	5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.042	J	5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.535		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	30.7	J	5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	0.329	J	5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	4.50		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	0.140	J	5/9/25 10:47	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	7.96		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.181	J	5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.233	J	5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	492		5/16/25 12:34	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	1.19		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-05
Sample Name: MW-633D
Date/Time Collected: 5/7/25 9:57
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	0.296	J	5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-05
Sample Name: MW-633D
Date/Time Collected: 5/7/25 9:57
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.4		5/8/25 19:57	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	335		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	1.17		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-06
Sample Name: NAB-4
Date/Time Collected: 5/7/25 9:15
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	3.17		5/12/25 13:23	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	70.9		5/12/25 13:23	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.361	J	5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	25.1		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	51.1		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	3.36		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.650		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	2.48		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	1.30		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	744		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	8.75		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	240		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	0.112	J	5/9/25 10:50	B505207	SW7470A/EPA245.1.3.0- 1994
Nickel	ug/L	14.1		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.194	J	5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.267		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	1500		5/16/25 12:38	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2025
 Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-06
Sample Name: NAB-4
Date/Time Collected: 5/7/25 9:15
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-06
Sample Name: NAB-4
Date/Time Collected: 5/7/25 9:15
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.6		5/8/25 20:21	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	548		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	1.81		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-07
Sample Name: NE-2
Date/Time Collected: 5/7/25 8:30
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	8.69		5/12/25 13:43	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	283		5/12/25 17:36	B505246	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.623	J	5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	4.88		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	51.8		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	0.098	J	5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.208	J	5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	3.37		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	5.80		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	3.11		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	2540		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	5.64		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	151		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 11:12	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	7.64		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.098	J	5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	4.25		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	24.7		5/16/25 12:42	B505290	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-07
Sample Name: NE-2
Date/Time Collected: 5/7/25 8:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-07
Sample Name: NE-2
Date/Time Collected: 5/7/25 8:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.2		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.9		5/8/25 20:45	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	807		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	2.92		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-08
Sample Name: MW-1R
Date/Time Collected: 5/7/25 12:00
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	33.0		5/12/25 17:55	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	15.8		5/12/25 17:55	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	90.3		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	145		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.261		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.921		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	17.1		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	1.24		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	17600		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	1.13		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	119		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	0.650		5/9/25 11:15	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	30.7		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.639		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.282		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	305		5/16/25 12:45	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	7.76		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-08
Sample Name: MW-1R
Date/Time Collected: 5/7/25 12:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	2.82		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	2.03		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	0.394	J	5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	1.39		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	1.22	J	5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	3.42		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	17.1		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	0.248	J	5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-08
Sample Name: MW-1R
Date/Time Collected: 5/7/25 12:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	0.406	J	5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.4		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.4		5/8/25 21:09	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	528		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	5.10		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-09
Sample Name: MW-509D
Date/Time Collected: 5/7/25 8:21
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.71		5/12/25 14:22	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.61		5/12/25 14:22	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.122	J	5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	26.4		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	2.80		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.203	J	5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.154	J	5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 11:18	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.69	J	5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.334		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	264		5/16/25 12:49	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-09
Sample Name: MW-509D
Date/Time Collected: 5/7/25 8:21
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-09
Sample Name: MW-509D
Date/Time Collected: 5/7/25 8:21
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.6		5/8/25 21:33	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	237		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-10
Sample Name: MW-509D Dup
Date/Time Collected: 5/7/25 8:21
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.67		5/12/25 14:41	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.55		5/12/25 14:41	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.133	J	5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	26.5		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	2.62		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.174	J	5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.181	J	5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	16.1	J	5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 11:22	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.71	J	5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.357		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	266		5/16/25 12:53	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-10
Sample Name: MW-509D Dup
Date/Time Collected: 5/7/25 8:21
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-10
Sample Name: MW-509D Dup
Date/Time Collected: 5/7/25 8:21
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	106		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.6		5/8/25 21:57	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	237		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:38	B505259	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-11
Sample Name: NE-6
Date/Time Collected: 5/6/25 11:35
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.98		5/12/25 15:01	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	30.9		5/12/25 15:01	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.284		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	27.0		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.095	J	5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	< 0.260		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.196	J	5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.520		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	18.8	J	5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	0.142	J	5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	1.31	J	5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 11:25	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	4.47		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.105	J	5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	850		5/16/25 12:57	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-11
Sample Name: NE-6
Date/Time Collected: 5/6/25 11:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-11
Sample Name: NE-6
Date/Time Collected: 5/6/25 11:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.0		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.1		5/8/25 22:21	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	386		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-12
Sample Name: EB-1
Date/Time Collected: 5/5/25 17:35
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	< 0.500		5/12/25 15:20	B505246	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		5/12/25 15:20	B505246	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	0.448		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.0822	J	5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.604		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 11:28	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/16/25 13:00	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-12
Sample Name: EB-1
Date/Time Collected: 5/5/25 17:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-12
Sample Name: EB-1
Date/Time Collected: 5/5/25 17:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.2		5/8/25 23:34	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	< 5.00		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-13
Sample Name: CAO-2
Date/Time Collected: 5/6/25 12:51
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	21.2		5/17/25 12:48	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	8.93		5/17/25 12:48	B505410	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.290		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	87.2		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.071	J	5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.291		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.095	J	5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.270	J	5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	17.8	J	5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	6.61		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 11:31	B505207	SW7470A/EPA245.1, 3.0- 1994
Nickel	ug/L	1.13	J	5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.063	J	5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.283		5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	16.4	J	5/16/25 13:31	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-13
Sample Name: CAO-2
Date/Time Collected: 5/6/25 12:51
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-13
Sample Name: CAO-2
Date/Time Collected: 5/6/25 12:51
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.8		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	106		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.2		5/8/25 23:58	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	444		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-14
Sample Name: MW-577
Date/Time Collected: 5/6/25 17:20
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.11		5/17/25 13:07	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	42.8		5/17/25 13:07	B505410	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	6.56		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	25.2		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.046	J	5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.256	J	5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.108	J	5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.836		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	176		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	1.09		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	8.92		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 11:35	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.49	J	5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.288		5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	7.40	J	5/16/25 13:34	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-14
Sample Name: MW-577
Date/Time Collected: 5/6/25 17:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-14
Sample Name: MW-577
Date/Time Collected: 5/6/25 17:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.3		5/9/25 0:22	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/14/25 9:44	B505307	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	404		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-15
Sample Name: NAB-3
Date/Time Collected: 5/6/25 16:47
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.80		5/17/25 13:27	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	8.15		5/17/25 13:27	B505410	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.255	J	5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	33.9		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.475		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	< 0.260		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.051	J	5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.592		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	16.6	J	5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	43.9		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 11:38	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.26	J	5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.058	J	5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.096	J	5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	106		5/16/25 13:38	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-15
Sample Name: NAB-3
Date/Time Collected: 5/6/25 16:47
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-15
Sample Name: NAB-3
Date/Time Collected: 5/6/25 16:47
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.8		5/9/25 0:46	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	326		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	1.06		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-16
Sample Name: CAO-3
Date/Time Collected: 5/6/25 14:12
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.02		5/17/25 13:46	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	8.58		5/17/25 13:46	B505410	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.139	J	5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	28.7		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.477		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.0905	J	5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.261	J	5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 11:41	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.45	J	5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.073	J	5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.204	J	5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	34.5		5/16/25 13:42	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-16
Sample Name: CAO-3
Date/Time Collected: 5/6/25 14:12
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-16
Sample Name: CAO-3
Date/Time Collected: 5/6/25 14:12
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.1		5/9/25 1:10	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	252		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-17
Sample Name: NE-3
Date/Time Collected: 5/6/25 14:55
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.57		5/17/25 14:45	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	19.1		5/17/25 14:45	B505410	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.244	J	5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	91.5		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.100	J	5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	< 0.260		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.159	J	5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	30.8	J	5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	1.01	J	5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 12:23	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.95		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	0.084	J	5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.137	J	5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	41.6		5/16/25 13:46	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-17
Sample Name: NE-3
Date/Time Collected: 5/6/25 14:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-17
Sample Name: NE-3
Date/Time Collected: 5/6/25 14:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.6		5/9/25 1:34	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	307		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	< 1.00		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-18
Sample Name: NE-3 Spring
Date/Time Collected: 5/6/25 15:29
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	0.884		5/17/25 15:04	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	3.81		5/17/25 15:04	B505410	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.176	J	5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	22.5		5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.081	J	5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.0967	J	5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	0.289	J	5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	23.7	J	5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	0.178	J	5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	2.13		5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 12:26	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	4.41	J	5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.198	J	5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	12.8	J	5/16/25 13:49	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-18
Sample Name: NE-3 Spring
Date/Time Collected: 5/6/25 15:29
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-18
Sample Name: NE-3 Spring
Date/Time Collected: 5/6/25 15:29
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.1		5/9/25 1:58	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	192		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	1.25		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-19
Sample Name: MW-1
Date/Time Collected: 5/7/25 11:24
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	33.6		5/17/25 15:42	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	1.42		5/17/25 15:42	B505410	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	66.2		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	83.8		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.820		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.752		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	41.1		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	1.12		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	11500		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	1.74		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	219		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	0.318		5/9/25 12:29	B505207	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	45.5		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	1.32		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.502		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	1100		5/16/25 13:53	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	7.68		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-19
Sample Name: MW-1
Date/Time Collected: 5/7/25 11:24
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	3.35		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	0.387	J	5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	1.76		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	1.74	J	5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	1.08		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	22.6		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-19
Sample Name: MW-1
Date/Time Collected: 5/7/25 11:24
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	0.526	J	5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	102		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.0		5/9/25 2:22	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	508		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	4.72		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-20
Sample Name: MW-1 Dup
Date/Time Collected: 5/7/25 11:24
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	32.1		5/17/25 15:43	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	1.42		5/17/25 15:43	B505410	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Arsenic	ug/L	69.8		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Barium	ug/L	86.8		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.705		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Chromium	ug/L	0.729		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Cobalt	ug/L	40.1		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Copper	ug/L	1.12		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Iron	ug/L	12600		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Lead	ug/L	1.53		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Manganese	ug/L	216		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Mercury	ug/L	0.265		5/9/25 13:34	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	45.5		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Thallium	ug/L	1.20		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.490		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
Zinc	ug/L	969		5/16/25 13:57	B505290	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	5.96		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-20
Sample Name: MW-1 Dup
Date/Time Collected: 5/7/25 11:24
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	2.46		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Benzene	ug/L	1.53		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	1.34		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	1.24	J	5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	0.651	J	5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	18.6		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-20
Sample Name: MW-1 Dup
Date/Time Collected: 5/7/25 11:24
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Toluene	ug/L	0.366	J	5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.3		5/9/25 2:46	B505174	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	508		5/14/25 12:21	B505249	SM 2540 C-2015
TOC	mg/L	5.09		5/13/25 8:44	B505260	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-21
Sample Name: NAB-7
Date/Time Collected: 5/6/25 9:25
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.97		5/17/25 16:03	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	11.0		5/17/25 16:03	B505410	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	8.52		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	26.0		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.439		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	< 0.260		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.310		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.254	J	5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	903	E20	5/21/25 13:10	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	21.1		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	4.78		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 13:37	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.71		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.586		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	45.6		5/20/25 13:37	B505396	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number:		2505208-21						
Sample Name:		NAB-7						
Date/Time Collected:		5/6/25 9:25						
Sample Matrix:		Water						
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>	
1,3-Dichlorobenzene	ug/L	< 1.00	E20	5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
1,3-Dichloropropane	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
2,2-Dichloropropane	ug/L	< 2.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	< 2.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
2-Chlorotoluene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
2-Hexanone	ug/L	< 2.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
4-Chlorotoluene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Acrolein	ug/L	< 4.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Acrylonitrile	ug/L	< 2.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Benzene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Bromobenzene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Bromochloromethane	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Bromodichloromethane	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Bromoform	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 2.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	< 1.00	E5	5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 2.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	< 2.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 2.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 1.00	E5	5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Ethylbenzene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Hexachlorobutadiene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Isopropylbenzene	ug/L	< 1.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	< 2.00		5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006	
Methyl-tert-Butyl Ether	ug/L	< 1.00		E20, E21, E5	5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00			5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00			5/9/25	5:34	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00	5/9/25		5:34	B505175	SW 8260C, Rev 3, 2006	
n-Propylbenzene	ug/L	< 1.00	5/9/25		5:34	B505175	SW 8260C, Rev 3, 2006	
o-Xylene	ug/L	< 1.00	5/9/25		5:34	B505175	SW 8260C, Rev 3, 2006	
p-Isopropyltoluene	ug/L	< 1.00	5/9/25		5:34	B505175	SW 8260C, Rev 3, 2006	
sec-Butylbenzene	ug/L	< 1.00	5/9/25		5:34	B505175	SW 8260C, Rev 3, 2006	
Styrene	ug/L	< 1.00	5/9/25		5:34	B505175	SW 8260C, Rev 3, 2006	
tert-Butylbenzene	ug/L	< 1.00	5/9/25		5:34	B505175	SW 8260C, Rev 3, 2006	

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-21
Sample Name: NAB-7
Date/Time Collected: 5/6/25 9:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E20, E5	5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.2		5/9/25 5:34	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	290		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	< 1.00		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-22
Sample Name: TSP-4
Date/Time Collected: 5/5/25 18:00
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	0.552		5/17/25 16:22	B505410	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	0.953		5/17/25 16:22	B505410	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.306		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	14.5		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.268		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.102	J	5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.653		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	148		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	1.69		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	6.65		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 13:41	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.50	J	5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.599		5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	5.78	J	5/20/25 13:40	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-22
Sample Name: TSP-4
Date/Time Collected: 5/5/25 18:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2025
 Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-22
 Sample Name: TSP-4
 Date/Time Collected: 5/5/25 18:00
 Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.5		5/9/25 5:58	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	74.0		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	1.53		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-23
Sample Name: MW-7
Date/Time Collected: 5/6/25 8:42
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.08		5/19/25 10:03	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	5.87		5/19/25 10:03	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.188	J	5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	30.4		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.0926	J	5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.073	J	5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.277	J	5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	7.85		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 13:44	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.062	J	5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	5.18	J	5/20/25 14:11	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-23
Sample Name: MW-7
Date/Time Collected: 5/6/25 8:42
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-23
Sample Name: MW-7
Date/Time Collected: 5/6/25 8:42
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.2		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	102		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.7		5/9/25 6:22	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	277		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	< 1.00		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-24
Sample Name: Class I Draw
Date/Time Collected: 5/5/25 17:10
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.79		5/19/25 10:23	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	1.33		5/19/25 10:23	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.884		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	22.9		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.187	J	5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.277		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.724		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	450		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	1.05		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	34.8		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 13:47	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.87	J	5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.416		5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	9.48	J	5/20/25 14:14	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-24
Sample Name: Class I Draw
Date/Time Collected: 5/5/25 17:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-24
Sample Name: Class I Draw
Date/Time Collected: 5/5/25 17:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.8		5/9/25 6:47	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	88.0		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	1.71		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-25
Sample Name: Spring A
Date/Time Collected: 5/5/25 16:10
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	< 0.500		5/19/25 10:42	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	1.24		5/19/25 10:42	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.85		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	28.7		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	0.094	J	5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.048	J	5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.656		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.356		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	1.33		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	1080		5/21/25 13:10	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	1.98		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	22.1		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 13:51	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.48	J	5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	0.045	J	5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	1.44		5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	19.5	J	5/20/25 14:18	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-25
Sample Name: Spring A
Date/Time Collected: 5/5/25 16:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-25
Sample Name: Spring A
Date/Time Collected: 5/5/25 16:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.4		5/9/25 7:11	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	137		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	4.54		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-26
Sample Name: SP-7
Date/Time Collected: 5/5/25 14:40
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.12		5/19/25 11:02	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	5.64		5/19/25 11:02	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.67		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	34.7		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.242	J	5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.420		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.873		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	1150		5/21/25 13:10	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	1.26		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	143		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 14:01	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.86	J	5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.662		5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	13.1	J	5/20/25 14:22	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-26
Sample Name: SP-7
Date/Time Collected: 5/5/25 14:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-26
Sample Name: SP-7
Date/Time Collected: 5/5/25 14:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.9		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	102		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	95.7		5/9/25 7:35	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	139		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	3.62		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-27
Sample Name: LE Seep
Date/Time Collected: 5/5/25 15:20
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.41		5/19/25 12:00	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	5.80		5/19/25 12:00	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.26		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	30.2		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.250	J	5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.229	J	5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.914		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	412		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	1.13		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	58.5		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 14:04	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.87	J	5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.760		5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	7.59	J	5/20/25 14:26	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-27
Sample Name: LE Seep
Date/Time Collected: 5/5/25 15:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-27
Sample Name: LE Seep
Date/Time Collected: 5/5/25 15:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.1		5/9/25 7:59	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	130		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	4.11		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-28
Sample Name: CAO-1
Date/Time Collected: 5/6/25 7:55
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	96.3		5/19/25 12:20	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		5/19/25 16:13	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	163		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	232		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	0.105	J	5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.059	J	5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.118	J	5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	11.9		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.205	J	5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	26800		5/21/25 13:10	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	0.232	J	5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	290		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 14:08	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	39.8		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	0.048	J	5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.703		5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	18.7	J	5/20/25 14:29	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-28
Sample Name: CAO-1
Date/Time Collected: 5/6/25 7:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2025
 Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-28
 Sample Name: CAO-1
 Date/Time Collected: 5/6/25 7:55
 Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	82.1		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	108		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.3		5/9/25 8:23	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	696		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	8.72		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-29
Sample Name: TSP-1
Date/Time Collected: 5/5/25 16:50
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.54		5/19/25 12:39	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	5.52		5/19/25 12:39	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.184	J	5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	39.5		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.102	J	5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	< 0.260		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.056	J	5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.283	J	5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	12.1		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 14:11	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.189	J	5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	12.4	J	5/20/25 14:33	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-29
Sample Name: TSP-1
Date/Time Collected: 5/5/25 16:50
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-29
Sample Name: TSP-1
Date/Time Collected: 5/5/25 16:50
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	95.1		5/9/25 8:47	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/9/25 9:45	B505205	SM 4500 S2-D-2021
TDS	mg/L	232		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	1.06		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-30
Sample Name: MW-6
Date/Time Collected: 5/7/25 10:43
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	13.1		5/19/25 12:59	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	6.50		5/19/25 12:59	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.442		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	46.2		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.482		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.409		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.049	J	5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.348	J	5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	64.5		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	1.80		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	0.302		5/9/25 14:14	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.83	J	5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	0.134	J	5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.173	J	5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	44.7		5/20/25 14:37	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-30
Sample Name: MW-6
Date/Time Collected: 5/7/25 10:43
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-30
Sample Name: MW-6
Date/Time Collected: 5/7/25 10:43
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	95.9		5/9/25 9:11	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	407		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	1.05		5/14/25 8:23	B505294	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-31
Sample Name: MW-689D
Date/Time Collected: 5/7/25 9:32
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.65		5/20/25 9:36	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	10.1		5/20/25 9:36	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	3.43		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	31.3		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.045	J	5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	< 0.260		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.053	J	5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.173	J	5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	395		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	0.523		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	3.75		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 14:17	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.48	J	5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	2.13	J	5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.257	J	5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	13.0	J	5/20/25 14:41	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-31
Sample Name: MW-689D
Date/Time Collected: 5/7/25 9:32
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-31
Sample Name: MW-689D
Date/Time Collected: 5/7/25 9:32
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.8		5/9/25 9:35	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	294		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	< 1.00		5/14/25 8:49	B505295	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-32
Sample Name: NAB-8
Date/Time Collected: 5/7/25 10:08
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.01		5/20/25 9:55	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.71		5/20/25 9:55	B505411	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.950	J	5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	3.25		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	30.6		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	0.093	J	5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.162	J	5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.707		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.104	J	5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	1.50		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	292		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	3.79		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	5.31		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 14:21	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.00	J	5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	2.24	J	5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.955		5/20/25 14:44	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	17.6	J	5/20/25 14:44	B505396	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-32
Sample Name: NAB-8
Date/Time Collected: 5/7/25 10:08
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-32
Sample Name: NAB-8
Date/Time Collected: 5/7/25 10:08
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	99.1		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.4		5/9/25 9:59	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	148		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	6.68		5/14/25 8:49	B505295	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-33
Sample Name: EB-2
Date/Time Collected: 5/7/25 7:35
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	< 0.500		5/20/25 9:16	B505411	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		5/20/25 9:16	B505411	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Barium	ug/L	0.307		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Chromium	ug/L	0.219	J	5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Copper	ug/L	0.205	J	5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Manganese	ug/L	0.681	J	5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/9/25 14:24	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/20/25 15:15	B505396	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-33
Sample Name: EB-2
Date/Time Collected: 5/7/25 7:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-33
Sample Name: EB-2
Date/Time Collected: 5/7/25 7:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	102		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.4		5/9/25 10:23	B505175	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		5/16/25 9:41	B505375	SM 4500-CN B,C,E,G 2021
Sulfide	mg/L	< 0.150		5/12/25 8:11	B505247	SM 4500 S2-D-2021
TDS	mg/L	< 5.00		5/14/25 13:29	B505251	SM 2540 C-2015
TOC	mg/L	< 1.00		5/14/25 8:49	B505295	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505208-34
Sample Name: Trip Blank
Date/Time Collected: 5/8/25 8:13
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00	E5	5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number:		2505208-34				
Sample Name:		Trip Blank				
Date/Time Collected:		5/8/25 8:13				
Sample Matrix:		Water				
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
cis-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E21, E5	5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00	E5	5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00	E5	5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	95.6		5/9/25 10:47	B505175	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

QUALITY CONTROL RESULTS**Volatiles -- Batch: B505174 (Water)**

Prepared: 08-May-25 13:05 By: JB -- Analyzed: 08-May-25 17:56 By: JB

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	90.0%	/ 91.2%	90.6%	/ NA		1.27%	
1,1,1-Trichloroethane	<0.261 ug/L	109%	/ 102%	125%	/ NA		7.09%	
1,1,2,2-Tetrachloroethane	<0.274 ug/L	94.6%	/ 93.3%	91.8%	/ NA		1.40%	
1,1,2-Trichloroethane	<0.210 ug/L	91.4%	/ 90.6%	89.0%	/ NA		0.851%	
1,1-Dichloroethane	<0.248 ug/L	116%	/ 105%	126%	/ NA		9.60%	
1,1-Dichloroethene	<0.303 ug/L	104%	/ 96.5%	120%	/ NA		7.00%	
1,1-Dichloropropene	<0.322 ug/L	106%	/ 98.8%	125%	/ NA		7.13%	
1,2,3-Trichlorobenzene	<0.186 ug/L	90.0%	/ 90.6%	88.3%	/ NA		0.731%	
1,2,3-Trichloropropane	<0.471 ug/L	97.1%	/ 96.8%	94.6%	/ NA		0.293%	
1,2,4- Trimethylbenzene	<0.210 ug/L	90.5%	/ 91.9%	92.3%	/ NA		1.52%	
1,2,4-Trichlorobenzene	<0.139 ug/L	89.9%	/ 90.0%	89.5%	/ NA		0.150%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	91.7%	/ 91.5%	84.5%	/ NA		0.279%	
1,2-Dibromoethane	<0.250 ug/L	92.2%	/ 92.2%	88.4%	/ NA		0.0123%	
1,2-Dichlorobenzene	<0.173 ug/L	89.8%	/ 90.8%	90.6%	/ NA		1.15%	
1,2-Dichloroethane	<0.235 ug/L	94.5%	/ 95.0%	91.9%	/ NA		0.527%	
1,2-Dichloropropane	<0.259 ug/L	93.1%	/ 95.3%	93.1%	/ NA		2.30%	
1,3,5- Trimethylbenzene	<0.237 ug/L	89.8%	/ 91.3%	91.7%	/ NA		1.73%	
1,3-Dichlorobenzene	<0.220 ug/L	89.1%	/ 91.0%	89.4%	/ NA		2.05%	
1,3-Dichloropropane	<0.152 ug/L	90.6%	/ 91.2%	88.2%	/ NA		0.735%	
1,4-Dichlorobenzene	<0.158 ug/L	89.9%	/ 90.3%	89.1%	/ NA		0.381%	
2,2-Dichloropropane	<0.389 ug/L	96.4%	/ 88.8%	67.2%	/ NA		8.17%	
2-Butanone	<0.461 ug/L	108%	/ 98.8%	116%	/ NA		8.87%	
2-Chloroethyl Vinyl Ether	<0.261 ug/L	65.5%	/ 74.2%	85.5%	/ NA		12.4%	
2-Chlorotoluene	<0.298 ug/L	87.7%	/ 89.0%	89.3%	/ NA		1.45%	
2-Hexanone	<0.372 ug/L	87.5%	/ 86.5%	83.7%	/ NA		1.10%	
4-Chlorotoluene	<0.282 ug/L	88.8%	/ 89.8%	89.0%	/ NA		1.13%	
4-Methyl-2-pentanone	<0.281 ug/L	92.4%	/ 90.2%	85.9%	/ NA		2.31%	
Acrolein	<1.00 ug/L	113%	/ 99.2%	122%	/ NA		12.6%	
Acrylonitrile	<0.600 ug/L	114%	/ 103%	121%	/ NA		9.81%	
Benzene	<0.263 ug/L	109%	/ 99.6%	123%	/ NA		8.64%	
Bromobenzene	<0.207 ug/L	90.2%	/ 90.9%	90.6%	/ NA		0.759%	
Bromochloromethane	<0.301 ug/L	109%	/ 102%	120%	/ NA		6.61%	
Bromodichloromethane	<0.195 ug/L	91.2%	/ 90.8%	89.9%	/ NA		0.425%	
Bromoform	<0.278 ug/L	88.6%	/ 89.3%	87.7%	/ NA		0.846%	
Bromomethane	<0.600 ug/L	87.2%	/ 79.2%	102%	/ NA		9.56%	
Carbon disulfide	<0.300 ug/L	102%	/ 95.5%	118%	/ NA		6.81%	
Carbon Tetrachloride	<0.484 ug/L	109%	/ 103%	129%	/ NA		5.66%	
Chlorobenzene	<0.181 ug/L	91.2%	/ 92.1%	92.1%	/ NA		1.01%	
Chloroethane	<0.600 ug/L	85.1%	/ 78.7%	97.0%	/ NA		7.75%	
Chloroform	<0.600 ug/L	110%	/ 100%	124%	/ NA		9.02%	
Chloromethane	<0.300 ug/L	75.2%	/ 66.4%	84.8%	/ NA		12.4%	
cis-1,2-Dichloroethene	<0.290 ug/L	109%	/ 99.5%	122%	/ NA		8.83%	
cis-1,3-Dichloropropene	<0.123 ug/L	89.5%	/ 89.4%	84.9%	/ NA		0.127%	
Dibromochloromethane	<0.202 ug/L	91.7%	/ 91.1%	90.2%	/ NA		0.641%	
Dibromomethane	<0.174 ug/L	92.5%	/ 90.8%	91.4%	/ NA		1.81%	
Dichlorodifluoromethane	<0.266 ug/L	76.4%	/ 72.0%	88.2%	/ NA		5.90%	
Ethylbenzene	<0.274 ug/L	87.5%	/ 89.4%	89.7%	/ NA		2.21%	
Hexachlorobutadiene	<0.247 ug/L	85.3%	/ 86.3%	85.3%	/ NA		1.12%	

06 June 2025



Tom Huetter
 Harbor Environmental & Safety
 5800 Evergreen Dr.
 Little Rock, AR 72205
 Project: NABORS Landfill Sample(s)
 Project Number: May 2025
 Date Received: 08-May-25 08:13

QUALITY CONTROL RESULTS

Volatiles -- Batch: B505174 (Water)

Prepared: 08-May-25 13:05 By: JB -- Analyzed: 08-May-25 17:56 By: JB

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
Isopropylbenzene	<0.274 ug/L	90.3%	/ 91.7%	93.2%	/ NA		1.51%	
m,p-Xylene	<0.500 ug/L	86.1%	/ 88.2%	87.9%	/ NA		2.35%	
Methylene Chloride	<0.600 ug/L	106%	/ 97.1%	117%	/ NA		8.93%	
Methyl-tert-Butyl Ether	<0.166 ug/L	111%	/ 97.3%	96.8%	/ NA		13.1%	
Naphthalene	<0.114 ug/L	88.8%	/ 87.7%	84.8%	/ NA		1.22%	
n-Butylbenzene	<0.174 ug/L	84.3%	/ 86.7%	86.6%	/ NA		2.82%	
n-Propylbenzene	<0.284 ug/L	86.8%	/ 88.6%	88.8%	/ NA		2.12%	
o-Xylene	<0.206 ug/L	88.3%	/ 89.5%	87.8%	/ NA		1.36%	
p-Isopropyltoluene	<0.301 ug/L	88.9%	/ 89.6%	90.2%	/ NA		0.784%	
sec-Butylbenzene	<0.181 ug/L	85.0%	/ 87.5%	88.3%	/ NA		2.88%	
Styrene	<0.175 ug/L	89.7%	/ 91.3%	87.9%	/ NA		1.73%	
tert-Butylbenzene	<0.194 ug/L	89.6%	/ 91.2%	91.6%	/ NA		1.81%	
Tetrachloroethene	<0.268 ug/L	86.7%	/ 88.2%	86.2%	/ NA		1.68%	
Toluene	<0.295 ug/L	88.4%	/ 88.6%	88.4%	/ NA		0.199%	
trans-1,2-Dichloroethene	<0.320 ug/L	106%	/ 98.7%	122%	/ NA		7.61%	
trans-1,3-Dichloropropene	<0.155 ug/L	87.3%	/ 87.9%	81.8%	/ NA		0.706%	
Trichloroethene	<0.306 ug/L	90.6%	/ 89.9%	88.8%	/ NA		0.791%	
Trichlorofluoromethane	<0.423 ug/L	86.3%	/ 79.9%	102%	/ NA		7.72%	
Vinyl chloride	<0.369 ug/L	83.1%	/ 77.8%	98.4%	/ NA		6.65%	
1,2-Dichloroethane-d4 [surr]	103 %	127%	/ 115%	140%	/ NA		NA	
4-Bromofluorobenzene [surr]	98.6 %	100%	/ 99.0%	99.9%	/ NA		NA	
Toluene-d8 [surr]	98.2 %	100%	/ 100%	99.4%	/ NA		NA	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

QUALITY CONTROL RESULTS**Volatiles -- Batch: B505175 (Water)**

Prepared: 08-May-25 13:08 By: JB -- Analyzed: 09-May-25 05:10 By: JB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	96.8% / 92.6%	105% / NA		4.40%	
1,1,1-Trichloroethane	<0.261 ug/L	117% / 113%	110% / NA		3.43%	
1,1,2,2-Tetrachloroethane	<0.274 ug/L	72.2% / 83.3%	83.8% / NA		14.2%	
1,1,2-Trichloroethane	<0.210 ug/L	83.1% / 99.9%	80.7% / NA		18.3%	
1,1-Dichloroethane	<0.248 ug/L	124% / 120%	115% / NA		2.92%	
1,1-Dichloroethene	<0.303 ug/L	115% / 109%	106% / NA		5.20%	
1,1-Dichloropropene	<0.322 ug/L	116% / 113%	111% / NA		2.80%	
1,2,3-Trichlorobenzene	<0.186 ug/L	85.9% / 89.9%	83.6% / NA		4.59%	
1,2,3-Trichloropropane	<0.471 ug/L	88.8% / 94.6%	88.1% / NA		6.36%	
1,2,4-Trimethylbenzene	<0.210 ug/L	108% / 109%	109% / NA		1.47%	
1,2,4-Trichlorobenzene	<0.139 ug/L	90.8% / 95.7%	89.6% / NA		5.25%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	74.8% / 81.5%	73.0% / NA		8.59%	
1,2-Dibromoethane	<0.250 ug/L	84.6% / 100%	79.7% / NA		16.8%	
1,2-Dichlorobenzene	<0.173 ug/L	95.9% / 98.7%	96.4% / NA		2.89%	
1,2-Dichloroethane	<0.235 ug/L	94.9% / 112%	91.6% / NA		16.3%	
1,2-Dichloropropane	<0.259 ug/L	99.1% / 116%	97.6% / NA		15.8%	
1,3,5-Trimethylbenzene	<0.237 ug/L	108% / 111%	110% / NA		2.75%	
1,3-Dichlorobenzene	<0.220 ug/L	99.3% / 102%	100% / NA		2.45%	
1,3-Dichloropropane	<0.152 ug/L	82.9% / 97.8%	79.4% / NA		16.5%	
1,4-Dichlorobenzene	<0.158 ug/L	97.8% / 102%	99.1% / NA		4.01%	
2,2-Dichloropropane	<0.389 ug/L	105% / 75.3%	MBI / NA		32.8%	MBI
2-Butanone	<0.461 ug/L	81.3% / 85.1%	69.4% / NA		4.57%	
2-Chloroethyl Vinyl Ether	<0.261 ug/L	93.7% / 58.3%	76.1% / NA		46.6%	D
2-Chlorotoluene	<0.298 ug/L	103% / 105%	106% / NA		2.26%	
2-Hexanone	<0.372 ug/L	71.1% / 86.6%	65.1% / NA		19.7%	
4-Chlorotoluene	<0.282 ug/L	103% / 105%	104% / NA		2.22%	
4-Methyl-2-pentanone	<0.281 ug/L	72.8% / 89.4%	79.6% / NA		20.4%	
Acrolein	<1.00 ug/L	81.2% / 81.3%	89.7% / NA		0.120%	
Acrylonitrile	<0.600 ug/L	89.9% / 92.1%	81.2% / NA		2.46%	
Benzene	<0.263 ug/L	113% / 110%	106% / NA		3.15%	
Bromobenzene	<0.207 ug/L	99.3% / 103%	102% / NA		3.71%	
Bromochloromethane	<0.301 ug/L	103% / 101%	95.5% / NA		1.94%	
Bromodichloromethane	<0.195 ug/L	92.9% / 108%	89.5% / NA		14.9%	
Bromoform	<0.278 ug/L	83.0% / 79.6%	84.8% / NA		4.24%	
Bromomethane	<0.600 ug/L	94.6% / 91.3%	88.9% / NA		3.55%	
Carbon disulfide	<0.300 ug/L	115% / 109%	105% / NA		4.92%	
Carbon Tetrachloride	<0.484 ug/L	125% / 122%	118% / NA		2.90%	%D2
Chlorobenzene	<0.181 ug/L	102% / 99.1%	112% / NA		2.56%	
Chloroethane	<0.600 ug/L	93.5% / 91.2%	89.1% / NA		2.42%	
Chloroform	<0.600 ug/L	113% / 111%	106% / NA		2.52%	
Chloromethane	<0.300 ug/L	83.8% / 74.3%	73.0% / NA		12.1%	
cis-1,2-Dichloroethene	<0.290 ug/L	112% / 107%	104% / NA		3.90%	
cis-1,3-Dichloropropene	<0.123 ug/L	82.0% / 98.5%	78.7% / NA		18.2%	%D2
Dibromochloromethane	<0.202 ug/L	86.5% / 101%	82.0% / NA		15.9%	
Dibromomethane	<0.174 ug/L	88.3% / 103%	83.8% / NA		15.9%	
Dichlorodifluoromethane	<0.266 ug/L	83.3% / 83.2%	81.1% / NA		0.0720%	
Ethylbenzene	<0.274 ug/L	100% / 96.7%	109% / NA		3.73%	
Hexachlorobutadiene	<0.247 ug/L	89.5% / 92.6%	92.3% / NA		3.48%	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

QUALITY CONTROL RESULTS**Volatiles -- Batch: B505175 (Water)**

Prepared: 08-May-25 13:08 By: JB -- Analyzed: 09-May-25 05:10 By: JB

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
Isopropylbenzene	<0.274 ug/L	112%	/ 113%	115%	/ NA		1.69%	
m,p-Xylene	<0.500 ug/L	98.5%	/ 94.8%	107%	/ NA		3.85%	
Methylene Chloride	<0.600 ug/L	106%	/ 101%	96.3%	/ NA		4.25%	
Methyl-tert-Butyl Ether	<0.166 ug/L	67.7%	/ 77.9%	MBI	/ NA		14.1%	%D2, MBI
Naphthalene	<0.114 ug/L	74.9%	/ 81.8%	73.2%	/ NA		8.87%	
n-Butylbenzene	<0.174 ug/L	96.7%	/ 98.2%	98.8%	/ NA		1.54%	
n-Propylbenzene	<0.284 ug/L	104%	/ 106%	107%	/ NA		2.45%	
o-Xylene	<0.206 ug/L	99.3%	/ 94.9%	107%	/ NA		4.56%	
p-Isopropyltoluene	<0.301 ug/L	104%	/ 106%	106%	/ NA		1.73%	
sec-Butylbenzene	<0.181 ug/L	101%	/ 104%	105%	/ NA		2.75%	
Styrene	<0.175 ug/L	99.2%	/ 96.6%	105%	/ NA		2.60%	
tert-Butylbenzene	<0.194 ug/L	107%	/ 111%	111%	/ NA		3.04%	
Tetrachloroethene	<0.268 ug/L	101%	/ 116%	99.7%	/ NA		13.8%	
Toluene	<0.295 ug/L	98.0%	/ 113%	95.4%	/ NA		13.9%	
trans-1,2-Dichloroethene	<0.320 ug/L	115%	/ 112%	107%	/ NA		2.82%	
trans-1,3-Dichloropropene	<0.155 ug/L	75.2%	/ 90.4%	MBI	/ NA		18.3%	%D2, MBI
Trichloroethene	<0.306 ug/L	112%	/ 123%	98.4%	/ NA		9.56%	%D2
Trichlorofluoromethane	<0.423 ug/L	97.9%	/ 95.1%	93.5%	/ NA		2.96%	
Vinyl chloride	<0.369 ug/L	97.1%	/ 95.1%	92.5%	/ NA		2.07%	
1,2-Dichloroethane-d4 [surr]	103 %	114%	/ 115%	105%	/ NA		NA	
4-Bromofluorobenzene [surr]	100 %	101%	/ 109%	106%	/ NA		NA	
Toluene-d8 [surr]	96.6 %	97.5%	/ 117%	96.8%	/ NA		NA	

Wet Chemistry -- Batch: B505205 (Water)

Prepared: 09-May-25 09:45 By: KJ -- Analyzed: 09-May-25 09:45 By: KJ

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
Sulfide	<0.150 mg/L	97.5%	/ 99.0%	91.5%	/ NA		1.53%	

Total Metals -- Batch: B505207 (Water)

Prepared: 09-May-25 09:42 By: KAW -- Analyzed: 09-May-25 10:27 By: KW

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
Mercury	<0.0610 ug/L	104%	/ NA	99.2%	/ 99.0%		0.216%	

Total Metals -- Batch: B505220 (Water)

Prepared: 09-May-25 11:24 By: KAW -- Analyzed: 09-May-25 13:31 By: KW

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
Mercury	<0.0610 ug/L	109%	/ NA	105%	/ 101%		3.67%	

06 June 2025

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13



QUALITY CONTROL RESULTS

Anions -- Batch: B505246 (Water)

Prepared: 12-May-25 07:30 By: MB -- Analyzed: 12-May-25 17:17 By: MB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Chloride	<0.500 mg/L	100% / NA	106% / 106%		0.227%	
Sulfate as SO4	<0.500 mg/L	98.8% / NA	100% / 99.9%		0.159%	

Wet Chemistry -- Batch: B505247 (Water)

Prepared: 12-May-25 08:11 By: KJ -- Analyzed: 12-May-25 08:11 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Sulfide	<0.150 mg/L	98.5% / 100%	108% / NA		1.51%	

Wet Chemistry -- Batch: B505249 (Water)

Prepared: 12-May-25 09:04 By: ST -- Analyzed: 14-May-25 12:21 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TDS	<5.00 mg/L	90.7% / 94.7%	NA / NA		4.32%	

Wet Chemistry -- Batch: B505251 (Water)

Prepared: 12-May-25 09:38 By: ST -- Analyzed: 14-May-25 13:29 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TDS	<5.00 mg/L	98.0% / 102%	NA / NA		4.00%	

Wet Chemistry -- Batch: B505259 (Water)

Prepared: 12-May-25 12:01 By: ST -- Analyzed: 13-May-25 08:38 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TOC	<1.00 mg/L	106% / NA	102% / 105%		2.17%	

Wet Chemistry -- Batch: B505260 (Water)

Prepared: 12-May-25 12:05 By: ST -- Analyzed: 13-May-25 08:44 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TOC	<1.00 mg/L	106% / NA	97.0% / 99.1%		1.87%	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

QUALITY CONTROL RESULTS**Total Metals -- Batch: B505290 (Water)**

Prepared: 13-May-25 10:05 By: ST -- Analyzed: 16-May-25 11:49 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Antimony	<0.343 ug/L	96.7% / NA	96.8% / 95.9%		0.938%	
Arsenic	<0.052 ug/L	95.2% / NA	100% / 100%		0.203%	
Barium	<0.078 ug/L	96.4% / NA	94.5% / 92.4%		1.17%	
Beryllium	<0.074 ug/L	98.7% / NA	91.9% / 93.4%		1.55%	
Cadmium	<0.038 ug/L	96.4% / NA	98.8% / 98.3%		0.548%	
Chromium	<0.0751 ug/L	99.3% / NA	90.4% / 91.9%		1.64%	
Cobalt	<0.035 ug/L	92.7% / NA	92.6% / 92.5%		0.0641%	
Copper	<0.149 ug/L	95.9% / NA	84.3% / 85.0%		0.827%	
Iron	<13.8 ug/L	104% / NA	87.0% / 78.9%		4.08%	
Lead	<0.115 ug/L	95.2% / NA	92.9% / 92.1%		0.889%	
Manganese	<0.423 ug/L	95.9% / NA	96.7% / 98.6%		1.79%	
Nickel	<0.42 ug/L	99.1% / NA	88.0% / 89.8%		1.91%	
Selenium	<1.50 ug/L	100% / NA	100% / 101%		1.37%	
Silver	<0.099 ug/L	92.1% / NA	94.5% / 93.6%		0.936%	
Thallium	<0.035 ug/L	96.5% / NA	95.2% / 94.7%		0.498%	
Tin	<1.62 ug/L	95.4% / NA	94.7% / 92.6%		2.33%	
Vanadium	<0.042 ug/L	100% / NA	94.3% / 94.9%		0.654%	
Zinc	<4.89 ug/L	97.1% / NA	89.4% / 90.7%		0.354%	

Wet Chemistry -- Batch: B505294 (Water)

Prepared: 13-May-25 13:16 By: ST -- Analyzed: 14-May-25 08:23 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TOC	<1.00 mg/L	107% / NA	108% / 108%		0.164%	

Wet Chemistry -- Batch: B505295 (Water)

Prepared: 13-May-25 13:21 By: ST -- Analyzed: 14-May-25 08:49 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TOC	<1.00 mg/L	107% / NA	113% / 112%		0.911%	

Wet Chemistry -- Batch: B505307 (Water)

Prepared: 14-May-25 09:44 By: KJ -- Analyzed: 14-May-25 09:44 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Cyanide (total)	<0.010 mg/L	97.0% / 95.0%	99.0% / NA		2.08%	

Wet Chemistry -- Batch: B505375 (Water)

Prepared: 16-May-25 09:41 By: KJ -- Analyzed: 16-May-25 09:41 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Cyanide (total)	<0.010 mg/L	96.0% / 91.0%	93.0% / NA		5.35%	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

QUALITY CONTROL RESULTS

Total Metals -- Batch: B505396 (Water)

Prepared: 16-May-25 12:35 By: ST -- Analyzed: 20-May-25 13:33 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	93.7% / NA	94.3% / 94.6%		0.383%	
Arsenic	<0.052 ug/L	92.6% / NA	97.1% / 97.0%		0.0543%	
Barium	<0.078 ug/L	94.1% / NA	90.7% / 91.3%		0.376%	
Beryllium	<0.074 ug/L	91.2% / NA	89.4% / 91.5%		2.36%	
Cadmium	<0.038 ug/L	93.1% / NA	96.7% / 96.8%		0.156%	
Chromium	<0.0751 ug/L	91.8% / NA	79.0% / 79.6%		0.764%	
Cobalt	<0.035 ug/L	90.5% / NA	92.8% / 92.4%		0.390%	
Copper	<0.149 ug/L	91.7% / NA	90.8% / 91.6%		0.885%	
Iron	<13.8 ug/L	104% / NA	62.4% / 130%		3.55%	%D1
Lead	<0.115 ug/L	92.4% / NA	88.7% / 90.4%		1.25%	
Manganese	<0.423 ug/L	94.4% / NA	96.5% / 95.7%		0.744%	
Nickel	<0.42 ug/L	94.8% / NA	94.4% / 94.6%		0.200%	
Selenium	<1.50 ug/L	91.8% / NA	79.6% / 79.4%		0.201%	
Silver	<0.099 ug/L	90.2% / NA	93.5% / 93.6%		0.103%	
Thallium	<0.035 ug/L	95.8% / NA	94.8% / 96.0%		1.28%	
Tin	<1.62 ug/L	94.8% / NA	90.3% / 92.0%		1.78%	
Vanadium	<0.042 ug/L	96.3% / NA	90.4% / 96.3%		6.30%	
Zinc	<4.89 ug/L	99.9% / NA	91.6% / 91.6%		0.00984%	

Anions -- Batch: B505410 (Water)

Prepared: 17-May-25 10:01 By: MB -- Analyzed: 17-May-25 17:40 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Chloride	<0.500 mg/L	96.4% / NA	98.9% / 97.7%		0.448%	
Sulfate as SO4	<0.500 mg/L	98.2% / NA	99.4% / 100%		0.467%	

Anions -- Batch: B505411 (Water)

Prepared: 19-May-25 07:17 By: MB -- Analyzed: 19-May-25 15:54 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Chloride	<0.500 mg/L	95.8% / NA	101% / 99.2%		1.31%	
Sulfate as SO4	<0.500 mg/L	99.7% / NA	109% / 106%		1.14%	

QUALIFIER(S)

- *%D1: Matrix Spike and/or Matrix Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
- *%D2: Laboratory Control Spike and/or Laboratory Control Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
- *D: RPD Value Does Not Meet Laboratory Acceptance Criteria
- *E20: Estimated Result Due to Matrix Spike and/or Matrix Spike Duplicate Failure; This sample was used as the "parent sample" in MS/MSD prep.
- *E21: Estimated Result; This Analyte failed (low) in the CCV.
- *E5: Estimated Result Due to Quality Control Failure
- *J: Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- *MBI: Masked By Interference

06 June 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

All Analysis performed according to EPA approved methodology when available :
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

A handwritten signature in blue ink, reading "Norma James", is positioned above a horizontal line.

Reviewed by:

Norma James
Technical Director



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION				Project Description		Turnaround Time		Preservation Codes:																									
Harbor Environmental & Safety				NABORS Landfill		1 Day (100%)		1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination																			
5800 Evergreen Dr.						2 Day (50%)		2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid(HCl)																			
Little Rock, AR 72205				Reporting Information		3 Day (25%)		3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12																			
Attn: Tom Huetter				Telephone: 501-663-8800		5 Day (Routine)		TEST PARAMETERS										Bottle Type Code															
				Email: thuetter@harborenv.com		Preservative Code:		1,5	1	1,6	1,6,Zn Acetate	1,5	1,3				G = Glass; P = Plastic																
						Bottle Type:		GV	P	P	P	GV	P				V = Septum; A = Amber																
Sampler(s) Signature				Sampler(s) Printed				Volatiles										Chloride, Sulfate, TDS		Cyanide		Sulfide		TOC		ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg		Arkansas Analytical Work Order Number: 25052078					
Field Number		SAMPLE COLLECTION		Grab		Comp		Number of Bottles		Sample Matrix		IDENTIFICATION/ DESCRIPTION																					
		Date/s Time/s																															
MW-5		5/6/25 1601		X				9		Water												X		X		X		X		X		01	
MW-4		5/6/25 1515		X				9		Water												X		X		X		X		X		02	
MW-2		5/6/25 1325		X				9		Water												X		X		X		X		X		03	
MW-3		5/6/25 1415		X				9		Water												X		X		X		X		X		04	
MW-632D		5/7/25 0957		X				9		Water												X		X		X		X		X		05	
NAB-4		5/7/25 0915		X				9		Water												X		X		X		X		X		06	
NE-2		5/7/25 0830		X				9		Water												X		X		X		X		X		07	
MW-1R		5/7/25 1200		X				9		Water												X		X		X		X		X		08	
MW-509D		5/7/25 0821		X				9		Water												X		X		X		X		X		09	
MW-509D sup		5/7/25 0821		X				9		Water												X		X		X		X		X		10	
1. Relinquished by: (Signature)				Date/Time				2. Received by: (Signature)				SAMPLE CONDITION UPON RECEIPT IN LAB										REMARKS / SAMPLE COMMENTS											
				5/8/25 813								1. CUSTODY SEALS: ☒ Yes ___ No																					
												2. CONTAINERS CORRECT: ☒ Yes ___ No																					
												3. COC/LABELS AGREE: ☒ Yes ___ No																					
3. Relinquished by: (Signature)				Date/Time				4. Received by lab: (Signature)				4. RECEIVED ON ICE: ☒ Yes ___ No																					
												5. TEMPERATURE ON RECEIPT: 6 °C																					
												6. TEMPERATURE GUN ID: HHT# 6																					
FOR COMPLETION BY LAB ONLY																																	



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION				Project Description				Turnaround Time		Preservation Codes:										
Harbor Environmental & Safety				NABORS Landfill				1 Day (100%)	1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination					
5800 Evergreen Dr.								2 Day (50%)	2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid(HCl)					
Little Rock, AR 72205				Reporting Information				3 Day (25%)	3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12					
				Telephone: 501-663-8800				5 Day (Routine)	TEST PARAMETERS										Bottle Type Code	
Attn: Tom Huetter				Email: thuetter@harcorenv.com				Preservative Code:	1,5	1	1,6	1,6,Zn Acetate	1,5	1,3					G = Glass; P = Plastic	
								Bottle Type:	GV	P	P	P	GV	P				V = Septum; A = Amber		
Sampler(s) Signature				Sampler(s) Printed														Arkansas Analytical Work Order Number:		
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICPMS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg						
NE-6	5/6/25	1135	X		9	Water			X	X	X	X	X	X				11		
EV3-1	5/5/25	1735	X		9	Water			X	X	X	X	X	X				12		
CAO-2	5/6/25	1251	X		9	Water			X	X	X	X	X	X				13		
MW-577	5/6/25	1720	X		9	Water			X	X	X	X	X	X				14		
NAB-3	5/6/25	1647	X		9	Water			X	X	X	X	X	X				15		
CAO-3	5/6/25	1412	X		9	Water			X	X	X	X	X	X				16		
NE-3	5/6/25	1455	X		9	Water			X	X	X	X	X	X				17		
NE-3 sp13	5/6/25	1929	X		9	Water			X	X	X	X	X	X				18		
MW-1	5/7/25	1124	X		9	Water			X	X	X	X	X	X				19		
MW-1 Dup	5/7/25	1124	X		9	Water			X	X	X	X	X	X				20		
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS					
			5/6/25						1. CUSTODY SEALS: ☒ Yes ___ No											
			613						2. CONTAINERS CORRECT: ☒ Yes ___ No											
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			3. COC/LABELS AGREE: ☒ Yes ___ No											
									4. RECEIVED ON ICE: ___ Yes ___ No											
									5. TEMPERATURE ON RECEIPT: 6 °C											
									6. TEMPERATURE GUN ID: HHT# 6											
FOR COMPLETION BY LAB ONLY																				



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION				Project Description		Turnaround Time		Preservation Codes:											
Harbor Environmental & Safety				NABORS Landfill		1 Day (100%)		1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination					
5800 Evergreen Dr.						2 Day (50%)		2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid(HCl)					
Little Rock, AR 72205				Reporting Information		3 Day (25%)		3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12					
Attn: Tom Huetter				Telephone: 501-663-8800		5 Day (Routine)		TEST PARAMETERS										Bottle Type Code	
				Email: thuetter@harborenv.com		Preservative Code:		1,5	1	1,6	1,6,Zn Acetate	1,5	1,3				G = Glass; P = Plastic		
						Bottle Type:		GV	P	P	P	GV	P				V = Septum; A = Amber		
Sampler(s) Signature				Sampler(s) Printed														Arkansas Analytical Work Order Number:	
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS 6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg					
	Date/s	Time/s																	
NAB-7	5/6/25	0925	X		9	Water		X	X	X	X	X	X				21		
TSP-4	5/5/25	1800	X		9	Water		X	X	X	X	X	X				22		
MW-7	5/6/25	0842	X		9	Water		X	X	X	X	X	X				23		
Class I Dm	5/5/25	1710	X		9	Water		X	X	X	X	X	X				24		
Spring 4	5/5/25	1610	X		9	Water		X	X	X	X	X	X				25		
SP-7	5/5/25	1449	X		9	Water		X	X	X	X	X	X				26		
LG Seep	5/5/25	1520	X		9	Water		X	X	X	X	X	X				27		
CAT-1	5/6/25	0755	X		9	Water		X	X	X	X	X	X				28		
TSP-1	5/5/25	1650	X		9	Water		X	X	X	X	X	X				29		
MW-6	5/7/25	1043	X		9	Water		X	X	X	X	X	X				30		
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS				
			5/8/25						1. CUSTODY SEALS: Yes ☒ No ☐										
			813						2. CONTAINERS CORRECT: Yes ☐ No ☐										
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			3. COC/LABELS AGREE: Yes ☐ No ☐										
									4. RECEIVED ON ICE: Yes ☐ No ☐										
									5. TEMPERATURE ON RECEIPT: 6 °C										
									6. TEMPERATURE GUN ID: HHT# 6										
FOR COMPLETION BY LAB ONLY																			



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:											
Harbor Environmental & Safety			NABORS Landfill			1 Day (100%)		1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination					
5800 Evergreen Dr.						2 Day (50%)		2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid(HCl)					
Little Rock, AR 72205			Reporting Information			3 Day (25%)		3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12					
Attn: Tom Huetter			Telephone: 501-663-8800			5 Day (Routine)		TEST PARAMETERS										Bottle Type Code	
			Email: thuetter@harborenv.com			Preservative Code:		1,5	1	1,6	1,6,Zn Acetate	1,5	1,3				G = Glass; P = Plastic		
						Bottle Type:		GV	P	P	P	GV	P				V = Septum; A = Amber		
Sampler(s) Signature			Sampler(s) Printed															Arkansas Analytical Work Order Number:	
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg					
MW-6890	5/7/25	0932	X		9	Water			X	X	X	X	X	X		2505208			
NAB-8	5/7/25	1008	X		9	Water			X	X	X	X	X	X		31			
Leachate	5/7/25	1011	X		9	Water			X	X	X	X	X	X		32			
Leachate Dup	5/7/25	1011	X		9	Water			X	X	X	X	X	X					
EB-2	5/7/25	0735	X		9	Water			X	X	X	X	X	X		33			
*Trip Blank Lab	Lab	Lab	X		9	Water			X	X	X	X	X	X		-34			
			X		9	Water			X	X	X	X	X	X					
			X		9	Water			X	X	X	X	X	X					
			X		9	Water			X	X	X	X	X	X					
			X		9	Water			X	X	X	X	X	X					
Trip Blank added by lab - per sample containers received - 5/8/25			X		9	Water			X	X	X	X	X	X					
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS				
			5/8/25						1. CUSTODY SEALS: Yes ___ No ___						*Lab removed leachates from CUC - leachates have a separate set of analyses + CUC - will be reported separately - 5/7/25 - (50)				
			613						2. CONTAINERS CORRECT: Yes ___ No ___										
									3. COC/LABELS AGREE: Yes ___ No ___										
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			4. RECEIVED ON ICE: Yes ___ No ___										
									5. TEMPERATURE ON RECEIPT: 6 °C										
									6. TEMPERATURE GUN ID: HHT# 6										
									FOR COMPLETION BY LAB ONLY						*Lab added last samples according to bottles rec'd & time & date listed on 5/8/25				



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

22 May 2025

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205

Project: NABORS Landfill Leachate Sample(s)

Project Number: May 2025

SDG Number: 2505209

Enclosed are the results of analyses for samples received by the laboratory on 08-May-25 08:13. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Received On Ice	✓
Temperature on Receipt	5.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

22 May 2025

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Leachate Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13



CASE NARRATIVE

Sample Delivery Group – 2505209

One OR more of the qualifiers described below may appear in this report. Qualifiers in RED apply to this SDG (Sample Delivery Group).

FLASHPOINT QUALIFIER:

<u>Qualifier</u>	<u>Description</u>
DF	Sample DID FLASH below method required temperature of 60 degrees C or 140 degrees F.
DNF	Sample DID NOT FLASH at or below method required temperature of 100 degrees C or 212 degrees F.

pH QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E2	Result qualified as it was received and analyzed outside of holding time. Analysis is considered a "Field" analysis.

22 May 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Leachate Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505209-01
Sample Name: Leachate
Date/Time Collected: 5/7/25 10:41
Sample Matrix: Leachate

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Arsenic	ug/L	2.91		5/20/25 15:19	B505396	EPA 200.8, Rev. 5.4(1994)
Cadmium	ug/L	< 0.260		5/20/25 15:19	B505396	EPA 200.8, Rev. 5.4(1994)
Chromium	ug/L	0.629		5/20/25 15:19	B505396	EPA 200.8, Rev. 5.4(1994)
Copper	ug/L	1.84		5/20/25 15:19	B505396	EPA 200.8, Rev. 5.4(1994)
Lead	ug/L	< 0.416		5/20/25 15:19	B505396	EPA 200.8, Rev. 5.4(1994)
Mercury	ug/L	< 0.200		5/9/25 14:27	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	7.14		5/20/25 15:19	B505396	EPA 200.8, Rev. 5.4(1994)
Phosphorus	mg/L	< 0.094		5/19/25 13:54	B505401	EPA 200.7, Rev 4.4 (1994)
Zinc	ug/L	27.0		5/20/25 15:19	B505396	EPA 200.8, Rev. 5.4(1994)
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Ammonia as N	mg/L	27.1		5/14/25 8:14	B505302	SM 4500-NH3 B,D,C-2021/EPA 360.1
Cyanide (total)	mg/L	< 0.010		5/21/25 8:05	B505484	SM 4500-CN B,C,E,G 2021
Flashpoint	°C	Did Not Flash	DNF*	5/12/25 8:16	B505224	SW 1020C, 2018
Oil and Grease	mg/L	< 4.95		5/14/25 15:59	B505300	EPA1664 Mod, Rev. B 2010
pH	S.U.	6.44	E2	5/9/25 15:45	B505299	SM 4500-H+ B-2021
Temp of pH	°C	20.1		5/9/25 15:45	B505299	SM 2550 B-2010

22 May 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Leachate Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

ANALYTICAL RESULTS

Lab Number: 2505209-02
Sample Name: Leachate Duplicate
Date/Time Collected: 5/7/25 10:41
Sample Matrix: Leachate

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Arsenic	ug/L	2.94		5/20/25 15:22	B505396	EPA 200.8, Rev. 5.4(1994)
Cadmium	ug/L	< 0.260		5/20/25 15:22	B505396	EPA 200.8, Rev. 5.4(1994)
Chromium	ug/L	0.658		5/20/25 15:22	B505396	EPA 200.8, Rev. 5.4(1994)
Copper	ug/L	1.88		5/20/25 15:22	B505396	EPA 200.8, Rev. 5.4(1994)
Lead	ug/L	< 0.416		5/20/25 15:22	B505396	EPA 200.8, Rev. 5.4(1994)
Mercury	ug/L	< 0.200		5/9/25 14:31	B505220	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	7.04		5/20/25 15:22	B505396	EPA 200.8, Rev. 5.4(1994)
Phosphorus	mg/L	< 0.094		5/19/25 13:55	B505401	EPA 200.7, Rev 4.4 (1994)
Zinc	ug/L	28.4		5/20/25 15:22	B505396	EPA 200.8, Rev. 5.4(1994)
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Ammonia as N	mg/L	27.0		5/14/25 8:14	B505302	SM 4500-NH3 B,D,C-2021/EPA 360.1
Cyanide (total)	mg/L	< 0.010		5/21/25 8:05	B505484	SM 4500-CN B,C,E,G 2021
Flashpoint	°C	Did Not Flash	DNF*	5/12/25 8:16	B505224	SW 1020C, 2018
Oil and Grease	mg/L	< 4.95		5/14/25 15:59	B505300	EPA1664 Mod, Rev. B 2010
pH	S.U.	6.54	E2	5/9/25 15:45	B505299	SM 4500-H+ B-2021
Temp of pH	°C	20.2		5/9/25 15:45	B505299	SM 2550 B-2010

22 May 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Leachate Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

QUALITY CONTROL RESULTS

Total Metals -- Batch: B505220 (Water)

Prepared: 09-May-25 11:24 By: KAW -- Analyzed: 09-May-25 13:31 By: KW

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Mercury	<0.200 ug/L	109% / NA	105% / 101%		3.67%	

Wet Chemistry -- Batch: B505224 (Water)

Prepared: 09-May-25 12:54 By: CNW -- Analyzed: 12-May-25 08:16 By: CNW

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Flashpoint	NA	Ignitable / Ignitable	NA / NA		0.00%	Pass1

Wet Chemistry -- Batch: B505299 (Water)

Prepared: 09-May-25 15:45 By: CGF -- Analyzed: 09-May-25 15:45 By: CGF

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
pH	NA	101% / 101%	NA / NA		0.00%	

Wet Chemistry -- Batch: B505300 (Water)

Prepared: 13-May-25 15:30 By: CL -- Analyzed: 14-May-25 15:59 By: CL

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Oil and Grease	<5.00 mg/L	84.1% / 86.0%	91.5% / NA		2.22%	

Wet Chemistry -- Batch: B505302 (Water)

Prepared: 14-May-25 08:14 By: KJ -- Analyzed: 14-May-25 08:14 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Ammonia as N	<0.500 mg/L	92.5% / NA	91.1% / 91.2%		0.0530%	

Total Metals -- Batch: B505396 (Water)

Prepared: 16-May-25 12:35 By: ST -- Analyzed: 20-May-25 13:33 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Arsenic	<0.260 ug/L	92.6% / NA	97.1% / 97.0%		0.0543%	
Cadmium	<0.260 ug/L	93.1% / NA	96.7% / 96.8%		0.156%	
Chromium	<0.260 ug/L	91.8% / NA	79.0% / 79.6%		0.764%	
Copper	<0.520 ug/L	91.7% / NA	90.8% / 91.6%		0.885%	
Lead	<0.416 ug/L	92.4% / NA	88.7% / 90.4%		1.25%	
Nickel	<1.56 ug/L	94.8% / NA	94.4% / 94.6%		0.200%	
Zinc	<20.8 ug/L	99.9% / NA	91.6% / 91.6%		0.00984%	

22 May 2025



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Leachate Sample(s)
Project Number: May 2025
Date Received: 08-May-25 08:13

QUALITY CONTROL RESULTS

Total Metals -- Batch: B505401 (Water)

Prepared: 16-May-25 14:38 By: JY -- Analyzed: 19-May-25 13:51 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Phosphorus	<0.094 mg/L	93.8% / NA	103% / 104%		0.916%	

Wet Chemistry -- Batch: B505484 (Water)

Prepared: 21-May-25 08:05 By: KJ -- Analyzed: 21-May-25 08:05 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Cyanide (total)	<0.010 mg/L	97.0% / 106%	97.0% / NA		8.87%	

QUALIFIER(S)

DNF: Sample DID NOT FLASH at or below method required temperature of 100 degrees C or 212 degrees F.
*E2: Estimated Result; Analyzed Outside of Holding Time
*Pass1: Quality Control Meets Lab Acceptability Requirements

All Analysis performed according to EPA approved methodology when available:

SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.

Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

A handwritten signature in blue ink, reading "Norma James", is positioned above a horizontal line.

Reviewed by:


Norma James
Technical Director



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:												
Harbor Environmental & Safety			NABORS Landfill			1 Day (100%)		1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination						
5800 Evergreen Dr.						2 Day (50%)		2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid (HCl)						
Little Rock, AR 72205			Reporting Information			3 Day (25%)		3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12						
Attn: Tom Huetter			Telephone: 501-663-8800			5 Day (Routine)		TEST PARAMETERS										Bottle Type Code		
			Email: thuetter@harborenv.com			Preservative Code:		1,5	1	1,6	1,6,Zn Acetate	1,5	1,3				G = Glass, P = Plastic			
						Bottle Type:		GV	P	P	P	GV	P				V = Septum; A = Amber			
Sampler(s) Signature			Sampler(s) Printed					Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg				Arkansas Analytical Work Order Number:			
Field Number	SAMPLE COLLECTION Date/s Time/s		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION											2505209		
MW-6890	5/7/25	0932	X		9	Water			X	X	X	X	X	X						
NAB-5	5/7/25	1008	X		9	Water			X	X	X	X	X	X						
Leachate	5/7/25	1041 *	X		9	Water			X	X	X	X	X	X				01		
Leachate Dup	5/7/25	1041 *	X		9	Water			X	X	X	X	X	X				02		
			X		9	Water			X	X	X	X	X	X						
			X		9	Water			X	X	X	X	X	X						
			X		9	Water			X	X	X	X	X	X						
			X		9	Water			X	X	X	X	X	X						
			X		9	Water			X	X	X	X	X	X						
			X		9	Water			X	X	X	X	X	X						
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS					
			5/8/25						1. CUSTODY SEALS: Yes ☒ No ☐						* See attached CUC for correct leachate parameters to be analyzed - 5/9/25-(81)					
			613						2. CONTAINERS CORRECT: Yes ☒ No ☐											
									3. COC/LABELS AGREE: Yes ☒ No ☐											
									4. RECEIVED ON ICE: Yes ☒ No ☐											
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			5. TEMPERATURE ON RECEIPT: °C											
									6. TEMPERATURE GUN ID: HHT#											
FOR COMPLETION BY LAB ONLY																				




CLIENT INFORMATION			Project Description			Turnaround Time			Preservation Codes:											
Harbor Environmental & Safety			NABORS Landfill			1 Day (100%)			1. Cool, 6 Degrees Centigrade					4. Thiosulfate for Dechlorination						
5800 Evergreen Dr.			Leachate Sample			2 Day (50%)			2. Sulfuric Acid (H ₂ SO ₄), pH < 2					5. Hydrochloric Acid(HCl)						
Little Rock, AR 72205			Reporting Information			3 Day (25%)			3. Nitric Acid (HNO ₃), pH < 2					6. Sodium Hydroxide (NaOH), pH > 12						
Attn: Tom Huetter			Telephone: 501-663-8800			5 Day (Routine)			TEST PARAMETERS										Bottle Type Code	
			Email: thuetter@harborenv.com			Preservative Code:			1	1,2	1,6	1,2	1,3				G = Glass; P = Plastic			
						Bottle Type:			P	P	P	GA	P				V = Septum; A = Amber			
Sampler(s) Signature			Sampler(s) Printed																	
Field Number	SAMPLE COLLECTION Date/s Time/s		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION	Flashpoint, pH	Ammonia	Cyanide	Oil and Grease	P (200.7), Hg	200.8-(As, Cd, Cr, Cu, Pb, Ni, Zn)				Arkansas Analytical Work Order Number:			
Leachate	5-7-25 1041		X		5	Liquid	Leachate	X	X	X	X	X					01			
Leachate Dup	5-7-25 1041		X		5	Liquid	Leachate Duplicate	X	X	X	X	X					02			

Appendix C

Statistical Plots


Page Intentionally Blank

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Arsenic Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series



Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series



Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Hollow symbols indicate censored values.

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Barium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cadmium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series



Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series



Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Hollow symbols indicate censored values.

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloride Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:35 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chromium Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Cobalt Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Copper Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Iron Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Lead Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Manganese Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:36 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Mercury Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Nickel Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Sulfate Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Sulfate Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Thallium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vanadium Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series



Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series



Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Hollow symbols indicate censored values.


Time Series



Constituent: Zinc Analysis Run 6/27/2025 8:37 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Hollow symbols indicate censored values.

Time Series




Constituent: Zinc Analysis Run 6/27/2025 8:38 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Constituent: Zinc Analysis Run 6/27/2025 8:38 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05











Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05












Constituent: Barium Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Barium Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Barium Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Barium Analysis Run 6/27/2025 8:40 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cadmium Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Chloride Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Chloride Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05








Constituent: Chloride Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chloride Analysis Run 6/27/2025 8:41 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05









Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05








Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chromium Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05









Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05











Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05











Constituent: Cobalt Analysis Run 6/27/2025 8:42 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

















Constituent: Copper Analysis Run 6/27/2025 8:43 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Copper Analysis Run 6/27/2025 8:43 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05











Constituent: Copper Analysis Run 6/27/2025 8:43 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05











Constituent: Copper Analysis Run 6/27/2025 8:43 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05









































Constituent: Manganese Analysis Run 6/27/2025 8:44 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Manganese Analysis Run 6/27/2025 8:44 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Manganese Analysis Run 6/27/2025 8:44 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Manganese Analysis Run 6/27/2025 8:44 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Manganese Analysis Run 6/27/2025 8:44 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Manganese Analysis Run 6/27/2025 8:44 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05








Constituent: Manganese Analysis Run 6/27/2025 8:44 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Manganese Analysis Run 6/27/2025 8:44 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05









Constituent: Nickel Analysis Run 6/27/2025 8:45 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Nickel Analysis Run 6/27/2025 8:45 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05








Constituent: Nickel Analysis Run 6/27/2025 8:45 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Nickel Analysis Run 6/27/2025 8:45 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05









Constituent: Nickel Analysis Run 6/27/2025 8:45 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Nickel Analysis Run 6/27/2025 8:45 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Nickel Analysis Run 6/27/2025 8:45 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Nickel Analysis Run 6/27/2025 8:45 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Sulfate Analysis Run 6/27/2025 8:45 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Sulfate Analysis Run 6/27/2025 8:46 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05











Constituent: Sulfate Analysis Run 6/27/2025 8:46 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05











Constituent: Sulfate Analysis Run 6/27/2025 8:46 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05























Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05







Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05











Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05






Constituent: Vanadium Analysis Run 6/27/2025 8:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05










EPA 1989 Outlier Screening

CAO-2




n = 48
Statistical outlier is drawn as solid.
Mean 6.385, std. dev. 16.55, critical Tn 2.94.
After removing suspect data: mean 4.18, std. dev. 6.452, Tn 2.931.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9699
Critical = 0.946 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Arsenic Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-1R




n = 25
Statistical outlier is drawn as solid.
Mean 83.28, std. dev. 36.92, critical Tn 2.663.
After removing suspect data: mean 86.63, std. dev. 33.6, Tn 2.644.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9511
Critical = 0.916
The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: Arsenic Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NAB-4




n = 44
Statistical outlier is drawn as solid.
Mean 6.884, std. dev. 5.631, critical Tn 2.905.
After removing suspect data: mean 7.143, std. dev. 5.597, Tn 2.896.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9538
Critical = 0.943 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Arsenic Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


CAO-1



n = 49
Statistical outliers are drawn as solid.
Mean 218.4, std. dev. 59.63, critical Tn 2.948.
After removing suspect data: mean 225.6, std. dev. 49.25, Tn 2.931; mean 229.1, std. dev. 43.31, Tn 2.923; mean 232.3, std. dev. 38.07, Tn 2.914.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9713
Critical = 0.945
The distribution, after removal of suspect values, was found to be normally distributed.


Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening



Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


EPA 1989 Outlier Screening



Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NE-3



n = 25

Statistical outliers are drawn as solid.

Mean 123.5, std. dev. 35.39, critical Tn 2.663.

After removing suspect data: mean 126.6, std. dev. 29.15, Tn 2.644.

Normality test used: Shapiro Wilk@alpha = 0.05

Calculated = 0.9436

Critical = 0.916


The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NE-4



n = 12

Statistical outliers are drawn as solid.

Mean 32.04, std. dev. 5.245, critical Tn 2.285.

After removing suspect data: mean 30.68, std. dev. 2.42, Tn 2.234.

Normality test used: Shapiro Wilk@alpha = 0.05

Calculated = 0.9698

Critical = 0.95


The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: Barium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-509D



n = 46

Statistical outliers are drawn as solid.

Mean 6.614, std. dev. 6.321, critical Tn 2.923.

After removing suspect data: mean 5.994, std. dev. 4.062, Tn 2.914; mean 5.551, std. dev. 3.385, Tn 2.905; mean 5.215, std. dev. 2.577, Tn 2.896; mean 4.934, std. dev. 1.826, Tn 2.887; mean 4.762, std. dev. 1.463, Tn 2.877; mean 4.606, std. dev. 1.083, Tn 2.866.

Normality test used: Shapiro Wilk@alpha = 0.05

Calculated = 0.9467

Critical = 0.94


The distribution, after removal of suspect values, was found to be normally distributed.

Constituent: Cadmium Analysis Run 6/27/2025 9:47 AM View: NABORS_GW_Database_Thru_2025-05

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-577



n = 44

Statistical outliers are drawn as solid.

Mean 2.284, std. dev. 1.336, critical Tn 2.905.

After removing suspect data: mean 2.14, std. dev. 0.9492, Tn 2.896; mean 2.041, std. dev. 0.7006, Tn 2.887; mean 1.967, std. dev. 0.5134, Tn 2.877.

Normality test used: Shapiro Wilk@alpha = 0.05

Calculated = 0.9696

Critical = 0.941


The distribution, after removal of suspect values, was found to be normally distributed.

Constituent: Chloride Analysis Run 6/27/2025 9:48 AM View: NABORS_GW_Database_Thru_2025-05

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

MW-689D



n = 44

Statistical outlier is drawn as solid.

Mean 2.498, std. dev. 1.096, critical Tn 2.905.

After removing suspect data: mean 2.386, std. dev. 0.8172, Tn 2.896.

Normality test used: Shapiro Wilk@alpha = 0.05

Calculated = 0.9492

Critical = 0.943 (after natural log transformation)


The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Chloride Analysis Run 6/27/2025 9:48 AM View: NABORS_GW_Database_Thru_2025-05

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NAB-3



n = 46

Statistical outlier is drawn as solid.

Mean 5.358, std. dev. 7.249, critical Tn 2.923.

After removing suspect data: mean 4.344, std. dev. 2.313, Tn 2.914.

Normality test used: Shapiro Wilk@alpha = 0.05

Calculated = 0.9629

Critical = 0.945 (after natural log transformation)


The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Chloride Analysis Run 6/27/2025 9:49 AM View: NABORS_GW_Database_Thru_2025-05

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NAB-8



n = 36

Statistical outlier is drawn as solid.

Mean 1.951, std. dev. 0.5587, critical Tn 2.823.

After removing suspect data: mean 1.991, std. dev. 0.4293, Tn 2.811.

Normality test used: Shapiro Wilk@alpha = 0.05

Calculated = 0.969

Critical = 0.934 (after natural log transformation)


The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Chloride Analysis Run 6/27/2025 9:49 AM View: NABORS_GW_Database_Thru_2025-05

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NE-6



n = 25

Statistical outliers are drawn as solid.

Mean 2.271, std. dev. 0.4841, critical Tn 2.663.

After removing suspect data: mean 2.206, std. dev. 0.3761, Tn 2.644; mean 2.153, std. dev. 0.2667, Tn 2.624.

Normality test used: Shapiro Wilk@alpha = 0.05

Calculated = 0.9794

Critical = 0.914


The distribution, after removal of suspect values, was found to be normally distributed.

Constituent: Chloride Analysis Run 6/27/2025 9:49 AM View: NABORS_GW_Database_Thru_2025-05

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


MW-1R



Constituent: Chromium Analysis Run 6/27/2025 9:49 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


MW-1R



Constituent: Cobalt Analysis Run 6/27/2025 9:50 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


NE-4



Constituent: Cobalt Analysis Run 6/27/2025 9:50 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


EPA 1989 Outlier Screening

CAO-1




Constituent: Iron Analysis Run 6/27/2025 9:51 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Iron Analysis Run 6/27/2025 9:51 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Iron Analysis Run 6/27/2025 9:52 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening



Constituent: Lead Analysis Run 6/27/2025 9:52 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


EPA 1989 Outlier Screening



Constituent: Manganese Analysis Run 6/27/2025 9:53 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NAB-7




n = 46
Statistical outlier is drawn as solid.
Mean 17.04, std. dev. 38.27, critical Tn 2.923.
After removing suspect data: mean 11.86, std. dev. 15.41, Tn 2.914.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9485
Critical = 0.945 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Manganese Analysis Run 6/27/2025 9:54 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NE-2




n = 25
Statistical outlier is drawn as solid.
1 value manually flagged as an outlier.
Mean 65.44, std. dev. 60.49, critical Tn 2.663.
After removing suspect data: mean 68.09, std. dev. 60.3, Tn 2.644.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9707
Critical = 0.914 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Manganese Analysis Run 6/27/2025 9:54 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening

NE-6




n = 25
Statistical outlier is drawn as solid.
Mean 8.888, std. dev. 9.095, critical Tn 2.663.
After removing suspect data: mean 9.357, std. dev. 9.097, Tn 2.644.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9623
Critical = 0.916 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Manganese Analysis Run 6/27/2025 9:54 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


NE-4



n = 12
Statistical outlier is drawn as solid.
Mean 7.099, std. dev. 2.968, critical Tn 2.285.
After removing suspect data: mean 7.659, std. dev. 2.356, Tn 2.234.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9787
Critical = 0.85
The distribution, after removal of suspect value, was found to be normally distributed.


Constituent: Nickel Analysis Run 6/27/2025 9:56 AM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Nickel Analysis Run 6/27/2025 9:56 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Sulfate Analysis Run 6/27/2025 9:56 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening



Constituent: Sulfate Analysis Run 6/27/2025 9:56 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening



Constituent: Sulfate Analysis Run 6/27/2025 9:56 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


MW-633D



Constituent: Sulfate Analysis Run 6/27/2025 9:56 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


MW-7



Constituent: Sulfate Analysis Run 6/27/2025 9:57 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


NAB-3



Constituent: Sulfate Analysis Run 6/27/2025 9:57 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


NAB-8



Constituent: Sulfate Analysis Run 6/27/2025 9:57 AM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


NE-6



Constituent: Sulfate Analysis Run 6/27/2025 9:57 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


MW-509D



Constituent: Zinc Analysis Run 6/27/2025 9:59 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


MW-633D



Constituent: Zinc Analysis Run 6/27/2025 10:00 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening


NE-3



Constituent: Zinc Analysis Run 6/27/2025 10:00 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance limit is exceeded.




Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cadmium Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cadmium Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Cadmium Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cadmium Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Iron Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Iron Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Iron Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Lead Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Mercury Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Thallium Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Thallium Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Thallium Analysis Run 6/30/2025 11:34 AM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Confidence Interval


NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05 Printed 6/30/2025, 11:36 AM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Arsenic (ug/l)	CAO-1	166.1	102.6	10	Yes	11	0	x^2	0.01	Param.
Arsenic (ug/l)	CAO-2	1.86	0.3026	10	No	11	0	No	0.01	Param.
Arsenic (ug/l)	CAO-3	0.4289	0.108	10	No	11	0	ln(x)	0.01	Param.
Arsenic (ug/l)	MW-1	66.2	18.8	10	Yes	11	0	No	0.006	NP (normality)
Arsenic (ug/l)	MW-1R	129.5	106.2	10	Yes	11	0	No	0.01	Param.
Arsenic (ug/l)	MW-2	6.389	3.669	10	No	11	0	No	0.01	Param.
Arsenic (ug/l)	MW-3	4.357	0.564	10	No	11	0	sqrt(x)	0.01	Param.
Arsenic (ug/l)	MW-4	0.53	0.401	10	No	11	0	No	0.006	NP (normality)
Arsenic (ug/l)	MW-5	0.662	0.503	10	No	11	0	No	0.006	NP (normality)
Arsenic (ug/l)	MW-509D	0.349	0.15	10	No	11	0	No	0.006	NP (normality)
Arsenic (ug/l)	MW-577	5.72	1.14	10	No	11	0	No	0.006	NP (normality)
Arsenic (ug/l)	MW-6	0.4734	0.4147	10	No	11	0	No	0.01	Param.
Arsenic (ug/l)	MW-633D	0.6905	0.3179	10	No	11	0	sqrt(x)	0.01	Param.
Arsenic (ug/l)	MW-689D	6.169	2.05	10	No	11	0	No	0.01	Param.
Arsenic (ug/l)	MW-7	0.2773	0.2186	10	No	11	0	No	0.01	Param.
Arsenic (ug/l)	NAB-2	30.43	7.842	10	No	9	0	sqrt(x)	0.01	Param.
Arsenic (ug/l)	NAB-3	0.4213	0.2606	10	No	11	0	No	0.01	Param.
Arsenic (ug/l)	NAB-4	13.35	2.855	10	No	11	0	x^(1/3)	0.01	Param.
Arsenic (ug/l)	NAB-7	12.96	2.034	10	No	11	0	ln(x)	0.01	Param.
Arsenic (ug/l)	NAB-8	3.059	1.826	10	No	9	0	No	0.01	Param.
Arsenic (ug/l)	NE-2	6.151	0.8798	10	No	11	0	sqrt(x)	0.01	Param.
Arsenic (ug/l)	NE-3	0.607	0.3116	10	No	11	0	ln(x)	0.01	Param.
Arsenic (ug/l)	NE-4	5.519	2.212	10	No	9	0	No	0.01	Param.
Arsenic (ug/l)	NE-6	0.6202	0.3263	10	No	11	0	ln(x)	0.01	Param.
Cadmium (ug/l)	MW-3	1.953	0.7613	5	No	21	19.05	No	0.01	Param.
Cadmium (ug/l)	MW-509D	4.898	3.809	5	No	23	0	No	0.01	Param.
Cadmium (ug/l)	MW-633D	2.3	1.58	5	No	23	4.348	No	0.01	NP (normality)
Cadmium (ug/l)	NAB-4	2.202	1.405	5	No	22	4.545	No	0.01	Param.
Cobalt (ug/l)	CAO-1	23.7	14	6	Yes	23	0	sqrt(x)	0.01	Param.
Cobalt (ug/l)	MW-1	77.43	45.77	6	Yes	20	0	sqrt(x)	0.01	Param.
Cobalt (ug/l)	MW-1R	67.67	47.91	6	Yes	23	0	No	0.01	Param.
Iron (ug/l)	CAO-1	33106	26686	14000	Yes	23	0	No	0.01	Param.
Iron (ug/l)	MW-1	11777	6756	14000	No	20	0	No	0.01	Param.
Iron (ug/l)	MW-1R	28300	20145	14000	Yes	23	0	No	0.01	Param.
Lead (ug/l)	NAB-7	23.21	1.411	15	No	13	0	ln(x)	0.01	Param.
Mercury (ug/l)	MW-1R	0.691	0.2471	0.63	No	23	8.696	x^(1/3)	0.01	Param.
Thallium (ug/l)	CAO-1	1	0.26	2	No	49	89.8	No	0.01	NP (NDs)
Thallium (ug/l)	MW-1	2	0.174	2	No	20	50	No	0.01	NP (normality)
Thallium (ug/l)	MW-1R	2.02	0.981	2	No	23	34.78	No	0.01	NP (normality)


Time Series




Time Series




Time Series




Time Series




Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Acrylonitrile Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Acrylonitrile Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Acrylonitrile Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Benzene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Benzene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Benzene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chlorobenzene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chlorobenzene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chlorobenzene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloroethane Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloroethane Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Chloroethane Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Methyl-tert-Butyl Ether Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Methyl-tert-Butyl Ether Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: o-Xylene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: o-Xylene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: o-Xylene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: trans-1,2-Dichloroethene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: trans-1,2-Dichloroethene Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vinyl chloride Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-0
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Time Series




Constituent: Vinyl chloride Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-0
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


Time Series




Constituent: Vinyl chloride Analysis Run 6/27/2025 12:45 PM View: NABORS_GW_Databse_Thru_2025-0
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,1-Dichloroethane Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,2-Dichloroethane Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,4-Dichlorobenzene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,4-Dichlorobenzene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,4-Dichlorobenzene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Acrylonitrile Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Acrylonitrile Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Benzene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Benzene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Benzene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chlorobenzene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru_2025
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chlorobenzene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Datbase_Thru_2025
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chloroethane Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Database_Thru_2025-
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Chloroethane Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Database_Thru_2025-
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: cis-1,2-Dichloroethene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Database_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Methyl-tert-Butyl Ether Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Database_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: trans-1,2-Dichloroethene Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Database_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vinyl chloride Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Database_Thru_2025-0
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Vinyl chloride Analysis Run 6/27/2025 12:47 PM View: NABORS_GW_Database_Thru_2025-0
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,1-Dichloroethane Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Datbase_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Benzene Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: cis-1,2-Dichloroethene Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: Methyl-tert-Butyl Ether Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Datbase_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Methyl-tert-Butyl Ether Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Database_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: Methyl-tert-Butyl Ether Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Database_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: o-Xylene Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Database_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Databas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

EPA 1989 Outlier Screening




Constituent: TOC [Total Organic Carbon] Analysis Run 6/27/2025 12:49 PM View: NABORS_GW_Databs
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05


EPA 1989 Outlier Screening




Constituent: Vinyl chloride Analysis Run 6/27/2025 12:50 PM View: NABORS_GW_Datbase_Thru_2025-0
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,1-Dichloroethane Analysis Run 6/30/2025 2:31 PM View: NABORS_GW_Databse_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: 1,1-Dichloroethane Analysis Run 6/30/2025 2:31 PM View: NABORS_GW_Databse_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05




Constituent: 1,4-Dichlorobenzene Analysis Run 6/30/2025 2:31 PM View: NABORS_GW_Databse_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05



Constituent: Benzene Analysis Run 6/30/2025 2:31 PM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Benzene Analysis Run 6/30/2025 2:31 PM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/30/2025 2:31 PM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Parametric Confidence Interval

Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/30/2025 2:31 PM View: NABORS_GW_Databse_Thru_2025-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05

Confidence Interval

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05 Printed 6/30/2025, 2:31 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
1,1-Dichloroethane (ug/l)	MW-1	15.11	12.23	2.8	Yes	20	0	No	0.01	Param.
1,1-Dichloroethane (ug/l)	MW-1R	16.34	13.54	2.8	Yes	23	0	No	0.01	Param.
1,4-Dichlorobenzene (ug/l)	MW-1	4.066	2.523	75	No	20	30	x^2	0.01	Param.
Benzene (ug/l)	MW-1	1.91	1	5	No	20	25	No	0.01	NP (normality)
Benzene (ug/l)	MW-1R	1.345	0.8768	5	No	23	21.74	No	0.01	Param.
Methyl-tert-Butyl Ether (ug/L)	MW-1	59.13	39.44	14	Yes	13	0	No	0.01	Param.
Methyl-tert-Butyl Ether (ug/L)	MW-1R	55.6	33.11	14	Yes	13	0	No	0.01	Param.

Appendix D

Historical Database

Page Intentionally Blank

NABORS Landfill Historic Data through May 2025

Well/Spreading ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
	10/25/2001	7.06	<6	6.1	<10	4	<3	5	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	16.3	<2	n/a	<400	<30	<0.05	<0.5	
	4/18/2002	7.1	<6	5	51	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	16.2	<1	n/a	<400	<30	<0.05	<0.5	
	10/31/2002	7.1	<6	6	184	<2	<3	5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	17	<1	n/a	<400	<30	<0.05	<0.5	
	4/15/2003	7.07	<6	6	<10	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	15.7	<1	n/a	<400	<30	<0.05	<0.5	
	10/29/2003	7.09	<6	<5	<10	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	17.5	<1	n/a	<400	<30	<0.05	<0.5	
	4/13/2004	7.04	<6	<5	41.5	<2	<3	7	<10	<20	<5	465	<5	<50	n/a	<10	<10	<10	13.7	<1	n/a	<400	<30	<0.05	<0.5	
	10/20/2004	6.96	<6	<5	<30	<2	<3	8.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	12	<1	n/a	<400	<30	<0.05	<0.5	
	4/14/2005	7.02	<2	2.85	<25	<0.18	<1.2	<10	0.154	<20	5.81	92.6	<1	<30	n/a	<10	<3	<1	14	<1	n/a	<20	<10	<0.05	<0.5	
	10/11/2005	6.76	<6	5.85	<50	<0.8	<1.5	8.5	0.269	<50	<10	72.2	<5	<50	n/a	<50	<10	<3	12.4	<2	n/a	<10	<30	<1	<1	
	4/4/2006	7.6	<2	5.36	<50	<0.18	<0.3	5.5	0.643	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	16.6	<1	n/a	<2	<100	<0.5	<0.25	
	7/26/2006	7.7	<1	<10	31	<2	<5	3.3	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1	
	9/5/2006	7.56	<1	5.4	<10	<2	<5	5.4	<10	<10	<20	<100	<5	<12	<0.2	<20	<10	<10	12	<1	n/a	<10	<30	<1	<1	
	2/7/2007	7.76	<1	5.5	29	<2	<5	5.9	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	<30	<1	<1	
	5/24/2007	7.98	<1	3.6	35	<2	<5	5.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	<30	<1	<1	
	8/25/2007	7.23	<1	4.4	28	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	45	<10	13	<1	n/a	<10	<30	<1	<1	
	11/6/2007	6.87	<1	4.7	33	<2	<5	3.9	<10	<10	<20	120	<5	14	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	<1	
	2/22/2008	7.57	<1	5.2	30	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	14	<1	21	<10	<30	<1	<1	
	4/29/2008	7.31	<1	2.8	32	<1	<0.5	4.4	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	14	<1	<20	<10	16	<1	<1	
	8/19/2008	7.32	<1	3.6	18	<1	<5	3	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	13	<1	<20	<10	<30	<1	<1	
	11/18/2008	7.43	<1	3.9	33	<2	<5	4.6	<10	<10	<20	<100	6.1	15	<0.2	<20	<20	<10	13	<1	<20	<10	<30	<1	<1	
	2/20/2009	7.43	<1	4.6	32	<1	<5	4.4	<10	<10	1.3	<100	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	<10	<1	<1	
	5/20/2009	6.98	<1	3.2	31	<1	<5	7.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	18	<1	<1	
	8/19/2009	6.35	<1	3.1	34	<1	<0.5	4.4	<10	<10	<2	<100	<1	<14	<0.2	<20	<1	<10	16	<1	<1	<10	28	<1	<1	
	12/18/2009	10.2	0.52	2.2	28	<2	<5	16	2.1	<10	5.8	150	<5	5.4	0.07	<20	15	<10	39	<1	<20	4.8	<30	<1	<1	
	3/22/2010	10	<2.3	2.4	<1	<0.5	<2	<10	<2	<36	<1	1.7	<0.2	<20	0.54	3.5	33	<1	<1	<1	<1	7.5	<1	<1		
	6/17/2010	n/a	0.69	2.5	<25	<1	<0.5	16	<10	1.8	<2	32	<1	2.4	<0.2	<20	<1	<10	44	<1	<1	6.6	7.1	<1	<1	
	9/23/2010	9.74	<6	1.9	26	<1	<0.5	15	<10	<10	<2	30	<1	<10	<0.2	<20	<1	<10	44	<1	<1	9.6	7.7	<1	<1	
	12/8/2010	7.47	<1	1.7	30	<1	<0.5	8.5	<10	<10	<2	34	<1	2	<0.2	<20	<1	<10	24	<1	<1	4.3	3.3	<1	<1	
	3/23/2011	7.46	<1	2.1	33	<1	<0.5	6.2	<10	<10	<2	<100	<1	4.1	<0.2	<20	<1	<10	19	<1	<1	<10	3.3	<1	<1	
	6/29/2011	9.4	<1	1.1	24	<1	<0.5	15	<10	<10	<2	2	1	1.1	<0.2	<20	<1	<10	27	<1	<1	4.4	<10	<1	<1	
	9/29/2011	n/a	1.9	4.3	27	0.27	0.91	11	<10	<10	3.6	110	4	3.8	0.03	11	<5	<10	26	<1	7.7	4.3	<50	<1	<1	
	6/21/2012	n/a	<1.5	17	<1	<1	<0.5	12	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	28	<1	<1	18	<10	<1	<1	
	9/19/2012	n/a	<1	1.8	29	<1	<0.5	10	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	25	<1	<1	10	<10	<1	<1	
	3/11/2015	n/a	<0.21	4	31	<0.12	<0.16	3.3	<10	<4	<2.3	<0.52	14	10	<1.2	<0.049	<4.9	<0.38	<2.8	<16	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	4.6	29	<0.12	<0.16	5.4	<1.4	<2.3	<0.52	14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	<17	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	9/15/2015	n/a	<0.21	5.5	28.1	<0.12	<0.16	4.82	<0.54	<0.26	<0.52	<15	<0.24	11.2	<0.049	<0.35	<0.38	<31	17.6	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	12/15/2015	n/a	<0.21	4.74	30.3	<0.12	<0.16	3.6	<0.54	<0.26	<0.52	<15	<0.24	14.2	<0.049	<0.35	<0.38	<31	17	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	3/29/2016	n/a	<1.46	15	<0.12	<0.16	12	<0.54	<0.26	<0.52	<15	<0.24	7.63	<0.049	<0.35	<0.38	<31	16.5	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398		
	6/29/2016	n/a	<0.754	4	29	<0.12	<0.16	4.1	<0.54	<0.26	<0.52	<15	<0.24	7.49	<0.049	<0.35	<0.38	<31	16.3	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	9/20/2016	n/a	<2	4.19	26.2	<2	<1	3.07	<2	<2	<5	<100	<2	<2	8.12	<0.2	<2	<2	14.9	<2	<2	<5	<25	<1	<1	
	12/20/2016	n/a	<2	4.66	31.5	<2	<1	3.6	<2	<2	<5	118	<2	10.4	<0.2	9.79	<2	<2	14.7	<2	<2	<5	<25	<1	<1	
	3/29/2017	n/a	<2	5.32	27.8	<2	<1	4.23	<2	<2	<5	152	<2	12	<0.2	<2	<2	<2	13.9	<2	<2	<5	<25	<1	<1	
	9/28/2017	n/a	<2	4.74	26.4	<2	<1	6.49	<2	<2	<5	<100	<2	8.43	<0.2	<2	<2	<2	16.1	<2	<2	<5	<25	<1	<1	
	4/30/2018	n/a	<10*	7.51	31.5	0.0568	<1.2*	3.76	<12.5*	<10.4*	<5*	<16*	<15.6*	6.06	<0.2*	<10*	<52*	<20.8*	15.6	<73*	<44.6*	<20*	<15.6*	<5*	<5*	
	10/30/2018	n/a	<20*	<23.5*	<0.63*	<2.7*	0.349	0.054	<0.395*	63.1	<0.26*	5.51	<0.2*	0.25	<1.2*	<0.04*	<0.31*	<15.9	<72*	<13.9	<72*	<13.9	<10*	<5*	<5*	
	4/24/2019	n/a	<20.6*	6.17	39.7	<0.26*	0.057	4.13	0.632	0.256	0.471	251	0.459	12.9	<0.2*	0.86	<2.08*	0.024	13.6	<0.26*	<20.8*	0.636	6.39	<5*	<5*	
	10/9/2019	n/a	<20.6*	5.23	29.3	<0.26*	<0.26*	3.46	0.379	0.123	0.12	26.1	0.104	9.88	0.025	0.57	<0.08*	<0.26*	13.3	<0.26*	<20.8*	0.492	<20.8*	<1*	<1*	
	4/21/2020	n/a	<20.6*	4.24	28.9	<0.26*	<0.26*	3.46	0.518	0.075	0.806	25.8	0.088	4.52	<0.2*	0.31	<5.2*	<0.312*	13.8	<0.26*	<20.8*	0.694	5.7	<1*	<1*	
	10/6/2020	n/a	<20.6	8.89	27.5	<0.26	<0.26	3.41	0.518	0.195	0.17	408	<0.26	11.1	<0.2	0.28	<5.2	<0.312	12.4	<0.26	<20.8	0.087	<20.8	<1	<1	
	4/6/2021	n/a	<20.6*	6.42	28.3	<0.26*	<0.26*	3.41	0.667	0.1	1.32	209	0.113	5.72	0.0125	0.38	<5.2*	<0.312*	13.8	<0.26*	<20.8*	0.383	<20.8*	<1*	<1*	
	10/5/2021	n/a	&																							

NABORS Landfill Historic Data through May 2025

Well/Spreading ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
	4/26/2000	6.97	<6	<5	<100	<2	<3	7.8	<10	<20	<5	128	<5	<50	n/a	<10	<10	<10	14	<1	n/a	<400	<30	<0.05	<0.5	
	10/18/2000	6.94	<6	<5	<100	<2	<3	7.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13.4	<1	n/a	<400	<30	<0.05	<0.5	
	4/19/2001	6.71	<6	<5	<100	<2	<3	17.7	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	13.7	<1	n/a	<400	<30	<0.05	<0.5	
	10/25/2001	6.72	<6	<5	<10	<2	<3	9.5	<10	<20	<5	70	<5	<50	n/a	<10	<10	<10	14.4	<2	n/a	<400	<30	<0.05	<0.5	
	4/19/2002	6.82	<6	<5	47	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.1	<1	n/a	<400	<30	<0.05	<0.5	
	10/31/2002	6.9	<6	<5	258	<2	<3	9.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	14.1	<1	n/a	<400	<30	<0.05	<0.5	
	4/15/2003	6.85	<6	<5	<10	<2	<3	10.7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.2	<1	n/a	<400	47	<0.05	<0.5	
	10/29/2003	6.56	<6	<5	24	<2	<3	10.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	14.1	<1	n/a	<400	88.4	<0.05	<0.5	
	4/13/2004	6.74	<6	<5	59.1	<2	<3	10.5	<10	<20	<5	35	<5	<50	n/a	<10	<10	<10	9.7	<1	n/a	<400	35	<0.05	<0.5	
	10/20/2004	6.61	<6	<5	<30	<2	<3	10.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.12	<1	n/a	<400	<30	<0.05	<0.5	
	4/14/2005	6.76	<2	<1.5	<25	<0.18	1.65	6	0.333	<20	<2	119	<1	<30	n/a	<10	<3	<1	9.36	<1	n/a	<20	17.3	<0.05	<0.5	
	10/11/2005	6.41	<2	<1.5	<40	<3	2.03	1.92	11.5	<20	<2	392	<1.17	<30	n/a	<10	<3	<1	9.43	<1	n/a	<20	11.7	<0.05	<0.5	
	4/4/2006	7.24	<2	<50	<0.18	1.35	9	1.16	<100	<2	<100	<1	<100	<5	<50	n/a	<100	<5	<0.57	10.1	<1	n/a	<2	<100	<0.5	<0.25
	7/26/2006	7.11	<1	<10	52	<2	<5	6.9	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	8.8	<1	n/a	<10	100	<1	<1	
	9/5/2006	6.86	<1	<1	55	<2	<5	7.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.5	<1	n/a	<10	53	<1	<1	
	2/7/2007	7.08	<1	<1	45	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6.2	<1	n/a	<10	45	<1	<1	
	5/24/2007	7.43	<1	<1	49	<2	<5	5.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6.8	<1	n/a	<10	74	<1	<1	
	8/25/2007	6.67	<1	<1	50	<2	<5	7.8	<10	<10	<20	<100	7.2	<10	<0.2	<20	30	<10	8.2	<1	n/a	<10	110	<1	<1	
	11/6/2007	6.48	<1	<1	55	<2	<5	7.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6.6	<1	n/a	<10	120	<1	<1	
	2/22/2008	6.96	<1	<1	40	<2	<5	4.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.4	<1	23	<10	42	<1	<1	
	4/29/2008	7.02	<1	0.49	42	<1	0.66	3.5	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	7.2	<1	<20	<10	47	<1	<1	
	8/19/2008	6.86	<1	<1	49	<1	1.8	5.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.6	<1	<20	<10	79	<1	<1	
	11/18/2008	6.74	<1	<1	53	<2	<5	7.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.7	<1	<20	<10	98	<1	<1	
	2/20/2009	6.74	<1	1.1	41	<1	0.92	4.8	<10	<10	1.7	440	<1	<10	<0.2	<20	<1	<10	7.9	<1	<1	<10	45	<1	<1	
	5/20/2009	6.52	<1	1	67	<1	<5	4.7	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.7	<1	<1	<10	50	<1	<1	
	8/19/2009	6.84	<1	1	59	<1	1.4	9.3	<10	<10	<2	<100	<1	12	<0.2	<20	<1	<10	9.3	<1	<1	<10	120	<1	<1	
	12/16/2009	6.82	<1	<1	48	<2	<5	4.9	<10	<10	<20	<100	6.5	<10	<0.2	<20	<20	<10	8.2	<1	<100	<10	46	<1	<1	
	3/22/2010	6.72	<1	<1	38	<1	0.17	2.8	<10	<10	<2	26	<1	1.7	<0.2	<20	<1	3.5	7	<1	<1	<10	56	<1	<1	
	6/16/2010	n/a	<1	<1	54	<1	1	3.7	<10	<10	0.57	20	<1	9.1	<0.2	<20	<1	<10	6.5	<1	<1	49	69	<1	<1	
	9/22/2010	6.47	<1	0.4	59	<1	2.7	5.7	<10	<10	<2	35	<1	9.2	<0.2	7.5	<1	<10	7.6	<1	<1	6	120	<1	<1	
	12/6/2010	6.64	<1	<1	56	<1	2.2	7.7	<10	<10	<2	24	<1	5.2	<0.2	<20	<1	<10	10	<1	<1	<10	97	<1	<1	
	3/21/2011	6.73	<1	<1	48	<1	<5	10	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	7.1	<1	<1	<10	45	<1	<1	
	6/27/2011	6.38	<1	<1	55	<1	1.1	4.6	2	<10	<2	27	0.26	3.1	<0.2	<20	<1	<10	7	<1	<1	<10	72	<1	<1	
	9/27/2011	n/a	0.22	1	64	0.37	3.4	7	<10	<10	<2	<100	0.72	62	0.05	6.6	<1	<10	9.5	<1	<1	<10	120	<1	<1	
	6/20/2012	n/a	<1	<1	67	<1	2.9	6.9	<10	<10	<2	180	<1	53	<0.2	<20	<1	<10	8.7	<1	<1	34	100	<1	<1	
	9/19/2012	n/a	<1	1	67	<1	4.2	7.3	<10	<10	<2	160	<1	120	<0.2	<20	<1	<10	9.1	<1	<1	16	150	<1	<1	
	3/11/2015	n/a	<0.21	<0.25	43	<0.12	<0.16	4.5	<1.4	<2.3	<0.52	<14	10	<1.2	<0.049	<4.9	<0.38	<2.8	6.4	<0.19	<0.3	<2.4	40	<0.33	<0.4	
	3/31/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	2.5	63	<0.12	2.8	5.4	<2.3	<0.52	<2.8	5.4	<2.3	<0.049	<2.8	<0.049	<2.8	<0.31	<0.0774	<0.19	<0.3	<0.18	80.4	<0.33	<0.398	
	9/15/2015	n/a	<0.21	6.12	72.3	<0.12	1.08	5.56	<0.54	5.42	<0.52	3950	<0.24	1900	<0.049	53.2	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	80.4	<0.33	<0.398	
	12/15/2015	n/a	<0.21	6.84	75.2	<0.12	1.13	5.75	<0.54	5.11	<0.52	4190	<0.24	2200	<0.049	55.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	31.6	<0.33	<0.398	
	3/29/2016	n/a	<0.21	3.62	75.5	<0.12	<0.16	8.21	6.24	3.56	<0.52	3050	<0.24	1900	<0.049	25.3	<0.38	<0.31	5.33	<0.19	<0.3	<0.18	72.2	<0.33	<0.398	
	3/29/2016	n/a	<0.21	6.25	80.8	<0.12	<0.16	6.78	<0.54	10.8	<0.52	4830	<0.24	3380	<0.049	66.8	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	72.2	<0.33	<0.398	
	9/20/2016	<2	7.65	84.4	<2	1.46	9.8	<2	7.1	<5	2710	<2	3670	<2	50.6	<2	<2	6.33	<2	<2	<5	113	<1	<1	<1	
	12/21/2016	n/a	<2	33.1	81.2	<2	<1	9.54	<2	4.1	<5	473	<2	2330	<0.2	60.2	<2	<2	12.3	<2	<2	<5	146	<1	<1	
	3/29/2017	n/a	<2	52.9	<2	<2	0.84	11.1	<2	2.2	<5	111	<2	189	<2	11.1	<2	<2	10.9	<2	<2	<5	160	<1	<1	
	10/25/2018	n/a	<0.8*	4.48	105	<0.624*	2.75	32.5	<12.5*	10.2	1	1130	<15.6*	2460	<0.2*	43	5.6	<20.8*	12	<7.5*	<7.8*	<21*	124	<5*	<5*	
	4/23/2019	n/a	<2.8*	24.1	97.3	<0.26*	1.06	39.2	<0.21*	11.1	0.524	711	0.243	990	<0.2*	18.4	56.6	<0.26*	35.8	<0.25*	<20.8*	0.293	59.5	<5*	<5*	
	10/8/2019	n/a	<2.08*	2.98	108	<0.26*	0.646	32.8	0.252	3.44	1.06	862	0.388	2390	0.025	44.8	0.674	0.035	20.1	0.169	<20.8*	0.227	94.8	<1*	<1*	
	4/21/2020	n/a	<2.08*	1.59	70.1	<0.26*	0.604	27.9	0.368	0.945	1.04	644	0.166	932	<0.2*	20.4	<5.2*	<0.312*	56.2	0.075	<20.8*	0.281	34.9	<1*	<1*	
	10/6/2020	n/a	<2.08	3.65	83.4	<0.26	1.22	24.2	0.403	9.32	4.46	1340	0.25	2470	<0.2	63.2	<5.2	<0.312	14	0.197	<20.8	0.651	82.3	<1	<1	
	4/6/2021	n/a	<2.08	11.2	97.3	<0.26*	1.14	26.2	0.748	3.73																

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
1/25/2000	7.34	<6	<5	<100	<2	<3	3.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13	<1	n/a	<400	<30	<0.05	<0.5	
4/26/2000	7.25	<6	<5	<100	<2	<3	3.5	<10	<20	<5	81	<5	<50	n/a	<10	<10	<10	10.9	<1	n/a	<400	<30	<0.05	<0.5	
10/18/2000	7.17	<6	<5	<100	<2	<3	3.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05	<0.5	
4/19/2001	7.03	<6	<5	<100	<2	<3	4.8	<10	<20	<5	215	<5	<50	n/a	<50	<10	<11.5	<1	n/a	<400	<30	<0.05	<0.5		
10/25/2001	7.18	<6	<5	<10	<2	<3	4	<10	<20	<5	40	<5	<50	n/a	<10	<10	<10	10.6	<2	n/a	<400	<30	<0.05	<0.5	
11/1/2002	6.98	<6	<5	38	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.9	<1	n/a	<400	<30	<0.05	<0.5	
10/31/2002	7.34	<6	<5	161	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<11.8	<1	n/a	<400	<30	<0.05	<0.5		
4/15/2003	7.03	<6	<5	<10	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.1	<1	n/a	<400	<30	<0.05	<0.5	
10/29/2003	7.16	<6	<5	22.5	<2	<3	5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<11.3	<1	n/a	<400	80.6	<0.05	<0.5		
4/13/2004	7.15	<6	<5	45.8	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.9	<1	n/a	<400	49.5	<0.05	<0.5	
10/20/2004	7.14	<6	<5	<30	<2	<3	3.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8.9	<1	n/a	<400	<30	<0.05	<0.5	
4/14/2005	7.09	<6	<5	<15	<2	<3	5.65	<10	<20	<5	107	<5	<50	n/a	<10	<10	<10	10.7	<1	n/a	<400	37.8	<0.05	<0.5	
10/11/2005	6.81	2.67	4	<50	0.8	0.603	9	1.1	<50	<10	70.9	<5	<50	n/a	<50	<10	<3	9.26	<2	n/a	<10	73.4	<1	<1	
4/4/2006	7.7	<2	<5	<50	<0.18	1.1	5	7.06	<100	<2	965	<1	<30	n/a	<100	<5	6.32	10.6	<1	n/a	<2	101	<0.5	<0.25	
7/26/2006	7.69	<1	<10	33	<2	<5	2.3	<10	<10	<20	<100	<5	<10	n/a	<20	22	<10	<10	<1	n/a	<10	100	<1	<1	
9/6/2006	7.61	<1	<10	30	<2	<5	2.1	<10	<10	<20	<100	<5	<10	0.2	<20	<10	<10	9.7	<1	n/a	<10	45	<1	<1	
2/17/2007	7.48	<1	<1	35	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	<10	<10	7.5	<1	n/a	<10	32	<1	<1	
5/24/2007	7.94	<1	1	32	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<10	<10	9.6	<1	n/a	<10	88	<1	<1	
8/25/2007	7.36	<1	<1	27	<2	<5	2.5	<10	<10	<20	<100	<5	<10	0.2	<20	<10	<10	<10	<1	n/a	<10	95	<1	<1	
11/6/2007	7.08	<1	<1	30	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<10	<10	<10	<1	<20	<10	66	<1	<1	
2/22/2008	7.45	<1	<1	30	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<10	<10	<10	<1	21	<10	76	<1	<1	
4/29/2008	7.26	<1	<1	31	<1	0.56	2.5	<10	<10	1.3	<100	<5	<10	<0.2	<20	<1	<10	<10	<1	<20	<10	80	<1	<1	
8/19/2008	7.37	<1	<1	31	<1	<1	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<10	<10	<10	<1	<20	<10	110	<1	<1	
11/18/2008	7.26	<1	<1	30	<2	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<10	<10	<10	<1	64	<10	130	<1	<1	
2/20/2009	7.3	<1	<1	30	<1	0.81	3.6	<10	<10	1.4	<100	<5	<10	<0.2	<20	<1	<10	<10	<1	<10	<10	80	<1	<1	
5/20/2009	7.12	<1	<1	29	<1	<5	4.8	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	<11	<1	<1	<10	77	<1	<1	
8/19/2009	6.14	<1	<1	33	<1	0.87	5.2	32	<10	<2	370	<1	<10	<0.2	29	<1	<10	<12	<1	<1	<10	86	<1	<1	
12/17/2009	7.21	<1	<1	32	<2	<5	4.2	<10	<10	<20	30	<5	1.3	0.04	<20	<10	<12	<1	<1	<20	<10	91	<1	<1	
3/23/2010	7.16	<1	<1	32	<1	0.21	4.1	<10	<10	<2	20	<1	<10	<0.2	<20	<1	<10	<12	<1	<1	<10	100	<1	<1	
6/16/2010	n/a	<1	0.27	33	<1	0.57	4.6	<10	<10	<2	25	<1	<10	0.02	<20	<1	<10	<13	<1	<1	28	85	<1	<1	
9/22/2010	7.1	0.36	0.84	32	0.84	1.2	4.6	3	<10	<2	21	893	<10	<0.2	<20	0.49	<10	<13	<1	0.35	<10	81	<1	<1	
12/6/2010	7.06	<1	0.46	32	0.46	0.96	4.9	<10	<10	<2	<100	0.43	<10	<0.2	<20	<1	<10	<13	<1	0.34	<10	81	<1	<1	
3/23/2011	7.17	<1	<1	30	<1	<0.5	4.9	<10	<10	<2	33	<1	1.5	<0.2	<20	<1	<10	<13	<1	<1	<10	92	<1	<1	
6/28/2011	6.95	<1	<1	32	<1	0.36	5.1	<10	<10	<2	26	0.66	<10	<0.2	<20	<1	<10	<14	<1	<1	<10	91	<1	<1	
9/27/2011	n/a	0.21	0.91	31	0.34	0.99	5.3	<10	<10	0.65	42	1	<10	0.05	<20	<1	<10	<14	<1	<1	<10	79	<1	<1	
6/21/2012	n/a	<1	<1	38	<1	0.77	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	<14	<1	<1	23	81	<1	<1	
9/19/2012	n/a	<1	<1	35	<1	<0.5	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	<14	<1	<1	12	82	<1	<1	
3/11/2015	n/a	<0.21	<0.25	36	<0.12	<0.16	6.8	<1.4	<2.3	<0.52	<1.4	8.6	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	93	<0.33	<0.4	
3/11/2015	n/a	<0.21	<0.25	36	<0.12	<0.16	6.8	<1.4	<2.3	<0.52	<1.4	8.6	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	93	<0.33	<0.4	
6/9/2015	n/a	<0.21	<0.25	37	<0.12	1	7	<1.4	<2.3	<0.52	<1.4	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	90	<0.33	<0.4	
9/15/2015	n/a	<0.21	<0.25	34.3	<0.12	<0.16	7.08	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	15.6	<0.19	<0.3	<0.18	96.7	<0.331	<0.398	
12/15/2015	n/a	<0.21	<0.25	35.4	<0.12	<0.16	7.15	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	16.5	<0.19	<0.3	<0.18	96.4	<0.331	<0.398	
3/29/2016	n/a	<0.21	<0.25	34.6	<0.12	<0.16	6.94	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	14.9	<0.19	<0.3	<0.18	98.8	<0.331	<0.398	
6/29/2016	n/a	<0.754	<0.25	35.5	<0.12	<0.16	7.13	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	16.3	<0.19	<0.3	<0.18	95.9	<0.331	<0.398	
9/20/2016	n/a	<2	<2	33.4	<2	<1	7.19	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	14.8	<2	<2	<5	94.1	<1	<1	
12/21/2016	n/a	<2	<2	36.8	<2	<1	7.31	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	14.9	<2	<2	<5	105	<1	<1	
3/29/2017	n/a	<2	<2	35.3	<2	<1.04	7.21	<2	<2	<5	<110	<2	<5	<0.2	<2	<2	<2	15.5	<2	<2	<5	108	<1	<1	
9/28/2017	n/a	<2	<2	34.7	<2	<1	7.46	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	15.8	<2	<2	<5	101	<1	<1	
4/19/2018	n/a	<10*	<23.4*	39.4	<0.416*	0.943	6.49	<12.5*	<10.4*	<5*	103	<15.6*	0.956	0.025	<10*	<52*	<20.8*	17.2	<73*	<41.6*	<20*	106	<5*	<5*	
10/24/2018	n/a	<36*	<23.5*	42.7	<0.624*	0.961	6.45	<19	<13.5*	<5*	160	<15.6*	<10.4*	0.025	3	<52*	<20.8*	17.8	<73*	<728*	<21*	100	<5*	<5*	
4/24/2019	n/a	<2.08	<9.8	53.7	<0.26*	0.945	7.7	0.606	0.096	0.582	110	0.554	6.26	<0.2*	1.24	<0.567	<0.26*	15.9	0.18	<20.8*	0.29	118	<5*	<5*	
10/8/2019	n/a	<2.08*	0.482	42.1	<0.26*	1.03	6.86	1.79	0.068	0.324	65.6	0.356	3.15	0.025	20.3	0.999	<0.26*	18.4	0.162	<20.8*	0.159	125	<1*	<1*	
4/21/2020	n/a	<2.08*	0.401	39	<0.26*	0.855	7.42	0.316	<0.26*	<0.369*	7.65	0.098	1.77	<0.2*	0.62	<5.2*	<0.312*	18.4	0.161	<20.8*					

NABORS Landfill Historic Data through May 2025

Well/Spreading ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
MW-5	4/13/1999	6.58	<6	<5	<100	<2	<3	3.5	<10	<20	<5	296	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	
	7/28/1999	7.09	<6	<5	<100	<2	<3	3.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.9	<1	n/a	<400	<30	<0.05	<0.5	
	10/12/1999	7.04	<6	<5	<100	<2	<3	4.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05	<0.5	
	1/25/2000	7.21	<6	<5	<100	<2	<3	2.75	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.6	8	n/a	<400	<30	<0.05	<0.5	
	4/26/2000	7.13	<6	<5	<100	<2	<3	3.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	
	10/18/2000	7.1	<6	<5	<100	<2	<3	3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	
	4/19/2001	7.05	<6	<5	<100	<2	<3	3.7	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	5.7	<1	n/a	<400	<30	<0.05	<0.5	
	10/25/2001	7.03	<6	<5	<10	<2	<3	4	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	5.9	<2	n/a	<400	<30	<0.05	<0.5	
	4/18/2002	6.97	<6	<5	<37	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	
	10/31/2002	7.2	<6	<5	145	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.9	<1	n/a	<400	<30	<0.05	<0.5	
	4/15/2003	6.99	<6	<5	<10	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.1	<1	n/a	<400	<30	<0.05	<0.5	
	10/29/2003	7.13	<6	<5	<100	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.5	<1	n/a	<400	<30	<0.05	<0.5	
	4/13/2004	7.14	<6	<5	43.2	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	
	10/20/2004	6.96	<6	<5	<30	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.7	<1	n/a	<400	<30	<0.05	<0.5	
	4/14/2005	7.02	<2	<1.5	<20	<0.18	0.502	5.5	0.384	<20	<100	<1	<30	n/a	<10	<3	<1	7.79	<1	n/a	<20	<10	<0.05	<0.5		
	10/11/2005	6.71	<6	<4	<50	<0.8	<1.5	<5	0.621	<50	<100	<47.9	<5	<50	n/a	<50	<10	<3	5.15	<2	n/a	<10	15.7	<1	<1	
	4/4/2006	7.6	<2	<5	<50	<0.18	<0.3	5	1.84	<100	<2	<30	<1	<30	n/a	<100	<5	<5.7	5.51	<1	n/a	<2	<100	<0.5	<0.25	
	7/26/2006	7.84	<1	<10	33	<2	<5	2.8	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	6.1	<1	n/a	<10	47	<1	<1	
	9/6/2006	7.36	<1	<10	33	<2	<5	2.6	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	5.8	<1	n/a	<10	33	<1	<1	
	2/17/2007	7.45	<1	<1	35	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.5	<1	n/a	<10	32	<1	<1	
	5/24/2007	7.77	<1	<1	33	<2	<5	5	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	6.2	<1	n/a	<10	42	<1	<1	
	8/25/2007	7.17	<1	<1	28	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	39	<10	7.7	<10	n/a	<10	43	<1	<1	
	11/6/2007	6.96	<1	<1	31	<2	<5	3.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	6.6	<10	<20	<10	<30	<1	<1	
	2/22/2008	7.2	<1	<1	32	<2	<5	3.4	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.2	<1	22	<10	<30	<1	<1	
	4/29/2008	7.22	<1	<1	32	<1	<5	3.2	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.2	<1	<10	<30	<1	<1	<1	
	8/19/2008	7.26	<1	<1	31	<1	<5	3.2	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.6	<1	<20	<10	42	<1	<1	
	11/18/2008	7.17	<1	<1	33	<2	<5	3.5	<10	<20	<130	<5	<10	0.2	<20	<20	64	<10	<1	74	<10	<30	<1	<1	<1	
	2/20/2009	7.25	<1	<1	32	<1	<0.81	4.5	<10	<11	<100	<1	<10	0.2	<20	<1	<10	7.6	<1	<1	<10	35	<1	<1	<1	
	5/20/2009	6.94	<1	<1	31	<1	<5	5.4	<10	<10	<1	<100	<1	<10	0.2	<20	<1	<10	8.5	<1	<1	<10	34	<1	<1	
	8/19/2009	6.13	<1	<1	36	<1	<0.5	5.4	<10	<10	<2	140	<1	<10	0.2	<20	<1	<10	7.8	<1	<1	<10	49	<1	<1	
	12/17/2009	7.03	<1	0.37	33	<2	<5	4.7	<10	<10	<20	50	<5	<10	0.03	<20	19	<10	7.4	<1	<20	<10	26	<1	<1	
	3/23/2010	7.03	<1	35	<1	<0.5	4.3	<10	2.3	<2	<6	<1	<1	<1	0.2	<20	<1	<10	7.8	<1	<1	<10	33	<1	<1	
	6/16/2010	n/a	<1	0.57	35	<1	<0.5	4.6	<10	<10	<2	47	<1	1.2	0.02	<20	<1	<10	9.7	<1	<1	30	29	<1	<1	
	9/22/2010	7	0.51	1	35	0.83	0.56	4.5	4	<10	<2	52	0.8	<10	0.2	<20	<1	<10	9.6	<1	0.34	<10	27	<1	<1	
	12/6/2010	7.05	0.44	0.74	32	0.5	0.36	4.8	<10	<10	<2	44	0.74	<10	0.2	<20	<1	<10	9.1	<1	0.39	<10	27	<1	<1	
	3/21/2011	7.19	<1	<1	38	<1	<0.5	4.5	<10	<10	<2	74	<1	2	0.2	<20	<1	<10	16	<1	<1	<10	28	<1	<1	
	6/28/2011	6.82	<1	<1	33	<1	<0.5	5	<10	<10	<2	41	0.45	<10	0.2	<20	<1	<10	10	<1	<1	<10	21	<1	<1	
	9/27/2011	n/a	0.45	1.5	32	0.33	0.24	4.9	<10	<10	<2	31	1.2	<10	0.03	8.5	0.6	6.7	9	<1	2.9	25	<1	<1	<1	
	6/21/2012	n/a	<1	<1	30	<1	<0.5	4.9	<10	<10	<2	<100	<1	<10	0.2	<20	<1	<10	10	<1	<1	<10	32	<1	<1	
	9/19/2012	n/a	<1	<1	35	<1	<0.5	4.9	<10	<10	<2	150	<1	<10	0.2	<20	<1	<10	7	<1	<1	<10	30	<1	<1	
	3/11/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.4	<1.4	<2.3	<0.52	<14	11	<1.2	<0.049	<4.9	<0.38	<2.8	8	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.7	<0.19	<0.3	<2.4	26	<0.33	<0.4	
	9/15/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.67	<0.54	<0.26	<0.52	117	<0.24	5.41	<0.049	2	<0.38	<0.31	7.53	<0.19	<0.3	<0.18	30.4	<0.331	<0.398	
	12/16/2015	n/a	<0.21	<0.25	33.6	<0.12	<0.16	5.96	<0.54	<0.26	<0.52	115	<0.24	5.41	<0.049	<0.35	<0.38	<0.31	8.44	<0.19	<0.3	<0.18	25	<0.331	<0.398	
	3/29/2016	n/a	<0.21	<0.25	34.3	<0.12	<0.16	5.57	<0.54	<0.26	<0.52	115	<0.24	5.41	<0.049	<0.35	<0.38	<0.31	7.56	<0.19	<0.3	<0.18	29.6	<0.331	<0.398	
	6/29/2016	n/a	<0.754	<0.25	34.8	<0.12	<0.16	5.45	<0.54	<0.26	<0.52	115	<0.24	13.3	<0.049	<0.35	<0.38	<0.31	7.91	<0.19	<0.3	<0.18	28.7	<0.331	<0.398	
	9/20/2016	n/a	<2	<2	30.6	<2	<1	5.79	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.35	<2	<2	<5	25.8	<1	<1	
	12/21/2016	n/a	<2	<2	34.1	<2	<1	5.76	3.28	<2	<5	<100	<2	<5	<0.2	2.81	<2	<2	7.07	<2	<2	<5	26.8	<1	<1	
	3/29/2017	n/a	<2	<2	31.9	<2	<1	5.72	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.02	<2	<2	<5	31.3	<1	<1	
	9/28/2017	n/a	<2	<2	35	<2	<1	5.85	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	8.56	<2	<2	<5	28.7	<1	<1	
	4/19/2018	n/a	<10*	<23.4*	35.1	<0.416*	<1.2*	5.06	<12.5*	<10.4*	<5*	<11	<15.6*	2.15	0.025											

NABORS Landfill Historic Data through May 2025

Well/Spnd ID	Sample Date	pH (U.S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
MW-5090	11/6/2024	n/a	<2.08	0.563	40	<0.26	0.148	6.48	0.694	<0.26	0.246	0.168	0.787	0.182	1.09	<5.2	<0.312	8.78	0.136	<20.8	0.116	137	<1	<2	
	5/6/2025	n/a	<2.08	0.563	45	<0.26	0.158	6.96	0.112	<0.26	0.64	<46.8	<0.416	0.62	<0.2	1.36	<5.2	<0.312	8.32	0.149	<20.8	0.129	40.5	<1	<2
	7/25/2006	7.53	<1	<10	29	<2	<5	3.2	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	8.4	<1	n/a	<10	470	<1	<1
	9/8/2006	7.46	<1	<10	30	<2	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	420	<1	<1
	2/17/2007	7.08	<1	<10	35	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5	<1	n/a	<10	380	<1	<1
	5/24/2007	7.98	1.1	5.2	45	<2	<5	3.5	<10	<10	<20	4100	<5	96	<0.2	<20	<20	<10	6	<1	n/a	<10	710	<1	<1
	8/25/2007	7.08	<1	<10	28	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	44	<10	7.9	<1	100	<10	430	<1	<1
	11/6/2007	6.82	<1	1.4	29	<2	<5	2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9	<1	<20	<10	380	<1	<1
	2/22/2008	6.82	<1	<1	35	<2	<5	3.3	<10	<10	<20	120	<5	<10	<0.2	<20	<20	<10	7.3	<1	<20	<10	410	<1	<1
	4/29/2008	6.95	<1	1.2	31	<1	2.9	3.4	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	4.8	<1	<20	<10	290	<1	<1
	8/19/2008	7.16	<1	1.4	29	<1	5.5	5.6	<10	<10	<20	<100	<5	12	<0.2	<20	<10	7.9	<1	<20	<10	420	<1	<1	
	11/18/2008	6.87	<1	1.2	29	<2	6	3.5	<10	<10	<20	210	<5	<10	<0.2	<20	<20	<10	7	<1	<20	<10	410	<1	<1
	2/20/2009	6.94	<1	<1	32	<1	3.7	3.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	380	<1	<1
	5/20/2009	6.39	<1	<1	26	<1	2.5	3.4	<10	<10	<1	120	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	330	<1	<1
	8/19/2009	6.76	<1	<1	28	<1	6.2	4	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	410	<1	<1
	12/16/2009	7.11	0.37	20	110	4.7	17	4.1	15	12	15	18000	90	780	0.22	<20	<20	<10	8.1	0.54	<20	35	1500	<1	<1
	3/23/2010	6.81	<1	5	52	0.87	6.2	2.8	8.6	2.1	8.8	7900	20	180	<0.2	10	<1	<10	5.3	<1	<1	18	500	<1	<1
	6/17/2010	n/a	<1	2	15	0.2	4.7	10	<10	<10	<20	2200	5.8	100	<0.2	<20	<10	<10	9.2	<1	<1	74	2800	<1	<1
	9/23/2010	6.72	<1	2.7	40	0.14	6.4	5.3	3.1	<10	3.9	2400	10	75	<0.2	<20	0.47	<10	8.7	<1	<1	12	520	<1	<1
	12/7/2010	6.54	0.55	13	110	3.1	20	7.1	28	7	22	25000	59	570	0.15	21	1.4	<10	5.9	0.38	0.6	48	1200	<1	<1
	3/22/2011	6.83	<1	15	69	1.3	12	5.4	14	4.4	28	14000	43	280	<0.2	<20	0.5	<10	10	<1	0.82	27	8200	<1	<1
	6/29/2011	6.65	<1	19	39	<1	5	6.4	<10	<10	3.1	2400	7.6	63	0.04	<20	<1	77	10	<1	<1	8.3	500	<1	<1
	9/28/2011	n/a	<1	18	49	0.44	11	5.4	5.8	3.8	8.8	5100	25	200	0.03	12	<1	<10	9.2	<1	<1	12	690	<1	<1
	6/21/2012	n/a	<1	5.8	49	2.8	21	4.4	23	<10	29	22000	73	520	<0.2	<20	1.2	<10	9.2	<1	<1	74	1500	<1	<1
	9/20/2012	n/a	<1	28	140	6.2	39	44	37	14	53	24000	160	1100	0.28	25	<1	<10	9.2	1.3	<1	77	2800	<1	<1
	3/9/2015	n/a	<0.21	<0.25	27	<0.12	3.1	3.9	<1.4	<2.3	<0.52	<1.4	6	<1.2	<0.049	<4.9	<0.38	<2.8	9.7	<0.19	<0.3	<2.4	290	<0.33	<0.4
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	31	<0.12	3.8	5.5	<1.4	<2.3	<0.52	<2.40	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	13	<0.19	<0.3	<2.4	280	<0.33	<0.4
	9/16/2015	n/a	<0.21	<0.25	32.1	<0.12	4.8	6.2	3.09	<0.26	<0.52	<4.97	<0.24	7.57	<0.049	<2.76	<0.38	<0.31	13.9	<0.19	<0.3	<0.18	415	<0.331	<0.398
	11/23/2015	n/a	<0.21	<0.25	29.2	<0.12	3.93	4.87	<0.54	<0.26	<0.52	<4.15	<0.24	7.57	<0.049	<0.35	<0.38	<0.31	11.6	<0.19	<0.3	<0.18	366	<0.331	<0.398
	3/29/2016	n/a	<0.25	31.7	<0.12	4.32	6.16	4.21	0.89	<0.52	<0.10	<0.24	8.69	<0.049	<2.609	<0.38	<0.31	12	<0.19	<0.3	<0.18	431	<0.331	<0.398	
	6/28/2016	n/a	<0.754	<0.25	32.6	<0.12	3.92	7.78	<0.54	<0.26	<0.52	<3.44	<0.25	<0.049	<0.38	<0.31	12.3	<0.19	<0.3	<0.18	402	<0.331	<0.398	<0.398	
	9/20/2016	n/a	<2	<30.9	<2	5.34	6.05	2.62	<2	<5	1130	2.94	17.1	<0.2	2.82	<2	<2	16.1	<2	<2	<2	<5	436	<1	<1
	12/20/2016	n/a	<2	<34	<2	6.21	6.42	2.32	<2	<5	882	2.9	14.9	<0.2	2.82	<2	<2	16	<2	<2	<2	<5	457	<1	<1
	3/28/2017	n/a	<2	<27.7	<2	3.78	5.19	<2	<2	<5	430	<2	6.51	<0.2	<2	<2	<2	9.04	<2	<2	<2	<5	350	<1	<1
	9/27/2017	n/a	<2	<32.7	<2	6.14	7	3.21	<2	6.45	989	2.71	16.5	<0.2	2.82	<2	<2	10.2	<2	<2	<2	<5	518	<1	<1
	4/20/2018	n/a	<0.10*	<0.23*	30.3	<0.416*	3.8	4.68	<1.25*	<10.4*	1	347	<15.6*	3.1	<0.2*	<0.10*	<0.52*	<0.08*	8.48	<0.73*	<44.6*	0.6	379	<5*	<5*
	10/26/2018	n/a	<0.17	<0.33*	31.7	<0.634*	4.63	4.82	<1.7	<13.5*	2	442	<17.7*	3.1	<0.2*	<0.10*	<0.52*	<0.08*	8.48	<0.73*	<44.6*	0.6	379	<5*	<5*
	4/24/2019	n/a	<0.08*	0.172	30.9	<0.26*	3.92	4.52	0.441	<0.26*	0.201	8.56	0.072	0.398	<0.2*	0.71	<0.08*	<0.26*	7.58	<0.26*	<0.08*	0.329	360	<1*	<1*
	10/18/2019	n/a	<0.08*	0.183	30.9	<0.26*	4.49	4.06	0.494	<0.26*	0.258	13.5	0.083	0.237	0.025	1.03	<0.08*	<0.26*	8.81	<0.26*	<0.08*	0.491	435	<1*	<1*
	4/21/2020	n/a	<0.08*	0.151	29.4	<0.26*	3.72	3.61	0.528	<0.26*	0.279	7.96	<0.26*	<1.56*	<0.2*	0.98	<0.52*	<0.312*	6.49	<0.26*	<0.08*	0.35	380	<1*	<1*
	10/6/2020	n/a	<0.08	0.349	28.4	<0.26	5.65	4.34	0.567	0.086	6.85	78.3	1.06	3.64	<0.2	0.16	<5.2	<0.312	7.96	<0.26	<0.08	0.704	466	<1	<1
	4/6/2021	n/a	<0.08*	0.15	28.2	<0.26*	3.66	3.11	1.19	<0.26*	0.249	7.64	<0.26*	<1.56*	<0.2*	1.42	<0.52*	<0.312*	6.49	<0.26*	<0.08*	0.363	395	<1	<1*
	10/9/2021	n/a	<2	0.925	33.3	0.078	6.12	3.76	1.45	0.207	3.09	861	1.5	611	<0.2	1.83	<5	<0.3	6.99	<0.26	<0.08	<2.39	546	<1	<1
	4/19/2022	n/a	<2.08*	0.212	29.6	<0.26*	3.53	2.72	0.496	<0.26*	0.207	8.61	<0.26*	<1.56*	<0.2*	0.86	<5	<0.312*	6.99	<0.26*	<0.08*	0.369	363	<1	<1*
	10/4/2022	n/a	<0.08*	0.244	29.1	<0.26*	5.78	3.6	0.402	<0.26*	0.27	24.3	0.133	0.466	<0.2*	1.23	<0.52*	<0.312*	8.54	<0.26*	<0.08*	0.538	540	<1*	<1*
	5/15/2024	n/a	<0.08	0.177	25.6	<0.26	3.28	2.74	0.617	<0.26	0.266	24.5	0.213	1.25	<0.2	0.88	<5.2	<0.312	6.69	<0.26	<0.08	0.402	321	<1	<1
	11/7/2024	n/a	<0.08	0.202	25.1	<0.26	3.42	1.51	0.677	<0.26	0.303	38.6	0.141	0.611	<0.2	0.87	<5.2	<0.312	4.58	<0.26	<0.08	0.476	326	<1	<1
	5/6/2025	n/a	<0.08	0.122	26.4	<0.26	2.8	1.71	0.203	<0.26	0.154	<46.8	<0.416	<1.56	<0.2	0.69	<5.2	<0.312	4.61	<0.26	<0.08	0.334	264	<1	<2
MW-577	2/7/2007	7.02	<1	2.9	30	<2	<5	1.1	<10	<10	<20	490	<5	13	<0.2	<20	<20	<10	48	<1	n/a	<10	<30	<1	<1
	5/24/2007	8.2	<1	<2.7	29	<2	<5	1.8	<10																

NABORS Landfill Historic Data through May 2025

Well/Spreading ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
MW-6	12/17/2009	6.97	<1	4	35	0.51	<5	2.6	4.8	<10	<20	2500	12	35	0.03	<20	9.1	<10	40	<1	<20	5.3	26	<1	<1
	3/23/2010	6.9	<1	1.6	31	<1	<0.5	1.3	<10	<10	0.89	460	0.59	9.7	<0.2	<20	<1	3.6	75	<1	<1	<10	6.1	<1	<1
	6/15/2010	n/a	<1	1.4	27	<1	<0.5	1.5	<10	<10	0.7	170	0.48	7	<0.2	<20	<1	10	64	<1	<1	<10	17	<1	<1
	9/22/2010	6.9	0.34	2.5	28	0.88	0.5	1.4	3	<10	0.57	350	1.2	8	<0.2	<20	<1	<10	55	<1	0.31	<10	5.8	<1	<1
	12/8/2010	7.23	1.1	18	39	1	0.43	5.1	5.4	<10	0.7	3300	20	70	0.02	7.6	0.4	6	48	<1	0.78	<10	43	<1	<1
	3/22/2011	6.91	<1	2.3	25	<1	<0.5	1.6	<10	<10	<2	300	0.36	6.8	<0.2	<20	<1	<10	55	<1	<1	<10	8.4	<1	<1
	6/28/2011	6.88	<1	3.8	31	<1	<0.5	1.7	2	<10	2.7	1300	4.6	24	<0.2	<20	<1	<10	48	<1	0.47	<10	9.9	<1	<1
	9/28/2011	n/a	<1	3.9	26	<1	<0.5	1.7	<10	<10	1.2	1000	4.6	17	<0.2	7.5	<1	<10	43	<1	<1	4.2	10	<1	<1
	6/21/2012	n/a	<1	2.2	30	<1	<0.5	1.7	<10	<10	<2	720	1.9	13	<0.2	<20	<1	<10	39	<1	<1	29	<10	<1	<1
	9/20/2012	n/a	<1	2.8	25	<1	<0.5	1.9	<10	<10	<2	310	1.5	<10	<0.2	<20	<1	<10	41	<1	<1	<10	<10	<1	<1
	3/10/2015	n/a	<0.21	<0.25	26	<0.12	<0.16	1.9	<1.4	<2.3	<0.52	100	<0.19	<1.2	<0.049	<4.9	<0.38	<2.8	<4.5	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/19/2015	n/a	<0.21	<0.25	23	<0.12	<0.16	2.2	<1.4	<2.3	<0.52	130	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	<4.5	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	9/16/2015	n/a	<0.21	2.1	24.3	<0.12	<0.16	8.45	<0.54	<0.26	<0.52	<15	<0.24	5.32	<0.049	<0.35	<0.38	<0.31	22.8	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/15/2015	n/a	<0.21	<0.25	24.7	<0.12	<0.16	2.27	<0.54	<0.26	<0.52	189	<0.24	7.48	<0.049	<0.35	<0.38	<0.31	22.9	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	21.8	<0.12	<0.16	2.44	<0.54	<0.26	<0.52	133	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	24.2	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	6/28/2016	n/a	<0.754	<0.25	23.1	<0.12	<0.16	2.33	<0.54	<0.26	<0.52	159	<0.24	6.1	<0.049	<0.35	<0.38	<0.31	21.4	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	9/20/2016	n/a	<2	<2	22	<2	<1	2.5	<2	<2	<5	286	<2	8.14	<0.2	<2	<2	<2	21.4	<2	<2	<5	<25	<1	<1
	12/20/2016	n/a	<2	<2	23.3	<2	<2	1.48	<2	<2	<5	189	<2	5.2	<0.48	<2	<2	<2	24.2	<2	<2	<5	<25	<1	<1
	3/29/2017	n/a	<2	<2	21.4	<2	<1	2.47	<2	<2	<5	160	<2	5.06	<0.2	<2	<2	<2	24.7	<2	<2	<5	<25	<1	<1
	9/27/2017	n/a	<2	<2	23.1	<2	<1	3	<2	<2	<5	171	<2	5.8	<0.2	<2	<2	<2	25.1	<2	<2	<5	<25	<1	<1
	4/17/2018	n/a	<10*	<23.4*	25.8	<0.416*	<1.2*	1.49	<12.5*	<10*	<5*	363	<15.6*	<10.4*	<0.2*	<10*	<52*	<20.8*	22.7	<73*	<41.6*	<20*	<16*	<5*	<5*
	10/22/2018	n/a	<30*	<23.5*	25.2	<0.624*	<1.2*	1.99	<12.5*	<13.5*	<1	288	<15.6*	7.25	<0.2*	<10*	<52*	<20.8*	24.3	<73*	<728*	<21*	<15.6*	<5*	<5*
	4/24/2019	n/a	<0.8*	1.9	25.6	<0.26*	0.046	2.2	0.443	0.051	0.884	165	0.515	7.6	<0.2*	0.55	<0.20*	0.037	26.4	<23*	<0.8*	0.106	15.2	<5*	<5*
	10/8/2019	n/a	<0.8*	1.77	24.3	<0.26*	0.26*	2.5	0.342	<0.26*	0.11	190	0.295	5.65	0.25	0.21	<0.26*	<0.26*	23.6	<0.26*	<0.26*	<0.26*	<0.26*	<1*	<1*
	4/23/2020	n/a	<0.8*	1.77	24.3	<0.26*	0.26*	1.78	0.394	0.042	0.18	175	0.122	6.49	<0.2*	<0.21	<0.31*	31	<0.26*	<0.8*	0.057	<0.8*	<1*	<1*	<1*
	10/5/2020	n/a	<0.8	11.9	23.4	<0.26	<0.26	2.4	0.594	0.048	0.378	123	0.125	6.12	<0.2	<0.52	<5.2	<0.312	24.1	<0.26	<0.8	0.07	<0.8	<1	<1
	4/6/2021	n/a	<0.8*	1.32	24.1	<0.26*	<0.26*	2.18	0.763	<0.26*	0.264	123	0.167	5.62	0.015	0.25	<5.2*	<0.312*	28.5	<0.26*	<0.8*	0.065	<0.8*	<1	<1*
	10/6/2021	n/a	<2	1.3	24.5	<0.25	<0.25	2.78	0.57	0.058	0.484	153	0.197	8.1	<0.2	0.36	<5	<0.3	23.7	<0.25	<0.8	<0.20	<1	<1	<1
	4/19/2022	n/a	<0.8*	0.998	24.1	<0.26*	<0.26*	2.72	0.408	<0.26*	<0.395*	90.7	<0.26*	5	<0.2*	0.23	<0.2*	<0.312*	25.1	<0.26*	<0.8*	<0.26*	<0.8*	<1	<1*
	10/4/2022	n/a	<0.8*	1.14	23.3	<0.26*	<0.26*	2.07	0.786	0.053	0.381	137	0.121	8.09	<0.2*	0.39	<5.2*	<0.312*	22.9	<0.26*	<0.8*	0.057	<0.8*	<1	<1*
	5/14/2023	n/a	<0.8*	0.72	27.2	<0.26	<0.26	2.8	0.743	<0.26	<0.52	137	<0.416	5.94	<0.2	0.58	<5.2	<0.312	93.3	<0.26	<0.8	0.094	<0.8	<1	<1
	11/7/2024	n/a	<0.8	5.07	23.6	<0.26	<0.26	2.24	0.754	<0.26	0.161	145	0.117	9.95	<0.2	<1.56	<5.2	<0.312	57.7	<0.26	<0.8	0.064	0.9	<1	<2
	5/16/2025	n/a	<2.08	6.56	25.2	<0.26	0.046	2.11	0.286	0.108	0.838	176	0.19	8.92	<0.2	0.49	<5.2	<0.312	42.8	<0.26	<0.8	0.288	7.4	<1	<2
MW-6	4/13/1999	6.72	<6	<5	<100	<2	<3	6.5	<10	<20	<5	204	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
	7/28/1999	6.99	<6	<5	<100	<2	<3	7.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.1	<1	n/a	<400	<30	<0.05	<0.5
	10/12/1999	6.95	<6	<5	<100	<2	<3	7.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
	1/25/2000	7.07	<6	<5	<100	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
	4/26/2000	6.96	<6	<5	<100	<2	<3	7.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
	10/18/2000	6.93	<6	<5	<100	<2	<3	8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
	4/19/2001	6.92	<6	<5	190	<2	<3	9.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	
	10/25/2001	6.92	<6	<5	100	<2	<3	8.5	<10	<20	<5	50	<5	<50	n/a	<10	<10	5.4	<2	n/a	<400	<30	<0.05	<0.5	
	4/18/2002	6.9	<6	<5	58	<2	<3	7.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5
	10/31/2002	7.01	<6	<5	274	<2	<3	8.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	8.3	<1	n/a	<400	<30	<0.05	<0.5	
	4/15/2003	6.98	<6	<5	<10	<2	<3	8.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	6.5	<1	n/a	<400	<30	<0.05	<0.5	
	10/29/2003	6.98	<6	<5	22.2	<2	<3	8.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8	<1	n/a	<400	<30	<0.05	<0.5
	4/13/2004	7.04	<6	<5	75.2	<2	<3	9	<10	<20	<5	<30	<5	<50	n/a	<10	<10	6.1	<1	n/a	<400	<30	<0.05	<0.5	
	10/20/2004	6.87	<6	<5	<30	<2	<3	7.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	6	<1	n/a	<400	<30	<0.05	<0.5	
	4/14/2005	6.87	<2	<1.5	<25	<0.18	0.654	7	0.186	<20	<2	112	<1	<3	<30	n/a	<10	<3	1.715	<1	n/a	<20	10.3	<0.05	<0.5
	10/20/2005	6.61	<6	<4	<50	<0.8	0.437	10	0.352	<50	<10	55.1	<5	<50	n/a	<10	<10	5.82	<2	n/a	<10	39.8	<1	<1	
	4/4/2006	7.4	<2	<5	<50	<0.18	0.453	8	1.31	<100	<2	<30	<1	<30											

NABORS Landfill Historic Data through May 2025

Well/Spreading ID	Sample Date	pH (U.S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
	2/20/2009	7.18	<1	<1	44	<1	<0.5	6	<10	<10	1.1	<100	<1	<10	<0.2	<20	<1	<10	6	<1	<1	<10	38	<1	<1	
	5/20/2009	6.92	<1	<1	41	<1	<5	6.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	7	<1	<1	<10	51	<1	<1	
	8/19/2009	6.19	<1	<1	43	<1	<0.5	6.6	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	7.1	<1	<1	<10	51	<1	<1	
	12/17/2009	7.01	<1	0.32	43	<2	<5	6.2	<10	<10	<20	110	3.3	3.2	0.33	<20	15	<10	6.4	<1	<20	<10	42	<1	<1	
	3/23/2010	7.03	0.37	0.25	44	<1	<0.5	5.7	<10	<10	3.9	58	0.49	1.2	0.18	5.6	<1	4.1	6.1	<1	<1	<10	45	<1	<1	
	6/16/2010	n/a	<1	0.32	44	<1	<0.5	6.5	<10	<10	<2	48	<1	<10	0.52	<20	<1	<10	6.6	<1	<1	43	39	<1	<1	
	9/22/2010	6.98	1.6	1.6	45	0.87	0.92	6.4	3	<10	<2	44	1.2	<10	0.35	<20	0.88	<10	6.8	<1	2.7	<10	39	<1	<1	
	12/10/2010	6.64	0.43	0.62	40	0.52	0.59	6.9	<10	<10	3.3	27	0.47	<10	0.23	<20	<1	<10	7.4	<1	0.39	<10	36	<1	<1	
	3/21/2011	7.16	<1	<1	50	<1	<0.5	7.4	<10	<10	<2	46	0.78	2.4	0.41	<20	<1	<10	6.6	<1	<1	<10	56	<1	<1	
	6/28/2011	6.83	<1	<1	44	<1	<0.5	8	<10	<10	<2	100	<1	3.2	0.76	<20	<1	<10	6.8	<1	<1	<10	34	<1	<1	
	9/27/2011	n/a	<1	1.1	42	0.34	0.5	8.4	<10	<10	<2	40	0.61	<10	0.32	10	<1	<10	6.7	<1	<1	<10	35	<1	<1	
	6/21/2012	n/a	<1	<1	<1	<1	<0.5	9.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.9	<1	<1	27	43	<1	<1	
	9/19/2012	n/a	<1	<1	45	<1	<0.5	11	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.5	<1	<1	<10	35	<1	<1	
	3/11/2015	n/a	<0.21	<0.25	46	<0.12	<0.16	16	<1.4	<2.3	<0.52	<14	9.8	<1.2	<0.049	<4.9	<0.38	<2.8	8.4	<0.19	<0.3	<2.4	36	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	6/9/2015	n/a	<0.21	<0.25	47	<0.12	<0.16	16	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.8	<0.19	<0.3	<2.4	37	<0.33	<0.4	
	9/15/2015	n/a	<0.21	<0.25	45.9	<0.12	<0.16	16.6	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.02	<0.19	<0.3	<2.8	42.7	<0.331	<0.398	
	12/16/2015	n/a	<0.21	<0.25	47.3	<0.12	<0.16	17.9	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.66	<0.19	<0.3	<2.8	40.1	<0.331	<0.398	
	3/29/2016	n/a	<0.21	<0.25	45.1	<0.12	<0.16	17.4	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.86	<0.19	<0.3	<2.8	33.1	<0.331	<0.398	
	6/29/2016	n/a	<0.754	<0.25	46.5	<0.12	<0.16	18.5	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.23	<0.19	<0.3	<2.8	41	<0.331	<0.398	
	9/20/2016	n/a	<2	<2	43.7	<2	<1	19.1	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.81	<2	<2	<5	37	<1	<1	
	12/21/2016	n/a	<2	<2	46.5	<2	<1	21	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.76	<2	<2	<5	41.5	<1	<1	
	3/29/2017	n/a	<2	<2	43.8	<2	<1	22.4	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.28	<2	<2	<5	43.2	<1	<1	
	9/28/2017	n/a	<2	<2	46.8	<2	<1	26.4	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	8.25	<2	<2	<5	44.9	<1	<1	
	4/21/2018	n/a	<0.24*	<0.8*	0.073*	0.47*	30	<12.5*	<0.29*	<5*	<15*	<15.6*	<1.54	<0.75*	<0.10*	<0.25*	<0.82*	<0.31*	8.62*	<0.11*	<0.3	<2.7*	44.8	<0.331*	<0.398*	
	10/23/2018	n/a	<0.8*	<23.5*	52.6*	<0.694*	0.437	30.5	<17.3*	<13.5*	1	163	<15.6*	<10.4*	0.45	4	<5.2*	<20.8*	8.56*	<0.77*	<7.88*	<21*	46.2	<5*	<5*	
	4/24/2019	n/a	<0.08*	0.473	53.8	53.8	0.495	30	0.369	0.042	0.304	13.3	0.067	1.18	0.175	0.74	<0.20*	<0.8*	8.41	0.122	<0.08*	0.233	47	<5*	<5*	
	10/7/2019	n/a	<0.08*	0.504	50.5	<0.26*	0.384	29.4	0.875	0.08	0.357	39.5	0.115	2.63	0.6	1.48	<0.08*	0.031	7.84	0.096	<0.08*	0.169	48.3	<1*	<1*	
	4/22/2020	n/a	<0.08*	0.462	48.5	<0.26*	0.339	28.4	0.358	0.044	0.336	20.2	<0.26*	1.1	0.125	0.99	<5.2*	<0.312*	7.78	0.111	<0.08*	0.125	45.3	<1*	<1*	
	4/10/2020	n/a	<0.08	0.403	49.1	<0.26	0.414	25	0.405	<0.26	0.253	15.3	<0.26	0.498	<0.2	0.88	<5.2	<0.312	8.03	0.111	<0.08	0.113	43.8	<1	<1	
	4/6/2021	n/a	<0.08*	0.486	48.6	<0.26*	0.477	24.4	0.751	0.077	0.488	26.6	0.15	3.11	0.248	0.85	<5.2*	<0.312*	8.88	0.108	<0.08*	0.165	45.2	<1*	<1*	
	5/16/2021	n/a	<0.08	0.495	49.7	<0.25	0.402	21	0.404	0.011	0.233	8.3	<0.25	0.985	0.05	0.82	<5	<0.3	7.50	0.111	<0	0.127	44.8	<1	<1	
	4/19/2022	n/a	<0.08*	0.39	46.7	<0.26*	0.456	18.3	0.4	0.041	0.281	22.3	<0.26*	0.499	<0.2*	0.79	<5.2*	<0.312*	6.61	0.109	<0.08*	0.139	41.7	<1*	<1*	
	10/4/2022	n/a	<0.08*	0.416	46	<0.26*	0.407	18	0.27	0.042	0.239	8.39	<0.26*	0.754	<0.2*	0.75	<5.2*	<0.312*	7.52	0.116	<0.08*	0.116	44.2	<1*	<1*	
	5/15/2024	n/a	<0.08	0.449	42.8	<0.26	0.409	15.8	0.496	0.051	1.14	35.9	0.139	1.38	0.642	0.98	<5.2	<0.312	7.34	0.11	<0.08	0.139	47.2	<1	<2	
	11/16/2024	n/a	<0.08	0.424	46.5	<0.26	0.344	13.5	0.532	0.041	0.281	30.9	<0.146	1.32	0.24	0.83	<5.2	<0.312	6.32	0.132	<0.08	0.124	140	<1	<2	
	5/7/2025	n/a	<0.08	0.442	46.2	<0.26	0.482	13.1	0.409	0.049	0.348	6.5	<0.416	1.8	0.302	0.83	<5.2	<0.312	6.5	0.134	<0.08	0.173	44.7	<1	<2	
MW-633D	7/25/2006	7.74	<1	<10	38	<2	<5	4.6	<10	<10	<20	<100	<5	<10	n/a	<20	26	14	16	<1	n/a	<10	180	<1	<1	
	9/8/2006	7.51	<1	<10	37	<2	<5	4.9	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	140	<1	<1	
	2/7/2007	7.23	<1	<10	37	<2	<5	4.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	130	<1	<1	
	5/24/2007	12.84	<1	1.5	38	<2	<5	4.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	230	<1	<1	
	8/25/2007	7.19	<1	<10	33	<2	<5	6.4	<10	<10	<20	<100	6.5	<10	<0.2	<20	33	<10	13	<1	110	<10	250	<1	<1	
	11/6/2007	6.99	<1	<1	33	<2	<5	6.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	20	<1	<10	<10	32	<1	<1	
	2/22/2008	7.18	<1	1	35	<2	<5	5.3	<10	<10	1.3	<20	210	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	160	<1	<1
	4/29/2008	7.28	<1	<1	36	<1	0.67	6	<10	<10	<2	<100	<5	<10	<0.2	<20	<20	<10	15	<1	<10	<10	130	<1	<1	
	8/19/2008	7.3	<1	1	36	<1	<5	4.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	<20	<10	320	<1	<1	
	11/18/2008	7.1	<1	<1	37	<2	<5	5.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	80	<10	260	<1	<1	
	2/20/2009	7.53	<1	<1	37	<1	1.5	4.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<20	<10	12	<1	<1	<10	250	<1	<1	
	5/20/2009	7.05	<1	<1	35	<1	0.53	5.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<20	<10	13	<1	<1	<10	230	<1	<1	
	8/19/2009	6.14	<1	<1	36	<1	0.97	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<20	<10	13	<1	<1	<10	200	<1	<1	
	12/14/2009	6.97	<1	3.5	43	<2	<5	6	<10	<10	<20	2000	32	92	<0.2	<20	<20	<10	15	<1	<200	<10	270	<1	<1	
	3/22/2010																									

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
	4/6/2021	n/a	<2.08*	6.44	31.2	<0.26*	<0.26*	1.6	<0.26*	0.209	0.144	1860	0.946	10.6	<0.2*	1.02	<5.2*	<0.312*	10	<0.26*	<0.8*	0.126	5.37	<1*	<1*	
	10/5/2021	n/a	<2	7.54	33.9	<0.25	<0.25	2.09	0.313	0.045	0.184	1820	0.187	14.8	<0.2	<0.5	<5	<0.3	1.54	<0.25	<0.2	0.134	<20	<1	<1	
	4/19/2022	n/a	<2.08*	5.08	31.3	<0.26*	<0.26*	1.42	0.396	0.082	0.274	1290	0.539	8.55	<0.2*	0.34	<5.2*	<0.312*	8.7	<0.26*	<0.8*	0.171	<20.8*	<1*	<1*	
	10/16/2022	n/a	<2.08*	4.55	33	<0.26*	<0.26*	2.14	0.168	<0.26*	<0.395*	1870	0.222	15.9	<0.2*	<0.52*	<5.2*	<0.312*	2.52	<0.26*	<0.8*	0.117	<20.8*	<1*	<1*	
	5/15/2024	n/a	0.408	1.41	28.9	<0.26	0.108	1.97	0.448	0.081	0.517	87.9	1.03	1.87	<0.2	0.78	<5	<0.312	11.7	<0.26	<0.8	0.345	18.8	<1	<2	
	11/4/2024	n/a	<2.08	1.16	27.6	<0.26	0.091	1.9	0.511	0.092	0.629	162	0.751	2.87	<0.2	0.97	<5.2	<0.312	10.3	0.04	<0.8	0.426	40.9	<1	<2	
	5/7/2025	n/a	<2.08	3.43	31.3	<0.26	0.045	1.65	<0.26	0.053	0.173	395	0.523	3.75	<0.2	0.48	<5.2	<0.312	10.1	<0.26	2.13	0.257	13	<1	<2	
MW-7	4/13/1999	6.74	<6	<5	<100	<2	<3	9	<10	<20	<5	277	<5	<50	n/a	<10	<10	<10	27.7	<1	n/a	<400	<30	<0.05	<0.5	
	7/28/1999	6.93	<6	<5	<100	<2	<3	7	<10	<20	<5	330	<5	<50	n/a	<10	<10	<10	9.8	<1	n/a	<400	<30	<0.05	<0.5	
	10/12/1999	7.06	<6	<5	530	<2	<3	7	<10	<20	<5	69	<5	<50	n/a	<10	<10	<10	5.2	<1	n/a	<400	<30	<0.05	<0.5	
	1/25/2000	7.07	<6	<5	430	<2	<3	8	<10	<20	<5	46	<5	<50	n/a	<10	<10	<10	6	<1	n/a	<400	<30	<0.05	<0.5	
	4/26/2000	6.96	<6	<5	380	<2	<3	8	<10	<20	<5	200	<5	<50	n/a	<10	<10	<10	33.4	<1	n/a	<400	<30	<0.05	<0.5	
	10/18/2000	6.96	<6	<5	400	<2	<3	6.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.8	<1	n/a	<400	<30	<0.05	<0.5	
	4/19/2001	7.05	<6	<5	<100	<2	<3	7	<10	<20	<5	37	<5	<50	n/a	<10	<10	<10	16.3	<1	n/a	<400	<30	<0.05	<0.5	
	10/25/2001	7.01	<6	<5	180	<2	<3	7.25	<10	<20	<5	150	<5	<50	n/a	<10	<10	<10	<5	<2	n/a	<400	<30	<0.05	<0.5	
	4/18/2002	6.96	<6	<5	318	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05	<0.5	
	10/31/2002	7.12	<6	<5	2670	<2	<3	6.5	<10	<20	<5	118	<5	<50	n/a	<10	<10	<10	5.8	<1	n/a	<400	<30	<0.05	<0.5	
	4/15/2003	6.98	<6	<5	26	<2	<3	7	<10	<20	<5	46	<5	<50	n/a	<10	<10	<10	11.6	<1	n/a	<400	<30	<0.05	<0.5	
	10/29/2003	7.07	<6	<5	279	<2	<3	6.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05	<0.5	
	4/13/2004	7.16	<6	<5	432	<2	<3	5	<10	<20	<5	153	<5	<50	n/a	<10	<10	<10	10.5	<1	n/a	<400	<30	<0.05	<0.5	
	10/20/2004	7.02	<6	<5	71	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05	<0.5	
	4/14/2005	6.77	<2	1.58	25.4	<0.18	0.506	<5	0.293	<20	<2	539	1.14	<30	<0.3	<1	13.8	<1	n/a	<20	<10	<0.05	<0.5	<1	<1	
	11/10/2005	6.62	<2	153	77.5	1.87	0.421	9	<40	<50	<10	179	<5	632	n/a	14.5	<10	<3	7	<2	n/a	<110	11.8	<1	<1	
	4/4/2006	7.8	<2	<5	<50	<0.18	<0.30	0.705	<100	<2	<30	<1	124	<30	<1	124	<100	<5	<0.57	10.5	<1	<100	<0.5	<0.25	<1	
	7/27/2006	7.82	<1	<10	180	<2	<5	1.7	<10	<20	<100	<5	100	<100	<5	100	<20	<1	8.9	<1	n/a	<10	<30	<1	<1	
	9/6/2006	7.41	<1	<10	190	<2	<5	1.6	<10	<20	<100	<5	200	<0.2	<20	<100	<10	7.9	<1	n/a	<10	<30	<1	<1	<1	
	2/7/2007	7.36	<1	<1	150	<2	<5	1.7	<10	<20	<100	<5	160	<0.2	<20	<100	<10	9.9	<1	n/a	<10	<30	<1	<1	<1	
	5/24/2007	8.27	<1	<1	160	<2	<5	2.5	<10	<20	<100	<5	91	<0.2	<20	<100	<10	9.1	<1	n/a	<10	<30	<1	<1	<1	
	8/25/2007	7.26	<1	<1	150	<2	<5	1.7	<10	<20	<100	<5	130	<0.2	<20	39	<10	8.5	<1	n/a	<10	<30	<1	<1	<1	
	11/6/2007	6.93	<1	<1	160	<2	<5	2.7	<10	<20	<100	<5	86	<0.2	<20	<100	<10	8	<1	<20	<10	<30	<1	<1	<1	
	2/22/2008	7.21	<1	<1	140	<2	<5	2.3	<10	<20	<100	<5	12	<0.2	<20	<100	<10	12	<1	<20	<10	<30	<1	<1	<1	
	4/29/2008	7.35	<1	<1	120	<1	<5	2.1	<10	<20	<100	<5	25	<0.2	<20	<1	<10	12	<1	<20	<10	<11	<1	<1	<1	
	8/19/2008	7.26	<1	<1	140	<1	<5	1.7	<10	<20	<100	<5	70	<0.2	<20	<100	<10	9.6	<1	<20	<10	<12	<1	<1	<1	
	11/18/2008	7.18	<1	<1	140	<2	<5	2.9	<10	<20	<100	<5	99	<0.2	<20	<100	<10	11	<1	<20	<10	<30	<1	<1	<1	
	2/20/2009	7.3	<1	<1	120	<1	<0.5	2.8	<10	<20	<100	<1	<10	<0.2	<20	<1	<10	13	<1	<1	<10	<11	<1	<1	<1	
	5/27/2009	6.98	<1	<1	100	<1	<5	3.7	<10	<20	<100	<1	<10	<0.2	<20	<1	34	14	<1	<1	<10	<23	<1	<1	<1	
	8/10/2009	6.12	<1	1.5	150	<1	1	2.8	<10	<20	350	2	850	<0.2	<20	<1	<10	10	<1	<1	<10	<71	<1	<1	<1	
	12/18/2009	6.9	<1	0.45	130	<2	<5	3.5	<10	7.3	1.5	290	<5	740	<0.8	5.4	<10	10.8	5.4	<10	<19	<19	<1	<1	<1	
	3/23/2010	7.09	<1	<1	120	<1	<0.5	2.1	<10	1.2	110	<1	<140	<0.2	54	<1	3.7	10	<1	<1	<10	<21	<1	<1	<1	
	6/17/2010	n/a	<1	0.52	120	<1	<0.5	2.5	<10	0.59	85	<1	340	<0.2	7.4	<1	<10	7.9	<1	<1	<40	<15	<1	<1	<1	
	9/23/2010	6.91	<1	0.41	82	<1	<0.5	2.5	<10	<10	<2	<100	<1	86	<0.2	<20	<1	<10	9.2	<1	<1	5.6	9.8	<1	<1	
	12/8/2010	6.72	0.39	0.73	70	0.49	0.34	3.2	<10	2.5	0.95	67	0.8	360	<0.2	5.9	0.59	<10	11	<1	0.34	<10	<13	<1	<1	
	3/22/2011	7.02	<1	<1	81	<1	<0.5	2.7	<10	5.8	1.3	180	0.33	690	<0.2	17	<1	<10	12	<1	<1	<10	<85	<1	<1	
	6/28/2011	6.88	<1	<1	96	<1	<0.5	2.8	<10	12	1.5	340	12	1200	<0.2	20	<1	<10	8.1	<1	<1	<10	<26	<1	<1	
	9/30/2011	n/a	<1	0.32	91	<1	<1	0.32	<10	2.4	<1	56	<1	200	<0.2	11	<1	<10	9	<1	<1	<10	<8	<1	<1	
	6/21/2012	n/a	<1	<1	61	<1	<0.5	2.8	<10	<10	<2	<100	<1	86	<0.2	<20	<1	<10	8.1	<1	<1	25	<19	<1	<1	
	9/19/2012	n/a	<1	<1	110	<1	<0.5	2.8	<10	13	<2	340	<1	1300	<0.2	29	<1	<10	12	<1	<1	<10	<35	<1	<1	
	3/11/2015	n/a	<0.21	<0.25	35	<0.12	<0.16	1.8	<1.4	<2.3	<0.52	<14	8.5	<1.2	<0.049	<4.9	<0.38	<2.8	9.7	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	37	<0.12	<0.16	2.4	<1.4	<2.3	<0.52	<14	<0.24	82	<0.049	<4.9	<0.38	<2.8	7.2	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	9/15/2015	n/a	<0.21	<0.25	37.4	<0.12	<0.16	1.96	<0.54	<0.26	<0.52	<15	<0.24	80.2	<0.049	<3.98	<0.38	<0.31	7.19	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	
	12/15/2015	n/a	<0.21	<0.25	34.5	<0.12	<0.16																			

NABORS Landfill Historic Data through May 2025

Well/Spreading ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (ug/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
	10/7/2019	n/a	<0.08*	0.293	34.5	<0.26*	<0.26*	1.56	0.36	0.125	0.439	4.78	<0.26*	13	<0.2*	0.36	0.666	0.032	6.53	<0.26*	<0.8*	0.092	5.65	<1*	<1*
	4/20/2020	n/a	<0.08*	0.249	28.9	<0.26*	<0.26*	1.03	0.281	0.074	0.237	<0.8*	<0.26*	6.17	<0.2*	<0.28	<5.2*	<0.312*	6.97	<0.26*	<0.8*	0.078	<0.8*	<1*	<1*
	10/5/2020	n/a	<0.08*	0.278	32.3	<0.26*	0.066	1.54	0.399	<0.26	0.271	<0.20	0.1	3.08	<0.2	<0.52	<1.5	<5*	<0.312*	5.15	0.077	<0.20	0.117	5.19	<1*
	4/5/2021	n/a	<0.08*	0.218	26.1	<0.26*	<0.26*	1.3	0.571	<0.26*	0.229	<0.8*	<0.26*	0.677	0.0125	0.18	<5.2*	<0.312*	6.72	<0.26*	<0.8*	0.066	<0.8*	<1*	<1*
	10/5/2021	n/a	<2	0.291	34.8	<0.25	1.59	0.418	<0.25	0.185	<0.20	<0.25	<0.25	<1.5	<0.2	<0.15	<5*	<0.3	7.26	<0.25	<0	0.108	<20	<1	<1
	4/19/2022	n/a	<0.08*	0.215	29.7	<0.26*	0.039	1.28	0.401	0.049	0.226	<0.8*	<0.26*	5.11	<0.2*	0.19	<5.2*	<0.312*	6.38	<0.26*	<0.8*	0.065	<0.8*	<1*	<1*
	10/3/2022	n/a	<0.08*	0.263	34	<0.26*	<0.26*	2	0.227	0.036	0.24	<0.8*	<0.26*	3.85	<0.2*	<0.52*	<5.2*	<0.312*	8.08	<0.26*	<0.8*	0.099	<0.8*	<1*	<1*
	5/14/2024	n/a	<0.08	0.21	29	<0.26	0.065	1.36	0.39	0.277	0.295	<46.8	<0.416	33.6	0.0625	1.02	<5.2	<0.312	5.84	<0.26	<0.8	0.07	<0.8	<1	<2
	11/6/2024	n/a	<0.08	0.265	31.4	<0.26	0.045	1.49	0.677	<0.26	0.348	14.5	<0.416	1.16	<0.2	<1.56	<5.2	<0.312	7.3	<0.26	<0.8	0.11	<0.8	<1	<2
	5/6/2025	n/a	<0.08	0.188	30.4	<0.26	<0.26	1.08	0.0926	0.073	0.277	<46.8	<0.416	7.85	<0.2	<1.56	<5.2	<0.312	5.87	<0.26	<0.8	0.062	5.18	<1	<2
NAB-1	7/25/2006	7.54	<1	22	27	<2	<5	2.1	<10	<10	<20	<100	<5	100	n/a	<20	22	<10	26	<1	n/a	<10	34	<1	<1
	9/17/2006	7.26	<1	31	27	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<10	<16	<1	n/a	<10	<30	<1	<1	<1
	2/17/2007	7.06	1.4	72	26	<2	<5	1.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	21	<1	n/a	<10	<30	<1	<1
	5/24/2007	8.21	1.1	47	28	<2	<5	2.8	<10	<10	<20	<370	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	64	<1	<1
	8/25/2007	7.29	<1	58	31	5.7	5.7	1.9	<10	<10	<20	<100	<5	13	0.23	<20	<20	<10	16	<1	51	<10	<30	<1	<1
	11/6/2007	6.94	<1	60	26	<2	<5	1.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	<20	<10	<30	<1	<1
	2/22/2008	7.08	<1	46	25	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	22	<1	22	<10	66	<1	<1
	4/29/2008	7.24	<1	44	27	<2	<5	1.4	<10	<10	<20	<100	<5	14	<0.2	<20	<20	<10	21	<1	<20	<10	120	<1	<1
	9/19/2008	7.19	<1	53	28	<1	<5	2.2	<10	<10	<20	<48	<5	11	<0.2	<20	<20	<10	19	<1	<20	<10	<140	<1	<1
	11/18/2008	6.98	1.4	37	29	<2	<5	3.3	<10	<10	<20	<100	<5	12	<0.2	<20	<20	<10	24	<1	<20	<10	<140	<1	<1
	2/20/2009	7.12	1.2	34	28	<1	<5	3.5	<10	<10	<1	<140	<1	12	<0.2	<20	<1	<10	27	<1	<1	<10	<140	<1	<1
	5/20/2009	7.4	<1	24	26	<1	<5	3.4	<10	<10	<1	<100	<1	15	<0.2	<20	<1	<10	24	<1	<1	<10	<160	<1	<1
	8/19/2009	6.11	<1	23	31	<1	<0.5	4.8	<10	<10	<2	<100	<1	19	<0.2	<20	<1	<10	28	<1	<1	<10	<120	<1	<1
	12/17/2009	7.19	0.59	11	31	<1	<5	3.9	2	<10	<20	990	5.4	49	0.03	<20	22	<10	27	<1	<20	<170	<1	<1	<1
	3/23/2010	7.19	<1	8.2	32	<1	<0.5	4.6	1.9	3.3	4	1100	5.6	67	<0.2	11	<1	3.7	26	<1	<1	<10	<190	<1	<1
	6/16/2010	n/a	0.3	12	32	0.15	0.27	4.4	1.7	<10	1.8	1200	7.2	62	<0.2	11	<1	<10	25	<1	<1	55	200	<1	<1
	9/23/2010	5.56	0.72	17	40	1.1	1.2	4.4	6	<10	2.3	2200	9.3	100	<0.2	9	<1	<10	23	<1	0.42	13	280	<1	<1
	12/7/2010	6.7	0.66	4.9	29	0.51	0.54	3.6	<10	<10	0.94	280	3.2	27	<0.2	8.8	<1	3.6	28	<1	0.38	<10	150	<1	<1
	3/22/2011	6.9	<1	3.9	30	<1	<0.5	4.5	<10	2.1	<2	380	3.2	47	<0.2	6.6	<1	<10	39	<1	<1	<10	220	<1	<1
	6/29/2011	6.95	<1	24	30	<1	<0.5	3.8	<10	<10	<2	200	1.6	37	<0.2	10	<1	<10	27	<1	<1	<10	<160	<1	<1
	9/28/2011	n/a	<1	3.6	30	<1	<0.5	3.2	<10	<10	<2	140	1.7	23	<0.2	15	<1	<10	27	<1	<1	<10	<120	<1	<1
	6/21/2012	n/a	<1	13	36	<1	0.57	3.7	<10	<10	2.4	1500	9.3	68	<0.2	<20	<1	<10	28	<1	<1	36	210	<1	<1
	9/20/2012	n/a	<1	8.1	34	<1	<0.5	3	<10	<10	<2	410	1.8	33	<0.2	<20	<1	<10	29	<1	<1	<10	<140	<1	<1
NAB-2	7/25/2006	7.63	<1	20	28	<2	<5	2.2	<10	<10	<20	<100	<5	23	n/a	<20	23	<10	24	<1	n/a	<10	30	<1	<1
	9/7/2006	7.36	<1	110	31	<2	<5	3.9	<10	<10	<20	<330	<5	33	<0.2	<20	<20	<10	53	<1	n/a	<10	<30	<1	<1
	2/17/2007	7.18	<1	12	24	<2	<5	1.7	<10	<10	<20	<100	<5	16	<0.2	<20	<20	<10	24	<1	n/a	<10	<30	<1	<1
	5/24/2007	8.21	1.3	36	27	<2	<5	2.4	<10	<10	<20	<100	<5	24	<0.2	<20	<20	<10	19	<1	<20	<10	31	<1	<1
	8/25/2007	7.21	<1	7.9	20	<2	<5	1.5	<10	<10	<20	<100	<25	10	<0.2	<20	<20	<10	18	<1	110	<10	49	<1	<1
	11/6/2007	6.9	<1	44	23	<2	<5	1.9	<10	<10	<20	<140	16	19	<0.2	<20	<20	<10	20	<1	<20	<10	72	<1	<1
	2/22/2008	7.01	<1	13	24	<2	<5	2.2	<10	<10	<20	<100	<5	16	<0.2	<20	<20	<10	26	<1	22	<10	<30	<1	<1
	4/29/2008	7.07	<1	21	23	<1	<0.5	1.6	<10	<10	<1	<100	<5	13	<0.2	<20	<1	<10	18	<1	<20	<10	62	<1	<1
	8/19/2008	7.13	<1	27	23	<1	<5	1.7	<10	<10	<20	<100	<5	13	<0.2	<20	<20	<10	17	<1	<20	<10	47	<1	<1
	11/18/2008	7.55	<1	25	23	<2	<5	2.6	11	<10	<20	300	5.5	13	<0.2	44	<20	<10	22	<1	<20	<10	61	<1	<1
	2/20/2009	7.19	<1	18	22	<1	<5	2.5	<10	<10	<2	<100	1.7	20	<0.2	<20	<20	<10	25	<1	<1	<10	36	<1	<1
	5/20/2009	6.9	<1	13	22	<1	<5	2.5	<10	<10	<1	<100	<1	15	<0.2	<20	<1	<10	23	<1	<1	<10	32	<1	<1
	8/19/2009	6.13	<1	11	25	<1	<0.5	2.3	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	19	<1	<1	<10	37	<1	<1
	12/16/2009	7.39	0.63	28	23	<2	<5	2.6	<10	<10	<20	140	2.3	8.4	0.03	<20	9.8	<10	18	<1	<20	<10	24	<1	<1
	3/23/2010	7.29	<1	46	24	<1	<0.5	3.2	<10	2.3	<2	350	1.9	15	<0.2	<20	<1	5.8	18	<1	<1	<10	29	<1	<1
	6/17/2010	n/a	0.91	42	23	<1	<0.5	2.3	<10	<10	0.65	430	2.9	12	<0.2	<20	<1	<10	17	<1	0.99	17	28	<1	<1
	9/21/2010	6.77	0.43	120	25	<1	<0.5	2.2	<10	<10	0.65	1000	6.8	27	<0.2	<20	<1	<10	17	<1	<1	5.6	23	<1	<1
	12/7/2010	6.86	0.82	110	25	0.68	0.34	2.4	3	<10	1.3	1600	10	41	<0.2	<20	<1	15.4	15	<1	0.77	<10	36	<1	<1
	3/22/2011	7.04	<1	52	23	<1	<0.5	2.5	<10	<10	<2	480	2.8	19	<0.2	<20	<1	<10	18	<1	<				

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
NAB-3	12/15/2015	n/a	<0.21	55.7	50.6	<0.12	<0.16	5.72	<0.54	<0.26	<0.52	<15	<0.24	17	<0.049	3.08	<0.38	<0.31	17	<0.19	<0.3	<0.18	37.1	<0.331	<0.398
	3/29/2016	n/a	<0.21	6.42	31.7	<0.12	<0.16	6.98	<0.54	<0.26	<0.52	<103	<0.24	16.7	<0.049	3.22(0.8)	<0.38	<0.31	14.7	<0.19	<0.3	<0.18	40.3	<0.331	<0.398
	6/28/2016	n/a	<0.754	5.24	50.1	<0.12	<0.16	6.5	<0.54	<0.26	<0.52	108	<0.24	15.9	<0.049	3.29	<0.38	<0.31	14.7	<0.19	<0.3	<0.18	34.8	<0.331	<0.398
	9/20/2016	n/a	<2	18.3	41	<2	<1	8.12	80.3	<2	<12.4	1860	10.5	96	<0.2	51.2	<2	<2	13.2	<2	<2	<5	90.4	<1	<1
	12/20/2016	n/a	<2	6.28	39.4	<2	<1	10.4	5.77	<2	<5	536	3.16	17.4	<0.2	5.86	<2	<2	13.5	<2	<2	<5	60.2	<1	<1
	3/29/2017	n/a	<2	4.66	62	<2	<1	9.73	<2	<2	<5	<100	<2	14.7	<0.2	2.52	<2	<2	15	<2	<2	<5	39	<1	<1
	10/26/2018	n/a	<38*	<23.5*	66.1	<0.624*	<1.2*	11.9	<12.5*	<13.5*	2	184	<15.6*	25.2	<0.2*	5	<52*	<20.8*	18.1	<73*	<728*	<21*	44.3	<5*	<5*
	4/25/2019	n/a	0.622	18.2	56.9	<0.26*	0.06	12	0.392	0.559	0.396	79.8	1.48	30.4	<0.2*	6.29	<2.08*	<0.26*	21	<0.21*	<0.81*	0.17	46.9	<5*	<5*
	10/9/2019	n/a	0.894	54	53.7	0.092	0.093	10.2	4.05	1.29	2.36	903	11.5	48.5	0.025	3.7	<2.08*	<0.26*	16	0.094	1.27	1.25	44.5	<1*	<1*
	4/21/2020	n/a	0.349	10.5	55.4	<0.26*	0.069	9.37	0.587	0.441	0.385	59.7	1.18	421	<0.2*	12.4	<0.2*	<0.312*	18.6	0.134	<20.8*	0.136	52.8	<1*	<1*
	10/7/2020	n/a	<2.08	12.2	47.5	<0.26	<0.26	8.76	1.14	0.329	0.239	17.2	15.4	64.3	<0.2	6.3	<5.2	<0.312	14.3	0.092	<20.8*	0.07	36	<1	<1
	4/16/2021	n/a	<0.6	17.2	40.6	<0.26*	0.059	9.87	0.895	0.738	0.895	230	21.3	3.99	<0.2	0.12	<5.8	<0.312	13.2	0.128	<20.8*	0.278	46.3	<1	<1
	10/5/2021	n/a	<2	<9	58.7	<0.25	0.048	6.8	3.58	0.612	0.452	380	2.15	71.3	<0.2	7.13	<5	<0.3	13	0.078	<20	0.259	27.4	<1	<1
	4/19/2022	n/a	<2.08*	12.5	60.3	<0.26*	0.05	6.12	1.08	6.05	0.345	17.3	1.15	240	<0.2*	11.7	<5.2*	<0.312*	13.5	0.123	<20.8*	0.201	37.5	<1*	<1*
	10/4/2022	n/a	<4.09	22.7	57.6	<0.26*	0.052	6.51	4.58	1.6	0.658	609	3.39	146	<0.2*	8.75	<5.2*	<0.312*	14	0.077	<20.8*	0.508	32.2	<1*	<1*
	5/14/2024	n/a	<2.08	5.16	52.6	<0.26	0.048	7.32	0.41	0.34	0.169	43	0.155	53.6	<0.2	5.73	<5.2	<0.312	14.1	0.128	<20.8	0.082	37.3	<1	<2
	7/25/2006	7.89	<1	<10	31	<2	<5	1.9	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	8.7	<1	n/a	<10	84	<1	<1
	9/8/2006	7.58	<1	<10	32	<2	<5	1.7	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	8.7	<1	n/a	<10	56	<1	<1
	2/17/2007	7.18	<1	<10	36	<2	<5	1.7	<10	<10	<20	<130	<5	31	<0.2	<20	<20	<10	7.2	<1	n/a	<10	89	<1	<1
	5/24/2007	8.11	<1	1.2	40	<2	<5	2.9	<10	<10	<20	<100	<5	76	<0.2	<20	<20	<10	6.1	<1	n/a	<10	79	<1	<1
	8/25/2007	7.29	<1	<10	32	<2	<5	1.9	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.7	<1	48	<10	110	<1	<1
	11/6/2007	6.87	<1	<10	36	<2	<5	2.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	<20	<10	110	<1	<1
	2/22/2008	6.28	<1	<1	32	<2	<5	2.6	<10	<10	<20	<130	<5	20	<0.2	<20	<20	<10	12	<1	22	<10	140	<1	<1
	4/29/2008	7.34	<1	<1	36	<2	<5	3.1	<10	<10	<20	<130	<5	<10	<0.2	<20	<20	<10	12	<1	<20	<10	140	<1	<1
	8/19/2008	7.26	<1	<1	36	<2	<5	2.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	<20	<10	120	<1	<1
	11/18/2008	7.03	<1	<1	38	<2	<5	4.5	11	<10	<20	<100	<5	18	<0.2	44	<20	<10	13	<1	<20	<10	150	<1	<1
	2/20/2009	7.06	<1	<1	42	<1	0.56	4.6	<10	<12	1.20	<1	<1	16	<0.2	<20	<1	<10	9.4	<1	<1	<10	99	<1	<1
	5/20/2009	6.81	<1	<1	36	<1	<5	3.7	<10	<10	<1	<100	<1	21	<0.2	<20	<1	<10	9.3	<1	<1	<10	120	<1	<1
	8/19/2009	6.07	<1	1.1	44	<1	0.68	3.7	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	8.6	<1	<1	<10	82	<1	<1
	12/15/2009	6.83	<1	1	50	<2	<5	3.9	<10	<10	<20	<160	<5	170	0.28	<20	<100	<10	7	<1	130	<10	53	<1	<1
	3/23/2010	6.89	<1	2	39	<1	<5	2.4	1.7	2.9	0.62	120	<1	95	0.06	<20	<1	4	<1	<1	<10	180	<1	<1	
	6/17/2010	n/a	<1	0.9	47	<1	0.49	2.8	1.8	<10	1.2	420	0.75	160	0.18	<20	<1	<10	7.9	<1	<1	46	70	<1	<1
	9/21/2010	6.31	<1	1.3	52	<1	1.1	4.4	<10	2	2	440	2.2	320	<0.2	<20	<1	<10	9.8	<1	<1	<10	69	<1	<1
	12/7/2010	6.57	0.4	0.95	48	0.51	0.88	4.4	<10	<10	1.3	130	1.1	140	0.09	<20	<1	9.1	9.8	<1	0.33	10	59	<1	<1
	3/22/2011	6.83	<1	<1	52	<1	0.24	4.2	<10	<10	1.4	220	1.3	340	0.03	<20	<1	<10	12	<1	<1	<10	75	<1	<1
	6/29/2011	6.57	<1	<1	42	<1	<0.5	3.6	<10	<10	1.6	160	0.8	270	0.08	<20	<1	<10	14	<1	<1	<10	77	<1	<1
	9/28/2011	n/a	0.55	2.3	44	0.38	2	3.3	<10	4	2.9	820	4.1	790	0.19	11	<1	<10	21	<1	0.4	2.8	180	<1	<1
	6/20/2012	n/a	<1	1.8	18	<1	2.3	2.5	<10	<10	1.3	390	4.5	450	<0.2	<20	<20	<1	<10	20	<1	30	180	<1	<1
	9/20/2012	n/a	<1	2.2	37	<1	2.3	2.3	<10	<10	4.1	1700	1.8	1100	<0.2	<20	<1	<10	56	<1	<1	<10	240	<1	<1
	3/10/2015	n/a	<0.21	<0.25	33	<0.12	<0.16	2.8	<1.4	<2.3	<0.52	310	6	12	<0.049	<4.9	<0.38	<2.8	14	<0.19	<0.3	<2.4	100	<0.33	<0.4
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	38	<0.12	<0.16	4.9	<1.4	<2.3	<0.52	140	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	100	<0.33	<0.4
	9/15/2015	n/a	<0.21	<0.25	39.2	<0.12	<0.16	5.08	<0.54	<0.26	<0.52	<15	<0.24	11.4	<0.049	<0.35	<0.38	<0.31	12.1	<0.19	<0.3	<0.18	100	<0.331	<0.398
	12/15/2015	n/a	<0.21	<0.25	37.2	<0.12	<0.16	3.14	<0.54	<0.26	<0.52	906	<0.24	31.6	<0.049	2.28	<0.38	<0.31	9.93	<0.19	<0.3	<0.18	96.3	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	45.6	<0.12	<0.16	5.52	<0.54	<0.26	<0.52	44.9	<0.24	28.9	<0.049	2.69(0.8)	<0.38	<0.31	9.93	<0.19	<0.3	<0.18	96.3	<0.331	<0.398
	6/28/2016	n/a	<0.754	<0.25	38.3	<0.12	<0.16	5.1	2.71	<0.26	<0.52	<15	<0.24	13.7	<0.049	<0.35	<0.38	<0.31	9.77	<0.19	<0.3	<0.18	57.9	<0.331	<0.398
	9/20/2016	n/a	<2	<2	39.8	<2	<1	6.08	34.2	<2	<5	519	<2	53	<0.2	23.6	<2	<2	11.8	<2	<2	<5	93	<1	<1
	12/20/2016	n/a	<2	<2	50.2	<2	<1	9.87	31.2	<2	<5	108	<2	48.3	<0.2	2.68	<2	<2	8.97	<2	<2	<5	82.3	<1	<1
	3/28/2017	n/a	<2	<2	37.7	<2	<1	5.18	<2	<2	<5	648	<2	30.1	<0.2	2.46	<2	<2	8.24	<2	<2	<5	83.3	<1	<1
	9/27/2017	n/a	<2	<2	47.3	<2	<1	12	<2	<2	<5	187	<2	49.7	<0.2	2.28	<2	<2	9.89	<2	<2	<5	60.3	<1	<1
	4/17/2018	n/a	<10*	<23.4*	43.1	<0.416*	<1.2*	8.92	<12.5*	<10*	<5*	188	<15.6*	30.9	<0.2*	<10*	<52*	<20.8*	10.						

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
NAB-4	11/6/2024	n/a	<2.08	0.435	34.5	<0.26	0.713	3.38	0.544	0.041	0.533	<46.8	<0.416	18.1	<0.2	1.63	<5.2	<0.312	16.8	0.082	<20.8	0.104	178	<1	<2	
	5/6/2025	n/a	<2.08	0.255	33.9	<0.26	0.475	2.8	<0.26	0.051	0.592	16.6	<0.416	43.9	<0.2	1.26	<5.2	<0.312	8.15	0.058	<20.8	0.096	106	<1	<2	
	7/25/2006	7.82	<1	<10	25	<2	<5	2.8	<10	<10	<10	<100	<5	<10	n/a	<10	<10	<10	43	<1	n/a	<10	220	<1	<1	
	9/8/2006	7.74	<1	13	24	<2	<5	2.7	<10	<10	<10	<100	<5	<10	<0.2	<20	<10	<10	34	<1	n/a	<10	150	<1	<1	
	2/17/2007	7.41	<1	11	26	<2	<5	3	<10	<10	<10	<100	<5	<10	<0.2	<20	<10	<10	27	<1	n/a	<10	210	<1	<1	
	5/24/2007	8.26	1.3	5.2	26	<2	<5	4.3	<10	<10	<10	<100	<5	<10	<0.2	<20	<10	<10	34	<1	n/a	<10	260	<1	<1	
	8/25/2007	7.29	1.7	5.9	26	<2	<5	3.2	<10	<10	<10	<100	<5	17	<0.2	<20	<10	<10	29	<1	110	<10	370	<1	<1	
	11/6/2007	6.89	2.3	7.7	26	<2	<5	3.2	<10	<10	<10	<100	<5	10	<0.2	<20	<10	<10	26	<1	<20	<10	280	<1	<1	
	2/22/2008	7.14	1.5	10	31	<2	<5	4.1	<10	<10	<10	<1400	<5	<10	<0.2	<20	<10	<10	22	<1	<20	<10	250	<1	<1	
	4/29/2008	6.99	1.6	8	29	<1	0.77	4	<10	<10	<1	<100	<5	11	<0.2	<20	<1	<10	26	<1	<20	<10	240	<1	<1	
	11/18/2008	6.96	1.8	4.4	20	<2	<5	4.6	<10	<10	<100	6	11	<0.2	<21	<20	<10	<10	43	<1	<20	<10	700	<1	<1	
	2/20/2009	7.06	1.3	4	23	<1	1.2	3.3	<10	<10	<1	<100	<1	11	<0.2	<20	<1	<10	33	<1	<1	<10	680	<1	<1	
	5/20/2009	6.79	<1	2.6	24	<1	0.58	4.6	<10	<10	<1	<100	<1	10	<0.2	<20	<1	<10	33	<1	<1	<10	660	<1	<1	
	8/27/2009	6.7	1.5	2.2	33	<1	1.4	4.5	82	<10	6.3	690	<1	48	<0.2	140	<1	<10	32	<1	<1	<10	340	<1	<1	
	12/14/2009	6.71	<1	4.1	32	<2	<5	4.3	<10	<10	<10	<20	400	18	34	<0.2	26	<10	<10	35	<1	<200	<10	600	<1	<1
	3/22/2010	6.87	<1	6.7	32	<1	4.3	4.9	8.9	2.2	2.3	1100	7.3	73	<0.2	15	<1	3.6	40	0.28	<1	<10	620	<1	<1	
	6/15/2010	n/a	14	5.2	32	<1	3.1	4.3	3.4	<10	2	1200	4.9	80	0.02	12	<1	<10	57	0.46	<1	62	670	<1	<1	
	9/22/2010	6.87	0.89	4.6	42	<0.87	3	4	5	<10	<1	370	3.4	40	<0.2	8	8	0.46	36	<10	<10	<10	840	<1	<1	
	12/18/2010	6.82	<1	3.9	24	<1	2.3	4	<10	<10	<2	310	2.2	19	<0.2	13	<1	9.9	54	<1	<1	<10	600	<1	<1	
	3/22/2011	6.9	<1	5.3	24	<1	1.6	3.9	<10	<10	0.83	230	2.4	18	<0.2	9.7	<1	<10	42	<1	<1	<10	640	<1	<1	
	6/28/2011	6.62	<1	11	28	<1	1.8	3.7	3	2	<2	250	3.1	19	<0.2	12	<1	<10	32	0.2	<1	<10	440	<1	<1	
	9/28/2011	n/a	2.1	16	30	0.32	3.2	3.8	<10	<10	3.2	370	3.7	21	0.03	16	<5	4.1	26	0.28	2	<10	280	<1	<1	
	6/12/2012	n/a	<1	11	33	<1	2.4	3.9	<10	<10	5	430	2.8	27	<0.2	<20	<1	<10	40	<1	<1	31	540	<1	<1	
	9/30/2012	n/a	<1	20	30	<1	1.7	3.7	<10	<10	<1	740	5.4	40	<0.2	<20	<10	<10	38	<10	<10	<10	400	<1	<1	
	3/10/2015	n/a	<0.21	3.3	43	<0.12	1.2	3.7	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	<0.52	<0.19	<0.3	<2.4	320	<0.33	<0.4	
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	6/9/2015	n/a	<0.21	2.7	50	<0.12	1.6	3.7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	46	<0.19	<0.3	<2.4	930	<0.33	<0.4	
	9/15/2015	n/a	<0.21	3.62	49.5	<0.12	1.34	4.05	<0.54	<0.26	<0.52	<15	<0.24	8.06	<0.049	14.7	<0.38	<0.31	34.7	<0.19	<0.3	<0.18	660	<0.331	<0.398	
	3/29/2016	n/a	<0.21	3.38	48.3	<0.12	1.42	3.41	<0.54	<0.26	<0.52	<15	<0.24	7.68	<0.049	11.02	<0.38	<0.31	30	<0.19	<0.3	<0.18	482	<0.331	<0.398	
	12/15/2016	n/a	<0.21	2.13	56.5	<0.12	1.65	3.87	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	11.10	<0.38	<0.31	46.8	<0.19	<0.3	<0.18	808	<0.331	<0.398	
	6/28/2016	n/a	<0.754	<0.45	58.7	<0.12	1.56	3.99	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	11	<0.38	<0.31	59.2	<0.19	<0.3	<0.18	844	<0.331	<0.398	
	9/20/2016	n/a	<2.37	<40	<2	<2	1.04	4.03	<2	<2	<5	<100	<2	<5	<0.2	11.7	<2	<2	43.7	<2	<2	<5	695	<1	<1	
	12/20/2016	n/a	<2	4.58	41.9	<2	1.28	4.11	5.71	<2	<5	247	<2	16.6	<0.2	18.7	<2	<2	41.8	<2	<2	<5	656	<1	<1	
	3/28/2017	n/a	<2	4.46	44.6	<2	1.2	3.7	<2	<2	<5	<100	<2	6.21	<0.2	9.69	<2	<2	22.2	<2	<2	<5	460	<1	<1	
	4/18/2018	n/a	<10*	<23.4*	46.2	<0.416*	<1.2*	3.41	<12.5*	<10*	<5*	145	<15.6*	<10.4*	<0.2*	10	<52*	<20.8*	49.5	<73*	<41.6*	<20*	1000	<5*	<5*	
	11/2/2018	n/a	<36*	6.96	43.5	<0.624*	1.33	4.38	<12.5*	<13.5*	<5*	176	<15.6*	7.45	<0.2*	15	<52*	<20.8*	43.9	<73*	<728*	<21*	1120	<0.7	<1.5	
	4/25/2019	n/a	<20.8*	1.96	80	<0.26*	2.98	7.85	0.306	1.16	0.903	15.8	0.237	368	3.55	10.8	0.537	<0.26*	39.2	0.997	<20.8*	0.053	1550	<0.7	<1.5	
	10/8/2019	n/a	<1.7	65.3	<0.26*	1.65	4.08	3.73	0.819	3.73	0.819	183	1.87	49.3	0.152	12.8	<0.08*	<0.26*	42.3	0.08*	<20.8*	0.075	1820	<0.7	<1.5	
	4/20/2020	n/a	<0.08*	2.51	80	<0.26*	3.39	7.23	0.507	1.2	1.19	77.4	0.887	584	2.06	16.4	<5.2*	<0.312*	99.2	<1	<20.8*	0.113	1700	<1*	<1*	
	10/6/2020	n/a	0.429	47	56.5	<0.26*	1.83	7.26	1.35	2.08	0.739	130	1.54	188	1.22	2.26	<5.2	<0.312	67	0.905	<20.8	0.095	1390	<1	<1	
	4/6/2021	n/a	<2.08*	3.28	58.7	<0.26*	2.83	5.43	0.104	1.05	0.753	39.5	0.299	296	0.7	16.9	<5.2*	<0.312*	118	0.912	<20.8*	0.065	1910	<1*	<1*	
	10/5/2021	n/a	<2	3.95	57.2	<0.25	1.95	8.7	0.672	0.433	0.564	49.1	0.358	153	0.818	13.2	<5	<0.3	69.3	0.995	<20	0.058	1370	<1	<1	
	4/19/2022	n/a	0.771	7.62	52.3	<0.26*	2.32	5.85	1.16	0.805	0.942	165	1	183	0.405	12.8	<5.2*	<0.312*	82.4	0.903	<20.8*	0.12	1390	<1*	<1*	
	10/4/2022	n/a	0.361	41.7	49.2	<0.26*	1.76	5.42	0.307	0.518	0.444	72.5	0.377	195	0.14	14.2	<5.2*	<0.312*	82.5	0.902	<20.8*	0.049	1320	<1*	<1*	
	5/14/2024	n/a	8.1	35	<0.26*	1.55	5.56	0.538	1.95	0.413	0.549	183	1.87	49.3	0.152	12.8	<0.08*	<0.26*	42.3	0.08*	<20.8*	0.075	1820	<0.7	<1.5	
	11/5/2024	n/a	<2.08	25	37.2	<0.26	1.53	4.54	0.694	2.07	0.868	1400	7.59	247	0.0625	9.44	<5.2	<0.312	50.4	0.615	<20.8	0.153	878	<1	<2	
	5/7/2025	n/a	0.361	25.1	51.1	<0.26	3.36	3.17	0.655	2.48	1.3	744	8.75	240	0.112	14.1	<5.2	<0.312	70.9	1.04	<20.8	0.267	1500	<1	<2	
NAB-7	7/25/2006	7.89	<1	<10	19	<2	<5	1.4	<10	<10	<10	<100	<5	<10	n/a	<10	<10	<10	9.6	<1	n/a	<10	58	<1	<1	
	9/8/2006	7.5	<1	<10	17	<2	<5	1.6	<10	<10	<10	<100	<5	<10	<0.2	<20	<10	<10	10	<1	n/a	<10	<30	<1	<1	
	2/17/2007	7.91	<1	5.6	20	<2	<5	1.5	<10	<10	<10	<100	<5	<10	<0.2	<20	<10	<10	14	<1	n/a	<10	<30	<1	<1	
	5/24/2007	8.18	<1	1.7	26	<2	<5	1.5	<10	<10	<10	<100	<5	<10	<0.2	<20	<10	<1								

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Sample Date	pH (p.u.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
NABORS	12/18/2009	7.03	0.24	14	23	0.86	<5	3.3	2.3	1.7	<20	890	40	24	0.07	<20	8.6	<10	21	<1	8.7	<10	58	<1	<1
	3/23/2010	7.11	<1	4.6	20	<1	<0.5	2.8	<10	2	0.69	530	16	24	<0.2	9.9	<1	3.3	25	<1	<1	<10	82	<1	<1
	6/17/2010	n/a	0.51	2.1	22	<1	<0.5	2.4	<10	<10	<2	120	4.3	7.3	<0.2	8.3	<1	<10	22	<1	<1	34	64	<1	<1
	9/22/2010	7.02	<1	7.5	21	<1	<0.5	2	<10	<10	<2	350	18	5.2	<0.2	5.4	<1	<10	22	<1	<1	<10	57	<1	<1
	12/8/2010	6.8	0.66	41	22	0.6	0.26	2.1	<10	<10	0.53	3000	94	20	<0.2	8.5	<1	<10	21	<1	0.39	<10	60	<1	<1
	3/23/2011	7.09	<1	16	21	<1	<0.5	4.3	<10	2.3	<2	1100	42	16	<0.2	9.4	<1	<10	30	<1	<1	<10	61	<1	<1
	6/28/2011	6.91	<1	13	21	<1	<0.5	2.2	<10	<10	<2	1100	41	23	<0.2	5.7	<1	<10	23	<1	<1	<10	59	<1	<1
	9/28/2011	n/a	<1	12	20	<1	<0.5	2	<10	<10	<2	720	21	7.4	0.03	13	<1	<10	17	<1	<1	<10	41	<1	<1
	6/21/2012	n/a	<1	130	28	<1	<0.5	2.2	<10	<10	<2	10000	360	27	<0.2	<20	<1	<10	22	<1	<1	25	150	<1	<1
	9/20/2012	n/a	<1	42	24	<1	<0.5	2	<10	36	<2	3000	130	250	<0.2	<20	<1	<10	18	<1	<1	<10	85	<1	<1
	3/10/2015	n/a	<0.21	<0.25	29	<0.12	<0.16	6.7	<1.4	<2.3	<0.52	<1.4	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	29	<0.19	<0.3	<2.4	60	<0.33	<0.4
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	2.2	25	<0.12	<0.16	3.4	<1.4	<2.3	<0.52	160	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	24	<0.19	<0.3	<2.4	51	<0.33	<0.4
	9/15/2015	n/a	<0.21	4.9	23.4	<0.12	<0.16	3.08	<0.54	<0.26	<0.52	262	5.79	8.46	<0.049	7.4	<0.38	<0.31	27.9	<0.19	<0.3	<0.18	51	<0.331	<0.398
	12/15/2015	n/a	<0.21	2.83	34.6	<0.12	<0.16	3.53	<0.54	<0.26	<0.52	120	2.32	6.03	<0.049	4.68	<0.38	<0.31	22.4	<0.19	<0.3	<0.18	36.8	<0.331	<0.398
	3/29/2016	n/a	<0.21	9.12	28.7	<0.12	<0.16	3.28	<0.54	<0.26	<0.52	80.1	9.72	<0.049	6.58	<0.38	<0.31	25.6	<0.19	<0.3	<0.18	51.3	<0.331	<0.398	
	6/28/2016	n/a	<0.754	34.1	24.1	<0.12	<0.16	3.03	<0.54	2.07	<0.52	172	<0.24	15.4	<0.049	4.42	<0.38	<0.31	20.5	<0.19	<0.3	<0.18	39.6	<0.331	<0.398
	9/20/2016	n/a	<2	4.97	20.6	<2	<1	2.54	<2	<2	<5	101	3.44	8.1	<0.2	<2	<2	22.2	<2	<2	<2	<2	<2	<1	<1
	12/20/2016	n/a	<2	5.74	22	<2	<1	1.95	7.44	<2	<5	50	400	15.9	<0.2	<2	<2	19.4	<2	<2	<2	<2	<2	<1	<1
	3/29/2017	n/a	<2	3.99	34.4	<2	<1	3.97	<2	<2	<5	270	4.63	8.34	<0.2	<4.41	<2	<2	21.2	<2	<2	<2	<2	<2	<1
	9/28/2017	n/a	<2	8.97	21.7	<2	<1	2.98	<2	<2	<5	136	4.78	5.63	<0.2	6.34	<2	<2	22.9	<2	<2	<2	<2	<2	<1
	4/21/2018	n/a	<10*	205	63.6	0.0654	1.28	2.32	<12.5*	5.25	2	21800	265	103	0.025	7	<52*	<20.8*	15.2	<73*	<41.6*	5	405	<5*	<5*
	10/26/2018	n/a	<36*	117	22.7	<0.624*	<1.2*	1.58	<12.5*	<13.5*	<5*	1180	13.6	6.09	<0.2*	4	<52*	<20.8*	20.9	<73*	<728*	<21*	432	<5*	<5*
	4/23/2019	n/a	<0.08*	1.47	28.4	<0.26*	0.09	5.22	0.368	0.258	2.41	36.4	0.493	3.31	<0.2*	3.01	<0.20*	<0.26*	18.8	<0.26*	<0.26*	<0.81	0.091	40	<5*
	10/8/2019	n/a	<2.0*	4.5	24	<0.26*	<0.26*	0.24	0.333	0.287	0.295	226	4.64	5.22	<0.2*	5.22	<0.20*	<0.26*	24.6	<0.26*	<0.26*	<0.154	0.084	<1*	<1*
	4/20/2020	n/a	<0.08*	2.27	25.6	<0.26*	0.162	2.34	0.221	0.115	<0.395*	140	2.75	2.86	<0.2*	1.76	<5.2*	<0.312*	14	<0.26*	<0.26*	0.169	37.4	<1*	<1*
	10/5/2020	n/a	<0.08	4.33	22.6	0.156	0.084	2.14	0.25	0.598	0.347	5040	63.5	10	<0.2	0.72	<0.312	18.3	<0.26	<0.26	<0.8	126	60.2	<1	<1
	4/5/2021	n/a	<0.08*	1.82	24.3	<0.26*	0.134	3.35	0.625	0.151	0.127	40.7	0.441	3.4	0.0125	17.8	<5.2*	<0.312*	17.4	<0.26*	<0.26*	0.092	33.9	<1*	<1*
	10/4/2021	n/a	<2	3.82	21	<0.25	<0.25	2.96	0.317	0.115	<0.38	240	2.28	2.6	<0.2	2.5	<5	<0.3	19.5	<0.25	<0.25	0.108	31.8	<1	<1
	4/19/2022	n/a	<0.08*	3.16	25.7	<0.26*	0.227	3.45	0.325	0.126	0.145	233	3.87	2.84	<0.2*	1.51	<0.2*	<0.312*	13.5	<0.26*	<0.26*	0.215	39.8	<1*	<1*
	10/4/2022	n/a	<0.08*	2.52	21.1	<0.26*	<0.26*	2.03	<0.26*	0.038	<0.395*	164	1.3	1.83	<0.2*	2.86	<5.2*	<0.312*	18.7	<0.26*	<0.26*	0.055	31.1	<1*	<1*
	5/15/2023	n/a	<0.26*	0.26	24.2	<0.26	0.136	4.89	0.359	0.094	0.174	637	40.3	1.28	<0.2	1.97	<5.2	<0.312	12.5	<0.26	<0.26	0.148	44.7	<1	<1
	11/6/2024	n/a	0.657	31.7	19.8	0.121	0.107	1.32	0.591	2.57	0.597	4610	24.8	24.9	<0.2	8.06	<5.2	<0.312	15.4	<0.26	<0.26	0.729	68.9	<1	<1
	5/6/2025	n/a	<0.08	8.52	26	<0.26	0.439	2.97	<0.26	0.31	0.254	903	21.1	4.78	<0.2	1.71	<5.2	<0.312	11	<0.26	<0.26	0.586	45.6	<1	<2
NAB-8	7/25/2006	7.79	<1	<10	29	<2	<5	1.7	<10	<10	<20	<100	<5	32	n/a	<20	23	<10	24	<1	n/a	<10	<30	<1	<1
	9/8/2006	7.59	<1	<10	33	<2	<5	1.4	<10	<10	<20	<100	<5	18	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1
	2/7/2007	7.99	<1	3.3	48	<2	<5	1.3	<10	<10	<20	<100	<5	10	<0.2	<20	<20	<10	10	<1	n/a	<10	<30	<1	<1
	5/24/2007	7.21	<1	2.17	<2	<2	<5	1.3	<10	<10	<20	<100	<5	2	<0.2	<20	<20	<10	12	<1	n/a	<10	<30	<1	<1
	8/25/2007	7.31	<1	<1	58	<2	<5	1.5	13	<10	<20	<220	5.5	10	<0.2	<24	49	<10	15	<1	<40	<10	39	<1	<1
	11/6/2007	7.07	<1	1.5	49	<2	<5	1.7	<10	<10	<20	<100	6.1	20	<0.2	<20	<20	<10	11	<1	<20	<10	30	<1	<1
	2/22/2008	7.26	<1	1.4	47	<2	<5	2	<10	<10	<20	<100	<5	17	<0.2	<20	<20	<10	11	<1	<20	<10	30	<1	<1
	4/29/2008	6.68	<1	1.4	56	<1	<0.5	1.8	34	<10	3.5	1100	<5	29	<0.2	22	<1	6100	12	<1	<20	<10	37	<1	<1
	11/18/2008	7.57	<1	<1	49	<2	<5	2.1	<10	<10	<20	<100	<5	10	<0.2	<20	<20	<10	11	<1	<20	<10	30	<1	<1
	9/22/2010	6.99	0.38	2.7	47	0.93	0.66	1.4	4	<10	1.5	660	3.9	16	<0.2	<20	0.39	<10	9.3	<1	0.59	<10	16	<1	<1
	12/7/2010	6.89	0.5	27	170	3.5	6.4	1.6	24	63	6.4	1600	150	730	0.14	44	1.5	<10	14	8.6	96	700	<1	<1	<1
	3/23/2011	7.06	<1	1.2	52	<1	<0.5	1.7	<10	<10	1.2	730	2.3	20	<0.2	<20	<1	<10	9.6	<1	<1	<10	22	<1	<1
	6/28/2011	6.88	<1	<1	62	<1	<0.5	2.2	2	<10	1.1	710	2	17	<0.2	<20	<1	<10	14	<1	<1	<10	14	<1	<1
	9/28/2011	n/a	<1	15	53	<1	<0.5	2	<10	<10	0.91	390	2.5	14	<0.2	5.6	<1	<10	12	<1	<1	3.5	16	<1	<1
	6/20/2012	n/a	<1	5.4	49	<1	<0.5	1.6	<10	<10	2.1	2800	9.8	41	<0.2	<20	<1	<10	9	<1	2.4	28	23	<1	<1
	9/20/2012	n/a	<1	2.6	35	<1	<0.5	1.7	<10	<10	<2	360	1.8	<10	<0.2	<20	<1	<10	9.8	<1	<1	<10	11	<1	<1
	3/10/2015	n/a	<0.21	5.9	33	<0.12	<0.16	1.8	<1.4	<2.3	<0.52	<1.4	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/10/2015	n/a	n/a	n																					

NABORS Landfill Historic Data through May 2025

Well/Spnd ID	Sample Date	pH (U.S.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
NE-2	4/30/2018	n/a	<10*	<23.4*	33.6	0.538	<1.2*	1.6	<12.5*	<10.4*	<5*	159	<15.6*	4.87	<0.2*	<10*	<52*	<20.8*	12.7	<73*	<41.6*	<20*	5.02	<5*	<5*
	10/30/2018	n/a	<36*	<23.5*	91.8	0.195	0.911	n/a	4.71	<13.5*	3	2460	11	40.8	<0.2*	3	<52*	<20.8*	n/a	<73*	<728*	6	64.7	<5*	<5*
	11/12/2018	n/a	n/a	n/a	n/a	n/a	n/a	3.21	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	15.2	n/a	n/a	n/a	n/a	n/a	n/a
	4/24/2019	n/a	<2.08*	2.37	30.1	<0.26*	0.118	1.74	0.26	0.107	0.649	46	1.44	9.05	<0.2*	0.2	<2.08*	<0.26*	9.96	<0.26*	<20.8*	0.14	9.19	<5*	<5*
	10/10/2019	n/a	0.731	3.24	39.6	<0.26*	0.465	2.38	0.913	0.481	4.71	495	18.6	<0.2*	1.06	<2.08*	0.015	12.7	<0.26*	1.26	1.07	27.5	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	2.12	30.2	<0.26*	0.668	1.62	0.392	0.042	1.5	128	1.795	4.05	<0.2*	0.32	<2.08*	<0.312*	11.3	<0.26*	<20.8*	0.279	7.51	<1*	<1*
	4/7/2021	n/a	0.988	1.42	35.3	<0.26*	1.5	n/a	0.811	0.143	3.44	232	1.1	5.63	0.015	1.9	<5.2*	<0.312*	n/a	<0.26*	2.42	0.85	18.7	<1*	<1*
	4/22/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	5/4/2022	n/a	0.384	1.68	32.7	<0.26*	0.207	1.78	0.465	0.038	1.06	49.4	0.309	3.23	<0.2*	2.07	<5.2*	<0.312*	10.6	<0.26*	<20.8*	0.096	10.7	<1*	<1*
	10/4/2022	n/a	0.629	2.57	31.1	<0.26*	0.794	1.82	2.74	0.398	8.35	9390	1.59	38.2	<0.2*	6.61	<5.2*	<0.312*	11.3	<0.26*	<20.8*	0.539	23.8	<1*	<1*
	5/15/2024	n/a	0.516	2.91	26.2	<0.26	0.131	4.08	0.52	0.076	0.719	117	0.269	3.66	<0.2	0.5	<5.2	<0.312	11.6	<0.26	<20.8	0.069	14.3	<1	<1
	5/17/2025	n/a	0.731	3.24	39.6	<0.26*	0.465	2.38	0.913	0.481	4.71	495	18.6	<0.2*	1.06	<2.08*	0.015	12.7	<0.26*	1.26	1.07	27.5	<1*	<1*	
	5/7/2025	n/a	0.95	3.25	30.6	0.093	0.162	1.01	<0.707	0.104	1.5	292	3.79	5.31	<0.2	1	<5.2	<0.312	4.71	<0.26	2.4	0.955	17.6	<1	<2
	6/21/2012	n/a	<1	35	43	<1	0.53	63	<10	<10	5.5	15000	2.8	81	<0.2	<20	<1.9	<20	1200	<1	<1	<10	<10	<1	<1
	9/20/2012	n/a	<1	44	29	<1	<0.5	60	<10	<10	3.4	11000	<1	51	<0.2	<20	<1	<10	1600	<1	<1	<10	<10	<1	<1
	3/10/2015	n/a	<0.21	14	19	<0.12	<0.16	43	<1.4	<2.3	<0.52	2700	13	71	<0.049	22	<0.38	<2.8	1600	<0.19	<0.3	<2.4	32	<0.33	<0.4
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.01	6.8	18	<0.12	<0.16	36	<0.4	<2.3	<0.52	5000	<2	36	<0.049	30	<0.38	<2.8	1500	<0.19	<0.3	<2.4	32	<0.33	<0.4
	9/16/2015	n/a	<0.21	3.92	19.9	<0.12	<0.16	30.6	<0.54	2.66	<0.52	988	2.08	66	<0.049	12	<0.38	<0.31	1180	<0.19	<0.3	<0.18	156	<0.331	<0.398
	12/14/2015	n/a	<0.21	3.77	24.6	<0.12	<0.16	28.9	<0.54	<0.26	<0.52	1020	<0.24	59.1	<0.049	12.5	<0.38	<0.31	1060	<0.19	<0.3	<0.18	248	<0.331	<0.398
	3/28/2016	n/a	<0.21	4.09	18.6	<0.12	<0.16	27.9	<0.54	<0.26	<0.52	1830	<0.24	45.4	<0.049	11.3(8)	<0.38	<0.31	933	<0.19	<0.3	<0.18	214	<0.331	<0.398
	6/27/2016	n/a	<0.754	4.72	19.2	<0.12	<0.16	25.9	<0.54	2.36	<0.52	1520	<0.24	52.8	<0.049	10.8	<0.38	<0.31	870	<0.19	<0.3	<0.18	133	<0.331	<0.398
	9/19/2016	n/a	<2	4.69	19.9	<2	<1	25.1	<2	2.82	<5	1670	<2	65.6(01)	<2	8.44	<2	<2	849	<2	<2	<2	<2	<2	<2
	12/19/2016	n/a	<2	<2	18.5	<2	<1	24.9	<2	<2	<5	900	<2	74.8	<2	7.19	<2	<2	737	<2	<2	<2	<2	<2	<2
	3/27/2017	n/a	<2	<2	19	<2	<1	24.7	<2	<2	<5	276	<2	26.6	<2	7.84	<2	<2	773	<2	<2	<2	<2	<2	<2
	9/26/2017	n/a	<2	<2	20.2	<2	<1	24.9	<2	<2	<5	414	<2	34.4	<2	7.88	<2	<2	693	<2	<2	<2	<2	<2	<2
	4/21/2018	n/a	<3*	<23.4*	20.7	0.121	<1.2*	23.1	<12.5*	4.94	<5*	631	<15.6*	8.22	0.025	7	<52*	<20.8*	688	<73*	<41.6*	<20*	12.9	<5*	<5*
	10/30/2018	n/a	<36*	25.6	132	<0.624*	<1.2*	18.3	1.79	9.45	8	5220	27.2	229	<0.2*	40	<52*	<20.8*	570	<73*	<728*	20	56.2	<5*	<5*
	4/24/2019	n/a	2.71	12.2	24	<0.26*	0.173	1.5	0.499	4.28	0.813	116	22.9	23.8	<0.2*	30.9	1.96	<0.26*	48.8	0.08	<20.8*	4.46	20.7	<5*	<5*
	10/9/2019	n/a	<2.08*	4.9	26.3	<0.26*	0.134	15.1	0.666	1.42	1.2	462	0.426	40.3	0.025	5.8	0.631	<0.26*	399	0.057	<20.8*	1.31	7.69	<1*	<1*
	4/21/2020	n/a	<2.08*	22.9	<0.26*	0.229	<0.16	0.892	1.06	1.28	0.50	0.123	20.6	0.082	<0.2	6.71	<5.2*	<0.312*	36.8	<0.26*	<20.8*	1.56	<0.331	<0.398	
	10/7/2020	n/a	<2.08	0.916	28.1	<0.26	0.089	10.4	0.435	1.04	1.13	384	0.145	45.4	<0.2	3.31	<5.2	<0.312	264	<0.26	<20.8	0.565	4.98	<1*	<1*
	4/7/2021	n/a	<2.08*	1.14	33.4	<0.26*	0.362	9.82	1.29	0.325	149	262	1.18	11.3	0.015	5.21	<5.2*	<0.312*	352	0.081	<20.8*	1.01	31.3	<1*	<1*
	10/6/2021	n/a	<2	3.67	7.0	0.148	0.311	18	7.06	4.1	5.9	2530	9.86	145	0.0275	7.51	<5	<0.3	256	0.086	<20	6.48	36.2	<1*	<1*
	4/20/2022	n/a	<2.08*	0.567	24.9	<0.26*	0.128	9.86	0.535	0.106	0.999	159	0.214	1.96	<0.2*	4.95	<5.2*	<0.312*	295	0.078	<20.8*	0.45	12.4	<1*	<1*
	10/4/2022	n/a	0.537	8.72	11.9	0.294	0.271	8.25	8.1	4.84	7.66	5380	147	220	<0.2*	14	<5.2*	<0.312*	274	0.142	<20.8*	1.0	32.1	<1*	<1*
	5/15/2024	n/a	0.477	1.06	27.1	<0.26	0.056	11.6	0.884	0.873	0.854	299	0.001	17.3	<0.2	5.62	<5.2	<0.312	311	0.07	<20.8*	0.681	17	<1	<1
	11/6/2020	n/a	0.619	24.8	<0.26*	0.145	0.866	0.944	0.7	0.455	0.77	0.205	4.31	3.47	<0.2	4.38	<0.2	<0.312	283	<0.26	<20.8*	0.165	14.5	<1	<1
	5/7/2025	n/a	0.623	4.88	51.8	0.098	0.208	8.69	3.37	5.8	3.11	2540	5.64	151	<0.2	7.64	<5.2	<0.312	283	0.098	<20.8	4.25	24.7	<1	<2
NE-3	6/20/2012	n/a	<1	16	160	<1	1.5	2.2	50	12	19	14000	39	480	<0.2	32	1.3	<10	34	<1	4.3	17	270	<1	<1
	9/20/2012	n/a	<1	3.7	120	<1	0.72	1.8	<10	<10	<2	1400	2.3	55	<0.2	<20	<1	<10	27	<1	18	<10	70	<1	<1
	3/11/2015	n/a	<0.21	<0.25	150	<0.12	<0.16	5.5	<1.4	<2.3	<0.52	<14	6.7	26	<0.049	<4.9	<0.38	<2.8	<22	<0.19	<0.3	<2.4	47	<0.33	<0.4
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	<0.21	3.4	180	<0.12	<0.16	6.3	<1.4	<2.3	<0.52	1000	<2	36	<0.049	<4.9	<0.38	<2.8	<16	<0.19	<0.3	<2.4	47	<0.33	<0.4
	9/16/2015	n/a	<0.21	2.29	<0.36	<0.12	<0.16	6.56	<0.54	<0.26	<0.52	151	<0.24	49.4	<0.049	3.37	<0.38	<0.31	12.2	<0.19	<0.3	<0.18	36.2	<0.331	<0.398
	12/15/2015	n/a	<0.21	2.81	31.1	<0.12	<0.16	5.61	8.93	2.06	<0.52	1210	<0.39	76.8	<0.049	10.2	<0.38	<0.31	24.5	<0.19	<0.3	<0.18	85.4	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	31.1	<0.12	<0.16	6.2	<0.54	<0.26	<0.52	<15	<0.24	26	<0.049	3.95	<0.38	<0.31	19.2	<0.19	<0.3	<0.18	44.1	<0.331	<0.398
	6/28/2016	n/a	<0.754	<0.25	153	<0.12	<0.16	5.89	<0.54	<0.26	<0.52	127	<0.24	53.4	<0.049	3.32	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	69.3	<0.331	<0.398
	9/20/2016	n/a	<2	<2	197	<2	<1	5.64	<2	<2	<5	<100	<2	62.7(01)	<2	<2	<2	<2	11	<2	<2	<2	<2	<2	<2
	12/20/2016	n/a	<2	<2	128	<2	<1	5.54	<2	<2	<5	<100	<2	32.9	<2	3.64	<2	<2	15.3						

NABORS Landfill Historic Data through May 2025

Well/Spreading ID	Sample Date (S.U.)	pH	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (ug/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	
NE-4	4/18/2022	n/a	0.656	0.39	125	<0.26*	0.106	1.8	0.368	0.111	0.316	25.8	<0.26*	12.8	<0.2*	1.94	<5.2*	0.108	18.6	0.075	<20.8*	0.122	38.9	<1*	<1*	
	10/3/2022	n/a	<2.08*	0.425	91.3	<0.26*	0.04	1.46	0.283	1.08	0.197	37.1	0.094	27.3	<0.2*	3.46	<5.2*	<0.312*	20.1	0.101	<20.8*	0.061	<20.8*	<1*	<1*	
	5/14/2024	n/a	0.402	0.319	96.3	<0.26*	0.119	3.86	0.38	0.191	0.249	35.4	0.187	3.99	<0.2	2.46	<5.2*	<0.312	19.9	0.106	<20.8	0.231	35.1	<1	<2	
	11/8/2024	n/a	<2.08	0.439	112	<0.26	0.165	1.55	0.597	0.254	0.311	19.9	<0.416	5.42	<0.2	2.02	<5.2	<0.312	14.1	0.073	<20.8	0.258	47.2	<1	<2	
	5/6/2025	n/a	<2.08	0.244	91.5	<0.26	0.1	1.57	<0.26	0.159	30.8	<0.416	1.01	<0.2	1.95	<5.2	<0.312	19.1	0.084	<20.8	0.137	41.6	<1	<2		
	9/27/2017	n/a	<2	3.11	31.4	<2	<1	3.96	<2	<2	<5	145	<2	11.9	<0.2	9.19	<2	<2	21.9	<2	<2	<5	233	<1	<1	
	4/30/2018	n/a	<10*	7.87	33.2	0.0639	<1.2*	2.62	<12.5*	0.934	<5*	357	4.28	24.4	<0.2*	8	<52*	<20.8*	28.3	<73*	<41.6*	<20*	153	<5*	<5*	
	10/30/2018	n/a	<30*	<23.5*	47	<0.624*	<1.2*	5.31	<12.5*	<13.5*	<5*	164	<15.6*	20.2	<0.2*	8	5.66	<20.8*	26.8	<73*	<728*	<21*	149	<5*	<5*	
	4/25/2019	n/a	<2.08*	2.8	30.8	<0.26*	0.114	4.07	<44.4*	1.15	0.917	75.6	0.616	24.4	<0.2*	11.6	<2.08*	<26*	27.8	0.14	<20.8*	0.133	184	<5*	<5*	
	10/19/2019	n/a	<2.08*	6.16	34.6	<0.26*	0.145	3.09	1.41	0.963	0.847	950	1.91	42.4	0.025	10.1	<2.08*	<26*	25.6	0.119	<20.8*	0.72	165	<1*	<1*	
	4/21/2020	n/a	0.641	2.4	27.2	<0.26*	0.16	2.39	0.871	1.18	0.647	61.6	0.583	26	<0.2	4.75	<5.2*	<0.312*	22.3	0.149	<20.8*	0.127	211	<1*	<1*	
NE-6	10/16/2020	n/a	<2.08*	4.91	28.7	<0.26*	0.138	2.63	0.933	0.825	0.789	34.1	1.67	32.3	<0.2	0.94	<5.2*	<0.312*	23.1	0.114	<20.8	0.338	177	<1	<1	
	4/6/2021	n/a	<2.08*	1.82	26.8	<0.26*	0.146	2.77	0.111	0.463	0.378	29.3	0.222	21.7	<0.2*	6.99	<5.2*	<0.312*	23.1	0.115	<20.8*	0.052	232	<1*	<1*	
	10/5/2021	n/a	<2	3.44	32.4	<0.25	0.09	3.08	1.52	0.462	0.524	154	0.622	20.5	<0.2	5.91	<5	<3	19.9	0.107	<20	142	191	<1	<1	
	4/19/2022	n/a	<2.08*	3.98	29.7	<0.26*	0.18	2.6	1.21	0.342	0.996	209	1.17	22.9	<0.2*	5.46	<5.2*	<0.312*	20.8	0.092	<20.8*	0.191	207	<1*	<1*	
	10/14/2022	n/a	<2.08*	6.67	31.8	<0.26*	0.113	2.4	0.906	0.345	0.68	37.1	1.36	25.2	<0.2*	5.69	<5.2*	<0.312*	21.9	0.1	<20.8*	0.31	204	<1*	<1*	
	5/14/2024	n/a	0.655	2.61	30.9	<0.26	0.171	2.66	0.993	0.242	0.292	59.3	0.121	10.8	<0.2	3.72	<5.2	<0.312	18.8	0.07	<20.8	<20.8	138	<1	<2	
	6/20/2012	n/a	<1	6.3	31	<1	0.85	2	<10	<10	<2	2700	2.3	36	<0.2	<20	<1	<10	31	<1	<1	<10	750	<1	<1	
	9/20/2012	n/a	<1	4	33	<1	0.5	2.1	<10	<10	<2	2000	2.3	27	<0.2	<20	<1	<10	36	<1	<1	<10	710	<1	<1	
	3/11/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2	<1.4	<2.3	<0.52	<1.4	7	<1.2	<0.049	<4.9	<0.38	<2.8	33	<0.19	<0.3	<2.4	600	<0.33	<0.4	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	3.7	<0.25	32	<0.12	<0.16	2.3	<1.4	<2.3	<0.52	<1.4	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	32	<0.19	<0.3	<2.4	630	<0.33	<0.4	
Class I Draw Spring	9/15/2015	n/a	<0.21	<0.25	28.9	<0.12	<0.16	2.36	<0.54	<0.52	<1.5	<2.4	6.11	<0.049	4.75	<0.38	<0.31	<2.9	<0.19	<0.3	<0.18	623	<0.33	<0.398		
	12/14/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2.09	4.05	<0.26	<0.52	<1.5	<2.4	<0.25	<0.049	4.99	<0.38	<0.31	<32.5	<0.19	<0.3	<0.18	627	<0.33	<0.398	
	3/29/2016	n/a	<0.21	<0.25	29.2	<0.12	<0.16	2.42	<0.54	<0.26	<0.52	<1.5	<2.4	5.04	<0.049	4.72	<0.38	<0.31	<31.3	<0.19	<0.3	<0.18	662	<0.33	<0.398	
	6/28/2016	n/a	<0.754	<0.25	32.6	<0.12	<0.16	2.08	<0.54	<0.26	<0.52	<1.8	<0.24	24.3	<0.049	3.97	<0.38	<0.31	<28	<0.19	<0.3	<0.18	462	<0.33	<0.398	
	9/20/2016	n/a	<2	<2	29.3	<2	<1	2.24	<2	<2	<5	270	<2	7.59	<0.2	3.31	<2	<2	29.9	<2	<2	<5	290	<1	<1	
	12/21/2016	n/a	<2	<2	32.8	<2	<1	2.3	3.12	<2	<5	345	<2	15.2	<0.2	7.82	<2	<2	22.4	<2	<2	<5	202	<1	<1	
	3/29/2017	n/a	<2	<2	31.1	<2	<1	2.21	<2	<2	<5	<400	<2	9.5	<0.2	4.71	<2	<2	26.2	<2	<2	<5	409	<1	<1	
	9/28/2017	n/a	<2	<2	31.6	<2	<1	2.82	<2	<2	<5	309	<2	13.4	<0.2	2.92	<2	<2	20.1	<2	<2	<5	163	<1	<1	
	4/17/2018	n/a	<10*	<23.4*	29.9	0.511	<1.2*	1.56	<12.5*	<10.4*	<5*	139	<15.6*	4.66	0.025	4	<52*	<20.8*	25.6	<73*	<41.6*	<20*	676	<5*	<5*	
	10/22/2018	n/a	<30*	<23.5*	34.3	<0.624*	<1.2*	1.83	<3.62	<13.5*	<5*	246	<15.6*	12.2	<0.2*	9	<52*	<20.8*	20.3	<73*	<728*	<21*	336	<5*	<5*	
Class IV Draw Spring	4/22/2019	n/a	<2.08*	0.382	29.3	<0.26*	0.051	2.15	0.263	0.339	<0.26*	21.2	0.14	3.57	<0.2*	4.48	<2.08*	<0.26*	33	0.084	<20.8*	<0.26*	727	<5*	<5*	
	10/8/2019	n/a	<2.08*	0.57	30.5	<0.26*	<0.26*	2.09	0.338	0.305	<0.26*	83.3	0.567	9.31	<0.2*	3.62	<2.08*	<0.26*	22.2	<0.26*	<20.8*	<0.26*	178	<1	<1	
	4/20/2020	n/a	<2.08*	0.392	27.8	<0.26*	0.359	1.74	0.281	0.307	<0.395*	1.96	0.205	27.1	<0.2*	5.02	<5.2*	<0.312*	31.5	0.088	<20.8*	<0.26*	826	<1	<1	
	10/16/2020	n/a	<2.08	0.424	27.5	<0.26*	0.083	2.16	0.34	0.159	<0.395*	73.8	0.11	2.93	<0.2	0.25	<5.2	<0.312	29.8	0.055	<20.8*	<0.26	421	<1	<1	
	4/6/2021	n/a	<2	0.35	26.8	<0.26*	0.125	2.36	0.205	0.395*	<0.26*	12.1	0.37	1.11	<0.2	5.37	<5.2*	<0.312*	31.9	0.073	<20.8*	<0.26*	899	<1	<1	
	10/5/2021	n/a	<2	0.576	31	<0.25	<0.25	3.78	0.355	0.225	<0.38	72.6	<0.25	6.41	<0.2	3.66	<5	<3	22.1	<0.25	<20	<0.25	202	<1	<1	
	4/18/2022	n/a	<2.08*	0.347	28.4	<0.26*	0.103	2.47	0.378	0.388	<0.395*	57.6	0.122	5.41	<0.2*	4.82	<5.2*	<0.312*	33	0.066	<20.8*	<0.26*	812	<1	<1	
	5/14/2022	n/a	<2.08*	0.566	30	<0.26*	0.042	1.92	0.231	0.237	<0.395*	83.3	<0.26*	6.22	<0.2*	3.88	<5.2*	<0.312*	27.2	<0.26*	<20.8*	<0.26*	718	<1	<1	
	10/4/2022	n/a	<2.08	0.361	25.3	<0.26	<0.26	2.34	0.342	0.322	<0.52	36.7	<0.416	4.79	0.0625	3.81	<5.2	<0.312	31.9	0.059	<20.8	<0.26	601	<1	<2	
	11/5/2022	n/a	<2.08	1.12	29.4	<0.26	0.768	3.48	0.732	0.294	1.69	207	1.9	10.9	<0.2	5.32	<5.2	<0.312	44.1	0.38	1.84	0.051	612	<1	<2	
	5/6/2025	n/a	<2.08	0.294	27	<0.26	0.095	1.98	<0.26	0.196	<0.52	18.8	1.42	1.31	<0.2	4.47	<5.2	<0.312	30.9	0.105	<20.8	<0.26	850	<1	<2	
Class I Draw Spring	6/16/2015	n/a	2	37	170	<0.12	1	25	<1.4	<2.3	<0.52	51000	4.5	2600	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	
	9/10/2015	n/a	<0.21	29	42.6	<0.12	<0.16	33.6	<0.54	<0.26	<0.52	1120	2.87	149	<0.049	3.93	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.33	<0.398	
	12/16/2015	n/a	<0.21	3.21	50.6	<0.12	<0.16	31.3	2	<0.26	<0.52	2090	4.65	149	<0.049	4.14	<0.38	<0.31	6.34	<0.19	<0.3	<0.18	33.5	<0.33	<0.398	
	3/30/2016	n/a	<0.21	<0.25	75.1	<0.12	2.32	10.9	<0.54	<0.26	<0.52	951	2.66	622	<0.049	2.55	<0.38	<0.31	<44.9	<0.19	<0.3	<0.18	56.5	<0.33	<0.398	
	6/28/2016	n/a	<0.754	27.8	52.8	<0.12	<0.16	42.2	<0.54	<0.26	<0.52	1250	2.24	171	<0.049	4.61	<0.38	<0.31	<0.0774	<0.19</						

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
	6/29/2011	7.52	<1	2.2	59	<1	<0.5	11	<10	<10	1	2300	3.1	660	<0.2	<20	<1	<10	12	<1	<1	<10	15	<1	<1
	9/27/2011	n/a	0.31	3.9	55	0.39	<0.5	11	<10	<10	1.2	3400	2.3	650	0.03	9.8	0.57	4.3	10	<1	<1	<10	10	<1	<1
	9/19/2012	n/a	n/a	3.4	66	<1	<0.5	9.7	<10	<10	<2	1900	<1	1200	<0.2	<20	<1	<10	8.1	<1	<1	<10	<10	<1	<1
	3/9/2015	n/a	<0.21	<0.25	50	<0.12	<0.16	13	<1.4	<2.3	<0.52	1200	5.3	110	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	10/6/2015	n/a	3.1	2.6	67	<0.12	<0.15	15	<1.4	<2.3	<0.52	2000	0.24	460	<0.049	<4.9	<0.38	<2.8	7.2	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	9/16/2015	n/a	<0.21	50.3	52.6	<0.12	<0.16	11.7	<0.54	<0.26	<0.52	2300	2.3	525	<0.049	2.05	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/16/2015	n/a	<0.21	2.5	45	<0.12	<0.16	13.6	<0.54	<0.26	<0.52	1330	2.33	123	<0.049	2.17	<0.38	<0.31	7.47	<0.19	<0.3	<0.18	<29.1	<0.331	<0.398
	3/30/2016	n/a	<0.21	54.7	66.3	<0.12	<0.16	14.8	<0.54	<0.26	<0.52	440	3.52	653	<0.049	2.68	<0.38	<0.31	8.28	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	6/28/2016	n/a	<0.754	4.66	54.3	<0.12	<0.16	11.7	<0.54	<0.26	<0.52	1960	<2.4	385	<0.049	2.07	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	9/21/2016	n/a	<2	5.85	88.5	<2	<1	14.9	<2	3.21	<5	2300	<2	1570	<0.2	327	<2	<2	<5	<2	<2	<5	<25	<1	<1
	12/21/2016	n/a	<4.73	72.7	<2	<2	<1	15.1	<2	2.71	<5	1610	<2	1440	<0.2	350	<2	<2	5.17	<2	<2	<5	<25	<1	<1
	9/28/2017	n/a	<2	5.33	65.4	<2	<1	12.1	<2	2.65	<5	1690	<2	1220	<0.2	287	<2	<2	<5	<2	<2	<5	<25	<1	<1
	4/29/2018	n/a	<10*	<23.4*	47.6	0.111	<1.2*	4.38	<12.5*	1.3	1	2260	<15.6*	192	<0.2*	<10*	<52*	<20.8*	10.1	<73*	<41.6*	4	28.6	<5*	<5*
	10/23/2018	n/a	<36*	<23.5*	42.7	<0.624*	<1.2*	3.02	<12.5*	<5*	1270	<15.6*	536	<0.025	<10*	<52*	<20.8*	5.37	<73*	<728*	<21*	7.59	<5*	<5*	
	10/7/2019	n/a	<2.08*	1.99	29.3	<0.26*	<0.26*	1.76	0.549	0.602	0.692	1010	1.52	208	<0.2*	0.9	0.612	<0.26*	1.94	<0.26*	<0.20.8*	0.73	6.18	<1*	<1*
	4/20/2020	n/a	<2.08*	1.83	35.8	<0.26*	<0.26*	1.87	0.437	0.659	0.69	1540	1.42	243	<0.2*	7.9	<0.52*	<0.312*	6.57	<0.26*	<0.20.8*	0.569	6.16	<1*	<1*
	10/7/2020	n/a	<2.08	8.97	61.6	<0.26	<0.26	2.54	0.296	2.96	0.127	3230	0.112	1550	<0.2	2.61	<5.2	<0.312	2.98	0.053	<0.20.8	0.069	9.4	<1	<1
	4/6/2021	n/a	<2.08*	3.02	47.6	<0.26*	<0.26*	0.95	2.2	0.405	0.816	0.539	0.72	503	0.015	1.07	<5.2*	<0.312*	7.28	<0.26*	<0.20.8*	0.308	5.05	<1	<1
	10/5/2021	n/a	<2	10.6	74.5	<0.25	<0.25	30.1	0.447	3.8	0.23	3620	0.732	1870	<0.2	3.35	<5	<3	2.79	0.072	<0.252	<0.252	<0.252	<0.252	<0.252
	4/18/2022	n/a	<2.08*	1.97	41.4	<0.26*	0.039	2.13	0.635	0.542	0.865	1760	1.24	228	<0.2*	0.79	<5.2*	<0.312*	8.05	<0.26*	<0.20.8*	0.809	10.4	<1*	<1*
	10/3/2022	n/a	<2.08*	12.2	72.2	<0.26*	<0.26*	2.47	0.173	2.97	<0.395*	6360	0.239	1780	<0.2*	3.09	<5.2*	<0.312*	2.73	0.053	<0.20.8*	0.12	<20.8*	<1*	<1*
	5/13/2024	n/a	0.528	24.7	39.1	<0.26	<0.26	2.66	0.459	0.725	0.764	2250	1.86	357	<0.2	0.69	<5.2	<0.312	5.95	<0.26	<0.20.8	0.689	7.38	<1	<2
	11/5/2024	n/a	<2.08	0.892	17.1	<0.26	<0.26	8.69	0.649	0.292	1.34	131	99.5	<0.2	1.08	<5.2	<0.312	4.34	<0.26	<0.20.8	0.645	9.65	<1	<2	
	5/5/2025	n/a	<2.08	1.67	34.7	<0.26	<0.26	2.12	0.242	0.42	0.873	1150	1.26	143	<0.2	0.86	<5.2	<0.312	5.64	<0.26	<0.20.8	0.662	13.1	<1	<2
Spring A	1/31/2007	n/a	1.1	2	45	<2	<5	3.6	<10	<10	<20	870	<5	79	<0.2	<20	<10	<15	<1	n/a	<10	84	<1	<1	<1
	7/18/2007	n/a	<1	2.2	33	<2	<5	1.2	<10	<10	<20	1600	<5	50	<0.2	<20	<25	<10	<5	<1	n/a	<10	54	<1	<1
	8/25/2007	n/a	<1	<1	26	<2	<5	1.3	<10	<10	<20	360	<5	52	<0.2	<20	<20	<10	<5	<1	n/a	<10	42	<1	<1
	11/6/2007	n/a	<1	1	62	<2	<5	1.4	<10	<10	<20	3300	5	130	<0.2	<20	<20	<10	<5	<1	<20	<10	<30	<1	<1
	2/22/2008	6.22	<1	2.1	45	<2	<5	2.8	<10	<10	<20	2600	<5	44	<0.2	<20	<20	<10	14	<1	<20	<10	87	<1	<1
	4/29/2008	7.45	<1	1.1	34	<1	<0.5	2.1	<10	<10	<20	260	<5	81	<0.2	<20	<20	<10	6.1	<1	<20	<10	<30	<1	<1
	11/18/2008	8.04	<1	<1	34	<2	<5	2.1	<10	<10	<20	260	<5	81	<0.2	<20	<20	<10	6.1	<1	<20	<10	<30	<1	<1
	2/10/2009	7.64	<1	<1	45	<1	0.54	2.8	<10	<10	<1	550	1.2	62	<0.2	<20	<1	<10	14	<1	<1	<10	41	<1	<1
	5/20/2009	7.15	<1	<1	29	<1	<5	2.5	<10	<10	<1	150	<1	59	<0.2	<20	<1	<10	7.1	<1	<1	<10	21	<1	<1
	8/27/2009	6.29	<1	<1	41	<1	1.8	3.9	<10	<10	<2	220	<1	120	<0.2	<20	<1	<10	12	<1	<1	<10	190	<1	<1
	12/18/2009	n/a	<1	<1	44	<1	1.2	5.2	<10	<10	<2	78	0.29	120	0.03	<20	<1	<10	16	<1	<1	<10	98	<1	<1
	3/23/2010	6.32	<1	<1	45	<1	0.62	3.5	<10	<10	<2	120	0.66	140	<0.2	<20	<1	<10	16	<1	<1	<10	91	<1	<1
	6/17/2010	n/a	<1	<1	<5	<1	<1	1.1	<10	<10	<2	90	<1	90	<0.2	<20	<1	<10	16	<1	<1	<10	91	<1	<1
	9/23/2010	6.92	<1	0.89	34	<1	0.35	2.2	<10	<10	<2	600	1.4	74	<0.2	<20	<1	<10	5.8	<1	<1	<10	42	<1	<1
	12/8/2010	7.61	0.5	0.54	39	0.5	0.68	3.5	<10	<10	<2	110	0.48	38	<0.2	<20	<1	<10	11	<1	0.32	<10	77	<1	<1
	3/22/2011	7.24	<1	<1	43	<1	<0.5	3.5	<10	<10	<2	110	<1	50	<0.2	<20	<1	<10	16	<1	<1	<10	64	<1	<1
	6/28/2011	7.25	<1	<1	47	<1	<0.5	4.9	<10	<10	<2	120	0.38	56	<0.2	<20	<1	<10	20	<1	<1	<10	57	<1	<1
	9/28/2011	n/a	<1	3.1	37	<1	0.3	3.2	<10	<10	<2	82	0.8	140	0.05	8	<1	<10	11	<1	<1	3.5	94	<1	<1
	6/20/2012	n/a	<1	<1	41	<1	1.3	4.6	<10	<10	<2	<100	<1	190	<0.2	<20	<1	<10	18	<1	<1	<10	150	<1	<1
	9/19/2012	n/a	<1	<1	<1	<1	<1	1.8	<10	<10	<2	90	<1	90	<0.2	<20	<1	<10	16	<1	<1	<10	120	<1	<1
	3/11/2015	n/a	<0.21	<0.25	38	<0.12	<0.16	2	<1.4	<2.3	<0.52	290	9.8	20	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<45	<0.33	<0.4
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.8	<0.25	49	<0.12	<0.16	3.6	<1.4	<2.3	<0.52	<1.4	<0.24	19	<0.049	<4.9	<0.38	<2.8	19	<0.19	<0.3	<2.4	<35	<0.33	<0.4
	9/16/2015	n/a	<0.21	<0.25	32.7	<0.12	<0.16	1.86	<0.54	<0.26	<0.52	248	<0.24	79.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/16/2015	n/a	<0.21	<0.25	32.8	<0.12	<0.16	10.3	<0.54	<0.26	<0.52	516	<0.24	17.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<36.4	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	40.2	<0.12	<0.16	2.95	<0.54	<0.26	<														

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (ug/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
Spring B	5/13/2024	n/a	<2.08	0.329	34.7	<0.26	0.344	1.67	0.881	0.214	0.4	109	0.201	24.3	<0.2	0.76	<5.2	<0.312	8.12	<0.26	<20.8	0.279	28.7	<1	<2
	11/5/2024	n/a	<2.08	0.919	9.97	0.169	0.059	8.76	0.851	0.436	1.7	337	0.23	19.8	<0.2	1.03	<5.2	<0.312	1.04	<0.26	<20.8	1.3	23.3	<1	<2
	5/5/2025	n/a	<2.08	1.85	28.7	0.064	0.048	<0.5	0.656	0.356	1.33	1080	1.98	22.1	<0.2	1.48	<5.2	<0.312	1.24	0.045	<20.8	1.44	19.5	<1	<2
	1/1/2007	n/a	<1	1	84	<2	<5	4.1	<10	<10	<20	<100	<5	82	<0.2	<20	<20	<10	13	<1	n/a	<10	<30	<1	<1
	2/22/2008	4.67	<1	<1	68	<2	<5	6.6	<10	<10	<20	<320	<5	<10	<0.2	<20	<20	<10	31	<1	n/a	<10	<7.3	<30	<1
	4/29/2008	7.5	<1	3.4	99	<1	<0.5	9	<10	13	1.4	3400	<5	2600	<0.2	<20	<1	<10	6	<1	<20	<10	<10	<1	<1
	2/20/2009	7.7	<1	<1	130	<1	<0.5	15	<10	<10	<1	<100	<1	380	<0.2	<20	<1	<10	19	<1	1.6	<10	49	<1	<1
	12/18/2009	n/a	<1	1.4	120	<1	<0.5	39	<10	4.6	<2	3400	<1	1400	<0.03	<20	0.86	<10	7.6	<1	<1	<10	21	<1	<1
	3/23/2010	7.56	<1	2.2	56	<1	<0.5	15	3.5	2.7	3.2	2500	3.3	160	<0.2	<20	0.71	3.6	12	<1	<1	4.8	40	<1	<1
	3/22/2011	7.95	<1	<1	140	<1	<0.5	80	<10	<10	<2	180	<1	160	<0.2	<20	<1	<10	42	<1	<1	<10	24	<1	<1
	3/9/2015	n/a	<2.1	<0.25	120	<0.12	<0.16	76	<1.4	<2.3	<0.52	<14	6.3	320	<0.049	<4.9	<0.38	<2.8	<0.31	<0.774	<0.19	<0.3	<2.4	<31	<1
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.6	<0.25	150	<0.12	<0.16	110	<1.4	<2.3	<0.52	<30	<0.24	820	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	44	<0.33	<0.4
	9/16/2015	n/a	<0.21	<0.25	93.1	<0.12	<0.16	109	<0.54	<0.26	<0.52	<15	<0.24	74.2	<0.049	8.19	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	12/16/2015	n/a	<0.21	<0.25	106	<0.12	<0.16	77.3	<0.54	<0.26	<0.52	<14	<0.24	141	<0.049	5.85	<0.38	<0.31	17.2	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	3/30/2016	n/a	<0.21	<0.25	103	<0.12	<0.16	99.3	<0.54	<0.26	<0.52	111	<0.24	67.8	<0.049	6.33	<0.38	<0.31	10.7	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
TSP-1 Spring	1/31/2007	n/a	<1	1	47	<2	<5	3.3	<10	<10	<20	340	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	31	<1	<1
	7/18/2007	n/a	<1	<1	52	<2	<5	4.2	<10	<10	<20	580	<5	81	<0.2	<20	<40	<10	8	<1	n/a	<10	82	<1	<1
	2/22/2008	7.45	<1	<1	46	<2	<5	4.2	<10	<10	<20	720	<5	10	<0.2	<20	<20	<10	14	<1	<20	<10	58	<1	<1
	4/29/2008	7.56	<1	<1	72	<1	0.66	3.3	<10	<10	3.7	3500	13	64	<0.2	<20	<1	<10	12	<1	<20	<10	69	n/a	n/a
	11/18/2008	7.71	<1	<1	42	<2	<5	5	<10	<10	<20	160	<5	32	<0.2	<20	<20	<10	10	<1	<20	<10	<30	<1	<1
	2/20/2009	7.86	<1	<1	48	<1	<1	4.4	<10	<10	<1	100	<1	<10	<0.2	<20	<1	<10	15	<1	<1	<10	35	<1	<1
	12/17/2009	n/a	0.21	<1	48	<1	<0.6	6.2	1.6	<10	0.88	1400	3.2	93	0.05	<20	<1	<10	18	<1	<1	<10	74	<1	<1
	3/23/2010	7.79	<1	<1	43	<1	<0.5	6.7	<10	2.1	<2	320	0.41	16	<0.2	<20	<1	3.3	34	<1	<1	<10	71	<1	<1
	3/22/2011	7.93	<1	<1	59	<1	<0.5	6.6	<10	<10	<2	310	<1	51	<0.2	<20	<1	<10	20	<1	<1	<10	120	<1	<1
	6/29/2011	7.44	<1	1.5	97	<1	0.16	6.2	<10	<10	<2	1200	27	130	0.03	<20	<1	<10	16	<1	<1	4.9	140	<1	<1
	4/16/2018	n/a	<10*	<23.4*	38.8	0.457	0.422	1.54	<12.5*	0.468	<5*	286	<15.6*	32.9	0.025	<10*	<52*	<20.8*	9.52	<73*	<41.6*	<20*	33.6	<5*	<5*
	10/18/2018	n/a	<36*	6.33	93.2	<0.624*	<1.2*	7.93	2.17	<13.5*	<5*	163	<16.5*	24.3	<0.2*	<10*	<52*	<20.8*	14.2	<73*	<728*	<20*	44	<5*	<5*
	10/9/2019	n/a	<2.08*	0.449	73.3	<0.26*	0.329	3.09	0.344	0.192	0.265	8.2	0.095	98.1	<0.2*	0.68	0.629	<0.26*	10.1	<0.26*	<20.8*	0.39	33.3	<1*	<1*
	4/20/2020	n/a	<2.08*	47.1	<0.26*	0.26*	2.42	0.295	0.157	0.293	67.2	0.166	31	<0.2*	0.51	<5.2*	<0.312*	8.65	0.047	<0.26*	0.265	28.8	<1*	<1*	
	4/18/2022	n/a	<2.08*	0.255	46.5	<0.26*	0.478	2.44	0.409	0.066	0.467	79.3	0.201	11	<0.2*	0.94	<5.2*	<0.312*	8.65	<0.26*	<20.8*	0.269	56.6	<1*	<1*
	5/13/2024	n/a	<2.08	0.224	41.8	<0.26	0.553	3.01	0.343	0.05	0.218	31.7	0.209	5.37	<0.2	0.94	<5.2	<0.312	8.02	<0.26	<20.8	0.245	57.7	<1	<2
	11/5/2024	n/a	<2.08	0.591	38.6	<0.26	0.081	8.94	0.691	0.105	0.884	17.5	0.867	4.46	<0.2	0.43	<5.2	<0.312	4.04	<0.26	<20.8	0.773	11	<1	<2
	5/5/2025	n/a	<2.08	0.184	39.5	<0.26	0.102	1.54	<0.26	0.056	0.283	<46.8	<0.416	12.1	<0.2	<1.56	<5.2	<0.312	5.52	<0.26	<20.8	0.189	12.4	<1	<2
TSP-2 Spring	1/31/2007	n/a	<1	1.3	39	<2	<5	2.5	<10	<10	<20	270	<5	12	<0.2	<20	<20	<10	7.3	<1	n/a	<10	74	<1	<1
	2/22/2008	7.1	<1	<1	100	<1	<0.4	5	<10	<10	<20	<100	<5	32	<0.2	<20	<20	<10	8	<1	<20	<10	43	<1	<1
	3/23/2010	7.48	<1	0.27	93	<1	<0.5	4.1	<10	5.5	1.4	420	<1	2500	<0.2	<20	<1	<10	23	<1	<1	<10	43	<1	<1
	6/17/2010	n/a	<1	4.7	140	0.16	<0.5	4.6	7	3.7	4	6100	32	1200	0.02	<20	0.54	<10	9.2	<1	<1	54	180	<1	<1
	9/21/2010	6.13	<1	0.78	90	<1	<0.5	4.8	<10	4.5	<2	190	6.1	560	<0.2	17	<1	8.2	16	<1	<1	<10	8.9	<1	<1
	12/7/2010	7.45	0.56	1.1	80	0.58	2	4.5	<10	<10	0.73	1100	2.8	710	<0.2	<20	<1	<10	7.1	<1	0.42	<10	170	<1	<1
	3/22/2011	7.52	<1	2	88	<1	<0.5	4.9	1.9	<10	1.7	2200	5.7	520	<0.2	<20	<1	<10	15	<1	<1	3.5	60	<1	<1
	6/29/2011	7.25	<1	5.1	110	<1	<0.5	6.2	4	6.2	4.3	5100	20	1000	0.06	7	<1	<10	11	<1	<1	9	100	<1	<1
	9/28/2011	n/a	<1	4.8	140	<1	<0.5	7.6	5.9	<2	1.6	6300	27	620	0.04	12	<1	<10	12	<1	<1	6.2	12	<1	<1
	9/19/2012	n/a	<1	<1	200	<1	<0.9	14	<10	<10	<2	540	5.4	1500	<0.2	<20	<1	<10	11	<1	<1	<10	74	<1	<1
	4/16/2018	n/a	2	<23.4*	114	0.448	0.391	42.1	<12.5*	2.04	<5*	189	<15.6*	251	0.025	3	<52*	<20.8*	28.6	2	<41.6*	<20*	52.3	<5*	<5*
	5/13/2024	n/a	<2.08	0.55	11.5	<0.26	<0.26	8.61	0.443	0.375	1.03	77.8	<0.416	38.4	<0.2	1.23	<5.2	<0.312	1.44	<0.26	<20.8	0.214	33.6	<1	<2
	11/5/2024	n/a	<2.08	0.287	24.7	<0.26	0.135	9.52	0.665	0.105	0.715	135	0.244	6.85	<0.2	0.8	<5.2	<0.312	4.74	<0.26	1.63	0.229	29.1	<1	<2
TSP-3 Spring	1/31/2007	n/a	<1	2.1	70	<2	<5	3.1	<10	<10	<20	140	<5	2200	<0.2	<20	<20	<10	<5	<1	n/a	<10	<30	<1	<1
	2/22/2008	7.1	<1	<1	71	<2	<5	5	<10	<10	<20	<100	<5	32	<0.2	<20	<20	<10	8	<1	<20	<10	43	<1	<1
	5/20/2009	7.45	<1	<1	75	<1	<5	4.1	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	4.3	<1	<1	<10	<30	<1	<1
	3/23/2010	7.96	<1	0.86	39	<1	<0.5	5.1	2.6	<10	1.1	1600	5.5	15	<0.2	<20	<1								

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)
TSP-4 Spring	3/29/2016	n/a	<0.21	<0.25	96.3	<0.12	<0.16	6.69	<0.54	<0.26	<0.52	<15	<0.24	39	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	6/28/2016	n/a	<0.754	<0.25	115	<0.12	<0.16	7.31	<0.54	2.31	<0.52	609	<0.24	1510	<0.049	3.83	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	4/29/2018	n/a	<10*	<23.4*	202	0.384	<1.2*	13	<12.5*	1.61	1	1060	<15.6*	549	<0.2*	<10*	7.31	<20.8*	5.74	<73*	<41.6*	<20*	9.89	<5*	<5*
	10/9/2019	n/a	<2.08*	0.381	95.8	<0.26*	0.071	8.93	0.374	0.059	0.699	14.5	0.071	2.51	0.025	0.66	<2.08*	<0.26*	11.1	<0.26*	<20.8*	0.299	312	<1*	<1*
	4/20/2020	n/a	<2.08*	2.71	214	<0.26*	0.048	8.24	0.223	5.54	0.255	3480	<0.26*	1840	<0.2*	3.28	<5.2*	<0.312*	2.02	<0.26*	<20.8*	0.081	<20.8*	<1*	<1*
	4/7/2021	n/a	<2.08*	2.65	253	<0.26*	0.097	6.53	1.07	4.01	0.442	3400	<0.26*	1350	<0.2*	3.19	<5.2*	<0.312*	2.97	<0.26*	<20.8*	0.106	7.33	<1*	<1*
	11/5/2024	n/a	<2.08	0.465	65.5	<0.26	<0.26	8.66	0.547	0.174	1.07	132	0.614	22.1	<0.2	0.45	<5.2	<0.312	5.39	<0.26	<20.8	0.398	<20.8	<1	<2
	1/31/2007	n/a	<1	<1	38	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.2	<1	n/a	<10	<30	<1	<1
	2/22/2008	8	<1	<1	50	<2	<5	8.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	<30	<1	<1
	3/10/2015	n/a	<0.21	<0.25	65	<0.12	<0.16	2.9	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	13	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	12/16/2015	n/a	<0.21	<0.25	56.2	<0.12	<0.16	2.22	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.48	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398
	3/29/2016	n/a	<0.21	<0.25	81.3	<0.12	<0.16	5.85	<0.54	<0.26	<0.52	441	10.5	93.6	<0.049	<0.35	<0.38	<0.31	10.9	<0.19	<0.3	<0.18	30.4	<0.331	<0.398
	4/29/2018	n/a	<10*	<23.4*	32.3	0.189	<1.2*	6.57	4.51	0.909	1	2150	4.99	12.5	<0.2*	<10*	<52*	<20.8*	8.84	<73*	<41.6*	6	41.2	<5*	<5*
	10/7/2019	n/a	<2.08*	0.782	10.1	<0.26*	0.054	0.517	1.32	0.155	1.07	515	2.8	4.13	<0.2*	0.69	<2.08*	<0.26*	2.15	<0.26*	<20.8*	1.61	11.7	<1*	<1*
	4/20/2020	n/a	<2.08*	0.772	16.2	<0.26*	0.042	0.545	1.04	0.207	0.818	461	3.41	14.9	<0.2*	0.73	<5.2*	<0.312*	1.5	<0.26*	<20.8*	1.38	15	<1*	<1*
	4/18/2022	n/a	<2.08*	0.217	24.9	<0.26*	<0.26*	1.33	0.47	0.047	0.383	90.5	0.475	1.92	<0.2*	0.26	<5.2*	<0.312*	4.56	<0.26*	<20.8*	0.437	5.81	<1*	<1*
	11/5/2024	n/a	<2.08	0.289	19.5	<0.26	<0.26	9.19	0.568	0.061	0.884	73.4	0.43	2.38	<0.2	<1.56	<5.2	<0.312	4.32	<0.26	<20.8	0.411	<20.8	<1	<2
	5/5/2025	n/a	<2.08	0.306	14.5	<0.26	<0.26	0.552	0.268	0.102	0.853	148	1.68	6.65	<0.2	0.5	<5.2	<0.312	0.953	<0.26	<20.8	0.599	5.78	<1	<2

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
CAO-1	4.57	4.9	13.2	82.1	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	3.68	7.46	29.8	86.3	<0.25	<0.5	<0.25	<0.5	<0.5	<0.42	<0.2
	4.48	7.76	23	100	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	5.8	10	18	100	<1	<1	<1	<1	<1	<1	<1
	<1	8.4	16	77	<1	<1	<1	<1	<1	<1	<0.02
	6.4	15	26	110	<1	<1	<1	<1	<1	<1	n/a
	<1	12	12	100	<1	<1	<1	<1	<1	<1	n/a
	3.9	15	10	83	<1	<1	<1	<1	<1	<1	n/a
	3.9	15	13	78	<1	<1	<1	<1	<1	<1	n/a
	6.3	8.3	12	50	<1	<1	<1	<1	<1	<1	n/a
	5.3	6.4	8.5	39	<1	<1	<1	<1	<1	<1	<5
	11	7	54	54	<1	<1	<1	<1	<1	<1	<5
	4.2	7.7	6.1	35	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	3.7	5.1	<5	21	<1	<1	<1	<1	<1	<1	<5
	5.5	9.1	5.6	27	<1	<1	<1	<1	<1	<1	<5
	1.3	0.81	1.1	3.7	<1	<1	<1	<1	<1	<1	<5
	2.2	0.92	<5	3.3	<1	<1	<1	<1	<1	<1	<5
	2.2	2.2	7.4	7.9	<1	<1	<1	<1	<1	<1	<5
	4.5	1.5	3.9	7.5	<1	<1	<1	<1	<1	<1	<5
	2.9	3.9	3.8	12	<1	<1	<1	<1	<1	<1	<5
	2.3	2.8	2.1	8.1	<1	<1	<1	<1	<1	<2.5	<5
	3.4	3.5	2.6	11	<1	<1	<1	<1	<1	<2.5	<5
	4.2	3.4	3.5	12	<1	<1	<1	<1	<1	<2.5	<5
	2.1	2	<5	6.8	<1	<1	<1	<1	<1	<2.5	<5
	2.7	1.9	<5	7.7	<1	<1	<1	<1	<1	<2.5	<5
	1.6	<0.26	<0.45	1.8	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2.2	1	<0.45	3	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	1.17	<0.26	<0.453	3.55	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	2.19	<0.26	<0.453	4.31	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	2.52	<0.26	<0.453	4.67	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	2.96	1.12	<0.453	5.81	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	3.53	<1	<5	4.69	<1	<1	<1	<1	<1	<2.5	<5
	2.6	<1	<5	5.43	<1	<1	<1	<1	<1	<2.5	<5
	2.28	1.19	<5	3.55	<1	<1	<1	<1	<1	<2.5	<5
	2.69	<1	<5	3.83	<1	<1	<1	<1	<1	<2.5	<5
	2.25	0.996	<50*	3.31	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	2.41	<50*	<0.533	3.6	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	1.51	0.577	1.4	3.24	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	1.27	0.335	0.996	2.32	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	1.47	0.327	1.96	3.3	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	1.14	0.289	1.85	3.33	<1	<1	<1	<1	<2	<1	<3
	0.912	<1*	1.75	2.85	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	0.783	<1	2.29	2.58	<1	<1	<1	<1	<2	<1	<3
	0.691	<1*	2.71	2.21	<1*	<1*	<1*	<1*	<3*	<1*	<3*
	0.681	<1*	2.3	1.87	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	0.653	<1	2.53	1.65	<1	<1	<1	<1	<2	<1	<3
	0.906	<1	1.01	2.61	<1	<1	<1	<1	<2	<1	<3
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<1	<3
CAO-2	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	2.2	6.7	1.6	16	<1	<1	<1	<1	0.71	<1	<5
	1.7	4.8	2.5	13	<1	<1	<1	<1	<1	<1	<5
	2	5.6	2.3	14	<1	<1	<1	<1	0.51	<2.5	<5
	2.2	6.7	1.8	15	<1	<1	<1	<1	0.52	<2.5	<5
	4	7.4	3.6	18	<1	<1	<1	<1	0.64	<2.5	<5
	3.5	8.3	<5	17	<1	<1	<1	<1	<1	<2.5	<5
	3.2	8	<5	15	<1	<1	<1	<1	<1	<2.5	<5
	1.71	7.83	<0.453	11.6	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	3.32	12.3	<0.453	15.4	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	5.16	13.1	<0.453	18.3	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	3.73	10.7	<5	14.2	<1	<1	<1	<1	<1	<2.5	<5
	1.36	7.76	<5	11.1	<1	<1	<1	<1	<1	<2.5	<5
	3.52	10.9	<5	13.4	<1	<1	<1	<1	<1	<2.5	<5
	4.86	12	<5	14.7	<1	<1	<1	<1	<1	<2.5	<5
	3.36	8.9	<50*	16.8	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	5.12	9.33	<50*	16.7	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	3.71	12.4	1.8	16	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	6.57	7.51	1.4	15.2	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	5.96	9.67	2.07	14.1	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	9.33	3.71	1.84	15.1	<1	<1	<1	<1	<2	<1	<3
	4.27	8.48	1.23	12.9	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	5.15	6.77	1.37	13.2	<1	<1	<1	<1	<2	<1	<3
	5	8	1.77	13.2	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	5.75	1.86	1.12	10.9	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	4.98	3.01	2.13	10.3	<1	<1	<1	<1	<2	<1	<3
	6.56	2.88	1.51	12.6	<1	<1	<1	<1	<2	<1	<3
	<2	1.08	1.74	7.68	<1	<1	<1	<1	<2	<1	<3
MW-1R	4.2	6.3	<5	14	<1	<1	<1	<1	<1	<2.5	<5
	3.8	5.3	<5	11	<1	<1	<1	<1	<1	<2.5	<5
	3	6.8	<0.45	12	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	3.6	9.6	<0.45	15	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	2	8.78	<0.453	12.1	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	3.18	9.65	<0.453	16.2	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	2.97	9.83	<0.453	14.8	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	4.13	13.1	<0.453	17.9	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	4.09	11.3	<5	15.6	<1	<1	<1	<1	<1	<2.5	<5
	3.69	10.2	<5	16.2	<1	<1	<1	<1	<1	<2.5	<5
	2.57	9.68	<5	15.1	<1	<1	<1	<1	<1	<2.5	<5
	3.96	9.76	<5	13.8	<1	<1	<1	<1	<1	<2.5	<5
	3.23	8.99	<50*	19.7	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	3.85	9.51	<50*	18.6	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	3.61	10.4	1.52	17.1	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	3.43	9.46	1.39	15.1	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	5.11	9.95	1.8	16.7	<1*	<1*	<1*	<1*	0.183	<1*	<1*
	4.51	9.46	1.57	16.6	<1	<1	<1	<1	<2	<1	<3
	4.03	8.04	1.14	15.1	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	4.12	8.68	1.58	14.7	<1	<1	<1	<1	<2	<1	<3
	3.98	6.65	1.12	14.3	<1*	<1*	<1*	<1*	<2*	<1*	<3*
MW-2	3.1	6.67	1.21	12.2	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	2.37	5.11	1.35	10.6	<1	<1	<1	<1	<2	<1	<3
	3.9	8.58	1.52	16.5	<1	<1	<1	<1	<2	<1	<3
	<2	3.42	1.22	7.76	<1	<1	<1	<1	<2	<1	<3
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<0.6	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2
	<0.6	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<2	<10	<1	<1	<1	<1	<1	<1	<1	<1
	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	3.9	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	1.1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	1.2	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.92	<1	<1	<1	<1	<1	<1	<5
	0.69	<1	<5	8.9	<1	<1	<1	<1	<1	<1	<5
	1.1	<1	<5	8.5	<1	<1	<1	<1	<1	<1	<5
	0.99	<1	1.5	9.6	<1	<1	<1	<1	<1	<1	<5
	0.92	<1	<5	8.3	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	2.9	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	2	<1	<1	<1	<1	<1	<1	<2.5
	<1	<1	0.92	7.3	<1	<1	<1	<1	<1	<1	<2.5
	<1	<1	<5	3.5	<1	<1	<1	<1	<1	<1	<2.5
	<1	<1	<5	3.5	<1	<1	<1	<1	<1	<1	<2.5
	<1	<1	<5	2.4	<1	<1	<1	<1	<1	<1	<2.5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259</										

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
	<0.6	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<2	<10	<1	<2	<1	<1	<1	<2	<1	<1
	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.53	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	0.53	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<5	1.6	<1	<1	<1	<1	<1	<1	<2.5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<2.5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<2.5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<2.5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<2.5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4		

[illegible]

[illegible]

[illegible]

MVV-6

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)
NE-2	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	
<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	
<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<3	
<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<3	
<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<3	
<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<3	
NE-3	<1	<1</									

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo 3- Chloropropane (ug/l)
NE-4	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
NE-6	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<50*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<2*	<1*	<									

Well/Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo 3- Chloropropane (ug/l)
Landfill Entrance Seep	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<2*	0.498	1.54	3.44	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	0.341	2.2	0.88	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	0.536	0.72	6.46	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.29	1.04	6.68	3.53	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	0.433	1.69	4.1	12.2	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2	3.29	2.68	<1	<1	<1	<1	<1	<1	<1	<1
	<2	0.67	3.29	2.68	<1	<1	<1	<1	<1	<1	<1
<2*	1.27	3.31	8.3	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<2	0.883	5.29	2.48	<1	<1	<1	<1	<1	<1	<1	
<2	0.883	5.29	2.48	<1	<1	<1	<1	<1	<1	<1	
<2*	1.07	3.43	8.41	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<2	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	
<2	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	
<2	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	
<2	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	
NE-3 Spring	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2*	<5*	<50*	&							

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Vinyl chloride (ug/l)	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
TSP-4 Spring	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3

NABORS Landfill Historic Data through May 2025

Well / Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MCA] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
CAO-1	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<0.05	<0.1	0.28	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	1.2	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	1.7	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	1.1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	1.3	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	1.1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	0.45	<1	1.7	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	0.69	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<15	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	0.938	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	1.35	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	1.44	1.72	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	1.19	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	0.07	<1*	<1*	2.42	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	2.76	0.872	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	2.68	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	3.11	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	3.62	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	4.03	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	4.31	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	4.52	<2	<2	<1	<1	<1	<2	0.698	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
CAO-2	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1

Well/Spring ID	1,2-Dibromomethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane tetrachloride (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	0.824	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
MW-1	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	&			

NABORS Landfill Historic Data through May 2025

Well / Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEX] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	0.52	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	0.5	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	0.5	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	9.4	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.381	<0.349	<0.361	<0.306	1.81	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	3.59	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	0.528	<5*	3.66	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	0.519	0.223	<5*	2.63	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	0.05	<1*	<1*	4.15	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	0.567	<1*	<1*	4.35	2.86	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1	0.632	<1*	4.97	1.07	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	0.622	<1*	4.06	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	0.558	<1	5.1	0.67	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	0.527	0.257	4.95	0.788	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	4.13	0.834	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	4.05	3.29	<2	<1	<1	<2	0.348	<1	<1
	<1	<1	0.348	<1	4.95	<2	<2	<1	<1	<1	<2	<1	<1
	<1	<1	<1	<1	3.35	<2	<2	<1	<1	<1	<2	0.387	<2
MW-1R	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	2.07	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	2.44	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	2.86	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	3.17	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	2.63	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	2.3	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	0.431	<5*	2.02	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	0.408	<5*	2.48	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	0.5	<5*	2.84	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	0.524	<1*	2.98	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	0.562	<1*	3.9	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	0.681	0.257	4.55	0.824	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	0.571	<1*	3.71	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	0.581	<1	4.36	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	0.399	<1*	3.98	5.06	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	0.45	<1*	4.3	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	0.342	<1	3.3	<2	<2	<1	<1	<1	<2	<1	<1
	<1	<1	0.594	<1	4.31	<2	<2	<1	<1	<1	<2	<1	<1
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	0.394	<2
MW-2	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5

[illegible]

MV-4

52 of 414

[illegible]

[illegible]

MVV-577

[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanol [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	3.19	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	1.5	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	0.632	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1	<1*	<1*	<1*	<2	<1	<1*	<1*	<1*	<2	<1*	<1*
	<1*	<1	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
MW-6890	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1

[illegible]

[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanol [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform tetrachloride (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
NAB-3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5		

[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEX] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	
NAB-7	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<2	<1	<1	<2	<1	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<2	<1	<1	<2	<1	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<2	<1	<1	<2	<1	<1	<2
	NAB-8	<1</												

Well/Spring ID	1,2-Dibromothane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanol [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
NE-2	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.36	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1*	<1*	<1*	<1*	<1*	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1										

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
NE-4	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
NE-6	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	

Well/Spring ID	1,2-Dibromomethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
Landfill Entrance Seep	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<1	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	0.195	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	0.424	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
NE-3 Spring	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	
Spring A	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.82	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2	
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2	
	n/a	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	n/a	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<1	<15	&						

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
Spring B	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
TSP-1 Spring	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2			

NABORS Landfill Historic Data through May 2025

Well /Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEX] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
TSP-4 Spring	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloroethene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone (ug/l)
CAO-1	<0.25	<0.5	37.9	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8
	0.72	<0.5	51.3	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8
	1.33	<0.5	59.7	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	1.5	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	1.2	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	1.2	<1	0.3	<1	<1	2.4	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	1.2	<1	<2.5	<1	<1	<1	<5	<1	<1	0.58	<1	<5	<10
	<1	<1	<2.5	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<10
	0.51	<1	<2.5	<1	<1	<5	<1	<1	<1	<1	<1	<5	<5
	0.33	<1	<2.5	<1	<1	<5	<1	<1	<1	<1	<1	<5	<5
	0.63	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	0.52	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	0.56	<1	<2.5	<1	<1	<1	<5	<1	<1	0.32	<1	<5	<5
	0.6	<1	<2.5	<1	<1	0.95	<10	<1	<1	0.36	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	1.01	<0.327	<0.418	<0.346	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	1.11	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	1.03	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	0.827	<5*	<5*	<5*	<5*	1.07	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	1.14	<5*	<5*	<5*	<5*	2.78	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	1.07	n/a	<50*	<5*	<5*	0.283	n/a	<5*	<5*	0.271	<5*	<50*	<50*
	0.322	n/a	<1*	<1*	<1*	1.28	n/a	<1*	<1*	0.175	<1*	<1*	<1*
	1.56	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.352	<1*	<1*	<1*
	1.77	n/a	<3	<1	<1	<1	n/a	<1	<1	0.271	<1	<2	<1
	1.66	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	1.84	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	2.11	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	2.14	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a
	2.74	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	3.02	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
CAO-2	<0.25	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8
	<0.25	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8
	<0.25	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5

Well / Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanol [MIBK] (ug/l)
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.418	<0.384	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<50*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	<1	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<1	<1	<1	<1	n/a	<					

[illegible]

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloroethene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone (Nujol) (ug/l)
	<1	<1	<2.5	<1	<1	<1	<5	<1	1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	0.42	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	0.39	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<10	<1	0.4	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
1	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
1.86	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
2.28	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
1.98	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10
1.2	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10
1.74	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10
2.15	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10
<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*
2.16	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*
1.86	n/a	<50*	<5*	<5*	<5*	<5*	<5*	<5*	0.485	<5*	<5*	0.166	<50*
2.55	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	0.594	<1*	<1*	<1*	<1*
2.57	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	0.679	<1*	<1*	<1*	<1*
2.94	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	0.551	<1*	<1*	<2*	<1*
2.31	n/a	<3*	<1*	<1*	<1*	<1*	<1*	<1*	0.361	<1*	<1*	<2*	<1*
2.65	n/a	<3	<1	<1	<1	<1	<1	<1	0.513	<1	<1	<2	<1
2.65	n/a	<3*	<1*	<1*	<1*	<1*	<1*	<1*	0.593	<1*	<1*	<2*	<1*
2.04	n/a	<3*	<1*	<1*	<1*	<1*	<1*	<1*	0.414	<1*	<1*	<2*	<1*
2.21	n/a	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1*
2.45	n/a	<1	<1	<1	<1	<1	<1	<1	0.468	<1	<1	<2	<1*
1.76	n/a	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	<2	<1*
MW-1R	<1	<1	<2.5	<1	<1	<1	<10	<1	1.2	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<2.1
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<2.1
1.08	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
1.57	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
1.5	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<2.14
<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10
1.46	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10
1.14	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10
1.74	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10
1.08	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*
1.38	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*
1.76	n/a	<50*	<5*	<5*	<5*	<5*	<5*	<5*	0.534	<5*	0.191	<50*	<50*
1.67	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	0.494	<1*	<1*	<1*	<1*
2.19	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	0.619	<1*	<1*	<1*	<1*
2.64	n/a	<3	<1	<1	<1	<1	<1	<1	0.603	<1	<1	<2	<1*
1.98	n/a	<3*	<1*	<1*	<1*	<1*	<1*	<1*	0.397	<1*	<2*	<1*	<1*
2.39	n/a	<3	<1	<1	<1	<1	<1	<1	0.501	<1	<2	<1	<1
2.03	n/a	<3*	<1*	<1*	<1*	<1*	<1*	<1*	0.353	<1*	<2*	<1*	<1*
2.09	n/a	<3*	<1*	<1*	<1*	<1*	<1*	<1*	0.437	<1*	<2*	<1*	<1*
1.66	n/a	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1*	<1*
2.42	n/a	<1	<1	<1	<1	<1	<1	<1	<2	<1	<2	<1*	<1*
1.39	n/a	<1	<1	<1	<1	<1	<1	<1	0.406	<1	<2	<1*	<1*
MW-2	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5

[illegible]

[illegible]

[illegible]

[illegible]

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	
MW-509D	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
&														

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<0.31	<0.37	<0.4	<0.42	<1.2	<1.1	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	0.606	<5*	<5*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2			

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	n/a
	<1	n/a	<1	<									

[illegible]

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanol [MBK] (ug/l)
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1*	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
MW-7	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5
	<3	<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5
	<0.25	<0.5	<0.2	<0.25	<0.1	<0.5	<0.2	<0.					

[illegible]

[illegible]

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone (MIBK) (ug/l)
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1		

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone (MIBK) (ug/l)
NE-2	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	n/a
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	
<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*	
<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*	
<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*	
<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*	n/a	<3	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	
<1*	n/a	<3	<1	<1	<1	<1*	<1*	<1*	<1*	<1*	<2*	<1	
<1	n/a	<3	<1	<1	<1	<							

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanol [MIBK] (ug/l)
NE-4	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	n/a
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
NE-6	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	
<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloroethene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MnB] (ug/l)
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
Landfill Entrance Seep	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
NE-3 Spring	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
RD Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<1	<1	<1	0.33	n/a	<1	<1	<2	<1	<2	n/a
SP-5 Spring	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
SP-7 Spring	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5

[illegible]

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
Spring B	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
TSP-1 Spring	<0.35	<0.39	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	n/a	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 Spring	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5
TSP-3 Spring	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*												

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)
TSP-4 Spring	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<1	<5
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butadiene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
CAO-1	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	715	3.77	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	0.57	<0.5	0.93	<0.25	<10	<0.15	n/a	n/a	738	5.57	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	801	5.78	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	790	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	790	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	770	2.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	780	7.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	850	16	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	810	6.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	0.44	11	n/a	n/a	n/a	650	17	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	660	6.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	740	11	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	630	9.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	120	1.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	10	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	570	13	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<5	n/a	0.0042	<0.05	460	9.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	400	11	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	0.0012	0.059	500	5.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	0.42	<50	n/a	<0.005	<0.05	570	83	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	560	10	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	590	7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	1	0.43	15	n/a	<0.005	<0.05	630	7.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	630	56	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	630	3.9	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	550	12	460	240	0.69	95	52	3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	790	18	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	696	14	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	798	9.95	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00625	<0.0065	676	12	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	802	12.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	407	11.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	794	10.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	708	8.53	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	874	10.2	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	n/a	0.109	747	5.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	0.628	<50*	n/a	<0.1*	807	8.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	0.361	n/a	0.283	n/a	<0.15*	659	10.5	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.308	<1*	n/a	<1*	n/a	0.266	521	7.87	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.32	n/a	<1*	n/a	<0.15*	835	9.72	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.39	n/a	<2	n/a	<0.15	731	10.3	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.452	n/a	<2*	n/a	<0.15*	763	10.5	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.301	n/a	<2	n/a	<0.15*	747	10.5	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.346	n/a	<2*	n/a	<0.15*	746	9.76	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.277	n/a	<2*	n/a	<0.15*	778	9.79	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	0.324	n/a	<1	n/a	<0.15	162	8.1	n/a	n/a	n/a	n/a	n/a	n/a
	2.15	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	580	7.81	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	696	8.72	n/a	n/a	n/a	n/a	n/a	n/a
CAO-2	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	440	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	404	1.62	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	412	5.44	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	770	2.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	7.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	2.2	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	3.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	4.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.018	370	4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0071	450	0.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.019	400	15	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	400	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	1.4	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	340	1.8	290	170	<0.038	67	37	1.6
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	550	5	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	345	1.82	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	356	2.33	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	397	3.5	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	494	6.11	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	419	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	433	5.77	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	349	2.05	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<5*	<50*	n/a	<0.1*	406	1.54	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<5*	<50*	n/a	<0.1*	468	2.31	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<5*	<50*	n/a	<0.15*	450	2.41	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.309	<1*	n/a	<1*	n/a	<0.15*	537	3	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	473	1.74	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3*	<1	n/a	<2	n/a	<0.15	512	1.97	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	446	1.37	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3*	<1	n/a	<2	n/a	<0.15	495	2.43	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	418	1.37	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	305	2.06	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	418	1.31	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	393	1.38	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	444	<1	n/a	n/a	n/a	n/a	n/a	n/a
CAO-3																			
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	296	2.61	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	509	5.15	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	368	4.66	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	590	5.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	650	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	2.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.02	260	3.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.94	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.98	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	0.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, mg/l	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	2.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	270	<0.1	270	160	<0.038	63	37	<0.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	350	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	289	2.51	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	269	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00626	<0.0065	389	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	290	1.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	293	5.05	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	305	1.64	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	278	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	386	1.02	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	291	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	456	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	313	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.263	<1*	n/a	<1*	n/a	<0.15*	366	1.04	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	286	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1	n/a	<2*	n/a	<0.15	410	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	348	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	445	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	140	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	179	1.05	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	259	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	250	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	252	<1	n/a	n/a	n/a	n/a	n/a	n/a
MW-1	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	335	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	357	3.3	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	343	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	6.7	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	371	<6	<1	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	362	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	363	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	359	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	379	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	394	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	402	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	400	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	435	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	480	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	561	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	520	1.82	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	553	2.61	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	590	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	520	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	580	3.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	610	3.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	600	3.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	0.33	<5	<50	n/a	n/a	n/a	550	4.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	590	5.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	620	4.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	630	6.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	600	4.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	620	4.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	680	8.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	0.46	<5	<50	n/a	<0.005	<0.05	690	3.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<5	33	n/a	0.014	<5	706	9.8	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	1.4	<5	<50	n/a	<0.005	0.0072	780	2.4	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butadiene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	750	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	710	68	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	710	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	1	<5	<50	n/a	<0.005	<0.05	780	9.47	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	1.6	<5	<50	n/a	<0.005	<0.05	830	9.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.064	880	7.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	910	12	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1140	9.79	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1080	9.13	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1060	11.6(3)	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1020	9.47	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	970	8.22	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	992	10.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	970	10.2	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1020	8.62	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	0.267	n/a	<50*	n/a	<0.1*	965	8.62	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	0.412	0.305	n/a	<50*	n/a	<0.15*	953	10.7	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.567	0.645	n/a	<1*	n/a	<0.15*	934	8.12	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.705	n/a	<1*	n/a	<0.27	903	8.22	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3	0.303	n/a	<2	n/a	<0.15	877	5.71	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	834	6.53	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.315	n/a	<2	n/a	<0.15	738	5.57	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.446	n/a	<2*	n/a	<0.15*	681	5.58	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	661	5.05	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	0.412	n/a	<1*	n/a	<0.15	536	6.97	n/a	n/a	n/a	n/a	n/a	n/a
	3.47	n/a	n/a	n/a	<2	<2	<1	n/a	0.327	n/a	<0.15	550	3.95	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	0.526	n/a	<1	n/a	<0.15	508	4.72	n/a	n/a	n/a	n/a	n/a	n/a
MW-1R	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	840	35	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	740	3.4	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	840	11	710	390	<0.038	160	100	2.6
	<1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	980	17	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	978	12.5	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	868	15.2	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	860	8.63	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	914	11.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	894	7.74	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	928	7.85	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	764	8.98	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	894	9.34	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	0.533	0.367	n/a	<50*	n/a	<0.1*	906	6.51	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	860	7.78	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	0.419	0.172	n/a	0.342	n/a	<0.15*	881	13.4	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.612	0.198	n/a	<1*	n/a	<0.15*	878	8.22	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	831	7.85	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.265	n/a	<2	n/a	<0.15	815	5.75	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	819	7.72	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	726	5.34	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	745	9.98	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	664	4.86	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	134	3.53	n/a	n/a	n/a	n/a	n/a	n/a
MW-2	3.79	n/a	n/a	n/a	<2	<2	<1	n/a	0.671	n/a	<0.15	562	3.76	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	528	5.1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	331	1.96	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	2.76	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	393	<6	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	<6	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	345	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	345	<1	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, bromide (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	344	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	341	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	355	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	371	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	363	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	367	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	n/a	409	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	n/a	411	<1	n/a	n/a	n/a	n/a	n/a	n/a
<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	n/a	356	1.55	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	n/a	366	2.27	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	370	1.2	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	370	2	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	370	1.4	n/a	n/a	n/a	n/a	n/a	n/a
<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	330	1.9	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	400	2	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	370	2.1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	390	1.7	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	390	2.5	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	390	3.5	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	280	3.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.013	230	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.0082	210	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	270	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	12	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	0.88	<5	<50	n/a	<0.005	<0.05	320	0.95	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	360	1.1	330	200	<0.038	80	43	2.3	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	49	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	365	1.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	361	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	1.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.49	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	381	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	362	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	365	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<50*	n/a	n/a	n/a	<5*	<5*	<20*	<5*	<50*	n/a	<0.15*	<362	<1*	<1*	n/a	n/a	n/a	n/a	n/a	n/a
<50*	n/a	n/a	n/a	<5*	<5*	<20*	<5*	<50*	n/a	<0.15*	<369	<1*	<1*	n/a	n/a	n/a	n/a	n/a	n/a
<50*	n/a	n/a	n/a	<5*	<5*	<20*	<5*	<50*	n/a	<0.15*	<360	<1*	<1*	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<1*	<1*	n/a	<0.15*	<365	<1*	<1*	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<1*	<1*	n/a	<0.15*	<360	<1*	<1*	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<3	<1	<1	<1	n/a	<0.15	<335	<1	<1	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<1*	<2*	n/a	<0.15*	<376	<1*	<1*	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<3	<1	<1	<2	n/a	<0.15	<349	<1	<1	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<1*	<2*	n/a	<0.15*	<367	<1*	<1*	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<1*	<2*	n/a	<0.15*	<356	<1*	<1*	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<2	<1	<1	<1	n/a	<0.15	<332	<1	<1	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<2	<1	<1	<1	n/a	<0.15	<326	<1	<1	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<2	<1	<1	<1	n/a	<0.15	<338	<1	<1	n/a	n/a	n/a	n/a	n/a	n/a
MW-3																			
<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	252	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	368	4.78	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	388	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	356	<6	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butadiene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	360	<6	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	401	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	338	1.38	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	421	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	361	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	452	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	412	1.4	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	787	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	437	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	508	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	425	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<10	<1	<10	<1	<10	<1	<10	<10	<1	<1	474	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	n/a	453	2.78	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	480	2.6	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	450	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	460	1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	530	2.7	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	520	2.2	n/a	n/a	n/a	n/a	n/a	n/a
<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	390	2.4	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	440	2.9	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	500	3.6	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	470	3.4	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	380	1.8	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	450	3	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	530	5.1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	<0.05	450	3.2	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.019	300	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0078	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<30	n/a	<0.005	<0.05	500	0.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<5	<50	<0.005	<0.05	520	28	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	0.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	510	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.046	540	0.84	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	510	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	590	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	410	2.4	380	220	<0.038	90	49	1.3	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	530	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	525	8.26	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	143	n/a	<0.0018	<0.0065	436	5.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	458	114(8)	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	499	2.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	511	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	525	2.32	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	411	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<50*	n/a	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	653	6.33	n/a	n/a	n/a	n/a	n/a	n/a
<50*	n/a	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	750	3.6	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	0.296	<1*	<1*	n/a	<1*	n/a	0.357	684	4.52	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<1*	n/a	<1*	n/a	0.544	664	2.76	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<3	<1	<1	n/a	<2	n/a	<0.15	599	5.3	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<1*	n/a	<2*	n/a	<0.15*	624	2.74	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<3	<1	<1	n/a	<2	n/a	<0.15	559	<1	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<1*	n/a	<2*	n/a	<0.15*	597	2.63	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<1*	n/a	<2*	n/a	<0.15*	567	1.72	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<2	<1	<1	n/a	<1	n/a	<0.15	567	3.49	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<2	<1	<1	n/a	<1	n/a	<0.15	511	3.92	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<2	<1	<1	n/a	<1	n/a	<0.15	532	3.11	n/a	n/a	n/a	n/a	n/a	n/a
MW-4	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	292	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	304	4.48	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	293	<1	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	310	<6	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	316	7.2	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	303	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	296	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	299	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	311	1.7	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	421	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	n/a	299	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	n/a	332	2.19	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	310	1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	320	2.7	n/a	n/a	n/a	n/a	n/a	n/a
<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	310	1.2	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	340	1.8	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	330	1.8	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	270	2.1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	320	2	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	310	1.9	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	n/a	320	2.2	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.06	<0.05	340	340	0.68	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0038	330	330	2.3	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0043	360	360	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	320	7.8	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.028	340	340	0.72	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	370	1.1	340	210	<0.038	84	46	<0.1	<0.1
<1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	420	51	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	396	1.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	365	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	366	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	384	1.93	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	368	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	376	1.09	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	388	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	405	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	438	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	396	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	423	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<2*	n/a	<0.15*	425	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	<50	<2*	n/a	<0.15*	415	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	416	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	444	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	417	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	427	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	415	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	414	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butadiene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
MW-5	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	5.86	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	335	<6	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	<6	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	333	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	324	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	332	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	338	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	345	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	352	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	354	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	366	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	393	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	362	17.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.004	<0.05	370	2.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.015	370	0.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	8.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.33	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.039	400	0.88	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	4.8	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	400	1.7	400	230	<0.038	92	52	<0.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	<0.1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	431	1.59	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	402	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	406	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	401	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	416	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	444	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.1*	426	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<10	<50*	n/a	<0.1*	443	1.01	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.15*	468	1.07	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.27	<1*	n/a	<1*	n/a	<0.15*	441	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	455	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	475	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	459	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	435	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	451	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	443	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<1	n/a	<0.15	465	<1	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
MW-5090	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	467	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	502	1.05	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	4.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0085	290	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.0035	340	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.26	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.029	370	7.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0005	290	1.1	250	150	<0.038	60(V)	36(36)	1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0005	390	3.8	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0005	373	1.53	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0005	300	1.78	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0005	380	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0005	361	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	391	1.25	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	395	1.23	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	300	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	396	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	330	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	370	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	356	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.371	<1*	n/a	<1*	n/a	<0.15*	357	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	338	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	330	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	337	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	367	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	315	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	369	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	323	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	245	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	237	<1	n/a	n/a	n/a	n/a	n/a	n/a
MW-577	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	4.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	0.31	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	1.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	430	3.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	1.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	2.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	490	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	2.7	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
	<10	<10	<2.5	<3	<5	<5	2.5	<50	n/a	<0.005	0.015	500	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	510	3.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0073	490	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	0.54	<50	n/a	<0.005	<0.05	460	0.37	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	6.7	<50	n/a	<0.005	<0.05	490	52	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	35	n/a	<0.005	<0.05	460	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	3.3	<50	n/a	<0.005	<0.05	490	1.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.046	480	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	440	4.1	410	250	<0.038	100	52	1.5
	<1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	430	3.3	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	398	3.17	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	382	1.93	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	390	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	435	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	398	1.14	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	399	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	416	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	408	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	0.421	403	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	416	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.321	<1*	n/a	<1*	<1	<0.15*	411	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	461	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	391	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	414	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	420	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	581	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	399	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	<1	<0.15	455	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	414	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	404	<1	n/a	n/a	n/a	n/a	n/a	n/a
MW-6	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	381	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	3.41	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	379	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	390	<6	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	401	<6	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	404	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	404	1.08	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	393	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	403	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	410	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	394	1.08	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	400	1.03	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	405	1.23	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	408	1.82	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	364	1.88	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	392	3.37	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	12	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	3.1	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butadiene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide salts (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	390	2.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0055	400	0.28	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.58	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	31	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.79	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	0.67	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.022	430	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	5.4	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	410	2.2	390	220	<0.038	87	52	1.2
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	460	<0.1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	440	2.65	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	399	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	441	<0.1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	1.02	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	434	1.29	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	432	1.75	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	432	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	446	1.39	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<5*	<5*	<5*	<50*	n/a	<0.1*	453	1.21	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<5*	<5*	<5*	<50*	n/a	<0.1*	470	1.59	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<5*	<5*	<5*	<50*	n/a	<0.15*	473	1.54	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	458	1.65	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	507	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	477	1.11	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	471	1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	428	1.12	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	447	1.07	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	427	1.11	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	411	1.01	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	408	1.06	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	407	1.05	n/a	n/a	n/a	n/a	n/a	n/a
MW-633D	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	2.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	2.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0073	380	3.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0087	430	0.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.65	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.016	430	0.55	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	2	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	420	2.7	390	220	<0.038	89	52	1.2

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	460	3.8	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	425	1.97	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	442	3.29	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	1.28	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	466	1.88	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	423	1.73	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	366	1.53	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	406	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	430	1.31	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	n/a	n/a	<0.1*	413	1.06	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	n/a	n/a	<0.1*	427	1.19	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	n/a	n/a	<0.1*	434	1.36	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	413	1.74	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	405	1.56	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	438	1.36	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.13	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	n/a	<2*	n/a	n/a	<0.15*	393	1.22	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	359	1.08	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	336	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	341	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	335	1.17	n/a	n/a	n/a	n/a	n/a	n/a
MW-689D	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	190	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	200	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.015	220	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	1.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	11	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.56	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.029	410	0.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	280	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	1.6	n/a	n/a	<0.008	n/a	4.4	1.2
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	410	2.9	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	395	1.19	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	377	2	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	375	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	392	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	398	1.05	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	408	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	376	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	393	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	n/a	n/a	<0.1*	404	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	n/a	n/a	<0.1*	400	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	n/a	n/a	<0.15*	378	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	0.106	n/a	<2*	n/a	0.179	384	1.4	<1*	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	147	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	0.388	371	1.67	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butadiene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	304	1.04	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	0.325	360	1.72	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	291	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	0.494	349	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	315	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	325	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	294	<1	n/a	n/a	n/a	n/a	n/a	n/a
MW-7	<5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	263	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	315	7.21	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	341	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	370	<6	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	370	<6	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	355	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	298	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	1.25	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	294	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	336	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	337	1.11	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	312	1.62	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	324	2.85	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	305	1.95	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.4	<0.2	<0.5	<0.35	<0.25	<0.15	<50	<15	n/a	n/a	324	2.44	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<50	<50	<50	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	300	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	320	4.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	300	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	290	2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	290	3.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	330	2.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	310	3.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	310	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	320	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	350	2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	0.0009	<0.05	340	1.5	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	n/a	0.01	310	2.7	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	0.0095	330	<1	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	330	0.6	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	350	31	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	360	0.59	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	350	69	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	360	1.1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	340	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	390	6.4	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	320	1.4	310	170	<0.038	69	40	<0.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	330	<0.1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	<0.55	<0.0018	<0.0065	341	1.48	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	<0.55	<0.0018	<0.0065	341	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	<0.55	<0.0018	<0.0065	274	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	<0.55	<0.0018	<0.0065	327	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	338	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	338	1.06	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	330	<1	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	338	<50	<1	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<50*	<20*	<5*	<5*	<50*	n/a	<0.1*	315	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<5*	<50*	n/a	<0.1*	328	1.04	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<5*	<50*	n/a	<0.15*	353	<1*	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
NAB-1	<2*	n/a	n/a	n/a	<2*	0.353	<1*	n/a	<1*	n/a	<0.15*	328	1.25	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	0.249	223	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	283	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	298	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	321	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	302	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	324	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	267	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	299	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	277	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	20	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	5.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.2	n/a	n/a	n/a	n/a	n/a	n/a
NAB-2	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	0.31	<50	<0.005	<0.05	450	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.011	370	4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.33	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.021	420	25	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	0.37	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.019	420	0.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	4.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	0.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0092	360	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	370	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	8.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.68	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	1.3	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.37	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	400	<0.1	390	240	<0.038	96	47	1.6
	<1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.0018	<0.0065	370	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.37	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	<0.1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<0.324	<1	<0.78	<10	<10	n/a	<0.0018	<0.0065	433	2.02	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butadiene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide salts (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
	<1.87	<1.83	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	412	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.83	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	254	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.83	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	443	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	443	1.29	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	440	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	433	1.28	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.303	<1*	n/a	<1*	n/a	<0.15*	449	1.38	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	451	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	462	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	433	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	413	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	416	1.11	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	423	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	404	<1	n/a	n/a	n/a	n/a	n/a	n/a
NAB-3	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	250	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	5.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	50	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	3.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0084	400	3.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0042	410	0.41	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	460	14	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	3.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.001	430	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	330	2	310	180	<0.038	72	42	<0.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	410	<0.1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.83	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	397	2.17	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.83	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	372	1.51	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.83	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	368	1.14	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.83	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	1.58	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	396	1.43	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	425	94.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	360	1.72	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	418	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.1*	407	1.32	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.1*	425	1.99	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.15*	356	1.53	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.34	<1*	n/a	<1*	n/a	<0.15*	425	1.85	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	253	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	306	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	357	1.13	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	319	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	360	1.07	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	340	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	351	1.2	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
NAB-4	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	361	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	326	1.06	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	1.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0067	<0.05	430	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0099	430	5.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0037	460	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	0.49	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	33	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	0.68	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	0.95	<5	<50	n/a	<0.005	<0.05	420	0.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	420	2.3	390	240	<0.038	96	46	1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	490	<0.1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	466	1.97	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	436	1.01	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	453	1.22	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	466	1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	458	1.79	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	417	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	505	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<3.9	n/a	n/a	<1.2	<4.9	<0.84	<6.7	<0.94	n/a	<0.1*	501	1.07	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	0.089	n/a	<50*	n/a	<0.15*	528	1.85	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	<1*	<3*	<1*	<1*	<1*	<1*	n/a	<0.15*	543	1.49	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	558	1.82	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	450	1.17	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	619	1.69	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	564	1.3	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	404	1.79	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	593	1.59	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<2	<5	<10	<1	<0.15	539	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	488	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	548	1.81	n/a	n/a	n/a	n/a	n/a	n/a
NAB-7	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	5.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	4.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	2.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.7	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved salts (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, Calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
NE-2	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	7.27	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	n/a	1.53	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	377	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	358	121	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	<2*	<2*	0.29	<1*	n/a	<1*	n/a	<0.15*	392	10.1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	379	23	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	4.46	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	395	95.6	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	338	12.9	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	357	8.35	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	148	6.68	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	3200	100	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	3300	100	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	2800	60	550	760	<0.038	300	140	9.7
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	2800	40	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	2070	23	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	2030	20.2	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1600	15.2	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	120	14.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1590	12.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1660	12.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1560	12.9	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1420	12.9	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1520	12.8	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1320	11.7	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	1170	7.36	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.285	<1*	n/a	<1*	n/a	<0.15*	1020	5.09	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	948	3.89	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	0.287	n/a	<2	n/a	<0.15	809	3.25	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	872	3.17	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	785	3.42	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	842	3.19	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	791	2.49	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	797	1.96	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	777	1.69	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	807	2.92	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	330	1.9	<52	190	<0.038	76	41	<0.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	360	5.4	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	326	1.37	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	331	3.59	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	306	1.13	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	332	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	337	11.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	347	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	354	1.45	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	352	3.65	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	366	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	352	1.24	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	401	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	359	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	308	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	294	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	317	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	317	<1*	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well / Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
NE-4	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	332	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	331	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	301	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	292	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	307	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	355	2.31	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	394	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	437	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	385	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.336	<1*	n/a	<1*	n/a	<0.15*	404	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	0.158	n/a	<1*	n/a	<0.15*	359	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	344	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	320	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	365	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	349	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	383	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	321	<1	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	390	<0.1	340	220	<0.038	86	47	<0.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	2.4	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	414	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	407	1.79	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	393	<0.102	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	406	2.67	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	394	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	398	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	384	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	352	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	409	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	384	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	456	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.31	<1*	n/a	<1*	n/a	<0.15*	388	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	354	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	347	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	387	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	374	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	395	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	389	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	379	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	342	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	386	<1	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	9.9	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	209	6.1	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	250	6.09	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	318	4.2	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	190	7.23	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	194	6.08	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	319	4.23	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	285	5.51	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	257	2.57	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.296	<1*	n/a	<1*	n/a	<0.15*	138	2.41	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	136	2.08	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	88	1.71	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	420	9.7	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	337	6.29	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	245	4.69	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-benzene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
Landfill Entrance Seep	<1.87	<1.83	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	246	5.79	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	378	4.79	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	n/a	n/a	<0.1*	343	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.305	<1*	n/a	<1*	n/a	<0.15*	432	6.45	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	197	3.18	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310	3	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	300	7.5	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	305	3.39	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	206	5.69	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	295	3.3	n/a	n/a	n/a	n/a	n/a	n/a
NE-3 Spring	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	203	4.12	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	336	3.63	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	335	2.38	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	334	3.72	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	311	2.18	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	288	2.73	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	314	2.83	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.381	<1*	n/a	<2*	n/a	<0.15*	307	2.07	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	320	2.34	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.83	n/a	n/a	n/a	n/a	n/a	n/a
RD Spring	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.83	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	311	2.28	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	294	2.31	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	294	2.31	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	321	2.22	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	146	2.49	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	0.617	<1	n/a	<1	n/a	<0.15	90	4.6	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	130	4.11	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	170	3.6	140	76	0.34	30	18	1.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	350	3.6	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	248	2.14	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	205	3.88	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	298	1.45	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	172	2.61	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	199	1.89	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	268	1.3	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.329	<1*	n/a	<1*	n/a	<0.15*	158	1.72	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	202	1.08	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	236	1.04	n/a	n/a	n/a	n/a	n/a	n/a
SP-5 Spring	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	213	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	192	1.25	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	315	1.89	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	211	3.21	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	6.2	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	216	3.12	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	210	3.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	160	4.5	n/a	n/a	n/a	n/a	n/a	n/a
SP-7 Spring	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	190	3.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	220	5.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	3.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	230	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	270	16	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.6	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
Spring B	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	250	1.24	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	81	5.1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	137	4.54	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	430	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	6.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	11	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	3.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	550	4.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0091	230	6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	660	3.3	n/a	n/a	n/a	n/a	n/a	n/a
	<11.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	420	7.8	220	n/a	0.46	94	54	5.6
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	670	15	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	631	8.19	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	554	7.81	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	609	5.9	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 Spring	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	1.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	4.5	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.5	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	320	4.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	1.7	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	320	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.68	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	390	0.82	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.1*	294	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.1*	367	3.06	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	0.285	<1*	<1*	n/a	<0.15*	354	1.13	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	<1*	<1*	n/a	<0.15*	267	<1*	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	<1*	<2*	n/a	<0.15*	290	1.02	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	292	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	180	2.96	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	232	1.06	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 Spring	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	<1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0045	260	2.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0071	350	1.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	0.24	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	7.1	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	1.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.016	320	1.8	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	5.4	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0082	<0.05	460	2.9	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.1*	466	6.46	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	54	3.54	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	103	1.92	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	6.6	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	4.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	170	2.9	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	2.2	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	3	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	270	3.4	240	140	<0.038	54	32	1.5
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.55	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	460	6.2	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	417	4.58	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	311	3.79	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Acrylonitrile (ug/l)	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2- butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)
TSP-4 Spring	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	386	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	4.89	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	3.24	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	0.346	<1*	n/a	<1*	n/a	<0.15*	401	3.87	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	293	3.03	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	441	3.13	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	209	4.23	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	240	2.3	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	5	n/a	n/a	n/a	n/a	n/a	n/a
	<1.9	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	310	4.2	280	160	0.28	64	40	1.5
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	307	4.01	n/a	n/a	n/a	n/a	n/a	n/a
	<1.87	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00596	<0.0065	346	4.4	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	187	1.65	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	55	2.18	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	<5*	1.63	n/a	n/a	n/a	n/a	n/a	n/a
	<2*	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	214	1.35	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	102	5.68	n/a	n/a	n/a	n/a	n/a	n/a
	<2	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	74	1.53	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

MVV-3

120 of 414

REV-4

[illegible]

[illegible]

Well/Spring ID	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropane (mg/l)	1,2,4- Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
MW-509D	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	0.000285	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2,6	<0.0089	<0.003	<0.0022	<0.0037	<0.0032	<0.0035	<0.0036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.0036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	0.000245	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.001	<0									

	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4- Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dioctyl (mg/l)	
Well/Spring ID	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2.2	<0.0089	<0.003	<0.0022	<0.0037	<0.0032	<0.0035	<0.0017	<0.0017	<0.0015	<0.0017	<0.0014	<0.0008	<0.0013	<0.0012	<0.0012	<0.0012
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.001	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002										

Well / Spring ID	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropane (mg/l)	1,2,4- Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6.1	<0.0089	<0.003	<0.0022	<0.0037	<0.0032	<0.0035	<0.0036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	0.000146	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.002	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001													

Well/Spring ID	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropane (mg/l)	1,2,4- Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002								

[illegible]

[illegible]

[illegible]

[illegible]

Well/Spring ID	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4- Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
NE-2	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	<0.002	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<														

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Sodium (mg/l)	Acroline (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropane (mg/l)	1,2,4- Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3 Spring	1.4	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00035	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
RD Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	0.000874	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4- Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.001*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	2.3	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.004	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Iodrin (mg/l)	Isoafore (mg/l)	Kepon (mg/l)	Methapyrene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)	n-Nitrosodietylamine (mg/l)
NAB-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033	<0.0005
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Iodrin (mg/l)	Isoafole (mg/l)	Kepona (mg/l)	Methapyriene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosod-n-butylamine (mg/l)	n-Nitrosodethylamine (mg/l)
NAB-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033	<0.0005
NAB-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Iodrin (mg/l)	Isoafole (mg/l)	Kepon (mg/l)	Methapyrene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)	n-Nitrosodietylamine (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033	<0.0005
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isoflin (mg/l)	Isoflinole (mg/l)	Kepon (mg/l)	Methacrylonene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)	n-Nitrosodietylamine (mg/l)
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3 Spring	<0.00033	<0.0011	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033	<0.0005
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
RD Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Well/Spring ID	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachlorocyclopentadiene (mg/l)	Iodrin (mg/l)	Isosafrole (mg/l)	Kepon (mg/l)	Methaphylene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosod-n-butylamine (mg/l)	n-Nitrosodethylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.00029	<0.00041	<0.0019	<0.00016	<0.00005	<0.00021	<0.0056	<0.00029	<0.00021	<0.00029	<0.00033	<0.0005
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Spring A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.00029	<0.00041	<0.00									

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isoadrin (mg/l)	Isoatrole (mg/l)	Kepona (mg/l)	Methapyrene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)	n-Nitrosodiethylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033	<0.0005
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NIV-4

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o- toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39	<0.00038	<0.00026
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o- toluidine (mg/l)	EtHyI Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3 Spring	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39	<0.00038	<0.00026
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
RD Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o- toluidine (mg/l)	Elhyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate	Pronamide (mg/l)
Spring B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0013	<0.0017	<0.0018	<0.0027	<0.0026	<0.00038	<0.00038	<0.00037	<0.00033	<0.00026	<0.39	<0.00038	<0.00026
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0013	<0.0017	<0.0018	<0.0027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39	<0.00038	<0.00026
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o- toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39	<0.00038	<0.00026
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Well/Spring ID	Dimethoate (mg/l)	P-[Dimethylamino] Azoxybenzene (mg/l)	Dimethylthyl [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Tolidine (mg/l)	Q,O,O'-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)	2,6-Dichlorophenol (mg/l)	
NAB-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.0014	<0.00021	<0.0017	<0.0034	<0.0036	<0.0028	<0.0027	<0.0026	<0.0002	<0.0036	<0.0054	<0.0013	<0.0024	<0.0028		
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		
n/a	n/a	n/a	n/a												

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Dimethoate (mg/l)	P-(Dimethylamino) Azelaic acid (mg/l)	Dimethylbenzyl [A] Anthracycline (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	0,0,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)	2,6-Dichlorophenol (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0014	<0.0021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024	<0.0028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Dimethoate (mg/l)	P-(Dimethylamino) Azelaene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	0,0,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)	2,6-Dichlorophenol (mg/l)
Spring B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 Spring	<0.0014	<0.00021	<0.00017	<0.0004	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00028	<0.00013	<0.00054	<0.00048
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0014	<0.00021	<0.00017	<0.0004	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.00013	<0.00054	<0.00048

[illegible]

[illegible]

[illegible]

[illegible][illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDO (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin leisure (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin leisure (mg/l)	Heptachlor (mg/l)	Heptachlor epoxide (mg/l)
MW-5090	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-577	<0.002	<0.013	<1.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.6E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDO (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I leotidine (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)	Heptachlor epoxide (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.002	<0.013	<0.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05	<1.8E-05	<1.8E-05
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silver] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a] anthracene (mg/l)	Benzo[b] fluoranthene (mg/l)	Benzo[k] fluoranthene (mg/l)	Benzo[g,h,j] pyrene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.00016	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<0.00032	<0.00027	<0.00036	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Benz[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bi[2-chloroethoxy]methane (mg/l)	Bi[2-chloroethyl]ether (mg/l)	Bi[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)
MW-509D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-577	<0.00034	<0.00029	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Benz[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bi[2-chloroethoxy]methane (mg/l)	Bi[2-chloroethyl]ether (mg/l)	Bi[2-chloroisopropyl]ether (mg/l)	4-Bromophenylphenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenylphenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)
NAB-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.0038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
NAB-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Benz[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bi[2-chloroethoxy]methane (mg/l)	Bi[2-chloroethyl]ether (mg/l)	Bi[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.00016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Benz[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bi[2-chloroethoxy]methane (mg/l)	Bi[2-chloroethyl] ether (mg/l)	Bi[2-chloroisopropyl] ether (mg/l)	4-Bromophenyl-methylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)
Spring B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.00016	<0.00044	<0.00034	<0.00038	<0.00033	n/a	<0.00033	<0.00028	<0.00034	<0.0002	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.00016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.0002	<0.00016
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Well / Series ID	2 6-Dinitrotoluene	Fluoranthene
------------------	--------------------	--------------

MVW-6

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro- 1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd] pyrene (mg/l)	Isothorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.00023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro- 1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd] pyrene (mg/l)	Isothorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniiline (mg/l)	3-Nitroaniiline (mg/l)	4-Nitroaniiline (mg/l)	Nitrobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
NE-3 Spring	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
RD Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
SP-5 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
SP-7 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro- 1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-d] pyrene (mg/l)	Isoephronone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
Spring B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 Spring	<0.00028	<0.00031	<0.00032	<0.00033	<0.00023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.00019	<0.00021	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.00023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.00019	<0.00021	<0.00035	<0.00037

NABORS Landfill Historic Data through May 2025

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro- 1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd] pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.00023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible][illegible]

Well/Spring ID	n-Nitrosodiphenylamine	n-Nitrosodiphenylamine
----------------	------------------------	------------------------

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodipropylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl] phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro- 3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3,4,4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)
MW-5090	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-577	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

Well/Spring ID	n-Nitrosodiphenylamine	n-Nitrosodiphenylamine
----------------	------------------------	------------------------

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodipropylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl] phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro- 3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3,4,4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)
NAB-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-7	<0.0003	<0.0004	<0.0037	<0.0028	<0.0071	<0.0027	<0.0028	<0.0028	<0.0028	<0.0033	<0.0026	<0.0028	<0.0031	<0.0027	<0.0028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible][illegible]

Well/Spring ID	n-Nitrosodiphenylamine	n-Nitrosodiphenylamine
----------------	------------------------	------------------------

NE-3

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodipropylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl] phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro- 3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3,4,4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3 Spring	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
RD Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl] phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro- 3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3,4,4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

MV-3

327 of 414

NIV-4

328 of 414

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	2,4-Dimethylphenol (mg/l)	4,6-Dinitro- 2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzenate (mg/l)	Diallate (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well / Spring ID	2,4-Dimethylphenol (mg/l)	4,6-Dinitro- 2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzenate (mg/l)	Diallate (mg/l)
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3 Spring	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
RD Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	2,4-Dimethylphenol (mg/l)	4,6-Dinitro- 2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4-Trimethylbenzene (ug/L)	1,2-Dimethylbenzene [Total] (ug/L)	1,3,5-Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	0.296	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<5*	0.298	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<1*	n/a	0.112	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	0.082	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	0.91	n/a	<1	n/a					

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Well/Spring ID	Oil & Grease (Hexane Extr) (mg/l)	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [Total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)
MW-689D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<1*	
n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<1*	
n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a						

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Oil & Grease (Hewlett Extr) (mg/l)	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/l)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)
NAB-1	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Oil & Grease (Petroleum Extr) (mg/l)	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [Total] (mg/l)	1,2,4-Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5-Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus Total (mg/l)	Flashpoint (deg F)	Cyanide [Total] (mg/L)	1,2,4-Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5-Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)
NE-4	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	0.179	<1*	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Oil & Grease (Hexane Extr) (mg/l)	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4-Trimethylbenzene (ug/l)	1,2-Dimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/l)	2-Chlorotoluene (ug/l)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/l)	Hexachlorobutadiene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	<1*	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<3
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	<1	<1	<1	<1	<3
NE-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	<1*	<1*	<1*	<1*	<3*
RD Spring	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
SP-5 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
SP-7 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus, Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4-Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5-Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec- Butylbenzene (ug/L)	tert- Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromodichloromethane (ug/l)
CAO-1	n/a	17.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	21.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	21.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	0.277	8.88	<5*	<5*	<5*	<5*	<5*	39.4	<5*	n/a	n/a	n/a
	0.396	12.3	<5*	<5*	<5*	<5*	<5*	41.2	<5*	n/a	n/a	n/a
	0.19	20.2	<5*	<5*	<5*	<5*	<5*	41.9	<5*	n/a	n/a	<5*
	0.283	7.09	<1*	<1*	<1*	<1*	0.175	41.1	<1*	n/a	n/a	<1*
	0.174	31	<1*	<1*	<1*	<1*	0.188	40.8	<1*	n/a	n/a	<1*
	<1	29.7	<1	<1	<1	<2	<1	n/a	<1	n/a	n/a	<1
	<1*	34.5	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	37.3	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	38.9	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1*	39.3	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	48.9	<1	<1	<1	<1	0.2	n/a	<1	n/a	n/a	<1
	<1	37.7	<1	<1	<1	<1	0.272	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
CAO-2	n/a	<0.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec- Butylbenzene (ug/L)	tert- Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	43	<5*	n/a	n/a	n/a
	<50*	1.2	<5*	<5*	<5*	<5*	<5*	37.4	<5*	n/a	n/a	n/a
	<50*	1.55	<5*	<5*	<5*	<5*	<5*	41	<5*	n/a	n/a	<5*
	<1*	2.87	<1*	<1*	<1*	<1*	<1*	40.6	<1*	n/a	n/a	<1*
	<1*	3.65	<1*	<1*	<1*	<1*	<1*	38.4	<1*	n/a	n/a	<1*
	<1	1.9	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	1.56	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	1.43	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	1.25	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1*	1.17	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	1.79	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	1.42	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
MW-689D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	40.4	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	39.7	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41	<5*	n/a	n/a	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41.3	<1*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec- Butylbenzene (ug/L)	tert- Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromodichloromethane (ug/l)
NAB-1	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41.3	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41	<1*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<3	n/a	n/a	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

[illegible]

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec- Butylbenzene (ug/L)	tert- Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	39.2	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	39	<5*	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.7	<5*	n/a	n/a	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.9	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	38.1	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.6	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	38.8	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.1	<5*	n/a	n/a	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	39.5	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	38.5	<1*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	<50*	<5*	<5*	<5*	<5*	<5*	<5*	40.7	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	38.6	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.5	<5*	n/a	n/a	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41.3	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	n/a	<1	n/a	n/a	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec- Butylbenzene (ug/L)	tert- Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)
NE-4	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	40.2	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	37.9	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	40.8	<5*	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.3	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41.2	<1*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	<3	n/a	n/a	n/a	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	39.5	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	40.5	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41	<5*	n/a	n/a	<5*
Class I Draw Spring	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.5	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.9	<1*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw Spring	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.4	<5*	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.2	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec- Butylbenzene (ug/L)	tert- Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromodichloromethane (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	38.7	<5*	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
Landfill Entrance Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	1.39	<5*	<5*	<5*	<5*	<5*	39.8	<5*	n/a	n/a	n/a
	<50*	1.11	<5*	<5*	<5*	<5*	<5*	39.3	<5*	n/a	n/a	n/a
	<50*	0.435	<5*	<5*	<5*	<5*	<5*	40.3	<5*	n/a	n/a	<5*
	<1*	2.59	<1*	<1*	<1*	<1*	<1*	40.5	<1*	n/a	n/a	<1*
	<1*	3.38	<1*	<1*	<1*	<1*	<1*	41.3	<1*	n/a	n/a	<1*
	<1	1.98	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1	1.98	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	2.47	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	2.3	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1	2.3	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1
	<1*	2.06	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
NE-3 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	40.2	<5*	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.1	<5*	n/a	n/a	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.3	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
RD Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4 Spring	<1*	1.74	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	5.02	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
SP-5 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
SP-7 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

[illegible]

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	Isopropylbenzene (ug/L)	Methyl-tert- Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec- Butylbenzene (ug/L)	tert- Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)
TSP-4 Spring	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.4	<5*	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	39.6	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<50*	<5*	<5*	<5*	<5*	<5*	<5*	41.7	<5*	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	41.4	<1*	n/a	n/a	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*
	<1	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	m,p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	<5*	<10*	n/a	n/a
n/a	<1*	<2*	n/a	n/a
n/a	<1	<2	n/a	n/a
n/a	<1*	<2*	n/a	n/a
n/a	<1	<2	n/a	n/a
n/a	<1*	<2*	n/a	n/a
n/a	<1	<2	n/a	n/a
n/a	<1	<2	n/a	n/a
n/a	<1	<2	n/a	n/a
MW-3	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well/Spring ID	m,p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	<5*	<10*	<2*	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1	<2	<2	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1	<2	<1	<1
n/a	<1	<2	<1	<1
MW-4	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/l)	4-Methyl- 2-pentanone (ug/L)
MW-5	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	<5*	<10*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	n/a
	n/a	<1*	<2*	n/a
	n/a	0.3	0.459	<1*
	n/a	<1	<2	<1

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	m,p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	<5*	<10*	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1	<2	<2	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1	<2	<2*	<1*
n/a	<1	<2	<2	<1
n/a	<1	<2	<2	<1
MW-689D	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	<5*	<10*	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1	<2	<2	n/a

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	m,p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	<1*
	n/a	<1	<2	<1
	n/a	<1	<2	<1
	n/a	<1	<2	<1
NAB-1	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
NAB-2	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

Well /Spring ID	m,p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
NAB-4	n/a	<1	<2	<1
	n/a	<1	<2	<1
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
NAB-7	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

NABORS Landfill Historic Data through May 2025

Well /Spring ID	m,p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	<5*	<10*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	n/a	n/a	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	<1*
	n/a	<1	<2	<1
	n/a	<1	<2	<1
	n/a	<1	<2	<1
NE-2	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	<5*	<10*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	<1*
	n/a	<1	<2	<1
	n/a	<1	<2	<1
NE-3	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	<5*	<10*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	m,p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
NE-4	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	<1*
	n/a	<1	<2	<1
	n/a	<1	<2	<1
	n/a	<1	<2	<1
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	0.081	<10*	n/a
	n/a	<1*	<2*	n/a
NE-6	n/a	0.303	0.251	n/a
	n/a	<1	<2	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	<1*
	n/a	<1	<2	<1
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
Class I Draw Spring	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
Class IV Draw Spring	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

[illegible]

NABORS Landfill Historic Data through May 2025

Well/Spring ID	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	<1*	<2*	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1	<2	<2*	n/a
n/a	<1	<2	<2*	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1*	<2*	<2*	<1*
n/a	<1	<2	<2	<1
n/a	<1	<2	<2	<1
n/a	<1	<2	<2	<1
Spring A	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	<5*	<10*	n/a
n/a	n/a	<1*	<2*	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1*	<2*	<2*	n/a
n/a	<1	<2	<2	n/a
n/a	<1*	<2*	<2*	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	m,p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
Spring B	n/a	<1	<2	<1
	n/a	<1	<2	<1
	n/a	<1	<2	<1
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
TSP-1 Spring	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
TSP-2 Spring	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	<1	<2	<1
TSP-3 Spring	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through May 2025

Well /Spring ID	m,p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl- 2-pentanone (ug/L)
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	<1
TSP-4 Spring	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1*	<2*	n/a
	n/a	<1	<2	<1
	n/a	<1	<2	<1