



A  Terracon Company

REPORT OF NOVEMBER 2024 GROUNDWATER MONITORING EVENT

Client:

ARKANSAS DEPARTMENT OF ENERGY & ENVIRONMENT
Division of Environmental Quality
c/o
EnSafe, Inc.
5724 Summer Trees Drive
Memphis, TN 38134
Phone: 214-529-5600
Contact: Ms. Emily Brickman, P.G.
Senior Project Manager - Geologist
(214) 529 5600
ebrickman@ensafe.com

NABORS Landfill
Three Brothers, Arkansas

Revision 0
January 2025

Prepared by: Harbor
5800 Evergreen Drive
Little Rock, AR 72205
P: 501.663.8800
F: 501.588.0123
www.harborenv.com

Page Intentionally Blank

November 2024 Semi-Annual Groundwater Monitoring Report
NABORS Landfill
Three Brothers, Arkansas

Prepared for:
EnSafe, Inc.
and
Arkansas Department of Energy and Environment
Division of Environmental Quality

Prepared by:
Harbor, A Terracon Company



Date: January 27, 2025

Thomas Huetter, PG, Project Geologist




Date: January 27, 2025

Lisa Rotenberry, Senior Technical Reviewer



Date: January 27, 2025

Leslie Davis, Harbor, Program Manager, Principal



Page Intentionally Blank

Table of Contents

1.0 Introduction..... 1

1.1 Geologic Setting 1

1.2 Site Background..... 2

1.3 Previous Investigations 2

1.4 Groundwater Monitoring Network..... 3

1.5 Leachate Sampling..... 4

1.6 Investigative-Derived Wastes 5

1.7 Assessment Monitoring Constituents 5

2.0 Field Activities and Sampling Methodology..... 7

2.1 Well/Spring Assessment and Water Level Measurement..... 7

2.2 Monitoring Well Purging and Sampling..... 7

2.3 Spring Sampling 8

2.4 Leachate Sampling..... 8

2.5 Equipment Decontamination..... 8

2.6 Sample Documentation and Shipment..... 9

2.7 Field QC Sample Objectives and Collection Frequency..... 9

2.8 Sample Identification, Collection, Processing and Documentation 10

2.9 Equipment Calibration..... 11

3.0 Groundwater Analytical Results..... 12

3.1 Conceptual Groundwater Flow 12

3.2 Groundwater Analytical Results..... 17

3.3 Statistical Analysis..... 31

4.0 Leachate Analytical Results 35

5.0 Quality Assurance/Quality Control Results 36

LIST OF FIGURES:

- Figure 1 Site Location Map
- Figure 2 Assessment Monitoring Points and Potentiometric Surface Map

LIST OF TABLES:

- Table 1-1 Summary of Assessment Monitoring Points
- Table 1-2 Field Parameters and Assessment Monitoring Constituents
- Table 3-1 Summary of Field Parameters
- Table 3-2 Summary of Inorganic Parameter Analyses
- Table 3-3 Summary of Organic Parameter Analyses
- Table 3-4 Summary of Statistical Trends
- Table 3-5 Summary of LCL Exceedances
- Table 4-1 Summary of Leachate Analysis Results

APPENDICES:

Appendix A – Field Forms and Notes

Appendix B – Laboratory Analytical Results

Appendix C – Statistical Plots

Appendix D – Historical Database

Acronyms and Abbreviations

ADE&E	Arkansas Department of Energy and Environment
ADEQ	Arkansas Department of Environmental Quality
AMC	Assessment monitoring constituent
amsl	Above mean sea level
bgs	Below ground surface
°C	Degrees Celsius
cm/sec	Centimeter per second
CV	Coefficient of Variation
DEQ	Division of Environmental Quality
DO	Dissolved oxygen
DNF	Did not flash
Dup	Duplicate
EB	Equipment blank
EPA	U.S. Environmental Protection Agency
ft/ft	Foot per foot
GW	Groundwater
GWPS	Groundwater Protection Standard
GGH	Grubs, Garner & Hoskin, Inc.
Harbor	Harbor Environmental and Safety
HASP	Health and Safety Plan
ID	Identification
IDW	Investigation-derived waste
J	Estimated value
LDPE	Low-density polyethylene
LE	Landfill Entrance (seep)
LLDPE	Linear low-density polyethylene
LCL	Lower Confidence Limit
MCL	Maximum Contaminant Level
mg/L	milligrams per liter
MS/MSD	Matrix spike and matrix spike duplicate
mV	Millivolt
NABORS	North Arkansas Board of Regional Sanitation
NPDWR	National Primary Drinking Water Regulations
NS	Not sampled
NSDWR	National Secondary Drinking Water Regulations
NTU	Nephelometric turbidity units
ORP	Oxidation-reduction potential
PG	Professional Geologist
PVC	Polyvinyl chloride
QA/QC	Quality Assurance/Quality Control
RSL	Risk-based screening levels
RPD	Relative percent difference

Acronyms and Abbreviations (continued)

SAP	Sampling and Analysis Plan
SMCL	Secondary Maximum Contaminant Level
TD	Total depth
TDS	Total dissolved solids
TOC	Total organic carbon
TOC	Top of casing
UCL	Upper Confidence Limit
UG	Unified Guidance
USGS	United States Geological Survey
UTV	Utility Terrain Vehicle
µS/cm	Micro-Siemens per centimeter
µg/L	Micrograms per liter
VOC	Volatile organic compound

1.0 Introduction

This report summarizes the November 2024 groundwater assessment monitoring event at the North Arkansas Board of Regional Sanitation (NABORS) Landfill (the “facility” or the “site”) near Three Brothers, Baxter County, Arkansas. Field work was conducted by Harbor Environmental and Safety (Harbor) on November 5-7, 2024. All groundwater sampling activities were directed by an Arkansas-registered Professional Geologist (PG). This report was prepared for the Arkansas Department of Energy and Environment (ADE&E), Division of Environmental Quality (DEQ), formerly known as the Arkansas Department of Environmental Quality (ADEQ).

The NABORS Landfill is located approximately 0.7-mile northeast of the community of Three Brothers, Arkansas, which is approximately nine miles north/northwest of Mountain Home in Baxter County, Arkansas. The facility location is further described as being in portions of Sections 25, 26, 35, and 36, Township 21 North, Range 14 West, at latitude 36.46339° north and longitude 92.44402° west. A site location map is included as Figure 1.

The facility consists of approximately 56 acres west of Arkansas State Highway 5. Areas surrounding the facility are rural and sparsely populated. Land use is largely agricultural and consists of cleared pasture for cattle farming or is wooded and undeveloped. Review of the United States Geological Survey (USGS) 7.5-minute topographic map of the area (Midway, AR quadrangle) shows moderate topographic relief across the area with elevations ranging from approximately 900 feet above mean sea level (amsl) to over 1,100 feet amsl at the site. The facility is situated on top of a drainage divide. The site drainage is to the east, south, and west to several named and unnamed tributaries of Pigeon Creek, which flows southeast into Norfolk Lake, an impoundment of the North Fork of the White River.

1.1 Geologic Setting

The site is located in the Ozark Plateaus physiographic province, which consists of Pennsylvanian to Ordovician-aged, mostly marine deposited sedimentary rocks. The Ozark Plateaus province is comprised of three plateaus, from youngest to oldest, the Boston Mountains in the south, the Springfield Plateau to the west, and the Salem Plateau to the east. The site is located in the Salem Plateau, where the surface geology consists primarily of dolostone, with some limestone and sandstone.

Review of the Geologic Worksheet of the Midway quadrangle (Glick, 1974) shows that the site and surrounding areas are underlain by the early Ordovician-aged Cotter Dolomite. According to the Stratigraphic Summary of Arkansas (McFarland 1998), the “Cotter Dolomite is composed of dolostone of predominantly two types: a fine-grained, argillaceous, earthy textured, relatively soft, white to buff or gray dolostone called “cotton rock,” and a more massive, medium-grained, gray dolostone that weathers to a somewhat hackly surface texture and becomes dark on exposure. The formation contains chert, some minor beds of greenish shale, and occasional thin interbedded sandstone. The chert nodules associated with the Cotter frequently have concentric light and dark bands.”

Several DEQ documents available via download from their website (www.adeq.state.ar.us) were reviewed to evaluate existing geology at the site. Primary amongst these documents was the original Geotechnical and Hydrogeological Study prepared by Grubs, Garner & Hoskin, Inc. (GGH) in 1987. Their report described three typical strata below the site. Stratum I consisted of tan and brown sandy silt with chert fragments to depths of 1.5 to 3.5 feet below ground surface (bgs). Stratum II consisted of reddish tan to tan silty clay with chert to depths up to 55 feet bgs. Stratum III consisted of medium hard to hard gray and tan dolomite with chert interbedded with greenish gray and dark gray shale layers.

Usable sources of groundwater in this region occur within the Ozark Plateaus aquifer system, which consists of three distinct water-bearing zones separated by two distinct confining units (*Groundwater Atlas of the United States, Segment 5 – Arkansas, Louisiana, Mississippi, 1998*). The uppermost aquifer in this system, the Springfield Plateau aquifer, is absent at the site and surrounding areas. The primary aquifer in use below the site and surrounding areas is the Ozark aquifer, which consists of the Ordovician-aged stratigraphic units that underlie the site (Cotter Dolomite). Although the Cotter Dolomite is used for low-yield domestic wells in the vicinity of the site, the primary water-bearing zones below the site include the Rubidoux Formation and the Gunter Sandstone Member of the Van Buren Formation. The uppermost occurrence of groundwater below the site occurs in the pore spaces of overburden soils and weathered rock at the soil-rock interface, and in fractures, bedding planes, and solution cavities in the underlying bedrock.

1.2 Site Background

Solid Waste Permit No. 0249-S was originally issued to RLH, Inc. by the Arkansas Department of Pollution Control & Ecology (predecessor to ADEQ) in 1988 to begin operations as a Class I landfill. In 2005, NABORS took over operations at the landfill and the permit was transferred accordingly. NABORS operated the landfill under this permit until a new permit was issued in 2006 (No. 0249-S1-R2). NABORS continued operating the landfill until November 2012 when it ceased accepting waste. NABORS began conducting post-closure activities in late 2012; however, due to financial constraints, they could not fulfill their obligations. At this time, closure activities were taken over by DEQ. In addition, DEQ also took over leachate management at the facility. Currently, leachate is stored in aboveground storage tanks at the facility. Leachate is periodically transported to the City of Springfield, Missouri, for disposal under Wastewater Contribution Permit No. 593, which was issued in September 2016. The landfill has been capped with ClosureTurf® over a 12-inch intermediate soil cover. The ClosureTurf® consists of a 40-mil linear low-density polyethylene (LLDPE) microspike geomembrane overlain by an engineered synthetic turf and 0.5-inch sand layer.

1.3 Previous Investigations

As required by the permit, ongoing groundwater monitoring is being conducted at the facility. A series of monitoring points have been established and expanded over time as a result of detections of volatile organic compounds (VOCs) and metals in several of the wells. Currently, the

monitoring network consists of a network of two-inch monitoring wells and natural springs within and around the facility.

1.4 Groundwater Monitoring Network

The NABORS landfill currently has 24 two-inch polyvinyl chloride (PVC) monitoring wells and 13 documented springs and seeps, referred to as monitoring points. Due to the recent closure activities, access to some of the wells, springs and seeps has been affected. Table 1-1 below summarizes the monitoring points and their current condition. Figure 2 attached to this report shows the monitoring point locations. Monitoring wells NAB-2 and NE-4 were not sampled due to unknown obstructions that prevented insertion of two different pumps, once during the main sampling event and again during a follow up visit on November 20, 2024.

Table 1-1 – Summary of Monitoring Points

Monitoring Wells	Status	Sampled (Y/N)
MW-1	Well intact and accessible by vehicle.	Y
MW-1R	Well intact and accessible by vehicle.	Y
MW-2	This well is intact but is down a steep, uneven, rocky slope that is highly overgrown with underbrush. Difficult access by foot only as it is located behind a narrow gate in the fence.	Y
MW-3	This well was extended during the landfill closure. The casing is bent slightly and is situated on the side of a steep slope. Access is via Utility Terrain Vehicle (UTV) only along sloped pathway.	Y
MW-4	Well intact and accessible by vehicle; however, UTV access preferable.	Y
MW-5	Well intact and accessible by UTV via difficult, sloped pathway.	Y
MW-6	Well intact and accessible by vehicle; however, UTV access preferable.	Y
MW-7	Well intact and accessible by vehicle; however, UTV access preferable.	Y
CAO-1	Well intact and accessible by vehicle.	Y
CAO-2	This well was extended during the landfill closure. The casing is bent slightly and is situated on the side of a steep slope. Access is via UTV only along sloped pathway.	Y
CAO-3	Well intact and accessible by vehicle.	Y
NAB-2	This well was extended during the landfill closure. The casing is bent slightly and is situated on the side of a steep slope. Access is via UTV only along sloped pathway. Two attempts to sample this well were conducted during this sampling event; however, neither were successful. Two different pumps were used, and neither could be fully inserted in the well.	N
NAB-3	Well intact and accessible by vehicle; however, UTV access preferable.	Y
NAB-4	This well was extended during the landfill closure. The casing is severely bent and is situated on the side of a steep, rocky slope. Access is on foot via gate.	Y
NAB-7	Well intact and accessible by vehicle; however, UTV access preferable. This well is located in a dense cedar grove and is hard to locate.	Y

Monitoring Wells	Status	Sampled (Y/N)
NAB-8	Well accessible by vehicle. Less than three feet of water was purged and sampled with bailer. Well goes dry and recovers slowly. Typically sampled on the next day.	Y
MW-509D	Well intact and accessible by UTV only via difficult, sloped pathway.	Y
MW-577	Well intact and accessible by UTV only via difficult, sloped pathway.	Y
MW-633D	Well intact and accessible by vehicle; however, UTV access preferable.	Y
MW-689D	Well intact and accessible by vehicle; however, UTV access preferable.	Y
NE-2	Well intact and accessible by UTV only via difficult, sloped pathway. Well contained an obstruction and pump could not be inserted.	Y
NE-3	Well intact and accessible by vehicle; however, UTV access preferable.	Y
NE-4	Well intact and accessible by UTV only via difficult, sloped pathway. Well contained an obstruction and pump could not be inserted. Two attempts to sample this well were conducted during this sampling event; however, neither were successful. Two different pumps were used and neither could be fully inserted in the well.	N
NE-6	Well intact and accessible by UTV only via steeply sloped pathway along power easement.	Y
Springs/Seeps	Status	Sampled (Y/N)
Landfill Entrance (LE) Seep	Flowing, collected sample.	Y
Spring A	Flowing, collected sample.	Y
Spring B	No flow observed.	N
TSP-1	Flowing, collected sample.	Y
TSP-2	Flowing, collected sample.	Y
TSP-3	Flowing, collected sample.	Y
TSP-4	Flowing, collected sample.	Y
Class I Draw	Minimal flow, mixed with surface water.	N
Class IV Draw	Minimal flow, mixed with surface water.	N
SP-4	Flowing, collected sample.	Y
SP-5	Flowing, collected sample.	Y
SP-7	Flowing, collected sample.	Y
Spring near NE-3	Minimal flow, mixed with surface water.	N

1.5 Leachate Sampling

Semi-annual monitoring of the landfill leachate is required under the City of Springfield wastewater contribution permit. A leachate sample (plus duplicate) was collected on November 20, 2024, and is included as part of the assessment monitoring. A summary of the leachate analysis is included in Section 4.0 below.

1.6 Investigative-Derived Wastes

Investigative-derived wastes (IDW) generated during the groundwater sampling event included purged groundwater, decontamination water, and expendables (e.g., nitrile gloves, plastic sheeting, plastic tubing, bailers, etc.). Purge and decontamination water were disposed of onsite into the leachate collection system. Expendables were placed in garbage bags for disposal offsite.

1.7 Assessment Monitoring Constituents

The Assessment Monitoring Constituents (AMCs) were established based on the Arkansas Pollution Control and Ecology Commission Rule 22 assessment monitoring requirements. The designated AMCs for groundwater are summarized in Table 1-2 below. In addition, field-monitoring parameters are also listed in Table 1-2. Specific laboratory analytical methods for the AMCs are listed in Tables 3-3 and 3-4 in Section 3.0 below.

Table 1-2 – Field Parameters and Assessment Monitoring Constituents

Field Parameters		
Dissolved Oxygen (DO)	pH	Temperature
Oxidation-Reduction Potential (ORP)	Specific Conductance	Turbidity
Indicator Parameters		
Chloride	Sulfate	Total Dissolved Solids (TDS)
Cyanide	Sulfide	Total Organic Carbon (TOC)
Volatile Organic Compounds		
Acetone	1,4-Dichlorobenzene	Styrene
Acrylonitrile	trans-1,4-Dichloro-2-butene	1,1,1,2-Tetrachloroethane
Benzene	1,1-Dichloroethane	1,1,2,2-Tetrachloroethane
Bromochloromethane	1,2-Dichloroethane	Tetrachloroethene
Bromodichloromethane	cis-1,2-Dichloroethene	Toluene
Bromomethane	trans-1,2-Dichloroethene	1,1,1-Trichloroethane
Carbon disulfide	1,2-Dichloropropane	1,1,2-Trichloroethane
Carbon tetrachloride	cis-1,3-Dichloropropene	Trichloroethene
Chlorobenzene	trans-1,3-Dichloropropene	Trichlorofluoromethane
Dibromochloromethane	Ethylbenzene	1,2,3-Trichloropropane
Chloroethane	2-Hexanone	Vinyl acetate
Chloroform	Iodomethane	Vinyl chloride
Chloromethane	Methyl ethyl ketone	Xylenes
Dibromomethane	Methylene chloride	---
1,2-Dichlorobenzene	4-Methyl-2-pentanone	---

Table 1-2 – Field Parameters and Assessment Monitoring Constituents (continued)

Inorganics		
Antimony	Copper	Selenium
Arsenic	Iron	Silver
Barium	Lead	Thallium
Beryllium	Manganese	Tin
Cadmium	Mercury	Vanadium
Chromium	Nickel	Zinc
Cobalt	---	---

2.0 Field Activities and Sampling Methodology

Sample identification, labeling, preservation, quality assurance/quality control (QA/QC) methods, and laboratory analytical methods were conducted in accordance with the following sections. All fieldwork was conducted in accordance with the site-specific Health and Safety Plan (HASP), included in Appendix A of the previously submitted Sampling and Analysis Plan (SAP).

2.1 Well/Spring Assessment and Water Level Measurement

Prior to sample collection, each well or spring was visually evaluated for physical condition including condition of riser and well pad, presence of locking device, and presence of any biological hazards such as wasps, snakes, etc. Photographs were taken to document the condition of the wells as needed. After each well riser was opened and the internal well cap removed, an electronic water level indicator was used to measure static groundwater level and total depth of each well. The static water level was allowed to equilibrate to atmospheric pressure prior to recording the final depth. Groundwater levels (measured to the nearest 0.01-foot) and total depths (TDs, measured to the nearest 0.1-foot) were measured from the surveyed reference mark on the top of the well casing (if available), or from the highest point of the well casing if no survey reference mark was present. Groundwater depths and total depths were recorded on a Groundwater Sampling Record (see Appendix A – Field Forms) prepared for each well or spring.

2.2 Monitoring Well Purging and Sampling

Most of the wells were purged and sampled utilizing the low-flow sampling technique. Wells were purged utilizing either a bladder pump or an aboveground peristaltic pump. A peristaltic pump was used for shallower wells (generally 25 feet or less) in which only the low-density polyethylene (LDPE) tubing was lowered into the well. On deeper wells, a bladder pump with dedicated LDPE tubing was gently lowered into each well to a point within the screened interval of the well. Regardless of pump type, the discharge tubing was connected to a flow-through cell to enable measurement of field parameters by a multi-parameter instrument. Field parameters measured included DO, ORP, pH, specific conductance, temperature, and turbidity. All field meters were calibrated daily per the manufacturer's recommendations prior to sampling (see Appendix A – Field Forms).

The United States Environmental Protection Agency's (EPA's) *Low-Flow (Minimal Drawdown) Groundwater Sampling Procedures* (April 1996) was generally utilized to purge and sample the wells. Once the field parameters had stabilized, turbidity was less than 10 nephelometric turbidity units (NTUs), and minimal drawdown had occurred, the wells were sampled. Groundwater is considered stabilized if the field parameters are within ten percent (%) for three consecutive readings. All data collected was recorded on Groundwater Sampling Records.

Upon stabilization, the discharge tube was disconnected from the flow-through cell and groundwater samples were collected from each well and placed in laboratory-supplied pre-preserved containers. Samples were collected in order of volatility – VOCs, TOC, then indicator

parameters, then inorganics. The samples were properly labeled and preserved on ice. Final field measurements and other sampling information (date and time, sample identification (ID) numbers) were recorded on the Groundwater Sampling Record. One well could not be purged and sampled with the low-flow technique. NAB-8 was bailed dry on November 5, 2024, allowed to recharge, and then sampled on November 7, 2024. An attempt was made to sample monitoring wells NAB-2 and NE-4 with the bladder pump. Both wells contained obstructions that prevented proper pump insertion. As noted, a follow up visit was conducted on November 20, 2024, to attempt collecting samples with a submersible stainless steel pump (same pump type used during previous events). The stainless-steel pump could also not be properly inserted in the well, so sampling attempts for these two wells were abandoned.

2.3 Spring Sampling

Several spring sites were observed to be flowing and were sampled. Samples were collected from the landfill entrance seep, Spring A, SP-4, SP-5, SP-7, TSP-1, TSP-2, TSP-3, and TSP-4. Prior to collecting groundwater samples from each spring, a multi-parameter instrument was utilized to measure the field parameters at the spring. Data was recorded on a Spring Sampling Record located in Appendix A. Each spring was sampled by dipping a dedicated, non-preserved sample container directly into the spring flow. This container was used to then fill the preserved containers to prevent preservative dilution.

2.4 Leachate Sampling

As previously noted, a leachate sample and a duplicate leachate sample were collected from the leachate tank battery on November 20, 2024. The samples were collected directly from the tank discharge valve located on the southeast side of the tank farm. The leachate samples were appropriately labeled and preserved on ice for later transport to the analytical laboratory under chain-of-custody. The leachate samples were analyzed for the constituents required under the City of Springfield wastewater contribution permit. Additional information regarding analytes and analytical procedures for the leachate samples are provided in Section 4.0 below.

2.5 Equipment Decontamination

All non-dedicated groundwater sampling equipment, such as the submersible pump and the water level indicator, were decontaminated before first use and between wells using the following procedure:

- Wash equipment using tap water and phosphate-free soap (e.g., Liquinox™);
- Turn pump on to allow soap solution to clean internal portion of pump;
- Thoroughly rinse equipment with potable water (including running pump);
- Double-rinse equipment with organic-free deionized water (including running pump); and
- Allow equipment to air dry and wrap in aluminum foil (if not used immediately).

The decontamination area contained a gross wash bucket with brush, tap water sprayer, deionized water sprayer, and equipment drying area. Plastic sheeting was used to contain any spills from the decontamination process. New polyethylene tubing was used for each well and did not require decontamination.

2.6 Sample Documentation and Shipment

Field notes were kept by each employee in a bound logbook using indelible ink. Information recorded included date, weather, site personnel, sampling procedures, site conditions, sample locations and ID codes, sampling dates and times, record of onsite arrival and departure, explanation of photographs, visual observations, sample handling or management procedures, deviations from the SAP, and any other pertinent site or project information. Harbor documented any abnormal conditions observed, such as damaged wells or other infrastructure, by photograph. Notes pertaining to any photographs taken were written in the field logbook. Groundwater sample collection forms were completed for each well or spring sampled. Completed field forms are included in Appendix A.

All samples were labeled according to the existing monitoring point network as listed in Table 1-1 of Section 1.4. The designated laboratory, Arkansas Analytical, Inc. of Little Rock, provided appropriate sample containers with pre-printed labels. In general, each label contained the following information: date, time, sample ID number, preservatives, and requested analysis.

A chain-of-custody form was completed for the samples collected and submitted to the designated laboratory for analysis. The chain-of-custody provides chronological documentation, or a paper trail, showing the collection, custody, control, transfer, analysis, and disposition of the samples. Information on the chain-of-custody includes general project information, personnel contact information, sample code identification, date and time of sampling, sample type, containers, preservatives, requested analyses, sampler signature, and shipping/delivery information. The chain-of-custody was transferred from Harbor to Arkansas Analytical upon hand-delivery of the sample ice chest(s) to the laboratory. Chain-of-custody copies are included in Appendix B – Analytical Results.

Tamper-evident custody seals were secured on the sample ice chests when the ice chests were not in Harbor's custody. When this occurred, the ice chests were locked in a vehicle, hotel room, or other secure structure. The custody seals were signed, dated, and placed on the lid of the ice chests to assure that the ice chests are not tampered with. The samples were hand delivered between November 6 - 8, 2024 to Arkansas Analytical to ensure that hold times were met.

2.7 Field QC Sample Objectives and Collection Frequency

Primary measurements for field (and laboratory) QA/QC were derived from blind duplicate samples, matrix spike/matrix spike duplicate (MS/MSD) samples, rinsate (equipment) blanks, field blanks, and trip blanks collected in the field. QC samples utilized in the field during the

groundwater monitoring event include field duplicates, rinsate blanks, and trip blanks. MS/MSD samples were prepared by the lab.

A field duplicate is an identical sample collected from the same location, at the same time, under identical conditions as the investigative sample. Field duplicate samples are analyzed along with the original to ascertain procedural precision and inherent source variability. Two field duplicate samples were collected at a rate of 1 in 20 samples (5%) and analyzed for the same parameters as the associated investigation samples.

Rinsate (or equipment) blanks were collected by pouring distilled water over decontaminated sampling equipment (e.g., pump, water level indicator) and into a sample container. These blanks assess cross-contamination from improper decontamination. Equipment rinsate samples were collected at a rate of one per day.

Trip blanks prepared by the analytical laboratory were shipped with each cooler. Trip blanks were kept unopened in the sample coolers until the collected samples and coolers were returned to the lab for analysis. The trip blanks were then opened in the laboratory and analyzed for VOCs along with the investigative field samples. One trip blank per cooler was analyzed.

MS/MSD analyses are conducted by the laboratory to assess the heterogeneity of contaminant concentrations in the groundwater samples. MS/MSD samples were analyzed at a rate of 1 in 20 samples (5%) per matrix for the same parameters as the associated investigation samples.

2.8 Sample Identification, Collection, Processing and Documentation

Samples were collected and labeled according to the existing well and spring identification numbers. The following is a list of general sampling procedures and practices implemented during the groundwater sampling event to ensure consistency during sample collection.

- Pre-cleaned sample containers were provided by the designated laboratory.
- Sampler(s) donned clean pairs of protective Nitrile gloves between sampling locations and intervals.
- Samples for laboratory analysis were collected using either a peristaltic pump with dedicated polyethylene tubing, a decontaminated submersible pump (polyethylene or stainless-steel) with new disposable polyethylene tubing, or a disposable polyethylene bailer.
- All non-disposable sampling equipment was decontaminated in accordance with the procedures outlined in Section 2.5 above.
- Sample containers were labeled immediately prior to sample collection, and collected samples were preserved on ice in an ice chest.

2.9 Equipment Calibration

Field meters (pH, temperature, specific conductance, DO, ORP, and turbidity) were calibrated daily prior to use per the manufacturer's specifications. Calibration data was recorded on a calibration log and also in the field logbook. Field calibration logs are included in Appendix A.

3.0 Groundwater Analytical Results

The groundwater samples were delivered to Arkansas Analytical under proper chain-of-custody for analysis of the project AMCs. Depth to groundwater and total depth of each well were all measured on the first day of field work. This information is listed in Table 3-1 below. Groundwater elevations were utilized to prepare a potentiometric surface map, which is included as Figure 2 of this report. Field parameters (DO, specific conductance, ORP, pH, temperature, and turbidity) were monitored during groundwater purging of wells to ensure that the well water had stabilized prior to sampling. The final field readings for each well prior to sampling are also listed in Table 3-1 below. Additionally, field parameters were measured at each spring location prior to sampling. Groundwater Sampling Records, completed for each sampling point, are included in Appendix A of this report.

3.1 Conceptual Groundwater Flow

The 24 monitoring wells in use for groundwater monitoring activities at the landfill were utilized to construct the potentiometric surface map. Figure 2 attached to this report shows the potentiometric groundwater surface below the site. The highest groundwater elevation during this event was measured in monitoring well CAO-1, located south of Area 1-2. The lowest groundwater elevation occurred in monitoring well NE-3, located southeast of Area 1-3. The landfill is situated on a topographic high spot. Several monitoring wells (CAO-1, MW-1, MW-1R, MW-509D, MW-633D, MW-7, and NAB-7) define the highest groundwater elevations at the site. Groundwater generally flows radially outward and downward from these points.

Review of the 1987 Geotechnical and Hydrogeological Study prepared by GGH indicated an average hydraulic conductivity of 1.0×10^{-3} centimeters per second (cm/sec) for the unconfined aquifer below the site. Porosity in dolomite bedrock ranges from 0–20% but could be higher in soils and weathered rock above the bedrock. For consistency in calculating groundwater flow velocity at the site, Harbor utilized a porosity of 10% and an effective porosity of 9% (as utilized in previous groundwater sampling events).

The hydraulic gradient in the Area 1-2 portion of the landfill was calculated by comparing the upgradient well, MW-1, to a downgradient well, MW-5. The change in head of 72.32 feet between the two wells over a distance of approximately 1,459 feet produces a hydraulic gradient of 0.050 foot per foot (ft/ft).

The hydraulic gradient in the Area 1-3 portion of the landfill was calculated by comparing the upgradient well, MW-1, to a downgradient well, NAB-3. The change in head of 99.47 feet between the two wells over a distance of approximately 1,548 feet produces a hydraulic gradient of 0.064 ft/ft.

The hydraulic gradient was then used to calculate the average linear groundwater velocity (for unconfined conditions) for Areas 1-2 and 1-3 utilizing the following equation:

$$V_x = Ki/n_e$$

where, V_x is the average linear velocity (cm/sec), K is the hydraulic conductivity (cm/sec), i is the hydraulic gradient (ft/ft), and n_e is the effective porosity (%). From this, the following groundwater velocities were obtained for Areas 1-2 and 1-3.

Area 1-2:

$$V_x = [(1.0 \times 10^{-3} \text{ cm/sec})(0.050 \text{ ft/ft})]/(0.09) = 5.51 \times 10^{-4} \text{ cm/sec or } 1.56 \text{ ft/day}$$

Area 1-3:

$$V_x = [(1.0 \times 10^{-3} \text{ cm/sec})(0.064 \text{ ft/ft})]/(0.09) = 7.14 \times 10^{-4} \text{ cm/sec or } 2.02 \text{ ft/day}$$

Page Intentionally Blank

Table 3-1 – Summary of Field Parameters

Well/ Spring ID	Sample Date	Sample Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)	Dissolved Oxygen (mg/L)	Specific Conductance (µS/cm)	Oxidation- Reduction Potential (mV)	pH (standard units)	Temperature (°C)	Turbidity (NTU)
CAO-1	11/6/24	1325	1026.40	26.78	999.62	36.8	0.30	1005.4	-174.1	6.46	18.06	7.10
CAO-2	11/6/24	1518	991.58	23.31	968.27	45.6	4.93	665.5	220.7	6.75	17.62	1.66
CAO-3	11/6/24	1634	984.20	11.16	973.04	23.1	6.56	442.7	209.2	7.12	18.21	0.27
MW-1	11/7/24	1230	1067.26	68.05	999.21	77.2	0.30	1017.4	-84.6	6.65	17.99	0.0
MW-1R	11/7/24	1136	1067.57	69.82	997.75	78.6	0.25	1051.6	-38.1	6.68	17.59	9.27
MW-2	11/6/24	1306	1001.21	34.98	966.23	48.7	0.40	602.2	-47.1	7.34	20.09	3.91
MW-3	11/6/24	1142	1000.81	32.15	968.66	39.6	2.36	863.9	161.4	6.67	18.63	3.63
MW-4	11/6/24	1038	1012.11	87.55	924.56	99.9	4.39	722.3	197.7	7.23	15.73	3.70
MW-5	11/6/24	0943	1004.38	77.49	926.89	89.0	2.93	790.9	189.9	7.13	15.57	4.00
MW-6	11/6/24	0833	1000.38	57.12	943.26	68.3	4.42	707.2	158.9	7.30	14.12	1.85
MW-7	11/5/24	1650	999.66	5.81	993.85	22.9	1.87	536.2	107.7	7.10	17.41	0.00
MW-509D	11/6/24	1417	1014.20	14.68	999.52	39.7	4.49	426.9	162.6	6.99	19.32	14.69
MW-577	11/7/24	1010	982.60	39.69	942.91	55.2	0.19	700.3	-186.7	7.20	16.22	2.26
MW-633D	11/6/24	1410	1050.10	64.85	985.25	88.1	0.85	608.8	103.8	7.18	18.19	73.1
MW-689D	11/6/24	0935	966.20	24.40	941.80	43.8	2.38	491.7	99.8	7.44	16.92	1.24
NAB-2*	—	—	1004.94	62.71	942.23	102.8	—	—	—	—	—	—
NAB-3	11/6/24	1038	921.49	21.75	899.74	46.3	0.39	627.1	169.4	7.32	16.51	2.46
NAB-4	11/5/24	1706	1015.41	116.64	898.77	140.0	1.29	802.5	132.0	6.97	16.59	25.1
NAB-7	11/6/24	1205	1012.36	21.04	991.32	43.7	0.34	462.1	137.9	7.40	16.16	41.83
NAB-8	11/7/24	1310	1050.38	83.91	966.47	85.6	—	—	—	—	—	—
NE-2	11/6/24	1605	976.98	50.95	926.03	63.0	3.83	1133.2	158.8	7.25	16.58	11.65
NE-3	11/6/24	0840	846.91	4.74	842.17	27.8	2.28	540.3	202.1	7.56	16.60	0.22
NE-4*	—	—	1009.85	67.26	942.59	112.2	—	—	—	—	—	—
NE-6	11/5/24	1603	901.42	6.68	894.74	18.2	0.20	596.3	-103.4	7.27	18.29	0.00

Table 3-1 – Summary of Field Parameters (continued)

Well/ Spring ID	Sample Date	Sample Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)	Dissolved Oxygen (mg/L)	Specific Conductance (µS/cm)	Oxidation- Reduction Potential (mV)	pH (standard units)	Temperature (°C)	Turbidity (NTU)
Class I Draw	NS	NS	—	—	—	—	—	—	—	—	—	—
Class IV Draw	NS	NS	—	—	—	—	—	—	—	—	—	—
LE Seep	11/5/24	1120	—	—	—	—	8.67	77.60	199.3	7.16	18.72	59.21
NE-3 Spring	NS	NS	—	—	—	—	—	—	—	—	—	—
Spring A	11/5/24	1205	—	—	—	—	9.08	47.23	214.0	7.73	17.80	95.21
Spring B	NS	NS	—	—	—	—	—	—	—	—	—	—
SP-4	11/5/24	1335	—	—	—	—	4.73	389.38	26.0	6.76	18.05	13.58
SP-5	11/5/24	1355	—	—	—	—	8.02	365.63	145.0	8.01	18.86	4.95
SP-7	11/5/24	1135	—	—	—	—	8.19	110.56	188.0	7.25	17.83	35.48
TSP-1	11/5/24	1230	—	—	—	—	7.27	271.88	222.0	7.56	17.50	15.46
TSP-2	11/5/24	1245	—	—	—	—	8.22	174.13	189.8	8.08	18.28	0.80
TSP-3	11/5/24	1305	—	—	—	—	7.31	351.91	74.7	7.80	17.39	6.30
TSP-4	11/5/24	1430	—	—	—	—	7.82	185.81	159.3	8.09	17.74	2.75

Notes: All groundwater depths in the monitoring wells were measured on 11/5/24. NS – not sampled; TOC – top of casing; amsl – above mean sea level; GW – groundwater; TD – total depth; mg/L – milligrams per liter; µS/cm – micro-Siemens per centimeter; mV – millivolts; °C – degrees Celsius; NTU – nephelometric turbidity units; LE – Landfill Entrance; dash indicates data not available or applicable for sample location; *Indicates well not sampled due to obstruction.

3.2 Groundwater Analytical Results

The results of the laboratory analysis of the groundwater samples are summarized in Tables 3-2 and 3-3 below. The results were compared to the US EPA National Primary Drinking Water Regulations (NPDWR) – Maximum Contaminant Levels (MCLs) and the National Secondary Drinking Water Regulations (NSDWR) – Secondary Maximum Contaminant Levels (SMCLs). MCLs are legally enforceable primary standards that protect public health by limiting the levels of contaminants in drinking water. The NSDWR SMCLs are non-mandatory (non-enforceable) contaminant levels that have been established for 15 contaminants. The SMCLs are established as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. Some AMCs were compared to regional screening levels (RSLs) which have been established by EPA in lieu of or in addition to MCLs. The RSL used for comparison purposes was the residential tap water screening level. Significant constituent detections that exceeded the MCLs or RSLs are discussed in the following paragraphs. The results of inorganic laboratory analyses are summarized in Table 3-2 below. The letter “J” indicates the value was estimated by the lab. Exceedances are listed below:

- Sulfate was detected in the sample from NE-2 at a concentration of 268 milligrams per liter (mg/L), which exceeded the SMCL of 250 mg/L for sulfate.
- TDS was measured in the samples from CAO-1, MW-1, MW-1R, MW-3, and NE-2 at concentrations ranging from 511 to 777 mg/L, which exceeded the SMCL of 500 mg/L for TDS.
- Arsenic was detected in all of the monitoring well and spring samples at concentrations that exceeded the RSL of 0.052 micrograms per liter (µg/L) for arsenic. The arsenic concentrations in samples from CAO-1, MW-1, MW-1R, NAB-4, and NAB-7 ranged from 25.0 to 143 µg/L, which exceeded the MCL of 10 µg/L for arsenic.
- Cadmium was detected in the samples from MW-3, MW-509D and MW-633D at concentrations ranging from 3.25 to 4.88 µg/L, which exceeded the RSL of 1.8 µg/L for cadmium.
- Cobalt was detected in the samples from CAO-1, MW-1, MW-1R, and spring SP-4 at concentrations ranging from 7.08 to 47.0 µg/L, which exceeded the RSL of 6.0 µg/L for cobalt.
- Iron was detected in the samples from MW-2, MW-4, NAB-4, NAB-7, spring A, spring SP-4, and spring SP-7 at concentrations ranging from 311 to 10,700 µg/L, which exceeded the SMCL of 300 µg/L for iron. Iron was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 17,300 to 30,400 µg/L, which exceeded the RSL of 14,000 µg/L for iron.
- Manganese was detected in the samples from MW-1, MW-1R, NAB-4, and spring SP-7 at concentrations ranging from 83.5 to 247 µg/L, which exceeded the SMCL of 50 µg/L for manganese. Manganese was detected in the samples from CAO-1 and spring SP-4 at concentrations of 611 and 3,050 µg/L, respectively, which exceeded the RSL of 430 µg/L for manganese.

- Thallium was detected in the samples from MW-1, MW-1R, MW-3, NAB-4, NE-6, and spring SP-4 at concentrations ranging from 0.232 J to 1.43 µg/L, which exceeded the RSL of 0.2 µg/L for thallium.

The results of the organic laboratory analyses are summarized in Table 3-3 below. Exceedances are listed below:

- TOC was detected in samples from seven of the wells and all of the sampled springs at concentrations ranging from 1.06 to 8.35 mg/L. No screening levels have been established for TOC.
- Acrylonitrile was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 2.15 to 3.79 µg/L, which exceeded the RSL of 0.052 µg/L for acrylonitrile.
- Benzene was detected in the samples from MW-1 and MW-1R at concentrations of 2.11 and 2.10 µg/L, respectively, which exceeded the RSL of 0.46 µg/L for benzene. Benzene was detected in the sample from CAO-1 at a concentration of 5.37 µg/L, which exceeded the MCL of 5 µg/L for benzene.
- 1,4-dichlorobenzene was detected in the samples from CAO-1, MW-1, MW-1R, and spring SP-4 at concentrations ranging from 0.827 J to 4.95 µg/L, which exceeded the RSL of 0.48 µg/L for 1,4-dichlorobenzene.
- 1,1-dichloroethane was detected in the samples from MW-1, MW-1R, and spring SP-4 at concentrations ranging from 3.69 and 16.5 µg/L, which exceeded the RSL of 2.8 µg/L for 1,1-dichloroethane.
- 1,2-dichloroethane was detected in the samples from MW-1 and MW-1R, at concentrations of 0.348 J and 0.594 J µg/L, respectively, which exceeded the RSL of 0.17 µg/L for 1,2-dichloroethane.
- Methyl-tert-butyl ether (MTBE) was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 37.7 to 80.8 µg/L, which exceeded the RSL of 14 µg/L for MTBE.
- Naphthalene was detected in the sample from CAO-1 at a concentration of 0.131 J µg/L, which exceeded the RSL of 0.12 µg/L for naphthalene.
- Vinyl chloride was detected in the samples from CAO-1 and spring SP-4 at concentrations of 0.906 J and 1.30 J, respectively, which exceeded the RSL of 0.019 µg/L for vinyl chloride. Vinyl chloride was detected in the samples from MW-1 and MW-1R at concentrations of 6.56 and 3.90 µg/L, respectively, which exceeded the MCL of 2 µg/L for vinyl chloride.

Additional VOC constituents were detected at concentrations lower than their respective RSLs or MCLs in several of the wells. These compounds included acrolein, tert-butylbenzene, bromomethane, carbon disulfide, chlorobenzene, chloroethane, 1,3-dichlorobenzene, 1,3-dichloropropane, 1,4-dichlorobenzene, 1,1-dichloroethane, cis-1,2-dichloroethene, trans-1,2-dichloroethene, 1,2-dichloropropane, ethylbenzene, methyl chloride, MTBE, styrene, toluene,

trichloroethene, 1,2,4-trimethylbenzene, m,p-xylene, and o-xylene. Many of these were “J-flagged” by the analytical laboratory as estimated concentrations.

Page Intentionally Blank

Table 3-2 - Summary of Inorganic Parameter Analyses

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1 Duplicate	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7
								11/6/2024	11/6/2024	11/6/2024	11/7/2024	11/7/2024	11/7/2024	11/6/2024	11/6/2024	11/6/2024	11/6/2024	11/6/2024	11/6/2024
								1325	1518	1634	1230	1230	1136	1306	1142	1038	0943	0833	1650
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	50.2	11.2	1.70	45.6	54.1	47.3	3.28	37.0	7.42	6.48	13.5	1.49
Sulfate as SO ₄	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	4.05	8.42	5.72	1.72	2.42	8.73	12.6	36.2	16.5	8.78	6.32	7.30
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.8	5	—	—	500	mg/L	580	393	250	550	558	562	326	511	415	467	408	299
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	31.7	0.462	0.126 J	65.5	65.5	143	4.05	0.815	0.465	0.563	0.424	0.265
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	334	79.9	32.3	105	116	110	29.4	85.6	43.5	40.0	46.5	31.4
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	0.168 J	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	0.090 J	0.058 J	0.539	0.044 J	0.059 J	0.090 J	0.049 J	3.35	0.870	0.148 J	0.344	0.045 J
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	0.574	0.821	0.581	0.514	0.579	0.599	1.61	0.589	1.10	0.694	0.532	0.677
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	7.08	0.128 J	< 0.260	47.0	41.9	45.1	0.167 J	0.204 J	0.079 J	< 0.260	0.041 J	< 0.260
Copper	SW 6020B, Rev 2-2014	0.12	0.395	1,300	800	1,000	µg/L	1.99	0.470 J	0.412 J	0.200 J	0.273 J	0.222 J	0.934	2.71	0.930	0.246 J	0.281 J	0.348 J
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	24,600	15.8	14.9 J	17,300	17,500	30,400	4,000	42.7 J	1,990	19.5 J	30.9 J	14.5 J
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	0.817	< 0.416	0.126 J	0.121 J	0.165 J	0.359 J	0.156 J	0.409 J	0.217 J	0.168 J	< 0.416	< 0.416
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	611	2.12	0.758 J	181	169	83.5	19.4	8.84	9.00	0.787 J	1.32 J	1.16 J
Mercury	SW7470A/EPA245.1,3.0- 1994	0.0031	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	< 0.200	<0.200	0.202	< 0.200	< 0.200	< 0.200	0.182 J	0.240	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.520	—	390	—	µg/L	14.7	0.92 J	0.70 J	48.7	49.1	56.3	1.22 J	21.5	1.32 J	1.09 J	0.83 J	< 1.56
Selenium	SW 6020B, Rev 2-2014	1.5	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	0.037 J	0.061 J	< 0.260	0.232 J	0.241 J	1.43	< 0.260	0.756	0.176 J	0.136 J	0.132 J	< 0.260
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	1.85 J	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	0.930	0.278	0.221 J	0.181 J	0.178 J	0.173 J	0.390	0.590	0.080 J	0.116 J	0.124 J	0.110 J
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	17.8 J	8.65 J	22.0	276	284	778	64.7	399	230	137	140	< 20.8

Exceeds MCLMCL = Maximum Contaminant Level (November 2024)

Exceeds RSLRSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – November 2024)

Exceeds SMCLSMCL = Secondary Maximum Contaminant Level

BoldIndicates constituent detected below screening levels.

Dash (—)Indicates no screening level has been established.

Notes:SO₄ - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Table 3-2 - Summary of Inorganic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	MW-509D	MW-509D Duplicate	MW-577	MW-633D	MW-689D	NAB-3	NAB-4	NAB-7	NAB-8	NE-2	NE-3	NE-6
								11/6/2024	11/6/2024	11/7/2024	11/6/2024	11/6/2024	11/6/2024	11/5/2024	11/6/2024	11/7/2024	11/6/2024	11/6/2024	11/5/2024
								1417	1417	1010	1410	0935	1030	1706	1205	1310	1605	0840	1603
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	1.51	1.50	2.24	12.6	1.90	3.38	4.54	1.32	1.95	8.66	1.55	3.48
Sulfate as SO ₄	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	4.58	4.61	45.7	10.4	10.3	16.8	50.4	15.4	10.2	268	14.1	44.1
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.800	5.00	—	—	500	mg/L	245	252	414	341	325	361	488	265	357	777	292	342
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	0.657 J	19.6	< 2.08	< 2.08	< 2.08
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	0.202 J	0.182 J	5.07	0.587	1.16	0.435	25.0	31.7	2.42	0.619	0.439	1.12
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	25.1	23.8	23.6	100	27.6	34.5	37.2	19.8	30.7	24.8	112	29.4
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	0.121 J	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	3.42	3.25	< 0.260	4.88	0.091 J	0.713	1.53	0.107 J	0.111 J	0.049 J	0.165 J	0.768
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	0.677	0.666	0.724	0.850	0.511	0.544	0.694	0.591	0.573	0.844	0.597	0.732
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	< 0.260	< 0.260	< 0.260	0.110 J	0.092 J	0.041 J	2.07	2.57	0.078 J	0.200 J	0.254 J	0.294
Copper	SW 6020B, Rev 2-2014	0.120	0.395	1,300	800	1,000	µg/L	0.303 J	0.485 J	0.161 J	1.07	0.629	0.533	0.868	0.597	1.01	0.455 J	0.311 J	1.69
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	38.6 J	34.6 J	145	214	162	< 46.8	1,040	4,610	102	87.7	19.9 J	207
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	0.141 J	0.125 J	0.117 J	1.17	0.751	< 0.416	7.59	24.8	0.490	0.205 J	< 0.416	1.90
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	0.611 J	< 1.56	5.95	13.5	2.87	18.1	247	24.9	6.71	4.31	5.42	10.9
Mercury	SW7470A/EPA245.1,3.0- 1994	0.00310	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	0.255	< 0.200	< 0.200	0.0625 J	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.52	—	390	—	µg/L	0.87 J	0.73 J	< 1.56	9.51	0.97 J	1.63	9.44	8.06	0.96 J	3.47	2.02	5.32
Selenium	SW 6020B, Rev 2-2014	1.50	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	< 0.260	< 0.260	< 0.260	0.175 J	0.040 J	0.082 J	0.615	< 0.260	< 0.260	0.074 J	0.073 J	0.380
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	1.84 J
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	0.476	0.459	0.064 J	0.487	0.426	0.104 J	0.153 J	0.729	0.551	0.409	0.258 J	0.051 J
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	326	318	60.9	608	40.9	178	878	68.9	8.71 J	105	47.2	612

Exceeds MCLMCL = Maximum Contaminant Level (November 2022)

Exceeds RSLRSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Exceeds SMCLSMCL = Secondary Maximum Contaminant Level

BoldIndicates constituent detected below screening levels.

Dash (—)Indicates no screening level has been established.

Notes:SO₄ - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Table 3-2 - Summary of Inorganic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	L.E. Seep	Spring A	SP-4	SP-5	SP-7	TSP-1	TSP-2	TSP-3	TSP-4	EQR-1	EQR-2	EQR-3
								11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/6/2024	11/7/2024
								1120	1205	1335	1355	1135	1230	1245	1305	1430	1605	0740	0915
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	8.04	8.76	9.00	9.61	8.69	8.94	9.52	8.66	9.19	< 0.500	< 0.500	6.90
Sulfate as SO ₄	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	4.46	1.04	2.46	7.67	4.34	4.04	4.74	5.39	4.32	< 0.500	< 0.500	0.408
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.800	5.00	—	—	500	mg/L	90.0	81.0	211	216	98.0	180	103	209	102	< 5.00	< 5.00	< 5.00
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	0.796	0.919	8.82	0.427	0.892	0.591	0.287	0.465	0.289	< 0.260	< 0.260	< 0.260
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	13.3	9.97	60.0	49.8	17.1	38.6	24.7	65.5	19.5	0.092 J	0.134 J	0.263
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	0.169 J	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	< 0.260	0.059 J	0.289	< 0.260	< 0.260	0.081 J	0.135 J	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	0.698	0.851	0.511	0.719	0.649	0.691	0.665	0.547	0.568	0.781	0.660	0.945
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	0.300	0.436	30.5	0.093 J	0.292	0.105 J	0.105 J	0.174 J	0.061 J	< 0.260	< 0.260	< 0.260
Copper	SW 6020B, Rev 2-2014	0.120	0.395	1,300	800	1,000	µg/L	1.33	1.70	1.99	1.25	1.34	0.884	0.715	1.07	0.884	< 0.520	< 0.260	0.195 J
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	212	337	10,700	105	311	175	135	132	73.4	168	58.7	< 46.8
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	1.50	3.23	6.52	0.458	1.33	0.867	0.244 J	0.614	0.430	< 0.416	< 0.416	< 0.416
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	17.7	19.8	3,050	1.30 J	59.5	4.46	6.85	22.1	2.38	0.544 J	< 1.56	2.74
Mercury	SW7470A/EPA245.1,3.0- 1994	0.00310	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.52	—	390	—	µg/L	0.56 J	1.03 J	38.4	1.51 J	0.68 J	0.43 J	0.80 J	0.45 J	< 1.56	< 1.56	< 1.56	0.49 J
Selenium	SW 6020B, Rev 2-2014	1.50	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	< 0.260	< 0.260	0.784	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	1.63 J	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	0.862	1.30	0.269	0.478	0.645	0.773	0.229 J	0.398	0.411	< 0.260	< 0.260	< 0.260
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	10.1 J	23.3	61.4	4.90 J	9.65 J	11.0 J	29.1	< 20.8	33.6	< 20.8	< 20.8	12.9 J

Exceeds MCLMCL = Maximum Contaminant Level (November 2022)

Exceeds RSLRSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Exceeds SMCLSMCL = Secondary Maximum Contaminant Level

BoldIndicates constituent detected below screening levels.

Dash (—)Indicates no screening level has been established.

Notes:SO₄ - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Page Intentionally Blank

Table 3-3 - Summary of Organic Parameter Analyses

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1 Duplicate	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7
							11/6/2024	11/6/2024	11/6/2024	11/7/2024	11/7/2024	11/7/2024	11/6/2024	11/6/2024	11/6/2024	11/6/2024	11/6/2024	11/6/2024
							1325	1518	1634	1230	1230	1136	1306	1142	1038	0943	0833	1650
TOC	SM 5310 B-2011	0.26	1.00	—	—	mg/L	7.81	1.38	< 1.00	3.95	3.97	3.76	< 1.00	3.92	< 1.00	< 1.00	1.06	< 1.00
Acrolein	SW 8260C, Rev 3, 2006	1.1	4.00	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2.00	—	0.052	µg/L	2.15	< 2.00	< 2.00	3.47	3.88	3.79	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.08	1.00	5	0.46	µg/L	5.37	< 1.00	< 1.00	2.11	2.13	2.10	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.14	1.00	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.19	1.00	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.12	1.00	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.16	1.00	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.24	2.00	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.75	2.00	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.09	1.00	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.15	2.00	—	2000	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.11	1.00	—	690	µg/L	0.272 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.12	1.00	—	810	µg/L	0.698 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.17	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.1	1.00	100	78	µg/L	3.02	< 1.00	< 1.00	2.45	2.51	2.42	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.13	1.00	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.23	4.00	—	8300	µg/L	1.01 J	< 4.00	< 4.00	1.51 J	1.19 J	1.52 J	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.11	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloroform	SW 8260C, Rev 3, 2006	0.34	2.00	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.15	3.00	—	190	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.1	1.00	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.07	1.00	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.22	3.00	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.17	1.00	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.1	1.00	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.07	1.00	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.1	1.00	—	—	µg/L	4.77	< 1.00	< 1.00	5.22	5.16	4.56	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.08	1.00	75	0.48	µg/L	4.52	< 1.00	< 1.00	4.95	4.88	4.31	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.12	1.00	—	2.8	µg/L	2.61	< 1.00	< 1.00	12.6	12.5	16.5	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	0.348 J	< 1.00	0.594 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.14	2.00	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.12	1.00	70	36	µg/L	< 1.00	< 1.00	< 1.00	2.88	2.99	8.56	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.08	1.00	100	68	µg/L	< 1.00	< 1.00	< 1.00	0.468 J	< 2.00	< 2.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1 Duplicate	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7
							11/6/2024	11/6/2024	11/6/2024	11/7/2024	11/7/2024	11/7/2024	11/6/2024	11/6/2024	11/6/2024	11/6/2024	11/6/2024	11/6/2024
							1325	1518	1634	1230	1230	1136	1306	1142	1038	0943	0833	1650
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.18	2.00	—	200	µg/L	< 2.00	< 2.00	< 2.00	0.327 J	0.421 J	0.571 J	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.22	1.00	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	0.261 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.07	1.00	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.2	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.12	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.08	1.00	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.12	3.00	—	0.14	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.43	2.00	—	38	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.07	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.09	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.25	3.00	5	11	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.2	1.00	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.13	1.00	—	14	µg/L	37.7	< 1.00	< 1.00	76.9	86.7	80.8	< 1.00	< 1.00	< 1.00	0.385 J	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.1	4.00	—	0.12	µg/L	0.131 J	< 4.00	< 4.00	< 4.00	< 2.00	< 2.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
n-Propylbenzene	SW 8260C, Rev 3, 2006	0.1	1.00	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.07	1.00	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.2	1.00	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.29	1.00	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 2.00	< 2.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.13	1.00	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.08	1.00	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.15	3.00	—	7	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 2.00	< 2.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.12	2.00	70	1.2	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 1.00	< 1.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.28	1.00	5	0.49	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	0.439 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.13	2.00	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.2	1.00	—	0.00075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4-Trimethylbenzene	SW 8260C, Rev 3, 2006	0.09	1.00	—	56	µg/L	0.910 J	0.332 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5-Trimethylbenzene	SW 8260C, Rev 3, 2006	0.06	1.00	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.1	2.00	2	0.019	µg/L	0.906 J	< 2.00	< 2.00	6.56	6.63	3.90	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.15	2.00	—	190	µg/L	1.54 J	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.07	1.00	—	190	µg/L	0.559 J	< 1.00	< 1.00	0.280 J	0.283 J	0.290 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	MW-509D	MW-509D Duplicate	MW-577	MW-633D	MW-689D	NAB-3	NAB-4	NAB-7	NAB-8	NE-2	NE-3	NE-6
							11/6/2024	11/6/2024	11/7/2024	11/6/2024	11/6/2024	11/6/2024	11/5/2024	11/6/2024	11/7/2024	11/6/2024	11/6/2024	11/5/2024
							1417	1417	1010	1410	0935	1030	1706	1205	1310	1605	0840	1603
TOC	SM 5310 B-2011	0.26	1.00	—	—	mg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	2.79	8.35	1.66	< 1.00	< 1.00
Acrolein	SW 8260C, Rev 3, 2006	1.1	4.00	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2.00	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.08	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.14	1.00	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.19	1.00	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.12	1.00	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.16	1.00	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.24	2.00	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.75	2.00	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.09	1.00	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.15	2.00	—	2000	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.11	1.00	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.12	1.00	—	810	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.17	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.1	1.00	100	78	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.13	1.00	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.23	4.00	—	8300	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.11	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloroform	SW 8260C, Rev 3, 2006	0.34	2.00	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.15	3.00	—	190	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.1	1.00	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.07	1.00	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.22	3.00	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.17	1.00	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.1	1.00	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.07	1.00	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.1	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.08	1.00	75	0.48	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.12	1.00	—	2.8	µg/L	< 1.00	< 1.00	< 1.00	1.21	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.14	2.00	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.12	1.00	70	36	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.08	1.00	100	68	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL

Exceeds RSL

Bold

Dash (—)

Notes:

MCL = Maximum Contaminant Level (November 2024)

RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2022)

Indicates constituent detected below screening levels.

Indicates no screening level has been established.

µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	MW-509D	MW-509D Duplicate	MW-577	MW-633D	MW-689D	NAB-3	NAB-4	NAB-7	NAB-8	NE-2	NE-3	NE-6
							11/6/2024	11/6/2024	11/7/2024	11/6/2024	11/6/2024	11/6/2024	11/5/2024	11/6/2024	11/7/2024	11/6/2024	11/6/2024	11/5/2024
							1417	1417	1010	1410	0935	1030	1706	1205	1310	1605	0840	1603
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.18	2.00	—	200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.22	1.00	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.07	1.00	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.2	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.12	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.08	1.00	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.12	3.00	—	0.14	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.43	2.00	—	38	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.07	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.09	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.25	3.00	5	11	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.2	1.00	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.13	1.00	—	14	µg/L	< 1.00	< 1.00	< 1.00	1.42	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.1	4.00	—	0.12	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
n-Propylbenzene	SW 8260C, Rev 3, 2006	0.1	1.00	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.07	1.00	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.2	1.00	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.29	1.00	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.13	1.00	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.08	1.00	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.15	3.00	—	7	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.12	2.00	70	1.2	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1.00	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.28	1.00	5	0.49	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.13	2.00	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.2	1.00	—	0.00075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.09	1.00	—	56	µg/L	0.527 J	0.501 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	0.497 J	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.06	1.00	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.1	2.00	2	0.019	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.15	2.00	10000	190	µg/L	0.780 J	0.756 J	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	0.860 J	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.07	1.00	10000	190	µg/L	0.249 J	0.219 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	0.294 J	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL

Exceeds RSL

Bold

Dash (—)

Notes:

MCL = Maximum Contaminant Level (November 2024)

RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2022)

Indicates constituent detected below screening levels.

Indicates no screening level has been established.

µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	L.E. Seep	Spring A	SP-4	SP-5	SP-7	TSP-1	TSP-2	TSP-3	TSP-4	EQR-1	EQR-2	EQR-3	TB-1
							11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/6/2024	11/7/2024	11/7/2024
							1120	1205	1335	1355	1135	1230	1245	1305	1430	1605	0740	0915	1022
TOC	SM 5310 B-2011	0.26	1.00	—	—	mg/L	4.60	5.10	3.21	3.12	4.22	2.96	1.92	4.23	5.68	< 1.00	< 1.00	< 1.00	—
Acrolein	SW 8260C, Rev 3, 2006	1.10	4.00	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2.00	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.080	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.140	1.00	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.190	1.00	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.120	1.00	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	0.229 J	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.160	1.00	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.240	2.00	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	0.611 J	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.750	2.00	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	1.03 J	2.48	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.090	1.00	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.150	2.00	—	2000	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.110	1.00	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.120	1.00	—	810	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.170	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.100	1.00	100	78	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.130	1.00	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.230	4.00	—	8300	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.110	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloroform	SW 8260C, Rev 3, 2006	0.340	2.00	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	0.624 J	1.96 J	2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.150	3.00	—	190	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.100	1.00	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.070	1.00	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.220	3.00	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.170	1.00	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.100	1.00	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.070	1.00	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.100	1.00	—	—	µg/L	< 1.00	< 1.00	0.874 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.080	1.00	75	0.48	µg/L	< 1.00	< 1.00	0.827 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.120	1.00	—	2.8	µg/L	< 1.00	< 1.00	3.69	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.140	2.00	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.120	1.00	70	36	µg/L	< 1.00	< 1.00	1.22	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.080	1.00	100	68	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established or constituent not analyzed.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	L.E. Seep	Spring A	SP-4	SP-5	SP-7	TSP-1	TSP-2	TSP-3	TSP-4	EQR-1	EQR-2	EQR-3	TB-1
							11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/5/2024	11/6/2024	11/7/2024	11/7/2024
							1120	1205	1335	1355	1135	1230	1245	1305	1430	1605	0740	0915	1022
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.180	2.00	—	200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.220	1.00	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.070	1.00	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.200	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.090	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.090	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.120	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.080	1.00	700	1.5	µg/L	< 1.00	< 1.00	0.330 J	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.120	3.00	—	0.14	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.430	2.00	—	38	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.070	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.090	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.250	3.00	5	11	µg/L	0.617 J	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.200	1.00	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.130	1.00	—	14	µg/L	< 1.00	< 1.00	5.02	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.100	4.00	—	0.12	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
n-Propyl benzene	SW 8260C, Rev 3, 2006	0.100	1.00	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.070	1.00	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	0.443 J	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.200	1.00	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.290	1.00	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.130	1.00	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.080	1.00	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	0.526 J	0.317 J	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.150	3.00	—	7	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.120	2.00	70	1.2	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.280	1.00	5	0.49	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.130	2.00	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.200	1.00	—	0.00075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.090	1.00	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.060	1.00	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.100	2.00	2	0.019	µg/L	< 2.00	< 2.00	1.30 J	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.150	2.00	10000	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.070	1.00	10000	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (November 2024)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tap water – November 2024)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

3.3 Statistical Analysis

Sanitas™ version 9.6.07 software was utilized to conduct a statistical analysis of the groundwater data for the November 2024 sampling event. The methods used in the Sanitas™ program are based on statistical procedures outlined in the EPA's Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities (*Unified Guidance*, March 2009).

Time plots of individual AMCs at wells showing current and historic detections were plotted to provide a visual summary of current and historic detections at individual wells, along with possible trends in the data and variability among the wells. The time plots also evaluate the potential presence of outliers that could disproportionately affect increasing or decreasing trends. Wells showing potential AMC outliers were then further analyzed using Rosner's Outlier Test and Tukey's Outlier Screening to evaluate outliers. Outliers were observed for barium and benzene in the sample from MW-1R, and chloride in the sample from NE-6. No other outliers were observed. Time plots and outlier analysis are included in Appendix C.

The Mann-Kendall test for temporal trends combined with the Sen's slope estimate was performed on current and historically detected AMCs to evaluate whether statistical trends are evident in the data. The significant trend results are shown on the Mann-Kendall/Sen's Slope plots presented in Appendix C. Increasing and decreasing statistical trends for AMCs and wells are summarized in Table 3-4 below.

Table 3-4 – Summary of Statistical Trends

Well	Significant Increasing Trends	Significant Decreasing Trends
CAO-1	Arsenic, barium, benzene, chloride, chlorobenzene , 1,4-dichlorobenzene, iron, MTBE	Cadmium, chromium, cobalt, copper, 1,1-dichloroethane, chloroethane, lead, manganese, nickel, sulfate, thallium , toluene , vanadium, vinyl chloride, zinc
CAO-2	—	Cadmium, chromium, cobalt, copper, iron, lead, nickel, thallium, vanadium, zinc
CAO-3	—	Arsenic, barium, cadmium, chromium, cobalt, copper, iron, lead, manganese, nickel, sulfate, thallium, TOC, vanadium, zinc
MW-1	Arsenic, barium, benzene, chloride, chlorobenzene, chloroethane, cobalt, 1,1-dichloroethane, 1,2-dichloroethane , cis-1,2-dichloroethene, 1,4-dichlorobenzene, cobalt, iron, manganese, MTBE , nickel, sulfate, TOC, trans-1,2-dichloroethene, vinyl chloride, zinc	Antimony , cadmium, chromium, copper, lead, thallium, vanadium
MW-1R	Arsenic, benzene , chlorobenzene, 1,4-dichlorobenzene, iron	Barium, cadmium , chloride, cobalt, manganese, nickel, sulfate, thallium, TOC, zinc
MW-2	—	Barium, cadmium , chloride, chromium, cobalt, copper, lead, manganese, nickel, thallium , vanadium, zinc
MW-3	Barium, iron, manganese, nickel, TOC , zinc	Cadmium, chromium, cobalt, copper, lead, mercury , thallium, vanadium
MW-4	Chloride, sulfate, zinc	Antimony , arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, thallium, vanadium
MW-5	Chloride, sulfate	Antimony , arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, thallium, vanadium
MW-6	Chloride, sulfate, zinc	Arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, thallium, vanadium
MW-7		Arsenic, barium, cadmium, chloride, chromium, cobalt, copper, iron, lead, manganese , nickel, sulfate, thallium , TOC, vanadium, zinc
MW-509D	—	Arsenic, chromium, cobalt, copper, lead, manganese, nickel, TOC, vanadium
MW-577	Chloride	Barium, cadmium, chromium, cobalt, copper, lead, manganese, nickel, sulfate, TOC, vanadium
MW-633D	Barium, chloride, 1,1-dichloroethane, mercury, zinc	Arsenic, chromium, cobalt, copper, lead, nickel, sulfate, thallium, TOC , vanadium
MW-689D		Cadmium, chromium, cobalt, copper, lead, nickel, thallium , TOC, vanadium, zinc
NAB-2*	Barium, chloride, manganese	Cadmium, chromium, cobalt, copper, nickel, sulfate, thallium, TOC, vanadium

Well	Significant Increasing Trends	Significant Decreasing Trends
NAB-3	Chloride	Arsenic, cadmium, chromium, cobalt, copper, lead, nickel, thallium, TOC , vanadium
NAB-4	Barium, chloride, manganese, sulfate, zinc	Cadmium, chromium, cobalt, copper, lead, nickel, vanadium
NAB-7	Antimony , barium, iron	Cadmium, chromium, cobalt, copper, manganese, nickel, TOC , vanadium
NAB-8	Chloride	Barium, cadmium, chromium, cobalt, copper, lead, manganese, nickel, vanadium, zinc
NE-2	Barium	Arsenic, chloride, chromium , iron, nickel, sulfate, TOC
NE-3		Barium, chloride, cobalt, copper, iron, lead, manganese, nickel, TOC, vanadium , zinc
NE-4*	—	Cobalt, copper, sulfate, thallium
NE-6	—	Chromium

*Locations not sampled during current event. Trends are from previous sampling event data.

Generally, statistically increasing and decreasing trends were consistent with previous trends. Constituents that were previously noted as increasing or decreasing but are currently determined to be no longer significant are shown in **bold italicized green** text. Conversely, constituents that were added are shown in **bold red** text. It should be noted that many of the graphs in Appendix C are based on limited numbers of laboratory detections – the trends appear to be partially based on changes in detection limits over time.

As discussed in previous reports, an important consideration is whether the data is significantly influenced by seasonal changes. If so, then the data should be adjusted for seasonal influences. Based on the data generated to date, and as stated in previous reports, it is suspected that concentration levels are significantly influenced by the amount of precipitation and the timing of individual precipitation events in relation to sampling events. It is likely that the recently installed landfill cap will reduce the effect of precipitation at the site.

Confidence intervals are commonly used for assessment monitoring to demonstrate significance in AMC concentrations. The Groundwater Protection Standards (GWPS) utilized in the statistical evaluation (MCLs, RSLs and SMCLs) are included in Table 3-2 and Table 3-3 attached to this report. The statistical evaluation was conducted in accordance with recommended procedures found in the Unified Guidance (UG). Confidence intervals were calculated for any metal or VOC constituent detected in concentrations greater than the applicable screening level, also listed in Tables 3-2 and 3-3. Confidence interval statistical analysis was not performed for indicator parameters.

The calculation of confidence intervals consisted of the establishment of 95% Lower Confidence Limits (LCLs) and 95% Upper Confidence Limits (UCLs). If one or more of the events used for the confidence interval was above the constituent's MCL and the calculated coefficient of variation (CV) for the population was greater than 0.3, then additional evaluations were performed for that well/constituent pair. If, after further evaluation, a population that was compiled with the statistical procedures outlined in UG Section 22.1.1 & UG Table 22-3 showed a potentially

significant change, then a visual inspection of the data was performed to identify shift points in the data set. From these shift points, the most recent population was used in the calculation of confidence limits.

The evaluation results show that the calculated LCLs were exceeded for the following AMC parameters at the following monitoring points, indicating with statistical confidence that the measured concentrations are above the established GWPS. The LCL exceedances are summarized in Table 3-5 below.

Table 3-5 – Summary of LCL Exceedances

Monitoring Point	AMC
CAO-1	Acrylonitrile, arsenic, cobalt, iron, manganese, MTBE
MW-1	Acrylonitrile, arsenic, cobalt, 1,1-dichloroethane, MTBE
MW-1R	Acrylonitrile, arsenic, cobalt, iron, 1,1-dichloroethane, MTBE, vinyl chloride

The complete confidence interval evaluation results for the November 2024 sampling event are presented in Appendix C. Historic and current data are presented in Appendix D.

4.0 Leachate Analytical Results

As previously referenced, the leachate generated at the landfill is transported to the City of Springfield's wastewater collection system under Wastewater Contribution Permit No. 593. A sample of the leachate plus a duplicate sample were collected at 1020 on November 20, 2024, and submitted for laboratory analysis. Table 4-1 below summarizes the analytical methods and results of the analyses.

Table 4-1 – Summary of Leachate Analysis Results

Parameter	Analytical Method	Units	Leachate	Leachate Duplicate
Arsenic	EPA 200.8 Rev 5.4(1994)	µg/L	36.8	36.7
Cadmium	EPA 200.8 Rev 5.4(1994)	µg/L	< 0.260	< 0.260
Chromium	EPA 200.8 Rev 5.4(1994)	µg/L	8.98	8.99
Copper	EPA 200.8 Rev 5.4(1994)	µg/L	1.32	1.46
Lead	EPA 200.8 Rev 5.4(1994)	µg/L	< 0.416	< 0.416
Mercury	SW7470A/EPA245.1,3.0-1994	µg/L	< 16.0	< 16.0
Nickel	EPA 200.8 Rev 5.4(1994)	µg/L	127	125
Phosphorus	EPA 200.8 Rev 5.4(1994)	µg/L	< 0.936	< 0.936
Zinc	EPA 200.8 Rev 5.4(1994)	µg/L	< 20.8	< 20.8
Ammonia as N	SM 4500-NH3 B,D,C-2011	mg/L	308	300
Cyanide (total)	SM 4500-CN B,E-2011	mg/L	< 0.010	< 0.010
Flashpoint	SW 1010A, Rev 1, 2004	°C	Did Not Flash	Did Not Flash
Oil & Grease	EPA1664 Mod, Rev. B 2010	mg/L	< 5.15	< 5.32
pH	SM 4500-H+ B-2011	S.U.	7.11	7.08

Notes: N – nitrogen; DNF – did not flash; mg/L – milligrams per liter; µg/L – micrograms per liter; S.U. – standard units; °C – degrees Celsius.

5.0 Quality Assurance/Quality Control Results

Field duplicate samples were collected from monitoring wells MW-1 and MW-509D during the November 2024 groundwater sampling event. In addition, a duplicate sample of leachate was also collected. With a few exceptions, comparison of the original and duplicate data shows generally good agreement between sample and duplicate pairs.

The calculated relative percent differences (RPD) for the MW-1 duplicate sample pair ranged from 0.0 to 33.8%. The RPD for sulfate was 33.8%; the RPD for cadmium was 29.1%; the RPD for copper was 30.9%; the RPD for lead was 30.8%; the RPD for chloroethane was 23.7%; and the RPD for dichlorodifluoromethane was 25.1%. The remaining RPDs for the MW-1 duplicate sample pair were less than 20% with most being under 10%.

The calculated RPDs for the MW-509D duplicate sample pair ranged from 0.7 to 46.2%, with only one RPD exceeding 20%. The RPD for copper was 46.2%. The remaining RPDs for the MW-509D duplicate sample pair were less than 20% with most being under 10%.

The calculated RPDs for the leachate duplicate sample pair ranged from 0.1 to 10.1%.

Three equipment blanks (one per day) were collected during the three-day groundwater sampling event. Each equipment blank was collected by running deionized water over decontaminated equipment directly into the sample containers. Barium and chromium were detected in all three equipment blanks. Iron was detected in equipment blanks EQR-1 and EQR-2. Manganese was detected in equipment blanks EQR-1 and EQR-3. Copper, nickel, and zinc were detected in equipment blank EQR-3.

The organic compound chloroform was detected in all three equipment blanks. 2-butanone and toluene were detected in equipment blanks EQR-2 and EQR-3. Bromodichloromethane was detected in equipment blank EQR-3. Styrene was detected in equipment blank EQR-1.

One trip blank was analyzed for VOCs during this event. No VOC constituents were detected above their respective detection limits in the trip blank.

Figures

Page Intentionally Blank



Harbor

5800 Evergreen Drive
Little Rock, AR 72205
P: 501.663.8800
www.HarborEnv.com

Client:

ENSAFE




ARKANSAS
ENERGY & ENVIRONMENT



Figure 1 - Site Location Map
NABORS Landfill
Mountain Home, Baxter County, AR

Date: 5/2/2024
Drawn by: TH
Checked by: LD
Revision No: 0



Legend

Landfill Boundary

Groundwater Monitoring Wells

Springs

Groundwater Contours



Appendix A

Field Forms and Notes

Page Intentionally Blank

NABORS Landfill Monitoring Well Measurement Record

Well ID	Date	Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)
CAO-1	11/5/24	1431	1026.40	26.78'		36.8
CAO-2	11/5/24	1214	991.58	23.31'		45.5
CAO-3	"	1238	984.20	11.16'		23.1
MW-1	"	1437	1067.26	68.05'		77.2
MW-1R	"	1435	1067.57	69.82'		78.6
MW-2	"	1427	1001.21	34.95'		48.9
MW-3	11/5/24	1219	1000.81	32.15'		39.6
MW-4	11/5/24	1151	1012.11	87.55'		99.9
MW-5	11/5/24	1145	1004.38	77.49'		89.1
MW-6	11/5/24	1151	1000.38	57.12'		68.5
MW-7	"	1120	999.66	5.81'		23.1
MW-509D	"	1406	1014.20	12.68'		39.6
MW-577	"	1341	982.60	39.69'		55.3
MW-633D	11/5/24	1253	1050.10	61.85'		87.9
MW-689D	"	1315	966.20	24.40'		43.8
NAB-2	"	1353	1004.94	62.71'		102.8
NAB-3	"	1333	921.49	21.75'		46.2
NAB-4	11/5/24	1307	1015.41	116.64'		140.0
NAB-7	11/5/24	1125	1012.36	21.04'		43.6
NAB-8	"	1232	1050.38	83.91'		85.7
NE-2	"	1357	976.98	50.95'		62.9
NE-3	"	1326	846.91	4.74'		27.7
NE-4	"	1414	1009.85	67.26'		112.2
NE-6	11/5/24	1206	901.42	6.68'		18.2

Notes: TOC – top of casing; amsl – above mean sea level; GW – groundwater; TD – total depth.

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	CAO-1	Date:	11-6-24	Time:	1325	Sampler(s):	P. GRAMling		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:									

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill		Client:	EnSafe, Inc.		Date:	11/6/24		Well ID:	CA0-2		Well Diameter (inches):	2"	
Well Depth (feet):			Initial Depth to Water (feet):			Water Column (feet):			Volume in Liters (multiply by 0.617)			Screened Interval:		
Sampling Method:					Pump Type:					Tubing Type:				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color			
1458	0	0	—	23.4	21.00	0.06	7.36	0.00	89.7	5.08	NA			
1503	2	2	400	23.58	18.05	542.86	5.21	6.93	203.6	2.57	↓			
1508	1.0	3.0	200	23.60	17.93	623.32	5.01	6.80	222.6	4.12				
1513	1.0	4.0	200	23.68	17.54	656.24	4.92	6.76	214.2	1.10				
1518	1.0	5.0	200	23.56	17.62	665.46	4.93	6.75	220.7	1.66				

Sampling Data

Sample ID:	CA0-2		Date:	11/6/24		Time:	1518		Sampler(s):	CG + PG			
Laboratory Analysis:	See report							# Bottles:	9		Preservative:	Varies	
Comments:													

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	11/6/24	Well ID:	CA0-3	Well Diameter (inches):	2"		
Well Depth (feet):		Initial Depth to Water (feet):		Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:		Pump Type:		Tubing Type:		Tubing Diameter:					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
414	0	0	—	12.20	18.66	723.05	2.87	7.08	157.8	4.39	NA
419	2.0	2.0	400	12.22	18.22	479.57	5.25	7.01	206.6	15.96	
424	2.0	4.0	400	12.25	18.22	384.53	6.33	7.11	203.7	28.70	
429	21.0	5.0	200	12.26	18.22	428.69	6.77	7.13	211.5	8.25	
1634	1.0	6.0	400	12.26	18.21	442.66	6.56	7.12	209.2	0.27	

Sampling Data

Sample ID:	CA0-3	Date:	11/6/24	Time:	1634	Sampler(s):	
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	MW-1	Date:	11/7/24	Time:	1230	Sampler(s):	MNT MARIQU / AKE GANNON		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:	DUPLICATE #2								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)





Sampling Data

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

50 PSI 19 REEL 11 DISCHARGE



Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 11/6/24		Well ID: MW-2		Well Diameter (inches): 2"			
Well Depth (feet): 48.7		Initial Depth to Water (feet): 35.04		Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method: LOW FLOW		Pump Type: QED BLADDER		Tubing Type: BONDED		Tubing Diameter: 1/2"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
START	0	0	200	35.04	—	—	—	—	—	—	—
1241	0	0	200	35.04	—	—	—	—	—	—	—
1246	1	1	200	35.15	19.22	586.82	0.81	7.40	40.8	5.60	NONE CLEAR
1251	1	2	200	35.25	19.84	584.17	0.90	7.39	-11.4	2.16	NONE CLEAR
1256	1	3	200	35.34	~~19.80~~ 19.90	585.19	0.53	7.38	-38.4	1.92	NONE CLEAR
1301	1	4	200	35.38	20.30	577.61	0.45	7.37	-42.4	1.15	NONE CLEAR
1306	1	5	200	35.39	20.09	602.17	0.40	7.34	-47.1	3.91	NONE CLEAR

Sampling Data

Sample ID: MW-2	Date: 11/6/24	Time: 1306	Sampler(s): MATT MARBURY / CALEB GOURLEY
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $< 20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings < 20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

45 PSI IS NEEDED IS DISCHARGE

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	MW-3	Date:	11/6/24	Time:	1142	Sampler(s):	MATT MORGAN / CAVE'S GOURERY		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:	NEEDS NEW SPLUG / NEW STICKS ABOVE PROTECTOR								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

5800 Evergreen Drive

25 PSI 18 REFEU 12 RECHARGE



Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 11/6/24		Well ID: MW-4		Well Diameter (inches): 2"			
Well Depth (feet): 99.9		Initial Depth to Water (feet): 87.89		Water Column (feet): 12.0		Volume in Liters (multiply by 0.617): 7.4		Screened Interval:			
Sampling Method: Low Flow		Pump Type: OED BLADDER		Tubing Type: BONDED		Tubing Diameter: 1/4"					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
START											
1013	0	0	200	—	—	—	—	—	—	—	—
1018	1	1	200	88.48	15.69	718.27	4.71	7.22	194.8	2.92	NONE CLEAR
1023	1	2	200	88.58	15.72	720.87	4.33	7.23	196.4	5.06	NONE CLEAR
1028	1	3	200	88.63	15.67	719.91	4.62	7.23	197.5	3.68	NONE CLEAR
1033	1	4	200	88.73	15.75	723.36	4.29	7.23	197.6	2.61	NONE CLEAR
1038	1	5	200	88.77	15.73	722.34	4.39	7.23	197.7	3.70	NONE CLEAR

Sampling Data

Sample ID: MW-4	Date: 11/6/24	Time: 1038	Sampler(s): NAIT MARBURY / CALED GOURLEY	
Laboratory Analysis: See report	# Bottles: 9	Preservative: Varies		
Comments:				

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

PSI 60 REFCU 19 OBSERVANCE 11

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	MW-5	Date:	1/16/24	Time:	943	Sampler(s):	MATT MARBURY / CAUSE GOURLEY		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:									

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill		Client:	EnSafe, Inc.		Date:	11/6/24		Well ID:	MW-6		Well Diameter (inches):	2"	
Well Depth (feet):	68.3		Initial Depth to Water (feet):	57.13		Water Column (feet):	11.7		Volume in Liters (multiply by 0.617)	6.9		Screened Interval:		
Sampling Method:	LOW FLOW			Pump Type:	QED BLOWER			Tubing Type:	BUNDLED			Tubing Diameter:	1/4"	
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color			
START														
808	0	0	200	57.13	—	—	—	—	—	—	—			
813	1	1	200	57.21	13.91	698.20	2.49	7.27	125.2	4.51	NONE CLEAR			
818	1	2	200	57.23	14.04	703.51	3.76	7.30	142.3	3.85	NONE CLEAR			
823	1	3	200	57.25	14.00	696.56	4.33	7.30	149.9	2.47	NONE CLEAR			
828	1	4	200	57.28	14.09	706.48	4.30	7.30	155.8	2.79	NONE CLEAR			
833	1	5	200		14.12	707.23	4.42	7.30	158.9	1.85	NONE CLEAR			

Sampling Data

Sample ID:	MW-6		Date:	11/6/24		Time:	833		Sampler(s):	MATT MARGURY / CALEB BOURQUE			
Laboratory Analysis:	See report							# Bottles:	9		Preservative:	Varies	
Comments:	EQR #2 11/6/24 7:40												

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

40 15 15

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 11/5/24		Well ID: MW-7		Well Diameter (inches): 2"			
Well Depth (feet):		Initial Depth to Water (feet): 5.81		Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:				Pump Type:		Tubing Type:		Tubing Diameter:			
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1630	0	0	200	5.81	20.83	0.06	8.63	0.0	69.0	1.05	N/A
1635	1.0	1.0	200	6.60	17.55	536.47	2.02	7.18	133.3	0.00	N/A
1640	1.0	2.0	200	6.73	17.47	535.85	1.86	7.12	154.3	0.00	N/A
1645	1.0	3.0	200		17.41	536.20	1.87	7.10	167.7	0.00	N/A

Sampling Data

Sample ID: MW-7	Date: 11/5/24	Time: 1650	Sampler(s): CG
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	MW-500D	Date:	11/6/24	Time:	1417	Sampler(s):	
Laboratory Analysis:	See report					# Bottles:	9
Comments:	* error w/ wq instrument						
Preservative:	Varies						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

[illegible]

Sampling Data

Sample ID:	MW-577	Date:	11/7/24	Time:	1010	Sampler(s):	MATT MANDRY / PAUL GRAMBLING		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:	EQR #3 11/7/24 915								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



35 PSI 18 REFILL 12 DESCHARGE



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:		Well ID:	MW-633D	Well Diameter (inches):	2"		
Well Depth (feet):	88.1	Initial Depth to Water (feet):	64.81	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	LOW FLOW	Pump Type:	RED BLADDER	Tubing Type:	BONDED	Tubing Diameter:	1/4"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1345	0	0	200	64.81	—	—	—	—	—	—	—
1350	1	1	200	64.85	18.75	610.56	1.03	7.16	88.7	65.2	NONE CLEAR
1355	1	2	200	64.90	18.50	609.98	0.93	7.17	93.2	60.2	NONE CLEAR
1400	1	3	200	64.91	18.37	609.01	0.88	7.17	98.0	68.3	NONE CLEAR
1405	1	4	200	64.91	18.30	607.51	0.85	7.18	101.6	70.0	NONE CLEAR
1410	1	5	200	64.92	18.19	608.81	0.85	7.18	103.8	73.1	NONE CLEAR

Sampling Data

Sample ID:	MW-633D	Date:	11/6/24	Time:	1410	Sampler(s):	MATT MANGULY
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

50 PSI 17 REFILL 13 DISCHARGE



Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 11-6-24		Well ID: MW-689		Well Diameter (inches): 2"			
Well Depth (feet): 43.8		Initial Depth to Water (feet): 24.22		Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method: Low Flow		Pump Type: Peristaltic		Tubing Type: LOPE		Tubing Diameter: 0.25					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
0915	—	—	—	24.22	16.64	334.77	8.37	7.55	240.1	5.67	clear
0920	1.5	1.5	300	24.36	16.74	386.04	6.49	7.64	238.7	0.78	"
0925	1.0	2.5	200	24.36	16.87	448.67	3.15	7.48	188.4	0.12	"
0930	1.0	3.5	200	24.36	16.99	489.77	2.96	7.46	163.3	0.10	"
0935	1.0	4.5	200	24.36	16.92	491.66	2.38	7.44	99.8	1.24	"

Sampling Data

Sample ID: MW-689D	Date: 11/6/24	Time: 0935	Sampler(s):
Laboratory Analysis: See report			# Bottles: 9
Comments:			Preservative: Varies

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	11-6-24	Well ID:	NAB-3	Well Diameter (inches):	2"		
Well Depth (feet):	46.2	Initial Depth to Water (feet):	23.26	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	Low flow	Pump Type:	Peristaltic	Tubing Type:		Tubing Diameter:					
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1018	—	—	—	23.26	17.38	567.61	2.80	7.35	204.7	3.57	clear
1023	1	1	200	23.58	17.11	600.17	1.89	7.36	209.6	62.02	Turbid
1028	1	2	200	23.59	16.89	626.80	2.03	7.33	190.8	1.78	clear
1033	1	3	200	23.65	16.58	628.06	0.49	7.33	172.5	3.49	clear
1038	1	4	200	23.70	16.51	627.14	0.39	7.32	169.4	2.46	clear

Sampling Data

Sample ID:	NAB-3	Date:	11/6/24	Time:	1038	Sampler(s):	
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	11/5/2024	Well ID:	NAB-4	Well Diameter (inches):	2"		
Well Depth (feet):	140.0	Initial Depth to Water (feet):	116.64	Water Column (feet):	23.36	Volume in Liters (multiply by 0.617)	14.4	Screened Interval:			
Sampling Method:	LOW FLOW	Pump Type:	GED BLOWER	Tubing Type:	1/4" BOWED	Tubing Diameter:	1/4"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
START				116.64							
16:36	0.0	0.0	200	116.64	—	—	—	—	—	—	NONE/CLEAR
16:41	1	1	200	116.70	17.31	796.28	1.21	6.95	132.8	61.0	NONE CLEAR
16:46	1	2	200	116.74	16.95	796.80	0.86	6.95	138.2	51.7	NONE CLEAR
16:51	1	3	200	116.77	16.84	797.90	0.96	6.95	132.9	58.2	NONE CLEAR
16:56	1	4	200	116.80	16.65	799.67	1.18	6.96	131.0	37.5	NONE CLEAR
17:01	1	5	200	116.84	16.66	802.10	1.30	6.97	132.8	26.2	NONE CLEAR
17:06	1	6	200	116.87	16.59	802.45	1.29	6.97	132.0	25.1	NONE CLEAR

Sampling Data

Sample ID:	NAB-4	Date:	11/5/24	Time:	17:06	Sampler(s):	MATT MARBURY
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:	EGR# 1 11/5/24 16:05						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

15 15 15



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	11-6-24	Well ID:	NAB-7	Well Diameter (inches):	2"		
Well Depth (feet):	43.6	Initial Depth to Water (feet):	22.70	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	Low Flow	Pump Type:	Peristaltic	Tubing Type:	LOPE	Tubing Diameter:	0.25				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1140	-	-	-	22.70	16.16	441.72	0.44	7.35	166.4	7100	ORANGE
1145	1	1	200	23.62	16.77	442.40	1.33	7.39	176.1	493.14	ORANGE
1150	1	2	200	23.64	16.09	449.64	0.32	7.38	121.5	68.24	ORANGE TURBID
1155	1	3	200	23.68	16.04	459.16	0.40	7.39	130.2	38.73	clear
1200	1	4	200	23.68	16.15	461.61	0.39	7.40	134.4	31.86	"
1205	1	5	200	23.69	16.16	462.06	0.34	7.40	137.9	41.83	"

Sampling Data

Sample ID:	NAB-7	Date:	11/6/24	Time:	1205	Sampler(s):	
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	11/6/24	Well ID:	NE-2	Well Diameter (inches):	2"		
Well Depth (feet):	63.0	Initial Depth to Water (feet):	51.06	Water Column (feet):	11.94	Volume in Liters (multiply by 0.617):	7.4	Screened Interval:			
Sampling Method:	LOW FLOW	Pump Type:	GEO BLADDER	Tubing Type:	BONDRO	Tubing Diameter:	1/4"				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1535	0	0	200	51.06	—	—	—	—	—	—	—
1540	1	1	200	51.85	17.26	1096.4	1.36	7.22	131.5	33.89	NONE CLEAR
1545	1	2	200	52.23	17.07	1096.6	1.49	7.21	134.3	18.16	NONE CLEAR
1550	1	3	200	52.85	17.02	1131.3	3.86	7.23	144.1	13.02	NONE CLEAR
1555	1	4	200	53.50	16.94	1134.2	3.81	7.24	152.5	11.89	NONE CLEAR
1600	1	5	200	54.15	16.75	1138.1	3.87	7.25	156.8	13.31	NONE CLEAR
1605	1	6	200	54.74	16.68	1133.2	3.83	7.25	158.8	11.65	NONE CLEAR

Sampling Data

Sample ID:	NE-2	Date:	11/6/24	Time:	1605	Sampler(s):	MARY MORGAN
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

40 PSI PERCU DESCHARGE
19 11



Groundwater Sampling Record

Site Name:	NABORS Landfill	Client:	EnSafe, Inc.	Date:	11-6-24	Well ID:	NE-3	Well Diameter (inches):	2"		
Well Depth (feet):	27.7	Initial Depth to Water (feet):	5.14	Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:	Low Flow	Pump Type:	Peristaltic	Tubing Type:	LOPE	Tubing Diameter:	0.25				
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
0820	—	—	—	5.14	15.74	565.01	0.34	7.54	143.5	1.75	clear
0825	1	1	200	6.89	16.15	560.53	0.19	7.52	125.8	0.64	clear
0830	1	2	200	7.41	16.35	559.44	0.16	7.51	130.0	0.18	"
0835	1	3	200	7.83	16.46	548.38	0.45	7.54	140.5	1.12	"
0840	1	4	200	8.14	16.60	540.34	2.28	7.56	202.1	0.22	"

Sampling Data

Sample ID:		Date:		Time:		Sampler(s):	
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies		
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: $\pm 5\%$; Dissolved Oxygen: all readings $<20\%$ saturation; optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

Groundwater Sampling Record

Site Name: NABORS Landfill		Client: EnSafe, Inc.		Date: 11/5/24		Well ID: NE-6		Well Diameter (inches): 2"			
Well Depth (feet):		Initial Depth to Water (feet):		Water Column (feet):		Volume in Liters (multiply by 0.617)		Screened Interval:			
Sampling Method:				Pump Type:		Tubing Type:		Tubing Diameter:			
Time	Volume Purged (liters)	Cumulative Volume Purged (liters)	Purge Rate (mL/min)	Depth to Water (feet)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH (Standard Units)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	Odor/Color
1547	0.5	0.5	100	6.68	18.70	587.83	1.21	7.33	-32.4	10.63	N/A - sulfur
1552	1.5	2.0	300	7.91	18.51	585.49	0.80	7.31	-24.9	12.82	N/A
1557	1.0	3.0	200	8.10	18.55	591.89	0.22	7.29	-99.3	1.12	N/A
1603	1.0	4.0	200	8.69	18.29	596.31	0.20	7.27	-103.4	0.0	N/A

Sampling Data

Sample ID: NE-6	Date: 11/5/24	Time: 1603	Sampler(s): CG
Laboratory Analysis: See report		# Bottles: 9	Preservative: Varies
Comments:			

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Spring Sampling Record

Site Name: NABORS Landfill					Location: Three Brothers, AR				Date(s): 11-5-24		
Spring ID	Flow (Y/N)	Sampled (Y/N)	Sample Date	Sample Time	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/Color
Class I Draw	Y	✓	surface water								
Class IV Draw											
LE seep	Y	Y	11/5/24	1120	8.67	77.60	199.3	7.16	18.72	59.21	turbid
NE-3 Spring	Y	✓	surface water								
Spring A	Y	Y	11/5/24	1205	9.08	47.23	214.0	7.73	17.80	95.21	✓
Spring B	✓	✓									
~~TSP-4~~ TSP-4	Y	Y	11/5/24	~~1235~~	7.82	185.81	159.3	8.09	17.74	2.75	clear
SP-5	Y	Y	11/5/24	1355	8.02	365.63	145.0	8.01	18.86	4.95	clear
SP-7	Y	Y	11/5/24	1135	8.19	110.56	128.0	7.25	17.83	35.48	turbid
TSP-1	Y	Y	11/5/24	~~1228~~ 1230	7.27	271.88	222.0	7.56	17.50	15.46	clayey
TSP-2	Y	Y	11/5/24	1245	8.22	174.13	189.8	8.08	18.28	0.80	clear
TSP-3	Y	Y	11/5/24	1305	7.31	351.91	74.7	7.80	17.39	6.30	clear
~~TSP-4~~ SP-4	Y	Y	11/5/24	1335	4.73	389.38	26.0	6.76	18.05	13.58	clear

Sampling Data

Sampler(s):											
Laboratory Analysis:	See report						# Bottles:	9	Preservative:	Varies	
Comments:											

Appendix B

Laboratory Analytical Results

Page Intentionally Blank



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

25 November 2024

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205

Project: NABORS Landfill Sample(s)
Project Number: November 2024
SDG Number: 2411176

Enclosed are the results of analyses for samples received by the laboratory on 07-Nov-24 10:22. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Received On Ice	✓
Temperature on Receipt	1.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

CASE NARRATIVE

Sample Delivery Group – 2411176

One OR more of the qualifiers described below may appear in this report. Qualifiers in RED apply to this SDG (Sample Delivery Group).

SAMPLE RECEIPT QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
ET	Samples received above required temperature (6°C).
ET	Samples received above required temperature.
	Although collected and received the same day, no ice was present to indicate the cooling preservation was attempted.
E2	Result qualified as it was received and analyzed outside of holding time. Analysis is considered a "Field" analysis.
E2	Result qualified as it was received and/or analyzed outside of holding time.
E3	Result qualified as it was received in the incorrect container and/or preservation.

ANALYTICAL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).
HS-1	Estimated result due to headspace in vial(s) received. Insufficient number of vial(s) WITHOUT headspace provided by client.

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-F	Second Source Verification Failure
E7	Internal Standard Response Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

QUALITY CONTROL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01	Surrogate failed to recover within acceptance criteria (%D3/S-01).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control Surrogate failed.

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-01
Sample Name: LE SEEP
Date/Time Collected: 11/5/24 11:20
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	8.04		11/11/24 9:45	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.46		11/11/24 9:45	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.796		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	13.3		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.698		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.300		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	1.33		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	212	E20	11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	1.50		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	17.7		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.56	J	11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.862		11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	10.1	J	11/20/24 13:57	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-01
Sample Name: LE SEEP
Date/Time Collected: 11/5/24 11:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.617	J	11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-01
Sample Name: LE SEEP
Date/Time Collected: 11/5/24 11:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	99.4		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.3		11/11/24 13:37	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	90.0		11/8/24 11:29	B411155	SM 2540 C-2015
TOC	mg/L	4.60		11/11/24 14:00	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-02
Sample Name: Spring A
Date/Time Collected: 11/5/24 12:05
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	8.76		11/11/24 10:07	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	1.04		11/11/24 10:07	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.919		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	9.97		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	0.169	J	11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.059	J	11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.851		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.436		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	1.70		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	337		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	3.23		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	19.8		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.03	J	11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	1.30		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	23.3		11/20/24 14:03	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-02
Sample Name: Spring A
Date/Time Collected: 11/5/24 12:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-02
Sample Name: Spring A
Date/Time Collected: 11/5/24 12:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	101		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.3		11/11/24 14:01	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	81.0		11/8/24 11:29	B411155	SM 2540 C-2015
TOC	mg/L	5.10		11/11/24 14:16	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-03
Sample Name: SP-5
Date/Time Collected: 11/5/24 13:55
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	9.61		11/11/24 10:28	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	7.67		11/11/24 10:28	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.427		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	49.8		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.719		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.093	J	11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	1.25		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	105		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.458		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	1.30	J	11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1, 3.0- 1994
Nickel	ug/L	1.51	J	11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.478		11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	4.90	J	11/20/24 14:09	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01, E20	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00	E20	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-03
Sample Name: SP-5
Date/Time Collected: 11/5/24 13:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E20	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E20, E5	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	0.611	J	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E20	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00	E20	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00	E20	11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-03
Sample Name: SP-5
Date/Time Collected: 11/5/24 13:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	100		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		11/11/24 13:13	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	216		11/8/24 11:29	B411155	SM 2540 C-2015
TOC	mg/L	3.12		11/11/24 14:33	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-04
Sample Name: SP-7
Date/Time Collected: 11/5/24 11:35
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	8.69		11/11/24 10:49	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.34		11/11/24 10:49	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.892		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	17.1		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.649		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.292		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	1.34		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	311		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	1.33		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	59.5		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1, 3.0- 1994
Nickel	ug/L	0.68	J	11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.645		11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	9.65	J	11/20/24 14:15	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number:		2411176-04				
Sample Name:		SP-7				
Date/Time Collected:		11/5/24 11:35				
Sample Matrix:		Water				
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-04
Sample Name: SP-7
Date/Time Collected: 11/5/24 11:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	100		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.7		11/11/24 14:26	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	98.0		11/8/24 11:29	B411155	SM 2540 C-2015
TOC	mg/L	4.22		11/11/24 14:49	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-05
Sample Name: SP-4
Date/Time Collected: 11/5/24 13:35
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	9.00		11/11/24 11:11	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	2.46		11/11/24 11:11	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	8.82		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	60.0		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.289		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.511		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	30.5		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	1.99		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	10700		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.652		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	3050		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	38.4		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	0.784		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.269		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	61.4		11/20/24 14:21	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	3.69		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-05
Sample Name: SP-4
Date/Time Collected: 11/5/24 13:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	0.874	J	11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	0.827	J	11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	1.22		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	0.330	J	11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	5.02	E-01, E5	11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-05
Sample Name: SP-4
Date/Time Collected: 11/5/24 13:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	1.30	J	11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	102		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		11/11/24 14:50	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	211		11/8/24 11:29	B411155	SM 2540 C-2015
TOC	mg/L	3.21		11/11/24 15:06	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-06
Sample Name: TSP-1
Date/Time Collected: 11/5/24 12:30
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	8.94		11/11/24 11:32	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.04		11/11/24 11:32	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.591		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	38.6		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.081	J	11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.691		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.105	J	11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	0.884		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	175		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.867		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	4.46		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.43	J	11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.773		11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	11.0	J	11/20/24 14:27	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-06
Sample Name: TSP-1
Date/Time Collected: 11/5/24 12:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-06
Sample Name: TSP-1
Date/Time Collected: 11/5/24 12:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	98.0		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.2		11/11/24 15:14	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	180		11/8/24 11:29	B411155	SM 2540 C-2015
TOC	mg/L	2.96		11/11/24 16:12	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-07
Sample Name: TSP-2
Date/Time Collected: 11/5/24 12:45
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	9.52		11/11/24 18:39	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.74		11/11/24 11:54	B411184	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.287		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	24.7		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.135	J	11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.665		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.105	J	11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	0.715		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	135		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.244	J	11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	6.85		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.80	J	11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	1.63	J	11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.229	J	11/20/24 16:09	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	29.1		11/20/24 16:09	B411378	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-07
Sample Name: TSP-2
Date/Time Collected: 11/5/24 12:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-07
Sample Name: TSP-2
Date/Time Collected: 11/5/24 12:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	97.5		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.4		11/11/24 15:39	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	103		11/8/24 11:29	B411155	SM 2540 C-2015
TOC	mg/L	1.92		11/11/24 16:31	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-08
Sample Name: TSP-3
Date/Time Collected: 11/5/24 13:05
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	8.66		11/11/24 12:15	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	5.39		11/11/24 12:15	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.465		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	65.5		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.547		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.174	J	11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	1.07		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	132		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.614		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	22.1		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1, 3.0- 1994
Nickel	ug/L	0.45	J	11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.398		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		11/20/24 16:15	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-08
Sample Name: TSP-3
Date/Time Collected: 11/5/24 13:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-08
Sample Name: TSP-3
Date/Time Collected: 11/5/24 13:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	98.8		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.5		11/11/24 16:03	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	209		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	4.23		11/11/24 16:47	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-09
Sample Name: TSP-4
Date/Time Collected: 11/5/24 14:30
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	9.19		11/11/24 14:02	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.32		11/11/24 14:02	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.289		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	19.5		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.568		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.061	J	11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	0.884		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	73.4		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.430		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	2.38		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1, 3.0- 1994
Nickel	ug/L	< 1.56		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.411		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		11/20/24 16:21	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-09
Sample Name: TSP-4
Date/Time Collected: 11/5/24 14:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00	E-01, E5	11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00	E-01	11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00	E-01, E5	11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-09
Sample Name: TSP-4
Date/Time Collected: 11/5/24 14:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	97.2		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		11/11/24 16:27	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	102		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	5.68		11/11/24 17:04	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-10
Sample Name: NE-6
Date/Time Collected: 11/5/24 16:03
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	3.48		11/11/24 14:24	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	44.1		11/11/24 14:24	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.12		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	29.4		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.768		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.732		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.294		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	1.69		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	207		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	1.90		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	10.9		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	5.32		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	0.380		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	1.84	J	11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.051	J	11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	612		11/20/24 16:27	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number:		2411176-10					
Sample Name:		NE-6					
Date/Time Collected:		11/5/24 16:03					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
2-Chlorotoluene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
2-Hexanone	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
4-Chlorotoluene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Acrylonitrile	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Benzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Bromobenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Bromochloromethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Bromodichloromethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Bromoform	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Ethylbenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Isopropylbenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Naphthalene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
m,p-Xylene	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
n-Butylbenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
n-Propylbenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
o-Xylene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
sec-Butylbenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
Styrene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	
tert-Butylbenzene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-10
Sample Name: NE-6
Date/Time Collected: 11/5/24 16:03
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	101		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		11/11/24 16:51	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	342		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/11/24 17:22	B411188	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-11
Sample Name: MW-7
Date/Time Collected: 11/6/24 16:50
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.49		11/11/24 14:45	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	7.30		11/11/24 14:45	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.265		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	31.4		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.045	J	11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.677		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	0.348	J	11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	14.5	J	11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	1.16	J	11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.110	J	11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		11/20/24 16:33	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-11
Sample Name: MW-7
Date/Time Collected: 11/6/24 16:50
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00	E-01, E5	11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00	E-01	11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00	E-01, E5	11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-11
Sample Name: MW-7
Date/Time Collected: 11/6/24 16:50
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	98.8		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.2		11/11/24 17:16	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	299		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 14:44	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-12
Sample Name: EQR#1
Date/Time Collected: 11/5/24 16:05
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	< 0.500		11/11/24 15:05	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		11/11/24 15:05	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	0.092	J	11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.781		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.520		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	168		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	0.544	J	11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		11/20/24 16:39	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-12
Sample Name: EQR#1
Date/Time Collected: 11/5/24 16:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00	E-01, E5	11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00	J	11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	0.624		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00	E-01	11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	0.443	J	11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-12
Sample Name: EQR#1
Date/Time Collected: 11/5/24 16:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	99.6		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.6		11/11/24 17:40	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	< 5.00		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 15:03	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-13
Sample Name: NAB-4
Date/Time Collected: 11/5/24 17:06
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	4.54		11/11/24 15:24	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	50.4		11/11/24 15:24	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	25.0		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	37.2		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	1.53		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.694		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	2.07		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	0.868		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	1040		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	7.59		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	247		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	0.0625	J	11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	9.44		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	0.615		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.153	J	11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	878		11/20/24 16:45	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-13
Sample Name: NAB-4
Date/Time Collected: 11/5/24 17:06
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-13
Sample Name: NAB-4
Date/Time Collected: 11/5/24 17:06
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	101		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.4		11/11/24 18:04	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	488		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 15:17	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-14
Sample Name: EQR#2
Date/Time Collected: 11/6/24 7:40
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	< 0.500		11/11/24 15:44	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		11/11/24 15:44	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	0.134	J	11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.660		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.520		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	58.7		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		11/20/24 16:50	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-14
Sample Name: EQR#2
Date/Time Collected: 11/6/24 7:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	1.03	J	11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	1.96	J	11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	0.526	J	11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-14
Sample Name: EQR#2
Date/Time Collected: 11/6/24 7:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	100		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.8		11/11/24 18:28	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	< 5.00		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 15:40	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-15
Sample Name: MW-6
Date/Time Collected: 11/6/24 8:33
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	13.5		11/11/24 16:03	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	6.32		11/11/24 16:03	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.424		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	46.5		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.344		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.532		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.041	J	11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	0.281	J	11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	30.9	J	11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	1.32	J	11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	0.240		11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.83	J	11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	0.132	J	11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.124	J	11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	140		11/20/24 16:56	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-15
Sample Name: MW-6
Date/Time Collected: 11/6/24 8:33
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-15
Sample Name: MW-6
Date/Time Collected: 11/6/24 8:33
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.3		11/11/24 18:53	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	408		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	1.06		11/12/24 15:55	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-16
Sample Name: MW-5
Date/Time Collected: 11/6/24 9:43
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	6.48		11/11/24 16:23	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	8.78		11/11/24 16:23	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.563		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	40.0		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.148	J	11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.694		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	0.246	J	11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	19.5	J	11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.168	J	11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	0.787	J	11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	0.182	J	11/11/24 14:38	B411201	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.09	J	11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	0.136	J	11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.116	J	11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	137		11/20/24 17:02	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-16
Sample Name: MW-5
Date/Time Collected: 11/6/24 9:43
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5, J	11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	0.385		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-16
Sample Name: MW-5
Date/Time Collected: 11/6/24 9:43
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.3		11/11/24 19:17	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	467		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 16:13	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-17
Sample Name: MW-4
Date/Time Collected: 11/6/24 10:38
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	7.42		11/11/24 16:42	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	16.5		11/11/24 16:42	B411184	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.465		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	43.5		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.870		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	1.10		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.079	J	11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	0.930		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	1990		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.217	J	11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	9.00		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.32	J	11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	0.176	J	11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.080	J	11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	230		11/20/24 18:07	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-17
Sample Name: MW-4
Date/Time Collected: 11/6/24 10:38
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-17
Sample Name: MW-4
Date/Time Collected: 11/6/24 10:38
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.0		11/11/24 19:41	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		11/13/24 8:57	B411244	SM 4500-S2 D-2011
TDS	mg/L	415		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 17:20	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-18
Sample Name: MW-3
Date/Time Collected: 11/6/24 11:42
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	37.0		11/11/24 17:02	B411184	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	36.2		11/11/24 17:02	B411184	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.815		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	85.6		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	3.35		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.589		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.204	J	11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	2.71		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	42.7	J	11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.409	J	11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	8.84		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	21.5		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	0.756		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.590		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	399		11/20/24 18:13	B411378	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-18
Sample Name: MW-3
Date/Time Collected: 11/6/24 11:42
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-18
Sample Name: MW-3
Date/Time Collected: 11/6/24 11:42
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.0		11/11/24 20:05	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	511		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	3.92		11/12/24 17:38	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-19
Sample Name: MW-2
Date/Time Collected: 11/6/24 13:06
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	3.28		11/12/24 9:30	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	12.6		11/12/24 9:30	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	4.05		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	29.4		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.049	J	11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	1.61		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.167	J	11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	0.934		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	4000		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	0.156	J	11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	19.4		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.22	J	11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	1.85	J	11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.390		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	64.7		11/20/24 18:18	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-19
Sample Name: MW-2
Date/Time Collected: 11/6/24 13:06
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-19
Sample Name: MW-2
Date/Time Collected: 11/6/24 13:06
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.5		11/11/24 20:30	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	326		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 18:02	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-20
Sample Name: MW-633D
Date/Time Collected: 11/6/24 14:10
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	12.6		11/12/24 9:50	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	10.4		11/12/24 9:50	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.587		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Barium	ug/L	100		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Cadmium	ug/L	4.88		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Chromium	ug/L	0.850		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.110	J	11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Copper	ug/L	1.07		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Iron	ug/L	214		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Lead	ug/L	1.17		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Manganese	ug/L	13.5		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Mercury	ug/L	0.255		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	9.51		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Thallium	ug/L	0.175	J	11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.487		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
Zinc	ug/L	608		11/20/24 18:24	B411378	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	1.21		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-20
Sample Name: MW-633D
Date/Time Collected: 11/6/24 14:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00	E-01, E5	11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E-01, E5	11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00	E-01	11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01, E5	11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	1.42		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-20
Sample Name: MW-633D
Date/Time Collected: 11/6/24 14:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	102		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.5		11/11/24 20:54	B411169	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:13	B411194	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	341		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 18:20	B411220	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-21
Sample Name: CAO-3
Date/Time Collected: 11/6/24 16:34
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.70		11/12/24 10:09	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	5.72		11/12/24 10:09	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.126	J	11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	32.3		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.539		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.581		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.412	J	11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	14.9	J	11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.126	J	11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	0.758	J	11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.70	J	11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.221	J	11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	22.0		11/21/24 14:47	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-21
Sample Name: CAO-3
Date/Time Collected: 11/6/24 16:34
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-21
Sample Name: CAO-3
Date/Time Collected: 11/6/24 16:34
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	102		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.7		11/12/24 13:07	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	250		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/11/24 19:41	B411186	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-22
Sample Name: CAO-2
Date/Time Collected: 11/6/24 15:18
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	11.2		11/12/24 10:29	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	8.42		11/12/24 10:29	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.462		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	79.9		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.058	J	11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.821		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.128	J	11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.470	J	11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	15.8	J	11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	2.12		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.92	J	11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	0.061	J	11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.278		11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	8.65	J	11/21/24 14:54	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01, E20	11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	0.332	J	11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-22
Sample Name: CAO-2
Date/Time Collected: 11/6/24 15:18
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E20, E5	11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01, E20	11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E20, E5	11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E20, E5	11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-22
Sample Name: CAO-2
Date/Time Collected: 11/6/24 15:18
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.4		11/12/24 12:42	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	393		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	1.38		11/11/24 19:59	B411186	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-23
Sample Name: MW-509D
Date/Time Collected: 11/6/24 14:17
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.51		11/12/24 10:48	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.58		11/12/24 10:48	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.202	J	11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	25.1		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	3.42		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.677		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.303	J	11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	38.6	J	11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.141	J	11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	0.611	J	11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1, 3.0- 1994
Nickel	ug/L	0.87	J	11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.476		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	326		11/21/24 15:00	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	0.527	J	11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-23
Sample Name: MW-509D
Date/Time Collected: 11/6/24 14:17
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	0.780	J	11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	0.249	J	11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-23
Sample Name: MW-509D
Date/Time Collected: 11/6/24 14:17
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.9		11/12/24 13:31	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	245		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/11/24 20:18	B411186	SM 5310/SW-846 9060A

ANALYTICAL RESULTS

Lab Number: 2411176-23RE1
Sample Name: MW-509D
Date/Time Collected: 11/6/24 14:17
Sample Matrix: Water

<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411347	SM 4500-CN B,C,E 2016

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-24
Sample Name: MW-509-DUP
Date/Time Collected: 11/6/24 14:17
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.50		11/12/24 11:07	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.61		11/12/24 11:07	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.182	J	11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	23.8		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	3.25		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.666		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.485	J	11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	34.6	J	11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.125	J	11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.73	J	11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.459		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	318		11/21/24 15:07	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	0.501	J	11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-24
Sample Name: MW-509-DUP
Date/Time Collected: 11/6/24 14:17
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	0.756	J	11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	0.219	J	11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-24
Sample Name: MW-509-DUP
Date/Time Collected: 11/6/24 14:17
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		11/12/24 13:55	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	252		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/11/24 20:36	B411186	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-25
Sample Name: NAB-3
Date/Time Collected: 11/6/24 10:30
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	3.38		11/12/24 11:27	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	16.8		11/12/24 11:27	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.435		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	34.5		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.713		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.544		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.041	J	11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.533		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	18.1		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.63		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	0.082	J	11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.104	J	11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	178		11/21/24 16:18	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trimethylbenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,3,5-Trimethylbenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-25
Sample Name: NAB-3
Date/Time Collected: 11/6/24 10:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-25
Sample Name: NAB-3
Date/Time Collected: 11/6/24 10:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.9		11/12/24 14:19	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	361		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/11/24 20:55	B411186	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-26
Sample Name: MW-689
Date/Time Collected: 11/6/24 9:35
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.90		11/12/24 11:46	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	10.3		11/13/24 9:13	B411236	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.16		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	27.6		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.091	J	11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.511		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.092	J	11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.629		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	162		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.751		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	2.87		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.97	J	11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	0.040	J	11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.426		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	40.9		11/21/24 16:25	B411419	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-26
Sample Name: MW-689
Date/Time Collected: 11/6/24 9:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-26
Sample Name: MW-689
Date/Time Collected: 11/6/24 9:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	98.6		11/12/24 14:44	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	325		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	< 1.00		11/11/24 21:13	B411186	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-27
Sample Name: NAB-7
Date/Time Collected: 11/6/24 12:05
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.32		11/12/24 13:24	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	15.4		11/12/24 13:24	B411236	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.657	J	11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	31.7		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	19.8		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	0.121	J	11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.107	J	11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.591		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	2.57		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.597		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	4610		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	24.8		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	24.9		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	8.06		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.729		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	68.9		11/21/24 16:31	B411419	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	0.497	J	11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-27
Sample Name: NAB-7
Date/Time Collected: 11/6/24 12:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	0.860	J	11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	0.294	J	11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-27
Sample Name: NAB-7
Date/Time Collected: 11/6/24 12:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	106		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		11/12/24 15:08	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	265		11/14/24 15:52	B411208	SM 2540 C-2015
TOC	mg/L	2.79		11/11/24 21:32	B411186	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-28
Sample Name: CAO-1
Date/Time Collected: 11/6/24 13:25
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	50.2		11/13/24 9:33	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	4.05		11/12/24 13:43	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	31.7		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	334		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	0.168	J	11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.090	J	11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.574		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	7.08		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	1.99		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	24600		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.817		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	611		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	14.7		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	0.037	J	11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.930		11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	17.8	J	11/21/24 16:38	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	2.61		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	0.910	J	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number:		2411176-28					
Sample Name:		CAO-1					
Date/Time Collected:		11/6/24 13:25					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,3-Dichlorobenzene	ug/L	4.77		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
1,4-Dichlorobenzene	ug/L	4.52		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
2-Chlorotoluene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
2-Hexanone	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
4-Chlorotoluene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Acrolein	ug/L	< 4.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Acrylonitrile	ug/L	2.15	E-01, E5	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Benzene	ug/L	5.37		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Bromobenzene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Bromochloromethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Bromodichloromethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Bromoform	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	0.698	J	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	3.02		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	1.01	J	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Ethylbenzene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Isopropylbenzene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Methyl-tert-Butyl Ether	ug/L	37.7	E-01, E5	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Naphthalene	ug/L	0.131	J	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
m,p-Xylene	ug/L	1.54	J	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
n-Butylbenzene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
n-Propylbenzene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
o-Xylene	ug/L	0.559	J	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
sec-Butylbenzene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	
Styrene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-28
Sample Name: CAO-1
Date/Time Collected: 11/6/24 13:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	0.272	J	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	0.906	J	11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		11/12/24 15:32	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	580		11/14/24 15:56	B411211	SM 2540 C-2015
TOC	mg/L	7.81		11/11/24 21:48	B411186	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-29
Sample Name: NE-3
Date/Time Collected: 11/6/24 8:40
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.55		11/12/24 14:02	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	14.1		11/12/24 14:02	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.439		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	112		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.165	J	11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.597		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.254	J	11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.311	J	11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	19.9	J	11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	5.42		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:20	B411222	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	2.02		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	0.073	J	11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.258	J	11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	47.2		11/21/24 16:44	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-29
Sample Name: NE-3
Date/Time Collected: 11/6/24 8:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-29
Sample Name: NE-3
Date/Time Collected: 11/6/24 8:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	101		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		11/12/24 15:57	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	292		11/14/24 15:56	B411211	SM 2540 C-2015
TOC	mg/L	< 1.00		11/11/24 22:11	B411186	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-30
Sample Name: Trip Blank
Date/Time Collected: 11/7/24 10:22
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

ANALYTICAL RESULTS

Lab Number: 2411176-30
Sample Name: Trip Blank
Date/Time Collected: 11/7/24 10:22
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	103		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		11/12/24 16:21	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

QUALITY CONTROL RESULTS**Wet Chemistry -- Batch: B411155 (Water)**

Prepared: 08-Nov-24 11:29 By: MB -- Analyzed: 08-Nov-24 11:29 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TDS	<5.00 mg/L	108% / 99.3%	NA / NA		8.36%	

Volatiles -- Batch: B411169 (Water)

Prepared: 08-Nov-24 14:07 By: jb -- Analyzed: 11-Nov-24 12:48 By: jb

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	97.1% / 98.2%	85.1% / NA		1.08%	
1,1,1-Trichloroethane	<0.261 ug/L	111% / 112%	90.3% / NA		1.13%	
1,1,2,2-Tetrachloroethane	<0.274 ug/L	110% / 109%	107% / NA		1.42%	
1,1,2-Trichloroethane	<0.210 ug/L	102% / 100%	94.0% / NA		2.12%	
1,1-Dichloroethane	<0.248 ug/L	105% / 106%	88.7% / NA		0.606%	
1,1-Dichloroethene	<0.303 ug/L	114% / 112%	89.6% / NA		1.54%	
1,1-Dichloropropene	<0.322 ug/L	108% / 110%	84.9% / NA		1.91%	
1,2,3-Trichlorobenzene	<0.186 ug/L	73.3% / 75.7%	MBI / NA		3.14%	E-01, MBI
1,2,3-Trichloropropane	<0.471 ug/L	104% / 109%	104% / NA		4.66%	
1,2,4- Trimethylbenzene	<0.210 ug/L	101% / 104%	85.0% / NA		2.28%	
1,2,4-Trichlorobenzene	<0.139 ug/L	80.8% / 81.9%	MBI / NA		1.29%	MBI
1,2-Dibromo-3-chloropropane	<0.784 ug/L	116% / 108%	103% / NA		7.90%	
1,2-Dibromoethane	<0.250 ug/L	107% / 106%	98.3% / NA		0.919%	
1,2-Dichlorobenzene	<0.173 ug/L	99.7% / 101%	86.6% / NA		1.68%	
1,2-Dichloroethane	<0.235 ug/L	98.6% / 99.4%	90.0% / NA		0.825%	
1,2-Dichloropropane	<0.259 ug/L	99.4% / 97.9%	85.3% / NA		1.58%	
1,3,5- Trimethylbenzene	<0.237 ug/L	103% / 104%	85.0% / NA		1.17%	
1,3-Dichlorobenzene	<0.220 ug/L	103% / 104%	86.6% / NA		0.881%	
1,3-Dichloropropane	<0.152 ug/L	102% / 101%	96.7% / NA		0.757%	
1,4-Dichlorobenzene	<0.158 ug/L	102% / 104%	86.7% / NA		2.53%	
2,2-Dichloropropane	<0.389 ug/L	170% / 168%	124% / NA		1.26%	%D2, E-01
2-Butanone	<0.461 ug/L	106% / 101%	96.7% / NA		4.82%	
2-Chloroethyl Vinyl Ether	<0.261 ug/L	97.4% / 116%	MBI / NA		17.1%	MBI
2-Chlorotoluene	<0.298 ug/L	106% / 107%	87.6% / NA		1.35%	
2-Hexanone	<0.372 ug/L	96.0% / 92.9%	94.0% / NA		3.30%	
4-Chlorotoluene	<0.282 ug/L	108% / 110%	88.4% / NA		1.33%	
4-Methyl-2-pentanone	<0.281 ug/L	98.5% / 95.2%	95.3% / NA		3.37%	
Acrolein	<1.00 ug/L	92.0% / 91.2%	73.3% / NA		0.900%	
Acrylonitrile	<0.600 ug/L	210% / 204%	MBI / NA		2.77%	%D2, E-01, MBI
Benzene	<0.263 ug/L	109% / 109%	89.6% / NA		0.160%	
Bromobenzene	<0.207 ug/L	107% / 107%	91.2% / NA		0.546%	
Bromochloromethane	<0.301 ug/L	97.8% / 101%	88.1% / NA		2.91%	
Bromodichloromethane	<0.195 ug/L	102% / 102%	90.9% / NA		0.339%	
Bromoform	<0.278 ug/L	95.8% / 93.4%	86.8% / NA		2.53%	
Bromomethane	<0.600 ug/L	94.8% / 93.8%	72.5% / NA		1.02%	
Carbon disulfide	<0.300 ug/L	103% / 103%	76.7% / NA		0.496%	
Carbon Tetrachloride	<0.484 ug/L	93.1% / 93.7%	74.7% / NA		0.606%	
Chlorobenzene	<0.181 ug/L	104% / 105%	87.4% / NA		1.07%	
Chloroethane	<0.600 ug/L	101% / 103%	80.2% / NA		2.45%	
Chloroform	<0.600 ug/L	109% / 109%	90.1% / NA		0.0188%	
Chloromethane	<0.300 ug/L	102% / 103%	79.7% / NA		0.692%	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

QUALITY CONTROL RESULTS**Volatiles -- Batch: B411169 (Water)****Prepared: 08-Nov-24 14:07 By: jb -- Analyzed: 11-Nov-24 12:48 By: jb**

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
cis-1,2-Dichloroethene	<0.290 ug/L	107% / 109%	86.8% / NA		1.58%	
cis-1,3-Dichloropropene	<0.123 ug/L	110% / 109%	93.7% / NA		1.28%	
Dibromochloromethane	<0.202 ug/L	103% / 99.2%	92.8% / NA		3.73%	
Dibromomethane	<0.174 ug/L	105% / 103%	93.1% / NA		2.10%	
Dichlorodifluoromethane	<0.266 ug/L	96.3% / 99.9%	73.7% / NA		3.71%	
Ethylbenzene	<0.274 ug/L	104% / 104%	84.6% / NA		0.00211%	
Hexachlorobutadiene	<0.247 ug/L	79.0% / 78.4%	MBI / NA		0.709%	E-01, MBI
Isopropylbenzene	<0.274 ug/L	108% / 109%	87.3% / NA		1.09%	
m,p-Xylene	<0.500 ug/L	103% / 104%	84.4% / NA		0.994%	
Methylene Chloride	<0.600 ug/L	104% / 106%	89.3% / NA		1.16%	
Methyl-tert-Butyl Ether	<0.166 ug/L	139% / 136%	122% / NA		2.11%	E-01, %D2
Naphthalene	<0.114 ug/L	98.4% / 96.1%	88.1% / NA		2.45%	
n-Butylbenzene	<0.174 ug/L	94.8% / 96.0%	MBI / NA		1.29%	MBI
n-Propylbenzene	<0.284 ug/L	105% / 106%	82.8% / NA		1.51%	
o-Xylene	<0.206 ug/L	100% / 102%	86.4% / NA		1.18%	
p-Isopropyltoluene	<0.301 ug/L	98.7% / 101%	MBI / NA		2.24%	MBI
sec-Butylbenzene	<0.181 ug/L	100% / 101%	79.3% / NA		1.00%	
Styrene	<0.175 ug/L	101% / 103%	87.4% / NA		1.95%	
tert-Butylbenzene	<0.194 ug/L	102% / 104%	83.5% / NA		2.30%	
Tetrachloroethene	<0.268 ug/L	105% / 107%	86.6% / NA		1.58%	
Toluene	<0.295 ug/L	106% / 105%	88.0% / NA		1.15%	
trans-1,2-Dichloroethene	<0.320 ug/L	109% / 108%	85.0% / NA		0.669%	
trans-1,3-Dichloropropene	<0.155 ug/L	109% / 107%	96.6% / NA		1.83%	
Trichloroethene	<0.306 ug/L	108% / 109%	83.7% / NA		0.975%	
Trichlorofluoromethane	<0.423 ug/L	105% / 107%	82.6% / NA		2.49%	
Vinyl chloride	<0.369 ug/L	94.1% / 95.7%	72.4% / NA		1.66%	
1,2-Dichloroethane-d4 [surr]	95.8 %	101% / 97.5%	100% / NA		NA	
4-Bromofluorobenzene [surr]	104 %	104% / 104%	104% / NA		NA	
Toluene-d8 [surr]	98.8 %	99.8% / 98.8%	100% / NA		NA	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

QUALITY CONTROL RESULTS**Volatiles -- Batch: B411180 (Water)**

Prepared: 08-Nov-24 15:07 By: jb -- Analyzed: 12-Nov-24 11:54 By: jb

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	98.4%	/ 99.1%	95.2%	/ NA		0.722%	
1,1,1-Trichloroethane	<0.261 ug/L	114%	/ 117%	119%	/ NA		2.77%	
1,1,2,2-Tetrachloroethane	<0.274 ug/L	104%	/ 105%	105%	/ NA		1.11%	
1,1,2-Trichloroethane	<0.210 ug/L	103%	/ 101%	98.4%	/ NA		1.33%	
1,1-Dichloroethane	<0.248 ug/L	110%	/ 114%	112%	/ NA		3.90%	
1,1-Dichloroethene	<0.303 ug/L	118%	/ 120%	119%	/ NA		1.38%	
1,1-Dichloropropene	<0.322 ug/L	113%	/ 117%	117%	/ NA		2.95%	
1,2,3-Trichlorobenzene	<0.186 ug/L	78.0%	/ 79.0%	MBI	/ NA		1.38%	MBI
1,2,3-Trichloropropane	<0.471 ug/L	108%	/ 110%	102%	/ NA		1.96%	
1,2,4-Trimethylbenzene	<0.210 ug/L	106%	/ 108%	104%	/ NA		1.02%	
1,2,4-Trichlorobenzene	<0.139 ug/L	80.4%	/ 83.9%	80.3%	/ NA		4.33%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	106%	/ 107%	101%	/ NA		0.521%	
1,2-Dibromoethane	<0.250 ug/L	103%	/ 104%	101%	/ NA		0.901%	
1,2-Dichlorobenzene	<0.173 ug/L	103%	/ 102%	101%	/ NA		0.684%	
1,2-Dichloroethane	<0.235 ug/L	101%	/ 102%	98.4%	/ NA		1.02%	
1,2-Dichloropropane	<0.259 ug/L	102%	/ 105%	102%	/ NA		2.23%	
1,3,5-Trimethylbenzene	<0.237 ug/L	109%	/ 108%	107%	/ NA		0.357%	
1,3-Dichlorobenzene	<0.220 ug/L	106%	/ 106%	104%	/ NA		0.140%	
1,3-Dichloropropane	<0.152 ug/L	103%	/ 102%	101%	/ NA		0.284%	
1,4-Dichlorobenzene	<0.158 ug/L	104%	/ 104%	103%	/ NA		0.369%	
2,2-Dichloropropane	<0.389 ug/L	175%	/ 174%	MBI	/ NA		0.808%	%D2, MBI
2-Butanone	<0.461 ug/L	99.8%	/ 103%	96.0%	/ NA		3.20%	
2-Chloroethyl Vinyl Ether	<0.261 ug/L	63.7%	/ 71.0%	MBI	/ NA		10.9%	MBI
2-Chlorotoluene	<0.298 ug/L	109%	/ 110%	106%	/ NA		1.38%	
2-Hexanone	<0.372 ug/L	93.7%	/ 94.1%	90.7%	/ NA		0.474%	
4-Chlorotoluene	<0.282 ug/L	110%	/ 110%	107%	/ NA		0.121%	
4-Methyl-2-pentanone	<0.281 ug/L	94.6%	/ 97.4%	94.3%	/ NA		2.98%	
Acrolein	<1.00 ug/L	83.5%	/ 90.2%	83.3%	/ NA		7.78%	
Acrylonitrile	<0.600 ug/L	201%	/ 209%	MBI	/ NA		3.73%	%D2, MBI
Benzene	<0.263 ug/L	112%	/ 113%	112%	/ NA		1.10%	
Bromobenzene	<0.207 ug/L	107%	/ 106%	103%	/ NA		0.578%	
Bromochloromethane	<0.301 ug/L	98.6%	/ 99.7%	98.7%	/ NA		1.13%	
Bromodichloromethane	<0.195 ug/L	104%	/ 101%	101%	/ NA		3.10%	
Bromoform	<0.278 ug/L	93.5%	/ 93.9%	90.0%	/ NA		0.445%	
Bromomethane	<0.600 ug/L	99.4%	/ 105%	101%	/ NA		5.61%	
Carbon disulfide	<0.300 ug/L	109%	/ 111%	108%	/ NA		1.87%	
Carbon Tetrachloride	<0.484 ug/L	101%	/ 105%	106%	/ NA		3.66%	
Chlorobenzene	<0.181 ug/L	107%	/ 107%	106%	/ NA		0.385%	
Chloroethane	<0.600 ug/L	110%	/ 111%	109%	/ NA		0.346%	
Chloroform	<0.600 ug/L	108%	/ 111%	110%	/ NA		3.22%	
Chloromethane	<0.300 ug/L	106%	/ 105%	103%	/ NA		1.08%	
cis-1,2-Dichloroethene	<0.290 ug/L	107%	/ 110%	108%	/ NA		2.87%	
cis-1,3-Dichloropropene	<0.123 ug/L	110%	/ 109%	107%	/ NA		0.688%	
Dibromochloromethane	<0.202 ug/L	102%	/ 99.0%	95.8%	/ NA		3.11%	
Dibromomethane	<0.174 ug/L	104%	/ 102%	100%	/ NA		1.76%	
Dichlorodifluoromethane	<0.266 ug/L	104%	/ 105%	106%	/ NA		1.00%	
Ethylbenzene	<0.274 ug/L	109%	/ 109%	108%	/ NA		0.400%	
Hexachlorobutadiene	<0.247 ug/L	78.3%	/ 77.8%	77.9%	/ NA		0.645%	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

QUALITY CONTROL RESULTS**Volatiles -- Batch: B411180 (Water)**

Prepared: 08-Nov-24 15:07 By: jb -- Analyzed: 12-Nov-24 11:54 By: jb

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Isopropylbenzene	<0.274 ug/L	113% / 114%	112% / NA		1.03%	
m,p-Xylene	<0.500 ug/L	108% / 107%	106% / NA		0.470%	
Methylene Chloride	<0.600 ug/L	103% / 106%	103% / NA		2.31%	
Methyl-tert-Butyl Ether	<0.166 ug/L	132% / 137%	MBI / NA		3.58%	%D2, MBI
Naphthalene	<0.114 ug/L	94.5% / 97.6%	91.1% / NA		3.22%	
n-Butylbenzene	<0.174 ug/L	100% / 99.8%	97.8% / NA		0.545%	
n-Propylbenzene	<0.284 ug/L	109% / 110%	109% / NA		0.101%	
o-Xylene	<0.206 ug/L	107% / 106%	103% / NA		1.37%	
p-Isopropyltoluene	<0.301 ug/L	104% / 104%	104% / NA		0.655%	
sec-Butylbenzene	<0.181 ug/L	107% / 109%	106% / NA		1.74%	
Styrene	<0.175 ug/L	107% / 106%	91.4% / NA		1.09%	
tert-Butylbenzene	<0.194 ug/L	109% / 110%	108% / NA		0.982%	
Tetrachloroethene	<0.268 ug/L	113% / 115%	109% / NA		2.09%	
Toluene	<0.295 ug/L	110% / 109%	109% / NA		0.802%	
trans-1,2-Dichloroethene	<0.320 ug/L	110% / 115%	111% / NA		5.00%	
trans-1,3-Dichloropropene	<0.155 ug/L	107% / 107%	103% / NA		0.0215%	
Trichloroethene	<0.306 ug/L	113% / 113%	108% / NA		0.651%	
Trichlorofluoromethane	<0.423 ug/L	118% / 119%	117% / NA		0.955%	
Vinyl chloride	<0.369 ug/L	105% / 105%	105% / NA		0.301%	
1,2-Dichloroethane-d4 [surr]	101 %	99.2% / 102%	101% / NA		NA	
4-Bromofluorobenzene [surr]	102 %	102% / 103%	103% / NA		NA	
Toluene-d8 [surr]	98.9 %	101% / 99.9%	99.9% / NA		NA	

Anions -- Batch: B411184 (Water)

Prepared: 11-Nov-24 08:14 By: MB -- Analyzed: 11-Nov-24 19:57 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Chloride	<0.500 mg/L	95.8% / NA	94.0% / 94.2%		0.182%	
Sulfate as SO4	<0.500 mg/L	91.2% / NA	90.6% / 90.7%		0.0732%	

Wet Chemistry -- Batch: B411186 (Water)

Prepared: 11-Nov-24 08:28 By: CT -- Analyzed: 11-Nov-24 18:43 By: CT

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TOC	<1.00 mg/L	99.0% / NA	107% / 107%		0.289%	

Wet Chemistry -- Batch: B411188 (Water)

Prepared: 11-Nov-24 08:31 By: CT -- Analyzed: 11-Nov-24 13:43 By: CT

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TOC	<1.00 mg/L	102% / NA	97.3% / 102%		2.63%	

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: B411194 (Water)

Prepared: 11-Nov-24 12:13 By: KJ -- Analyzed: 11-Nov-24 12:13 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Cyanide (total)	<0.010 mg/L	100% / 96.0%	100% / NA		4.08%	

Wet Chemistry -- Batch: B411195 (Water)

Prepared: 11-Nov-24 12:15 By: KJ -- Analyzed: 11-Nov-24 12:15 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Cyanide (total)	<0.010 mg/L	97.0% / 97.0%	88.0% / NA		0.00%	

Total Metals -- Batch: B411201 (Water)

Prepared: 11-Nov-24 14:38 By: JY -- Analyzed: 11-Nov-24 14:38 By: JY

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Mercury	<0.0610 ug/L	86.6% / NA	88.4% / 85.7%		3.04%	

Wet Chemistry -- Batch: B411208 (Water)

Prepared: 12-Nov-24 08:11 By: ST -- Analyzed: 14-Nov-24 15:52 By: KW

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TDS	<5.00 mg/L	93.3% / 113%	NA / NA		19.4%	

Wet Chemistry -- Batch: B411211 (Water)

Prepared: 12-Nov-24 11:25 By: ST -- Analyzed: 14-Nov-24 15:56 By: KW

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TDS	<5.00 mg/L	96.7% / 109%	NA / NA		12.3%	

Wet Chemistry -- Batch: B411220 (Water)

Prepared: 12-Nov-24 10:45 By: CT -- Analyzed: 12-Nov-24 14:26 By: CT

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TOC	<1.00 mg/L	104% / NA	95.8% / 98.5%		2.36%	

Total Metals -- Batch: B411222 (Water)

Prepared: 12-Nov-24 11:20 By: JY -- Analyzed: 12-Nov-24 11:20 By: JY

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Mercury	<0.0610 ug/L	101% / NA	93.5% / 95.0%		1.59%	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

QUALITY CONTROL RESULTS**Anions -- Batch: B411236 (Water)**

Prepared: 12-Nov-24 09:30 By: MB -- Analyzed: 13-Nov-24 08:53 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Chloride	<0.500 mg/L	95.8% / NA	103% / 99.9%		1.37%	
Sulfate as SO4	<0.500 mg/L	91.2% / NA	96.4% / 94.0%		1.60%	

Wet Chemistry -- Batch: B411244 (Water)

Prepared: 13-Nov-24 08:57 By: KJ -- Analyzed: 13-Nov-24 08:57 By: KJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Sulfide	<0.150 mg/L	101% / 102%	95.0% / NA		0.985%	

Wet Chemistry -- Batch: B411273 (Water)

Prepared: 14-Nov-24 09:00 By: KJ -- Analyzed: 14-Nov-24 09:00 By: KJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Sulfide	<0.150 mg/L	105% / 102%	102% / NA		3.39%	

Wet Chemistry -- Batch: B411347 (Water)

Prepared: 18-Nov-24 08:58 By: KJ -- Analyzed: 18-Nov-24 08:58 By: KJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.005 mg/L	99.0% / 105%	93.0% / NA		5.88%	

Total Metals -- Batch: B411378 (Water)

Prepared: 19-Nov-24 13:57 By: ST -- Analyzed: 20-Nov-24 13:52 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	93.8% / NA	91.1% / 93.7%		2.78%	
Arsenic	<0.052 ug/L	98.9% / NA	101% / 100%		0.961%	
Barium	<0.078 ug/L	101% / NA	102% / 100%		0.881%	
Beryllium	<0.074 ug/L	101% / NA	104% / 102%		2.05%	
Cadmium	<0.038 ug/L	96.7% / NA	97.2% / 96.3%		0.890%	
Chromium	<0.0751 ug/L	100% / NA	96.4% / 94.3%		2.23%	
Cobalt	<0.035 ug/L	101% / NA	99.9% / 101%		0.910%	
Copper	<0.149 ug/L	99.0% / NA	99.7% / 98.7%		0.923%	
Iron	<13.8 ug/L	108% / NA	142% / 277%		21.4%	%D1
Lead	<0.115 ug/L	105% / NA	102% / 103%		1.72%	
Manganese	<0.423 ug/L	97.1% / NA	101% / 98.8%		1.90%	
Nickel	<0.42 ug/L	100% / NA	102% / 99.6%		2.41%	
Selenium	<1.50 ug/L	94.7% / NA	87.4% / 95.1%		8.37%	
Silver	<0.099 ug/L	99.8% / NA	99.4% / 99.1%		0.267%	
Thallium	<0.035 ug/L	104% / NA	104% / 104%		0.473%	
Tin	<1.62 ug/L	101% / NA	92.2% / 91.2%		1.02%	
Vanadium	<0.042 ug/L	101% / NA	101% / 100%		1.03%	
Zinc	<4.89 ug/L	95.7% / NA	106% / 98.7%		5.97%	

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 07-Nov-24 10:22

QUALITY CONTROL RESULTS

Total Metals -- Batch: B411419 (Water)

Prepared: 20-Nov-24 17:02 By: ST -- Analyzed: 21-Nov-24 14:28 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	98.0% / NA	98.4% / 96.9%		1.48%	
Arsenic	<0.052 ug/L	93.5% / NA	93.4% / 92.2%		1.26%	
Barium	<0.078 ug/L	97.9% / NA	93.5% / 94.4%		0.574%	
Beryllium	<0.074 ug/L	99.1% / NA	91.6% / 92.9%		1.42%	
Cadmium	<0.038 ug/L	105% / NA	101% / 99.3%		1.62%	
Chromium	<0.0751 ug/L	101% / NA	94.9% / 94.9%		0.0972%	
Cobalt	<0.035 ug/L	103% / NA	100% / 99.8%		0.526%	
Copper	<0.149 ug/L	104% / NA	98.3% / 99.6%		1.36%	
Iron	<13.8 ug/L	107% / NA	120% / 114%		3.94%	
Lead	<0.115 ug/L	102% / NA	98.0% / 98.0%		0.0706%	
Manganese	<0.423 ug/L	102% / NA	101% / 101%		0.0262%	
Nickel	<0.42 ug/L	94.5% / NA	88.6% / 87.2%		1.58%	
Selenium	<1.50 ug/L	104% / NA	96.2% / 104%		7.67%	
Silver	<0.099 ug/L	102% / NA	102% / 101%		0.232%	
Thallium	<0.035 ug/L	102% / NA	99.2% / 99.6%		0.398%	
Tin	<1.62 ug/L	101% / NA	97.1% / 96.9%		0.185%	
Vanadium	<0.042 ug/L	100% / NA	95.5% / 95.2%		0.363%	
Zinc	<4.89 ug/L	108% / NA	112% / 105%		4.60%	

QUALIFIER(S)

- *%D1: Matrix Spike and/or Matrix Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
- *%D2: Laboratory Control Spike and/or Laboratory Control Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
- *E-01: Estimated Result; This Analyte Failed "High" in the CCV; If the sample is non-detect for this analyte, the CCV demonstrated the analyte would have been detected were it present.
- *E2: Estimated Result; Analyzed Outside of Holding Time
- *E20: Estimated Result Due to Matrix Spike and/or Matrix Spike Duplicate Failure; This sample was used as the "parent sample" in MS/MSD prep.
- *E5: Estimated Result Due to Quality Control Failure
- *J: Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- *MBI: Masked By Interference

All Analysis performed according to EPA approved methodology when available :

SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.

Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

A handwritten signature in blue ink, reading "Norma James", is written over a horizontal line.

Reviewed by:

Norma James
Technical Director



A **Terracon** Company

Harbor Environmental & Safety • 5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone: 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:														
Harbor Environmental & Safety			NABORS Landfill			1 Day (100%)		1. Cool, 6 Degrees Centigrade					4. Thiosulfate for Dechlorination									
5800 Evergreen Dr.						2 Day (50%)		2. Sulfuric Acid (H ₂ SO ₄), pH < 2					5. Hydrochloric Acid(HCl)									
Little Rock, AR 72205			Reporting Information			3 Day (25%)		3. Nitric Acid (HNO ₃), pH < 2					6. Sodium Hydroxide (NaOH), pH > 12									
			Telephone: 501-663-8800			5 Day (Routine)		TEST PARAMETERS										Bottle Type Code				
Attn: Tom Huetter			Email: thuetter@harborenv.com			Preservative Code:		1,5	1	1,6	1,6,Zn Acetate	1,5	1,3					G = Glass; P = Plastic				
						Bottle Type:		GV	P	P	P	GV	P					V = Septum; A = Amber				
Sampler(s) Signature			Sampler(s) Printed					Volatiles		Chloride, Sulfate, TDS		Cyanide		Sulfide		TOC		ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg		Arkansas Analytical Work Order Number:		
Field Number		SAMPLE COLLECTION Date/s Time/s		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION														
EQR#1		11/5/24 16:05		X		9	Water	EQUIPMENT RINSE #1		X	X	X	X	X	X						2411176	
NAB-4		11/5/24 17:06		X		9	Water	NAB-4		X	X	X	X	X	X						12	
EQR#2		11/6/24 7:40		X		9	Water	EQUIPMENT RINSE #2		X	X	X	X	X	X						13	
MW-6		11/6/24 8:33		X		9	Water	MW-6		X	X	X	X	X	X						14	
MW-5		11/6/24 9:43		X		9	Water	MW-5		X	X	X	X	X	X						15	
MW-4		11/6/24 10:38		X		9	Water	MW-4		X	X	X	X	X	X						16	
MW-3		11/6/24 11:42		X		9	Water	MW-3		X	X	X	X	X	X						17	
MW-2		11/6/24 13:06		X		9	Water	MW-2		X	X	X	X	X	X						18	
MW-6330		11/6/24 14:10		X		9	Water	MW-6330		X	X	X	X	X	X						19	
				X		9	Water			X	X	X	X	X	X						20	
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB			REMARKS / SAMPLE COMMENTS										
[Signature]			11/6/24			[Signature] 11/6/24 1600			1. CUSTODY SEALS: Yes No													
									2. CONTAINERS CORRECT: Yes No													
									3. COC/LABELS AGREE: Yes No													
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			4. RECEIVED ON ICE: Yes No													
[Signature]			11/6/24 1023			[Signature]			5. TEMPERATURE ON RECEIPT: 1 °C													
									6. TEMPERATURE GUN ID: HHT# 5													
													FOR COMPLETION BY LAB ONLY									



A Terracon Company

CHAIN-OF-CUSTODY

PROJECT NAME: NABORS Landfill GW Sampling		Turnaround Time:		Preservation Codes:								Sample Matrix Code			
PROJECT NUMBER: L8237299 - Task 03		24 Hour		1. Cool, 4° C				4. Thiosulfate for dechlorination				S = Soil			
		48 Hour		2. Sulfuric acid (H ₂ SO ₄), pH <2				5. Hydrochloric acid (HCl)				W = Water			
DESCRIPTION:		72 Hour		3. Nitric acid (HNO ₃), pH <2				6. Sodium hydroxide (NaOH), pH >12				Bottle Type Code			
		Routine (five day)		ANALYTICAL PARAMETERS								G = Glass			
SEND REPORT TO: Tom Huetter		Preservative Code:		1, 5	1, 5	1, 3	1	1, 6	1, 6					V = Septum	
Phone: 501-663-8800 Email: thuetter@harborenv.com		Bottle Type:		G	G	P	P	P	P					A = Amber	
Sampler Name (printed): Caleb Garby		Sampler Signature:													
SAMPLE NUMBER	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/DESCRIPTION		Volatiles	TOC	Total Metals	Chloride/Sulfate/TOC	Cyanide	Sulfide	LAB IDENTIFICATION
CAO-3	11/6/24	1634	X		9	W		X	X	X	X	X	X		21
CAO-2	11/6/24	1518						X	X	X	X	X	X		22
MW-509D	11/6/24	1417						X	X	X	X	X	X		23
MW-509-Dup	11/6/24	1417						X	X	X	X	X	X		24
NAB-3	11/6/24	1038						X	X	X	X	X	X		25
MW-689		0935						X	X	X	X	X	X		26
NAB-7		1205						X	X	X	X	X	X		27
CAO-1		1325						X	X	X	X	X	X		28
NE-3		0840						X	X	X	X	X	X		29
TRIP BLANK			X		3	W		X							30
1. Relinquished by: (Signature)		Date/Time		2. Received by: (Signature)		SAMPLE CONDITION UPON RECEIPT IN LAB		REMARKS/SAMPLE COMMENTS							
		11/7/24				1. CUSTODY SEALS: Yes ☒ No ☐		* TRIP BLANK VIALS added by lab per bottles OW 11/7/24							
		1022				2. CONTAINERS CORRECT: Yes ☐ No ☐									
3. Relinquished by: (Signature)		Date/Time		4. Received by lab: (Signature)		3. COC/LABELS AGREE: Yes ☐ No ☐									
						4. PRESERVATION CONFIRMED: Yes ☐ No ☐									
						5. RECEIVED ON ICE: Yes ☒ No ☐									
						6. TEMPERATURE ON RECEIPT: 10 Yes ☒ No ☐									
						FOR COMPLETION BY LAB ONLY									



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

25 November 2024

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205

Project: NABORS Landfill Sample(s)
Project Number: November 2024
SDG Number: 2411194

Enclosed are the results of analyses for samples received by the laboratory on 08-Nov-24 08:50. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Received On Ice	✓
Temperature on Receipt	1.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

CASE NARRATIVE

Sample Delivery Group – 2411194

One OR more of the qualifiers described below may appear in this report. Qualifiers in **RED apply to this SDG (Sample Delivery Group).**

SAMPLE RECEIPT QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
ET	Samples received above required temperature (6°C).
ET	Samples received above required temperature.
	Although collected and received the same day, no ice was present to indicate the cooling preservation was attempted.
E2	Result qualified as it was received and analyzed outside of holding time. Analysis is considered a "Field" analysis.
E2	Result qualified as it was received and/or analyzed outside of holding time.
E3	Result qualified as it was received in the incorrect container and/or preservation.

ANALYTICAL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).
HS-1	Estimated result due to headspace in vial(s) received. Insufficient number of vial(s) WITHOUT headspace provided by client.

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-F	Second Source Verification Failure
E7	Internal Standard Response Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

QUALITY CONTROL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01	Surrogate failed to recover within acceptance criteria (%D3/S-01).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control Surrogate failed.

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-01
Sample Name: NE-2
Date/Time Collected: 11/6/24 16:05
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	8.66		11/12/24 14:22	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	268		11/13/24 9:52	B411236	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.619		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	24.8		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.049	J	11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.844		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.200	J	11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.455	J	11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	87.7		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.205	J	11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	4.31		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:23	B411223	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	3.47		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	0.074	J	11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.409		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	105		11/21/24 16:51	B411419	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-01
Sample Name: NE-2
Date/Time Collected: 11/6/24 16:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-01
Sample Name: NE-2
Date/Time Collected: 11/6/24 16:05
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		11/12/24 16:45	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150	E2	11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	777		11/14/24 15:56	B411211	SM 2540 C-2015
TOC	mg/L	1.66		11/12/24 19:49	B411221	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-02
Sample Name: MW-577
Date/Time Collected: 11/7/24 10:10
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	2.24		11/12/24 14:41	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	45.7		11/12/24 14:41	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	5.07		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	23.6		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.724		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.161	J	11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	145		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.117	J	11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	5.95		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:23	B411223	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.064	J	11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	60.9		11/21/24 16:57	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-02
Sample Name: MW-577
Date/Time Collected: 11/7/24 10:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-02
Sample Name: MW-577
Date/Time Collected: 11/7/24 10:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	106		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		11/12/24 17:09	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	414		11/14/24 15:56	B411211	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 20:08	B411221	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-03
Sample Name: EQR#3
Date/Time Collected: 11/7/24 9:15
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	6.90		11/12/24 15:01	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	0.408		11/12/24 15:01	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	0.263		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.945		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.195	J	11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	< 46.8		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	2.74		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:23	B411223	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.49	J	11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	12.9	J	11/21/24 17:04	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-03
Sample Name: EQR#3
Date/Time Collected: 11/7/24 9:15
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	2.48		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	0.229	J	11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-03
Sample Name: EQR#3
Date/Time Collected: 11/7/24 9:15
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Toluene	ug/L	0.317	J	11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	104		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.6		11/12/24 17:33	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	< 5.00		11/14/24 15:56	B411211	SM 2540 C-2015
TOC	mg/L	< 1.00		11/12/24 21:00	B411221	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-04
Sample Name: MW-1R
Date/Time Collected: 11/7/24 11:36
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	47.3		11/12/24 15:20	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	8.73		11/12/24 15:20	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	143		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	110		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.090	J	11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.599		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	45.1		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.222	J	11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	30400		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.359	J	11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	83.5		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	0.202		11/12/24 11:23	B411223	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	56.3		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	1.43		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.173	J	11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	778		11/21/24 17:10	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	16.5		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	0.594	J	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-04
Sample Name: MW-1R
Date/Time Collected: 11/7/24 11:36
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	4.56		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	4.31		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	3.79	E-01, E5	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	2.10		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	2.42		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	1.52	J	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	8.56		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	0.571	J	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	80.8	E-01, E5	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	0.290	J	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-04
Sample Name: MW-1R
Date/Time Collected: 11/7/24 11:36
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	0.439	J	11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	3.90		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	106		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.9		11/12/24 17:58	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	562		11/14/24 15:56	B411211	SM 2540 C-2015
TOC	mg/L	3.76		11/12/24 21:14	B411221	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-05
Sample Name: MW-1
Date/Time Collected: 11/7/24 12:30
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	45.6		11/12/24 15:40	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	1.72		11/12/24 15:40	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	65.5		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	105		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.044	J	11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.514		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	47.0		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.200	J	11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	17300		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.121	J	11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	181		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:23	B411223	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	48.7		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	0.232	J	11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.181	J	11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	276		11/21/24 17:17	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	12.6		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	0.348	J	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number:		2411194-05					
Sample Name:		MW-1					
Date/Time Collected:		11/7/24 12:30					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,3-Dichlorobenzene	ug/L	5.22		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
1,4-Dichlorobenzene	ug/L	4.95		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
2-Chlorotoluene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
2-Hexanone	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
4-Chlorotoluene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Acrolein	ug/L	< 4.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Acrylonitrile	ug/L	3.47	E-01, E5	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Benzene	ug/L	2.11		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Bromobenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Bromochloromethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Bromodichloromethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Bromoform	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	2.45		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	1.51	J	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
cis-1,2-Dichloroethene	ug/L	2.88		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	0.327	J	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Ethylbenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Isopropylbenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Methyl-tert-Butyl Ether	ug/L	76.9	E-01, E5	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Naphthalene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
m,p-Xylene	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
n-Butylbenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
n-Propylbenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
o-Xylene	ug/L	0.280	J	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
sec-Butylbenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	
Styrene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-05
Sample Name: MW-1
Date/Time Collected: 11/7/24 12:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	0.468	J	11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	6.56		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.5		11/12/24 18:22	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	550		11/14/24 15:56	B411211	SM 2540 C-2015
TOC	mg/L	3.95		11/12/24 21:33	B411221	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-06
Sample Name: NAB-8
Date/Time Collected: 11/7/24 13:10
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	1.95		11/12/24 15:59	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	10.2		11/12/24 15:59	B411236	EPA 300.0, 2.1-1993

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	19.6		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	2.42		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	30.7		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.111	J	11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.573		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.078	J	11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	1.01		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	102		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.490		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	6.71		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:23	B411223	SW7470A/EPA245.1.3.0- 1994
Nickel	ug/L	0.96	J	11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.551		11/21/24 18:29	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	8.71	J	11/21/24 18:29	B411419	SW 6020B, Rev 2-2014

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-06
Sample Name: NAB-8
Date/Time Collected: 11/7/24 13:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,3-Dichlorobenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00	E-01, E5	11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00	E-01, E5	11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-06
Sample Name: NAB-8
Date/Time Collected: 11/7/24 13:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Tetrachloroethene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	89.7		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.9		11/12/24 18:46	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	357		11/14/24 15:56	B411211	SM 2540 C-2015
TOC	mg/L	8.35		11/12/24 21:51	B411221	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-07
Sample Name: Dup#-2
Date/Time Collected: 11/7/24 0:00
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Chloride	mg/L	54.1		11/13/24 10:12	B411236	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	2.42		11/12/24 16:19	B411236	EPA 300.0, 2.1-1993
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Arsenic	ug/L	65.5		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Barium	ug/L	116		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.059	J	11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Chromium	ug/L	0.579		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Cobalt	ug/L	41.9		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Copper	ug/L	0.273	J	11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Iron	ug/L	17500		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Lead	ug/L	0.165	J	11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Manganese	ug/L	169		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		11/12/24 11:23	B411223	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	49.1		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Thallium	ug/L	0.241	J	11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.178	J	11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
Zinc	ug/L	284		11/21/24 18:35	B411419	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	12.5		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 1.00	E-01	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	0.261	J	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number:		2411194-07					
Sample Name:		Dup#-2					
Date/Time Collected:		11/7/24 0:00					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,3-Dichlorobenzene	ug/L	5.16		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
1,3-Dichloropropane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
1,4-Dichlorobenzene	ug/L	4.88		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
2,2-Dichloropropane	ug/L	< 2.00	E-01, E5	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
2-Chloroethyl Vinyl Ether	ug/L	< 1.00	E-01	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
2-Chlorotoluene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
2-Hexanone	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
4-Chlorotoluene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
4-Methyl-2-pentanone	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Acrolein	ug/L	< 4.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Acrylonitrile	ug/L	3.88	E-01, E5	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Benzene	ug/L	2.13		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Bromobenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Bromochloromethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Bromodichloromethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Bromoform	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	2.51		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	1.19	J	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
cis-1,2-Dichloroethene	ug/L	2.99		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	0.421	J	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Ethylbenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Hexachlorobutadiene	ug/L	< 1.00	E-01	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Isopropylbenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Methyl-tert-Butyl Ether	ug/L	86.7	E-01, E5	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Naphthalene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
m,p-Xylene	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
n-Butylbenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
n-Propylbenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
o-Xylene	ug/L	0.283	J	11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
p-Isopropyltoluene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
sec-Butylbenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	
Styrene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

ANALYTICAL RESULTS

Lab Number: 2411194-07
Sample Name: Dup#-2
Date/Time Collected: 11/7/24 0:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
tert-Butylbenzene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	6.63		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	108		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.6		11/12/24 19:11	B411180	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.010		11/11/24 12:15	B411195	SM 4500-CN B,C,E 2016
Sulfide	mg/L	< 0.150		11/14/24 9:00	B411273	SM 4500-S2 D-2011
TDS	mg/L	558		11/14/24 15:56	B411211	SM 2540 C-2015
TOC	mg/L	3.97		11/12/24 22:10	B411221	SM 5310/SW-846 9060A

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

QUALITY CONTROL RESULTS**Volatiles -- Batch: B411180 (Water)**

Prepared: 08-Nov-24 15:07 By: jb -- Analyzed: 12-Nov-24 11:54 By: jb

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	98.4% / 99.1%	95.2% / NA		0.722%	
1,1,1-Trichloroethane	<0.261 ug/L	114% / 117%	119% / NA		2.77%	
1,1,2,2-Tetrachloroethane	<0.274 ug/L	104% / 105%	105% / NA		1.11%	
1,1,2-Trichloroethane	<0.210 ug/L	103% / 101%	98.4% / NA		1.33%	
1,1-Dichloroethane	<0.248 ug/L	110% / 114%	112% / NA		3.90%	
1,1-Dichloroethene	<0.303 ug/L	118% / 120%	119% / NA		1.38%	
1,1-Dichloropropene	<0.322 ug/L	113% / 117%	117% / NA		2.95%	
1,2,3-Trichlorobenzene	<0.186 ug/L	78.0% / 79.0%	MBI / NA		1.38%	MBI
1,2,3-Trichloropropane	<0.471 ug/L	108% / 110%	102% / NA		1.96%	
1,2,4-Trimethylbenzene	<0.210 ug/L	106% / 108%	104% / NA		1.02%	
1,2,4-Trichlorobenzene	<0.139 ug/L	80.4% / 83.9%	80.3% / NA		4.33%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	106% / 107%	101% / NA		0.521%	
1,2-Dibromoethane	<0.250 ug/L	103% / 104%	101% / NA		0.901%	
1,2-Dichlorobenzene	<0.173 ug/L	103% / 102%	101% / NA		0.684%	
1,2-Dichloroethane	<0.235 ug/L	101% / 102%	98.4% / NA		1.02%	
1,2-Dichloropropane	<0.259 ug/L	102% / 105%	102% / NA		2.23%	
1,3,5-Trimethylbenzene	<0.237 ug/L	109% / 108%	107% / NA		0.357%	
1,3-Dichlorobenzene	<0.220 ug/L	106% / 106%	104% / NA		0.140%	
1,3-Dichloropropane	<0.152 ug/L	103% / 102%	101% / NA		0.284%	
1,4-Dichlorobenzene	<0.158 ug/L	104% / 104%	103% / NA		0.369%	
2,2-Dichloropropane	<0.389 ug/L	175% / 174%	MBI / NA		0.808%	%D2, MBI
2-Butanone	<0.461 ug/L	99.8% / 103%	96.0% / NA		3.20%	
2-Chloroethyl Vinyl Ether	<0.261 ug/L	63.7% / 71.0%	MBI / NA		10.9%	MBI
2-Chlorotoluene	<0.298 ug/L	109% / 110%	106% / NA		1.38%	
2-Hexanone	<0.372 ug/L	93.7% / 94.1%	90.7% / NA		0.474%	
4-Chlorotoluene	<0.282 ug/L	110% / 110%	107% / NA		0.121%	
4-Methyl-2-pentanone	<0.281 ug/L	94.6% / 97.4%	94.3% / NA		2.98%	
Acrolein	<1.00 ug/L	83.5% / 90.2%	83.3% / NA		7.78%	
Acrylonitrile	<0.600 ug/L	201% / 209%	MBI / NA		3.73%	%D2, MBI
Benzene	<0.263 ug/L	112% / 113%	112% / NA		1.10%	
Bromobenzene	<0.207 ug/L	107% / 106%	103% / NA		0.578%	
Bromochloromethane	<0.301 ug/L	98.6% / 99.7%	98.7% / NA		1.13%	
Bromodichloromethane	<0.195 ug/L	104% / 101%	101% / NA		3.10%	
Bromoform	<0.278 ug/L	93.5% / 93.9%	90.0% / NA		0.445%	
Bromomethane	<0.600 ug/L	99.4% / 105%	101% / NA		5.61%	
Carbon disulfide	<0.300 ug/L	109% / 111%	108% / NA		1.87%	
Carbon Tetrachloride	<0.484 ug/L	101% / 105%	106% / NA		3.66%	
Chlorobenzene	<0.181 ug/L	107% / 107%	106% / NA		0.385%	
Chloroethane	<0.600 ug/L	110% / 111%	109% / NA		0.346%	
Chloroform	<0.600 ug/L	108% / 111%	110% / NA		3.22%	
Chloromethane	<0.300 ug/L	106% / 105%	103% / NA		1.08%	
cis-1,2-Dichloroethene	<0.290 ug/L	107% / 110%	108% / NA		2.87%	
cis-1,3-Dichloropropene	<0.123 ug/L	110% / 109%	107% / NA		0.688%	
Dibromochloromethane	<0.202 ug/L	102% / 99.0%	95.8% / NA		3.11%	
Dibromomethane	<0.174 ug/L	104% / 102%	100% / NA		1.76%	
Dichlorodifluoromethane	<0.266 ug/L	104% / 105%	106% / NA		1.00%	
Ethylbenzene	<0.274 ug/L	109% / 109%	108% / NA		0.400%	
Hexachlorobutadiene	<0.247 ug/L	78.3% / 77.8%	77.9% / NA		0.645%	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

QUALITY CONTROL RESULTS**Volatiles -- Batch: B411180 (Water)**

Prepared: 08-Nov-24 15:07 By: jb -- Analyzed: 12-Nov-24 11:54 By: jb

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Isopropylbenzene	<0.274 ug/L	113% / 114%	112% / NA		1.03%	
m,p-Xylene	<0.500 ug/L	108% / 107%	106% / NA		0.470%	
Methylene Chloride	<0.600 ug/L	103% / 106%	103% / NA		2.31%	
Methyl-tert-Butyl Ether	<0.166 ug/L	132% / 137%	MBI / NA		3.58%	%D2, MBI
Naphthalene	<0.114 ug/L	94.5% / 97.6%	91.1% / NA		3.22%	
n-Butylbenzene	<0.174 ug/L	100% / 99.8%	97.8% / NA		0.545%	
n-Propylbenzene	<0.284 ug/L	109% / 110%	109% / NA		0.101%	
o-Xylene	<0.206 ug/L	107% / 106%	103% / NA		1.37%	
p-Isopropyltoluene	<0.301 ug/L	104% / 104%	104% / NA		0.655%	
sec-Butylbenzene	<0.181 ug/L	107% / 109%	106% / NA		1.74%	
Styrene	<0.175 ug/L	107% / 106%	91.4% / NA		1.09%	
tert-Butylbenzene	<0.194 ug/L	109% / 110%	108% / NA		0.982%	
Tetrachloroethene	<0.268 ug/L	113% / 115%	109% / NA		2.09%	
Toluene	<0.295 ug/L	110% / 109%	109% / NA		0.802%	
trans-1,2-Dichloroethene	<0.320 ug/L	110% / 115%	111% / NA		5.00%	
trans-1,3-Dichloropropene	<0.155 ug/L	107% / 107%	103% / NA		0.0215%	
Trichloroethene	<0.306 ug/L	113% / 113%	108% / NA		0.651%	
Trichlorofluoromethane	<0.423 ug/L	118% / 119%	117% / NA		0.955%	
Vinyl chloride	<0.369 ug/L	105% / 105%	105% / NA		0.301%	
1,2-Dichloroethane-d4 [surr]	101 %	99.2% / 102%	101% / NA		NA	
4-Bromofluorobenzene [surr]	102 %	102% / 103%	103% / NA		NA	
Toluene-d8 [surr]	98.9 %	101% / 99.9%	99.9% / NA		NA	

Wet Chemistry -- Batch: B411195 (Water)

Prepared: 11-Nov-24 12:15 By: KJ -- Analyzed: 11-Nov-24 12:15 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Cyanide (total)	<0.010 mg/L	97.0% / 97.0%	88.0% / NA		0.00%	

Wet Chemistry -- Batch: B411211 (Water)

Prepared: 12-Nov-24 11:25 By: ST -- Analyzed: 14-Nov-24 15:56 By: KW

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TDS	<5.00 mg/L	96.7% / 109%	NA / NA		12.3%	

Wet Chemistry -- Batch: B411221 (Water)

Prepared: 12-Nov-24 10:49 By: CT -- Analyzed: 12-Nov-24 19:31 By: CT

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
TOC	<1.00 mg/L	101% / NA	95.3% / 95.9%		0.604%	

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

QUALITY CONTROL RESULTS**Total Metals -- Batch: B411223 (Water)**

Prepared: 12-Nov-24 11:23 By: JY -- Analyzed: 12-Nov-24 11:23 By: JY

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Mercury	<0.0610 ug/L	101% / NA	98.0% / 100%		2.23%	

Anions -- Batch: B411236 (Water)

Prepared: 12-Nov-24 09:30 By: MB -- Analyzed: 13-Nov-24 08:53 By: MB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Chloride	<0.500 mg/L	95.8% / NA	103% / 99.9%		1.37%	
Sulfate as SO4	<0.500 mg/L	91.2% / NA	96.4% / 94.0%		1.60%	

Wet Chemistry -- Batch: B411273 (Water)

Prepared: 14-Nov-24 09:00 By: KJ -- Analyzed: 14-Nov-24 09:00 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Sulfide	<0.150 mg/L	105% / 102%	102% / NA		3.39%	

Total Metals -- Batch: B411419 (Water)

Prepared: 20-Nov-24 17:02 By: ST -- Analyzed: 21-Nov-24 14:28 By: ST

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Antimony	<0.343 ug/L	98.0% / NA	98.4% / 96.9%		1.48%	
Arsenic	<0.052 ug/L	93.5% / NA	93.4% / 92.2%		1.26%	
Barium	<0.078 ug/L	97.9% / NA	93.5% / 94.4%		0.574%	
Beryllium	<0.074 ug/L	99.1% / NA	91.6% / 92.9%		1.42%	
Cadmium	<0.038 ug/L	105% / NA	101% / 99.3%		1.62%	
Chromium	<0.0751 ug/L	101% / NA	94.9% / 94.9%		0.0972%	
Cobalt	<0.035 ug/L	103% / NA	100% / 99.8%		0.526%	
Copper	<0.149 ug/L	104% / NA	98.3% / 99.6%		1.36%	
Iron	<13.8 ug/L	107% / NA	120% / 114%		3.94%	
Lead	<0.115 ug/L	102% / NA	98.0% / 98.0%		0.0706%	
Manganese	<0.423 ug/L	102% / NA	101% / 101%		0.0262%	
Nickel	<0.42 ug/L	94.5% / NA	88.6% / 87.2%		1.58%	
Selenium	<1.50 ug/L	104% / NA	96.2% / 104%		7.67%	
Silver	<0.099 ug/L	102% / NA	102% / 101%		0.232%	
Thallium	<0.035 ug/L	102% / NA	99.2% / 99.6%		0.398%	
Tin	<1.62 ug/L	101% / NA	97.1% / 96.9%		0.185%	
Vanadium	<0.042 ug/L	100% / NA	95.5% / 95.2%		0.363%	
Zinc	<4.89 ug/L	108% / NA	112% / 105%		4.60%	

25 November 2024



Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: November 2024
Date Received: 08-Nov-24 08:50

QUALIFIER(S)

*%D2:	Laboratory Control Spike and/or Laboratory Control Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
*E-01:	Estimated Result; This Analyte Failed "High" in the CCV; If the sample is non-detect for this analyte, the CCV demonstrated the analyte would have been detected were it present.
*E2:	Estimated Result; Analyzed Outside of Holding Time
*E5:	Estimated Result Due to Quality Control Failure
*J:	Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
*MBI:	Masked By Interference

All Analysis performed according to EPA approved methodology when available :
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

A handwritten signature in blue ink, reading "Norma James", is positioned above a horizontal line.


Reviewed by:

Norma James
Technical Director



8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD


CLIENT INFORMATION			Project Description		Turnaround Time	Preservation Codes:										
Harbor Environmental & Safety			NABORS Landfill		1 Day (100%)	1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination				
5800 Evergreen Dr.			L8237299		2 Day (50%)	2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid (HCl)				
Little Rock, AR 72205			Reporting Information		3 Day (25%)	3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12				
Attn: Tom Huetter			Telephone: 501-663-8800		5 Day (Routine)	TEST PARAMETERS										Bottle Type Code
			Email: thuetter@harborenv.com		Preservative Code:	1,5	1	1,6	1,6,Zn Acetate	1,5	1,3				G = Glass; P = Plastic	
					Bottle Type:	GV	P	P	P	GV	P				V = Septum; A = Amber	
Sampler(s) Signature 			Sampler(s) Printed MATT MARGURY			Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg				Arkansas Analytical Work Order Number: 2411194	
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Ti, Sn, V, Zn), Hg		
NE-2	11/6/24	16:05	X		9	Water	NE-2	X	X	X	X	X	X		01	
MW-577	11/7/24	10:10	X		9	Water	MW-577	X	X	X	X	X	X		02	
EQR#3	11/7/24	9:15	X		9	Water	EQUIPMENT RINSE#3	X	X	X	X	X	X		03	
MW-1R	11/7/24	11:36	X		9	Water	MW-1R	X	X	X	X	X	X		04	
MW-1	11/7/24	12:30	X		9	Water	MW-1	X	X	X	X	X	X		05	
NAB-8	11/7/24	13:10	X		9	Water	NAB-8	X	X	X	X	X	X		06	
DUP#2	11/7/24	—	X		9	Water	DUPLICATE #2	X	X	X	X	X	X		07	
			X		9	Water		X	X	X	X	X	X			
			X		9	Water		X	X	X	X	X	X			
			X		9	Water		X	X	X	X	X	X			
1. Relinquished by: (Signature) 			Date/Time 11/8/24 850			2. Received by: (Signature) 			SAMPLE CONDITION UPON RECEIPT IN LAB					REMARKS / SAMPLE COMMENTS		
3. Relinquished by: (Signature) 			Date/Time			4. Received by lab: (Signature) 			1. CUSTODY SEALS: ☒ Yes ___ No							
									2. CONTAINERS CORRECT: ☒ Yes ___ No							
									3. COC/LABELS AGREE: ☒ Yes ___ No							
									4. RECEIVED ON ICE: ☒ Yes ___ No							
									5. TEMPERATURE ON RECEIPT: 1 °C							
									6. TEMPERATURE GUN ID: HHT# 5							
FOR COMPLETION BY LAB ONLY																

Appendix C

Statistical Plots


Page Intentionally Blank

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Arsenic Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Barium Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Barium Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Barium Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Barium Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Barium Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series



Constituent: Barium Analysis Run 1/2/2025 3:55 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series



Constituent: Barium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Hollow symbols indicate censored values.

Time Series




Constituent: Barium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series



Constituent: Barium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series



Constituent: Barium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Hollow symbols indicate censored values.

Time Series




Constituent: Barium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Barium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cadmium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Chloride Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series



Constituent: Chloride Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series



Constituent: Chloride Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Hollow symbols indicate censored values.

Time Series




Constituent: Chloride Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Chromium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chromium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chromium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chromium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chromium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chromium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chromium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chromium Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Cobalt Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Copper Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:56 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Iron Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Lead Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series



Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series



Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Hollow symbols indicate censored values.

Time Series




Constituent: Manganese Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Mercury Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Nickel Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:57 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Sulfate Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Thallium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Vanadium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Vanadium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Vanadium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Vanadium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Vanadium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Vanadium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Vanadium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Vanadium Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Zinc Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Zinc Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Zinc Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Zinc Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Zinc Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Zinc Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Zinc Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Zinc Analysis Run 1/2/2025 3:58 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series




Time Series




Time Series




Time Series







Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/2/2025 4:00 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Barium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]







Constituent: Chloride Analysis Run 1/2/2025 4:01 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloride Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]







Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chromium Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cobalt Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:02 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Copper Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]







Constituent: Iron Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]








Constituent: Iron Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Iron Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]









Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]







Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Lead Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]



Hollow symbols indicate censored values.




Constituent: Manganese Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Manganese Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Hollow symbols indicate censored values.




Constituent: Manganese Analysis Run 1/2/2025 4:03 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Hollow symbols indicate censored values.




Constituent: Manganese Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Manganese Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Manganese Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Manganese Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Manganese Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Manganese Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]







Constituent: Manganese Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Manganese Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Manganese Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]







Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]







Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]







Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Nickel Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Sulfate Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Thallium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vanadium Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Zinc Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Zinc Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Zinc Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Zinc Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Zinc Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Zinc Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]







Constituent: Zinc Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]





Constituent: Zinc Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Zinc Analysis Run 1/2/2025 4:06 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]






EPA 1989 Outlier Screening

CAO-2




EPA 1989 Outlier Screening

MW-1R




EPA 1989 Outlier Screening

NAB-4




EPA 1989 Outlier Screening

CAO-1




EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 1/2/2025 3:47 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 1/2/2025 3:47 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 1/2/2025 3:47 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 1/2/2025 3:47 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 1/2/2025 3:47 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 1/2/2025 3:47 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening







Constituent: Barium Analysis Run 1/2/2025 3:47 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening




Constituent: Barium Analysis Run 1/2/2025 3:47 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]



EPA 1989 Outlier Screening

MW-689D



n = 43


Statistical outlier is drawn as solid.
Mean 2.518, std. dev. 1.101, critical Tn 2.896.
After removing suspect data: mean 2.404, std. dev. 0.8189, Tn 2.887.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.9505
Critical = 0.942 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Chloride Analysis Run 1/2/2025 3:48 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

NAB-3



n = 45


Statistical outlier is drawn as solid.
Mean 5.415, std. dev. 7.321, critical Tn 2.914.
After removing suspect data: mean 4.379, std. dev. 2.328, Tn 2.905.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.9637
Critical = 0.944 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Chloride Analysis Run 1/2/2025 3:48 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

NAB-8



n = 35


Statistical outlier is drawn as solid.
Mean 1.978, std. dev. 0.5427, critical Tn 2.811.
After removing suspect data: mean 1.916, std. dev. 0.407, Tn 2.799.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.9562
Critical = 0.933 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Chloride Analysis Run 1/2/2025 3:48 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

NE-6




n = 24

Statistical outliers are drawn as solid.
Mean 2.283, std. dev. 0.4906, critical Tn 2.644.
After removing suspect data: mean 2.218, std. dev. 0.3813, Tn 2.624; mean 2.161, std. dev. 0.2703, Tn 2.603.


Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.9767
Critical = 0.911
The distribution, after removal of suspect values, was found to be normally distributed.

Constituent: Chloride Analysis Run 1/2/2025 3:48 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


EPA 1989 Outlier Screening




EPA 1989 Outlier Screening



EPA 1989 Outlier Screening




EPA 1989 Outlier Screening



EPA 1989 Outlier Screening

MW-1R



n = 24


Statistical outlier is drawn as solid.
Mean 25072, std. dev. 11941, critical Tn 2.644.
After removing suspect data: mean 26153, std. dev. 10943, Tn 2.624.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.9476
Critical = 0.914 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Iron Analysis Run 1/2/2025 3:50 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

NAB-8



n = 36


Statistical outlier is drawn as solid.
Mean 1942, std. dev. 8061, critical Tn 2.823. After removing suspect data: mean 625.6, std. dev. 1646, Tn 2.811.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.935
Critical = 0.934 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Iron Analysis Run 1/2/2025 3:50 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

MW-1R



n = 24

Statistical outlier is drawn as solid.
Mean 13.31, std. dev. 48.57, critical Tn 2.644.
After removing suspect data: mean 3.454, std. dev. 5.372, Tn 2.624.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.9172
Critical = 0.914 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Lead Analysis Run 1/2/2025 3:50 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

MW-1R



n = 24


Statistical outlier is drawn as solid.
Mean 513.2, std. dev. 933.7, critical Tn 2.644.
After removing suspect data: mean 326.8, std. dev. 199.6, Tn 2.624.

Normality test used:
Shapiro Wilk@alpha = 0.05
Calculated = 0.9913
Critical = 0.914 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: Manganese Analysis Run 1/2/2025 3:50 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening


NE-2



Constituent: Manganese Analysis Run 1/2/2025 3:51 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening


NE-6



Constituent: Manganese Analysis Run 1/2/2025 3:51 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening


NE-3



Constituent: Nickel Analysis Run 1/2/2025 3:52 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening


NE-4



Constituent: Nickel Analysis Run 1/2/2025 3:52 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening


CAO-3



Constituent: Sulfate Analysis Run 1/2/2025 3:52 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05|IN USE BY W00L8050781|


EPA 1989 Outlier Screening

W-633




Constituent: Sulfate Analysis Run 1/2/2025 3:52 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05|IN USE BY W00L8050781|

EPA 1989 Outlier Screening




Constituent: Sulfate Analysis Run 1/2/2025 3:52 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening




Constituent: Sulfate Analysis Run 1/2/2025 3:52 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening



Constituent: Sulfate Analysis Run 1/2/2025 3:52 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


EPA 1989 Outlier Screening



Constituent: Sulfate Analysis Run 1/2/2025 3:52 PM View: NABORS_DATABASE_SanitasMatrix_Thru_20
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening


MW-509D



Constituent: Zinc Analysis Run 1/2/2025 3:53 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening


MW-633D



Constituent: Zinc Analysis Run 1/2/2025 3:53 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening


NE-3



Constituent: Zinc Analysis Run 1/2/2025 3:54 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 1/13/2025 1:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 1/13/2025 1:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 1/13/2025 1:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 1/13/2025 1:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 1/13/2025 1:04 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Non-Parametric Confidence Interval


Compliance Limit is not exceeded.




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]



Constituent: Arsenic Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Cadmium Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_ NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]



Constituent: Cobalt Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2 NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Iron Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Iron Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024-05
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Iron Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru_202
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Manganese Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Thallium Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Thallium Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Thallium Analysis Run 1/13/2025 1:05 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Confidence Interval

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781] Printed 1/13/2025, 1:07 PM


<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Arsenic (ug/l)	CAO-1	136.2	88.52	10	Yes	22	0	x^2	0.01	Param.
Arsenic (ug/l)	CAO-2	2.004	0.317	10	No	10	0	No	0.01	Param.
Arsenic (ug/l)	CAO-3	0.4838	0.1045	10	No	10	0	ln(x)	0.01	Param.
Arsenic (ug/l)	MW-1	50.4	27.32	10	Yes	19	0	No	0.01	Param.
Arsenic (ug/l)	MW-1R	105.1	67.41	10	Yes	22	0	No	0.01	Param.
Arsenic (ug/l)	MW-2	5.5	4.19	10	No	22	4.545	No	0.01	NP (normality)
Arsenic (ug/l)	MW-3	5.086	1.823	10	No	20	10	No	0.01	Param.
Arsenic (ug/l)	MW-4	0.491	0.401	10	No	10	0	No	0.011	NP (normality)
Arsenic (ug/l)	MW-5	0.662	0.503	10	No	10	0	No	0.011	NP (normality)
Arsenic (ug/l)	MW-509D	0.349	0.151	10	No	10	0	No	0.011	NP (normality)
Arsenic (ug/l)	MW-577	5.07	1.14	10	No	10	0	No	0.011	NP (normality)
Arsenic (ug/l)	MW-6	0.4774	0.4112	10	No	10	0	No	0.01	Param.
Arsenic (ug/l)	MW-633D	0.7319	0.3186	10	No	10	0	sqrt(x)	0.01	Param.
Arsenic (ug/l)	MW-689D	6.492	1.863	10	No	10	0	No	0.01	Param.
Arsenic (ug/l)	MW-7	0.2812	0.2266	10	No	10	0	No	0.01	Param.
Arsenic (ug/l)	NAB-3	0.4361	0.2629	10	No	10	0	No	0.01	Param.
Arsenic (ug/l)	NAB-4	10.99	2.522	10	No	10	0	x^(1/3)	0.01	Param.
Arsenic (ug/l)	NAB-7	10.66	2.331	10	No	22	4.545	ln(x)	0.01	Param.
Arsenic (ug/l)	NAB-8	4.612	2.444	10	No	20	10	ln(x)	0.01	Param.
Arsenic (ug/l)	NE-2	6.444	1.843	10	No	22	18.18	sqrt(x)	0.01	Param.
Arsenic (ug/l)	NE-3	2.29	0.385	10	No	22	40.91	No	0.01	NP (normality)
Arsenic (ug/l)	NE-6	0.576	0.347	10	No	10	0	No	0.011	NP (normality)
Cadmium (ug/l)	MW-3	1.795	0.6896	5	No	20	20	No	0.01	Param.
Cobalt (ug/l)	CAO-1	24.27	14.14	6	Yes	22	0	sqrt(x)	0.01	Param.
Cobalt (ug/l)	MW-1	79.47	46.17	6	Yes	19	0	sqrt(x)	0.01	Param.
Cobalt (ug/l)	MW-1R	68.8	50.48	6	Yes	22	0	No	0.01	Param.
Iron (ug/l)	CAO-1	33388	26685	14000	Yes	22	0	No	0.01	Param.
Iron (ug/l)	MW-1	11306	6374	14000	No	19	0	sqrt(x)	0.01	Param.
Iron (ug/l)	MW-1R	28732	20314	14000	Yes	22	0	No	0.01	Param.
Manganese (ug/l)	CAO-1	1441	629.4	430	Yes	22	0	sqrt(x)	0.01	Param.
Thallium (ug/l)	MW-1	0.3393	0.08628	2	No	10	10	No	0.01	Param.
Thallium (ug/l)	MW-1R	1.677	0.9894	2	No	10	0	x^2	0.01	Param.
Thallium (ug/l)	MW-3	0.7748	0.1532	2	No	10	0	No	0.01	Param.

Time Series




Constituent: 1,1-Dichloroethane Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series



Constituent: 1,1-Dichloroethane Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series



Constituent: 1,1-Dichloroethane Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Hollow symbols indicate censored values.

Time Series




Constituent: 1,1-Dichloroethane Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: 1,2-Dichloroethane Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: 1,2-Dichloroethane Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: 1,4-Dichlorobenzene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: 1,4-Dichlorobenzene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Benzene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Benzene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Benzene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Time Series




Constituent: Chlorobenzene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chlorobenzene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chloroethane Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Chloroethane Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Methyl-tert-Butyl Ether Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_Sanitas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Methyl-tert-Butyl Ether Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_Sanitas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: Methyl-tert-Butyl Ether Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_Sanitas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: o-Xylene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: o-Xylene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: o-Xylene Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:11 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: trans-1,2-Dichloroethene Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_Sanit
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Time Series




Constituent: trans-1,2-Dichloroethene Analysis Run 1/6/2025 3:12 PM View: NABORS_DATABASE_Sanit
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


Time Series




Time Series




Time Series







Constituent: 1,1-Dichloroethane Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: 1,1-Dichloroethane Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: 1,1-Dichloroethane Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: 1,2-Dichloroethane Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMa
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: 1,4-Dichlorobenzene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: 1,4-Dichlorobenzene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: 1,4-Dichlorobenzene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Acrylonitrile Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_Thr
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Benzene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Benzene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Benzene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_Thru_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chlorobenzene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chlorobenzene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chlorobenzene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloroethane Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Chloroethane Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: cis-1,2-Dichloroethene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_Sanitas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Methyl-tert-Butyl Ether Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_Sanitas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Methyl-tert-Butyl Ether Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_Sanitas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]



Constituent: trans-1,2-Dichloroethene Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_Sanit
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vinyl chloride Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Vinyl chloride Analysis Run 1/6/2025 3:14 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening




Constituent: Benzene Analysis Run 1/6/2025 3:17 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening




Constituent: Methyl-tert-Butyl Ether Analysis Run 1/6/2025 3:17 PM View: NABORS_DATABASE_SanitasNABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening



Constituent: o-Xylene Analysis Run 1/6/2025 3:17 PM View: NABORS_DATABASE_SanitasMatrix_Thru_NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]


EPA 1989 Outlier Screening



Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:17 PM View: NABORS_DATABASE_SanitasNABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

CAO-2




n = 47
Statistical outlier is drawn as solid.
Mean 2.926, std. dev. 2.392, critical Tn 2.931.
After removing suspect data: mean 2.664, std. dev. 1.594, Tn 2.923.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9674
Critical = 0.945 (after natural log transformation)
The distribution, after removal of suspect value, was found to be log-normal.

Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:17 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

MW-1R




n = 24
Statistical outlier is drawn as solid.
Mean 9.675, std. dev. 6.44, critical Tn 2.644.
After removing suspect data: mean 8.574, std. dev. 3.598, Tn 2.624.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9537
Critical = 0.914
The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:17 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

MW-633D




n = 45
Statistical outliers are drawn as solid.
Mean 1.904, std. dev. 1.639, critical Tn 2.914.
After removing suspect data: mean 1.943, std. dev. 1.637, Tn 2.905; mean 1.732, std. dev. 0.8622, Tn 2.896.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9587
Critical = 0.943 (after natural log transformation)
The distribution, after removal of suspect values, was found to be log-normal.

Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:17 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

EPA 1989 Outlier Screening

NAB-4




n = 43
Statistical outliers are drawn as solid.
Mean 2.3, std. dev. 4.891, critical Tn 2.896.
After removing suspect data: mean 1.569, std. dev. 0.9849, Tn 2.887; mean 1.605, std. dev. 0.969, Tn 2.877; mean 1.642, std. dev. 0.9506, Tn 2.866.
Normality test used: Shapiro Wilk@alpha = 0.05
Calculated = 0.9511
Critical = 0.94 (after natural log transformation)
The distribution, after removal of suspect values, was found to be log-normal.

Constituent: TOC [Total Organic Carbon] Analysis Run 1/6/2025 3:17 PM View: NABORS_DATABASE_S
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: 1,1-Dichloroethane Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: 1,1-Dichloroethane Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.




Constituent: 1,2-Dichloroethane Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: 1,2-Dichloroethane Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasM
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: 1,4-Dichlorobenzene Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_Sanitas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: 1,4-Dichlorobenzene Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_Sanitas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: 1,4-Dichlorobenzene Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_Sanitas
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Acrylonitrile Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Acrylonitrile Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]



Constituent: Acrylonitrile Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasMatrix_T
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]




Constituent: Benzene Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]



Constituent: Benzene Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Benzene Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasMatrix_Thru
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_Sanita
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_Sanita
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_Sanita
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Vinyl chloride Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasMatrix_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Vinyl chloride Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasMatrix_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Parametric Confidence Interval

Compliance limit is exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Vinyl chloride Analysis Run 1/13/2025 1:38 PM View: NABORS_DATABASE_SanitasMatrix_
NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781]

Confidence Interval

NABORS Data: NABORS_DATABASE_SanitasMatrix_Thru_2024-05[IN USE BY W00L8050781] Printed 1/13/2025, 1:39 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
1,1-Dichloroethane (ug/l)	MW-1	15.26	12.71	2.8	Yes	19	0	No	0.01	Param.
1,1-Dichloroethane (ug/l)	MW-1R	16.46	14.07	2.8	Yes	22	0	No	0.01	Param.
1,2-Dichloroethane (ug/l)	MW-1	1	0.519	5	No	12	25	No	0.01	NP (normality)
1,2-Dichloroethane (ug/l)	MW-1R	0.5815	0.4257	5	No	12	0	No	0.01	Param.
1,4-Dichlorobenzene (ug/l)	CAO-1	3.689	1.706	75	No	12	0	No	0.01	Param.
1,4-Dichlorobenzene (ug/l)	MW-1	4.802	3.448	75	No	12	8.333	No	0.01	Param.
1,4-Dichlorobenzene (ug/l)	MW-1R	4.198	2.907	75	No	12	0	No	0.01	Param.
Acrylonitrile (ug/l)	CAO-1	2.15	2	0.052	Yes	9	88.89	No	0.002	NP (NDs)
Acrylonitrile (ug/l)	MW-1	3.47	2	0.052	Yes	9	88.89	No	0.002	NP (NDs)
Acrylonitrile (ug/l)	MW-1R	3.79	2	0.052	Yes	9	88.89	No	0.002	NP (NDs)
Benzene (ug/l)	CAO-1	4.771	3.765	5	No	22	0	x^2	0.01	Param.
Benzene (ug/l)	MW-1	1.91	1	5	No	19	26.32	No	0.01	NP (normality)
Benzene (ug/l)	MW-1R	1.29	0.8482	5	No	22	22.73	No	0.01	Param.
Methyl-tert-Butyl Ether (ug/L)	CAO-1	39.45	18.18	14	Yes	12	0	No	0.01	Param.
Methyl-tert-Butyl Ether (ug/L)	MW-1	60.14	42.88	14	Yes	12	0	No	0.01	Param.
Methyl-tert-Butyl Ether (ug/L)	MW-1R	57.04	36.21	14	Yes	12	0	No	0.01	Param.
Vinyl chloride (ug/l)	CAO-1	3.108	1.943	2	No	48	6.25	sqrt(x)	0.01	Param.
Vinyl chloride (ug/l)	MW-1	3.32	1.1	2	No	59	40.68	No	0.01	NP (normality)
Vinyl chloride (ug/l)	MW-1R	4	3.253	2	Yes	24	0	No	0.01	Param.

Appendix D

Historical Database

Page Intentionally Blank

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	
CAO-1	10/11/2005	n/a	<6	15.7	62.6	0.447	10.9	46	3.6	47.6	5.17	12300	12.4	8430	n/a	95.4	<10	<3	31.2	<2	n/a	6.43	1370	<0.5	
	1/16/2006	6.1	n/a	16.4	<100	<0.18	0.915	29.5	2.75	65.1	<2	12200	<1	8560	n/a	121	<3	<0.39	28.5	<1	n/a	<10	1140	1	
	4/5/2006	6.7	<6	18.4	<100	<0.8	0.559	30	0.891	102	<8	15100	<5	10100	n/a	125	<10	<1.7	20.8	<2	n/a	<10	1140	1.28	
	7/27/2006	6.8	<1	17	200	<2	<5	24	39	60	<20	17000	6.8	10000	n/a	75	33	<10	17	<1	n/a	<10	1200	1.6	
	9/6/2006	6.63	<1	23	210	<2	<5	23	<10	64	<20	18000	5	10000	<0.2	64	30	<10	15	<1	n/a	<10	1200	<1	
	2/7/2007	6.48	<1	22	220	<2	<5	25	<10	66	<20	17000	<5	11000	<0.2	52	<20	<10	18	<1	n/a	<10	960	1.9	
	5/24/2007	6.94	<1	25	230	<2	<5	27	<10	66	<20	19000	<5	11000	<0.2	70	<20	<10	15	<10	n/a	<10	1100	1.5	
	8/25/2007	6.65	<1	24	220	<2	<5	2.7	<10	60	<20	21000	15	10000	<0.2	63	63	<10	15	<10	n/a	<10	1200	2.2	
	11/6/2007	6.3	<1	31	240	<2	<5	24	<10	64	<20	22000	<5	10000	<0.2	65	<20	<10	14	<10	<20	<10	1200	2.1	
	2/22/2008	6.2	<1	30	240	<2	<5	14	<10	64	<20	24000	<5	7200	<0.2	51	<20	<10	13	<1	25	<10	750	3.5	
	4/29/2008	7.08	<1	32	190	<1	<5	15	<10	70	<1	26000	<5	7800	<0.2	62	2.2	<10	9.6	<1	<20	<10	730	2.4	
	8/19/2008	6.64	<1	35	280	<1	<5	15	<10	68	<20	29000	<5	7600	<0.2	60	<20	<10	11	<1	<20	<10	770	2.9	
	11/18/2008	6.48	<1	36	220	<2	<5	14	<10	68	<20	27000	6.2	6600	<0.2	52	<20	<10	9.7	<1	<20	<10	630	1.8	
	2/20/2009	7.43	<1	<1	87	<1	<5	3	<10	12	<1	1000	1.2	980	<0.2	<20	<1	<10	7.5	<1	<1	<10	62	<1	
	5/20/2009	6.43	<1	24	150	<1	<5	20	<10	54	<1	24000	<1	5000	<0.2	34	<1	<10	10	<1	<1	<10	220	1.7	
	8/19/2009	5.83	<1	49	190	<1	<0.5	28	<10	78	<2	36000	<1	6300	<0.2	68	1.9	<10	15	<1	<1	<10	730	4.4	
	12/15/2009	6.58	n/a	33	280	<2	<5	33	12	30	<20	20000	29	2100	<0.2	38	<40	<10	29	<1	77	22	1100	0.42	
	3/22/2010	6.28	<1	4.5	170	<1	<0.5	48	2.1	11	1.8	4500	1.8	950	<0.2	10	1	4.3	28	<1	<1	2.7	100	0.43	
	6/17/2010	n/a	0.21	46	170	<1	0.55	47	<10	75	0.65	35000	1	5800	<0.2	70	0.92	<10	13	<1	0.51	<10	590	2.9	
	9/23/2010	6.22	<1	35	200	0.18	2.2	44	5.7	45	5.7	29000	10	4500	<0.2	32	0.78	28	13	0.24	0.79	6.2	640	2.9	
	12/8/2010	6.08	<1	19	220	<1	<0.5	44	<10	52	<2	37000	<1	5000	<0.2	48	1.1	<10	11	<1	<1	3.5	150	3.8	
	3/23/2011	6.36	<1	24	210	<1	<0.5	49	<10	46	0.92	27000	1.4	5200	<0.2	37	0.45	<10	17	<1	<1	<10	270	2.3	
	6/29/2011	6.21	<1	36	210	<1	<0.5	48	<10	63	1.8	36000	2.2	5700	<0.2	83	<1	<10	11	<1	0.3	<10	230	3.9	
	9/29/2011	n/a	0.28	13	260	0.44	0.49	40	6	37	<10	38000	1.8	4300	0.05	32	<5	<10	4.4	<1	0.66	<10	140	4.3	
	6/21/2012	n/a	<1	21	240	<1	1	74	<10	42	2.4	39000	3.9	4800	<0.2	29	1.2	<10	<5	<1	<1	22	350	2.4	
	9/19/2012	n/a	<1	16	220	<1	<0.5	67	<10	20	<2	36000	<1	3000	<0.2	<20	1.2	<10	<5	<1	<1	<10	130	2.7	
	3/11/2015	n/a	<0.21	30	240	<0.12	<0.16	81	<1.4	20	<0.52	24000	10	2000	<0.049	28	<0.38	<2.8	5	<0.19	<0.3	<2.4	<2.6	1.5	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	<0.21	54	290	<0.12	<0.16	12	<1.4	36	<0.52	38000	<0.24	3400	<0.049	49	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	3.2	
	9/16/2015	n/a	<0.21	32.8	284	<0.12	<0.16	123	<0.54	21.9	5.04	26500	<0.24	2000	<0.049	35.7	<0.38	<0.31	9.36	<0.19	<0.3	<0.18	<2.56	2.84	
	12/16/2015	n/a	<0.21	52	296	<0.12	<0.16	108	<0.54	26.4	<0.52	32000	<0.24	2420	<0.049	34.8	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	2.8	
	3/29/2016	n/a	<0.21	112	222	<0.12	<0.16	121	<0.54	44.1	<0.52	39600	<0.24	2420	<0.049	68.9	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	29.4	4.25	
	6/29/2016	n/a	<0.754	135	229	<0.12	<0.16	99.9	<0.54	39.1	<0.52	41200	<0.24	1950	<0.049	64	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	5.08	
	9/20/2016	n/a	<2	132	206	<2	<1	91.1	<2	32.1	<5	34500	<2	1210	<0.2	58.5	<2	<2	<5	<2	<2	<5	76.6	4.04	
	12/21/2016	n/a	<2	122	250	<2	<1	95.9	<2	28.6	<5	36300	<2	1200	<0.2	57.1	<2	<2	<5	<2	<2	<5	27.2	4.34	
	3/29/2017	n/a	<2	37.9	249	<2	<1	109	<2	12.7	<5	22000	3.31	1050	<0.2	23.6	<2	<2	7.66	<2	<2	<5	25.9	4.28	
	9/28/2017	n/a	<2	142	255	<2	<1	112	<2	24.9	<5	35100	<2	993	<0.2	50.8	<2	<2	<5	<2	<2	<5	36.2	4.12	
	4/30/2018	n/a	<10*	57.8	318	<0.416*	0.358	65	<12.5*	12.4	<5*	26400	<15.6*	886	<0.2*	30	<52*	<20.8*	12.1	<73*	<41.6*	<20*	19.2	4.9	
	10/29/2018	n/a	<36*	108	260	<0.624*	<1.2*	82	<12.5*	15	<5*	33000	<15.6*	611	<0.2*	33	<52*	<20.8*	<0.5*	<73*	<728*	<21*	22.5	4.83	
	4/23/2019	n/a	<2.08*	132	274	<0.26*	0.071	94.1	0.283	13.9	0.373	26200	0.312	553	<0.2*	22.6	<2.08*	<0.26*	<0.5*	<0.26*	<20.8*	0.877	69.4	4.74	
	10/8/2019	n/a	<2.08*	32.8	228	0.177	0.127	36.6	0.633	9.93	1.38	21400	1.71	820	<0.2*	17.1	<4.16*	0.028	19.4	0.075	<20.8*	1.37	153	1.03	
	4/21/2020	n/a	<2.08*	125	238	<0.26*	0.049	97.6	0.292	13.2	0.162	26300	0.159	517	<0.2*	30.2	<5.2*	<0.312*	<0.5*	<0.26*	<20.8*	0.969	56.6	5.57	
	10/6/2020	n/a	<2.08	128	200	<0.26	<0.26	107	0.389	13.5	0.137	25400	<0.26	419	<0.2	13.7	<5.2	<0.312	<0.5	<0.26	<20.8	0.758	5.56	4.94	
	4/6/2021	n/a	<2.08*	150	225	<0.26*	<0.26*	107	0.114	12.7	0.366	40600	<0.26*	381	<0.2*	34	<5.2*	<0.312*	<0.5*	<0.26*	<20.8*	0.787	10.7	4.56	
	10/5/2021	n/a	<2	171	210	<0.25	<0.25	96.6	0.323	15.2	0.34	25500	<0.25	376	<0.2	40.7	<5	<0.3	<0.5	<0.25	<20	0.776	6.65	4.65	
	4/19/2022	n/a	<2.08*	164	239	<0.26*	0.137	87.3	0.403	14.1	0.316	25200	0.29	390	0.07	38.6	<5.2*	<0.312*	<0.5*	0.05	<20.8*	0.811	91.8	4.84	
	10/4/2022	n/a	<2.08*	175	1																				

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	2/7/2007	6.48	<1	1	79	<2	<5	25	<10	<10	<20	17000	<5	11000	<0.2	<20	<20	<10	18	<1	n/a	<10	<30	<1
	5/24/2007	8.55	<1	<1	86	<2	<5	25	<10	<10	<20	<100	<5	50	<0.2	<20	<20	<10	5.4	<1	n/a	<10	91	<1
	8/25/2007	n/a	<1	1.4	65	<2	<5	12	<10	<10	<20	440	6.9	130	<0.2	<20	48	<10	17	<1	n/a	<10	40	<1
	11/6/2007	7.01	<1	2.1	70	<2	<5	12	<10	<10	<20	270	<5	310	<0.2	<20	<20	<10	36	<1	<20	<10	<30	<1
	2/22/2008	6.87	<1	1	76	<2	<5	22	<10	<10	<20	<100	<5	56	<0.2	<20	<20	<10	<5	<1	22	<10	<30	<1
	4/29/2008	7.25	<1	1.2	74	<1	<0.5	25	<10	<10	<1	200	<5	42	<0.2	<20	<1	<10	5.9	<1	<20	<10	39	<1
	8/19/2008	7.11	<1	1.4	76	<1	<5	12	<10	<10	<20	<100	<5	7.6	<0.2	<20	<20	<10	8.1	<1	<20	<10	<30	<1
	11/18/2008	6.83	<1	1.2	78	<2	<5	12	<10	<10	<20	<100	<5	85	<0.2	<20	<20	<10	6.9	<1	72	<10	<30	<1
	2/20/2009	6.88	<1	1.6	76	<1	<0.5	18	<10	<10	<1	<100	<1	42	<0.2	<20	<1	<10	5.9	<1	<1	<10	13	<1
	5/20/2009	6.57	<1	1.4	64	<1	<5	2.1	<10	<10	<1	<100	<1	18	<0.2	<20	<1	<10	8.2	<1	<1	<10	46	<1
	8/27/2009	6.34	<1	1.5	56	<1	2.8	18	<10	<10	<2	240	<1	36	<0.2	<20	<1	<10	10	<1	<1	<10	11	<1
	12/16/2009	7.57	n/a	110	200	2.7	5.5	16	51	57	29	44000	210	3300	0.21	130	<20	<10	12	3.3	<400	71	370	<1
	3/22/2010	7.5	<1	31	87	0.79	<0.5	16	13	19	11	10000	42	1100	<0.2	28	<1	3.3	10	0.49	<1	16	130	<1
	6/16/2010	n/a	<1	2.3	52	<1	<0.5	20	<10	1.8	0.75	810	2.3	74	0.06	5.6	0.65	<10	7.1	<1	<1	<10	16	<1
	9/22/2010	6.81	<1	5.4	80	<1	<0.5	18	<10	<10	1.3	1300	5.8	230	0.02	7.4	0.6	6.8	10	0.21	<1	2.6	25	<1
	12/6/2010	6.78	0.42	5.4	79	0.6	0.41	18	2.4	2.6	1.6	1400	4.8	410	<0.2	<20	<1	<10	11	0.2	0.39	<10	16	<1
	3/21/2011	6.79	<1	2.8	63	<1	<0.5	20	<10	<10	0.66	640	1.8	140	<0.2	<20	<1	<10	7.6	<1	<1	<10	14	<1
	6/27/2011	6.63	<1	3	63	<1	<0.5	19	2	3	0.79	1400	4.1	190	<0.2	11	<1	<10	8.6	<1	<1	<10	17	<1
	9/27/2011	n/a	0.26	5.6	110	0.37	0.17	17	<10	2.3	0.76	260	1.4	350	<0.2	<20	0.61	<10	10	0.3	<1	<10	4.1	<1
	6/20/2012	n/a	<1	6.3	72	<1	<0.5	22	<10	<10	<2	960	5.8	350	<0.2	<20	<1	<10	14	<1	<1	28	16	<1
	9/19/2012	n/a	<1	6.7	120	<1	<0.5	16	<10	<10	<2	330	<1	460	<0.2	<20	<1	<10	11	<1	<1	<10	<10	<1
	3/11/2015	n/a	<0.21	2.6	69	<0.12	<0.16	21	<1.4	<2.3	<0.52	140	12	40	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	2.5	86	<0.12	<0.16	64	<1.4	<2.3	<0.52	120	<0.24	120	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33
	9/15/2015	n/a	<0.21	2.84	87.4	<0.12	1.11	58.1	<0.54	2.77	<0.52	136	<0.24	1660	<0.049	30.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	26.6	<0.331
	12/15/2015	n/a	<0.21	<0.25	71.6	<0.12	<0.16	30.3	<0.54	<0.26	<0.52	<15	<0.24	1200	<0.049	21.1	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	3/29/2016	n/a	<0.21	2.18	78.3	<0.12	<0.16	49.3	<0.54	<0.26	<0.52	<15	<0.24	743	<0.049	19.5	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	6/28/2016	n/a	<0.754	<0.25	83.5	<0.12	1.33	60.2	<0.54	2.21	<0.52	<15	<0.24	1870	<0.049	27.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	28.4	<0.331
	9/20/2016	n/a	<2	<2	81.6	<2	1.29	61.8	<2	4.37	<5	106	<2	2590	<0.2	32.3	<2	<2	<5	<2	<2	<5	25.5	<1
	12/21/2016	n/a	<2	<2	99.6	<2	1.48	66.2	<2	11.1	<5	305	<2	4350	<0.2	43.8	<2	<2	<5	<2	<2	<5	42.9	<1
	3/29/2017	n/a	<2	<2	70.4	<2	1.37	28.2	<2	3.22	<5	171	<2	1950	<0.2	23	<2	<2	<5	<2	<2	<5	<25	<1
	4/20/2018	n/a	<10*	<23.4*	68	<0.416*	<1.2*	20.7	<12.5*	1.19	2	478	<15.6*	213	0.025	4	<52*	<20.8*	8.68	<73*	<41.6*	0.5	8.6	<5*
	10/26/2018	n/a	<36*	<23.5*	107	<0.624*	<1.2*	27.4	<12.5*	<13.5*	1	171	<15.6*	321	<0.2*	9	<52*	<20.8*	10.4	<73*	<728*	<21*	16.2	<5*
	4/24/2019	n/a	<2.08*	1.4	106	<0.26*	0.099	26.2	0.285	0.319	0.412	41.2	0.241	78.3	0.15	4.91	<2.08*	<0.26*	9.51	0.279	<20.8*	0.255	9.07	<5*
	10/8/2019	n/a	<2.08*	3.36	139	<0.26*	0.133	30.7	9.85	0.933	0.743	104	0.167	272	0.2	17.7	<2.08*	0.031	9.74	0.333	<20.8*	0.255	8.14	<1*
	4/21/2020	n/a	<2.08*	0.8	78	<0.26*	<0.26*	24.9	0.425	0.185	0.382	20.3	<0.26*	5.81	0.325	2.44	<5.2*	<0.312*	8.84	0.112	<20.8*	0.173	9.12	<1*
	10/6/2020	n/a	0.589	1.99	104	<0.26	0.101	25.2	0.514	0.318	0.61	26.3	19.5	141	0.075	0.43	<5.2	<0.312	10.6	0.205	<20.8	0.222	12.8	<1
	4/6/2021	n/a	<2.08*	0.98	77.6	<0.26*	<0.26*	19	0.777	0.401	0.323	40.4	0.162	42.7	0.03	1.92	<5.2*	<0.312*	8.79	0.066	<20.8*	0.235	7.32	<1*
	10/5/2021	n/a	<2	1.27	83.2	<0.25	0.087	23.4	0.603	0.672	0.632	53.2	0.387	91.8	0.152	3.62	<5	<0.3	10.5	0.076	<20	0.284	9.27	<1
	4/19/2022	n/a	<2.08*	0.456	73.1	<0.26*	0.045	18.2	0.521	0.14	0.309	9.54	<0.26*	2.8	0.672	1.35	<5.2*	<0.312*	6.96	0.056	<20.8*	0.22	7.2	<1*
	10/4/2022	n/a	<2.08*	0.808	55	<0.26*	0.321	8.56	0.203	0.441	0.584	<20.8*	<0.26*	223	0.198	8.21	<5.2*	<0.312*	2.68	0.303	<20.8*	0.208	16.4	<1*
	5/15/2024	n/a	<2.08	0.077	11.9	0.105	<0.26	20.3	0.126	<0.26	0.402	<46.8	<0.416	2.73	<0.2	<1.56	<5.2	<0.312	11.5	<0.26	<20.8	0.05	<20.8	<1
	11/6/2024	n/a	<2.08	0.462	79.9	<0.26	0.058	11.2	0.821	0.128	0.47	15.8	<0.416	2.12	<0.2	0.92	<5.2	<0.312	8.42	0.061	<20.8	0.278	8.65	<1
CAO-3	10/11/2005	n/a	<6	1.76	<50	0.728	0.978	25	1.25	<50	2.09	745	5.56	<50	n/a	<50	<10	<3	16.1	<2	n/a	<10	65.7	<0.5
	1/16/2006	6.85	n/a	12.6	<100	0.853	0.541	7.5	6.02	26	5.79	4310	36	196	n/a	68.3	<3	<0.39	64.6	<1	n/a	14.2	112	<0.5
	4/5/2006	7.33	<6	<10	<100	<0.8	0.575	6.5	0.992	<200	<8	<50	<5	<50	n/a	<200	<10	<1.7	10.5	<2	n/a	<10	<200	<0.5
	7/27/2006	7.34	<1	<10	43	<2	<5	2.8	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	9.2	<1	n/a	<10	<30	<1
	9/6/2006	7.28	<1	<10	44	<2	<5	3.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	<30	<1
	2/7/2007	7.02	<1	<1	44	<2	<5	3.2	<10	<10	<20	<10000	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	31	<1
	5/24/2007	8.91	<1	6.4	55	<2	<5	4.4	<10	<10	<20	15000	5.7	40	<0.2	<20	<20	<10	71	<1	n/a	<10	98	<1
	8/25/2007	7.45	<1	1.1	38	<2	<5	2.7	<10	<10	<20	<100	6.7	46	<0.2	<20	20	<10	86	<1	n/a	<10	49	<1
	11/6/2007	6.89	<1	2.9	55	<2	<5	2.6	<10	<10	<20	300	<5	80	<0.2	27	<20	<10	160	<1	32	<10	<30	<1
	2/22/2008	7	<1	<1	41	<2	<5	4.6	<10	<10	<20	<100	<5	36	<0.2	<20	<20	<10	21	<1	<20	<10	<30	<1
	4/29/2008	7.5	<1	<1	43	<1	<0.5	4.1	<10	<10	<1	130	<5	<10	<0.2	<20	<1	<10						

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	
	8/19/2008	7.05	<1	<1	53	<1	<5	3.7	<10	<10	<20	48	<5	<10	<0.2	<20	<20	<10	22	<1	<20	<10	38	<1	
	11/18/2008	6.97	<1	<1	51	<2	<5	4.2	<10	<10	<20	<100	<5	85	<0.2	<20	<20	<10	21	<1	72	<10	<30	<1	
	2/20/2009	7.04	<1	<1	42	<1	0.54	3.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	21	<1	<1	<10	28	<1	
	5/20/2009	6.73	<1	<1	40	<1	<5	4.7	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	16	<1	<1	<10	27	<1	
	8/19/2009	6	<1	<1	47	<1	0.56	5.4	<10	<10	<2	110	<1	26	<0.2	<20	<1	<10	19	<1	<1	<10	37	<1	
	12/16/2009	7.06	<1	2.9	54	<2	<5	3.9	<10	<10	<20	2200	22	44	<0.2	<20	<20	<10	21	<1	<100	<10	55	<1	
	3/22/2010	6.94	<1	<1	42	<1	<0.5	1.8	<10	<10	0.52	390	0.75	7.8	<0.2	<20	<1	<10	9.8	<1	<1	<10	33	<1	
	6/16/2010	n/a	<1	0.4	47	<1	0.59	5.2	<10	<10	0.59	510	1.2	12	<0.2	<20	0.38	<10	19	<1	<1	<10	31	<1	
	9/22/2010	6.83	0.4	0.89	48	0.85	1.3	9.1	4	<10	0.72	170	1.3	11	<0.2	<20	<1	<10	13	<1	<1	<10	26	<1	
	12/6/2010	7.07	0.39	0.76	42	0.52	1	11	<10	<10	1.2	210	1	18	<0.2	<20	<1	<10	15	<1	0.35	<10	25	<1	
	3/21/2011	6.83	<1	0.84	41	<1	<0.5	3.6	<10	<10	4.5	670	2.9	34	<0.2	<20	<1	<10	13	<1	<1	<10	57	<1	
	6/27/2011	6.58	<1	<1	47	<1	<0.5	3.6	4	<10	<2	490	<1	11	<0.2	<20	<1	<10	15	<1	<1	<10	22	<1	
	9/27/2011	n/a	0.26	1.2	45	0.36	0.56	15	<10	<10	0.69	<100	0.73	<10	<0.2	<20	1.3	<10	13	<1	<1	<10	17	<1	
	6/20/2012	n/a	<1	1.8	47	<1	1.4	10	<10	<10	4.4	1500	8.4	65	<0.2	<20	<1	<10	24	<1	<1	34	69	<1	
	9/20/2012	n/a	<1	1.6	45	<1	0.54	5.2	<10	<10	<2	730	3.4	33	<0.2	<20	<1	<10	66	<1	<1	<10	43	<1	
	3/11/2015	n/a	<0.21	<0.25	39	<0.12	<0.16	4.3	<1.4	<2.3	<0.52	<14	8.1	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	6/9/2015	n/a	<0.21	<0.25	45	<0.12	<0.16	12	<1.4	<2.3	<0.52	920	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.6	<0.19	<0.3	<2.4	31	<0.33	
	9/15/2015	n/a	<0.21	<0.25	43.5	<0.12	<0.16	20.5	<0.54	<0.26	11.6	<15	<0.24	12.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	
	12/15/2015	n/a	<0.21	<0.25	41.7	<0.12	<0.16	11.4	<0.54	<0.26	<0.52	<15	<0.24	5.77	<0.049	2.4	<0.38	<0.31	6.19	<0.19	<0.3	<0.18	27.5	<0.331	
	3/29/2016	n/a	<0.21	<0.25	39	<0.12	<0.16	8.98	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	6.96	<0.19	<0.3	<0.18	<2.56	<0.331	
	6/28/2016	n/a	<0.754	<0.25	40.4	<0.12	<0.16	18.2	<0.54	<0.26	<0.52	<15	<0.24	5.37	<0.049	<0.35	<0.38	<0.31	6.38	<0.19	<0.3	<0.18	<2.56	<0.331	
	9/20/2016	n/a	<2	<2	39.6	<2	<1	22.3	<2	<2	<5	129	<2	28.2	<0.2	2.33	<2	<2	5.19	<2	<2	<5	<25	<1	
	12/21/2016	n/a	<2	<2	41.2	<2	<1	17.9	<2	<2	<5	<100	<2	8.4	<0.2	<2	<2	<2	6.01	<2	<2	<5	<25	<1	
	3/29/2017	n/a	<2	<2	40.7	<2	<1	7.32	<2	<2	<5	128	2.3	<5	<0.2	<2	<2	<2	7.41	<2	<2	<5	<25	<1	
	9/29/2017	n/a	<2	<2	45.6	<2	1.43	13.9	<2	<2	<5	690	2.68	10.2	<0.2	2.18	<2	<2	12.5	<2	<2	<5	32.6	<1	
	4/18/2018	n/a	<10*	<23.4*	36.8	<0.416*	<1.2*	7.84	<12.5*	<10*	<5*	319	<15.6*	<10.4*	<0.2*	<10*	<52*	<20.8*	9.2	<73*	<41.6*	<20*	24	<5*	
	10/29/2018	n/a	<36*	<23.5*	39.6	<0.624*	<1.2*	10.9	<12.5*	<13.5*	<5*	108	<15.6*	<10.4*	<0.2*	4	<52*	<20.8*	30.2	<73*	<728*	<21*	27.4	<5*	
	4/23/2019	n/a	<2.08*	0.132	42.8	<0.26*	0.626	6.21	0.298	<0.26*	0.363	15.9	0.178	0.568	<0.2*	0.73	0.514	<0.26*	9.94	<0.26*	<20.8*	0.192	20.5	<5*	
	10/8/2019	n/a	<2.08*	0.474	40.9	<0.26*	0.406	8.75	0.351	0.409	0.321	21.4	0.26	51.8	<0.2*	4.9	<2.08*	<0.26*	45.9	0.197	<20.8*	0.27	24.6	<1*	
	4/21/2020	n/a	<2.08*	0.092	37.4	<0.26*	0.555	3.22	0.317	0.035	0.249	23.4	0.104	0.965	<0.2*	0.87	<5.2*	<0.312*	6.82	<0.26*	<20.8*	0.185	23.7	<1*	
	10/6/2020	n/a	<2.08	0.455	32.7	<0.26	0.253	6.94	0.494	0.071	0.419	33.9	0.315	1.5	<0.2	0.16	<5.2	<0.312	54.2	0.209	<20.8	0.273	25.7	<1	
	4/6/2021	n/a	<2.08*	0.206	30.8	<0.26*	0.49	4.98	0.0801	0.043	0.304	15.6	0.139	1.07	<0.2*	2.81	<5.2*	<0.312*	21.7	0.107	<20.8*	0.213	32.9	<1*	
	10/5/2021	n/a	<2	0.269	35.1	<0.25	0.784	7.23	0.396	<0.25	0.336	5.67	0.099	1.7	<0.2	2.63	<5	<0.3	48.2	0.24	<20	0.256	68.9	<1	
	4/19/2022	n/a	<2.08*	0.131	21.3	<0.26*	0.18	2.42	0.423	<0.26*	0.245	51.4	0.318	<1.56*	<0.2*	0.4	<5.2*	<0.312*	2.76	<0.26*	<20.8*	0.267	8.6	<1*	
	10/3/2022	n/a	0.478	1.35	18.9	<0.26*	0.183	1.42	0.199	0.21	0.362	356	0.167	101	<0.2*	0.88	<5.2*	0.105	3.63	0.067	<20.8*	0.062	<20.8*	<1*	
	5/15/2024	n/a	<2.08	0.102	30.5	<0.26	0.523	2.32	0.448	<0.26	0.458	<46.8	0.124	<1.56	<0.2	1.06	<5.2	<0.312	4.52	<0.26	<20.8	0.194	26.5	<1	
	11/6/2024	n/a	<2.08	0.126	32.3	<0.26	0.539	1.7	0.581	<0.26	0.412	14.9	0.126	0.758	<0.2	0.7	<5.2	<0.312	5.72	<0.26	<20.8	0.221	22	<1	
MW-1	4/13/1999	7.11	<6	<5	<100	<2	<3	5.5	<10	<20	<5	277	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	75	<0.05	
	7/28/1999	7.06	<6	<5	<100	<2	<3	5	<10	<20	<5	148	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	
	10/12/1999	6.92	<6	<5	<100	<2	<3	4.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.6	<1	n/a	<400	<30	<0.05	
	1/25/2000	7.12	<6	<5	<100	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.9	<1	n/a	<400	<30	<0.05	
	4/26/2000	7	<6	<5	<100	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	
	10/18/2000	6.94	<6	<5	<100	<2	<3	4.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	
	4/19/2001	7.01	<6	<5	<100	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	7.2	<1	n/a	<400	131	<0.05	
	10/25/2001	7.06	<6	<5	<10	6	<3	5	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	6.7	<2	n/a	<400	<30	<0.05	
	4/18/2002	6.86	<6	<5	<10	<2	<3	5.5	<10	<20	<5	<30	<5	179	n/a	<10	<10	<10	8.2	<1	n/a	<400	<30	<0.05	
	10/31/2002	6.95	<6	<5	211	<2	<3	5.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.2	<1	n/a	<400	98.7	<0.05	
	4/15/2003	6.97	<6	<5	14	<2	<3	5.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.8	<1	n/a	<400	113.7	<0.05	
	10/29/2003	6.98	<6	<5	18.4	<2	<3	5.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	156	<0.05	
	4/13/2004	6.9	8.1	<5	47	<2	3.3	5.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.6	<1	n/a	<400	147.2	<0.05	
	10/20/2004	6.78	<6	<5	<30	<2	3.8	6	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.06	<1	n/a	<400	<30	<0.05	
	4/14/2005	6.88	<2	<1.5	<25	<0.18	2.93	<10	0.186	<20	<2	77	<1	261	n/a	<10	<10	<3	<1	11.8	<1	n/a	2.16	183	<0.05
	10/11/2005	6.47	4.87	<4	<5																				

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	4/4/2006	7.19	2.44	<5	<50	0.8	1.98	5.5	1.34	<100	<2	<30	<1	<30	n/a	<100	<5	<0.5	9.64	<1	n/a	<2	270	<0.5
	7/26/2006	7.25	<1	<10	54	<2	<5	2.6	<10	<10	<20	<100	<5	<10	n/a	<20	25	<10	9.4	<1	n/a	<10	220	<1
	9/5/2006	7.07	<1	1.1	58	<2	<5	2.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.8	<1	n/a	<10	200	<1
	2/7/2007	6.87	<1	1.3	58	<2	<5	3.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.2	<1	n/a	<10	230	1.1
	5/24/2007	8.21	<1	<1	65	<2	<5	3.3	<10	<10	<20	350	<5	13	<0.2	<20	<20	<10	8.8	<1	n/a	<10	250	1.3
	8/25/2007	6.12	<1	<1	59	<2	<5	2.6	<10	<10	<20	<100	6.3	<10	<0.2	<20	35	<10	9.5	<1	n/a	<10	260	2
	11/6/2007	6.7	<1	<1	65	<2	<5	4.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.3	<1	<20	<10	240	1.8
	2/22/2008	6.78	<1	<1	60	<2	<5	4.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.1	<1	38	<10	230	1.4
	4/29/2008	6.97	<1	<1	60	<1	1.7	2.5	<10	<10	1.1	<100	<5	<10	<0.2	<20	<1	<10	8.9	<1	<20	<10	230	<1
	8/19/2008	6.97	<1	<1	61	<1	<5	2.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.6	<1	<20	<10	250	<1
	11/18/2008	6.81	<1	1.1	64	<2	<5	3.5	<10	<10	<20	<100	7.6	<10	<0.2	<20	<20	<10	9.9	<1	<20	<10	260	<1
	2/20/2009	6.94	<1	1.1	61	<1	2	2.8	<10	<10	<1	<100	<1	14	<0.2	<20	<1	<10	9.9	<1	<1	<10	250	<1
	5/20/2009	6.6	<1	1	68	<1	1	5.8	<10	<10	<1	<100	<1	64	0.81	<20	<1	<10	10	<1	<1	<10	350	<1
	8/19/2009	5.81	<1	1.2	80	<1	1.4	6.4	<10	<10	<2	<100	<1	380	0.92	<20	<1	<10	11	<1	<1	<10	450	0.62
	12/16/2009	7.05	<1	2.5	94	0.31	1.4	7.6	2.3	36	<20	630	<5	930	1.7	9.1	24	<10	9.7	0.2	<20	<10	520	0.42
	3/22/2010	n/a	<1	1.9	110	<1	0.38	13	<10	55	0.76	310	0.72	1100	0.82	33	<1	<10	11	<1	<1	<10	650	1
	3/23/2010	6.42	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/16/2010	n/a	<1	2.8	120	<1	2.3	25	<10	53	1.2	370	2.7	1100	3.8	34	0.54	7.6	13	0.28	<1	<10	780	1
	9/22/2010	6.46	0.54	2.6	120	0.31	2.4	30	<10	28	1.1	230	3.8	860	4.4	30	1.2	<10	13	0.8	0.6	8.6	640	0.68
	12/8/2010	6.42	<1	2.1	100	<1	0.16	30	<10	29	<2	310	0.69	770	1.2	29	0.44	<10	12	<1	<1	<10	460	0.5
	3/23/2011	6.57	<1	2.5	100	<1	<0.5	27	<10	32	0.55	730	0.25	790	0.59	28	<1	<10	12	<1	<1	<10	420	0.63
	6/29/2011	6.77	<1	13	120	<1	<0.5	37	<10	95	0.77	4100	0.73	780	0.67	57	<1	<10	6.5	<1	<1	<10	110	0.7
	9/29/2011	n/a	0.37	12	140	0.29	0.42	40	4	73	<10	1500	0.89	1100	0.15	55	2.6	<10	11	0.75	0.33	<50	240	0.91
	6/20/2012	n/a	<1	8.3	170	<1	<0.5	81	<10	64	<2	4400	<1	1100	<0.2	63	1.1	<10	16	<1	<1	42	120	1.3
	9/19/2012	n/a	<1	13	160	<1	<0.5	73	<10	85	<2	2500	<1	1100	<0.2	88	1.1(P1)	<10	20	<1	<1	<10	180	1
	12/15/2015	n/a	<0.21	24.2	195	<0.12	<0.16	133	<0.54	41	<0.52	6100	<0.24	789(V)	<0.049	58.1	<0.38	<0.31	26.4	<0.19	<0.3	<0.18	163(O1)	1.06
	3/29/2016	n/a	<0.21	12.1	189	<0.12	<0.16	127	<0.54	33.6	<0.52	5400	<0.24	773(V)	<0.049	47.1	<0.38	<0.31	21.2	<0.19	<0.3	<0.18	101	1.62
	6/28/2016	n/a	<0.754	47.1	196	<0.12	<0.16	137	<0.54	46.6	<0.52	5680	<0.24	804	<0.049	83.5	<0.38	<0.31	22	<0.19	<0.3	<0.18	154	1.69
	9/20/2016	n/a	<2	39.8	172	<2	<1	119	3.66	45.2	<5	6300	3.93	730	<0.2	63.6	<2	<2	21	<2	<2	<5	243	<1
	12/20/2016	n/a	<2	71	201	<2	<1	122	5.88	109	10.4	6300	2.9	780	<0.2	158	<2	<2	23.6	<2	<2	<5	619	<1
	3/28/2017	n/a	<2	17.4	176	<2	<1	117	<2	57.8	<5	3910	<2	983	<0.2	61.2	<2	<2	25.4	<2	<2	<5	493	<1
	9/27/2017	n/a	<2	23.8	190	<2	<1	123	<2	61.3	<5	6340	<2	889	<0.2	83.6	<2	<2	19.3	<2	<2	<5	327	<1
	4/18/2018	n/a	<10*	37.3	179	<0.416*	<1.2*	98.1	<12.5*	120	<5*	3430	<15.6*	1320	<0.2*	90	<52*	<20.8*	45	<73*	<41.6*	<20*	1620	<5*
	10/29/2018	n/a	<36*	44.1	171	<0.624*	<1.2*	91.3	127	47.7	3	9630	<15.6*	596	<0.2*	147	<52*	<20.8*	17.2	<73*	<728*	<21*	151	0.815
	4/24/2019	n/a	<2.08*	18.8	187	<0.26*	0.294	95.4	0.961	28.5	1.1	7270	0.823	828	0.15	33.7	<2.08*	0.025	5.58	0.531	<20.8*	0.69	374	1.06
	10/9/2019	n/a	0.388	49.7	182	<0.26*	<0.26*	96.6	0.854	70.1	0.306	9480	0.125	658	0.05	119	<2.08*	<0.26*	10.7	0.057	<20.8*	0.308	49.2	0.942
	4/22/2020	n/a	<2.08*	18.9	182	<0.26*	0.072	84.1	0.49	34.9	1.54	7900	0.457	802	0.075	38.2	<5.2*	<0.312*	5.08	0.174	<20.8*	0.31	162	1.28
	10/7/2020	n/a	<2.08	40.4	180	<0.26	0.064	76.8	0.492	59.6	0.353	8960	0.271	630	<0.2	89.7	<5.2	<0.312	7.6	0.141	<20.8	0.393	73.9	1.22
	4/7/2021	n/a	<2.08*	20.6	164	<0.26*	0.045	77.1	0.343	67.4	1.71	8830	0.53	778	0.08	58.8	<5.2*	<0.312*	9.68	0.114	<20.8*	0.29	164	1.16
	10/6/2021	n/a	0.458	56.6	157	<0.25	0.14	65.7	0.403	107	0.593	12800	0.387	351	0.0725	128	<5	<0.3	10.5	0.325	<20	0.2	245	1.44
	4/19/2022	n/a	<2.08*	18	144	<0.26*	0.041	55.4	0.449	44.7	0.669	13300	0.254	382	<0.2*	38.9	<5.2*	<0.312*	3.62	<0.26*	<20.8*	0.183	81.2	1.91
	10/4/2022	n/a	2.88	67.2	161	<0.26*	0.364	57.5	5.14	131	1.08	19200	0.67	328	<0.2*	228	<5.2*	<0.312*	3.56	0.31	25.9	0.698	197	1.54
	5/15/2024	n/a	<2.08	65.8	113	<0.26	0.133	52.2	1.72	78.8	1.71	15700	1.22	371	<0.2	65.9	<5.2	<0.312	1.6	0.114	<20.8	0.356	120	1.96
	11/7/2024	n/a	<2.08	65.5	105	<0.26	0.044	45.6	0.514	47	0.2	17300	0.121	181	<0.2	48.7	<5.2	<0.312	1.72	0.232	<20.8	0.181	276	2.11
MW-1R	6/21/2012	n/a	1.4	91	350	4	36	51	65	160	71	62000	240	4800	<0.2	160	<1	<10	16	6.6	2	83	4800	<1
	9/20/2012	n/a	<1	2.8	130	<1	2	34	<10	48	<2	210	<1	1000	7	43	<1	<10	14	<1	<1	<10	850	<1
	3/10/2015	n/a	<0.21	34	180	<0.12	<0.16	100	<1.4	96	<0.52	11000	7.9	590	0.96(J3)	83	<0.38	<2.8	23	<0.19	<0.3	<2.4	1500	<0.33
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	48	190	<0.12	<0.16	110	<1.4	87	<0.52	15000	<0.24	510	0.83	83	<0.38	<2.8	20	<0.19	<0.3	<2.4	1300(O1)	1.3
	9/15/2015	n/a	<0.21	49.2	165	<0.12	<0.16	121	<0.54	76.1	<0.52	13400	<0.24	442	0.231	82.4	<0.38	<0.31	21	2.23	<0.3	<0.18	1490	1.23
	12/15/2015	n/a	<0.21	25.8	170	<0.12	4.06	112	5.03	65.9	<0.52	9810	17.9	528	3.07	76.8(B)	<0.38	<0.31	26.9	2.03	<0.3	<0.18	1650	1.18
	3/29/2016	n/a	<0.21	59.9	175	<0.12	<0.16	117	<0.54	75.3	<0.52	19700	2.56	433	0.327	80.3	<0.38	<0.31	21.7	2.02	<0.3	<0.18	1630	1.14
	6/28/2016	n/a	<0.754	52.9	169	<0.12	<0.16	116	<0.54	67.4	<0.52	15400	<0.24	353	0.22	76.3	<0.38	<0.31	22.7	2.07	<0.3	<0.18	1590	1.19
	9/20/2016	n/a	<2	60.4	166	<2	<1	114	<2	64.9	<5	19500	<2	320	0.683	78.4	<2	<2	23	<2	<2	<5	1760	<1

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
MW-2	12/20/2016	n/a	<2	62.7	173	<2	<1	102	<2	69.2	<5	23700	2.41	346	0.715	80.2	<2	<2	23.7	<2	<2	<5	1600	<1
	3/28/2017	n/a	<2	64.6	173	<2	<1	103	2.92	75.4	<5	22900	<2	364	0.206	82.8	<2	<2	21.7	<2	<2	<5	1420	<1
	9/27/2017	n/a	<2	75	169	<2	<1	118	<2	65.6	<5	28000	<2	279	<0.2	82	<2	<2	21.8	<2	<2	<5	1370	<1
	4/30/2018	n/a	<10*	73.8	162	<0.416*	0.521	83.1	<12.5*	65	<5*	26800	<15.6*	271	0.625	80	<52*	<20.8*	25.7	<73*	<41.6*	<20*	1390	0.753
	10/29/2018	n/a	<36*	85.6	163	<0.624*	<1.2*	97.6	<12.5*	58.6	<5*	32900	<15.6*	231	0.225	83	<52*	<20.8*	22.7	<73*	<728*	<21*	1340	1.05
	4/24/2019	n/a	<2.08*	110	174	<0.26*	0.201	89.4	0.393	56.9	3.39	28100	1.99	284	0.35	72.8	<2.08*	0.016	<25*	1.79	<20.8*	0.307	1220	1.09
	10/9/2019	n/a	<2.08*	117	169	<0.26*	0.133	92.7	0.713	56.1	0.504	32000	0.782	236	0.275	80.4	<2.08*	<0.26*	18.7	1.65	<20.8*	0.265	1120	0.786
	4/22/2020	n/a	<2.08*	108	161	<0.26*	0.166	84.7	0.576	46.4	1.74	27000	1.05	247	0.5	63.8	<5.2*	<0.312*	11.1	1.62	<20.8*	0.29	858	1.26
	10/7/2020	n/a	<2.08	120	153	<0.26	<0.26	76.2	0.43	48.5	0.251	34900	0.263	215	0.075	75.2	<5.2	<0.312	15.5	1.6	<20.8	0.233	1090	1.27
	4/7/2021	n/a	<2.08*	123	152	<0.26*	0.193	79.7	0.155	44.7	3.77	37500	1.17	216	0.465	65.2	<5.2*	<0.312*	13.3	1.53	<20.8*	0.27	851	1.05
	10/6/2021	n/a	<2	137	148	<0.25	0.13	63	0.716	46.4	0.507	29000	0.877	147	0.48	74.9	<5	<0.3	15	1.35	<20	0.324	747	1.38
	4/19/2022	n/a	<2.08*	116	145	<0.26*	0.298	61.3	1.15	38.9	6.49	25300	2.4	172	1.84	53.9	<5.2*	<0.312*	6.48	0.981	<20.8*	0.702	500	1.37
	10/4/2022	n/a	1.8	117	130	<0.26*	0.091	57.4	1.31	35.6	1.18	31400	0.459	121	<0.2*	49.4	1.75	<0.312*	10.6	0.134	12.6	0.549	252	1.46
	5/15/2024	n/a	<2.08	115	141	<0.26	0.067	45	0.513	27.1	1.05	25800	0.391	129	0.152	40.2	<5.2	<0.312	9.91	0.814	<20.8	0.179	341	1.52
	11/7/2024	n/a	<2.08	143	110	<0.26	0.09	47.3	0.599	45.1	0.222	30400	0.359	83.5	0.202	56.3	<5.2	<0.312	8.73	1.43	<20.8	0.173	778	2.1
	4/13/1999	7.08	<6	<5	<100	<2	<3	12.5	<10	<20	<5	204	<5	<50	n/a	<10	<10	<10	16.6	<1	n/a	<400	<30	<0.05
	7/28/1999	7.17	<6	<5	<100	<2	<3	5.25	<10	<20	<5	59	<5	<50	n/a	<10	<10	<10	16.3	<1	n/a	<400	<30	<0.05
	10/12/1999	7.05	<6	<5	<100	<2	<3	5.75	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	17.7	<1	n/a	<400	<30	<0.05
	1/25/2000	7.45	<6	13	<100	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	18.1	11	n/a	<400	<30	<0.05
	4/26/2000	7.08	<6	<5	<100	<2	<3	3.8	<10	<20	<5	65	<5	<50	n/a	<10	<10	<10	15.2	<1	n/a	<400	<30	<0.05
	10/18/2000	7.04	<6	8	<100	<2	<3	3.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13.3	<1	n/a	<400	<30	<0.05
	4/19/2001	7.18	<6	7.49	<100	<2	<3	4.7	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	16.7	<1	n/a	<400	<30	<0.05
	10/25/2001	7.06	<6	6.1	<10	4	<3	5	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	16.3	<2	n/a	<400	<30	<0.05
	4/18/2002	7.1	<6	5	51	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	16.2	<1	n/a	<400	<30	<0.05
	10/31/2002	7.1	<6	6	184	<2	<3	5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	17	<1	n/a	<400	<30	<0.05
4/15/2003	7.07	<6	6	<10	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	15.7	<1	n/a	<400	<30	<0.05	
10/29/2003	7.09	<6	<5	<10	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	17.5	<1	n/a	<400	<30	<0.05	
4/13/2004	7.04	<6	<5	41.5	<2	<3	7	<10	<20	<5	465	<5	<50	n/a	<10	<10	<10	13.7	<1	n/a	<400	<30	<0.05	
10/20/2004	6.96	<6	<5	<30	<2	<3	8.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	12	<1	n/a	<400	<30	<0.05	
4/14/2005	7.02	<2	2.85	<25	<0.18	<1.2	<10	0.154	<20	5.81	92.6	<1	<30	n/a	<10	<3	<1	14	<1	n/a	<20	<10	<0.05	
10/11/2005	6.76	<6	5.85	<50	<0.8	<1.5	8.5	0.269	<50	<10	72.2	<5	<50	n/a	<50	<10	<3	12.4	<2	n/a	<10	<30	<1	
4/4/2006	7.6	<2	5.36	<50	<0.18	<0.3	5.5	0.643	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	16.6	<1	n/a	<2	<100	<0.5	
7/26/2006	7.7	<1	<10	31	<2	<5	3.3	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	14	<1	n/a	<10	<30	<1	
9/5/2006	7.56	<1	5.4	31	<2	<5	2.9	<10	<10	<20	<100	<5	12	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	
2/7/2007	7.76	<1	5.5	29	<2	<5	5.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	<30	<1	
5/24/2007	7.98	<1	3.6	35	<2	<5	5.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	<30	<1	
8/25/2007	7.23	<1	4.4	28	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	45	<10	13	<1	n/a	<10	<30	<1	
11/6/2007	6.87	<1	4.7	33	<2	<5	3.9	<10	<10	<20	120	<5	14	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	
2/22/2008	7.57	<1	5.2	30	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	14	<1	21	<10	<30	<1	
4/29/2008	7.31	<1	2.8	32	<1	<0.5	4.4	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	14	<1	<20	<10	16	<1	
8/19/2008	7.32	<1	3.6	28	<1	<5	3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	<20	<10	<30	<1	
11/18/2008	7.43	<1	3.9	33	<2	<5	4.6	<10	<10	<20	<100	6.1	15	<0.2	<20	<20	<10	13	<1	<20	<10	<30	<1	
2/20/2009	7.43	<1	4.6	32	<1	<5	4.4	<10	<10	1.3	<100	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	<10	<1	
5/20/2009	6.98	<1	3.2	31	<1	<5	7.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	18	<1	
8/19/2009	6.35	<1	3.1	34	<1	<0.5	4.4	<10	<10	<2	<100	<1	14	<0.2	<20	<1	<10	16	<1	<1	<10	28	<1	
12/18/2009	10.2	0.52	2.2	28	<2	<5	16	2.1	<10	5.8	150	<5	5.4	0.07	<20	15	<10	39	<1	<20	4.8	<30	<1	
3/22/2010	10																							

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	
	9/19/2012	n/a	<1	1.8	29	<1	<0.5	10	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	25	<1	<1	10	<10	<1	
	3/11/2015	n/a	<0.21	4	31	<0.12	<0.16	3.3	<1.4	<2.3	<0.52	<14	10	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	<2.6	<0.33	
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	6/8/2015	n/a	<0.21	4.6	29	<0.12	<0.16	5.4	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	17	<0.19	<0.3	<2.4	<2.6	<0.33	
	9/15/2015	n/a	<0.21	5.5	28.1	<0.12	<0.16	4.82	<0.54	<0.26	<0.52	<15	<0.24	11.2	<0.049	<0.35	<0.38	<0.31	17.6	<0.19	<0.3	<0.18	<2.56	<0.331	
	12/15/2015	n/a	<0.21	4.76	30.3	<0.12	<0.16	3.6	<0.54	<0.26	<0.52	<15	<0.24	14.2	<0.049	<0.35	<0.38	<0.31	17	<0.19	<0.3	<0.18	<2.56	<0.331	
	3/29/2016	n/a	<0.21	4.48	27.4	<0.12	<0.16	4.12	<0.54	<0.26	<0.52	<15	<0.24	7.62	<0.049	2.08(B)	<0.38	<0.31	15.5	<0.19	<0.3	<0.18	<2.56	<0.331	
	6/29/2016	n/a	<0.754	4	29	<0.12	<0.16	4.1	<0.54	<0.26	<0.52	<15	<0.24	7.49	<0.049	<0.35	<0.38	<0.31	16.3	<0.19	<0.3	<0.18	<2.56	<0.331	
	9/20/2016	n/a	<2	4.19	26.2	<2	<1	3.07	<2	<2	<5	<100	<2	8.12	<0.2	<2	<2	<2	14.9	<2	<2	<5	<25	<1	
	12/20/2016	n/a	<2	4.66	31.5	<2	<1	3.6	<2	<2	<5	118	<2	10.4	<0.2	9.79	<2	<2	14.7	<2	<2	<5	<25	<1	
	3/29/2017	n/a	<2	5.32	27.8	<2	<1	4.23	<2	<2	<5	152	<2	12	<0.2	<2	<2	<2	13.9	<2	<2	<5	<25	<1	
	9/28/2017	n/a	<2	4.74	26.4	<2	<1	6.49	<2	<2	<5	<100	<2	6.43	<0.2	<2	<2	<2	16.1	<2	<2	<5	<25	<1	
	4/30/2018	n/a	<10*	7.51	31.5	0.0568	<1.2*	3.76	<12.5*	<10.4*	<5*	167	<15.6*	8.06	<0.2*	<10*	<52*	<20.8*	15.6	<73*	<41.6*	<20*	<15.6*	<5*	
	10/30/2018	n/a	<36*	<23.5*	30.5	<0.624*	<1.2*	2.73	<12.5*	<13.5*	<5*	171	<15.6*	7.4	<0.2*	<10*	<52*	<20.8*	13.8	<73*	<728*	<21*	5.61	<5*	
	4/24/2019	n/a	<2.08*	6.17	39.7	<0.26*	0.057	4.13	0.632	0.256	0.471	251	0.459	12.9	<0.2*	0.86	<2.08*	0.024	13.6	<0.26*	<20.8*	0.636	6.39	<5*	
	10/9/2019	n/a	<2.08*	5.23	29.3	<0.26*	<0.26*	3.46	0.379	0.123	0.12	26.1	0.104	9.88	0.025	0.57	<2.08*	<0.26*	13.3	<0.26*	<20.8*	0.492	<20.8*	<1*	
	4/21/2020	n/a	<2.08*	4.24	28.9	<0.26*	<0.26*	3.46	0.518	0.075	0.806	25.8	0.088	4.52	<0.2*	0.31	<5.2*	<0.312*	13.8	<0.26*	<20.8*	0.694	5.7	<1*	
	10/6/2020	n/a	<2.08	8.89	27.5	<0.26	<0.26	3.41	0.518	0.195	0.17	408	<0.26	11.1	<0.2	0.28	<5.2	<0.312	12.4	<0.26	<20.8	0.087	<20.8	<1	
	4/6/2021	n/a	<2.08*	6.42	28.3	<0.26*	<0.26*	3.41	0.667	0.1	1.32	209	0.113	5.72	0.0125	0.38	<5.2*	<0.312*	13.8	<0.26*	<20.8*	0.383	<20.8*	<1*	
	10/5/2021	n/a	<2	3.88	28.4	<0.25	<0.25	3.06	0.331	0.057	<0.38	31.8	<0.25	7.07	<0.2	0.26	<5	<0.3	12.6	<0.25	<20	0.326	<20	<1	
	4/19/2022	n/a	<2.08*	4.02	28.5	<0.26*	<0.26*	2.67	0.348	0.054	<0.395*	63.1	<0.26*	5.51	<0.2*	0.25	<5.2*	<0.312*	15.8	<0.26*	<20.8*	0.158	<20.8*	<1*	
	10/4/2022	n/a	<2.08*	4.85	27.4	<0.26*	<0.26*	2.64	0.186	0.096	<0.395*	311	<0.26*	7.45	<0.2*	0.25	<5.2*	<0.312*	14.7	<0.26*	<20.8*	<0.26*	<20.8*	<1*	
	5/15/2024	n/a	1.31	4.62	28.1	<0.26	0.047	3.96	0.445	0.082	0.378	121	0.133	3.27	<0.2	0.7	<5.2	<0.312	14.3	<0.26	<20.8	0.803	20.4	<1	
	11/6/2024	n/a	<2.08	4.05	29.4	<0.26	0.049	3.28	1.61	0.167	0.934	4000	0.156	19.4	<0.2	1.22	<5.2	<0.312	12.6	<0.26	1.85	0.39	64.7	<1	
	MW-3	4/13/1999	6.49	<6	<5	<100	<2	<3	10	<10	<20	<5	166	<5	<50	n/a	<10	<10	<10	5	<1	n/a	<400	<30	<0.05
		7/28/1999	6.89	<6	<5	<100	<2	<3	9.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13.8	<1	n/a	<400	<30	<0.05
		10/12/1999	6.77	<6	<5	<100	<2	<3	7.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	18.6	<1	n/a	<400	<30	<0.05
		1/25/2000	6.87	<6	<5	<100	<2	<3	6.75	<10	<20	<5	770	<5	<50	n/a	<10	<10	<10	19.6	12	n/a	<400	<30	<0.05
		4/26/2000	6.97	<6	<5	<100	<2	<3	7.8	<10	<20	<5	128	<5	<50	n/a	<10	<10	<10	14	<1	n/a	<400	<30	<0.05
		10/18/2000	6.74	<6	<5	<100	<2	<3	7.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13.4	<1	n/a	<400	<30	<0.05
		4/19/2001	6.91	<6	<5	<100	<2	<3	17.7	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	13.7	<1	n/a	<400	<30	<0.05
		10/25/2001	6.72	<6	<5	<10	<2	<3	9.5	<10	<20	<5	70	<5	<50	n/a	<10	<10	<10	14.4	<2	n/a	<400	<30	<0.05
4/18/2002		6.82	<6	<5	47	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.1	<1	n/a	<400	<30	<0.05	
10/31/2002		6.9	<6	<5	258	<2	<3	9.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	14.1	<1	n/a	<400	<30	<0.05	
4/15/2003		6.85	<6	<5	<10	<2	<3	10.7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.2	<1	n/a	<400	47	<0.05	
10/29/2003		6.56	<6	<5	24	<2	<3	10.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	14.1	<1	n/a	<400	88.4	<0.05	
4/13/2004		6.74	<6	<5	59.1	<2	<3	10.5	<10	<20	<5	35	<5	<50	n/a	<10	<10	<10	9.7	<1	n/a	<400	35	<0.05	
10/20/2004		6.61	<6	<5	<30	<2	<3	10.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.12	<1	n/a	<400	<30	<0.05	
4/14/2005		6.76	<2	<1.5	<25	<0.18	1.65	6	0.333	<20	<2	119	<1	<30	n/a	<10	<3	<1	9.36	<1	n/a	<20	17.3	<0.05	
10/11/2005		6.41	<6	<4	<50	3	1.92	11.5	2.03	<50	<10	392	1.17	<50	n/a	<50	<10	<3	9.43	<2	n/a	<10	104	<1	
4/4/2006		7.24	<2	<5	<50	<0.18	1.35	9	1.16	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	10.1	<1	n/a	<2	<100	<0.5	
7/26/2006		7.11	<1	<10	52	<2	<5	6.9	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	8.8	<1	n/a	<10	100	<1	
9/5/2006		6.86	<1	<1	55	<2	<5	7.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.5	<1	n/a	<10	53	<1	
2/7/2007		7.08	<1	<1	45	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6.2	<1	n/a	<10	45	<1	
5/24/2007		7.43	<1	<1	49	<2	<5	5.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6						

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	12/16/2009	6.82	<1	<1	48	<2	<5	4.9	<10	<10	<20	<100	6.5	<10	<0.2	<20	<20	<10	8.2	<1	<100	<10	46	<1
	3/22/2010	6.72	<1	<1	38	<1	0.17	2.8	<10	<10	<2	26	<1	1.7	<0.2	<20	<1	3.5	7	<1	<1	<10	56	<1
	6/16/2010	n/a	<1	<1	54	<1	1	3.7	<10	<10	0.57	20	<1	9.1	<0.2	<20	<1	<10	6.5	<1	<1	49	69	<1
	9/22/2010	6.47	<1	0.4	59	<1	2.7	5.7	<10	<10	<2	35	<1	92	<0.2	7.5	<1	<10	7.6	<1	<1	6	120	<1
	12/6/2010	6.64	<1	<1	56	<1	2.2	7.7	<10	<10	<2	24	<1	5.2	<0.2	<20	<1	<10	10	<1	<1	<10	97	<1
	3/21/2011	6.73	<1	<1	44	<1	<0.5	3.6	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	7.1	<1	<1	<10	45	<1
	6/27/2011	6.38	<1	<1	55	<1	1.1	4.6	2	<10	<2	27	0.26	31	<0.2	<20	<1	<10	7	<1	<1	<10	72	<1
	9/27/2011	n/a	0.22	1	64	0.37	3.4	7	<10	<10	<2	<100	0.72	62	0.05	6.6	<1	<10	9.5	<1	<1	<10	120	<1
	6/20/2012	n/a	<1	<1	67	<1	2.9	6.9	<10	<10	<2	180	<1	53	<0.2	<20	<1	<10	8.7	<1	<1	34	100	<1
	9/19/2012	n/a	<1	1	67	<1	4.2	7.3	<10	<10	<2	160	<1	120	<0.2	<20	<1	<10	9.1	<1	<1	16	150	<1
	3/11/2015	n/a	<0.21	<0.25	43	<0.12	<0.16	4.5	<1.4	<2.3	<0.52	<14	10	<1.2	<0.049	<4.9	<0.38	<2.8	6.4	<0.19	<0.3	<2.4	40	<0.33
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	2.5	63	<0.12	2.8	5.4	<1.4	<2.3	<0.52	1400	<0.24	920	<0.049	24	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	120	<0.33
	9/15/2015	n/a	<0.21	6.12	72.3	<0.12	1.08	5.56	<0.54	5.42	<0.52	3850	<0.24	1800	<0.049	53.2	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	80.4	<0.331
	12/15/2015	n/a	<0.21	6.84	75.2	<0.12	1.13	5.75	<0.54	11.1	<0.52	4190	<0.24	2200	<0.049	55.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	31.6	<0.331
	3/29/2016	n/a	<0.21	3.62	76.5	<0.12	<0.16	8.21	<0.54	3.56	<0.52	3050	<0.24	1900	<0.049	25.3	<0.38	<0.31	5.33	<0.19	<0.3	<0.18	<2.56	<0.331
	6/29/2016	n/a	<0.754	6.25	80.8	<0.12	<0.16	6.78	<0.54	10.8	<0.52	4830	<0.24	3380	<0.049	66.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	72.2	<0.331
	9/20/2016	n/a	<2	7.65	84.4	<2	1.46	9.8	<2	7.1	<5	2710	<2	3670	<0.2	50.6	<2	<2	6.33	<2	<2	<5	113	<1
	12/21/2016	n/a	<2	2.31	81.2	<2	<1	9.54	<2	4.1	<5	473	<2	2230	<0.2	62.2	<2	<2	12.3	<2	<2	<5	146	<1
	3/29/2017	n/a	<2	<2	52.9	<2	3.04	5.11	<2	<2	<5	<100	<2	109	<0.2	28.5	<2	<2	6.95	<2	<2	<5	301	<1
	10/25/2018	n/a	<36*	4.48	105	<0.624*	2.75	32.5	<12.5*	10.2	1	1130	<15.6*	2460	<0.2*	43	5.6	<20.8*	12	<73*	<728*	<21*	124	<5*
	4/23/2019	n/a	<2.08*	2.41	97.3	<0.26*	1.06	39.2	0.211	1.54	0.524	711	0.243	990	<0.2*	18.4	0.569	<0.26*	35.8	0.25	<20.8*	0.293	59.5	<5*
	10/8/2019	n/a	<2.08*	2.98	108	<0.26*	0.646	32.8	0.252	3.44	1.06	862	0.388	2390	0.025	44.8	0.674	0.035	20.1	0.169	<20.8*	0.227	94.8	<1*
	4/21/2020	n/a	<2.08*	1.59	70.1	<0.26*	0.604	27.9	0.368	0.945	1.04	644	0.166	932	<0.2*	20.4	<5.2*	<0.312*	56.2	0.075	<20.8*	0.281	34.9	<1*
	10/6/2020	n/a	<2.08	3.65	83.4	<0.26	1.22	24.2	0.403	9.32	4.64	1430	0.25	2470	<0.2	63.2	<5.2	<0.312	14	0.197	<20.8	0.651	82.3	<1
	4/6/2021	n/a	<2.08*	11.2	97.3	<0.26*	1.14	26.2	0.748	3.73	1.29	132	4.5	479	0.02	24.7	<5.2*	<0.312*	66.2	0.983	<20.8*	0.729	327	<1*
	10/5/2021	n/a	<2	2.76	94.3	<0.25	1.44	25.6	0.277	7.14	1.16	<2000	0.423	2490	0.0175	53.2	<5	<0.3	17.3	0.902	<20	0.219	200	<1
	4/19/2022	n/a	<2.08*	1.14	91	<0.26*	1.2	24.1	0.331	0.972	0.602	71.9	0.211	496	<0.2*	18.4	<5.2*	<0.312*	51.5	0.498	<20.8*	0.476	159	<1*
	10/4/2022	n/a	<2.08*	1.55	91.8	<0.26*	1.46	25.4	0.193	6.34	0.394	789	0.411	2400	<0.2*	50	<5.2*	<0.312*	18.4	0.707	<20.8*	0.071	163	<1*
	5/15/2024	n/a	0.434	0.099	9.63	0.089	0.334	44	<0.26	0.099	0.177	32.3	<0.416	2030	<0.2	4.32	<5.2	0.156	40.3	0.103	<20.8	<0.26	27.1	<1
	11/6/2024	n/a	<2.08	0.815	85.6	<0.26	3.35	37	0.589	0.204	2.71	42.7	0.409	8.84	<0.2	21.5	<5.2	<0.312	36.2	0.756	<20.8	0.59	399	<1
MW-4	4/13/1999	6.65	<6	<5	<100	<2	<3	10.4	<10	<20	<5	110	<5	<50	n/a	<10	<10	<10	10.4	<1	n/a	<400	<30	<0.05
	7/28/1999	7.19	<6	<5	<100	<2	<3	4.5	<10	<20	<5	41	<5	<50	n/a	<10	<10	<10	11.6	<1	n/a	<400	<30	<0.05
	10/12/1999	7.14	<6	<5	<100	<2	<3	4	<10	<20	<5	90	<5	<50	n/a	<10	<10	<10	12.3	<1	n/a	<400	<30	<0.05
	1/25/2000	7.34	<6	<5	<100	<2	<3	3.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13	<1	n/a	<400	<30	<0.05
	4/26/2000	7.25	<6	<5	<100	<2	<3	3.5	<10	<20	<5	81	<5	<50	n/a	<10	<10	<10	10.9	<1	n/a	<400	<30	<0.05
	10/18/2000	7.17	<6	<5	<100	<2	<3	3.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05
	4/19/2001	7.03	<6	<5	<100	<2	<3	4.8	<10	<20	<5	215	<5	<50	n/a	<50	<10	<10	11.5	<1	n/a	<400	54.5	<0.05
	10/25/2001	7.18	<6	<5	<10	<2	<3	4	<10	<20	<5	40	<5	<50	n/a	<10	<10	<10	10.6	<2	n/a	<400	<30	<0.05
	4/18/2002	6.98	<6	<5	38	<2	<3	3.7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.9	<1	n/a	<400	<30	<0.05
	10/31/2002	7.34	<6	<5	161	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	11.8	<1	n/a	<400	<30	<0.05
	4/15/2003	7.03	<6	<5	<10	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.1	<1	n/a	<400	53.5	<0.05
	10/29/2003	7.16	<6	<5	22.5	<2	<3	5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	11.3	<1	n/a	<400	80.6	<0.05
	4/13/2004	7.15	<6	<5	45.8	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.9	<1	n/a	<400	49.5	<0.05
	10/20/2004	7.14	<6	<5	<30	<2	<3	3.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8.9	<1	n/a	<400	<30	<0.05
	4/14/2005	7.09	<2	<1.5	<25	<0.18	1.29	<5	0.565	<20	<2	107	<1	<30	n/a	<10	<3	<1	10.7	<1	n/a	<20	37.8	<0.05
	10/11/2005	6.81	2.67	<4	<50	<0.8	0.603	9	1.1	<50	<10	70.9	<5	<50	n/a	<50	<10	<3	9.26	<2	n/a	<10	73.4	<1
	4/4/2006	7.7	<2	<5	<50	<0.18	1.1	5	7.06	<100	<2	965	<1	<30	n/a	<100	<5	6.32	10.6	<1	n/a	<2	101	<0.5
	7/26/2006	7.69	<1	<10	33	<2	<5	2.3	<10	<10	<20	<100	<5	<10	n/a	<20	22	<10	10	<1	n/a	<10	100	<1
	9/6/2006	7.61	<1	<10	30	<2	<5	2.1	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	9.7	<1	n/a	<10	45	<1
	2/7/2007	7.48	<1	<1	35	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.5	<1	n/a	<10	32	<1
	5/24/2007	7.94	<1	1	32	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	9.6	<1	n/a	<10	88	<1
	8/25/2007	7.36	<1	<1	27	<2	<5	2.5	<10	<10	<20	<100	<5	<10	0.2	<20	40	<10	11	<1	n/a	<10	95	<1
	11/6/2007	7.08	<1	<1	30	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<20	&lt						

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	2/22/2008	7.45	<1	<1	30	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	10	<1	21	<10	71	<1
	4/29/2008	7.26	<1	<1	31	<1	0.56	2.5	<10	<10	1.3	<100	<5	<10	<0.2	<20	<1	<10	10	<1	<20	<10	80	<1
	8/19/2008	7.37	<1	<1	31	<1	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	<20	<10	110	<1
	11/18/2008	7.26	<1	<1	30	<2	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	64	<10	130	<1
	2/20/2009	7.3	<1	<1	30	<1	0.81	3.9	<10	<10	1.4	<100	<1	<10	<0.2	<20	<1	<10	11	<1	<1	<10	80	<1
	5/20/2009	7.12	<1	<1	29	<1	<5	4.8	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	11	<1	<1	<10	77	<1
	8/19/2009	6.14	<1	<1	33	<1	0.87	5.2	32	<10	<2	370	<1	<10	<0.2	29	<1	<10	12	<1	<1	<10	86	<1
	12/17/2009	7.21	<1	<1	32	<2	<5	4.2	<10	<10	<20	30	<5	1.3	0.04	<20	<20	<10	12	<1	<20	<10	91	<1
	3/23/2010	7.16	<1	<1	32	<1	0.21	4.1	<10	<10	<2	20	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	100	<1
	6/16/2010	n/a	<1	0.27	33	<1	0.57	4.6	<10	<10	<2	25	<1	<10	0.02	<20	<1	<10	13	<1	<1	28	85	<1
	9/22/2010	7.1	0.36	0.84	32	0.84	1.2	4.6	3	<10	<2	21	0.93	<10	<0.2	<20	0.49	<10	13	<1	0.35	<10	81	<1
	12/6/2010	7.06	0.34	0.55	32	0.48	0.95	4.9	<10	<10	<2	<100	0.43	<10	<0.2	<20	<1	<10	13	<1	0.34	<10	81	<1
	3/21/2011	7.17	<1	<1	30	<1	<0.5	4.9	<10	<10	<2	33	<1	1.5	<0.2	<20	<1	<10	13	<1	<1	<10	92	<1
	6/28/2011	6.95	<1	<1	32	<1	0.36	5.1	<10	<10	<2	26	0.66	<10	<0.2	<20	<1	<10	14	<1	<1	<10	91	<1
	9/27/2011	n/a	0.21	0.91	31	0.34	0.99	5.3	<10	<10	0.65	42	1	<10	0.05	<20	<1	<10	14	<1	<1	<10	79	<1
	6/21/2012	n/a	<1	<1	38	<1	0.77	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	23	81	<1
	9/19/2012	n/a	<1	<1	35	<1	<0.5	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	12	82	<1
	3/11/2015	n/a	<0.21	<0.25	36	<0.12	<0.16	6.8	<1.4	<2.3	<0.52	<14	8.6	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	93	<0.33
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	37	<0.12	1	7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	90	<0.33
	9/15/2015	n/a	<0.21	<0.25	34.3	<0.12	<0.16	7.08	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	15.6	<0.19	<0.3	<0.18	96.7	<0.331
	12/15/2015	n/a	<0.21	<0.25	35.4	<0.12	<0.16	7.15	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	16.5	<0.19	<0.3	<0.18	96.4	<0.331
	3/29/2016	n/a	<0.21	<0.25	34.6	<0.12	<0.16	6.94	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	14.9	<0.19	<0.3	<0.18	98.8	<0.331
	6/29/2016	n/a	<0.754	<0.25	35.5	<0.12	<0.16	7.13	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	16.3	<0.19	<0.3	<0.18	95.9	<0.331
	9/20/2016	n/a	<2	<2	33.4	<2	<1	7.19	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	14.8	<2	<2	<5	94.1	<1
	12/21/2016	n/a	<2	<2	35.8	<2	<1	7.31	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	14.9	<2	<2	<5	105	<1
	3/29/2017	n/a	<2	<2	35.3	<2	1.04	7.21	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	15.5	<2	<2	<5	108	<1
	9/28/2017	n/a	<2	<2	34.7	<2	<1	7.46	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	15.8	<2	<2	<5	101	<1
	4/19/2018	n/a	<10*	<23.4*	39.4	<0.416*	0.943	6.49	<12.5*	<10.4*	<5*	103	<15.6*	0.956	0.025	<10*	<52*	<20.8*	17.2	<73*	<41.6*	<20*	106	<5*
	10/24/2018	n/a	<36*	<23.5*	42.7	<0.624*	0.961	6.45	1.9	<13.5*	<5*	160	<15.6*	<10.4*	0.025	3	<52*	<20.8*	17.8	<73*	<728*	<21*	100	<5*
	4/24/2019	n/a	<2.08*	0.98	53.7	<0.26*	0.945	7.7	0.606	0.096	0.582	110	0.554	6.26	<0.2*	1.24	0.567	<0.26*	15.9	0.18	<20.8*	0.29	118	<5*
	10/8/2019	n/a	<2.08*	0.482	42.1	<0.26*	1.03	6.86	1.79	0.068	0.324	65.6	0.356	3.15	0.025	2.03	0.899	<0.26*	16.4	0.162	<20.8*	0.159	125	<1*
	4/21/2020	n/a	<2.08*	0.401	38	<0.26*	0.835	7.42	0.316	<0.26*	<0.395*	7.65	0.098	1.77	<0.2*	0.62	<5.2*	<0.312*	18.4	0.161	<20.8*	0.068	117	<1*
	10/6/2020	n/a	<2.08	0.384	36.6	<0.26	0.863	7.12	0.433	0.04	0.208	23.2	0.178	0.715	<0.2	<0.52	<5.2	<0.312	16.8	0.15	<20.8	0.072	110	<1
	4/7/2021	n/a	<2.08*	0.476	41.8	<0.26*	1.07	7.38	0.305	0.038	0.402	93.5	0.287	3.01	<0.2*	1.77	<5.2*	<0.312*	18.2	0.16	<20.8*	0.117	131	<1*
	10/5/2021	n/a	0.471	0.455	42.2	<0.25	0.963	7.3	0.632	<0.25	0.153	12.4	0.155	0.945	<0.2	0.85	<5	<0.3	16.8	0.172	<20	0.058	126	<1
	4/19/2022	n/a	0.473	0.428	41.8	<0.26*	0.914	7.2	0.617	0.047	0.325	14	0.128	0.808	<0.2*	0.9	<5.2*	<0.312*	17.2	0.174	<20.8*	0.094	119	<1*
	10/5/2022	n/a	0.536	0.475	43	<0.26*	0.945	7.34	0.507	0.037	0.323	35.4	0.235	1.39	<0.2*	1.09	<5.2*	<0.312*	18.4	0.166	<20.8*	0.081	128	<1*
	5/14/2024	n/a	0.586	0.491	41.1	<0.26	1.03	8.94	0.62	0.083	0.436	58.9	0.403	4.36	0.0675	1.2	<5.2	<0.312	18.6	0.162	<20.8	0.148	119	<1
	11/6/2024	n/a	<2.08	0.465	43.5	<0.26	0.87	7.42	1.1	0.079	0.93	1990	0.217	9	<0.2	1.32	<5.2	<0.312	16.5	0.176	<20.8	0.08	230	<1
MW-5	4/13/1999	6.58	<6	<5	<100	<2	<3	3.5	<10	<20	<5	296	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05
	7/28/1999	7.09	<6	<5	<100	<2	<3	3.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.9	<1	n/a	<400	<30	<0.05
	10/12/1999	7.04	<6	<5	<100	<2	<3	4.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05
	1/25/2000	7.21	<6	<5	<100	<2	<3	2.75	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.6	8	n/a	<400	<30	<0.05
	4/26/2000	7.13	<6	<5	<100	<2	<3	3.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05
	10/18/2000	7.1	<6	<5	<100	<2	<3	3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05
	4/19/2001	7.05	<6	<5	<100	<2	<3	3.7	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	5.7	<1	n/a	<400	<30	<0.05
	10/25/2001	7.03	<6	<5	<10	<2	<3	4	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	5.9	<2	n/a	<400	<30	<0.05
	4/18/2002	6.97	<6	<5	37	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05
	10/31/2002	7.2	<6	<5	145	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.9	<1	n/a	<400	<30	<0.05
	4/15/2003	6.99	<6	<5	<10	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.1	<1	n/a	<400	<30	<0.05
	10/29/2003	7.13	<6	<5	<10	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.5	<1	n/a	<400	<30	<0.05
	4/13/2004	7.14	<6	<5	43.2	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05
	10/20/2004	6.96	<6	<5	<30	<2	<3	4	<10	<20	&													

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	4/14/2005	7.02	<2	<1.5	<25	<0.18	0.502	5.5	0.384	<20	<2	100	<1	<30	n/a	<10	<3	<1	7.79	<1	n/a	<20	<10	<0.05
	10/11/2005	6.71	<6	<4	<50	<0.8	<1.5	<5	0.631	<50	<10	47.9	<5	<50	n/a	<50	<10	<3	5.15	<2	n/a	<10	15.7	<1
	4/4/2006	7.6	<2	<5	<50	<0.18	<0.3	5	1.84	<100	<2	<30	<1	<30	n/a	<100	<5	<5.7	5.51	<1	n/a	<2	<100	<0.5
	7/26/2006	7.64	<1	<10	33	<2	<5	2.8	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	6.1	<1	n/a	<10	47	<1
	9/6/2006	7.36	1	<10	33	<2	<5	2.6	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	5.8	<1	n/a	<10	<30	<1
	2/7/2007	7.45	<1	<1	35	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.5	<1	n/a	<10	32	<1
	5/24/2007	7.77	<1	<1	33	<2	<5	5	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	6.2	<1	n/a	<10	42	<1
	8/25/2007	7.17	<1	<1	28	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	39	<10	7.7	<10	n/a	<10	43	<1
	11/6/2007	6.96	<1	<1	31	<2	<5	3.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	6.6	<10	<20	<10	<30	<1
	2/22/2008	7.2	<1	<1	32	<2	<5	3.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.2	<1	22	<10	<30	<1
	4/29/2008	7.22	<1	<1	32	<1	<5	3.2	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	7.2	<1	<20	<10	32	<1
	8/19/2008	7.28	<1	<1	31	<1	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.6	<1	<20	<10	42	<1
	11/18/2008	7.17	<1	<1	33	<2	<5	3.5	<10	<10	<20	130	<5	<10	<0.2	<20	<20	64	10	<1	74	<10	<30	<1
	2/20/2009	7.25	<1	<1	32	<1	0.81	4.5	<10	<10	1.1	<100	<1	<10	<0.2	<20	<1	<10	7.6	<1	<1	<10	35	<1
	5/20/2009	6.94	<1	<1	31	<1	<5	5.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	8.5	<1	<1	<10	34	<1
	8/19/2009	6.13	<1	<1	36	<1	<0.5	5.4	<10	<10	<2	140	<1	<10	<0.2	<20	<1	<10	7.8	<1	<1	<10	49	<1
	12/17/2009	7.03	<1	0.37	33	<2	<5	4.7	<10	<10	<20	50	<5	<10	0.03	<20	19	<10	7.4	<1	<20	<10	26	<1
	3/23/2010	7.03	<1	<1	35	<1	<0.5	4.3	<10	2.3	<2	62	<1	2.9	<0.2	<20	<1	<10	7.8	<1	<1	<10	33	<1
	6/16/2010	n/a	<1	0.57	35	<1	<0.5	4.6	<10	<10	<2	47	<1	1.2	0.02	<20	<1	<10	9.7	<1	<1	30	29	<1
	9/22/2010	7	0.51	1	35	0.83	0.56	4.5	4	<10	<2	52	0.8	<10	<0.2	<20	<1	<10	9.6	<1	0.34	<10	27	<1
	12/6/2010	7.05	0.44	0.74	32	0.5	0.36	4.8	<10	<10	<2	44	0.74	<10	<0.2	<20	<1	<10	9.1	<1	0.39	<10	27	<1
	3/21/2011	7.19	<1	<1	38	<1	<0.5	4.5	<10	<10	<2	74	<1	2	<0.2	<20	<1	<10	16	<1	<1	<10	28	<1
	6/28/2011	6.82	<1	<1	33	<1	<0.5	5	<10	<10	<2	41	0.45	<10	<0.2	<20	<1	<10	10	<1	<1	<10	21	<1
	9/27/2011	n/a	0.45	1.5	32	0.33	0.24	4.9	<10	<10	<2	31	1.2	<10	0.03	8.5	0.6	6.7	9	<1	<1	2.9	25	<1
	6/21/2012	n/a	<1	<1	39	<1	<0.5	5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	7.8	<1	<1	30	32	<1
	9/19/2012	n/a	<1	<1	35	<1	<0.5	4.9	<10	<10	<2	150	<1	<10	<0.2	<20	<1	<10	7	<1	<1	<10	30	<1
	3/11/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.4	<1.4	<2.3	<0.52	<14	11	<1.2	<0.049	<4.9	<0.38	<2.8	8	<0.19	<0.3	<2.4	<2.6	<0.33
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.7	<0.19	<0.3	<2.4	26	<0.33
	9/15/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.67	<0.54	<0.26	<0.52	117	<0.24	5.41	<0.049	2	<0.38	<0.31	7.53	<0.19	<0.3	<0.18	30.4	<0.331
	12/16/2015	n/a	<0.21	<0.25	33.6	<0.12	<0.16	5.56	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.44	<0.19	<0.3	<0.18	25	<0.331
	3/29/2016	n/a	<0.21	<0.25	34.3	<0.12	<0.16	5.57	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.56	<0.19	<0.3	<0.18	26.1	<0.331
	6/29/2016	n/a	<0.754	<0.25	34.8	<0.12	<0.16	5.45	<0.54	<0.26	<0.52	<15	<0.24	13.3	<0.049	<0.35	<0.38	<0.31	7.91	<0.19	<0.3	<0.18	28.7	<0.331
	9/20/2016	n/a	<2	<2	30.6	<2	<1	5.79	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.35	<2	<2	<5	25.8	<1
	12/21/2016	n/a	<2	<2	34.1	<2	<1	5.76	3.28	<2	<5	<100	<2	<5	<0.2	2.81	<2	<2	7.07	<2	<2	<5	26.8	<1
	3/29/2017	n/a	<2	<2	31.9	<2	<1	5.72	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.02	<2	<2	<5	31.3	<1
	9/28/2017	n/a	<2	<2	35	<2	<1	5.85	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	8.56	<2	<2	<5	28.7	<1
	4/19/2018	n/a	<10*	<23.4*	35.1	<0.416*	<1.2*	5.06	<12.5*	<10.4*	<5*	113	<15.6*	2.15	0.025	<10*	<52*	<20.8*	9.56	<73*	<41.6*	<20*	26.1	<5*
	10/24/2018	n/a	<36*	<23.5*	38	<0.624*	<1.2*	4.91	2.67	<13.5*	<5*	127	<15.6*	<10.4*	0.025	5	<52*	<20.8*	9.01	<73*	<728*	<21*	28.5	<5*
	4/25/2019	n/a	<2.08*	0.555	38.6	<0.26*	0.131	6.46	0.485	0.039	0.255	8.6	0.102	0.554	<0.2*	1.19	<2.08*	<0.26*	9.65	0.119	<20.8*	0.098	31.4	<5*
	10/9/2019	n/a	0.38	0.567	37.9	<0.26*	0.156	5.87	1.55	0.06	0.363	14.1	0.278	1.45	0.025	1.74	0.573	0.016	9.75	0.118	<20.8*	0.119	33.6	<1*
	4/21/2020	n/a	<2.08*	0.49	35.3	<0.26*	0.112	6.02	0.397	0.039	0.345	15.9	0.119	0.789	<0.2*	1.04	<5.2*	<0.312*	8.72	0.115	<20.8*	0.107	31.4	<1*
	10/6/2020	n/a	0.412	0.511	33.8	<0.26	0.129	5.6	0.485	<0.26	0.233	11.6	0.138	0.927	<0.2	<0.52	<5.2	<0.312	9.33	0.101	<20.8	0.12	30.2	<1
	4/7/2021	n/a	0.513	0.503	35.6	<0.26*	0.131	5.74	0.175	<0.26*	0.445	7.18	<0.26*	0.588	<0.2*	1.6	<5.2*	<0.312*	9.8	0.111	<20.8*	0.092	29.2	<1*
	10/5/2021	n/a	0.786	0.662	38.8	<0.25	0.169	6.05	0.883	0.068	0.339	27.4	0.254	1.84	<0.2	1.43	<5	<0.3	9.04	0.125	<20	0.162	37.6	<1
	4/19/2022	n/a	0.997	0.586	38.5	<0.26*	0.149	6.43	1.28	0.07	0.518	25.5	0.173	1.76	<0.2*	1.8	<5.2*	<0.312*	10.4	0.116	<20.8*	0.145	38.1	<1*
	10/5/2022	n/a	1.07	0.913	44.5	<0.26*	0.225	6.26	0.521	0.121	0.812	73.9	0.541	5.44	<0.2*	1.59	<5.2*	<0.312*	11.2	0.124	<20.8*	0.291	41.7	<1*
	5/14/2024	n/a	<2.08	0.571	35.9	<0.26	0.144	7.72	0.427	0.05	0.248	39.8	0.196	1.08	0.0625	1.38	<5.2	<0.312	9.91	0.11	<20.8	0.106	32.7	<1
	11/6/2024	n/a	<2.08	0.563	40	<0.26	0.148	6.48	0.694	<0.26	0.246	19.5	0.168	0.787	0.182	1.09	<5.2	<0.312	8.78	0.136	<20.8	0.116	137	<1
MW-509D	7/25/2006	7.53	<1	<10	29	<2	<5	3.2	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	8.4	<1	n/a	<10	470	<1
	9/8/2006	7.46	<1	<10	30	<2	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	420	<1
	2/7/2007	7.08	<1	<10	35	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5	<1	n/a	<10	380	<1
	5/24/2007	7.98	1.1	5.2	45	<2	<5	3.5	<10	<10	<20	4100	<5	96	<0.2	<20	<20	<10	6	<1	n/a	<10	710	<1
	8/25/2007	7.08	<1	<10	28	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0									

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	11/6/2007	6.82	<1	1.4	29	<2	<5	2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9	<1	<20	<10	380	<1
	2/22/2008	6.82	<1	<1	35	<2	<5	3.3	<10	<10	<20	120	<5	<10	<0.2	<20	<20	<10	7.3	<1	<20	<10	410	<1
	4/29/2008	6.95	<1	1.2	31	<1	2.9	3.4	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	4.8	<1	<20	<10	290	<1
	8/19/2008	7.16	<1	1.4	29	<1	5.5	2.6	<10	<10	<20	230	<5	12	<0.2	<20	<20	<10	7.9	<1	<20	<10	490	<1
	11/18/2008	6.87	<1	1.2	29	<2	6	3.5	<10	<10	<20	210	<5	<10	<0.2	<20	<20	<10	7	<1	<20	<10	410	<1
	2/20/2009	6.94	<1	<1	32	<1	3.7	3.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	380	<1
	5/20/2009	6.39	<1	<1	26	<1	2.5	3.4	<10	<10	<1	120	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	330	<1
	8/19/2009	6.76	<1	<1	28	<1	6.2	4	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	410	<10	410	<1
	12/16/2009	7.11	0.37	20	110	4.7	17	4.1	15	12	15	18000	90	780	0.22	<20	<20	<10	8.1	0.54	<20	35	1500	<1
	3/23/2010	6.81	<1	5	52	0.87	6.2	2.8	8.6	2.1	8.8	7300	20	180	<0.2	10	<1	<10	5.3	<1	<1	18	580	<1
	6/17/2010	n/a	<1	2	35	0.2	4.7	4.5	<10	<10	2.8	2200	5.8	50	<0.2	<20	0.41	<10	8.5	<1	<1	5.6	440	<1
	9/23/2010	6.72	<1	2.7	40	0.14	6.4	5.3	3.1	<10	3.9	2400	10	75	<0.2	<20	0.47	<10	8.7	<1	<1	12	520	<1
	12/7/2010	6.54	0.55	13	110	3.1	20	7.1	28	7	22	25000	59	570	0.15	21	1.4	<10	5.9	0.38	0.6	48	1200	<1
	3/22/2011	6.83	<1	15	69	1.3	12	5.4	14	4.4	28	14000	43	280	<0.2	<20	0.5	<10	10	<1	0.82	27	8200	<1
	6/29/2011	6.65	<1	1.9	39	<1	5	6.4	<10	<10	3.1	2400	7.6	63	0.04	<20	<1	77	10	<1	<1	8.3	500	<1
	9/28/2011	n/a	<1	5.8	49	0.44	11	5.4	5.8	3.8	8.8	5100	25	200	0.03	12	<1	<10	9.2	<1	<1	12	690	<1
	6/21/2012	n/a	<1	18	94	2.8	21	4.4	23	<10	29	22000	73	520	<0.2	<20	1.2	<10	9.2	<1	<1	74	1500	<1
	9/20/2012	n/a	<1	28	140	6.2	39	4.4	37	14	53	34000	160	1100	0.39	25	<1	<10	9.2	1.3	<1	77	2800	<1
	3/9/2015	n/a	<0.21	<0.25	27	<0.12	3.1	3.9	<1.4	<2.3	<0.52	<14	6	<1.2	<0.049	<4.9	<0.38	<2.8	9.7	<0.19	<0.3	<2.4	290	<0.33
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	31	<0.12	3.8	5.5	<1.4	<2.3	<0.52	240	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	13	<0.19	<0.3	<2.4	380	<0.33
	9/16/2015	n/a	<0.21	<0.25	32.1	<0.12	4.8	6.2	3.09	<0.26	<0.52	497	<0.24	7.57	<0.049	2.76	<0.38	<0.31	13.9	<0.19	<0.3	<0.18	415	<0.331
	12/15/2015	n/a	<0.21	<0.25	29.2	<0.12	3.93	4.87	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	11.6	<0.19	<0.3	<0.18	366	<0.331
	3/29/2016	n/a	<0.21	<0.25	31.7	<0.12	4.32	6.16	4.21(B)	<0.26	<0.52	1010	<0.24	8.69	<0.049	3.26(B)	<0.38	<0.31	12	<0.19	<0.3	<0.18	431	<0.331
	6/28/2016	n/a	<0.754	<0.25	32.6	<0.12	3.92	5.78	<0.54	<0.26	<0.52	534	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	12.3	<0.19	<0.3	<0.18	402	<0.331
	9/20/2016	n/a	<2	<2	30.9	<2	5.34	6.05	2.62	<2	<5	1130	2.94	17.1	<0.2	2.82	<2	<2	16.1	<2	<2	<5	436	<1
	12/20/2016	n/a	<2	<2	34	<2	6.21	6.42	2.32	<2	<5	882	2.9	14.9	<0.2	2.82	<2	<2	16	<2	<2	<5	457	<1
	3/28/2017	n/a	<2	<2	27.7	<2	3.78	5.19	<2	<2	<5	430	<2	6.51	<0.2	<2	<2	<2	9.04	<2	<2	<5	350	<1
	9/27/2017	n/a	<2	<2	32.7	<2	6.14	7	3.21	<2	6.45	989	2.71	16.5	<0.2	2.82	<2	<2	10.2	<2	<2	<5	518	<1
	4/20/2018	n/a	<10*	<23.4*	30.3	<0.416*	3.8	4.68	<12.5*	<10.4*	1	347	<15.6*	3.31	<0.2*	<10*	<52*	<20.8*	8.48	<73*	<41.6*	0.6	379	<5*
	10/26/2018	n/a	<36*	<23.5*	34.8	<0.624*	4.62	4.82	1.7	<13.5*	2	701	<15.6*	9.44	<0.2*	<10*	<52*	<20.8*	11	<73*	<728*	<21*	423	<5*
	4/24/2019	n/a	<2.08*	0.172	30.9	<0.26*	3.92	4.52	0.441	<0.26*	0.201	8.56	0.072	0.398	<0.2*	0.71	<2.08*	<0.26*	7.58	<0.26*	<20.8*	0.329	360	<5*
	10/8/2019	n/a	<2.08*	0.183	30.9	<0.26*	4.49	4.06	0.494	<0.26*	0.258	13.5	0.083	0.237	0.025	1.03	<2.08*	<0.26*	8.81	<0.26*	<20.8*	0.491	435	<1*
	4/21/2020	n/a	<2.08*	0.151	29.4	<0.26*	3.72	3.61	0.528	<0.26*	0.279	7.96	<0.26*	<1.56*	<0.2*	0.98	<5.2*	<0.312*	6.49	<0.26*	<20.8*	0.35	380	<1*
	10/6/2020	n/a	<2.08	0.349	28.4	<0.26	5.65	4.34	0.567	0.086	6.85	78.3	1.06	3.64	<0.2	0.16	<5.2	<0.312	7.96	<0.26	<20.8	0.704	466	<1
	4/6/2021	n/a	<2.08*	0.15	28.2	<0.26*	3.66	3.11	0.19	<0.26*	0.249	7.84	<0.26*	<1.56*	<0.2*	1.42	<5.2*	<0.312*	6.86	<0.26*	<20.8*	0.363	395	<1*
	10/5/2021	n/a	<2	0.925	33.3	0.078	6.12	3.76	1.45	0.207	3.09	661	1.5	6.11	<0.2	1.83	<5	<0.3	6.99	<0.25	<20	2.39	546	<1
	4/19/2022	n/a	<2.08*	0.212	29.6	<0.26*	3.53	2.72	0.496	<0.26*	0.207	8.61	<0.26*	<1.56*	<0.2*	0.86	<5.2*	<0.312*	6.09	<0.26*	<20.8*	0.369	393	<1*
	10/4/2022	n/a	<2.08*	0.244	29.1	<0.26*	5.78	3.6	0.402	<0.26*	0.27	24.3	0.133	0.466	<0.2*	1.23	<5.2*	<0.312*	8.54	<0.26*	<20.8*	0.538	540	<1*
	5/15/2024	n/a	<2.08	0.177	25.6	<0.26	3.28	2.74	0.617	<0.26	0.266	24.5	0.213	1.25	<0.2	0.88	<5.2	<0.312	6.69	<0.26	<20.8	0.402	321	<1
	11/6/2024	n/a	<2.08	0.202	25.1	<0.26	3.42	1.51	0.677	<0.26	0.303	38.6	0.141	0.611	<0.2	0.87	<5.2	<0.312	4.58	<0.26	<20.8	0.476	326	<1
MW-577	2/7/2007	7.02	<1	2.9	30	<2	<5	1.1	<10	<10	<20	490	<5	13	<0.2	<20	<20	<10	48	<1	n/a	<10	<30	<1
	5/24/2007	8.2	<1	2.7	29	<2	<5	1.8	<10	<10	<20	320	<5	<10	<0.2	<20	<20	<10	56	<1	n/a	<10	<42	<1
	8/25/2007	7.15	<1	2.3	27	<1	<0.5	1.3	<10	<10	<20	<100	6.3	<10	<0.2	<20	<20	<10	50	<1	n/a	<10	<30	<1
	11/6/2007	6.93	<1	2.8	27	<1	<0.5	1.3	<10	<10	<20	160	<5	<10	<0.2	<20	<20	<10	55	<1	<20	<10	<30	<1
	2/22/2008	7.49	<1	1.3	29	<2	<5	1.7	<10	<10	<20	180	<5	<10	<0.2	<20	<20	<10	82	<1	<20	<10	<30	<1
	4/29/2008	7.1	1.1	2.7	31	<1	0.73	6.3	<10	<10	1.8	210	<5	<10	<0.2	<20	<1	<10	63	<1	<20	<10	<10	<1
	8/19/2008	7.18	<1	<1	24	<1	<5	1.2	<10	<10	<20	100	<5	<10	<0.2	<20	<20	<10	45	<1	130	<10	<30	<1
	11/18/2008	7.03	<1	2.1	24	<2	<5	1.6	<10	<10	<20	130	6.9	<10	<0.2	<20	<20	<10	42	<1	<20	<10	<70	<1
	2/20/2009	7.12	<1	2.1	28	<1	<5	1	<10	<10	<1	140	<1	<10	<0.2	<20	<1	<10	76	<1	<1	<10	<10	<1
	5/20/2009	6.77	<1	1.8	26	<1	<0.5	1.6	<10	<10	<1	130	<1	<10	<0.2	<20	<1	<10	79	<1	<1	<10	<6.9	<1
	8/27/2009	6.27	1	2	28	<1	0.62	1.8	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	46	<1	<1	<10	<53	<1
	12/17/2009	6.97	<1	4	35	0.51	<5	2.6	4.8	<10	<20	2500	12	35	0.03	<20	9.1	<10	40	<1	<20	5.3	26	<1
	3/23/2010	6.9	<1	1.6	31	<1	<0.5	1.3	<10	<10	0.89	460	0.59	9.7	<0.2	<20	<1	3.6	75	<1</				

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	6/15/2010	n/a	<1	1.4	27	<1	<0.5	1.5	<10	<10	0.7	170	0.48	7	<0.2	<20	<1	<10	64	<1	<1	<10	17	<1
	9/22/2010	6.9	0.34	2.5	28	0.88	0.5	1.4	3	<10	0.57	350	1.2	8	<0.2	<20	<1	<10	55	<1	0.31	<10	5.8	<1
	12/8/2010	7.23	1.1	18	39	1	0.43	5.1	5.4	<10	8.7	3300	20	60	0.02	7.6	0.4	6	48	<1	0.78	<10	43	<1
	3/22/2011	6.91	<1	2.3	25	<1	<0.5	1.6	<10	<10	<2	300	0.36	6.8	<0.2	<20	<1	<10	55	<1	<1	<10	8.4	<1
	6/28/2011	6.88	<1	3.8	31	<1	<0.5	1.7	2	<10	2.7	1300	4.6	24	<0.2	<20	<1	<10	48	<1	0.47	<10	9.9	<1
	9/28/2011	n/a	<1	3.9	26	<1	<0.5	1.7	<10	<10	1.2	1000	4.6	17	<0.2	7.5	<1	<10	43	<1	<1	4.2	10	<1
	6/21/2012	n/a	<1	2.2	30	<1	<0.5	1.7	<10	<10	<2	720	1.9	13	<0.2	<20	<1	<10	39	<1	<1	29	<10	<1
	9/20/2012	n/a	<1	2.8	25	<1	<0.5	1.9	<10	<10	<2	310	1.5	<10	<0.2	<20	<1	<10	41	<1	<1	<10	<10	<1
	3/10/2015	n/a	<0.21	<0.25	26	<0.12	<0.16	1.9	<1.4	<2.3	<0.52	100	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	45	<0.19	<0.3	<2.4	<2.6	<0.33
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	23	<0.12	<0.16	2.2	<1.4	<2.3	<0.52	130	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	26	<0.19	<0.3	<2.4	<2.6	<0.33
	9/16/2015	n/a	<0.21	2.1	24.3	<0.12	<0.16	8.45	<0.54	<0.26	<0.52	<15	<0.24	5.32	<0.049	<0.35	<0.38	<0.31	22.8	<0.19	<0.3	<0.18	<2.56	<0.331
	12/15/2015	n/a	<0.21	<0.25	24.7	<0.12	<0.16	2.27	<0.54	<0.26	<0.52	189	<0.24	7.48	<0.049	<0.35	<0.38	<0.31	22.9	<0.19	<0.3	<0.18	<2.56	<0.331
	3/29/2016	n/a	<0.21	<0.25	21.8	<0.12	<0.16	2.44	<0.54	<0.26	<0.52	133	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	24.2	<0.19	<0.3	<0.18	<2.56	<0.331
	6/28/2016	n/a	<0.754	<0.25	23.1	<0.12	<0.16	2.33	<0.54	<0.26	<0.52	159	<0.24	6.1	<0.049	<0.35	<0.38	<0.31	21.4	<0.19	<0.3	<0.18	<2.56	<0.331
	9/20/2016	n/a	<2	<2	22	<2	<1	2.5	<2	<2	<5	286	<2	8.14	<0.2	<2	<2	<2	21.4	<2	<2	<5	<25	<1
	12/20/2016	n/a	<2	<2	23.3	<2	<1	2.48	<2	<2	<5	189	<2	<5	<0.2	4.8	<2	<2	20.2	<2	<2	<5	<25	<1
	3/28/2017	n/a	<2	<2	21.4	<2	<1	2.47	<2	<2	<5	160	<2	5.06	<0.2	<2	<2	<2	24.7	<2	<2	<5	<25	<1
	9/27/2017	n/a	<2	<2	23.1	<2	<1	3	<2	<2	<5	171	<2	5.8	<0.2	<2	<2	<2	25.1	<2	<2	<5	<25	<1
	4/17/2018	n/a	<10*	<23.4*	25.8	<0.416*	<1.2*	1.49	<12.5*	<10*	<5*	363	<15.6*	<10.4*	<0.2*	<10*	<52*	<20.8*	22.7	<73*	<41.6*	<20*	<16*	<5*
	10/22/2018	n/a	<36*	<23.5*	25.2	<0.624*	<1.2*	1.99	<12.5*	<13.5*	1	288	<15.6*	7.25	<0.2*	<10*	<52*	<20.8*	24.3	<73*	<728*	<21*	<15.6*	<5*
	4/24/2019	n/a	<2.08*	1.9	25.6	<0.26*	0.046	2.2	0.443	0.051	0.684	165	0.515	7.6	<0.2*	0.55	<2.08*	0.037	26.4	<0.26*	<20.8*	0.106	15.2	<5*
	10/8/2019	n/a	<2.08*	1.77	23.4	<0.26*	<0.26*	2.5	0.342	<0.26*	0.11	180	0.096	5.65	0.025	0.21	<2.08*	<0.26*	23.6	<0.26*	<20.8*	<0.26*	<20.8*	<1*
	4/21/2020	n/a	<2.08*	1.77	24.3	<0.26*	<0.26*	1.76	0.394	0.042	0.18	175	0.122	6.49	<0.2*	0.21	<5.2*	<0.312*	31	<0.26*	<20.8*	0.057	<20.8*	<1*
	10/6/2020	n/a	<2.08	1.19	23.4	<0.26	<0.26	2.4	0.594	0.048	0.378	123	0.125	6.12	<0.2	<0.52	<5.2	<0.312	24.1	<0.26	<20.8	0.07	<20.8	<1
	4/6/2021	n/a	<2.08*	1.32	24.1	<0.26*	<0.26*	2.18	0.763	<0.26*	0.264	123	0.167	5.62	0.015	0.25	<5.2*	<0.312*	28.5	<0.26*	<20.8*	0.065	<20.8*	<1*
	10/6/2021	n/a	<2	1.3	24.5	<0.25	<0.25	2.78	0.57	0.058	0.484	153	0.197	8.1	<0.2	0.36	<5	<0.3	23.7	<0.25	<20	0.078	<20	<1
	4/19/2022	n/a	<2.08*	0.998	24.1	<0.26*	<0.26*	2.72	0.408	<0.26*	<0.395*	90.7	<0.26*	5	<0.2*	0.23	<5.2*	<0.312*	25.1	<0.26*	<20.8*	<0.26*	<20.8*	<1*
	10/4/2022	n/a	<2.08*	1.14	23.3	<0.26*	<0.26*	2.07	0.786	0.053	0.381	137	0.121	8.09	<0.2*	0.39	<5.2*	<0.312*	22.9	<0.26*	<20.8*	0.057	<20.8*	<1*
	5/14/2024	n/a	<2.08	5.72	27.2	<0.26	<0.26	2.8	0.743	<0.26	<0.52	137	<0.416	5.94	<0.2	0.58	<5.2	<0.312	93.3	<0.26	<20.8	0.084	<20.8	<1
	11/7/2024	n/a	<2.08	5.07	23.6	<0.26	<0.26	2.24	0.724	<0.26	0.161	145	0.117	5.95	<0.2	<1.56	<5.2	<0.312	45.7	<0.26	<20.8	0.064	60.9	<1
MW-6	4/13/1999	6.72	<6	<5	<100	<2	<3	6.5	<10	<20	<5	204	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05
	7/28/1999	6.99	<6	<5	<100	<2	<3	7.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5.1	<1	n/a	<400	<30	<0.05
	10/12/1999	6.95	<6	<5	<100	<2	<3	7.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05
	1/25/2000	7.07	<6	<5	<100	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	6	n/a	<400	<30	<0.05
	4/26/2000	6.96	<6	<5	<100	<2	<3	7.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05
	10/18/2000	6.93	<6	<5	<100	<2	<3	8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05
	4/19/2001	6.92	<6	<5	190	<2	<3	9.3	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	5.3	<1	n/a	<400	<30	<0.05
	10/25/2001	6.92	<6	<5	<10	<2	<3	8.5	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	5.4	<2	n/a	<400	<30	<0.05
	4/18/2002	6.9	<6	<5	58	<2	<3	7.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05
	10/31/2002	7.01	<6	<5	274	<2	<3	8.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8.3	<1	n/a	<400	<30	<0.05
	4/15/2003	6.98	<6	<5	<10	<2	<3	8.3	<10	<20	<5	34	<5	<50	n/a	<10	<10	<10	6.5	<1	n/a	<400	<30	<0.05
	10/29/2003	6.98	<6	<5	22.2	<2	<3	8.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8	<1	n/a	<400	<30	<0.05
	4/13/2004	7.04	<6	<5	75.2	<2	<3	9	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05
	10/20/2004	6.87	<6	<5	<30	<2	<3	7.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6	<1	n/a	<400	<30	<0.05
	4/14/2005	6.87	<2	<1.5	<25	<0.18	0.654	7	0.186	<20	<2	112	<1	<30	n/a	<10	<3	<1	7.15	<1	n/a	<20	10.3	<0.05
	10/11/2005	6.61	<6	<4	<50	<0.8	0.437	10	0.352	<50	<10	55.1	<5	<50	n/a	<50	<10	<3	5.82	<2	n/a	<10	39.8	<1
	4/4/2006	7.4	<2	<5	<50	<0.18	0.453	8	1.31	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	5.97	<1	n/a	<2	<10	<0.5
	7/27/2006	7.54	<1	<10	46	<2	<5	4.6	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	6.2	<1	n/a	<10	46	<1
	9/6/2006	7.3	<1	<10	45	<2	<5	4.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.9	<1	n/a	<10	34	<1
	2/7/2007	7.35	<1	<1	47	<2	<5	4.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.9	<1	n/a	<10	43	<1
	5/24/2007	7.71	<1	<1	46	<2	<5	5.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.9	<1	n/a	<10	53	<1
	8/25/2007	7.23	<1	<1	41	<2	<5	4.5	<10	<10	<20	<100	5.3	<10	<0.2	<20	30	<10	6.3	<1	n/a	<10	58	<1
	1																							

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	2/22/2008	7.05	<1	<1	42	<2	<5	5.1	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.6	<1	25	<10	37	<1
	4/29/2008	7.37	<1	<1	42	<1	<0.5	4.2	<10	<10	1.1	<100	<5	<10	<0.2	<20	<1	<10	5.8	<1	<20	<10	50	<1
	8/19/2008	7.25	<1	<1	42	<1	<5	4.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.7	<1	<20	<10	40	<1
	11/18/2008	7.19	<1	<1	44	<2	<5	5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6.1	<1	82	<10	40	<1
	2/20/2009	7.18	<1	<1	44	<1	<0.5	6	<10	<10	1.1	<100	<1	<10	<0.2	<20	<1	<10	6	<1	<1	<10	38	<1
	5/20/2009	6.92	<1	<1	41	<1	<5	6.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	7	<1	<1	<10	51	<1
	8/19/2009	6.19	<1	<1	43	<1	<0.5	6.6	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	7.1	<1	<1	<10	51	<1
	12/17/2009	7.01	<1	0.32	43	<2	<5	6.2	<10	<10	<20	110	3.3	3.2	0.33	<20	15	<10	6.4	<1	<20	<10	42	<1
	3/23/2010	7.03	0.37	0.25	44	<1	<0.5	5.7	<10	<10	3.9	58	0.49	1.2	0.18	5.6	<1	4.1	6.1	<1	<1	<10	45	<1
	6/16/2010	n/a	<1	0.32	44	<1	<0.5	6.5	<10	<10	<2	48	<1	<10	0.52	<20	<1	<10	6.6	<1	<1	43	39	<1
	9/22/2010	6.98	1.6	1.6	45	0.87	0.92	6.4	3	<10	<2	44	1.2	<10	0.35	<20	0.88	<10	6.8	<1	2.7	<10	39	<1
	12/8/2010	6.64	0.43	0.62	40	0.52	0.59	6.9	<10	<10	3.3	27	0.47	<10	0.23	<20	<1	<10	7.4	<1	0.39	<10	36	<1
	3/21/2011	7.16	<1	<1	50	<1	<0.5	7.4	<10	<10	<2	46	0.78	2.4	0.41	<20	<1	<10	6.6	<1	<1	<10	56	<1
	6/28/2011	6.83	<1	<1	44	<1	<0.5	8	<10	<10	<2	100	<1	3.2	0.76	<20	<1	<10	6.8	<1	<1	<10	34	<1
	9/27/2011	n/a	<1	1.1	42	0.34	0.5	8.4	<10	<10	<2	40	0.61	<10	0.32	10	<1	<10	6.7	<1	<1	<10	35	<1
	6/21/2012	n/a	<1	<1	51	<1	<0.5	9.8	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.9	<1	<1	27	43	<1
	9/19/2012	n/a	<1	<1	45	<1	<0.5	11	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.5	<1	<1	<10	35	<1
	3/11/2015	n/a	<0.21	<0.25	46	<0.12	<0.16	16	<1.4	<2.3	<0.52	<14	9.8	<1.2	<0.049	<4.9	<0.38	<2.8	8.4	<0.19	<0.3	<2.4	36	<0.33
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	47	<0.12	<0.16	16	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.8	<0.19	<0.3	<2.4	37	<0.33
	9/15/2015	n/a	<0.21	<0.25	45.9	<0.12	<0.16	16.6	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.02	<0.19	<0.3	<0.18	42.7	<0.331
	12/16/2015	n/a	<0.21	<0.25	47.3	<0.12	<0.16	17.9	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.66	<0.19	<0.3	<0.18	40.1	<0.331
	3/29/2016	n/a	<0.21	<0.25	45.1	<0.12	<0.16	17.6	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.86	<0.19	<0.3	<0.18	37.9	<0.331
	6/29/2016	n/a	<0.754	<0.25	46.5	<0.12	<0.16	18.5	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	2.05	<0.38	<0.31	8.23	<0.19	<0.3	<0.18	41	<0.331
	9/20/2016	n/a	<2	<2	43.7	<2	<1	19.1	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.81	<2	<2	<5	37	<1
	12/21/2016	n/a	<2	<2	46.5	<2	<1	21	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.76	<2	<2	<5	41.5	<1
	3/29/2017	n/a	<2	<2	43.8	<2	<1	22.4	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.28	<2	<2	<5	43.2	<1
	9/28/2017	n/a	<2	<2	46.8	<2	<1	26.4	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	8.25	<2	<2	<5	44.9	<1
	4/21/2018	n/a	<10*	<23.4*	49.8	0.0773	0.479	30	<12.5*	<10.4*	<5*	110	<15.6*	1.54	0.25	<10*	<52*	<20.8*	8.62	<73*	<41.6*	<20*	39.1	<5*
	10/23/2018	n/a	<36*	<23.5*	52.6	<0.624*	0.437	30.5	2.73	<13.5*	1	163	<15.6*	<10.4*	0.45	4	<52*	<20.8*	8.58	<73*	<728*	<21*	46.2	<5*
	4/24/2019	n/a	<2.08*	0.473	53.8	53.8	0.495	30	0.369	0.042	0.304	13.3	0.067	1.18	0.175	0.74	<2.08*	<0.26*	8.41	0.122	<20.8*	0.233	47	<5*
	10/7/2019	n/a	<2.08*	0.504	50.5	<0.26*	0.384	29.4	0.875	0.08	0.357	39.5	0.115	2.63	0.6	1.48	<2.08*	0.031	7.84	0.096	<20.8*	0.169	48.3	<1*
	4/22/2020	n/a	<2.08*	0.462	48.5	<0.26*	0.339	28.4	0.358	0.044	0.336	20.2	<0.26*	1.1	0.125	0.99	<5.2*	<0.312*	7.78	0.111	<20.8*	0.125	45.3	<1*
	10/7/2020	n/a	<2.08	0.403	49.1	<0.26	0.414	25	0.405	<0.26	0.253	15.3	<0.26	0.498	<0.2	0.88	<5.2	<0.312	8.03	0.111	<20.8	0.113	43.8	<1
	4/6/2021	n/a	<2.08*	0.486	48.6	<0.26*	0.477	24.4	0.751	0.077	0.488	26.6	0.15	3.11	0.248	0.85	<5.2*	<0.312*	8.88	0.108	<20.8*	0.165	45.2	<1*
	10/6/2021	n/a	<2	0.436	49.7	<0.25	0.402	21	0.404	0.101	0.233	8.3	<0.25	0.585	0.05	0.82	<5	<0.3	7.58	0.111	<20	0.127	44.8	<1
	4/19/2022	n/a	<2.08*	0.39	46.7	<0.26*	0.456	18.3	0.4	0.041	0.281	22.3	<0.26*	0.499	<0.2*	0.79	<5.2*	<0.312*	6.61	0.109	<20.8*	0.139	41.7	<1*
	10/4/2022	n/a	<2.08*	0.416	46	<0.26*	0.407	18	0.27	0.042	0.239	8.39	<0.26*	0.754	<0.2*	0.75	<5.2*	<0.312*	7.52	0.116	<20.8*	0.116	44.2	<1*
	5/15/2024	n/a	<2.08	0.449	42.8	<0.26	0.409	15.8	0.496	0.051	1.14	35.9	0.139	1.38	0.642	0.98	<5.2	<0.312	7.34	0.11	<20.8	0.139	47.2	<1
	11/6/2024	n/a	<2.08	0.424	46.5	<0.26	0.344	13.5	0.532	0.041	0.281	30.9	<0.416	1.32	0.24	0.83	<5.2	<0.312	6.32	0.132	<20.8	0.124	140	<1
MW-633D	7/25/2006	7.74	<1	<10	38	<2	<5	4.6	<10	<10	<20	<100	<5	<10	n/a	<20	26	14	16	<1	n/a	<10	180	<1
	9/8/2006	7.51	<1	<10	37	<2	<5	4.9	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	140	<1
	2/7/2007	7.23	<1	<10	37	<2	<5	4.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	130	<1
	5/24/2007	12.84	<1	1.5	38	<2	<5	4.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	230	<1
	8/25/2007	7.19	<1	<10	33	<2	<5	6.4	<10	<10	<20	<100	6.5	<10	<0.2	<20	33	<10	13	<1	110	<10	250	<1
	11/6/2007	6.99	<1	<1	33	<2	<5	6.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	32	<1
	2/22/2008	7.18	<1	1	35	<2	<5	5.3	<10	1.3	<20	210	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	160	<1
	4/29/2008	7.39	<1	<1	38	<1	0.67	6	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	15	<1	<20	<10	190	<1
	8/19/2008	7.3	<1	1	36	<1	<5	4.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	<20	<10	320	<1
	11/18/2008	7.1	<1	<1	37	<2	<5	5.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	80	<10	260	<1
	2/20/2009	7.53	<1	<1	37	<1	1.5	4.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	250	<1
	5/20/2009	7.05	<1	<1	35	<1	0.53	5.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	13	<1	<1	<10	230	<1
	8/19/2009	6.14	<1	<1	36	<1	0.97	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	13	<1	<1	<10	200	<1
	12/14/2009	6.97	<1	3.5	43	<2	<5	6	<10	<10														

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	
MW-689D	3/22/2010	6.95	<1	0.5	38	<1	0.55	6.3	<10	<10	0.56	380	1	20	<0.2	<20	<1	<10	14	<1	<1	<10	220	<1	
	6/17/2010	n/a	<1	0.93	40	<1	1.6	6.3	<10	<10	0.77	590	1.8	33	<0.2	<20	<1	<10	14	<1	<1	<10	250	<1	
	9/22/2010	6.93	0.53	1.3	36	0.91	1.7	5.8	4	<10	0.77	360	1.7	17	<0.2	<20	<1	<10	14	<1	0.56	<10	220	<1	
	12/7/2010	6.81	0.39	1.2	36	0.55	1.6	6	<10	<10	0.97	490	1.8	24	<0.2	<20	<1	7.6	14	<1	0.44	2.5	210	<1	
	3/23/2011	6.92	<1	<1	37	<1	0.52	5.7	<10	<10	<2	310	0.47	18	<0.2	<20	<1	<10	17	<1	<1	<10	200	<1	
	6/28/2011	6.77	<1	<1	39	<1	0.75	5.8	3	<10	<2	600	2	36	<0.2	<20	<1	<10	14	<1	<1	<10	210	<1	
	9/29/2011	n/a	1.7	2.9	36	0.36	2.8	5.4	<10	<10	3	770	2.8	34	0.03(O)	8.7	<5	4.6	15	<1	2.1	4.5	180	<1	
	6/21/2012	n/a	<1	<1	36	<1	1.4	5	<10	<10	<2	280	1.3	16	<0.2	<20	<1	<10	13	<1	<1	<10	190	<1	
	9/20/2012	n/a	<1	1.2	39	<1	1.3	4.9	<10	<10	<2	750	2	31	<0.2	<20	<1	<10	15	<1	<1	<10	200	<1	
	3/9/2015	n/a	<0.21	<0.25	39	<0.12	1.4	7.7	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	240	<0.33	
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	<0.25	40	<0.12	1.8	9.6	<1.4	<2.3	<0.52	480	<0.24	25	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	270	<0.33	
	9/15/2015	n/a	<0.21	<0.25	39.5	<0.12	1.46	9.42	<0.54	<0.26	<0.52	<15	2.08	<0.25	<0.049	<0.35	<0.38	<0.31	11.4	<0.19	<0.3	<0.18	257	<0.331	
	12/14/2015	n/a	<0.21	<0.25	41.4	<0.12	1.58	12.7	<0.54	<0.26	<0.52	<15	<0.24	<0.25	0.386	3.52	<0.38	<0.31	10.4	<0.19	<0.3	<0.18	268	<0.331	
	3/29/2016	n/a	<0.21	<0.25	39.1	<0.12	<0.16	14.9	<0.54	<0.26	<0.52	<15	<0.24	6.36	0.664	<0.35	<0.38	<0.31	8.55	<0.19	<0.3	<0.18	256	<0.331	
	6/28/2016	n/a	<0.754	<0.25	39.5	<0.12	1.65	15.3	<0.54	<0.26	<0.52	<15	<0.24	11.2	1.35	<0.35	<0.38	<0.31	9.08	<0.19	<0.3	<0.18	285	<0.331	
	9/20/2016	n/a	<2	<2	36	<2	1.46	15.4	<2	<2	<5	<100	<2	11.6	2.43	<2	<2	<2	9.31	<2	<2	<5	286	<1	
	12/20/2016	n/a	<2	<2	41	<2	1.67	15.4	<2	<2	<5	<100	<2	<5	<0.2	4.65	<2	<2	10.6	<2	<2	<5	283	<1	
	3/28/2017	n/a	<2	<2	37.5	<2	1.64	14.2	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	10.6	<2	<2	<5	274	<1	
	9/27/2017	n/a	<2	<2	39.9	<2	1.82	17.5	<2	<2	<5	<100	<2	6.3	2.15	<2	<2	<2	11.5	<2	<2	<5	325	<1	
	4/18/2018	n/a	<10*	<23.4*	43.5	<0.416*	1.63	16	<12.5*	<10*	<5*	156	<15.6*	<10.4*	0.25	<10*	<52*	<20.8*	11.1	<73*	<41.6*	<20*	277	<5*	
	10/23/2018	n/a	<36*	<23.5*	47.7	<0.624*	1.75	15.8	<12.5*	<13.5*	1	126	<15.6*	<10.4*	0.1	<10*	<52*	<20.8*	11.6	<73*	<72.8*	<21*	330	<5*	
	4/24/2019	n/a	<2.08*	0.389	48.5	<0.26*	1.89	18.6	0.402	0.048	0.611	35.4	0.31	3.84	0.225	1.74	<2.08*	<0.26*	9.15	0.176	<20.8*	0.303	314	<5*	
	10/9/2019	n/a	<2.08*	0.941	50.6	<0.26*	1.67	19.7	0.862	0.194	0.545	61.5	0.295	11.9	2.55	2.87	<2.08*	<0.26*	8.78	0.13	<20.8*	0.258	337	0.131	
	4/21/2020	n/a	<2.08*	0.451	57.5	<0.26*	1.41	24.6	0.435	0.259	0.325	24.1	0.101	33.9	1.58	4.56	<5.2*	<0.312*	5.94	0.182	<20.8*	0.085	390	<1*	
	10/7/2020	n/a	<2.08	0.359	63.1	<0.26	1.98	15.5	1.55	0.172	1.15	30.3	0.16	60.8	2	7.17	<5.2	<0.312	9.73	0.248	<20.8	0.061	449	0.245	
	4/6/2021	n/a	<2.08*	0.264	65.4	<0.26*	5.18	18.9	0.681	0.052	1.19	22.8	0.225	9.89	0.46	4.22	<5.2*	<0.312*	9.88	0.232	<20.8*	0.529	411	<1*	
	10/6/2021	n/a	<2	0.562	69.4	<0.25	2.3	14.5	0.621	0.119	0.457	44.7	0.251	14.3	0.538	5.57	<5	<0.3	9.36	0.199	<20	0.219	488	<1	
	4/19/2022	n/a	0.533	0.379	66.4	<0.26*	2.04	16.8	1.04	0.14	0.839	40.3	0.233	12.9	0.73	5.68	<5.2*	<0.312*	10.3	0.174	<20.8*	0.282	365	<1*	
	10/4/2022	n/a	<2.08*	1	78.9	<0.26*	2.66	13.7	1.1	0.22	0.589	288	0.69	33.7	0.52	7.74	<5.2*	<0.312*	10.4	0.144	<20.8*	0.633	552	<1*	
	5/14/2024	n/a	<2.08	0.348	80.5	<0.26	3.17	15.5	1.08	0.079	0.566	78.8	0.478	5.74	0.178	8.67	<5.2	<0.312	10.5	0.141	<20.8	0.283	491	<1	
	11/6/2024	n/a	<2.08	0.587	100	<0.26	4.88	12.6	0.85	0.11	1.07	214	1.17	13.5	0.255	9.51	<5.2	<0.312	10.4	0.175	<20.8	0.487	608	<1	
MW-689D	2/7/2007	7.22	<1	<1	21	<2	<5	2.7	<10	<10	<20	130	<5	<10	<0.2	<20	<20	<10	8.3	<1	n/a	<10	<30	<1	
	5/24/2007	8.06	<1	<1	30	<2	<5	1.4	<10	<10	<20	130	<5	14	<0.2	<20	<20	<10	13	<1	n/a	<10	<30	<1	
	8/25/2007	6.95	<1	<1	26	<2	<5	1.7	<10	<10	<20	140	<5	11	<0.2	<20	52	<10	14	<1	46	<10	32	<1	
	11/6/2007	6.95	<1	2	29	<2	<5	1.8	<10	<10	<20	300	<5	11	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	
	2/22/2008	6.98	<1	<1	28	<2	<5	2	<10	<10	<20	200	<5	10	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	
	4/29/2008	7.44	<1	1.5	29	<1	<0.5	2.3	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	13	<1	<20	<10	31	<1	
	8/19/2008	7.24	<1	<1	28	<1	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	110	13	<1	<20	<10	14	<1	
	11/18/2008	7.09	<1	<1	29	<2	<5	2.3	<10	<10	<20	140	<5	<10	<0.2	<20	<20	<10	14	<1	77	<10	<30	<1	
	2/20/2009	7.16	<1	<1	27	<1	<1	2.6	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	24	<1	
	5/20/2009	6.9	<1	<1	25	<1	<0.5	3.7	<10	<10	<1	100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	11	<1	
	8/19/2009	6.03	<1	1.2	31	<1	<0.5	2.6	17	<10	<2	250	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	18	<1	
	12/15/2009	7.1	<1	7	46	<2	<5	3.6	<10	<10	<20	6000	44	72	<0.2	<20	<20	<10	7.3	<1	<100	15	67	<1	
	3/23/2010	6.66	<1	0.96	25	<1	<0.5	2.1	2.7	<10	1.3	1700	8.5	6.5	<0.2	<20	<1	<10	8	<1	<1	3	22	<1	
	6/17/2010	n/a	<1	3.9	37	0.4	0.18	4.4	6.6	2.1	3.9	5500	24	30	0.03	<20	0.62	<							

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
MW-7	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2.4	<1.4	<2.3	<0.52	270	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	14	<0.19	<0.3	<2.4	<2.6	<0.33
	9/15/2015	n/a	<0.21	<0.25	29.6	<0.12	<0.16	2.43	<0.54	<0.26	<0.52	<15	2	17.4	<0.049	<0.35	<0.38	<0.31	13.7	<0.19	<0.3	<0.18	<2.56	<0.331
	12/15/2015	n/a	<0.21	<0.25	27.7	<0.12	<0.16	2.11	<0.54	<0.26	<0.52	125	<0.24	14.3	<0.049	<0.35	<0.38	<0.31	13.7	<0.19	<0.3	<0.18	<2.56	<0.331
	3/29/2016	n/a	<0.21	<0.25	27.4	<0.12	<0.16	2.53	<0.54	<0.26	<0.52	155	<0.24	6.55	<0.049	<0.35	<0.38	<0.31	12.9	<0.19	<0.3	<0.18	<2.56	<0.331
	6/28/2016	n/a	<0.754	<0.25	28.9	<0.12	<0.16	2.09	<0.54	<0.26	<0.52	147	<0.24	7.41	<0.049	<0.35	<0.38	<0.31	13.8	<0.19	<0.3	<0.18	<2.56	<0.331
	9/20/2016	n/a	<2	<2	25.7	<2	<1	2.28	<2	<2	<5	338	<2	8.64	<0.2	<2	<2	<2	13.8	<2	<2	<5	<25	<1
	12/20/2016	n/a	<2	<2	27.7	<2	<1	2.48	<2	<2	<5	143	<2	8.02	<0.2	<2	<2	<2	14.2	<2	<2	<5	<25	<1
	3/28/2017	n/a	<2	<2	27.1	<2	<1	2.26	3.13	<2	<5	181	<2	5.8	<0.2	<2	<2	<2	12.8	<2	<2	<5	<25	<1
	9/27/2017	n/a	<2	<2	26.8	<2	<1	2.91	<2	<2	<5	<100	<2	5.69	<0.2	<2	<2	<2	13.7	<2	<2	<5	<25	<1
	4/20/2018	n/a	<10*	<23.4*	35.9	<0.416*	<1.2*	1.72	<12.5*	0.699	<5*	500	<15.6*	9.54	0.025	<10*	<52*	<20.8*	13.6	<73*	<41.6*	0.5	7.89	<5*
	10/23/2018	n/a	<36*	<23.5*	31.1	<0.624*	<1.2*	1.67	2.33	<13.5*	<5*	321	<15.6*	24.1	0.025	3	<52*	<20.8*	13.2	<73*	<728*	<21*	5.34	<5*
	4/23/2019	n/a	<2.08*	0.682	30.5	<0.26*	0.038	2.01	0.241	0.145	0.31	30.6	0.443	5.43	<0.2*	0.53	<2.08*	<0.26*	12.7	<0.26*	<20.8*	0.127	7.32	<5*
	10/8/2019	n/a	<2.08*	7.24	33.1	<0.26*	<0.26*	2.01	0.408	0.49	0.328	2360	0.663	67.3	<0.2*	0.31	<2.08*	<0.26*	7.83	<0.26*	<20.8*	0.206	<20.8*	<1*
	4/21/2020	n/a	<2.08*	2.32	32.6	<0.26*	0.071	1.42	0.48	0.314	0.546	553	2.16	12.6	<0.2*	0.96	<5.2*	<0.312*	9.77	0.063	<20.8*	0.617	8.36	<1*
	10/6/2020	n/a	<2.08	5.35	30.1	<0.26	<0.26	2.02	0.283	0.193	0.123	1510	0.285	29.9	<0.2	0.27	<5.2	<0.312	4.12	<0.26	<20.8	0.138	<20.8	<1
	4/6/2021	n/a	<2.08*	6.44	31.2	<0.26*	<0.26*	1.6	<0.26*	0.209	0.144	1860	0.946	10.6	<0.2*	1.02	<5.2*	<0.312*	10	<0.26*	<20.8*	0.126	5.37	<1*
	10/5/2021	n/a	<2	7.54	33.9	<0.25	<0.25	2.09	0.313	0.045	0.184	1820	0.187	14.8	<0.2	<0.5	<5	<0.3	1.54	<0.25	<20	0.134	<20	<1
	4/19/2022	n/a	<2.08*	5.08	31.3	<0.26*	<0.26*	1.42	0.396	0.082	0.274	1290	0.539	8.55	<0.2*	0.34	<5.2*	<0.312*	8.7	<0.26*	<20.8*	0.171	<20.8*	<1*
	10/4/2022	n/a	<2.08*	4.55	33	<0.26*	<0.26*	2.14	0.168	<0.26*	<0.395*	1870	0.222	15.9	<0.2*	<0.52*	<5.2*	<0.312*	2.52	<0.26*	<20.8*	0.117	<20.8*	<1*
	5/15/2024	n/a	0.408	1.41	28.9	<0.26	0.108	1.97	0.448	0.081	0.517	87.9	1.03	1.87	<0.2	0.78	<5.2	<0.312	11.7	<0.26	<20.8	0.345	18.8	<1
	11/6/2024	n/a	<2.08	1.16	27.6	<0.26	0.091	1.9	0.511	0.092	0.629	162	0.751	2.87	<0.2	0.97	<5.2	<0.312	10.3	0.04	<20.8	0.426	40.9	<1
	4/13/1999	6.74	<6	<5	<100	<2	<3	9	<10	<20	<5	277	<5	<50	n/a	<10	<10	<10	27.7	<1	n/a	<400	<30	<0.05
	7/28/1999	6.93	<6	<5	<100	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.8	<1	n/a	<400	<30	<0.05
	10/12/1999	7.06	<6	<5	530	<2	<3	7	<10	<20	<5	69	<5	<50	n/a	<10	<10	<10	5.2	<1	n/a	<400	<30	<0.05
	1/25/2000	7.07	<6	5	430	<2	<3	8	<10	<20	<5	70	<5	<50	n/a	<10	<10	<10	5.9	6	n/a	<400	<30	<0.05
	4/26/2000	6.96	<6	<5	380	<2	<3	8	<10	<20	<5	200	<5	<50	n/a	<10	<10	<10	33.4	<1	n/a	<400	<30	<0.05
	10/18/2000	6.96	<6	<5	400	<2	<3	6.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.8	<1	n/a	<400	<30	<0.05
	4/19/2001	7.05	<6	<5	<100	<2	<3	7	<10	<20	<5	37	<5	<50	n/a	<50	<10	<10	16.3	<1	n/a	<400	<30	<0.05
	10/25/2001	7.01	<6	<5	180	<2	<3	7.25	<10	<20	<5	150	<5	<50	n/a	<10	<10	<10	<5	<2	n/a	<400	<30	<0.05
	4/18/2002	6.96	<6	<5	318	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05
10/31/2002	7.12	<6	<5	2670	<2	<3	6.5	<10	<20	<5	118	<5	<50	n/a	<10	<10	<10	5.8	<1	n/a	<400	<30	<0.05	
4/15/2003	6.98	<6	<5	26	<2	<3	7	<10	<20	<5	46	<5	<50	n/a	<10	<10	<10	11.6	<1	n/a	<400	<30	<0.05	
10/29/2003	7.07	<6	<5	279	<2	<3	6.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05	
4/13/2004	7.16	<6	<5	432	<2	<3	5	<10	<20	<5	153	<5	<50	n/a	<10	<10	<10	10.5	<1	n/a	<400	<30	<0.05	
10/20/2004	7.02	<6	<5	71	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05	
4/14/2005	6.77	<2	1.58	25.4	<0.18	0.506	<5	0.293	<20	<2	539	1.14	<30	n/a	<10	<3	<1	13.8	<1	n/a	<20	<10	<0.05	
10/11/2005	6.62	<6	1.53	77.5	1.87	0.421	9	<0.45	<50	<10	179	<5	632	n/a	14.5	<10	<3	7	<2	n/a	<10	11.8	<1	
4/4/2006	7.6	<2	<5	<50	<0.18	<0.3	<5	0.705	<100	<2	<30	<1	124	n/a	<100	<5	<0.57	10.5	<1	n/a	<2	<100	<0.5	
7/27/2006	7.62	<1	<10	180	<2	<5	1.7	<10	<10	<20	<100	<5	100	n/a	<20	21	<10	8.9	<1	n/a	<10	<30	<1	
9/6/2006	7.41	<1	<10	190	<2	<5	1.6	<10	<10	<20	<100	<5	200	<0.2	<20	<20	<10	7.9	<1	n/a	<10	<30	<1	
2/7/2007	7.36	<1	<1	150	<2	<5	1.7	<10	<10	<20	<100	<5	160	<0.2	<20	<20	<10	9.9	<1	n/a	<10	<30	<1	
5/24/2007	8.27	<1	<1	160	<2	<5	2.5	<10	<10	<20	<100	<5	91	<0.2	<20	<20	<10	9.1	<1	n/a	<10	<30	<1	
8/25/2007	7.26	<1	<1	150	<2	<5	1.7	<10	<10	<20	<100	5	130	<0.2	<20	39	<10	8.5	<1	n/a	<10	<30	<1	
11/6/2007	6.93	<1	<1	160	<2	<5	2.7	<10	<10	<20	<100	<5	86	<0.2	<20	<20	<10	8	<1	<20	<10	<30	<1	
2/22/2008																								

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	6/17/2010	n/a	<1	0.52	120	<1	<0.5	2.5	<10	<10	0.59	85	<1	340	<0.2	7.4	<1	<10	7.9	<1	<1	40	15	<1
	9/23/2010	6.91	<1	0.41	82	<1	<0.5	2.5	<10	<10	<2	<100	<1	86	<0.2	<20	<1	<10	9.2	<1	<1	5.6	9.8	<1
	12/8/2010	6.72	0.39	0.73	70	0.49	0.34	3.2	<10	2.5	0.95	67	0.8	360	<0.2	5.9	0.59	<10	11	<1	0.34	<10	13	<1
	3/22/2011	7.02	<1	<1	81	<1	<0.5	2.7	<10	5.8	1.3	180	0.33	690	<0.2	17	<1	<10	12	<1	<1	<10	85	<1
	6/28/2011	6.88	<1	<1	96	<1	<0.5	2.8	<10	12	1.5	340	1.2	1200	<0.2	20	<1	<10	8.1	<1	<1	<10	26	<1
	9/28/2011	n/a	<1	0.32	61	<1	<0.5	2.7	<10	2.4	<2	56	1.1	200	0.03	11	<1	<10	9.9	<1	<1	<10	8	<1
	6/21/2012	n/a	<1	<1	61	<1	<0.5	2.8	<10	<10	<2	<100	<1	86	<0.2	<20	<1	<10	8.1	<1	<1	25	19	<1
	9/19/2012	n/a	<1	<1	110	<1	<0.5	2.8	<10	13	<2	340	<1	1300	<0.2	29	<1	<10	12	<1	<1	<10	35	<1
	3/11/2015	n/a	<0.21	<0.25	35	<0.12	<0.16	1.8	<1.4	<2.3	<0.52	<14	8.5	<1.2	<0.049	<4.9	<0.38	<2.8	9.7	<0.19	<0.3	<2.4	<2.6	<0.33
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	37	<0.12	<0.16	2.4	<1.4	<2.3	<0.52	<14	<0.24	22	<0.049	<4.9	<0.38	<2.8	7.2	<0.19	<0.3	<2.4	<2.6	<0.33
	9/15/2015	n/a	<0.21	<0.25	37.4	<0.12	<0.16	1.96	<0.54	<0.26	<0.52	<15	<0.24	80.2	<0.049	2.38	<0.38	<0.31	7.19	<0.19	<0.3	<0.18	<2.56	<0.331
	12/15/2015	n/a	<0.21	<0.25	34.5	<0.12	<0.16	1.69	<0.54	<0.26	<0.52	<15	<0.24	9.7	<0.049	<0.35	<0.38	<0.31	7.59	<0.19	<0.3	<0.18	<2.56	<0.331
	3/29/2016	n/a	<0.21	<0.25	31.6	<0.12	<0.16	1.69	<0.54	<0.26	<0.52	<15	<0.24	7.78	<0.049	<0.35	<0.38	<0.31	6.66	<0.19	<0.3	<0.18	<2.56	<0.331
	6/28/2016	n/a	<0.754	<0.25	36.5	<0.12	<0.16	1.5	<0.54	<0.26	<0.52	<15	<0.24	55.3	<0.049	<0.35	<0.38	<0.31	6.16	<0.19	<0.3	<0.18	<2.56	<0.331
	9/20/2016	n/a	<2	<2	38	<2	<1	1.69	<2	<2	<5	<100	<2	43.7	<0.2	<2	<2	<2	6.49	<2	<2	<5	<25	<1
	12/20/2016	n/a	<2	<2	46.2	<2	<1	1.5	<2	3.56	<5	153	<2	363	<0.2	10.6	<2	<2	6.39	<2	<2	<5	<25	<1
	3/29/2017	n/a	<2	<2	31.2	<2	<1	1.91	<2	<2	<5	<100	<2	54.4	<0.2	2.05	<2	<2	6.07	<2	<2	<5	<25	<1
	9/27/2017	n/a	<2	<2	37.1	<2	<1	2.19	<2	<2	<5	<100	<2	22.9	<0.2	<2	<2	<2	5.68	<2	<2	<5	<25	<1
	4/21/2018	n/a	3	<23.4*	35	0.091	<1.2*	1.22	<12.5*	1.54	<5*	142	<15.6*	172	0.025	4	<52*	<20.8*	8.1	<73*	<41.6*	<20*	9.42	<5*
	10/23/2018	n/a	<36*	<23.5*	38.4	<0.624*	<1.2*	1.3	2.48	<13.5*	<5*	94.3	<15.6*	19.6	0.025	<10*	<52*	<20.8*	12.2	<73*	<728*	<21*	6.29	<5*
	4/23/2019	n/a	<2.08*	0.257	31.1	<0.26*	0.047	1.4	0.294	0.14	0.208	5.47	<0.26*	14.3	<0.2*	0.43	<2.08*	<0.26*	6.97	<0.26*	<20.8*	0.069	<20.8*	<5*
	10/7/2019	n/a	<2.08*	0.293	34.5	<0.26*	<0.26*	1.56	0.36	0.125	0.439	4.78	<0.26*	13	<0.2*	0.36	0.666	0.032	6.53	<0.26*	<20.8*	0.092	5.65	<1*
	4/20/2020	n/a	<2.08*	0.249	28.9	<0.26*	<0.26*	1.03	0.281	0.074	0.237	<20.8*	<0.26*	6.17	<0.2*	0.28	<5.2*	<0.312*	6.17	<0.26*	<20.8*	0.078	<20.8*	<1*
	10/5/2020	n/a	<2.08	0.278	32.3	<0.26	0.066	1.54	0.399	<0.26	0.271	<20.8	0.1	3.08	<0.2	<0.52	<5.2	<0.312	5.95	0.077	<20.8	0.117	5.19	<1
	4/5/2021	n/a	<2.08*	0.218	26.1	<0.26*	<0.26*	1.3	0.571	<0.26*	0.229	<20.8*	<0.26*	0.677	0.0125	0.18	<5.2*	<0.312*	6.72	<0.26*	<20.8*	0.066	<20.8*	<1*
	10/5/2021	n/a	<2	0.291	34.8	<0.25	<0.25	1.59	0.418	<0.25	0.185	<20	<0.25	<1.5	<0.2	<0.5	<5	<0.3	7.26	<0.25	<20	0.108	<20	<1
	4/18/2022	n/a	<2.08*	0.215	29.7	<0.26*	0.039	1.28	0.401	0.049	0.226	<20.8*	<0.26*	5.11	<0.2*	0.19	<5.2*	<0.312*	6.38	<0.26*	<20.8*	0.065	<20.8*	<1*
	10/3/2022	n/a	<2.08*	0.263	34	<0.26*	<0.26*	2	0.227	0.036	0.24	<20.8*	<0.26*	3.85	<0.2*	<0.52*	<5.2*	<0.312*	8.08	<0.26*	<20.8*	0.099	<20.8*	<1*
	5/14/2024	n/a	<2.08	0.21	29	<0.26	0.065	1.36	0.39	0.277	0.295	<46.8	<0.416	33.6	0.0625	1.02	<5.2	<0.312	5.84	<0.26	<20.8	0.07	<20.8	<1
	11/6/2024	n/a	<2.08	0.265	31.4	<0.26	0.045	1.49	0.677	<0.26	0.348	14.5	<0.416	1.16	<0.2	<1.56	<5.2	<0.312	7.3	<0.26	<20.8	0.11	<20.8	<1
NAB-1	7/25/2006	7.54	<1	22	27	<2	<5	2.1	<10	<10	<20	<100	<5	100	n/a	<20	22	<10	26	<1	n/a	<10	34	<1
	9/7/2006	7.26	<1	31	27	<2	<5	1.6	<10	<10	<20	100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	<30	<1
	2/7/2007	7.06	1.4	72	26	<2	<5	1.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	21	<1	n/a	<10	<30	<1
	5/24/2007	8.21	1.1	47	28	<2	<5	2.8	<10	<10	<20	370	<5	10	<0.2	<20	<20	<10	16	<1	n/a	<10	64	<1
	8/25/2007	7.29	<1	58	31	5.7	5.7	1.9	<10	<10	<20	<100	<5	13	0.23	<20	<20	<10	16	<1	51	<10	30	<1
	11/6/2007	6.94	<1	60	26	<2	<5	1.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	<20	<10	<30	<1
	2/22/2008	7.08	<1	46	25	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	22	<1	22	<10	66	<1
	4/29/2008	7.24	1.5	44	27	<1	<0.5	3.1	<10	<10	4.7	<100	<5	14	<0.2	<20	<1	<10	21	<1	<20	<10	100	<1
	8/19/2008	7.19	<1	53	28	<1	<5	2.2	<10	<10	<20	48	<5	11	<0.2	<20	<20	<10	19	<1	<20	<10	140	<1
	11/18/2008	6.98	1.4	37	29	<2	<5	3.3	<10	<10	<20	<100	<5	12	<0.2	<20	<20	<10	24	<1	<20	<10	140	<1
	2/20/2009	7.12	1.2	34	28	<1	<5	3.5	<10	<10	<1	140	<1	12	<0.2	<20	<1	<10	27	<1	<1	<10	140	<1
	5/20/2009	7.4	<1	24	26	<1	<5	3.4	<10	<10	<1	<100	<1	15	<0.2	<20	<1	<10	24	<1	<1	<10	160	<1
	8/19/2009	6.11	<1	23	31	<1	<0.5	4.8	<10	<10	<2	<100	<1	19	<0.2	<20	<1	<10	28	<1	<1	<10	120	<1
	12/17/2009	7.19	0.59	11	31	<2	<5	3.9	2	<10	<20	990	5.4	49	0.03	<20	22	<10	27	<1	<20	<10	170	<1
	3/23/2010	7.19	<1	8.2	32	<1	<0.5	4.6	1.9	3.3	4	1100	5.6	67	<0.2	11	<1	3.7	26	<1	<1	<10	190	<1
	6/16/2010	n/a	0.3	10	32	0.15	0.27	4.4	1.7	<10	1.8	1200	7.2	62	<0.2	11	<1	<10	25	<1	<1	55	200	<1
	9/23/2010	5.56	0.72	17	40	1.1	1.2	4.4	6	<10	2.3	2200	9.3	100	<0.2	9	<1	<10	23	<1	0.42	13	280	<1
	12/7/2010	6.7	0.66	4.9	29	0.51	0.54	3.6	<10	<10	0.94	280	3.2	27	<0.2	8.8	<1	3.6	28	<1	0.38	<10	150	<1
	3/22/2011	6.9	<1	3.9	30	<1	<0.5	4.5	<10	2.1	<2	380	3.2	47	<0.2	6.6	<1	<10	39	<1	<1	<10	220	<1
	6/29/2011	6.65	<1	2.4	30	<1	<0.5	3.8	<10	<10	<2	200	1.6	37	<0.2	10	<1	<10	27	<1	<1	<10	160	<1
	9/28/2011	n/a	<1	3.6	30	<1	<0.5	3.2	<10	<10	<2	140	1.7	23	<0.2	15	<1	<10	27	<1	<1	<10	120	<1
	6/21/2012	n/a	<1	13	36	<1	0.57	3.7	<10	<10	2.4	1500	9.3	68	<0.2	<20	<1	<10	28	<1	<1	36	210	<1
	9/20/2012	n/a	<1	8.1	34	<1	<0.5	3	<10	<10	&lt													

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
NAB-2	7/25/2006	7.63	<1	20	28	<2	<5	2.2	<10	<10	<20	<100	<5	23	n/a	<20	23	<10	24	<1	n/a	<10	30	<1
	9/7/2006	7.35	<1	110	31	<2	<5	3.9	<10	<10	<20	330	<5	33	<0.2	<20	<20	<10	53	<1	n/a	<10	<30	<1
	2/7/2007	7.18	<1	12	24	<2	<5	1.7	<10	<10	<20	100	<5	16	<0.2	<20	<20	<10	24	<1	n/a	<10	<30	<1
	5/24/2007	8.36	<1	13	24	<2	<5	2.4	<10	<10	<20	<100	<5	14	<0.2	<20	<20	<10	19	<1	n/a	<10	31	<1
	8/25/2007	7.21	<1	7.9	20	<2	<5	1.5	<10	<10	<20	<100	<25	10	<0.2	<20	<20	<10	18	<1	110	<10	49	<1
	11/6/2007	6.9	<1	44	23	<2	<5	1.9	<10	<10	<20	140	16	19	<0.2	<20	<20	<10	20	<1	<20	<10	72	<1
	2/22/2008	7.01	<1	13	24	<2	<5	2.2	<10	<10	<20	<100	<5	16	<0.2	<20	<20	<10	26	<1	22	<10	<30	<1
	4/29/2008	7.07	<1	21	23	<1	<0.5	1.6	<10	<10	<1	<100	<5	13	<0.2	<20	<1	<10	18	<1	<20	<10	62	<1
	8/19/2008	7.33	<1	27	23	<1	<5	1.7	<10	<10	<20	<100	<5	13	<0.2	<20	<20	<10	17	<1	<20	<10	47	<1
	11/18/2008	7.15	<1	25	23	<2	<5	2.6	11	<10	<20	300	5.5	13	<0.2	44	<20	<10	22	<1	<20	<10	61	<1
	2/20/2009	7.19	<1	18	22	<1	<5	2.5	<10	<10	1	<100	1.7	<10	<0.2	<20	<1	<10	25	<1	<1	<10	35	<1
	5/20/2009	6.9	<1	13	22	<1	<5	2.5	<10	<10	<1	<100	<1	15	<0.2	<20	<1	<10	23	<1	<1	<10	32	<1
	8/19/2009	6.13	<1	11	25	<1	<0.5	2.3	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	19	<1	<1	<10	37	<1
	12/16/2009	7.39	0.63	28	23	<2	<5	2.6	<10	<10	<20	140	2.3	8.4	0.03	<20	9.8	<10	18	<1	<20	<10	24	<1
	3/23/2010	7.29	<1	46	24	<1	<0.5	3.2	<10	2.3	<2	350	1.9	15	<0.2	<20	<1	5.8	18	<1	<1	<10	29	<1
	6/17/2010	n/a	0.91	42	23	<1	<0.5	2.3	<10	<10	0.65	430	2.9	12	<0.2	<20	<1	<10	17	<1	0.39	17	28	<1
	9/21/2010	6.77	0.43	120	25	<1	<0.5	2.2	<10	<10	0.65	1000	6.8	27	<0.2	<20	<1	<10	17	<1	<1	5.6	23	<1
	12/7/2010	6.86	0.82	110	25	0.56	0.34	2.4	3	<10	1.3	1600	10	41	<0.2	<20	<1	<10	15	<1	0.77	<10	37	<1
	3/22/2011	7.04	<1	52	23	<1	<0.5	2.5	<10	<10	<2	480	2.8	19	<0.2	<20	<1	<10	18	<1	<1	<10	28	<1
	6/29/2011	6.82	<1	52	23	<1	<0.5	2.6	<10	<10	<2	440	3.2	13	<0.2	<20	<1	<10	16	<1	<1	<10	37	<1
	9/28/2011	n/a	<1	39	25	<1	<0.5	2.7	<10	<10	<2	420	3.3	19	0.03	7.8	<1	<10	14	<1	<1	<10	26	<1
	6/21/2012	n/a	<1	82	32	<1	<0.5	3	<10	<10	3.1	1100	8.6	30	<0.2	<20	<1	<10	14	<1	<1	26	34	<1
	9/20/2012	n/a	<1	110	35	<1	<0.5	2.9	<10	<10	<2	2600	20	66	<0.2	<20	<1	<10	14	<1	<1	<10	36	<1
	3/9/2015	n/a	<0.21	6.6	48	<0.12	<0.16	4.2	<1.4	<2.3	<0.52	<14	6.2	13	<0.049	<4.9	<0.38	<2.8	19	<0.19	<0.3	<2.4	46	<0.33
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	5.1	48	<0.12	<0.16	4.7	<1.4	<2.3	<0.52	160	<0.24	17	<0.049	<4.9	<0.38	<2.8	18	<0.19	<0.3	<2.4	45	<0.33
	9/16/2015	n/a	<0.21	3.52	34.4	<0.12	<0.16	5.27	<0.54	<0.26	<0.52	190	2.9	22.4	<0.049	6.26	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	56.6	<0.331
	12/15/2015	n/a	<0.21	5.57	50.6	<0.12	<0.16	5.72	<0.54	<0.26	<0.52	<15	<0.24	17	<0.049	3.08	<0.38	<0.31	17	<0.19	<0.3	<0.18	37.1	<0.331
	3/29/2016	n/a	<0.21	6.42	31.7	<0.12	<0.16	6.98	<0.54	<0.26	<0.52	103	<0.24	16.7	<0.049	3.22(B)	<0.38	<0.31	14.7	<0.19	<0.3	<0.18	40.3	<0.331
	6/28/2016	n/a	<0.754	5.24	50.1	<0.12	<0.16	6.5	<0.54	<0.26	<0.52	108	<0.24	15.9	<0.049	3.29	<0.38	<0.31	14.7	<0.19	<0.3	<0.18	34.8	<0.331
	9/20/2016	n/a	<2	18.3	41	<2	<1	8.12	80.3	<2	12.4	1860	10.5	56	<0.2	51.2	<2	<2	13.2	<2	<2	<5	90.4	<1
	12/20/2016	n/a	<2	6.28	39.4	<2	<1	10.4	5.77	<2	<5	536	3.16	17.4	<0.2	5.86	<2	<2	13.5	<2	<2	<5	60.2	<1
	3/29/2017	n/a	<2	4.66	62	<2	<1	9.73	<2	<2	<5	<100	<2	14.7	<0.2	2.52	<2	<2	15	<2	<2	<5	39	<1
	10/26/2018	n/a	<36*	<23.5*	66.1	<0.624*	<1.2*	11.9	<12.5*	<13.5*	2	184	<15.6*	25.2	<0.2*	5	<52*	<20.8*	18.1	<73*	<728*	<21*	44.3	<5*
	4/25/2019	n/a	0.622	18.2	56.9	<0.26*	0.06	12	0.392	0.559	0.396	79.8	1.42	30.4	<0.2*	6.29	<2.08*	<0.26*	21	0.121	<20.8*	0.17	46.9	<5*
	10/9/2019	n/a	0.894	54	53.7	0.092	0.093	10.2	4.05	1.29	2.36	903	11.5	48.5	0.025	7.37	<2.08*	<0.26*	16	0.094	1.27	1.25	44.5	<1*
	4/21/2020	n/a	0.349	10.5	55.4	<0.26*	0.069	9.37	0.587	0.441	0.385	59.7	1.18	121	<0.2*	12.4	<5.2*	<0.312*	18.6	0.134	<20.8*	0.136	52.8	<1*
	10/7/2020	n/a	<2.08	12.2	47.5	<0.26	<0.26	8.76	1.64	0.329	0.239	172	1.54	64.3	<0.2	6.3	<5.2	<0.312	14.3	0.092	<20.8	0.07	36	<1
	4/6/2021	n/a	0.359	17.2	62.6	<0.26*	0.059	7.82	0.985	0.877	0.633	213	3.39	200	0.0175	13.9	<5.2*	<0.312*	17	0.128	<20.8*	0.278	46.3	<1*
	10/5/2021	n/a	<2	19	58.7	<0.25	0.048	6.8	3.58	0.612	0.452	380	2.15	71.3	<0.2	7.13	<5	<0.3	13	0.078	<20	0.259	27.4	<1
	4/19/2022	n/a	<2.08*	12.5	60.3	<0.26*	0.05	6.12	1.08	6.05	0.345	173	1.15	240	<0.2*	11.7	<5.2*	<0.312*	13.5	0.123	<20.8*	0.201	37.5	<1*
	10/4/2022	n/a	0.409	22.7	57.6	<0.26*	0.052	6.51	4.58	1.6	0.658	609	3.39	146	<0.2*	8.75	<5.2*	<0.312*	14	0.077	<20.8*	0.508	32.2	<1*
	5/14/2024	n/a	<2.08	5.16	52.6	<0.26	0.048	7.32	0.41	0.34	0.169	43	0.155	53.6	<0.2	5.73	<5.2	<0.312	14.1	0.128	<20.8	0.082	37.3	<1
NAB-3	7/25/2006	7.89	<1	<10	31	<2	<5	1.9	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	9.7	<1	n/a	<10	86	<1
	9/8/2006	7.58	<1	<10	32	<2	<5	1.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.7	<1	n/a	<10	54	<1
	2/7/2007	7.18	<1	<10	36	<2	<5	1.7	<10	<10	<20	130	<5	31	<0.2	<20	<20	<10	7.2	<1	n/a	<10	89	<1
	5/24/2007	8.11	<1	1.2	40	<2	<5	2.9	<10	<10	<20	<100	<5	76	<0.2	<20	<20	<10	6.1	<1	n/a	<10	79	<1
	8/25/2007	7.29	<1	<10	32	<2	<5	1.9	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.7	<1	48	<10	110	<1
	11/6/2007	6.87	<1	<10	36	<2	<5	2.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	<20	<10	110	<1
	2/22/2008	6.28	<1	<1	32	<2	<5	2.6	<10	<10	<20	130	<5	20	<0.2	<20	<20	<10	12	<1	22	<10	130	<1
	4/29/2008	7.34	<1	<1	36	<1	<0.5	3.1	<10	<10	1.1	<100	<5	<10	0.12	<20	<1	<10	12	<1	<20	<10	140	<1
	8/19/2008	7.26	<1	6.6	37	<1	<5	2.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	120	11	<1	<20	<10	120	<1
	11/18/2008	7.03	<1	<1	38	<2	<5	4.5	11	<10	<20	<100	<5	18	<0.2	44	<20	<10	13	<1	<20	<10	150	<1

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	2/20/2009	7.06	<1	<1	42	<1	0.56	4.6	<10	<10	1.2	120	<1	16	<0.2	<20	<1	<10	9.4	<1	<1	<10	99	<1
	5/20/2009	6.81	<1	<1	36	<1	<5	3.7	<10	<10	<1	<100	<1	21	<0.2	<20	<1	<10	9.3	<1	<1	<10	120	<1
	8/19/2009	6.07	<1	1.1	44	<1	0.68	3.7	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	8.6	<1	<1	<10	82	<1
	12/15/2009	6.83	<1	1	50	<2	<5	3.9	<10	<10	<20	160	<5	170	0.28	<20	<100	<10	7	<1	130	<10	53	<1
	3/23/2010	6.89	<1	2	39	<1	<0.5	2.4	1.7	2.9	0.62	120	<1	95	0.05	<20	<1	4	18	<1	<1	<10	180	<1
	6/17/2010	n/a	<1	0.9	47	<1	0.49	2.8	1.8	<10	1.2	420	0.75	160	0.18	<20	<1	<10	7.9	<1	<1	46	70	<1
	9/21/2010	6.31	<1	1.3	52	<1	1.1	4.4	<10	2	2	440	2.2	320	0.2	<20	<1	<10	9.8	<1	<1	<10	69	<1
	12/7/2010	6.57	0.4	0.95	48	0.51	0.88	4.4	<10	<10	1.3	130	1.1	140	0.09	<20	<1	9.1	9.8	<1	0.33	10	59	<1
	3/22/2011	6.83	<1	<1	52	<1	0.24	4.2	<10	<10	1.4	220	1.3	340	0.03	<20	<1	<10	12	<1	<1	<10	75	<1
	6/29/2011	6.57	<1	<1	42	<1	<0.5	3.6	<10	<10	1.6	160	0.8	270	0.08	<20	<1	<10	14	<1	<1	<10	77	<1
	9/28/2011	n/a	0.55	2.3	44	0.38	2	3.3	<10	4	2.9	820	4.1	790	0.19	11	<1	<10	21	<1	0.4	2.8	180	<1
	6/20/2012	n/a	<1	1.8	54	<1	2.6	3.5	<10	<10	4.3	980	4.5	820	<0.2	<20	<1	<10	20	<1	<1	30	210	<1
	9/20/2012	n/a	<1	2.2	37	<1	2.3	2.3	<10	<10	4.1	1700	1.8	1100	<0.2	<20	<1	<10	56	<1	<1	<10	240	<1
	3/10/2015	n/a	<0.21	<0.25	33	<0.12	<0.16	2.8	<1.4	<2.3	<0.52	310	6	12	<0.049	<4.9	<0.38	<2.8	14	<0.19	<0.3	<2.4	120	<0.33
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	38	<0.12	<0.16	4.9	<1.4	<2.3	<0.52	140	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	100	<0.33
	9/15/2015	n/a	<0.21	<0.25	39.2	<0.12	<0.16	5.08	<0.54	<0.26	<0.52	<15	<0.24	11.4	<0.049	<0.35	<0.38	<0.31	12.1	<0.19	<0.3	<0.18	100	<0.331
	12/15/2015	n/a	<0.21	<0.25	37.2	<0.12	<0.16	3.14	<0.54	<0.26	<0.52	506	<0.24	31.6	<0.049	2.28	<0.38	<0.31	9.93	<0.19	<0.3	<0.18	96.3	<0.331
	3/29/2016	n/a	<0.21	<0.25	45.6	<0.12	<0.16	5.52	2.6(B)	<0.26	<0.52	248	<0.24	44.9	<0.049	2.69(B)	<0.38	<0.31	8.03	<0.19	<0.3	<0.18	70.7	<0.331
	6/28/2016	n/a	<0.754	<0.25	38.3	<0.12	<0.16	51	2.71	<0.26	<0.52	<15	<0.24	13.7	<0.049	<0.35	<0.38	<0.31	97.7	<0.19	<0.3	<0.18	57.9	<0.331
	9/20/2016	n/a	<2	<2	39.8	<2	<1	6.08	34.2	<2	<5	519	<2	53	<2	23.6	<2	<2	11.8	<2	<2	<5	93	<1
	12/20/2016	n/a	<2	<2	50.2	<2	<1	9.17	<2	<2	<5	108	<2	48.3	<0.2	2.68	<2	<2	8.97	<2	<2	<5	82.3	<1
	3/28/2017	n/a	<2	<2	37.7	<2	<1	5.18	<2	<2	<5	648	<2	30.1	<0.2	2.46	<2	<2	8.24	<2	<2	<5	83.3	<1
	9/27/2017	n/a	<2	<2	47.3	<2	<1	12	<2	<2	<5	187	<2	49.7	<0.2	2.28	<2	<2	9.89	<2	<2	<5	60.3	<1
	4/17/2018	n/a	<10*	<23.4*	43.1	<0.416*	<1.2*	8.92	<12.5*	<10*	<5*	168	<15.6*	30.9	<0.2*	<10*	<52*	<20.8*	10.6	<73*	<41.6*	<20*	91	<5*
	10/22/2018	n/a	<36*	<23.5*	54.5	<0.624*	0.691	11.6	<12.5*	<13.5*	1	184	<15.6*	29.2	0.025	3	<52*	<20.8*	11.9	<73*	<728*	<21*	88.7	<5*
	4/23/2019	n/a	<2.08*	0.29	43.3	<0.26*	0.372	6.37	0.244	0.043	0.588	7.3	0.086	6.64	<0.2*	0.86	<2.08*	<0.26*	9.47	0.075	<20.8*	0.124	64.4	<5*
	10/8/2019	n/a	<2.08*	0.329	50.9	<0.26*	0.717	7.15	0.301	<0.26*	0.736	6.74	<0.26*	25.4	0.025	2	<2.08*	<0.26*	6.88	0.102	<20.8*	0.136	73.6	<1*
	4/20/2020	n/a	<2.08*	0.278	37.6	<0.26*	0.245	4.96	0.237	<0.26*	0.419	9.11	<0.26*	1.54	<0.2*	0.78	<5.2*	<0.312*	9.3	0.063	<20.8*	0.112	67.6	<1*
	10/5/2020	n/a	<2.08	0.258	36.5	<0.26	0.611	4.63	0.318	0.084	0.606	7.88	0.184	51.4	<0.2	<0.52	<5.2	<0.312	8.98	0.07	<20.8	0.12	84.8	<1
	4/5/2021	n/a	<2.08*	0.321	37.2	<0.26*	0.246	3.83	0.703	<0.26*	0.478	8.33	<0.26*	1.92	<0.2*	0.82	<5.2*	<0.312*	9.24	0.058	<20.8*	0.101	61.3	<1*
	10/4/2021	n/a	<2	0.248	33.2	<0.25	0.406	4.19	0.378	<0.25	1.35	11.3	0.099	16.1	<0.2	0.86	<5	<0.3	10	0.057	<20	0.101	82.2	<1
	4/18/2022	n/a	<2.08*	0.55	39.7	<0.26*	1.14	3.62	0.411	0.336	1.36	42.5	0.685	282	<0.2*	4.04	<5.2*	<0.312*	18	0.063	<20.8*	0.176	122	<1*
	10/3/2022	n/a	<2.08*	0.343	35.3	<0.26*	0.695	3.77	0.238	0.151	0.653	25	0.283	142	<0.2*	2.37	<5.2*	<0.312*	14.4	0.063	<20.8*	0.112	103	<1*
	5/14/2024	n/a	<2.08	0.443	41.2	<0.26	1.01	4.29	0.477	0.346	1.32	55.2	0.715	171	0.065	3.12	<5.2	<0.312	10.3	0.072	<20.8	0.188	95.8	<1
	11/6/2024	n/a	<2.08	0.435	34.5	<0.26	0.713	3.38	0.544	0.041	0.533	<46.8	<0.416	18.1	<0.2	1.63	<5.2	<0.312	16.8	0.082	<20.8	0.104	178	<1
NAB-4	7/25/2006	7.82	<1	<10	25	<2	<5	2.8	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	43	<1	n/a	<10	220	<1
	9/8/2006	7.74	<1	13	24	<2	<5	2.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	34	<1	n/a	<10	150	<1
	2/7/2007	7.41	<1	11	26	<2	<5	3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	27	<1	n/a	<10	210	<1
	5/24/2007	8.26	1.3	5.2	26	<2	<5	4.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	34	<1	n/a	<10	260	<1
	8/25/2007	7.29	1.7	5.9	26	<2	<5	3.2	<10	<10	<20	<100	<5	17	<0.2	<20	29	<10	29	<1	110	<10	370	<1
	11/6/2007	6.89	2.3	7.7	26	<2	<5	3.2	<10	<10	<20	<100	<5	10	<0.2	<20	<20	<10	26	<1	<20	<10	280	<1
	2/22/2008	7.14	1.5	10	31	<2	<5	4.1	<10	<10	<20	1400	<5	<10	<0.2	<20	<20	<10	22	<1	<20	<10	250	<1
	4/29/2008	6.99	1.6	8	29	<1	0.77	4	<10	<10	<1	<100	<5	11	<0.2	<20	<1	<10	26	<1	<20	<10	240	<1
	11/18/2008	6.96	1.8	4.4	20	<2	<5	4.6	<10	<10	<20	<100	6	11	<0.2	21	<20	<10	43	<1	<20	<10	700	<1
	2/20/2009	7.06	1.3	4	23	<1	1.2	3.3	<10	<10	<1	<100	<1	11	<0.2	<20	<1	<10	33	<1	<1	<10	680	<1
	5/20/2009	6.79	<1	2.6	24	<1	0.58	4.6	<10	<10	<1	<100	<1	10	<0.2	<20	<1	<10	33	<1	<1	<10	660	<1
	8/27/2009	6.7	1.5	2.2	33	<1	1.4	4.5	82	<10	6.3	690	<1	48	<0.2	140	<1	<10	32	<1	<1	<10	340	<1
	12/14/2009	6.71	<1	4.1	32	<2	<5	4.3	<10	<10	<20	400	18	34	<0.2	26	<20	<10	35	<1	<200	<10	600	<1
	3/22/2010	6.87	<1	6.7	32	<1	4.3	4.9	8.9	2.2	2.3	1100	7.3	73	<0.2	15	<1	3.6	40	0.28	<1	<10	620	<1
	6/15/2010	n/a	0.4	5.2	32	<1	3.1	4.3	3.4	<10	2	1200	4.9	80	0.02	12	<1	<10	57	0.46	<1	62	670	<1
	9/22/2010	6.87	0.89	4.6	32	0.87	3	4	5	<10	1.4	370	3.6	30	<0.2	8	0.46	<10	76	0.46	0.39	<10	580	<1
	12/8/2010	6.82	<1	3.9	24	<1	2.3	4	<10	<10	<2	310	2.2	19	<0.2	13	<1	9.9	54	<1	<1	<10	600	<1
	3/22/2011	6.9	<1	5.3	24	<1	1.6	3.9	<10	<10	0.83	230	2.4	18	<0.2	9.7	<1	<10	42	<1	<1	<10	640	<1

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	
NAB-7	6/28/2011	6.62	<1	11	28	<1	1.8	3.7	3	2	<2	250	3.1	19	<0.2	12	<1	<10	32	0.2	<1	<10	440	<1	
	9/28/2011	n/a	2.1	16	30	0.32	3.2	3.8	<10	<10	3.2	370	3.7	21	0.03	16	<5	4.1	26	0.28	2	<10	280	<1	
	6/21/2012	n/a	<1	11	33	<1	2.4	3.9	<10	<10	5	430	2.8	27	<0.2	<20	<1	<10	40	<1	<1	31	540	<1	
	9/20/2012	n/a	<1	20	32	<1	1.7	3.7	<10	<10	<2	740	5.4	40	<0.2	<20	<1	<10	38	<1	<1	<10	400	<1	
	3/10/2015	n/a	<0.21	3.3	43	<0.12	1.2	3.7	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	52	<0.19	<0.3	<2.4	830	<0.33	
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	6/9/2015	n/a	<0.21	2.7	50	<0.12	1.6	3.7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	46	<0.19	<0.3	<2.4	930	<0.33	
	9/15/2015	n/a	<0.21	3.62	49.5	<0.12	1.34	4.05	<0.54	<0.26	<0.52	<15	<0.24	8.06	<0.049	14.7	<0.38	<0.31	34.7	<0.19	<0.3	<0.18	660	<0.331	
	12/15/2015	n/a	<0.21	3.38	48.3	<0.12	1.42	3.41	<0.54	<0.26	<0.52	<15	<0.24	7.68	<0.049	10.2	<0.38	<0.31	30	<0.19	<0.3	<0.18	482	<0.331	
	3/29/2016	n/a	<0.21	2.13	56.5	<0.12	1.65	3.87	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	11.1(B)	<0.38	<0.31	46.8	<0.19	<0.3	<0.18	808	<0.331	
	6/28/2016	n/a	<0.754	<0.25	58.7	<0.12	1.56	3.59	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	11	<0.38	<0.31	59.2	<0.19	<0.3	<0.18	844	<0.331	
	9/20/2016	n/a	<2	2.37	40	<2	1.04	4.03	<2	<2	<5	<100	<2	<5	<0.2	11.7	<2	<2	43.7	<2	<2	<5	695	<1	
	12/20/2016	n/a	<2	4.58	41.9	<2	1.28	4.11	5.71	<2	<5	247	<2	16.6	<0.2	18.7	<2	<2	41.8	<2	<2	<5	656	<1	
	3/28/2017	n/a	<2	4.46	44.6	<2	1.2	3.7	<2	<2	<5	<100	<2	6.21	<0.2	9.69	<2	<2	22.2	<2	<2	<5	460	<1	
	4/18/2018	n/a	<10*	<23.4*	46.2	<0.416*	<1.2*	3.41	<12.5*	<10*	<5*	145	<15.6*	<10.4*	<0.2*	10	<52*	<20.8*	49.5	<73*	<41.6*	<20*	1000	<5*	
	11/2/2018	n/a	<36*	6.96	43.5	<0.624*	1.33	4.38	<12.5*	<13.5*	<5*	176	<15.6*	7.45	<0.2*	15	<52*	<20.8*	43.9	<73*	<728*	<21*	1120	<0.7	
	4/25/2019	n/a	<2.08*	1.96	80	<0.26*	2.98	7.85	0.306	1.16	0.903	15.8	0.237	368	3.55	10.8	0.537	<0.26*	39.2	0.997	<20.8*	0.053	1550	<5*	
	10/8/2019	n/a	0.596	7.77	65.3	<0.26*	1.95	6.84	0.818	3.73	0.89	237	3.28	293	0.925	12.1	<2.08*	<0.26*	42.3	0.839	<20.8*	0.168	1230	<1*	
	4/20/2020	n/a	<2.08*	2.51	80	<0.26*	3.39	7.23	0.507	1.2	1.19	77.4	0.887	584	2.08	16.4	<5.2*	<0.312*	99.2	1	<20.8*	0.113	1700	<1*	
	10/6/2020	n/a	0.429	4.7	56.5	<0.26	1.83	7.26	1.35	2.08	0.739	130	1.54	188	1.22	2.26	<5.2	<0.312	67	0.905	<20.8	0.095	1390	<1	
	4/6/2021	n/a	<2.08*	3.28	58.7	<0.26*	2.83	5.43	0.104	1.05	0.753	39.5	0.299	295	0.7	16.9	<5.2*	<0.312*	118	0.912	<20.8*	0.065	1910	<1*	
	10/5/2021	n/a	<2	3.95	57.2	<0.25	1.95	8.7	0.672	0.433	0.564	49.1	0.358	153	0.818	13.2	<5	<0.3	69.3	0.995	<20	0.058	1370	<1	
	4/19/2022	n/a	0.771	7.62	52.3	<0.26*	2.32	5.85	1.16	0.805	0.942	165	1.6	183	0.405	12.8	<5.2*	<0.312*	82.4	0.903	<20.8*	0.12	1390	<1*	
	10/4/2022	n/a	0.361	4.17	49.2	<0.26*	1.76	5.42	0.307	0.518	0.444	72.5	0.377	155	0.14	14.2	<5.2*	<0.312*	82.5	0.92	<20.8*	0.049	1320	<1*	
	5/14/2024	n/a	<2.08	9.1	35	<0.26	1.55	5.56	0.538	0.413	0.549	183	1.87	49.3	0.152	8.99	<5.2	<0.312	74	0.812	<20.8	0.075	1820	<1	
	11/5/2024	n/a	<2.08	25	37.2	<0.26	1.53	4.54	0.694	2.07	0.868	1040	7.59	247	247	0.0625	9.44	<5.2	<0.312	50.4	0.615	<20.8	0.153	878	<1
	NAB-7	7/25/2006	7.89	<1	<10	19	<2	<5	1.4	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	9.6	<1	n/a	<10	58	<1
		9/8/2006	7.5	<1	<10	17	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	n/a	<10	<30	<1
		2/7/2007	7.39	<1	5.6	20	<2	<5	1.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1
		5/24/2007	8.18	<1	1.7	26	<2	<5	2.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	n/a	<10	33	<1
		8/25/2007	7.3	<1	1.4	18	<2	<5	1.5	<10	<10	<20	<100	6.6	<10	<0.2	<20	24	<10	14	<1	43	<10	42	<1
		11/6/2007	6.91	<1	2.9	19	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	<20	<10	<30	<1
		2/22/2008	7.35	1.6	5.5	22	<2	<5	3.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	30	<1	<20	<10	<30	<1
4/29/2008		7.14	<1	5.5	20	<1	<0.5	2	<10	<10	<1	<100	<5	12	<0.2	<20	<1	<10	19	<1	<20	<10	22	<1	
8/19/2008		7.47	<1	<1	19	<1	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	21	<1	<20	<10	32	<1	
11/18/2008		7.22	1.2	6.7	20	<2	<5	2.5	<10	<10	<20	<100	8.6	<10	<0.2	<20	<20	<10	23	<1	<20	<10	<30	<1	
2/20/2009		7.29	1	1.3	20	<1	0.56	3.1	<10	<10	<1	40	1	<10	<0.2	<20	<1	<10	27	<1	<1	<10	33	<1	
5/20/2009		6.81	<1	2.1	18	<1	0.58	2.6	<10	<10	<1	<100	<1	10	<0.2	<20	<1	<10	17	<1	<1	<10	42	<1	
8/27/2009		6.14	<1	3.8	27	<1	0.62	2.2	<10	<10	<2	140	2.9	14	<0.2	<20	<1	<10	21	<1	<1	<10	36	<1	
12/18/2009		7.03	0.24	14	23	0.86	<5	3.3	2.3	1.7	<20	890	40	24	0.07	<20	8.6	<10	21	<1	8.7	<10	58	<1	
3/23/2010		7.11	<1	4.6	20	<1	<0.5	2.8	<10	2	0.69	530	16	24	<0.2	9.9	<1	3.3	25	<1	<1	<10	82	<1	
6/17/2010		n/a	0.51	2.1	22	<1	<0.5	2.4	<10	<10	<2	120	4.3	7.3	<0.2	8.3	<1	<10	22	<1	<1	34	64	<1	
9/23/2010		7.02	<1	7.5	21	<1	<0.5	2	<10	<10	<2	350	18	5.2	<0.2	5.4	<1	<10	22	<1	<1	<10	57	<1	
12/8/2010		6.8	0.66	41	22	0.6	0.26	2.1	<10	<10	0.53	3000	94	20	<0.2	9.5	<1	<10	21	<1	0.39	<10	60	<1	
3/22/2011		7.09	<1	16	21	<1	<0.5	4.3	<10	2.3	<2	1100	42	16	<0.2	9.4	<1	<10	30	<1	<1	<1			

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
NAB-8	3/29/2016	n/a	<0.21	9.12	28.7	<0.12	<0.16	3.28	<0.54	<0.26	<0.52	875	10.1	9.72	<0.049	6.5(B)	<0.38	<0.31	25.6	<0.19	<0.3	<0.18	51.3	<0.331
	6/28/2016	n/a	<0.754	3.41	24.1	<0.12	<0.16	2.03	<0.54	2.07	<0.52	102	<0.24	15.4	<0.049	4.42	<0.38	<0.31	20.5	<0.19	<0.3	<0.18	39.6	<0.331
	9/20/2016	n/a	<2	4.97	20.6	<2	<1	2.54	<2	<2	<5	181	3.44	8.1	<0.2	4.8	<2	<2	22.2	<2	<2	<5	39	<1
	12/20/2016	n/a	<2	5.74	23	<2	<1	3.05	7.44	<2	5.29	400	5.55	7.01	<0.2	19.4	<2	<2	29.7	<2	<2	<5	43	<1
	3/28/2017	n/a	<2	3.99	34.4	<2	<1	3.97	<2	<2	<5	270	4.63	8.34	<0.2	4.41	<2	<2	21.2	<2	<2	<5	42.4	<1
	9/28/2017	n/a	<2	8.97	21.7	<2	<1	2.98	<2	<2	<5	136	4.78	5.63	<0.2	6.34	<2	<2	22.9	<2	<2	<5	62.6	<1
	4/21/2018	n/a	<10*	205	63.6	0.0654	1.28	2.32	<12.5*	5.25	2	21800	265	103	0.025	7	<52*	<20.8*	15.2	<73*	<41.6*	5	405	<5*
	10/26/2018	n/a	<36*	11.7	22.7	<0.624*	<1.2*	1.58	<12.5*	<13.5*	<5*	1180	13.6	6.09	<0.2*	4	<52*	<20.8*	20.9	<73*	<728*	<21*	43.2	<5*
	4/23/2019	n/a	<2.08*	1.47	28.4	<0.26*	0.09	5.22	0.368	0.258	2.41	36.4	0.493	3.31	<0.2*	3.01	<2.08*	<0.26*	18.8	<0.26*	<20.8*	0.091	40	<5*
	10/8/2019	n/a	<2.08*	4.5	24	<0.26*	<0.26*	2.44	0.333	0.387	0.295	226	2.86	5.83	<0.2*	5.22	<2.08*	<0.26*	24.6	<0.26*	<20.8*	0.134	48.9	<1*
	4/20/2020	n/a	<2.08*	2.27	25.6	<0.26*	0.162	2.34	0.221	0.115	<0.395*	148	2.05	2.86	<0.2*	1.76	<5.2*	<0.312*	14	<0.26*	<20.8*	0.169	37.4	<1*
	10/5/2020	n/a	<2.08	43.3	22.6	0.156	0.084	2.14	0.25	0.598	0.347	5040	63.5	10	<0.2	0.72	<5.2	<0.312	18.3	<0.26	<20.8	1.26	60.2	<1
	4/5/2021	n/a	<2.08*	1.82	24.3	<0.26*	0.134	3.35	0.625	0.151	0.127	40.7	0.441	3.4	0.0125	1.78	<5.2*	<0.312*	17.4	<0.26*	<20.8*	0.092	33.9	<1*
	10/4/2021	n/a	<2	3.82	21	<0.25	<0.25	2.96	0.317	0.115	<0.38	240	2.28	2.6	<0.2	2.5	<5	<0.3	19.5	<0.25	<20	0.108	31.8	<1
	4/18/2022	n/a	<2.08*	3.16	25.7	<0.26*	0.227	3.45	0.325	0.126	0.145	233	3.87	2.84	<0.2*	1.51	<5.2*	<0.312*	13.5	<0.26*	<20.8*	0.215	39.8	<1*
	10/4/2022	n/a	<2.08*	2.52	21.1	<0.26*	<0.26*	2.03	<0.26*	0.038	<0.395*	164	1.3	1.83	<0.2*	2.86	<5.2*	<0.312*	18.7	<0.26*	<20.8*	0.055	33.1	<1*
	5/15/2024	n/a	<2.08	6.72	24.2	<0.26	0.136	4.89	0.359	0.094	0.174	637	4.03	1.28	<0.2	1.97	<5.2	<0.312	12.5	<0.26	<20.8	0.148	44.7	<1
	11/6/2024	n/a	0.657	31.7	19.8	0.121	0.107	1.32	0.591	2.57	0.597	4610	24.8	24.9	<0.2	8.06	<5.2	<0.312	15.4	<0.26	<20.8	0.729	68.9	<1
	7/25/2006	7.79	<1	<10	29	<2	<5	1.7	<10	<10	<20	<100	<5	32	n/a	<20	23	<10	24	<1	n/a	<10	<30	<1
	9/8/2006	7.59	<1	<10	33	<2	<5	1.4	<10	<10	<20	<100	<5	18	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1
2/7/2007	7.39	<1	3.3	48	<2	<5	1.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	n/a	<10	<30	<1	
5/24/2007	8.17	<1	2.1	60	<2	<5	2.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	<30	<1	
8/25/2007	7.31	<1	<1	58	<2	<5	1.5	13	<10	<20	220	5.5	<10	<0.2	24	49	<10	15	<1	40	<10	39	<1	
11/6/2007	7.07	<1	1.5	49	<2	<5	1.7	<10	<10	<20	<100	6.1	20	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	
2/22/2008	7.26	<1	1.4	47	<2	<5	2	<10	<10	<20	510	<5	17	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	
4/29/2008	6.68	<1	1.4	56	<1	<0.5	1.8	34	<10	3.5	1100	<5	29	<0.2	22	<1	6100	12	<1	<20	<10	37	<1	
11/18/2008	7.57	<1	<1	49	<2	<5	2.1	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	
9/22/2010	6.99	0.38	2.7	47	0.93	0.66	1.4	4	<10	1.5	660	3.9	16	<0.2	<20	0.39	<10	9.3	<1	0.59	<10	16	<1	
12/7/2010	6.89	0.93	27	170	3.5	6.4	1.6	63	20	54	48000	150	730	0.14	44	1.5	<10	8.4	0.8	8.4	95	700	<1	
3/23/2011	7.06	<1	1.2	52	<1	<0.5	1.7	<10	<10	1.2	730	2.3	20	<0.2	<20	<1	<10	9.6	<1	<1	<10	22	<1	
6/28/2011	6.88	<1	<1	62	<1	<0.5	2.2	2	<10	1.1	710	2	17	<0.2	<20	<1	<10	14	<1	<1	<10	14	<1	
9/28/2011	n/a	<1	1.5	53	<1	<0.5	2	<10	<10	0.91	390	2.5	14	<0.2	5.6	<1	<10	12	<1	<1	3.5	16	<1	
6/20/2012	n/a	<1	5.4	49	<1	<0.5	1.6	<10	<10	2.1	2800	9.8	41	<0.2	<20	<1	<10	9	<1	2.4	28	23	<1	
9/20/2012	n/a	<1	2.6	35	<1	<0.5	1.7	<10	<10	<2	360	1.8	<10	<0.2	<20	<1	<10	9.8	<1	<1	<10	11	<1	
3/10/2015	n/a	<0.21	5.9	33	<0.12	<0.16	1.8	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	
3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
6/9/2015	n/a	<0.21	2.6	34	<0.12	<0.16	2	<1.4	<2.3	<0.52	140	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	
9/16/2015	n/a	<0.21	5.88	32.7	<0.12	<0.16	1.92	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.96	<0.19	<0.3	<0.18	<2.56	<0.331	
12/15/2015	n/a	<0.21	4.79	30.6	<0.12	<0.16	1.86	<0.54	<0.26	<0.52	<15	<0.24	6.9	<0.049	<0.35	<0.38	<0.31	10.7	<0.19	<0.3	<0.18	<2.56	<0.331	
3/29/2016	n/a	<0.21	3.42	29.6	<0.12	<0.16	2.3	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.25	<0.19	<0.3	<0.18	<2.56	<0.331	
6/28/2016	n/a	<0.754	3.73	29.7	<0.12	<0.16	1.79	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	10.3	<0.19	<0.3	<0.18	<2.56	<0.331	
9/20/2016	n/a	<2	2.87	27.6	<2	<1	2.22	<2	<2	<5	<100	<2	5.29	<0.2	<2	<2	<2	9.94	<2	<2	<5	<25	<1	
12/20/2016	n/a	<2	3.54	31.9	<2	<1	2.22	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	11.2	<2	<2	<5	<25	<1	
3/28/2017	n/a	<2	2.32	29	<2	<1	1.94	<2	<2	<5	106	<2	5.05	<0.2	<2	<2	<2	9.68	<2	<2	<5	<25	<1	
9/27/2017	n/a	<2	2.64	30	<2	<1	3.01	<2	<2	<5	114	<2	9.64	<0.2	<2	<2	<2	11.6	<2	<2	<5	<25	<1	
4/30/2018	n/a	<10*	<23.4*	33.6	0.538	<1.2*	1.6	<12.5*	<10.4*	<5*	159	<15.6*	4.87	<0.2*	<10*	<52*	<20.8*	12.7	<73*	<41.6*	<20*	5.02	<5*	
10/30/2018	n/a	<36*	<23.5*	91.8	0.195	0.911	n/a	4.71	<13.5*	3	2460	11	40.8	<0.2*	3	<52*	<20.8*	n/a	<73*	<728*	6	64.7	<5*	
11/2/2018	n/a	n/a	n/a	n/a	n/a	n/a	3.21	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	15.2	n/a	n/a	n/a	n/a	n/a	
4/24/2019	n/a	<2.08*	2.37	30.1	<0.26*	0.118	1.74	0.26	0.107	0.649	46.4	1.44	9.05	<0.2*	0.2	<2.08*	<0.26*	9.96	<0.26*	<20.8*	0.14	9.19	<5*	
10/10/2019	n/a	0.731	3.24	39.6	<0.26*	0.465	2.38	0.913	0.481	4.71	49.9	4.65	18.6	<0.2*	1.06	<2.08*	0.015	12.7	<0.26*	1.28	1.07	27.5	<1*	
4/21/2020	n/a	<2.08*	2.12	30.2	<0.26*	0.668	1.62	0.392	0.042	1.5	128	0.795	4.05	<0.2*	0.32	<5.2*	<0.312*	11.3	<0.26*	<20.8*	0.279	7.51	<1*	
4/7/2021	n/a	0.988	1.42	35.3	<0.26*	1.5	n/a	0.811	0.143	3.44	232	1.1	5.63	0.015	1.9	<5.2*	<0.312*	n/a	<0.26*	2.42	0.85	18.7	<1*	
4/22/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
5/4/2022	n/a	0.384	1.68	32.7	<0.26*	0.207	1.78	0.465	0.038	1.06	49.4	0.309	3.23	<0.2*	2.07	<5.2*	<0.312*	10.6	<0.26*	<20.8*	0.096	10.7	<1*	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
NE-2	10/4/2022	n/a	0.629	2.57	31.1	<0.26*	0.794	1.82	2.74	0.398	8.35	9390	1.59	38.2	<0.2*	5.61	<5.2*	<0.312*	11.3	<0.26*	<20.8*	0.539	23.8	<1*
	5/15/2024	n/a	0.516	2.91	26.2	<0.26	0.131	4.08	0.52	0.076	0.719	117	0.269	3.66	<0.2	0.5	<5.2	<0.312	11.6	<0.26	<20.8	0.069	14.3	<1
	11/7/2024	n/a	19.6	2.42	30.7	<0.26	0.111	1.95	0.573	0.078	1.01	102	0.49	6.71	<0.2	0.96	<5.2	<0.312	10.2	<0.26	<20.8	0.551	8.71	<1
	6/21/2012	n/a	<1	35	43	<1	0.53	63	<10	<10	5.5	15000	2.8	81	<0.2	<20	1.9	<10	2200	<1	<1	<10	<10	<1
	9/20/2012	n/a	<1	44	29	<1	<0.5	60	<10	<10	3.4	11000	<1	51	<0.2	<20	<1	<10	1600	<1	<1	<10	<10	<1
	3/10/2015	n/a	<0.21	14	19	<0.12	<0.16	43	<1.4	<2.3	<0.52	2700	13	71	<0.049	22	<0.38	<2.8	1600	<0.19	<0.3	<2.4	32	<0.33
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	6.9	18	<0.12	<0.16	36	<1.4	<2.3	<0.52	5000	<0.24	69	<0.049	30	<0.38	<2.8	1500	<0.19	<0.3	<2.4	1000	<0.33
	9/16/2015	n/a	<0.21	3.92	19.9	<0.12	<0.16	30.6	<0.54	2.66	<0.52	988	2.08	66	<0.049	12	<0.38	<0.31	1180	<0.19	<0.3	<0.18	156	<0.331
	12/14/2015	n/a	<0.21	3.77	24.6	<0.12	<0.16	28.9	<0.54	<0.26	<0.52	1020	<0.24	59.1	<0.049	12.5	<0.38	<0.31	1060	<0.19	<0.3	<0.18	248	<0.331
	3/28/2016	n/a	<0.21	4.09	18.6	<0.12	<0.16	27.9	<0.54	<0.26	<0.52	1830	<0.24	45.4	<0.049	11.3(B)	<0.38	<0.31	933	<0.19	<0.3	<0.18	214	<0.331
	6/27/2016	n/a	<0.754	4.72	19.2	<0.12	<0.16	25.9	<0.54	2.36	<0.52	1520	<0.24	52.8	<0.049	10.8	<0.38	<0.31	870	<0.19	<0.3	<0.18	133	<0.331
	9/19/2016	n/a	<2	4.69	19.9	<2	<1	25.1	<2	2.82	<5	1670	<2	65.6(O1)	<0.2	9.44	<2	<2	849	<2	<2	<5	83.4	<1
	12/19/2016	n/a	<2	<2	18.5	<2	<1	24.9	<2	<2	<5	600	<2	22	<0.2	7.19	<2	<2	737	<2	<2	<5	79.7	<1
	3/27/2017	n/a	<2	<2	19	<2	<1	24.7	<2	<2	<5	276	<2	26.6	<0.2	7.84	<2	<2	773	<2	<2	<5	205	<1
	9/26/2017	n/a	<2	<2	20.2	<2	<1	24.9	<2	<2	<5	414	<2	34.4	<0.2	7.86	<2	<2	693	<2	<2	<5	273	<1
	4/21/2018	n/a	3	<23.4*	20.7	0.121	<1.2*	23.1	<12.5*	4.94	<5*	631	<15.6*	82.2	0.025	7	<52*	<20.8*	688	<73*	<41.6*	<20*	12.9	<5*
	10/30/2018	n/a	<36*	25.6	132	<0.624*	<1.2*	18.3	17.9	9.45	8	5220	27.2	229	<0.2*	40	<52*	<20.8*	570	<73*	<728*	20	56.2	<5*
	4/24/2019	n/a	2.71	12.2	24	<0.26*	0.173	15	0.499	4.28	0.813	116	0.29	23.8	<0.2*	30.9	1.96	<0.26*	488	0.08	<20.8*	4.46	20.7	<5*
	10/9/2019	n/a	<2.08*	4.9	26.3	<0.26*	0.134	15.1	0.66	1.42	1.2	462	0.426	40.3	0.025	5.8	0.631	<0.26*	399	0.057	<20.8*	1.31	7.69	<1*
	4/21/2020	n/a	<2.08*	2.02	22.9	<0.26*	0.086	10.7	0.982	1.06	1.28	50.6	0.123	20.6	<0.2*	6.71	<5.2*	<0.312*	344	0.052	<20.8*	1.56	<20.8*	<1*
	10/7/2020	n/a	<2.08	0.916	28.1	<0.26	0.089	10.4	0.435	1.04	1.13	38.4	0.145	45.4	<0.2	3.31	<5.2	<0.312	264	<0.26	<20.8	0.565	4.98	<1
	4/7/2021	n/a	<2.08*	1.14	33.4	<0.26*	0.362	9.82	1.29	0.325	1.49	262	1.18	11.3	0.015	5.21	<5.2*	<0.312*	352	0.081	<20.8*	1.01	31.3	<1*
	10/6/2021	n/a	<2	3.67	70	0.148	0.311	18	7.06	4.1	5.9	2530	9.86	145	0.0275	7.51	<5	<0.3	256	0.086	<20	6.48	36.2	<1
	4/20/2022	n/a	<2.08*	0.567	24.9	<0.26*	0.128	9.86	0.535	0.106	0.999	159	0.154	1.96	<0.2*	4.95	<5.2*	<0.312*	295	0.078	<20.8*	0.45	12.4	<1*
	10/4/2022	n/a	0.537	8.72	119	0.294	0.271	8.25	8.1	4.84	7.66	5380	14.7	220	<0.2*	14	<5.2*	<0.312*	274	0.142	<20.8*	10.1	32.1	<1*
	5/15/2024	n/a	0.477	1.06	27.1	<0.26	0.056	11.6	0.884	0.673	0.654	259	0.601	17.3	<0.2	5.62	<5.2	<0.312	311	0.07	<20.8	0.681	17	<1
	11/6/2024	n/a	<2.08	0.619	24.8	<0.26	0.049	8.66	0.844	0.2	0.455	87.7	0.205	4.31	<0.2	3.47	<5.2	<0.312	268	0.074	<20.8	0.409	105	<1
NE-3	6/20/2012	n/a	<1	16	160	<1	1.5	2.2	50	12	19	14000	39	480	<0.2	32	1.3	<10	34	<1	4.3	17	270	<1
	9/20/2012	n/a	<1	3.7	120	<1	0.72	1.8	<10	<10	<2	1400	2.3	55	<0.2	<20	<1	<10	27	<1	18	<10	70	<1
	3/11/2015	n/a	<0.21	<0.25	150	<0.12	<0.16	5.5	<1.4	<2.3	<0.52	<14	6.7	26	<0.049	<4.9	<0.38	<2.8	22	<0.19	<0.3	<2.4	47	<0.33
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	<0.21	3.4	180	<0.12	<0.16	6.3	<1.4	<2.3	<0.52	1000	3.1	96	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	97	<0.33
	9/16/2015	n/a	<0.21	2.29	<0.36	<0.12	<0.16	6.56	<0.54	<0.26	<0.52	151	<0.24	49.4	<0.049	3.37	<0.38	<0.31	12.2	<0.19	<0.3	<0.18	36.2	<0.331
	12/15/2015	n/a	<0.21	2.81	131	<0.12	<0.16	5.61	8.93	2.06	<0.52	1210	3.93	76.8	<0.049	10.2	<0.38	<0.31	24.5	<0.19	<0.3	<0.18	85.4	<0.331
	3/29/2016	n/a	<0.21	<0.25	131	<0.12	<0.16	6.2	<0.54	<0.26	<0.52	<15	<0.24	26	<0.049	3.95	<0.38	<0.31	19.2	<0.19	<0.3	<0.18	44.1	<0.331
	6/28/2016	n/a	<0.754	<0.25	153	<0.12	<0.16	5.89	<0.54	<0.26	<0.52	127	<0.24	53.4	<0.049	3.32	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	69.3	<0.331
	9/20/2016	n/a	<2	<2	197	<2	<1	5.64	<2	<2	<5	<100	<2	62.7(O1)	<0.2	<2	<2	<2	11	<2	<2	<5	38.7	<1
	12/20/2016	n/a	<2	<2	128	<2	<1	5.54	<2	<2	<5	<100	<2	32.9	<0.2	3.64	<2	<2	15.3	<2	<2	<5	41.1	<1
	3/28/2017	n/a	<2	<2	152	<2	<1	5.8	<2	<2	<5	<100	<2	19.1	<0.2	4.18	<2	<2	32.9	<2	<2	<5	53.2	<1
	9/27/2017	n/a	<2	<2	167	<2	<1	6.9	<2	<2	<5	<100	<2	56.2	<0.2	<2	<2	<2	12.3	<2	<2	<5	69.2	<1
	4/17/2018	n/a	<10*	<23.4*	140	<0.416*	<1.2*	3.38	<12.5*	<10*	<5*	125	<15.6*	26.8	<0.2*	<10*	<52*	<20.8*	13.9	<73*	<41.6*	<20*	57	<5*
	10/22/2018	n/a	<36*	<23.5*	131	<0.624*	<1.2*	2.9	1.83	<13.5*	<5*	122	<15.6*	72.1	<0.2*	6	<52*	<20.8*	26.2	<73*	<728*	<21*	49.3	<5*
	4/22/2019	n/a	<2.08*	0.385	119	<0.26*	0.076	3.26	0.294	0.147	0.232	21.1	<0.26*	7.64	<0.2*	2.73	<2.08*	0.059	23.5	0.074	<20.8*	0.139	44.7	<5*
	10/7/2019	n/a	<2.08*	1.17	94	<0.26*	<0.26*	2.24	0.3															

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
NE-4	9/27/2017	n/a	<2	3.11	31.4	<2	<1	3.96	<2	<2	<5	145	<2	11.9	<0.2	9.19	<2	<2	21.9	<2	<2	<5	233	<1
	4/30/2018	n/a	<10*	7.87	33.2	0.0639	<1.2*	2.62	<12.5*	0.934	<5*	357	4.28	24.4	<0.2*	8	<52*	<20.8*	28.3	<73*	<41.6*	<20*	153	<5*
	10/30/2018	n/a	<36*	<23.5*	47	<0.624*	<1.2*	5.31	<12.5*	<13.5*	<5*	164	<15.6*	20.2	<0.2*	8	5.66	<20.8*	26.8	<73*	<728*	<21*	149	<5*
	4/25/2019	n/a	<2.08*	2.8	30.8	<0.26*	0.114	4.07	0.444	1.15	0.917	75.6	0.616	24.4	<0.2*	11.6	<2.08*	<0.26*	27.8	0.14	<20.8*	0.133	184	<5*
	10/9/2019	n/a	<2.08*	6.16	34.6	<0.26*	0.145	3.09	1.41	0.963	0.647	350	1.91	42.4	0.025	10.1	<2.08*	<0.26*	25.6	0.119	<20.8*	0.72	165	<1*
	4/21/2020	n/a	0.641	2.4	27.2	<0.26*	0.16	2.39	0.871	1.18	0.647	91.6	0.583	25	<0.2*	9.59	<5.2*	<0.312*	22.3	0.143	<20.8*	0.22	211	<1*
	10/6/2020	n/a	<2.08	4.91	28.7	<0.26	0.138	2.63	0.933	0.825	0.789	344	1.67	33.3	<0.2	0.94	<5.2	<0.312	23.1	0.114	<20.8	0.338	177	<1
	4/6/2021	n/a	<2.08*	1.82	26.8	<0.26*	0.146	2.77	0.111	0.463	0.378	29.3	0.222	21.7	<0.2*	6.99	<5.2*	<0.312*	23.1	0.115	<20.8*	0.052	232	<1*
	10/5/2021	n/a	<2	3.44	32.4	<0.25	0.09	3.08	1.52	0.462	0.524	154	0.622	20.5	<0.2	5.91	<5	<0.3	19.9	0.107	<20	0.142	191	<1
	4/19/2022	n/a	<2.08*	3.98	29.7	<0.26*	0.18	2.6	1.21	0.342	0.996	209	1.17	22.9	<0.2*	5.46	<5.2*	<0.312*	20.8	0.092	<20.8*	0.191	207	<1*
	10/4/2022	n/a	<2.08*	6.67	31.8	<0.26*	0.113	2.4	0.906	0.345	0.68	371	1.36	25.2	<0.2*	5.69	<5.2*	<0.312*	21.9	0.1	<20.8*	0.31	204	<1*
	5/14/2024	n/a	0.655	2.61	30.9	<0.26	0.171	2.66	0.393	0.242	0.292	59.3	0.121	10.8	<0.2	3.72	<5.2	<0.312	18.8	0.07	<20.8	<0.26	138	<1
NE-6	6/20/2012	n/a	<1	6.3	31	<1	0.85	2	<10	<10	<2	2700	2.3	36	<0.2	<20	<1	<10	31	<1	<1	<10	750	<1
	9/20/2012	n/a	<1	4	33	<1	0.5	2.1	<10	<10	<2	2000	2.3	27	<0.2	<20	<1	<10	36	<1	<1	<10	710	<1
	3/11/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2	<1.4	<2.3	<0.52	<14	7	<1.2	<0.049	<4.9	<0.38	<2.8	33	<0.19	<0.3	<2.4	600	<0.33
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	3.7	<0.25	32	<0.12	<0.16	2.3	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	32	<0.19	<0.3	<2.4	630	<0.33
	9/15/2015	n/a	<0.21	<0.25	28.9	<0.12	<0.16	2.36	<0.54	<0.26	<0.52	<15	<0.24	6.11	<0.049	4.75	<0.38	<0.31	29	<0.19	<0.3	<0.18	623	<0.331
	12/14/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2.09	4.05	<0.26	<0.52	<15	<0.24	<0.25	<0.049	4.99	<0.38	<0.31	32.5	<0.19	<0.3	<0.18	627	<0.331
	3/29/2016	n/a	<0.21	<0.25	29.2	<0.12	<0.16	2.42	<0.54	<0.26	<0.52	<15	<0.24	5.04	<0.049	4.72	<0.38	<0.31	31.3	<0.19	<0.3	<0.18	682	<0.331
	6/28/2016	n/a	<0.754	<0.25	32.6	<0.12	<0.16	2.08	<0.54	<0.26	<0.52	185	<0.24	24.3	<0.049	3.97	<0.38	<0.31	28	<0.19	<0.3	<0.18	462	<0.331
	9/20/2016	n/a	<2	<2	29.3	<2	<1	2.24	<2	<2	<5	270	<2	7.59	<0.2	3.31	<2	<2	29.9	<2	<2	<5	290	<1
	12/21/2016	n/a	<2	<2	32.8	<2	<1	2.3	3.12	<2	<5	345	<2	15.2	<0.2	7.82	<2	<2	22.4	<2	<2	<5	202	<1
	3/29/2017	n/a	<2	<2	31.1	<2	<1	2.21	<2	<2	<5	<100	<2	9.5	<0.2	4.71	<2	<2	26.2	<2	<2	<5	409	<1
	9/28/2017	n/a	<2	<2	31.6	<2	<1	2.82	<2	<2	<5	309	<2	20.1	<0.2	2.93	<2	<2	13.4	<2	<2	<5	183	<1
	4/17/2018	n/a	<10*	<23.4*	29.9	0.511	<1.2*	1.56	<12.5*	<10.4*	<5*	139	<15.6*	4.66	0.025	4	<52*	<20.8*	25.6	<73*	<41.6*	<20*	676	<5*
	10/22/2018	n/a	<36*	<23.5*	34.3	<0.624*	<1.2*	1.83	3.62	<13.5*	<5*	246	<15.6*	12.2	<0.2*	9	<52*	<20.8*	20.3	<73*	<728*	<21*	336	<5*
	4/22/2019	n/a	<2.08*	0.382	29.3	<0.26*	0.051	2.15	0.263	0.339	<0.26*	21.2	0.14	3.57	<0.2*	4.48	<2.08*	<0.26*	33	0.084	<20.8*	<0.26*	727	<5*
	10/8/2019	n/a	<2.08*	0.57	30.5	<0.26*	<0.26*	2.09	0.338	0.305	<0.26*	83.3	0.567	9.31	<0.2*	3.62	<2.08*	<0.26*	22.2	<0.26*	<20.8*	<0.26*	178	<1*
	4/20/2020	n/a	<2.08*	0.392	27.8	<0.26*	0.359	1.74	0.281	0.307	<0.395*	19.6	0.205	2.71	<0.2*	5.02	<5.2*	<0.312*	31.5	0.088	<20.8*	<0.26*	826	<1*
	10/6/2020	n/a	<2.08	0.424	27.5	<0.26	0.083	2.16	0.34	0.159	<0.395	73.8	0.11	2.93	<0.2	0.25	<5.2	<0.312	29.8	0.055	<20.8	<0.26	421	<1
	4/6/2021	n/a	<2.08*	0.325	26.8	<0.26*	0.205	2.36	<0.26*	0.25	<0.395*	19.4	0.179	2.11	<0.2*	5.37	<5.2*	<0.312*	31.9	0.073	<20.8*	<0.26*	899	<1*
	10/5/2021	n/a	<2	0.576	31	<0.25	<0.25	3.78	0.355	0.225	<0.38	72.6	<0.25	6.41	<0.2	3.66	<5	<0.3	22.1	<0.25	<20	<0.25	202	<1
	4/18/2022	n/a	<2.08*	0.347	28.4	<0.26*	0.103	2.47	0.378	0.388	<0.395*	57.6	0.122	5.41	<0.2*	4.82	<5.2*	<0.312*	33	0.066	<20.8*	<0.26*	812	<1*
	10/4/2022	n/a	<2.08*	0.566	30	<0.26*	0.042	1.92	0.231	0.237	<0.395*	83.3	<0.26*	6.22	<0.2*	3.88	<5.2*	<0.312*	27.2	<0.26*	<20.8*	<0.26*	218	<1*
	5/14/2024	n/a	<2.08	0.361	25.3	<0.26	<0.26	2.34	0.342	0.322	<0.52	36.7	<0.416	4.79	0.0625	4.31	<5.2	<0.312	31.9	0.059	<20.8	<0.26	601	<1
	11/5/2024	n/a	<2.08	1.12	29.4	<0.26	0.768	3.48	0.732	0.294	1.69	207	1.9	10.9	<0.2	5.32	<5.2	<0.312	44.1	0.38	1.84	0.051	612	<1
Class I Draw SP	6/10/2015	n/a	2	37	170	<0.12	1	25	<1.4	<2.3	<0.52	51000	4.5	2600	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33
	9/16/2015	n/a	<0.21	2.9	42.6	<0.12	<0.16	33.6	<0.54	<0.26	<0.52	1120	2.87	149	<0.049	3.93	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	12/16/2015	n/a	<0.21	3.21	50.6	<0.12	<0.16	31.3	2	<0.26	<0.52	2090	4.65	149	<0.049	4.14	<0.38	<0.31	6.34	<0.19	<0.3	<0.18	33.5	<0.331
	3/30/2016	n/a	<0.21	<0.25	75.1	<0.12	2.32	10.9	<0.54	<0.26	<0.52	951	2.56	622	<0.049	2.55	<0.38	<0.31	44.9	<0.19	<0.3	<0.18	56.5	<0.331
	6/28/2016	n/a	<0.754	2.78	52.8	<0.12	<0.16	42.2	<0.54	<0.26	<0.52	1250	2.24	171	<0.049	4.61	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	9/21/2016	n/a	<2	3.19	44.6	<2	<1	39.9	<2	<2	<5	947	<2	170	<0.2	4.03	<2	<2	<5	<2	<2	<5	<25	<1
	12/21/2016	n/a	<2	<2	66.1	<2	<1	45	<2	<2	<5	567	<2	464	<0.2	3.33	<2	<2	<5	<2	<2	<5	<25	<1
	9/28/2017	n/a	<2	<2	68.9	<2	<1	48.7	<2	<2	<5	285	<2	69.3	<0.2	4.75	<2	<2	13.2	<2	<2	<5	<25	<1
	4/17/2018	n/a	<10*	<23.4*	43.5	<0.416*	<1.2*	11	<12.5*	<10*	<5*	205	<15.6*	13.7	<0.2*	<10*	<52*	<20.8*	8.86	<73*	<41.6*	<20*	<16*	<5*
	10/9/2019	n/a	<2.08*	0.953	38.1	<0.26*	<0.26*	9.44	0.825	0.522	0.83	1710	1.18	149	0.025	1.02	<2.08*	<0.26*	5.6	<0.26*	<20.8*	1	13.1	<1*
	4/19/2022	n/a	<2.08*	0.886	30	<0.26*	0.075	3.88	0.473	0.695	0.452	528	0.851	181	<0.2*	0.65	<5.2*	<0.312*	2.66	<0.26*	<20.8*	0.383	35.1	<1*
Class IV Draw SP	6/10/2015	n/a	<0.21	<0.25	96	<0.12	1.9	13	<1.4	<2.3	<0.52	1400	3.6	670	<0.049	<4.9	<0.38	<2.8	49	<0.19	<0.3	<2.4	40	<0.33
	9/16/2015	n/a	<0.21	4.01	99.6	<0.12	3.19	13.6	<0.54	5.95	<0.52	3920	5.96	3680	<0.049	5.89	<0.38	<0.31	34.7	<0.19	<0.3	<0.18	100	<0

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
LF Ent Seep	3/30/2016	n/a	<0.21	3.63	66	<0.12	<0.16	44.2	2.24	2.04	5.09	3390	3.93	363	<0.049	6.24	<0.38	<0.31	5.24	<0.19	<0.3	<0.18	<2.56	<0.331
	9/21/2016	n/a	<2	<2	52.9	<2	1.78	11.9	<2	<2	<5	<100	<2	223	<0.2	2.63	<2	<2	40	<2	<2	<5	45.9	<1
	10/18/2018	n/a	<36*	5.6	56	<0.624*	0.966	9.24	<12.5*	<13.5*	<5*	335	<15.6*	335	<0.2*	4	<52*	<20.8*	29	<73*	<728*	<20*	37.4	<5*
	10/8/2019	n/a	<2.08*	1.5	78.1	<0.26*	<0.26*	9.53	0.374	1.04	0.182	1810	0.303	551	<0.2*	1.31	<2.08*	<0.26*	27.9	<0.26*	<20.8*	0.284	<20.8*	<1*
	4/19/2022	n/a	<2.08*	0.475	29.9	<0.26*	0.141	2.26	0.401	0.205	0.592	158	1.33	42.1	<0.2*	0.65	<5.2*	<0.312*	8.95	<0.26*	<20.8*	0.375	34.3	<1*
	6/20/2012	n/a	<1	10	120	<1	<0.5	12	<10	<10	<2	10000	1.3	2300	<0.2	<20	<1	<10	<5	<1	<1	<10	<10	<1
	6/10/2015	n/a	2.2	2.6	61	<0.12	<0.16	14	<1.4	<2.3	<0.52	870	<0.24	230	<0.049	<4.9	<0.38	<2.8	8.2	<0.19	<0.3	<2.4	<2.6	<0.33
	9/16/2015	n/a	<0.21	3.27	74.7	<0.12	<0.16	14.3	<0.54	<0.52	<0.52	1190	2.09	547	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	12/16/2015	n/a	<0.21	9.71	78.1	<0.12	<0.16	12.1	5.1	5	6.5	6770	17.9	1100	<0.049	5.72	<0.38	<0.31	7.74	<0.19	<0.3	11	95.7	<0.331
	3/30/2016	n/a	<0.21	9.77	112	<0.12	<0.16	15.1	4.27	5.55	5.09	8340	14.2	1490	<0.049	5.51	<0.38	<0.31	6.72	<0.19	<0.3	8.9	67.8	<0.331
	6/28/2016	n/a	<0.754	3.45	41	<0.12	<0.16	10.6	<0.54	<0.26	<0.52	306	<0.24	60	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	9/21/2016	n/a	<2	37.4	140	<2	<1	13.3	<2	6.92	<5	21200	<2	2630	<0.2	4.05	<2	<2	<5	<2	<2	<5	<25	<1
	12/21/2016	n/a	<2	3	79.8	<2	<1	12.7	<2	2.41	<5	2010	<2	914	<0.2	2.36	<2	<2	<5	<2	<2	<5	<25	<1
	9/29/2017	n/a	<2	14.1	152	<2	<1	13.9	2.35	13.1	<5	12700	6.72	5290	<0.2	6.89	<2	<2	<5	<2	<2	<5	49.3	<1
	4/29/2018	n/a	<10*	7.7	85.6	0.0349	<1.2*	10.7	<12.5*	5.3	<5*	1960	<15.6*	1010	0.025	4	<52*	<20.8*	8.68	<73*	<41.6*	<20*	<15.6*	<5*
	10/23/2018	n/a	<36*	7.66	101	<0.624*	<1.2*	6.66	<12.5*	8.23	<5*	3560	<15.6*	1920	0.025	4	<52*	<20.8*	5.82	<73*	<728*	<21*	<15.6*	<5*
	4/25/2019	n/a	<2.08*	1.89	52.5	<0.26*	<0.26*	5.72	0.423	3.39	0.625	1830	0.552	203	<0.2*	1.53	<2.08*	<0.26*	4.28	<0.26*	<20.8*	0.531	<20.8*	<5*
	10/9/2019	n/a	<2.08*	9.46	98.4	<0.26*	<0.26*	5.96	0.371	8.69	0.146	4000	0.218	2000	<0.2*	4.82	<2.08*	<0.26*	3.98	0.084	<20.8*	0.097	<20.8*	0.167
	4/20/2020	n/a	1.19	6.3	79.8	<0.26*	0.049	8.49	0.303	7.05	0.182	2690	<0.26*	1340	<0.2*	6.37	<5.2*	0.135	3.89	0.106	<20.8*	0.087	<20.8*	0.3
	10/7/2020	n/a	<2.08	5.5	106	<0.26	<0.26	5.66	0.336	9.77	<0.395	4840	0.384	2800	<0.2	5.49	<5.2	<0.312	2.82	0.061	<20.8	0.088	<20.8	<1
	10/7/2020	n/a	<2.08	5.5	106	<0.26	<0.26	5.66	0.336	9.77	<0.395	4840	0.384	2800	<0.2	5.49	<5.2	<0.312	2.82	0.061	<20.8	0.088	<20.8	<1
SP NE-3	4/6/2021	n/a	<2.08*	15.3	97	<0.26*	<0.26*	7.88	0.0859	7.01	0.583	10800	0.201	1950	<0.2*	5.99	<5.2*	<0.312*	4.83	0.081	<20.8*	0.174	7.98	<1*
	10/5/2021	n/a	<2	16.6	123	<0.25	<0.25	5.83	0.363	10.9	0.443	12200	0.359	2270	<0.2	5.53	<5	<0.3	2.47	0.07	<20	0.152	6.74	<1
	10/5/2021	n/a	<2	16.6	123	<0.25	<0.25	5.83	0.363	10.9	0.443	12200	0.359	2270	<0.2	5.53	<5	<0.3	2.47	0.07	<20	0.152	6.74	<1
	4/18/2022	n/a	<2.08*	6.1	82	<0.26*	0.065	5.58	0.327	5.93	0.413	2670	0.097	1180	<0.2*	4.82	<5.2*	<0.312*	5.05	0.052	<20.8*	0.062	5.45	0.213
	5/13/2024	n/a	<2.08	1.35	29.5	<0.26	<0.26	2.21	0.482	0.208	0.598	342	1.17	46.2	<0.2	0.69	<5.2	<0.312	6.28	<0.26	<20.8	0.581	<20.8	<1
	11/5/2024	n/a	<2.08	0.796	13.3	<0.26	<0.26	8.04	0.698	0.3	1.33	212	1.5	17.7	<0.2	0.56	<5.2	<0.312	4.46	<0.26	<20.8	0.862	10.1	<1
	3/10/2015	n/a	<0.21	<0.25	24	<0.12	<0.16	2.1	<1.4	<2.3	<0.52	1500	5	23	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.1	<0.25	47	<0.12	<0.16	7.6	<1.4	<2.3	<0.52	1200	3.4	99	<0.049	<4.9	<0.38	<2.8	7.9	<0.19	<0.3	<2.4	76	<0.33
	9/15/2015	n/a	<0.21	<0.25	30.2	<0.12	<0.16	11.3	<0.54	<0.26	<0.52	595	2.57	14.9	<0.049	<0.35	<0.38	<0.31	7.2	<0.19	<0.3	<0.18	<2.56	<0.331
	12/15/2015	n/a	<0.21	4.5	32.1	<0.12	<0.16	19.1	3.69	<0.26	<0.52	3730	12.4	16.4	<0.049	3.58	<0.38	<0.31	6.81	<0.19	<0.3	7.42	52.2	<0.331
	3/29/2016	n/a	<0.21	<0.25	39.1	<0.12	<0.16	5.84	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.33	<0.19	<0.3	<0.18	<2.56	<0.331
	6/27/2016	n/a	<0.754	<0.25	39.7	<0.12	<0.16	5.54	<0.54	<0.26	<0.52	<15	<0.24	50	<0.049	<0.35	<0.38	<0.31	6.98	<0.19	<0.3	<0.18	29.3	<0.331
	10/22/2018	n/a	<36*	<23.5*	28.8	<0.624*	<1.2*	1.78	<12.5*	<13.5*	<5*	171	<15.6*	6.83	<0.2*	<10*	<52*	<20.8*	5.61	<73*	<728*	<21*	21.9	<5*
	4/22/2019	n/a	<2.08*	0.199	27.3	<0.26*	0.123	1.62	0.368	0.054	0.4	43.3	0.427	4.23	<0.2*	0.29	<2.08*	0.022	5.12	<0.26*	<20.8*	0.231	18.5	<5*
	10/9/2019	n/a	<2.08*	0.712	18.9	<0.26*	0.086	0.705	1.31	0.17	0.896	525	1.88	5.79	0.025	0.82	<2.08*	<0.26*	4	<0.26*	<20.8*	1.85	21.2	<1*
	4/20/2020	n/a	<2.08*	0.268	25.2	<0.26*	0.116	1.29	0.458	0.099	0.607	122	0.912	8.2	<0.2*	0.54	<5.2*	0.587	4.51	<0.26*	<20.8*	0.487	24.7	<1*
	4/5/2021	n/a	<2.08*	0.152	26.7	<0.26*	0.094	1.68	0.611	0.041	0.449	25.1	0.361	3.44	0.0125	0.44	<5.2*	<0.312*	6.78	<0.26*	<20.8*	0.211	19.6	<1*
	4/18/2022	n/a	<2.08*	0.168	23.5	<0.26*	0.082	1.28	0.358	<0.26*	0.35	30.6	0.219	0.818	<0.2*	0.29	<5.2*	<0.312*	4.92	<0.26*	<20.8*	0.229	13.3	<1*
SP RD	7/18/2007	n/a	<1	1.1	50	<2	<5	n/a	<10	<10	<20	1600	<5	77	<0.2	<20	<20	<10	n/a	<1	n/a	<10	220	n/a
SP-4	4/19/2022	n/a	<2.08*	47.5	74.1	<0.26*	0.042	2.03	0.28	52.4	0.278	15800	<0.26*	5390	<0.2*	70.9	<5.2*	<0.312*	1.33	0.257	<20.8*	0.093	12.8	0.22
	11/5/2024	n/a	<2.08	8.82	60	<0.26	0.289	9	0.511	30.5	1.99	10700	0.652	3050	<0.2	38.4	<5.2	<0.312	2.46	0.784	<20.8	0.269	61.4	<1
SP-5	4/29/2008	8.23	<1	1.5	140	<1	<0.5	11	<10	<10	1.1	<100	<5	1200	<0.2	<20	<1	<10	18	<1	<20	<10	18	<1
	11/5/2024	n/a	<2.08	0.427	49.8	<0.26	<0.26	9.61	0.719	0.093	1.25	105	0.458	1.3	<0.2	1.51	<5.2	<0.312	7.67	<0.26	<20.8	0.478	4.9	<1
SP-7	7/18/2007	n/a	<1	3.5	76	<2	<5	3.2	<10	<10	<20	3100	<5	1500	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1
	8/25/2007	n/a	<1	14	71	<2	<5	2.5	<10	<10	<20	6400	<5	1600	<0.2	<20	25	15	8.2	<1	n/a	<10	<30	<1
	2/22/2008	5.29	<1	5.4	63	63	<5	3.2	<10	<10	<20	6600	6.8	490	<0.2	<20	<20	<10	16	<1	<20	12	64	<1
	4/29/2008	7.95	<1	<1	48	<1	<0.5	3.2	<10	<10	1.2	1200	<5	290	<0.2	<20	<1	<10	11	<1	<20	<10	<10	<1

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	2/20/2009	8.3	<1	2.5	55	<1	<0.5	5.1	<10	<10	1.7	1800	2.4	400	<0.2	<20	<1	<10	12	<1	<1	<10	57	<1
	12/18/2009	n/a	0.29	1	62	<1	<0.5	8.9	<10	1.8	<2	1600	0.53	650	0.03	<20	0.66	<10	9.1	<1	<1	<10	8.2	<1
	9/23/2010	7.93	<1	2.5	56	<1	<0.5	10	<10	<10	2	3300	5.5	430	<0.2	<20	0.45	5.1	8.5	<1	<1	9.4	26	<1
	12/8/2010	7.69	<1	0.97	59	<1	<0.5	9.6	<10	3	<2	720	<1	680	<0.2	<20	<1	<10	7.1	<1	<1	<10	6	<1
	3/21/2011	6.54	<1	4.4	62	<1	<0.5	17	<10	<10	1.7	4200	2.8	720	<0.2	<20	<1	<10	14	<1	<1	<10	28	<1
	6/29/2011	7.52	<1	2.2	59	<1	<0.5	11	<10	<10	1	2300	3.1	660	<0.2	<20	<1	<10	12	<1	<1	<10	15	<1
	9/27/2011	n/a	0.31	3.9	55	<0.39	<0.5	11	<10	<10	1.2	3400	2.3	650	0.03	9.8	0.57	4.3	10	<1	<1	<10	10	<1
	9/19/2012	n/a	<1	3.4	65	<1	<0.5	9.7	<10	<10	<2	1900	<1	1200	<0.2	<20	<1	<10	8.1	<1	<1	<10	<10	<1
	3/9/2015	n/a	<0.21	<0.25	50	<0.12	<0.16	13	<1.4	<2.3	<0.52	1200	5.3	110	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	<2.6	<0.33
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	3.1	2.6	67	<0.12	<0.16	15	<1.4	<2.3	<0.52	2300	<0.24	460	<0.049	<4.9	<0.38	<2.8	7.2	<0.19	<0.3	<2.4	<2.6	<0.33
	9/16/2015	n/a	<0.21	5.03	52.6	<0.12	<0.16	11.7	<0.54	<0.26	<0.52	2360	2.13	525	<0.049	2.05	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	12/16/2015	n/a	<0.21	2.5	45	<0.12	<0.16	13.6	<0.54	<0.26	<0.52	1330	2.33	123	<0.049	2.17	<0.38	<0.31	7.47	<0.19	<0.3	<0.18	29.1	<0.331
	3/30/2016	n/a	<0.21	5.47	66.3	<0.12	<0.16	14.8	<0.54	<0.26	<0.52	4480	3.52	653	<0.049	2.68	<0.38	<0.31	8.28	<0.19	<0.3	<0.18	<2.56	<0.331
	6/28/2016	n/a	<0.754	4.66	54.3	<0.12	<0.16	11.7	<0.54	<0.26	<0.52	1960	<0.24	385	<0.049	2.07	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	9/21/2016	n/a	<2	6.55	88.5	<2	<1	14.9	<2	3.21	<5	2300	<2	1570	<0.2	3.27	<2	<2	<5	<2	<2	<5	<25	<1
	12/21/2016	n/a	<2	4.73	72.7	<2	<1	16.1	<2	2.71	<5	2050	<2	1140	<0.2	3.35	<2	<2	5.17	<2	<2	<5	<25	<1
	9/28/2017	n/a	<2	5.33	65.4	<2	<1	12.1	<2	2.65	<5	1680	<2	1220	<0.2	2.87	<2	<2	<5	<2	<2	<5	<25	<1
	4/29/2018	n/a	<10*	<23.4*	47.6	0.111	<1.2*	4.38	<12.5*	1.3	1	2260	<15.6*	192	<0.2*	<10*	<52*	<20.8*	10.1	<73*	<41.6*	4	28.6	<5*
	10/23/2018	n/a	<36*	<23.5*	42.7	<0.624*	<1.2*	3.02	<12.5*	<13.5*	<5*	1270	<15.6*	536	0.025	<10*	<52*	<20.8*	5.37	<73*	<728*	<21*	7.59	<5*
	10/7/2019	n/a	<2.08*	1.99	29.3	<0.26*	<0.26*	1.76	0.549	0.602	0.692	1010	1.52	208	<0.2*	0.9	0.612	<0.26*	1.94	<0.26*	<20.8*	0.73	6.18	<1*
	4/20/2020	n/a	<2.08*	1.83	35.8	<0.26*	<0.26*	1.87	0.437	0.659	0.69	1540	1.42	243	<0.2*	7.9	<5.2*	<0.312*	6.57	<0.26*	<20.8*	0.569	6.6	<1*
	10/7/2020	n/a	<2.08	8.97	61.6	<0.26	<0.26	2.54	0.296	2.96	0.127	3230	0.112	1550	<0.2	2.61	<5.2	<0.312	2.98	0.053	<20.8	0.069	5.4	<1
	4/6/2021	n/a	<2.08*	3.02	47.6	<0.26*	0.095	3.2	0.405	0.916	0.539	2120	0.72	503	0.015	1.07	<5.2*	<0.312*	7.28	<0.26*	<20.8*	0.308	5.05	<1*
	10/5/2021	n/a	<2	10.6	74.5	<0.25	<0.25	3.01	0.447	3.8	0.23	3920	0.732	1870	<0.2	3.35	<5	<0.3	2.79	0.072	<20	0.252	<20	<1
	4/18/2022	n/a	<2.08*	1.97	41.4	<0.26*	0.039	2.13	0.635	0.542	0.865	1760	1.24	228	<0.2*	0.79	<5.2*	<0.312*	8.05	<0.26*	<20.8*	0.809	10.4	<1*
	10/3/2022	n/a	<2.08*	12.2	72.2	<0.26*	<0.26*	2.47	0.173	2.97	<0.395*	6360	0.239	1780	<0.2*	3.09	<5.2*	<0.312*	2.73	0.053	<20.8*	0.12	<20.8*	<1*
	5/13/2024	n/a	0.528	2.47	39.1	<0.26	<0.26	2.66	0.459	0.725	0.764	2250	1.86	357	<0.2	1.09	<5.2	<0.312	5.95	<0.26	<20.8	0.689	7.38	<1
	11/5/2024	n/a	<2.08	0.892	17.1	<0.26	<0.26	8.69	0.649	0.292	1.34	311	1.33	59.5	<0.2	0.68	<5.2	<0.312	4.34	<0.26	<20.8	0.645	9.65	<1
SPRING A	1/31/2007	n/a	1.1	2	45	<2	<5	3.6	<10	<10	<20	870	<5	79	<0.2	<20	<20	<10	15	<1	n/a	<10	84	<1
	7/18/2007	n/a	<1	2.2	33	<2	<5	1.2	<10	<10	<20	1600	<5	50	<0.2	<20	25	<10	<5	<1	n/a	<10	54	<1
	8/25/2007	n/a	<1	<1	26	<2	<5	1.3	<10	<10	<20	360	<5	52	<0.2	<20	<20	<10	<5	<1	n/a	<10	42	<1
	11/6/2007	n/a	<1	1	62	<2	<5	1.4	<10	<10	<20	3300	5	130	<0.2	<20	<20	<10	<5	<1	<20	<10	<30	<1
	2/22/2008	6.22	<1	2.1	45	<2	<5	2.8	<10	<10	<20	2600	<5	44	<0.2	<20	<20	<10	14	<1	<20	<10	87	<1
	4/29/2008	7.45	<1	1.1	34	<1	<0.5	2.3	<10	<10	<1	620	<5	150	<0.2	<20	<1	<10	5.4	<1	<20	<10	22	<1
	11/18/2008	8.04	<1	<1	34	<2	<5	2.1	<10	<10	<20	260	<5	81	<0.2	<20	<20	<10	6.1	<1	<20	<10	<30	<1
	2/20/2009	7.64	<1	<1	45	<1	0.54	2.8	<10	<10	<1	550	1.2	62	<0.2	<20	<1	<10	14	<1	<1	<10	41	<1
	5/20/2009	7.15	<1	<1	29	<1	<5	2.5	<10	<10	<1	150	<1	59	<0.2	<20	<1	<10	7.1	<1	<1	<10	21	<1
	8/27/2009	6.29	<1	<1	41	<1	1.8	3.9	<10	<10	<2	220	<1	120	<0.2	<20	<1	<10	12	<1	<1	<10	190	<1
	12/18/2009	n/a	<1	<1	44	<1	1.2	5.2	<10	<10	<2	78	0.29	120	0.03	<20	<1	<10	16	<1	<1	<10	98	<1
	3/23/2010	6.32	<1	<1	45	<1	0.62	3.5	<10	<10	1.2	580	0.46	140	<0.2	<20	<1	3.4	16	<1	<1	<10	91	<1
	6/17/2010	n/a	<5	<5	46	<1	1.1	4.4	<10	<10	<10	98	<5	90	0.02	<20	<5	<10	17	<5	<5	30	120	<1
	9/23/2010	6.92	<1	0.89	34	<1	0.35	2.2	<10	<10	<2	600	1.4	74	<0.2	<20	<1	<10	5.8	<1	<1	4	32	<1
	12/8/2010	7.61	0.5	0.54	39	0.5	0.68	3.5	<10	<10	<2	110	0.48	38	<0.2	<20	<1	<10	11	<1	0.32	<10	77	<1
	3/22/2011	7.24	<1	<1	43	<1	<0.5	3.5	<10	<10	<2	110	<1	50	<0.2	<20	<1	<10	16	<1	<1	<10	64	<1
	6/28/2011	7.25	<1	<1	47	<1	<0.5	4.9	<10	<10	<2	120	0.38	56	<0.2	<20	<1	<10	20	<1	<1	<10	57	<1
	9/28/2011	n/a	<1	3.1	37	<1	0.3	3.2	<10	<10	<2	82	0.8	140	0.05	8	<1	<10	11	<1	<1	3.5	94	<1
	6/20/2012	n/a	<1	<1	41	<1	1.3	4.6	<10	<10	<2	<100	<1	190	<0.2	<20	<1	<10	18	<1	<1	<10	150	<1
	9/19/2012	n/a	<1	<1	42	<1	<0.5	3.9	<10	<10	<2	<100	<1	200	<0.2	<20	<1	<10	13	<1	<1	<10	130	<1
	3/11/2015	n/a	<0.21	<0.25	38	<0.12	<0.16	2	<1.4	<2.3	<0.52	290	9.8	20	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	45	<0.33
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.8	<0.25	49	<0.12	<0.16	3.6	<1.4	<2.3	<0.52	<14	<0.24	19	<0.049	<4.9	<0.38	<2.8	19	<0.19	<0.3	<2.4	35	<0.33
	9/16/2015	n/a	<0.21	<0.25	32.7	<0.12	<0.16	1.86	<0.54	<0.26	<0.52	248	<0.24	79.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	12/16/2015	n/a	<0.21	<0.25	32.8	<0.12	<0.16	1.03	<0.54	<0.26	<0.52	516	<0											

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	
SPRING A	3/29/2016	n/a	<0.21	<0.25	40.2	<0.12	<0.16	2.95	<0.54	<0.26	<0.52	<15	<0.24	32.7	<0.049	<0.35	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	37.3	<0.331	
	6/28/2016	n/a	<0.754	<0.25	27.8	<0.12	<0.16	1.88	<0.54	<0.26	<0.52	<15	<0.24	34.9	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	
	9/21/2016	n/a	<2	<2	39.9	<2	<1	2.73	<2	<2	<5	<100	<2	229	<0.2	4.47	<2	<2	9.55	<2	<2	<5	117	<1	
	12/21/2016	n/a	<2	<2	41.8	<2	1.61	2.37	<2	<2	<5	118(B)	<2	327	<0.2	4.46	<2	<2	8.17	<2	<2	<5	122	<1	
	10/23/2018	n/a	<36*	<23.5*	38.4	<0.624*	<1.2*	1.1	<12.5*	<13.5*	<5*	143	<15.6*	19.2	0.025	<10*	<52*	<20.8*	6.33	<73*	<728*	<21*	33.2	<5*	
	4/23/2019	n/a	<2.08*	0.344	41.8	<0.26*	0.328	2.04	0.266	0.188	0.33	37.2	0.159	16.2	<0.2*	0.37	<2.08*	<0.26*	<0.312*	12.6	<0.26*	<20.8*	0.272	24.6	<5*
	10/7/2019	n/a	0.543	0.454	39.7	<0.26*	0.823	1.63	0.421	1.1	0.652	146	0.409	177	0.025	4.08	<2.08*	0.09	6.77	<0.26*	<20.8*	0.523	121	<1*	
	4/20/2020	n/a	<2.08*	1.31	32.6	<0.26*	0.039	<0.5*	1.03	0.259	1.28	590	1.81	9.47	<0.2*	1.05	<5.2*	<0.312*	1.37	<0.26*	<20.8*	1.55	14.8	<1*	
	4/5/2021	n/a	<2.08*	0.362	36.5	<0.26*	0.27	1.78	0.624	0.142	0.493	72.6	0.297	11.3	0.0175	0.48	<5.2*	<0.312*	11.5	<0.26*	<20.8*	0.374	24.9	<1*	
	10/5/2021	n/a	<2	0.463	57.5	<0.25	0.904	2.81	0.402	0.739	0.555	133	0.371	198	<0.2	4.62	<5	<0.3	14.4	0.058	<20	0.495	148	<1	
	4/18/2022	n/a	<2.08*	1.51	34	0.14	0.154	0.836	1.81	0.362	2.28	1520	3.33	14.3	<0.2*	1.63	<5.2*	<0.312*	0.926	<0.26*	<20.8*	2.64	58.8	<1*	
	5/13/2024	n/a	<2.08	0.329	34.7	<0.26	0.344	1.67	0.381	0.214	0.4	109	0.201	24.3	<0.2	0.76	<5.2	<0.312	8.12	<0.26	<20.8	0.279	28.7	<1	
	11/5/2024	n/a	<2.08	0.919	9.97	0.169	0.059	8.76	0.851	0.436	1.7	337	3.23	19.8	<0.2	1.03	<5.2	<0.312	1.04	<0.26	<20.8	1.3	23.3	<1	
SPRING B	1/31/2007	n/a	<1	1	84	<2	<5	4.1	<10	<10	<20	<100	<5	82	<0.2	<20	<20	<10	13	<1	n/a	<10	<30	<1	
	2/22/2008	4.67	<1	<1	68	<2	<5	6.6	<10	<10	<20	320	<5	<10	<0.2	<20	<20	<10	31	<1	<20	7.3	<30	<1	
	4/29/2008	7.5	<1	3.4	99	<1	<0.5	9	<10	13	1.4	3400	<5	2600	<0.2	<20	<1	<10	6	<1	<20	<10	<10	<1	
	2/20/2009	7.7	<1	<1	130	<1	<0.5	15	<10	<10	<1	<100	<1	380	<0.2	<20	<1	<10	19	<1	1.6	<10	49	<1	
	12/18/2009	n/a	<1	1.4	120	<1	<0.5	39	<10	4.6	<2	3400	<1	1400	0.03	<20	0.86	<10	7.6	<1	<1	<10	21	<1	
	3/23/2010	7.56	<1	2.2	56	<1	<0.5	15	3.5	2.7	3.2	2500	3.3	160	<0.2	<20	0.71	3.6	12	<1	<1	4.8	40	<1	
	3/22/2011	7.55	<1	<1	140	<1	<0.5	80	<10	<10	<2	180	<1	160	<0.2	<20	<1	<10	42	<1	<1	<10	24	<1	
	3/9/2015	n/a	<0.21	<0.25	120	<0.12	<0.16	76	<1.4	<2.3	<0.52	370	6.3	320	<0.049	<4.9	<0.38	<2.8	21	<0.19	<0.3	<2.4	31	<0.33	
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	6/10/2015	n/a	2.6	<0.25	150	<0.12	<0.16	110	<1.4	<2.3	<0.52	530	<0.24	820	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	44	<0.33	
	9/16/2015	n/a	<0.21	<0.25	93.1	<0.12	<0.16	109	<0.54	<0.26	<0.52	<15	<0.24	74.2	<0.049	8.19	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	
	12/16/2015	n/a	<0.21	<0.25	106	<0.12	<0.16	77.3	<0.54	<0.26	<0.52	134	<0.24	141	<0.049	5.85	<0.38	<0.31	17.2	<0.19	<0.3	<0.18	<2.56	<0.331	
	3/30/2016	n/a	<0.21	<0.25	103	<0.12	<0.16	99.3	<0.54	<0.26	<0.52	111	<0.24	67.8	<0.049	6.33	<0.38	<0.31	10.7	<0.19	<0.3	<0.18	<2.56	<0.331	
TSP-1	1/31/2007	n/a	<1	1	47	<2	<5	3.3	<10	<10	<20	340	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	31	<1	
	7/18/2007	n/a	<1	<1	52	<2	<5	4.2	<10	<10	<20	580	<5	81	<0.2	<20	40	<10	8	<1	n/a	<10	92	<1	
	2/22/2008	7.45	<1	<1	46	<2	<5	4.2	<10	<10	<20	720	<5	10	<0.2	<20	<20	<10	14	<1	<20	<10	58	<1	
	4/29/2008	7.56	<1	<1	72	<1	0.66	3.3	<10	<10	3.7	3500	13	64	<0.2	<20	<1	<10	12	<1	<20	<10	69	n/a	
	11/18/2008	7.71	<1	<1	42	<2	<5	5	<10	<10	<20	160	<5	32	<0.2	<20	<20	<10	10	<1	<20	<10	<30	<1	
	2/20/2009	7.86	<1	<1	48	<1	<1	4.4	<10	<10	<1	100	<1	<10	<0.2	<20	<1	<10	15	<1	<1	<10	35	<1	
	12/17/2009	n/a	0.21	1	48	<1	0.6	6.2	1.8	<10	0.88	1400	3.2	93	0.05	<20	<1	<10	18	<1	<1	<10	74	<1	
	3/23/2010	7.79	<1	<1	43	<1	<0.5	6.7	<10	2.1	<2	320	0.41	16	<0.2	<20	<1	3.3	34	<1	<1	<10	71	<1	
	3/22/2011	7.93	<1	<1	59	<1	<0.5	6.6	<10	<10	<2	310	<1	51	<0.2	<20	<1	<10	20	<1	<1	<10	120	<1	
	6/29/2011	7.44	<1	1.5	97	<1	0.16	6.2	<10	<10	2	1200	27	130	0.03	<20	<1	<10	16	<1	<1	4.9	140	<1	
	4/16/2018	n/a	<10*	<23.4*	38.8	0.457	0.422	1.54	<12.5*	0.468	<5*	286	<15.6*	32.9	0.025	<10*	<52*	<20.8*	9.52	<73*	<41.6*	<20*	33.6	<5*	
	10/18/2018	n/a	<36*	6.33	93.2	<0.624*	<1.2*	7.93	2.17	<13.5*	<5*	163	<15.6*	24.3	<0.2*	<10*	<52*	<20.8*	14.2	<73*	<728*	<20*	44	<5*	
	10/9/2019	n/a	<2.08*	0.449	73.3	<0.26*	0.329	3.09	0.344	0.192	0.265	49.2	0.095	59.1	<0.2*	0.68	0.629	<0.26*	10.1	<0.26*	<20.8*	0.39	33.3	<1*	
	4/20/2020	n/a	0.394	0.301	47.1	<0.26*	0.266	2.42	0.295	0.157	0.293	67.2	0.166	31	<0.2*	0.51	<5.2*	<0.312*	8.65	0.047	<20.8*	0.265	26.8	<1*	
	4/18/2022	n/a	<2.08*	0.255	46.6	<0.26*	0.478	2.44	0.409	0.066	0.467	79.3	0.201	11	<0.2*	0.98	<5.2*	<0.312*	8.65	<0.26*	<20.8*	0.269	56.6	<1*	
5/13/2024	n/a	<2.08	0.224	41.8	<0.26	0.553	3.01	0.343	0.05	0.218	31.7	0.209	5.37	<0.2	0.94	<5.2	<0.312	8.02	<0.26	<20.8	0.245	58.7	<1		
11/5/2024	n/a	<2.08	0.591	38.6	<0.26	0.081	8.94	0.691	0.105	0.884	175	0.867	4.46	<0.2	0.43	<5.2	<0.312	4.04	<0.26	<20.8	0.773	11	<1		
TSP-2	1/31/2007	n/a	<1	1.3	39	<2	<5	2.5	<10	<10	<20	270	<5	12	<0.2	<20	<20	<10	7.3	<1	n/a	<10	74	<1	
	12/16/2009	n/a	0.92	1.6	100	<1	0.34	4.7	<10	3.5	0.7	1700													

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)
	9/19/2012	n/a	<1	<1	200	<1	0.9	14	<10	<10	<2	540	5.4	1500	<0.2	<20	<1	<10	11	<1	<1	<10	74	<1
	4/16/2018	n/a	2	<23.4*	114	0.448	0.391	42.1	<12.5*	2.04	<5*	189	<15.6*	251	0.025	3	<52*	<20.8*	28.6	2	<41.6*	<20*	52.3	<5*
	5/13/2024	n/a	<2.08	0.55	11.5	<0.26	<0.26	8.61	0.443	0.375	1.03	77.8	<0.416	38.4	<0.2	1.23	<5.2	<0.312	1.44	<0.26	<20.8	0.214	33.6	<1
	11/5/2024	n/a	<2.08	0.287	24.7	<0.26	0.135	9.52	0.665	0.105	0.715	135	0.244	6.85	<0.2	0.8	<5.2	<0.312	4.74	<0.26	1.63	0.229	29.1	<1
TSP-3	1/31/2007	n/a	<1	2.1	70	<2	<5	3.1	<10	<10	<20	140	<5	2200	<0.2	<20	<20	<10	<5	<1	n/a	<10	<30	<1
	2/22/2008	7.1	<1	<1	76	<2	<5	5	<10	<10	<20	<100	<5	32	<0.2	<20	<20	<10	8	<1	<20	<10	<30	<1
	5/20/2009	7.45	<1	<1	75	<1	<5	4.1	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	4.3	<1	<1	<10	<30	<1
	3/23/2010	7.96	<1	0.86	39	<1	<0.5	5.1	2.6	<10	1.1	1600	5.5	15	<0.2	<20	<1	<10	13	<1	<1	2.5	17	<1
	3/22/2011	7.41	<1	<1	96	<1	<0.5	4.7	<10	<10	4.6	53	0.3	34	<0.2	<20	<1	<10	11	<1	<1	<10	3300	<1
	6/29/2011	6.71	<1	0.43	220	<1	<0.5	6.3	<10	3.8	0.59	160	0.3	1700	<0.2	<20	<1	<10	8.1	<1	<1	<10	17	<1
	3/10/2015	n/a	<0.21	<0.25	72	<0.12	<0.16	5.8	<1.4	<2.3	<0.52	360	6.6	<1.2	<0.049	<4.9	<0.38	<2.8	8.1	<0.19	<0.3	<2.4	<2.6	<0.33
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	3.4	<0.25	110	<0.12	<0.16	11	<1.4	<2.3	<0.52	<14	<0.24	320	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33
	9/16/2015	n/a	<0.21	<0.25	129	<0.12	<0.16	6.68	<0.54	2.3	<0.52	294	<0.24	1340	<0.049	4	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	12/16/2015	n/a	<0.21	<0.25	86.4	<0.12	<0.16	5.02	<0.54	<0.26	<0.52	<15	<0.24	26.5	<0.049	<0.35	<0.38	<0.31	6.24	<0.19	<0.3	<0.18	<2.56	<0.331
	3/29/2016	n/a	<0.21	<0.25	96.3	<0.12	<0.16	6.69	<0.54	<0.26	<0.52	<15	<0.24	39	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	6/28/2016	n/a	<0.754	<0.25	115	<0.12	<0.16	7.31	<0.54	2.31	<0.52	609	<0.24	1510	<0.049	3.83	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331
	4/29/2018	n/a	<10*	<23.4*	202	0.384	<1.2*	13	<12.5*	1.61	1	1060	<15.6*	549	<0.2*	<10*	7.31	<20.8*	5.74	<73*	<41.6*	<20*	9.89	<5*
	10/9/2019	n/a	<2.08*	0.381	95.8	<0.26*	0.071	8.93	0.374	0.059	0.659	14.5	0.071	2.51	0.025	0.66	<2.08*	<0.26*	11.1	<0.26*	<20.8*	0.299	312	<1*
	4/20/2020	n/a	<2.08*	2.71	214	<0.26*	0.048	6.24	0.223	5.54	0.255	3480	<0.26*	1840	<0.2*	3.28	<5.2*	<0.312*	2.02	<0.26*	<20.8*	0.081	<20.8*	<1*
	4/7/2021	n/a	<2.08*	2.65	253	<0.26*	0.097	6.53	1.07	4.01	0.442	3400	0.155	1350	<0.2*	3.19	<5.2*	<0.312*	2.97	<0.26*	<20.8*	0.106	7.33	<1*
	11/5/2024	n/a	<2.08	0.465	65.5	<0.26	<0.26	8.66	0.547	0.174	1.07	132	0.614	22.1	<0.2	0.45	<5.2	<0.312	5.39	<0.26	<20.8	0.398	<20.8	<1
TSP-4	1/31/2007	n/a	<1	<1	38	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.2	<1	n/a	<10	<30	<1
	2/22/2008	8	<1	<1	50	<2	<5	8.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	<30	<1
	3/10/2015	n/a	<0.21	<0.25	65	<0.12	<0.16	2.9	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	13	<0.19	<0.3	<2.4	<2.6	<0.33
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	12/16/2015	n/a	<0.21	<0.25	56.2	<0.12	<0.16	2.22	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.48	<0.19	<0.3	<0.18	<2.56	<0.331
	3/29/2016	n/a	<0.21	<0.25	81.3	<0.12	<0.16	5.85	<0.54	<0.26	<0.52	441	10.5	93.6	<0.049	<0.35	<0.38	<0.31	10.9	<0.19	<0.3	<0.18	30.4	<0.331
	4/29/2018	n/a	<10*	<23.4*	32.3	0.189	<1.2*	6.57	4.51	0.909	1	2150	4.99	12.5	<0.2*	<10*	<52*	<20.8*	8.84	<73*	<41.6*	6	41.2	<5*
	10/7/2019	n/a	<2.08*	0.782	10.1	<0.26*	0.054	0.517	1.32	0.155	1.07	515	2.8	4.13	<0.2*	0.69	<2.08*	<0.26*	2.15	<0.26*	<20.8*	1.61	11.7	<1*
	4/20/2020	n/a	<2.08*	0.772	16.2	<0.26*	0.042	0.545	1.04	0.207	0.818	461	3.41	14.9	<0.2*	0.73	<5.2*	<0.312*	1.5	<0.26*	<20.8*	1.38	15	<1*
	4/18/2022	n/a	<2.08*	0.217	24.9	<0.26*	<0.26*	1.33	0.47	0.047	0.383	90.5	0.475	1.92	<0.2*	0.26	<5.2*	<0.312*	4.56	<0.26*	<20.8*	0.437	5.81	<1*
	11/5/2024	n/a	<2.08	0.289	19.5	<0.26	<0.26	9.19	0.568	0.061	0.884	73.4	0.43	2.38	<0.2	<1.56	<5.2	<0.312	4.32	<0.26	<20.8	0.411	<20.8	<1

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
CAO-1	1.62	4.57	4.9	13.2	82.1	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	2.29	3.68	7.46	29.8	86.3	<0.25	<0.5	<0.25	<0.5	<0.5	<0.42	<0.2
	2.34	4.48	7.76	23	100	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	2	5.8	10	18	100	<1	<1	<1	<1	<1	<1	<1
	1.2	<1	8.4	16	77	<1	<1	<1	<1	<1	<1	<0.02
	1.9	6.4	15	26	110	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	12	12	100	<1	<1	<1	<1	<1	<1	n/a
	1.5	3.9	15	10	83	<1	<1	<1	<1	<1	<1	n/a
	<1	3.9	15	13	78	<1	<1	<1	<1	<1	<1	n/a
	0.84	6.3	8.3	12	50	<1	<1	<1	<1	<1	<1	n/a
	<1	5.3	6.4	8.5	39	<1	<1	<1	<1	<1	<1	<5
	<1	7	11	11	54	<1	<1	<1	<1	<1	<1	<5
	<1	4.2	7.7	6.1	35	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	3.7	5.1	<5	21	<1	<1	<1	<1	<1	<1	<5
	1.6	5.5	9.1	5.6	27	<1	<1	<1	<1	<1	<1	<5
	<1	1.3	0.81	1.1	3.7	<1	<1	<1	<1	<1	<1	<5
	<1	2.2	0.92	<5	3.3	<1	<1	<1	<1	<1	<1	<5
	<1	2.2	2.1	2.4	7.9	<1	<1	<1	<1	<1	<1	<5
	<1	4.5	1.5	3.9	7.5	<1	<1	<1	<1	<1	<1	<5
	0.88	2.9	3.9	3.8	12	<1	<1	<1	<1	<1	<1	<5
	0.6	2.3	2.8	2.1	8.1	<1	<1	<1	<1	<1	<2.5	<5
	0.44	3.4	3.5	2.6	11	<1	<1	<1	<1	<1	<2.5	<5
	0.61	4.2	3.4	3.5	12	<1	<1	<1	<1	<1	<2.5	<5
	<1	2.1	2	<5	6.9	<1	<1	<1	<1	<1	<2.5	<5
	<1	2.7	1.9	<5	7.7	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	1.6	<0.26	<0.45	1.8	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	2.2	1	<0.45	3	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	2.17	<0.26	<0.453	3.55	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	1.59	<0.26	<0.453	4.31	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	2.52	1.21	<0.453	4.67	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	2.96	1.12	<0.453	5.81	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	3.53	<1	<5	4.69	<1	<1	<1	<1	<1	<2.5	<5
	<1	2.6	<1	<5	5.43	<1	<1	<1	<1	<1	<2.5	<5
	<1	2.28	1.19	<5	3.55	<1	<1	<1	<1	<1	<2.5	<5
	<1	2.69	<1	<5	3.83	<1	<1	<1	<1	<1	<2.5	<5
	<5*	2.25	0.596	<50*	3.31	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	2.41	0.533	<50*	3.6	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	1.51	0.577	1.4	3.24	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	1.27	0.335	0.996	2.32	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	1.47	0.327	1.96	3.3	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	1.14	0.289	1.85	3.33	<1	<1	<1	<1	<2	<1	<3
	<1*	0.912	<1*	1.75	2.85	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	0.783	<1	2.29	2.58	<1	<1	<1	<1	<2	<1	<3
	<1*	0.691	<1*	2.71	2.21	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	0.681	<1*	2.3	1.87	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	0.653	<1	2.53	1.65	<1	<1	<1	<1	<2	<2	<3
	<2	0.906	<1	1.01	2.61	<1	<1	<1	<1	<2	<2	<3
CAO-2	<0.25	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<0.25	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<0.25	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	0.294	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	0.24	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	0.22	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
CAO-3	<0.25	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<0.25	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<0.25	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	0.86	<0.5	1.02	1.33	11.7	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<1	<1	1.4	<1	12	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	9.2	<1	<1	<1	<1	<1	<1	<0.02
	1.1	<1	2.4	3.4	18	<1	<1	<1	<1	<1	<1	n/a
	1.1	<1	2.7	<1	17	<1	<1	<1	<1	<1	<1	n/a
	1.5	<1	3.6	<5	18	<1	<1	<1	<1	<1	<1	n/a
	1	<1	3	<5	17	<1	<1	<1	<1	<1	<1	n/a
	2.7	1.3	4	4	20	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	17	<1	<1	<1	<1	<1	<1	<5
	1.6	2.8	4.7	<5	22	<1	<1	<1	<1	<1	<1	<5
	1.5	2.1	4.6	<5	20	<1	<1	<1	<1	<1	<1	<5
	1.6	1.6	5.3	<5	21	<1	<1	<1	<1	<1	<1	<5
	1.9	1.9	5.1	<5	20	<1	<1	<1	<1	<1	<1	<5
	1.7	2.8	5.9	4.8	24	<1	<1	<1	<1	<1	<1	<5
	1.5	1.1	4.4	<5	14	<1	<1	<1	<1	<1	<1	<5
	2.8	6.6	9.2	3.6	27	<1	<1	<1	<1	1.3	<1	<5
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	1.8	4.8	9	4.9	28	<1	<1	<1	<1	1.2	<1	<5
	1.3	2.2	6.7	1.6	16	<1	<1	<1	<1	0.71	<1	<5
	1.4	1.7	4.8	2.5	13	<1	<1	<1	<1	<1	<1	<5
	1.6	2	5.6	2.3	14	<1	<1	<1	<1	0.51	<2.5	<5
	1.2	2.2	6.7	1.8	15	<1	<1	<1	<1	0.52	<2.5	<5
	2	4	7.4	3.6	18	<1	<1	<1	<1	0.64	<2.5	<5
	2	3.5	8.3	<5	17	<1	<1	<1	<1	<1	<2.5	<5
	1.3	3.2	8	<5	15	<1	<1	<1	<1	<1	<2.5	<5
	<0.398	1.71	7.83	<0.453	11.6	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	1.4	3.32	12.3	<0.453	15.4	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	1.37	5.16	13.1	<0.453	18.3	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	1.25	3.73	10.7	<5	14.2	<1	<1	<1	<1	<1	<2.5	<5
	<1	1.36	7.76	<5	11.1	<1	<1	<1	<1	<1	<2.5	<5
	1.06	3.52	10.9	<5	13.4	<1	<1	<1	<1	<1	<2.5	<5
	<1	4.86	12	<5	14.7	<1	<1	<1	<1	<1	<2.5	<5
	<5*	3.36	8.9	<50*	16.8	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	5.12	9.33	<50*	16.7	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.509	3.71	12.4	1.8	16	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.461	6.57	7.51	1.4	15.2	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	0.55	5.96	9.67	2.07	14.1	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	9.33	3.71	1.84	15.1	<1	<1	<1	<1	<2	<1	<3
	0.527	4.27	8.48	1.23	12.9	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	0.422	5.15	6.77	1.37	13.2	<1	<1	<1	<1	<2	<1	<3
	0.614	5	8	1.77	13.2	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	5.75	1.86	1.12	10.9	<1*	<1*	<1*	<1*	<3*	<1*	<3*
	<2	4.98	3.01	2.13	10.3	<1	<1	<1	<1	<2	<2	<3
	<2	6.56	2.88	1.51	12.6	<1	<1	<1	<1	<2	<2	<3
MW-1R	1.3	4.2	6.3	<5	14	<1	<1	<1	<1	<1	<2.5	<5
	<1	3.8	5.3	<5	11	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	3	6.8	<0.45	12	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	1.5	3.6	9.6	<0.45	15	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	1.18	2	8.78	<0.453	12.1	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	3.18	9.65	<0.453	16.2	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	1.42	2.97	9.83	<0.453	14.8	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	1.26	4.13	13.1	<0.453	17.9	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	1.33	4.69	11.3	<5	15.6	<1	<1	<1	<1	<1	<2.5	<5

NABORS Landfill Historic Data through November 2024

[illegible]

MW-3

31 of 450

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)	
MW-4	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	0.53	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	1.6	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	0.142	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<2	<1	<1	<1	<1	<1	<2	<2	<3
	MW-4	<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<1		<1	<2	<10	<1	<1	<1	<1	<1	<2	<1	<1	
<0.25	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2		
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1		
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02		
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a		
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a		
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a		
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a		

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	<0.5	<0.6	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2
	<1	<1	<2	<10	<1	<1	<1	<1	<1	<2	<1	<1
	<0.25	<0.5	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
MW-509D	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
MW-577	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2</		

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)	
MW-6	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<5*	<2*	0.388	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<5*	<2*	<5*	0.309	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<2	<1	<1	<1	<1	<1	<2	<2	<3
	MW-6	<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
		<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5		<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	
<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2		
<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2		
<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2		
<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2		
<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2		
<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2		
<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2		
<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2		
<0.5	<1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1</				

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	<1	<1	<1	<5	1.2	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	0.81	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	0.92	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	1.1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	0.63	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	1.3	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	1.1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	1.4	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	1.55	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	1.89	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	2.83	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	2.68	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<1	<5	1.99	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	1.97	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	1.52	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	1.56	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	0.393	0.599	1.45	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	0.545	<50*	1.71	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	0.413	1.06	0.408	2.02	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	0.379	1.31	0.79	2.66	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	0.575	1.09	<4	1.97	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	0.334	<4*	1.88	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	0.7	<4	1.33	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	0.407	<4*	1.51	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	0.465	<4*	1.25	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	0.466	<2	1.31	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	1.21	<1	<1	<1	<1	<2	<2	<3
MW-689D	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1											

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)	
NAB-1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<2	<1	<1	<1	<1	<1	<2	<2	<3
	NAB-1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)	
NAB-4	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	0.295	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)	
NAB-7	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<1.5	<0.34	<0.68	<1.7	<1.5	<2.1	<1.2	<0.97	<1.3	<2.4	<1.3	<2	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<2	<3
	NAB-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5		
<1	<1	<1											

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3	
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3	
	NAB-8	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02
<1		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	
<1		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	
<1		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	
<1		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
<0.4		<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3		
<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33		
<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33		
<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33		
<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5		
<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5		
<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*		
<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*		
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		
<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*		
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*		
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*		
<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*		
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		
<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*		

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
NE-2	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3	
<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3	
NE-3	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33(j3)
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	0.278	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3	
<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)	
NE-4	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3	
	NE-6	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
		<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
		<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.4		<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
<0.398		<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<0.398		<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<0.398		<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<0.398		<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<1		<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
<5*		<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
<5*		<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
<5*		<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
<1*		<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*		<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1		<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<1*		<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<1		<2	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	
<1*		<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	
<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*		
<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3		
<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3		
Class I Draw SP	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*		
Class IV Draw SP	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
LF Ent Seep	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<1	6	2.14	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	0.498	1.54	3.44	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	0.341	2.2	0.88	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	0.536	0.72	6.46	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	0.29	1.04	6.68	3.53	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	0.315	0.433	1.69	4.1	12.2	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<2	0.67	3.29	2.68	<1	<1	<1	<1	<2	<1	<3
	<1	<2	0.67	3.29	2.68	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	1.27	3.31	8.3	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	0.883	5.29	2.48	<1	<1	<1	<1	<2	<1	<3
	<1	<2	0.883	5.29	2.48	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	1.07	3.43	8.41	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
SP NE-3	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	<1*	0.471	0.677	<4*	2.19	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	1.3	1.22	<2	3.69	<1	<1	<1	<1	<2	<2	<3
SP-5	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
SP-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)	
SPRING A	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	
<1	<1	<1	<5	<5	0.41	<1	<1	<1	<1	<1	<1	n/a	
<1	<1	<1	<5	<5	<1	<1	<1</						

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<1	<5	2.96	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	2.92	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	0.153	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	0.321	0.526	3.58	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<1	<2	0.661	<4	6.01	<1	<1	<1	<1	<2	<1	<3
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<1	1.6	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	1.6	<1	<1	<1	<1	<1	<1	<5
SPRING B	<1	<1	<1	<5	2	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	0.8	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
TSP-1	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
TSP-2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Trichloroethene (ug/l)	Vinyl chloride (ug/l)	cis-1,2- Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3- Chloropropane (ug/l)
TSP-3	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
TSP-4	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a
	<1	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a
	<0.4	<0.26	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<0.398	<0.259	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33
	<5*	<2*	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<2*	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*
	<2	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<3

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
CAO-1	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<0.05	<0.1	0.28	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	1.2	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	1.7	<5	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	1.1	<5	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	1.3	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	1.1	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	0.45	<1	1.7	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	0.69	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	1.39	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<1	<1	<1
	<5*	<5*	<5*	<5*	0.938	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	1.35	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	1.44	1.72	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	1.19	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	0.07	<1*	<1*	2.42	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	2.76	0.872	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	2.68	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	3.11	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	3.62	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	4.03	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	4.31	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	4.52	<2	<2	<1	<1	<1	<2	0.698	<2
CAO-2	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1

[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	0.824	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*</						

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	
MW-1R	<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	0.48	<15	<5	<1	<1	<1	<5	0.64	<1	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	0.52	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	0.5	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	0.5	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<1	9.4	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.381	<0.349	<0.361	<0.306	1.81	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.379
	<0.381	<0.349	<0.361	<0.306	3.59	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1		

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
MW-2	<1	<1	<1	<1	2.63	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	2.3	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	0.431	<5*	2.02	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	0.408	<5*	2.48	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	0.5	<5*	2.84	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	0.524	<1*	2.98	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	0.562	<1*	3.8	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	0.681	0.257	4.55	0.624	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	0.571	<1*	3.71	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	0.581	<1	4.36	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	0.399	<1*	3.98	5.06	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	0.45	<1*	4.3	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	0.342	<1	3.3	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	0.594	<1	4.31	<2	<2	<1	<1	<1	<2	<1	<2
	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	3.5	<0.5	
<0.05	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	
<0.05	<0.2	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<0.5	
<0.05	<0.2	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<0.5	
<0.05	<0.2	<0.2	<0.2	<0.2	1.9	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
<0.05	<0.2	<0.2	<0.2	<0.2	1	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5
<0.05	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<0.5	
<0.05	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<0.5	
<1	<1	<1	<1	<1	<1	<50	<5	<1	<1	<1	<1	<0.5	
<0.05	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
<0.01	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	
n/a	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
n/a	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
n/a	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
n/a	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
n/a	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
<1	<1	<1	<1	<1	<1	<15	<5	<1	<				

NABORS Landfill Historic Data through November 2024

[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	0.548	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
MW-4	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0.2	<0.2									

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
MW-6	<0.05	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5
	<0.05	<0.2	<0										

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	
MW-633D	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	&				

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	0.632	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2

NABORS Landfill Historic Data through November 2024

[illegible]

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
NAB-1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1			

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<0.87	<0.96	<0.7	<0.87	<0.7	<7.3	<6.3	<2.5	<1.1	<1.9	<2.4	<4.6	<1.7
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
NAB-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1										

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2	
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2	
	NAB-8	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		<0.01	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
		n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
		n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
n/a		<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	
n/a		<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
<0.38		<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.38		<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
<0.381		<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379		
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379		
<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379		
<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1		
<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1		
<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1		
<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1		
<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*		
<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*		
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		
<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*		
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*		
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*		
<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*		
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		
<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*		

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
NE-2	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	0.13	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
<1	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	
<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<1	<1	<1	<1					

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	
NE-4	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2	
	NE-6	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
		<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
<0.38		<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.38		<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
<0.381		<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
<0.381		<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
<0.381		<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
<0.381		<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
<1		<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
<1		<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
<5*		<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
<5*		<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
<5*		<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
<1*		<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*		<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1		<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	
<1*		<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1*		<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2		
Class I Draw SP	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*		
Class IV Draw SP	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
LF Ent Seep	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	0.195	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	0.424	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
SP NE-3	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	0.827	<2	<2	<1	<1	<1	<2	<1	<2
SP-5	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	0.611	<1	<2
SP-7	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	0.0017	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	
WELL A	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	
	<1	<1	<1	<1	<1	<2	<2	<2	<1	<1	<2	<1	<2	
	<1	<1	<1	<1	<1	<2	<2	<2	<1	<1	<2	<1	<2	
	SPRING A	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
		n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
		n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
		n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
		<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
		<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
		<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
		<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
		<1	<1	<1	<1	<1	<15	&lt						

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	0.077	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
SPRING B	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
TSP-1	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
TSP-2	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,2-Dibromoethane (ug/l)	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)
	<1	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
TSP-3	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<1	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
TSP-4	n/a	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1
	n/a	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1
	<0.38	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<0.381	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379
	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2
	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<2	<1	<2

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
CAO-1	<0.25	<0.5	37.9	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	0.72	<0.5	51.3	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	1.33	<0.5	59.7	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	1.5	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	1.2	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	1.2	<1	0.3	<1	<1	2.4	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	1.2	<1	<2.5	<1	<1	<1	<5	<1	<1	0.58	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	0.51	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	0.33	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	0.63	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	0.52	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	0.56	<1	<2.5	<1	<1	<1	<5	<1	<1	0.32	<1	<5	<5	<10
	0.6	<1	<2.5	<1	<1	0.95	<10	<1	<1	0.36	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	1.01	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	1.11	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	1.03	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	0.827	<5*	<50*	<5*	<5*	1.07	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	1.14	<5*	<50*	<5*	<5*	2.78	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	1.07	n/a	<50*	<5*	<5*	0.283	n/a	<5*	<5*	0.271	<5*	<50*	<50*	<50*
	0.322	n/a	<1*	<1*	<1*	1.28	n/a	<1*	<1*	0.175	<1*	<1*	<1*	<2*
	1.56	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.352	<1*	<1*	<1*	<2*
	1.77	n/a	<3	<1	<1	<1	n/a	<1	<1	0.271	<1	<2	<1	<2
	1.66	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	1.84	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	2.11	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	2.14	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	2.74	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	3.02	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	2.15
CAO-2	<0.25	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<0.25	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<0.25	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)	
MW-1	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	0.28	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	MW-1	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<0.25	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	2.09	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	2.1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	1.8	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	2.2	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	2.3	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	3	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	2	<1	<1	<1	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	2.7	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	2.6	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	2.6	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	2.8	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	2.8	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	3	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	2.3	0.47	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	0.76	0.4	<1	<5	<5	<10
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<2.5	<1	<1	<1	<5	<1	1	0.41	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	0.42	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	0.39	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	0.4	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
1		<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
1.86		<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
2.28		<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
1.98		<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
1.2		<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
1.74		<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
2.15		<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
<5*	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
2.16	<5*	<50*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
1.86	n/a	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	0.485	<5*	0.166	<50*	<50*
2.55	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.584	<1*	<1*	<1*	<2*
2.57	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.679	<1*	<1*	<1*	<2*
2.94	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	0.551	<1	<2	<1	<2
2.31	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.361	<1*	<2*	<1*	<2*
2.65	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	0.513	<1	<2	<1	<2
2.65	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.593	<1*	<2*	<1*	<2*
2.04	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.414	<1*	<2*	n/a	<2*
2.21	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
2.45	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	0.468	<1	<2	n/a	3.47
MW-1R	<1	<1	<2.5	<1	<1	<1	<10	<1	1.2	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	1.08	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	1.57	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	1.5	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)	
	1.46	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	1.14	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	1.74	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	1.08	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*	
	1.38	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*	
	1.76	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	0.534	<5*	0.191	<50*	<50*	
	1.67	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.494	<1*	<1*	<1*	<2*	
	2.19	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.619	<1*	<1*	<1*	<2*	
	2.64	n/a	<3	<1	<1	<1	n/a	<1	<1	0.603	<1	<1	<2	<1	<2
	1.98	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	0.397	<1*	<2*	<1*	<2*	
	2.39	n/a	<3	<1	<1	<1	n/a	<1	<1	0.501	<1	<2	<1	<2	
	2.03	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	0.353	<1*	<2*	<1*	<2*	
	2.09	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	0.437	<1*	<2*	n/a	<2*	
	1.66	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2	
	2.42	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	3.79
	MW-2	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<3		<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<1	<5	<20
<0.25		<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10	<10
<1		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1							

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*	
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*	
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<1	<2	<1	<2	n/a	<2
	MW-3	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
		<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
		<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
		<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
		<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
		<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
		<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
		<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25		<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<3		<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5	<5	<20
<0.25		<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10	<10
<1		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<10	<10	<10
<1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<10	<10	<10
<1		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10
<1		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	<10	
<1	<1	<1	<1	<1	<1	<10	<1	<1	<1</						

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)	
MW-4	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<0.25	<0.5	<0.05	<0.5	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5	
<3	<2	<2	<1	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5	<20	
<0.25	<0.5	<0.2	<0.25	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10	
<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
MW-5	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	0.606	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
MW-6	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.25	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<3	<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5	<20
	<0.25	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)	
MW-689D	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<5	<10	<10	
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<5	<10	
<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<5	<10	
<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9		

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	0.364	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
NAB-1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)	
NAB-4	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87	
	<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	<5*	n/a	<5*	0.432	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	NAB-4	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10	
<1		<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
<1		<1	<1	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1		<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10	
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<2.8	n/a	<1.4	<2.7	<0.71	<0.66	n/a	<0.74	<2.4	<1.1	<2.3	<2.6	<6.6	n/a
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
NAB-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
NE-2	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*	
<1	n/a	<3	<1	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
<1*	n/a	<3*	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2	
<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*	
<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*	
<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2	
<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2	
NE-3	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	0.423	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2	
<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*	
<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*	
<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2	
<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
NE-4	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
NE-6	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	n/a	<2*	
<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2	
<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2	
Class I Draw SP	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*	
Class IV Draw SP	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
LF Ent Seep	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
SP NE-3	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<1	<1	<1	0.33	n/a	<1	<1	<2	<1	<2	n/a	<2
SP-5	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
SP-7	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
SPRING A	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	n/a	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<10	<10	
<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<10	<10	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	SPRING B	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
<1		<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
<0.35		<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<0.35		<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
<0.348		<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
<0.348		<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
<0.348		<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
TSP-1		<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*	
<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2	
<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2	
TSP-2	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Chlorobenzene (ug/l)	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3- Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2- Dichloroethene (ug/l)	trans-1,3- Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2- pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
TSP-3	<1	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
TSP-4	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<0.35	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.348	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<5*	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	<1	n/a	<1	<1	<1	<1	n/a	<1	<1	<2	<1	<2	n/a	<2
	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
CAO-1	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	715	3.77	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	0.57	<0.5	0.93	<0.25	<10	<0.15	n/a	n/a	738	5.57	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	801	5.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	790	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	790	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	770	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	780	7.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	850	16	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	810	6.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	0.44	11	n/a	n/a	n/a	650	17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	660	6.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	740	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	630	9.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	120	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	10	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	570	13	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	9	n/a	0.0042	<0.05	460	9.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	400	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	0.34	<50	n/a	0.0012	0.059	590	5.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	0.42	<50	n/a	<0.005	<0.05	570	83	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	560	10	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	590	7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	1	0.43	15	n/a	<0.005	<0.05	630	7.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	630	8.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	630	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	550	12	460	240	0.69	95	52	3	45	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	790	18	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	696	14	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	798	9.95	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00625	<0.0065	676	12	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	802	12.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	407	11.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	794	10.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	708	8.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	874	10.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	0.109	747	5.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	0.628	n/a	<50*	n/a	<0.1*	807	8.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	0.361	n/a	0.283	n/a	<0.15*	659	10.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.308	<1*	n/a	<1*	n/a	0.266	521	7.87	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	0.32	n/a	<1*	n/a	<0.15*	835	9.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	0.39	n/a	<2	n/a	<0.15	731	10.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	0.452	n/a	<2*	n/a	<0.15*	763	10.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	0.301	n/a	<2	n/a	<0.15	757	10.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	0.346	n/a	<2*	n/a	<0.15*	746	9.75	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	0.277	n/a	<2*	n/a	<0.15*	778	9.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	0.324	n/a	<1	n/a	<0.15	162	8.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	580	7.81	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
CAO-2	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	440	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	484	1.62	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	412	5.44	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	770	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	7.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	4.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.018	370	4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0071	450	0.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.019	400	15	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	400	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	340	1.8	290	170	<0.038	67	37	1.6	14	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	550	5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	445	6.32	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	356	2.33	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	397	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	494	6.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	419	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	433	5.77	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	349	2.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	1.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	468	2.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	450	2.41	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.309	<1*	n/a	<1*	n/a	<0.15*	537	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	473	1.74	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	512	1.97	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	446	1.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	495	2.43	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	418	1.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	305	2.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	418	1.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	393	1.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
CAO-3	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	296	2.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	509	5.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	368	4.66	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	590	5.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	650	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.02	260	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.98	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	0.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	270	<0.1	270	160	<0.038	63	37	<0.1	3.3	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	350	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	289	2.51	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	269	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00626	<0.0065	389	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	280	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	293	5.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	305	1.64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	278	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	386	1.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	291	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	456	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	313	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.263	<1*	n/a	<1*	n/a	<0.15*	449	1.04	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	286	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	348	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	445	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	140	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	179	1.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	259	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	250	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-1	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	335	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	357	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	343	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	6.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	371	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	362	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	363	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	359	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	379	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	394	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	402	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	400	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	435	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	480	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	561	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	520	1.82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	553	2.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	550	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	520	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	580	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	610	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	600	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	0.33	<5	<50	n/a	n/a	n/a	550	4.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	590	5.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	620	4.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	630	6.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	600	4.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	620	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	680	8.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	0.46	<5	<50	n/a	<0.005	<0.05	690	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	33	n/a	n/a	0.014	700	9.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	1.4	<5	<50	n/a	<0.005	0.0072	780	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	750	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	710	68	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	710	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	1	<5	<50	n/a	<0.005	<0.05	780	4.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	1.6	<5	<50	n/a	<0.005	<0.05	830	9.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.064	880	7.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	910	12	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1140	9.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1080	9.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1060	11.6(J3)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1020	9.47	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	972	9.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	992	10.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	970	10.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1020	8.62	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	0.267	n/a	<50*	n/a	<0.1*	965	8.62	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	0.412	0.305	n/a	<50*	n/a	<0.15*	953	10.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.567	0.645	n/a	<1*	n/a	<0.15*	934	8.12	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	0.705	n/a	<1*	n/a	0.227	903	9.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	0.303	n/a	<2	n/a	<0.15	877	5.71	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	834	6.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	0.315	n/a	<2	n/a	<0.15	738	5.57	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	0.446	n/a	<2*	n/a	<0.15*	681	5.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	661	5.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	0.412	n/a	<1	n/a	<0.15	536	6.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	0.327	n/a	<0.15	550	3.95	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-1R	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	840	35	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	740	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	840	11	710	390	<0.038	160	100	2.6	44	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	980	17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	978	12.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	868	15.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	860	8.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	914	11.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	894	7.74	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	928	7.52	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	764	8.98	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	894	9.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	0.533	0.367	n/a	<50*	n/a	<0.1*	906	6.51	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	860	7.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	0.419	0.172	n/a	0.342	n/a	<0.15*	881	13.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.612	0.198	n/a	<1*	n/a	<0.15*	878	8.22	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	0.31	n/a	<1*	n/a	<0.15*	902	7.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	0.265	n/a	<2	n/a	<0.15	815	5.75	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	819	7.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	726	5.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	745	9.98	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	664	4.86	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	134	3.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	0.571	n/a	<0.15	562	3.76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-2	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	331	1.96	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	2.76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	393	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	345	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	344	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	341	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	355	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	371	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	363	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	367	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	409	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	411	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	356	1.55	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	366	2.27	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	280	3.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	220	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0082	210	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	270	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	12	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	0.88	<5	<50	n/a	<0.005	<0.05	320	0.95	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	360	1.1	330	200	<0.038	80	43	2.3	6	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	49	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	365	1.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	351	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	1.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.49	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	381	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	362	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	365	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	382	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	369	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.329	<1*	n/a	<1*	n/a	<0.15*	365	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	335	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	376	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	349	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	367	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	356	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	332	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	326	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-3	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	252	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	368	4.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	388	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	360	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	401	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	338	1.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	421	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	361	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	452	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	412	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	787	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	437	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	508	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	425	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	474	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	453	2.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	480	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	520	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	3.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	5.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.019	300	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0078	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	30	n/a	<0.005	<0.05	500	0.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	520	28	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	0.36	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	510	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.046	540	0.84	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	510	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	590	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	410	2.4	380	220	<0.038	90	49	1.3	2.9	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	530	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	525	8.26	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	143	n/a	<0.0018	<0.0065	436	5.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	458	1.14(B)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	499	2.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	511	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	525	2.32	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	411	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.1*	653	6.33	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	750	3.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.296	<1*	n/a	<1*	n/a	0.357	684	4.52	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	0.544	664	2.76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	599	5.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	624	2.74	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	559	1.75	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	597	2.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	567	1.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	567	3.49	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	511	3.92	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-4	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	292	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	304	4.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	293	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	310	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	7.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	303	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	296	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	299	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	311	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	421	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	329	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	299	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	332	2.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.06	<0.05	340	0.68	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0038	330	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0043	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	7.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.028	340	0.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	370	1.1	340	210	<0.038	84	46	<0.1	1.9	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	420	51	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	396	1.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	365	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	366	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	384	1.93	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	368	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	376	1.09	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	388	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	405	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	438	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	396	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	423	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	425	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	415	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	416	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	444	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	417	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	427	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	415	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	5.86	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	335	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	333	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	324	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	332	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	338	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	345	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	352	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	354	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	366	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	393	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	362	17.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.004	370	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.015	370	0.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	8.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.33	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.039	400	0.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	4.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	400	1.7	400	230	<0.038	92	52	<0.1	2.1	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	431	1.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	402	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	406	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	401	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	416	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	444	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	426	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	443	1.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	468	1.07	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.27	<1*	n/a	<1*	n/a	<0.15*	441	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	455	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	475	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	459	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	435	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	450	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	443	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	465	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	467	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-509D	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	4.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0085	290	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0035	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.26	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.029	370	7.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	290	1.1	250	150	<0.038	60(V)	36(J6)	1	2.6	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	390	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	373	1.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	300	1.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	380	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	361	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	391	1.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	395	1.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	300	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	396	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	330	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	378	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	356	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.371	<1*	n/a	<1*	n/a	<0.15*	357	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	338	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	337	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	367	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	315	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	369	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	323	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	245	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-577	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	4.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	0.31	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	430	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	490	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	2.5	<50	n/a	<0.005	0.015	500	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	510	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0073	490	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	0.54	<50	n/a	<0.005	<0.05	460	0.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	6.7	<50	n/a	<0.005	<0.05	490	52	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	35	n/a	<0.005	<0.05	460	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	3.3	<50	n/a	<0.005	<0.05	490	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.046	480	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	440	1.1	410	250	<0.038	100	52	1.5	2.2	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	398	3.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	382	1.93	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	390	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	435	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	398	1.14	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	399	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	416	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	408	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	0.421	403	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	416	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.321	<1*	n/a	<1*	n/a	<0.15*	411	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	461	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	391	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	414	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	420	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	581	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	399	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	455	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	414	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-6	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	381	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	3.41	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	379	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	401	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	404	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	404	1.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	393	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	403	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	410	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	394	1.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	400	1.03	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	405	1.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	408	1.82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	364	1.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	392	3.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	12	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	390	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0055	400	0.28	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	0.67	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.022	430	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	5.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	410	2.2	390	220	<0.038	87	52	1.2	6.1	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	460	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	440	2.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	399	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	461	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	1.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	434	1.29	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	432	1.75	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	432	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	446	1.39	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	453	1.21	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	470	1.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	473	1.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	458	1.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	507	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	477	1.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	471	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	428	1.12	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	447	1.07	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	427	1.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	411	1.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	408	1.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-633D	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0073	380	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0087	430	0.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	0.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	0.87	<5	<50	n/a	<0.005	0.016	420	0.55	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	420	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	420	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<10	<0.55	<0.0018	<0.0065	420	2	390	220	<0.038	89	52	1.2	2.9	<0.0089	<0.003
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<10	n/a	<0.0018	<0.0065	460	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	<10	n/a	<0.0018	<0.0065	425	1.97	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	<10	n/a	<0.0018	<0.0065	442	3.29	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	<10	n/a	<0.0018	<0.0065	419	1.28	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	<10	n/a	<0.0018	<0.0065	466	1.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<50	<50	n/a	<0.005	<0.05	423	1.73	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<1	<50	<50	n/a	<0.005	<0.05	366	1.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<1	<50	<50	n/a	<0.005	<0.05	406	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<1	<50	<50	n/a	<0.005	<0.05	430	1.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	<5*	<20*	<5*	<50*	<50*	n/a	<0.1*	413	1.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
n/a	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	427	1.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
n/a	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	434	1.36	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
n/a	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	413	1.74	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
n/a	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	405	1.56	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
n/a	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	438	1.36	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
n/a	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
n/a	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
n/a	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	393	1.22	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
n/a	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	359	1.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
n/a	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	336	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
n/a	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	341	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-689D	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	180	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	390	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	390	4.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	400	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	380	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	390	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	200	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	360	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	320	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	0.015	220	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	340	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	410	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.56	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	0.029	410	0.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	280	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<10	<0.55	<0.0018	<0.0065	370	1.6	370	210	<0.038	86	44	1.2	2.5	<0.0089	<0.003

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	410	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	395	1.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	377	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	375	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	392	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	398	1.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	408	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	376	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	393	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	404	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	400	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	378	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.311	0.106	n/a	<1*	n/a	0.179	384	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	147	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	0.388	371	1.67	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	304	1.04	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	0.325	360	1.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	291	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	0.494	349	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	315	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	325	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
MW-7	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	263	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	315	7.21	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	341	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	370	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	370	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	355	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	298	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	1.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	294	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	336	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	337	1.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	312	1.62	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	324	2.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	305	1.95	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	324	2.44	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	2.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0039	<0.05	340	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.01	310	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0095	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	69	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	6.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	320	1.4	310	170	<0.038	69	40	<0.1	2.2	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	330	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	341	1.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	341	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	274	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	327	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	338	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	338	1.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	328	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	315	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	328	1.04	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	353	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.353	<1*	n/a	<1*	n/a	<0.15*	328	1.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	0.249	223	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	283	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	298	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	321	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	302	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	324	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	267	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	299	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
NAB-1	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	20	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	5.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	0.31	<50	n/a	<0.005	<0.05	420	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.011	370	4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.33	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.021	420	25	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	0.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.019	420	0.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
NAB-2	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	0.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0092	360	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	8.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.68	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	400	<0.1	390	240	<0.038	96	47	1.6	7.5	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	433	2.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	412	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	254	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	443	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	443	1.39	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	440	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	433	1.28	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.303	<1*	n/a	<1*	n/a	<0.15*	449	1.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	451	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	462	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	433	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	413	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	416	1.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	423	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	404	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
NAB-3	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	250	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	5.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	450	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	n/a	0.0064	400	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	0.0042	410	0.41	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	460	14	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	420	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<5	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	0.031	430	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	450	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	330	2	310	180	<0.038	72	42	<0.1	1.8	<0.0089	<0.003	<0.003
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	410	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	397	2.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	372	1.51	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	368	1.14	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	1.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<5	<5	<50	n/a	<0.005	<0.05	396	1.43	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	425	94.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	360	1.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	418	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	407	1.32	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	425	1.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	356	1.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
n/a	n/a	n/a	<2*	0.34	<1*	n/a	<1*	n/a	<0.15*	425	1.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	253	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	306	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	357	1.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	319	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	368	1.07	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	340	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	351	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	361	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
NAB-4	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0067	<0.05	430	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0099	430	5.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0037	460	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	0.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	33	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	0.68	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	0.95	<5	<50	n/a	<0.005	<0.05	420	0.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	420	2.3	330	240	<0.038	96	46	1.9	2.6	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	490	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	466	1.97	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	436	1.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	453	1.22	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	466	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	458	1.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	417	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	505	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	<3.9	n/a	n/a	<1.2	<4.9	<0.84	<6.7	<0.94	n/a	<0.1*	501	1.07	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.0047
	n/a	n/a	n/a	<5*	<20*	0.089	n/a	<50*	n/a	<0.15*	528	1.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	543	1.46	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	558	1.82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	450	1.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	619	1.69	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	564	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	404	1.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	593	1.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	539	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	488	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
NAB-7	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	5.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0039	320	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0088	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.69	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.46	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	0.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	310	1.8	270	170	<0.038	69	38	<0.1	3.8	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	400	4.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	384	1.44	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	303	2.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	345	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	388	1.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	399	1.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	371	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	336	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	369	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	388	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	374	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	285	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	327	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	356	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	354	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	312	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	319	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	265	2.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
NAB-8	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	4.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	5.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.56	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.028	330	10	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	0.52	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	0.45	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	340	1.9	340	190	<0.038	77	42	1.4	5.1	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	8.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.007	<0.0065	358	9.86	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	341	2.32	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	322	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	354	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	341	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	371	23.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	360	3.35	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	374	5.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	7.27	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	n/a	1.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	377	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	358	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.29	<1*	n/a	<1*	n/a	<0.15*	392	10.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	379	23	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	4.46	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
NE-2	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	395	95.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	338	12.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	357	8.35	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	3200	100	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	3300	100	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	2800	60	550	760	<0.038	300	140	9.7	410	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	2800	40	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	2070	23	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	2030	20.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1600	15.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	120	14.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1590	12.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	1660	12.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	1560	13.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	1420	12.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1520	12.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1320	11.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	1170	7.36	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.285	<1*	n/a	<1*	n/a	<0.15*	1020	5.09	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	948	3.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	0.287	n/a	<2	n/a	<0.15	809	3.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	872	3.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	785	3.42	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	842	3.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	791	2.49	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	797	1.96	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	777	1.66	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
NE-3	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	330	1.9	<52	190	<0.038	76	41	<0.1	2.7	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	360	5.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	326	1.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	331	3.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	306	1.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	332	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	337	11.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	347	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	354	1.45	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	352	3.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	366	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	352	1.24	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	401	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	359	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	308	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	296	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	317	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	317	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	332	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	331	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	301	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	292	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
NE-4	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	355	2.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	394	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	437	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	385	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.336	<1*	n/a	<1*	n/a	<0.15*	404	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	0.158	n/a	<1*	n/a	<0.15*	359	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	344	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	320	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	365	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	349	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	383	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	321	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
NE-6	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	390	<0.1	340	220	<0.038	86	47	<0.1	1.8	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	414	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	407	1.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	393	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	406	2.67	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	394	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	398	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	384	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	352	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	409	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	384	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	456	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.31	<1*	n/a	<1*	n/a	<0.15*	388	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	354	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	347	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	387	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	374	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	395	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	389	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	379	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	342	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
Class I Draw SP	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	9.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	209	6.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	250	6.09	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	318	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	190	7.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	194	6.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	319	4.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	285	5.51	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	257	2.57	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.296	<1*	n/a	<1*	n/a	<0.15*	138	2.41	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	136	2.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
Class IV Draw SP	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	420	9.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	337	6.29	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	245	4.69	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
LF Ent Seep	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	246	5.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	378	4.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	343	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.305	<1*	n/a	<1*	n/a	<0.15*	432	6.45	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	197	3.18	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	300	7.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	305	3.39	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	206	5.69	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	295	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	203	7.42	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	336	3.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	335	2.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	334	3.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	311	2.18	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	288	2.73	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	314	2.83	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.381	<1*	n/a	<1*	n/a	<0.15*	307	2.43	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	320	2.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.83	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.83	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
SP NE-3	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	311	2.28	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	294	2.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	294	2.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	321	2.22	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	146	2.49	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	0.617	<1	n/a	<1	n/a	<0.15	90	4.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	170	3.6	140	76	0.34	30	18	1.1	1.4	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	350	3.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	248	2.14	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	205	3.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	298	1.45	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	172	2.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	199	1.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	268	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.329	<1*	n/a	<1*	n/a	<0.15*	158	1.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	202	1.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	236	1.04	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	213	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	315	1.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	211	3.21	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	6.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	216	3.12	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
SP-7	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	210	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	160	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	190	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	220	5.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	230	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	270	16	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.032	250	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310(Q)	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	250	3.8	190	110	0.35	43	26	2.9	12	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	290	5.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	210	3.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	212	5.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	236	2.93	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	228	5.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	335	3.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	275	2.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	228	3.55	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	173	2.86	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	144	2.57	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	115	2.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	97	2.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	226	1.71	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	192	1.86	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	234	1.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	171	2.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	223	2.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	158	1.98	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	98	4.22	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
SPRING A	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	250	4.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	320	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	0.014	0.0094	370	0.26	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	290	0.73	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	27	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420(Q)	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	250	1.5	220	130	<0.038	54	30	2.2	2.5	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	360	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	279	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	208	2.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	292	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	287	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	339	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	359	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	283	1.92	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	287	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.286	<1*	n/a	<1*	n/a	<0.15*	285	1.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	65	3.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	242	1.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	370	1.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.002
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	153	3.47	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	250	1.24	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	81	5.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
SPRING B	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	430	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	6.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	550	4.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0091	230	6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	660	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	570	7.8	440	230	0.44	91	54	5.6	72	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	670	15	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	631	8.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	554	7.81	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	609	5.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	320	4.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	330	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.68	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	390	0.82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	294	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	367	3.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.285	<1*	n/a	<1*	n/a	<0.15*	354	1.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	267	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	290	1.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	292	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	180	2.96	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
TSP-2	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0045	260	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0071	350	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	0.24	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	7.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.016	320	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	5.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC [Total Organic Carbon] (mg/l)	Alkalinity (mg/l)	Hardness, calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)
TSP-3	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0082	<0.05	460	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	466	6.46	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	54	3.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	103	1.92	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	6.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	4.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	170	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	270	3.4	240	140	<0.038	54	32	1.5	2.4	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	6.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	417	4.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	311	3.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	386	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	4.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	3.24	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	0.346	<1*	n/a	<1*	n/a	<0.15*	401	3.87	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	293	3.03	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	441	3.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	209	4.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	240	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	310	4.2	280	160	0.28	64	40	1.5	2.3	<0.0089	<0.003
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	307	4.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00596	<0.0065	346	4.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	187	1.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.05*	<0.05*
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	55	2.18	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	<5*	1.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.001*
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	214	1.35	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	<0.002*
	n/a	n/a	n/a	<2	<2	<1	n/a	<1	n/a	<0.15	102	5.68	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	<0.001

NABORS Landfill Historic Data through November 2024

[illegible]

[illegible]

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	
MW-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011	
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a					

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a					

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropane (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	0.000245	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.001	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a								

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	
MW-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011	
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n							

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n			

NABORS Landfill Historic Data through November 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)
NE-2	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropane (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	0.000874	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018	<0.00033	<0.0011
	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001	<0.001	<0.002	<0.002	<0.001	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n- butylamine (mg/l)	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.00056	<0.00029	<0.0002	<0.00033	<0.0005	<0.0013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n- butylamine (mg/l)	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033	<0.0005	<0.0013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n- butylamine (mg/l)	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033	<0.0005	<0.0013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00015	<0.00029	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033	<0.0005	<0.0013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o- toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0017	<0.0018	<0.00027	<0.00026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39	<0.00038	<0.00026	<0.0014
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o- toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39	<0.00038	<0.00026	<0.0014
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o- toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39	<0.00038	<0.00026	<0.0014
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39	<0.00038	<0.00026	<0.0014
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3- Dimethylbenzidine (mg/l)	1,3- Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5- Trinitrobenzene (mg/l)	1,2,4,5- Tetrachlorobenzene (mg/l)	2,6- Dichlorophenol (mg/l)	2,3,4,6- Tetrachlorophenol (mg/l)	Propionitrile (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00021	<0.0017	<0.0034	<0.0036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024	<0.0028	<0.002	<0.013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3- Dimethylbenzidine (mg/l)	1,3- Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5- Trinitrobenzene (mg/l)	1,2,4,5- Tetrachlorobenzene (mg/l)	2,6- Dichlorophenol (mg/l)	2,3,4,6- Tetrachlorophenol (mg/l)	Propionitrile (mg/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024	<0.0028	<0.002	<0.013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024	<0.0028	<0.002	<0.013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024	<0.0028	<0.002	<0.013
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<8.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.6E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05	<1.8E-05	<1.3E-05	<1.9E-05	<0.00017	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.00034	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n																					

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	
SPRING A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	SPRING B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n			

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.00016	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<2.9E-06	<2.1E-06	<0.00036	<2.3E-06	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.00016	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<0.00032	<0.00027	<0.00036	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Benzo[a]pyrene (mg/l)	Benzy alcohol (mg/l)	Bis[2-chlorethoxy] methane (mg/l)	Bis[2-chloroethyl] ether (mg/l)	Bis[2-chloroisopropyl] ether (mg/l)	4-Bromophenyl- phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl- phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h] anthracene (mg/l)	Dibenzofuran (mg/l)	3,3- Dichlorobenzidine (mg/l)	2,4- Dinitrotoluene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-689D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy] methane (mg/l)	Bis[2-chloroethyl] ether (mg/l)	Bis[2-chloroisopropyl] ether (mg/l)	4-Bromophenyl- phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl- phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h] anthracene (mg/l)	Dibenzofuran (mg/l)	3,3- Dichlorobenzidine (mg/l)	2,4- Dinitrotoluene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy] methane (mg/l)	Bis[2-chloroethyl] ether (mg/l)	Bis[2-chloroisopropyl] ether (mg/l)	4-Bromophenyl- phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl- phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h] anthracene (mg/l)	Dibenzofuran (mg/l)	3,3- Dichlorobenzidine (mg/l)	2,4- Dinitrotoluene (mg/l)
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy] methane (mg/l)	Bis[2-chloroethyl] ether (mg/l)	Bis[2-chloroisopropyl] ether (mg/l)	4-Bromophenyl- phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl- phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h] anthracene (mg/l)	Dibenzofuran (mg/l)	3,3- Dichlorobenzidine (mg/l)	2,4- Dinitrotoluene (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy] methane (mg/l)	Bis[2-chloroethyl] ether (mg/l)	Bis[2-chloroisopropyl] ether (mg/l)	4-Bromophenyl- phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl- phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h] anthracene (mg/l)	Dibenzofuran (mg/l)	3,3- Dichlorobenzidine (mg/l)	2,4- Dinitrotoluene (mg/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy] methane (mg/l)	Bis[2-chloroethyl] ether (mg/l)	Bis[2-chloroisopropyl] ether (mg/l)	4-Bromophenyl- phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl- phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h] anthracene (mg/l)	Dibenzofuran (mg/l)	3,3- Dichlorobenzidine (mg/l)	2,4- Dinitrotoluene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy] methane (mg/l)	Bis[2-chloroethyl] ether (mg/l)	Bis[2-chloroisopropyl] ether (mg/l)	4-Bromophenyl- phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl- phenylether (mg/l)	Chrysene (mg/l)	Dibenz[a,h] anthracene (mg/l)	Dibenzofuran (mg/l)	3,3- Dichlorobenzidine (mg/l)	2,4- Dinitrotoluene (mg/l)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033	<0.00028	<0.00034	<0.002	<0.0016
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
MW-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
MW-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
NAB-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.000106	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
SPRING B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
TSP-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
TSP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.005*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.004*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.001	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl] phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3- methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzybutyl phthalate (mg/l)	Bis[2-ethylhexyl] phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3- methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl] phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3- methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzybutyl phthalate (mg/l)	Bis[2-ethylhexyl] phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3- methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2- methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)	2,4,5- Trichlorophenol (mg/l)	2,4,6- Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00062	<0.0026	<0.0032	<0.0032	<0.002	<0.00031	<0.00033	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2- methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)	2,4,5- Trichlorophenol (mg/l)	2,4,6- Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2- methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)	2,4,5- Trichlorophenol (mg/l)	2,4,6- Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
CAO-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
MW-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
MW-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	0.497	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	n/a	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<0.01*	0.179	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<3	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
SP NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
SPRING B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<5*	n/a	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
TSP-2	n/a	n/a	n/a	n/a	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,T otal (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylb enzene (ug/L)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
TSP-4	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<0.01*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*
	n/a	n/a	n/a	<0.01*	<1*	n/a	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*
	n/a	n/a	n/a	<0.01	<1	n/a	<1	n/a	n/a	<1	<1	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)
CAO-1	17.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	21.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	21.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a</		

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	39.6	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	39.8	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41.2	<5*	n/a	n/a	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.6	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	41.3	<1*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	39.2	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	39	<5*	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41.7	<5*	n/a	n/a	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.9	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	38.1	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)
NE-2	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41.6	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	38.8	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41.1	<5*	n/a	n/a	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	39.5	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	38.5	<1*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	40.7	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	38.6	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41.5	<5*	n/a	n/a	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	41.3	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a	
<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a	

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	40.2	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	37.9	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	40.8	<5*	n/a	n/a	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.3	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	41.2	<1*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	39.5	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	40.5	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41	<5*	n/a	n/a	<5*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.5	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.9	<1*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
Class I Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41.4	<5*	n/a	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.2	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
Class IV Draw SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)
LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	38.7	<5*	n/a	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	41	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	1.39	<5*	<5*	<5*	<5*	<5*	39.8	<5*	n/a	n/a	n/a	n/a
	1.11	<5*	<5*	<5*	<5*	<5*	39.3	<5*	n/a	n/a	n/a	n/a
	0.435	<5*	<5*	<5*	<5*	<5*	40.3	<5*	n/a	n/a	<5*	n/a
	2.59	<1*	<1*	<1*	<1*	<1*	40.5	<1*	n/a	n/a	<1*	n/a
	3.38	<1*	<1*	<1*	<1*	<1*	41.3	<1*	n/a	n/a	<1*	n/a
	1.98	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	1.98	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	2.47	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	2.3	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	2.3	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	2.06	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	40.2	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41.1	<5*	n/a	n/a	<5*	n/a
SP RD	<1*	<1*	<1*	<1*	<1*	<1*	40.3	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.8	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	1.74	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	5.02	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	37.1	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41	<5*	n/a	n/a	<5*	n/a
	0.214	<1*	<1*	<1*	<1*	<1*	40.9	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	41.2	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	0.496	<1	<1	<1	<2	<1	n/a	<3	n/a	n/a	<1	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
SPRING B	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	39.5	<5*	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	40.8	<5*	n/a	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	39.6	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	41	<1*	n/a	n/a	<1*	n/a
TSP-2	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)
TSP-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41.3	<5*	n/a	n/a	n/a	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4	<5*	<5*	<5*	<5*	<5*	<5*	41.4	<5*	n/a	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	39.6	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	41.7	<5*	n/a	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	40.7	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<1*	<1*	41.4	<1*	n/a	n/a	<1*	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	n/a	<3*	n/a	n/a	<1*	n/a
	<1	<1	<1	<1	<1	<1	n/a	<1	n/a	n/a	<1	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2-pentanone (ug/L)
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<5*	<10*	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	0.3	0.459	<1*
	<1	<2	<1
	<1	<2	<1
MW-509D	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2- pentanone (ug/L)
NE-2	<1*	<2*	<1*
	<1	<2	<1
	<1	<2	<1
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<5*	<10*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1*	<2*	<1*
	<1	<2	<1
	<1	<2	<1
NE-3	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<5*	<10*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1*	<2*	<1*
	<1	<2	<1
	<1	<2	<1

NABORS Landfill Historic Data through November 2024

Well/Spring ID	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2- pentanone (ug/L)
NE-4	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	0.081	<10*	n/a
	<1*	<2*	n/a
	0.303	0.251	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1*	<2*	<1*
	<1	<2	<1
NE-6	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<5*	<10*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1*	<2*	<1*
	<1	<2	<1
	<1	<2	<1
Class I Draw SP	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
Class IV Draw SP	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2- pentanone (ug/L)
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
LF Ent Seep	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<5*	<10*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1	<2	<1
	<1	<2	<1
SP NE-3	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<5*	<10*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
SP RD	n/a	n/a	n/a
SP-4	<1*	<2*	n/a
	<1	<2	<1
SP-5	n/a	n/a	n/a
	<1	<2	<1
SP-7	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

[illegible]

NABORS Landfill Historic Data through November 2024

Well/Spring ID	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2- pentanone (ug/L)
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<5*	<10*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1	<2	n/a
	<1*	<2*	n/a
	<1	<2	<1
	<1	<2	<1
SPRING B	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
TSP-1	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1	<2	<1
	<1	<2	<1
TSP-2	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a

NABORS Landfill Historic Data through November 2024

Well/Spring ID	o-Xylene (ug/l)	m,p-Xylene (ug/L)	4-Methyl-2- pentanone (ug/L)
	n/a	n/a	n/a
	n/a	n/a	n/a
	<1	<2	<1
	<1	<2	<1
TSP-3	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1	<2	<1
TSP-4	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	n/a	n/a	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1*	<2*	n/a
	<1	<2	<1