REPORT OF APRIL 2022 GROUNDWATER MONITORING EVENT

AFIN: 03-00051
PMT#: 0249-S1-R2
Received
By Kacy Murillo at 12:43 pm, Apr 24, 2023
DOC ID#: 83910
TO: MM>FILE <KM

NABORS Landfill

Three Brothers, Arkansas

Revision 1
April 2023

Client:
ARKANSAS DEPARTMENT OF ENERGY & ENVIRONMENT
Division of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118-5317
Phone: 501-682-0837
Contact: Mr. Clay McDaniel
Engineer, Assessment & Remediation
Office of Land Resources
Clay.McDaniel@adeq.state.ar.us

STATE OF ARKANSAS
REGISTERED PROFESSIONAL GEOLOGIST
No. 1820
THOMAS ALLEN HUETTER
4/21/2023

ARKANSAS ENERGY & ENVIRONMENT

Prepared by:
Harbor Environmental and Safety
5800 Evergreen Drive
Little Rock, Arkansas 72205
Phone: 501.663.8800

Page Intentionally Blank

Table of Contents

1.0 Introduction....1
1.1 Geologic Setting....1
1.2 Site Background....2
1.3 Previous Investigations....3
1.4 Groundwater Monitoring Network....3
1.5 Leachate Sampling....4
1.6 Investigative-Derived Wastes....4
1.7 Assessment Monitoring Constituents....4
2.0 Field Activities and Sampling Methodology....5
2.1 Well/Spring Assessment and Water Level Measurement....6
2.2 Monitoring Well Purging and Sampling....6
2.3 Spring Sampling....7
2.4 Leachate Sampling....7
2.5 Equipment Decontamination....7
2.6 Sample Documentation and Shipment....7
2.7 Field QC Sample Objectives and Collection Frequency....8
2.8 Sample Identification, Collection, Processing and Documentation....9
2.9 Equipment Calibration....9
3.0 Groundwater Analytical Results....10
3.1 Conceptual Groundwater Flow....10
3.2 Groundwater Analytical Results....14
3.3 Statistical Analysis....27
4.0 Leachate Analytical Results....31
5.0 Quality Assurance/Quality Control Results....32

LIST OF FIGURES:

Figure 1 Site Location Map
Figure 2 Assessment Monitoring Points and Potentiometric Surface Map

LIST OF TABLES:

Table 1-1 Summary of Assessment Monitoring Points
Table 1-2 Field Parameters and Assessment Monitoring Constituents
Table 3-1 Summary of Field Parameters
Table 3-2 Summary of Inorganic Parameter Analyses
Table 3-3 Summary of Organic Parameter Analyses
Table 3-4 Summary of Statistical Trends
Table 3-5 Summary of LCL Exceedances
Table 4-1 Summary of Leachate Analysis Results

APPENDICES:

Appendix A – Field Forms and Notes
Appendix B – Laboratory Analytical Results
Appendix C – Statistical Plots
Appendix D – Historical Database

Acronyms and Abbreviations

ADE&E	Arkansas Department of Energy and Environment
ADEQ	Arkansas Department of Environmental Quality
AMC	Assessment monitoring constituent
amsl	Above mean sea level
bgs	Below ground surface
°C	Degrees Celsius
cm/sec	Centimeter per second
CV	Coefficient of Variation
DEQ	Division of Environmental Quality
DO	Dissolved oxygen
DNF	Did not flash
Dup	Duplicate
EB	Equipment blank
EPA	U.S. Environmental Protection Agency
ft/ft	Foot per foot
GW	Groundwater
GWPS	Groundwater Protection Standard
GGH	Grubs, Garner & Hoskin, Inc.
Harbor	Harbor Environmental and Safety
HASP	Health and Safety Plan
ID	Identification
IDW	Investigation-derived waste
J	Estimated value
LDPE	Low-density polyethylene
LE	Landfill Entrance (seep)
LLDPE	Linear low-density polyethylene
LCL	Lower Confidence Limit
MCL	Maximum Contaminant Level
mg/L	milligrams per liter
MS/MSD	Matrix spike and matrix spike duplicate
mV	Millivolt
NABORS	North Arkansas Board of Regional Sanitation
NPDWR	National Primary Drinking Water Regulations
NS	Not sampled
NSDWR	National Secondary Drinking Water Regulations
NTU	Nephelometric turbidity units
ORP	Oxidation-reduction potential
PG	Professional Geologist
PVC	Polyvinyl chloride
QA/QC	Quality Assurance/Quality Control
RSL	Risk-based screening levels
RPD	Relative percent difference

Acronyms and Abbreviations (continued)

SAP	Sampling and Analysis Plan
SMCL	Secondary Maximum Contaminant Level
TD	Total depth
TDS	Total dissolved solids
TOC	Total organic carbon
TOC	Top of casing
UCL	Upper Confidence Limit
UG	Unified Guidance
USGS	United States Geological Survey
UTV	Utility Terrain Vehicle
µS/cm	Micro-Siemens per centimeter
µg/L	Micrograms per liter
VOC	Volatile organic compound

1.0 Introduction

This report summarizes the April 2022 groundwater assessment monitoring event at the North Arkansas Board of Regional Sanitation (NABORS) Landfill (the "facility" or the "site") near Three Brothers, Baxter County, Arkansas. Field work was conducted by Harbor Environmental and Safety (Harbor) on April 18-20, 2022 (and May 4, 2022, to collect a sample from monitoring well NAB-8). All groundwater sampling activities were directed by an Arkansas-registered Professional Geologist (PG). This report was prepared for the Arkansas Department of Energy and Environment (ADE&E), Division of Environmental Quality (DEQ), formerly known as the Arkansas Department of Environmental Quality (ADEQ).

The NABORS Landfill is located approximately 0.7-mile northeast of the community of Three Brothers, Arkansas, which is approximately nine miles north/northwest of Mountain Home in Baxter County, Arkansas. The facility location is further described as being in portions of Sections 25, 26, 35, and 36, Township 21 North, Range 14 West, at latitude 36.46339 N and longitude 92.44402 W. A site location map is included as Figure 1.

The facility consists of approximately 56 acres west of Arkansas State Highway 5. Areas surrounding the facility are rural and sparsely populated. Land use is largely agricultural and consists of cleared pasture for cattle farming or is wooded and undeveloped. Review of the United States Geological Survey (USGS) 7.5-minute topographic map of the area (Midway, AR quadrangle) shows moderate topographic relief across the area with elevations ranging from approximately 900 feet above mean sea level (amsl) to over 1,100 feet amsl at the site. The facility is situated on top of a drainage divide. The site drainage is to the east, south, and west to several named and unnamed tributaries of Pigeon Creek, which flows southeast into Norfork Lake, an impoundment of the North Fork of the White River.

1.1 Geologic Setting

The site is located in the Ozark Plateaus physiographic province, which consists of Pennsylvanian to Ordovician-aged, mostly marine deposited sedimentary rocks. The Ozark Plateaus province is comprised of three plateaus, from youngest to oldest, the Boston Mountains in the south, the Springfield Plateau to the west, and the Salem Plateau to the east. The site is located in the Salem Plateau, where the surface geology consists primarily of dolostone, with some limestone and sandstone.

Review of the Geologic Worksheet of the Midway quadrangle (Glick, 1974) shows that the site and surrounding areas are underlain by the early Ordovician-aged Cotter Dolomite. According to the Stratigraphic Summary of Arkansas (McFarland 1998), the "Cotter Dolomite is composed of dolostone of predominantly two types: a fine-grained, argillaceous, earthy textured, relatively soft, white to buff or gray dolostone called "cotton rock," and a more massive, medium-grained, gray dolostone that weathers to a somewhat hackly surface texture and becomes dark on exposure. The formation contains chert, some minor beds of greenish shale, and occasional thin interbedded

sandstone. The chert nodules associated with the Cotter frequently have concentric light and dark bands."

Several DEQ documents available via download from their website (www.adeq.state.ar.us) were reviewed to evaluate existing geology at the site. Primary amongst these documents was the original Geotechnical and Hydrogeological Study prepared by Grubs, Garner & Hoskin, Inc. (GGH) in 1987. Their report described three typical stratums below the site. Stratum I consisted of tan and brown sandy silt with chert fragments to depths of 1.5 to 3.5 feet below ground surface (bgs). Stratum II consisted of reddish tan to tan silty clay with chert to depths up to 55 feet bgs. Stratum III consisted of medium hard to hard gray and tan dolomite with chert interbedded with greenish gray and dark gray shale layers.

Usable sources of groundwater in this region occur within the Ozark Plateaus aquifer system, which consists of three distinct water-bearing zones separated by two distinct confining units *(Groundwater Atlas of the United States, Segment 5 – Arkansas, Louisiana, Mississippi, 1998)*. The uppermost aquifer in this system, the Springfield Plateau aquifer, is absent at the site and surrounding areas. The primary aquifer in use below the site and surrounding areas is the Ozark aquifer, which consists of the Ordovician-aged stratigraphic units that underlie the site (Cotter Dolomite). Although the Cotter Dolomite is used for low-yield domestic wells in the vicinity of the site, the primary water-bearing zones below the site include the Rubidoux Formation and the Gunter Sandstone Member of the Van Buren Formation. The uppermost occurrence of groundwater below the site occurs in the pore spaces of overburden soils and weathered rock at the soil-rock interface, and in fractures, bedding planes, and solution cavities in the underlying bedrock.

1.2 Site Background

Solid Waste Permit No. 0249-S was originally issued to RLH, Inc. by the Arkansas Department of Pollution Control & Ecology (predecessor to ADEQ) in 1988 to begin operations as a Class I landfill. In 2005, NABORS took over operations at the landfill and the permit was transferred accordingly. NABORS operated the landfill under this permit until a new permit was issued in 2006 (No. 0249-S1-R2). NABORS continued operating the landfill until November 2012 when it ceased accepting waste. NABORS began conducting post-closure activities in late 2012; however, due to financial constraints, they could not fulfill their obligations. At this time, closure activities were taken over by DEQ. In addition, DEQ also took over leachate management at the facility. Currently, leachate is stored in aboveground storage tanks at the facility. Leachate is periodically transported to the City of Springfield, Missouri for disposal under Wastewater Contribution Permit No. 593, which was issued in September 2016. The landfill has been capped with ClosureTurf® over a 12-inch intermediate soil cover. The ClosureTurf® consists of a 40-mil linear low-density polyethylene (LLDPE) microspike geomembrane overlain by an engineered synthetic turf and 0.5-inch sand layer.

1.3 Previous Investigations

As required by the permit, ongoing groundwater monitoring is being conducted at the facility. A series of monitoring points have been established and expanded over time as a result of detections of volatile organic compounds (VOCs) and metals in several of the wells. Currently, the monitoring network consists of a network of two-inch monitoring wells and natural springs within and around the facility.

1.4 Groundwater Monitoring Network

The NABORS landfill currently has 24 two-inch polyvinyl chloride (PVC) monitoring wells and 13 documented springs and seeps, referred to as monitoring points. Due to the recent closure activities, access to some of the wells, springs and seeps has been affected. Table 1-1 below summarizes the monitoring points and their current condition. Figure 2 attached to this report shows the monitoring point locations.

Table 1-1 – Summary of Monitoring Points

Monitoring Wells	Status	Sampled (Y/N)
MW-1	Well intact and accessible by vehicle.	Y
MW-1R	Well intact and accessible by vehicle.	Y
MW-2	Well intact and accessible by foot behind new chain link fence.	Y
MW-3	Well has been extended and is accessible by utility terrain vehicle (UTV). Behind new chain link fence.	Y
MW-4	Well intact and accessible by UTV. Behind new chain link fence.	Y
MW-5	Well intact but direct access blocked due to erosion. Equipment was carried on foot. Behind new chain link fence.	Y
MW-6	Well intact and accessible by UTV. Access road needs clearing.	Y
MW-7	Well intact and accessible by UTV. Access road needs clearing.	Y
CAO-1	Well intact and accessible by vehicle.	Y
CAO-2	Well has been extended and is accessible by UTV. Behind new chain link fence.	Y
CAO-3	Well intact and accessible by UTV.	Y
NAB-2	Well has been extended and is accessible by UTV.	Y
NAB-3	Well intact and accessible by UTV. Access road needs clearing.	Y
NAB-4	Well has been extended but is on steep slope with dense vegetation. Partially accessible by UTV. Behind new chain link fence.	Y
NAB-7	Well intact and accessible by UTV. Access road needs clearing.	Y
NAB-8	Well is accessible by vehicle. Purged with bailer – initially insufficient volume of water to collect sample. Sample collected on May 4, 2022.	Y
MW-509D	Well on top of topographic mound, but mostly accessible by UTV. Grading would help access.	Y
MW-577	Well on top of topographic mound, but mostly accessible by UTV. Grading would help access.	Y

Table 1-1 – Summary of Monitoring Points (continued)

Monitoring Wells	Status	Sampled (Y/N)
MW-633D	Well intact and accessible by vehicle.	Y
MW-689D	Well intact and accessible by UTV. Access road needs clearing.	Y
NE-2	Well intact and accessible by foot only. Need better access. Purged and sampled with bailer.	Y
NE-3	Well intact and accessible by UTV. Access road needs clearing.	Y
NE-4	Well intact and accessible by foot only. Need better access.	Y
NE-6	Well intact and mostly accessible by UTV.	Y
Springs/Seeps	**Status**	**Sampled (Y/N)**
Entrance seep	Flowing, collected sample.	Y
Spring A	Flowing, collected sample.	Y
Spring B	No flow observed.	N
TSP-1	Flowing, collected sample.	Y
TSP-2	No flow observed.	N
TSP-3	No flow observed.	N
TSP-4	Flowing, collected sample.	Y
Class I Draw	Flowing, collected sample.	Y
Class IV Draw	Flowing, collected sample.	Y
SP-4	Flowing, collected sample.	Y
SP-5	No flow observed.	N
SP-7	Flowing, collected sample.	Y
Spring near NE-3	Flowing, collected sample.	Y

1.5 Leachate Sampling

Semi-annual monitoring of the landfill leachate is required under the City of Springfield wastewater contribution permit. A leachate sample (plus duplicate) was collected and included as part of the assessment monitoring. A summary of the leachate analysis is included in Section 4.0 below.

1.6 Investigative-Derived Wastes

Investigative-derived wastes (IDW) generated during the groundwater sampling event included purged groundwater, decontamination water, and expendables (e.g., nitrile gloves, plastic sheeting, plastic tubing, bailers, etc.). Purge and decontamination water were disposed of onsite into the leachate collection system. Expendables were placed in garbage bags for disposal offsite.

1.7 Assessment Monitoring Constituents

The Assessment Monitoring Constituents (AMCs) were established based on the Arkansas Pollution Control and Ecology Commission Regulation 22 assessment monitoring requirements. The designated AMCs for groundwater are summarized in Table 1-2 below. In addition, field-

monitoring parameters are also listed in Table 1-2. Specific laboratory analytical methods for the AMCs are listed in Tables 3-3 and 3-4 in Section 3.0 below.

Table 1-2 – Field Parameters and Assessment Monitoring Constituents

Field Parameters		
Dissolved Oxygen (DO)	pH	Temperature
Oxidation-Reduction Potential (ORP)	Specific Conductance	Turbidity
Indicator Parameters		
Chloride	Sulfate	Total Dissolved Solids (TDS)
Cyanide	Sulfide	Total Organic Carbon (TOC)
Volatile Organic Compounds		
Acetone	1,4-Dichlorobenzene	Styrene
Acrylonitrile	trans-1,4-Dichloro-2-butene	1,1,1,2-Tetrachloroethane
Benzene	1,1-Dichloroethane	1,1,2,2-Tetrachloroethane
Bromochloromethane	1,2-Dichloroethane	Tetrachloroethene
Bromodichloromethane	cis-1,2-Dichloroethene	Toluene
Bromomethane	trans-1,2-Dichloroethene	1,1,1-Trichloroethane
Carbon disulfide	1,2-Dichloropropane	1,1,2-Trichloroethane
Carbon tetrachloride	cis-1,3-Dichloropropene	Trichloroethene
Chlorobenzene	trans-1,3-Dichloropropene	Trichlorofluoromethane
Dibromochloromethane	Ethylbenzene	1,2,3-Trichloropropane
Chloroethane	2-Hexanone	Vinyl acetate
Chloroform	Iodomethane	Vinyl chloride
Chloromethane	Methyl ethyl ketone	Xylenes
Dibromomethane	Methylene chloride	---
1,2-Dichlorobenzene	4-Methyl-2-pentanone	---
Inorganics		
Antimony	Copper	Selenium
Arsenic	Iron	Silver
Barium	Lead	Thallium
Beryllium	Manganese	Tin
Cadmium	Mercury	Vanadium
Chromium	Nickel	Zinc
Cobalt	---	---

2.0 Field Activities and Sampling Methodology

Sample identification, labeling, preservation, quality assurance/quality control (QA/QC) methods, and laboratory analytical methods were conducted in accordance with the following sections. All field work was conducted in accordance with the site-specific Health and Safety Plan (HASP), included in Appendix A of the previously submitted Sampling and Analysis Plan (SAP).

2.1 Well/Spring Assessment and Water Level Measurement

Prior to sample collection, each well or spring was visually evaluated for physical condition including condition of riser and well pad, presence of locking device, and presence of any biohazards such as wasps, snakes, etc. Photographs were taken to document the condition of the wells as needed. After each well riser was opened and the internal well cap removed, an electronic water level indicator was used to measure static groundwater level and total depth of each well. The static water level was allowed to equilibrate to atmospheric pressure prior to recording the final depth. Groundwater levels (measured to the nearest 0.01-foot) and total depths (TDs, measured to the nearest 0.1-foot) were measured from the surveyed reference mark on the top of the well casing (if available), or from the highest point of the well casing if no survey reference mark was present. Groundwater depths and total depths were recorded on a Groundwater Sampling Record (see Appendix A – Field Forms) prepared for each well or spring.

2.2 Monitoring Well Purging and Sampling

Most of the wells were purged utilizing the low-flow sampling technique. Wells were purged utilizing either a centrifugal submersible pump or an aboveground peristaltic pump. A peristaltic pump was used for shallower wells (generally 25 feet or less) in which only the low-density polyethylene (LDPE) tubing was lowered into the well. On deeper wells, a stainless-steel or polyethylene submersible pump with dedicated LDPE tubing was gently lowered into each well to a point within the screened interval of the well. Regardless of pump type, the discharge tubing was connected to a flow-through cell to enable measurement of field parameters by a multi-parameter instrument. Field parameters measured included DO, ORP, pH, specific conductance, temperature, and turbidity. All field meters were calibrated daily per the manufacturer's recommendations prior to sampling (see Appendix A – Field Forms).

The United States Environmental Protection Agency's (EPA's) *Low-Flow (Minimal Drawdown) Groundwater Sampling Procedures* (April 1996) was generally utilized to purge and sample the wells. Once the field parameters had stabilized, turbidity was less than 10 nephelometric turbidity units (NTUs), and minimal drawdown had occurred, the wells were sampled. Groundwater is considered stabilized if the field parameters are within ten percent for three consecutive readings. All data collected was recorded on Groundwater Sampling Records.

Upon stabilization, the discharge tube was disconnected from the flow-through cell and groundwater samples were collected from each well and placed in laboratory-supplied pre-preserved containers. Samples were collected in order of volatility – VOCs, TOC, then indicator parameters, then inorganics. The samples were properly labeled and preserved on ice. Final field measurements and other sampling information (date and time, sample identification (ID) numbers) were recorded on the Groundwater Sampling Record. Wells that could not be purged and sampled with the low-flow technique (NAB-8 and NE-2) were bailed dry and allowed to recharge overnight. NE-2 was sampled the following morning with the bailer. NAB-8 could not be sampled the following day due to very low well volume; however, this well was sampled during the next bi-weekly site inspection on May 4, 2022.

2.3 Spring Sampling

Prior to collecting groundwater samples from the springs, a multi-parameter instrument was utilized to measure the field parameters at each spring. Data was recorded on a Spring Sampling Record located in Appendix A. Springs were sampled by dipping the sample container directly into the spring flow where practical. Samples were collected from the Landfill Entrance Seep, Spring A, TSP-1, TSP-4, Class I draw spring, Class IV draw spring, SP-4, SP-7, and NE-3 spring.

2.4 Leachate Sampling

As previously noted, a leachate sample and a duplicate leachate sample were collected from the leachate tank battery. The samples were collected directly from the tank discharge valve located on the southeast side of the tank farm. The leachate samples were appropriately labeled and preserved on ice for later transport to the analytical laboratory under chain-of-custody. The leachate samples were analyzed for the constituents required under the City of Springfield wastewater contribution permit. Additional information regarding analytes and analytical procedures for the leachate samples are provided in Section 4.0 below.

2.5 Equipment Decontamination

All non-dedicated groundwater sampling equipment, such as the submersible pump and the water level indicator, was properly decontaminated before first use and between wells using the following procedure:

- Wash equipment using tap water and phosphate-free soap (e.g., Liquinox™);
- Turn pump on to allow soap solution to clean internal portion of pump;
- Thoroughly rinse equipment with potable water (including running pump);
- Double-rinse equipment with organic-free deionized water (including running pump); and
- Allow equipment to air dry and wrap in aluminum foil (if not used immediately).

The decontamination area contained a gross wash bucket with brush, tap water sprayer, deionized water sprayer, and equipment drying area. Plastic sheeting was used to contain any spills from the decontamination process. New polyethylene tubing was used for each well and did not require decontamination.

2.6 Sample Documentation and Shipment

Field notes were kept by each employee in a bound logbook using indelible ink. Information recorded included date, weather, site personnel, sampling procedures, site conditions, sample locations and ID codes, sampling dates and times, record of onsite arrival and departure, explanation of photographs, visual observations, sample handling or management procedures, deviations from the SAP, and any other pertinent site or project information. Harbor documented any abnormal conditions observed, such as damaged wells or other infrastructure, by photograph.

Notes pertaining to any photographs taken were written in the field logbook. Groundwater sample collection forms were completed for each well or spring sampled. Completed field forms are included in Appendix A.

All samples were labeled according to the existing monitoring point network as listed in Table 1-1 of Section 1.4. The designated laboratory, Arkansas Analytical, Inc. of Little Rock, provided appropriate sample containers with pre-printed labels. In general, each label contained the following information: date, time, sample ID number, preservatives, and requested analysis.

A chain-of-custody form was completed for the samples collected and submitted to the designated laboratory for analysis. The chain-of-custody provides chronological documentation, or a paper trail, showing the collection, custody, control, transfer, analysis, and disposition of the samples. Information on the chain-of-custody includes general project information, personnel contact information, sample code identification, date and time of sampling, sample type, containers, preservatives, requested analyses, sampler signature, and shipping/delivery information. The chain-of-custody was transferred from Harbor to Arkansas Analytical upon hand-delivery of the sample ice chest(s) to the laboratory. Copies of the chains-of-custody are included in Appendix B – Analytical Results.

Tamper-evident custody seals were secured on the sample ice chests when the ice chests were not in Harbor's custody. When this occurred, the ice chests were locked in a vehicle, hotel room, or other secure structure. The custody seals were signed, dated, and placed on the lid of the ice chests to assure that the ice chests are not tampered with. The samples were hand delivered on October 8, 2021, at 0803 to Arkansas Analytical to ensure that hold times were met.

2.7 Field QC Sample Objectives and Collection Frequency

Primary measurements for field (and laboratory) QA/QC were derived from blind duplicate samples, matrix spike/matrix spike duplicate (MS/MSD) samples, rinsate (equipment) blanks, field blanks, and trip blanks collected in the field. QC samples utilized in the field during the groundwater monitoring event include field duplicates, rinsate blanks, and trip blanks. MS/MSD samples were prepared by the lab.

A field duplicate is an identical sample collected from the same location, at the same time, under identical conditions as the investigative sample. Field duplicate samples are analyzed along with the original to ascertain procedural precision and inherent source variability. Two field duplicate samples were collected (5 percent) and analyzed for the same parameters as the associated investigation samples.

Rinsate (or equipment) blanks were collected by pouring distilled water over decontaminated sampling equipment (e.g., pump, water level indicator) and into a sample container. These blanks assess cross-contamination from improper decontamination. Equipment rinsate samples were collected at a rate of one per day.

Trip blanks prepared by the analytical laboratory were shipped with each cooler. Trip blanks were kept unopened in the sample coolers until the collected samples and coolers were returned to the lab for analysis. The trip blanks were then opened in the laboratory and analyzed for VOCs along with the investigative field samples. One trip blank per cooler was analyzed.

MS/MSD analyses are conducted by the laboratory to assess the heterogeneity of contaminant concentrations in the groundwater samples. MS/MSD samples were analyzed at a rate of 1 in 20 samples (5 percent) per matrix for the same parameters as the associated investigation samples.

2.8 Sample Identification, Collection, Processing and Documentation

Samples were collected and labeled according to the existing well and spring identification numbers. The following is a list of general sampling procedures and practices implemented during the groundwater sampling event to ensure consistency during sample collection.

- Pre-cleaned sample containers were provided by the designated laboratory.
- Sampler(s) donned clean pairs of protective Nitrile gloves between sampling locations and intervals.
- Samples for laboratory analysis were collected using either a peristaltic pump with dedicated polyethylene tubing, a decontaminated submersible pump (polyethylene or stainless-steel) with new disposable polyethylene tubing, or a disposable polyethylene bailer.
- All non-disposable sampling equipment was decontaminated in accordance with the procedures outlined in Section 2.5 above.
- Sample containers were labeled immediately prior to sample collection, and collected samples were preserved on ice in an ice chest.

2.9 Equipment Calibration

Field meters (pH, temperature, specific conductance, DO, ORP, and turbidity) were calibrated daily prior to use per the manufacturer's specifications. Calibration data was recorded on a calibration log and also in the field logbook. Field calibration logs are included in Appendix A.

3.0 Groundwater Analytical Results

The groundwater samples were delivered to Arkansas Analytical under proper chain-of-custody for analysis of the project AMCs. Depth to groundwater and total depth of each well were all measured on the first day of field work. This information is listed in Table 3-1 below. Groundwater elevations were utilized to prepare a potentiometric surface map, which is included as Figure 2 of this report. Field parameters (DO, specific conductance, ORP, pH, temperature and turbidity) were monitored during groundwater purging of wells to ensure that the well water had stabilized prior to sampling. The final field readings for each well prior to sampling are also listed in Table 3-1 below. Additionally, field parameters were measured at each spring location prior to sampling. Groundwater Sampling Records, completed for each sampling point, are included in Appendix A of this report.

3.1 Conceptual Groundwater Flow

The 24 monitoring wells in use for groundwater monitoring activities at the landfill were utilized to construct the potentiometric surface map. Figure 2 attached to this report shows the potentiometric groundwater surface below the site. The highest groundwater elevation during this event was measured in monitoring wells MW-1 and CAO-1, located east and south of Area 1-2, respectively. The lowest groundwater elevation occurred in monitoring well NE-3, located southeast of Area 1-3. The landfill is situated on a topographic high spot. Several monitoring wells (CAO-1, MW-1, MW-1R, MW-509D, MW-633D, MW-7, and NAB-7) define the highest groundwater elevations at the site. Groundwater generally flows radially outward and downward from these points.

Review of the 1987 Geotechnical and Hydrogeological Study prepared by GGH indicated an average hydraulic conductivity of 1.0×10^{-3} centimeters per second (cm/sec) for the unconfined aquifer below the site. Porosity in dolomite bedrock ranges from 0–20 percent but could be higher in soils and weathered rock above the bedrock. For consistency in calculating groundwater flow velocity at the site, Harbor utilized a porosity of ten percent and an effective porosity of nine percent (as utilized in previous groundwater sampling events).

The hydraulic gradient in the Area 1-2 portion of the landfill was calculated by comparing the upgradient well, MW-1R, to a downgradient well, MW-5. The change in head of 70.81 feet between the two wells over a distance of approximately 1,432 feet produces a hydraulic gradient of 0.049 foot per foot (ft/ft).

The hydraulic gradient in the Area 1-3 portion of the landfill was calculated by comparing the upgradient well, MW-1R, to a downgradient well, NAB-3. The change in head of 99.64 feet between the two wells over a distance of approximately 1,811 feet produces a hydraulic gradient of 0.055 ft/ft.

The hydraulic gradient was then used to calculate the average linear groundwater velocity (for unconfined conditions) for Areas 1-2 and 1-3 utilizing the following equation:

$$V_x = \frac{Ki}{n_e}$$

where, V_x is the average linear velocity (cm/sec), K is the hydraulic conductivity (cm/sec), i is the hydraulic gradient (ft/ft), and n_e is the effective porosity (%). From this, the following groundwater velocities were obtained for Areas 1-2 and 1-3:

Area 1-2:

$$\frac{(0.001\ cm/sec)(0.049\ ft/ft)}{0.09} = 5.44\text{x}10^{-4}\ \text{cm/sec or } 1.56\ \text{ft/day}$$

Area 1-3:

$$\frac{(0.001\ cm/sec)(0.055\ ft/ft)}{0.09} = 6.11\text{x}10^{-4}\ \text{cm/sec or } 1.73\ \text{ft/day}$$

Table 3-1 – Summary of Field Parameters

Well/ Spring ID	Sample Date	Sample Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)	Dissolved Oxygen (mg/L)	Specific Conductance (µS/cm)	Oxidation-Reduction Potential (mV)	pH (standard units)	Temperature (°C)	Turbidity (NTU)
CAO-1	4/19/22	0945	1026.40	26.80	999.60	36.8	0.64	1594	- 57.5	6.18	16.0	6.7
CAO-2	4/19/22	1220	991.58	23.06	968.52	45.6	1.24	857	62.4	6.45	16.1	1.6
CAO-3	4/19/22	0845	984.20	7.43	976.77	23.1	2.28	258	130	6.76	12.1	5.8
MW-1	4/19/22	1845	1067.26	66.10	1001.16	77.2	0.68	1451	- 60.9	6.22	17.0	3.3
MW-1R	4/19/22	1855	1067.57	69.09	998.48	78.6	0.29	1429	- 46.3	6.40	17.1	39.6
MW-2	4/19/22	1450	1001.21	31.28	969.93	48.7	0.60	751	- 9.9	6.92	16.6	0.6
MW-3	4/19/22	1615	1000.81	32.23	968.58	39.6	0.54	1189	40.7	6.35	17.1	0.2
MW-4	4/19/22	1017	1012.11	86.61	925.50	99.9	4.78	675	105.3	6.93	15.9	3.6
MW-5	4/19/22	0849	1004.38	76.71	927.67	89.0	3.82	770	177.9	6.61	14.6	11.0
MW-6	4/19/22	1730	1000.38	55.51	944.87	68.3	0.63	869	73.5	6.80	14.8	1.5
MW-7	4/18/22	1730	999.66	6.14	993.52	22.9	1.02	369	80.4	6.99	12.7	0.5
MW-509D	4/19/22	1030	1014.20	15.95	998.25	39.7	4.58	625	55.9	6.64	14.1	9.6
MW-577	4/19/22	1345	982.60	41.19	941.41	55.2	0.67	820	11.1	6.82	16.8	9.1
MW-633D	4/19/22	1146	1050.10	63.14	986.96	88.1	0.64	660	124.7	6.95	16.4	64.1
MW-689D	4/19/22	1115	966.20	25.31	940.89	43.8	0.92	550	- 59.7	6.92	15.6	4.8
NAB-2	4/19/22	1641	1004.94	74.18	930.76	102.8	1.21	792	159.5	6.80	16.2	7.4
NAB-3	4/18/22	1510	921.49	22.65	898.84	46.3	1.46	451	72.5	6.94	13.9	7.4
NAB-4	4/19/22	1313	1015.41	115.86	899.55	140.0	0.90	898	146.6	6.60	17.5	19.2
NAB-7	4/18/22	1550	1012.36	20.77	991.59	43.7	3.07	382	77.3	6.85	13.0	4.1
NAB-8	5/4/22	1145	1050.38	81.95	968.43	85.6	5.65	530	120.7	6.95	16.3	2.71
NE-2	4/20/22	0822	976.98	49.92	927.06	63.0	6.44	1320	153.2	7.08	15.3	4.52
NE-3	4/18/22	1335	846.91	5.85	841.06	27.8	1.34	396	25.0	7.27	12.7	8.0
NE-4	4/19/22	1744	1009.85	58.91	950.94	112.2	0.77	647	150.3	6.97	15.8	15.1
NE-6	4/18/22	1640	901.42	4.75	896.67	18.2	0.61	476	53.6	6.86	13.2	0.4

Table 3-1 – Summary of Field Parameters (continued)

Well/ Spring ID	Sample Date	Sample Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)	Dissolved Oxygen (mg/L)	Specific Conductance (µS/cm)	Oxidation-Reduction Potential (mV)	pH (standard units)	Temperature (°C)	Turbidity (NTU)
Class I Draw	4/19/22	0900	—	—	—	—	10.38	153	56.8	7.42	11.0	12.7
Class IV Draw	4/19/22	1543	—	—	—	—	8.18	422	156.5	7.74	13.4	10.1
LE Seep	4/18/22	1615	—	—	—	—	4.77	535	47.0	6.68	15.4	6.0
NE-3 Spring	4/18/22	1400	—	—	—	—	4.93	253	54.3	7.13	11.6	6.6
Spring A	4/18/22	1745	—	—	—	—	8.90	139	106.7	7.54	13.7	45
Spring B	NS	NS	—	—	—	—	—	—	—	—	—	—
SP-4	4/19/22	0931	—	—	—	—	8.63	531	17.2	6.87	11.5	9.0
SP-5	NS	NS	—	—	—	—	—	—	—	—	—	—
SP-7	4/18/22	1546	—	—	—	—	7.51	252	142.8	7.10	14.0	11.9
TSP-1	4/18/22	1706	—	—	—	—	5.28	144	421.8	6.91	12.3	0.6
TSP-2	NS	NS	—	—	—	—	—	—	—	—	—	—
TSP-3	NS	NS	—	—	—	—	—	—	—	—	—	—
TSP-4	4/18/22	1415	—	—	—	—	9.60	282	70.8	7.95	15.9	7.7

Notes: All groundwater depths in the monitoring wells were measured on 4/18/22. NS – not sampled; TOC – top of casing; amsl – above mean sea level; GW – groundwater; TD – total depth; mg/L – milligrams per liter; µS/cm – micro-Siemens per centimeter; mV – millivolts; °C – degrees Celsius; NTU – nephelometric turbidity units; LE – Landfill Entrance; dash indicates data not available or applicable for sample location.

3.2 Groundwater Analytical Results

The results of the laboratory analysis of the groundwater samples are summarized in Tables 3-2 and 3-3 below. The results were compared to the US EPA National Primary Drinking Water Regulations (NPDWR) – Maximum Contaminant Levels (MCLs) and the National Secondary Drinking Water Regulations (NSDWR) secondary maximum contaminant levels (SMCLs). MCLs are legally enforceable primary standards that protect public health by limiting the levels of contaminants in drinking water. The NSDWR SMCLs are non-mandatory (non-enforceable) contaminant levels that have been established for 15 contaminants. The SMCLs are established as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. Some AMCs were compared to regional screening levels (RSLs) which have been established by EPA in lieu of or in addition to MCLs. The RSL used for comparison purposes was the residential tapwater screening level. Significant constituent detections that exceeded the MCLs or RSLs are discussed in the following paragraphs. The results of inorganic laboratory analyses are summarized in Table 3-2 below. The letter "J" indicates the value was estimated by the lab. Exceedances are listed below:

- Sulfate was detected in the sample from NE-2 at a concentration of 295 mg/L, which exceeded the SMCL of 250 mg/L for sulfate.
- TDS was measured in the samples from CAO-1, MW-1, MW-1R, MW-3, MW-577, and NE-2 at concentrations ranging from 581 to 842 mg/L. The detected concentrations exceeded the SMCL of 500 mg/L for TDS.
- Arsenic was detected in all of the monitoring well and spring samples at concentrations that exceeded the RSL of 0.052 micrograms per liter (µg/L) for arsenic. The arsenic concentrations in samples from CAO-1, MW-1, MW-1R, NAB-2, and Spring SP-4 ranged from 12.5 to 164 µg/L, which exceeded the MCL of 10 µg/L for arsenic.
- Beryllium was detected in the sample from CAO-2 at a concentration of 73.1 µg/L which exceeded the MCL of 4.0 µg/L and RSL of 25 µg/L for beryllium.
- Cadmium was detected in the samples from MW-509D, MW-509D duplicate, MW-633D, and NAB-4 at concentrations ranging from 2.04 to 3.53 µg/L, which exceeded the RSL of 1.8 µg/L for cadmium.
- Cobalt was detected in the samples from CAO-1, MW-1, MW-1R, NAB-2, and Spring SP-4 at concentrations ranging from 6.05 to 52.4 µg/L. The detected concentrations exceeded the RSL of 6 µg/L for cobalt.
- Iron was detected in the samples from MW-1, MW-689D, Class I Draw Spring, Landfill Entrance Seep, Spring A, and spring SP-7 at concentrations ranging from 528 to 13,300 µg/L, which exceeded the SMCL of 300 µg/L for iron. Iron was detected in the samples from CAO-1, MW-1R, and Spring SP-4 at concentrations ranging from 15,800 to 25,300 µg/L, which exceeded the RSL of 14,000 µg/L for iron.
- Manganese was detected in the samples from CAO-1, MW-1, MW-1R, NAB-2, NAB-3, NAB-4, Class I Draw Spring, and spring SP-7 at concentrations ranging from 172 to 390 µg/L. The detected concentrations exceeded the SMCL of 50 µg/L for manganese. Manganese was detected in the samples from MW-3, spring SP-4, and the Landfill

Entrance Seep at concentrations ranging from 496 to 5,390 µg/L, which exceeded the RSL of 430 µg/L for manganese.

- Mercury was detected in the samples from CAO-2, MW-1R, and MW-633D at concentrations ranging from 0.672 to 1.84 µg/L, which exceeded the RSL of 0.63 µg/L for mercury.
- Thallium was detected in the samples from MW-1R, MW-3, NAB-4 and Spring SP-4 at concentrations ranging from of 0.257 J to 0.981 µg/L, which exceeded the RSL of 0.2 µg/L for thallium.

The results of the organic laboratory analyses are summarized in Table 3-3 below. Exceedances are listed below:

- TOC was detected in 11 of the wells and all of the sampled springs at concentrations ranging from 1.02 to 9.98 mg/L. No screening levels have been established for TOC.
- Benzene was detected in the samples from CAO-1, MW-1, MW-1R, Landfill Entrance Seep, and Spring SP-4 at concentrations ranging from 0.213 J to 4.84 µg/L, which exceeded the RSL of 0.46 µg/L for benzene.
- 1,4-dichlorobenzene was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 3.62 to 4.95 µg/L, which exceeded the RSL of 0.48 µg/L for 1,4-dichlorobenzene.
- 1,1-dichloroethane was detected in the samples from CAO-1, MW-1, MW-1R, and Landfill Entrance Seep at concentrations ranging from 2.21 to 14.3 µg/L, which exceeded the RSL of 2.8 µg/L for 1,1-dichloroethane.
- 1,2-dichloroethane was detected in the samples from MW-1 and MW-1R at concentrations of 0.527 J and 0.399 J µg/L, respectively, which exceeded the RSL of 0.17 µg/L for 1,2-dichloroethane.
- Methyl-tert-butyl ether (MTBE) was detected in the samples from CAO-1, MW-1, and MW-1R at concentrations ranging from 38.9 to 55.0 µg/L, which exceeded the RSL of 14 µg/L for MTBE.
- Trichloroethene was detected in the samples from MW-1 and MW-1R at concentrations of 0.614 J and 0.282 J µg/L, respectively, which exceeded the RSL of 0.49 µg/L for trichloroethene.
- Vinyl chloride was detected in the samples from CAO-1 and Spring SP-4 at concentrations of 0.691 J and 0.471 J µg/L, respectively, which exceeded the RSL of 0.019 µg/L for vinyl chloride. Vinyl chloride was detected in the samples from MW-1 and MW-1R at concentrations of 5.00 and 3.98 µg/L, respectively, which exceeded the MCL of 2 µg/L for vinyl chloride.

Additional VOC constituents were detected at concentrations lower than their respective RSLs or MCLs in several of the wells. These compounds included 2-butanone, chlorobenzene, chloroethane, 1,1-dichloroethane, cis-1,2-dichloroethene, trans-1,2-dichloroethene, 1,2-dichloropropane, MTBE, toluene, and o-xylene. Many of these were "J-flagged" by the analytical laboratory as estimated concentrations.

Page Intentionally Blank

Table 3-2 - Summary of Inorganic Parameter Analyses

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-6 Duplicate	MW-7
								4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/18/2022
								0945	1220	0845	1845	1855	1450	1615	1017	0849	1730	1730	1730
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	**87.3**	**18.2**	**2.42**	**55.4**	**61.3**	**2.67**	**24.1**	**7.20**	**6.43**	**18.3**	**18.3**	**1.28**
Sulfate as SO_4	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	< 0.500	**6.96**	**2.76**	**3.62**	**6.48**	**15.8**	**51.5**	**17.2**	**10.4**	**6.61**	**6.56**	**6.38**
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.8	5	—	—	500	mg/L	**746**	**418**	**140**	**681**	**745**	**367**	**597**	**428**	**450**	**447**	**425**	**302**
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	**0.473 J**	**0.997 J**	< 2.08	< 2.08	< 2.08
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	**164**	**0.456**	**0.131 J**	**18.0**	**116**	**4.02**	**1.14**	**0.428**	**0.586**	**0.390**	**0.383**	**0.215 J**
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	**239**	**73.1**	**21.3**	**144**	**145**	**28.5**	**91.0**	**41.8**	**38.5**	**46.7**	**47.2**	**29.7**
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	**0.137 J**	**0.045 J**	**0.180 J**	**0.041 J**	**0.298**	< 0.260	**1.20**	**0.914**	**0.149 J**	**0.456**	**0.464**	**0.039 J**
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	**0.403**	**0.521**	**0.423**	**0.449**	**1.15**	**0.348**	**0.331**	**0.617**	**1.28**	**0.400**	**0.352**	**0.401**
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	**14.1**	**0.140 J**	< 0.260	**44.7**	**38.9**	**0.054 J**	**0.972**	**0.047 J**	**0.070 J**	**0.041 J**	**0.041 J**	**0.049 J**
Copper	SW 6020B, Rev 2-2014	0.12	0.395	1,300	800	1,000	µg/L	**0.316 J**	**0.309 J**	**0.245 J**	**0.669**	**6.49**	< 0.395	**0.602**	**0.325 J**	**0.518**	**0.281 J**	**0.271 J**	**0.226 J**
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	**25,200**	**9.54 J**	**51.4**	**13,300**	**25,300**	**63.1**	**71.9**	**14.0 J**	**25.5**	**22.3**	**19.0 J**	< 20.8
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	**0.290**	< 0.260	**0.318**	**0.254 J**	**2.40**	< 0.260	**0.211 J**	**0.128 J**	**0.173 J**	< 0.260	< 0.260	< 0.260
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	**390**	**2.80**	< 1.56	**382**	**172**	**5.51**	**496**	**0.808 J**	**1.76**	**0.499 J**	**0.561 J**	**5.11**
Mercury	SW7470A/EPA245.1,3.0- 1994	0.0031	0.200	2.0	0.63	—	µg/L	**0.0700 J**	**0.672**	< 0.200	< 0.200	**1.84**	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.520	—	390	—	µg/L	**38.6**	**1.35**	**0.40 J**	**38.9**	**53.9**	**0.25 J**	**18.4**	**0.90**	**1.80**	**0.79**	**7.94**	**0.19 J**
Selenium	SW 6020B, Rev 2-2014	1.5	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	**0.050 J**	**0.056 J**	< 0.260	< 0.260	**0.981**	< 0.260	**0.498**	**0.174 J**	**0.116 J**	**0.109 J**	**0.114 J**	< 0.260
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	**0.811**	**0.220 J**	**0.267**	**0.183 J**	**0.702**	**0.158 J**	**0.476**	**0.094 J**	**0.145 J**	**0.139 J**	**0.137 J**	**0.065 J**
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	**91.8**	**7.20 J**	**8.60 J**	**81.2**	**500**	< 20.8	**159**	**119**	**38.1**	**41.7**	**42.6**	< 20.8

Exceeds MCL MCL = Maximum Contaminant Level (May 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2022)

Exceeds SMCL SMCL = Secondary Maximum Contaminant Level

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: SO_4 - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Table 3-2 - Summary of Inorganic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	MW-509D	MW-509D Duplicate	MW-577	MW-633D	MW-689D	NAB-2	NAB-3	NAB-4	NAB-7	NAB-8	NE-2	NE-3
								4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/18/2022	4/19/2022	4/18/2022	5/4/2022	4/20/2022	4/18/2022
								1030	1030	1345	1146	1115	1641	1510	1313	1550	1145	0822	1335
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	**2.72**	**2.72**	**2.72**	**16.8**	**1.42**	**6.12**	**3.62**	**5.85**	**3.45**	**1.78**	**9.86**	**1.80**
Sulfate as SO_4	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	**6.09**	**6.11**	**25.1**	**10.3**	**8.70**	**13.5**	**18.0**	**82.4**	**13.5**	**10.6**	**295**	**18.6**
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.800	5.00	—	—	500	mg/L	**315**	**325**	**581**	**393**	**291**	**416**	**368**	**404**	**312**	**360**	**842**	**332**
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	**0.533 J**	< 2.08	< 2.08	< 2.08	**0.771 J**	< 2.08	**0.384 J**	< 2.08	**0.656 J**
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	**0.212 J**	**0.168 J**	**0.998**	**0.379**	**5.08**	**12.5**	**0.550**	**7.62**	**3.16**	**1.68**	**0.567**	**0.390**
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	**29.6**	**28.8**	**24.1**	**66.4**	**31.3**	**60.3**	**39.7**	**52.3**	**25.7**	**32.7**	**24.9**	**125**
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	**3.53**	**3.53**	< 0.260	**2.04**	< 0.260	**0.050 J**	**1.14**	**2.32**	**0.227 J**	**0.207 J**	**0.128 J**	**0.106 J**
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	**0.496**	**0.537**	**0.408**	**1.04**	**0.396**	**1.08**	**0.411**	**1.16**	**0.325**	**0.465**	**0.535**	**0.368**
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	< 0.260	< 0.260	< 0.260	**0.140 J**	**0.082 J**	**6.05**	**0.336**	**0.805**	**0.126 J**	**0.038 J**	**0.106 J**	**0.111 J**
Copper	SW 6020B, Rev 2-2014	0.120	0.395	1,300	800	1,000	µg/L	**0.207 J**	**0.261 J**	< 0.395	**0.839**	**0.274 J**	**0.345 J**	**1.36**	**0.942**	**0.145 J**	**1.06**	**0.999**	**0.316 J**
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	**8.61 J**	< 20.8	**90.7**	**40.3**	**1,290**	**173**	**42.5**	**165**	**233**	**49.4**	**159**	**25.8**
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	< 0.260	< 0.260	< 0.260	**0.233 J**	**0.539**	**1.15**	**0.685**	**1.60**	**3.87**	**0.309**	**0.154 J**	< 0.260
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	< 1.56	< 1.56	**5.00**	**12.9**	**8.55**	**240**	**282**	**183**	**2.84**	**3.23**	**1.96**	**12.8**
Mercury	SW7470A/EPA245.1,3.0- 1994	0.00310	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	**0.730**	< 0.200	< 0.200	< 0.200	**0.405**	< 0.200	< 0.200	< 0.200	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.52	—	390	—	µg/L	**0.86**	**0.91**	**0.23 J**	**5.68**	**0.34 J**	**11.7**	**4.04**	**12.8**	**1.51**	**2.07**	**4.95**	**1.94**
Selenium	SW 6020B, Rev 2-2014	1.50	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	**0.108 J**
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	< 0.260	< 0.260	< 0.260	**0.174 J**	< 0.260	**0.123 J**	**0.063 J**	**0.903**	< 0.260	< 0.260	**0.078 J**	**0.075 J**
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	**0.369**	**0.365**	< 0.260	**0.282**	**0.171 J**	**0.201 J**	**0.176 J**	**0.120 J**	**0.215 J**	**0.096 J**	**0.450**	**0.122 J**
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	**393**	**393**	< 20.8	**365**	< 20.8	**37.5**	**122**	**1,390**	**39.8**	**10.7 J**	**12.4 J**	**38.9**

Exceeds MCL MCL = Maximum Contaminant Level (May 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2022)

Exceeds SMCL SMCL = Secondary Maximum Contaminant Level

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: SO_4 - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Table 3-2 - Summary of Inorganic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	SMCL	Units	NE-4	NE-6	C1DS	C4DS	LE SEEP	NE-3 Spring	SPRING A	SP-4	SP-7	TSP-1	TSP-4	EB-1
								4/19/2022	4/18/2022	4/19/2022	4/19/2022	4/18/2022	4/18/2022	4/18/2022	4/19/2022	4/18/2022	4/18/2022	4/18/2022	4/18/2022
								1744	1640	0900	1543	1615	1400	1745	0931	1546	1706	1415	1800
Chloride	EPA 300.0, 2.1-1993	0.031	0.500	—	—	250	mg/L	**2.60**	**2.47**	**3.88**	**2.26**	**5.58**	**1.28**	**0.836**	**2.03**	**2.13**	**2.44**	**1.33**	< 0.500
Sulfate as SO_4	EPA 300.0, 2.1-1993	0.028	0.500	—	—	250	mg/L	**20.8**	**33.0**	**2.66**	**8.95**	**5.05**	**4.92**	**0.926**	**1.33**	**8.05**	**8.65**	**4.56**	< 0.500
Cyanide (total)	SM 4500-CN B, E-2011	0.003	0.010	0.2	0.0015	—	mg/L	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Sulfide	SM 4500-S2 D-2011	0.0203	0.150	—	—	—	mg/L	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150	< 0.150
TDS	SM 2540 C-2011	0.800	5.00	—	—	500	mg/L	**349**	**395**	**136**	**197**	**321**	**213**	**153**	**315**	**171**	**290**	**214**	< 5.00
Antimony	SW 6020B, Rev 2-2014	0.343	2.08	6.0	7.8	—	µg/L	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08	< 2.08
Arsenic	SW 6020B, Rev 2-2014	0.052	0.260	10	0.052	—	µg/L	**3.98**	**0.347**	**0.886**	**0.475**	**6.10**	**0.168 J**	**1.51**	**47.5**	**1.97**	**0.255 J**	**0.217 J**	< 0.260
Barium	SW 6020B, Rev 2-2014	0.078	0.260	2,000	3,800	—	µg/L	**29.7**	**28.4**	**30.0**	**29.9**	**82.0**	**23.5**	**34.0**	**74.1**	**41.4**	**46.6**	**24.9**	< 0.260
Beryllium	SW 6020B, Rev 2-2014	0.074	0.260	4.0	25	—	µg/L	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260	**0.140 J**	< 0.260	< 0.260	< 0.260	< 0.260	< 0.260
Cadmium	SW 6020B, Rev 2-2014	0.038	0.260	5.0	1.8	—	µg/L	**0.180 J**	**0.103 J**	**0.075 J**	**0.141 J**	**0.065 J**	**0.082 J**	**0.154 J**	**0.042 J**	**0.039 J**	**0.478**	< 0.260	< 0.260
Chromium	SW 6020B, Rev 2-2014	0.0751	0.260	100	—	—	µg/L	**1.21**	**0.378**	**0.473**	**0.401**	**0.327**	**0.358**	**1.81**	**0.280**	**0.635**	**0.409**	**0.470**	**0.398**
Cobalt	SW 6020B, Rev 2-2014	0.035	0.260	—	6.0	—	µg/L	**0.342**	**0.388**	**0.695**	**0.205 J**	**5.93**	< 0.260	**0.362**	**52.4**	**0.542**	**0.066 J**	**0.047 J**	< 0.260
Copper	SW 6020B, Rev 2-2014	0.120	0.395	1,300	800	1,000	µg/L	**0.996**	< 0.395	**0.452**	**0.592**	**0.413**	**0.350 J**	**2.28**	**0.278 J**	**0.865**	**0.467**	**0.383 J**	< 0.395
Iron	SW 6020B, Rev 2-2014	5.83	20.8	—	14,000	300	µg/L	**209**	**57.6**	**528**	**158**	**2,670**	**30.6**	**1,520**	**15,800**	**1,760**	**79.3**	**90.5**	< 20.8
Lead	SW 6020B, Rev 2-2014	0.079	0.260	15	15	—	µg/L	**1.17**	**0.122 J**	**0.851**	**1.33**	**0.097**	**0.219 J**	**3.33**	< 0.260	**1.24**	**0.201 J**	**0.475**	< 0.260
Manganese	SW 6020B, Rev 2-2014	0.423	1.56	—	430	50	µg/L	**22.9**	**5.41**	**181**	**42.1**	**1,180**	**0.818 J**	**14.3**	**5,390**	**228**	**11.0**	**1.92**	< 1.56
Mercury	SW7470A/EPA245.1,3.0- 1994	0.00310	0.200	2.0	0.63	—	µg/L	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
Nickel	SW 6020B, Rev 2-2014	0.16	0.52	—	390	—	µg/L	**5.46**	**4.82**	**0.65**	**0.65**	**4.82**	**0.29 J**	**1.63**	**70.9**	**0.79**	**0.98**	**0.26 J**	**0.23 J**
Selenium	SW 6020B, Rev 2-2014	1.50	5.20	50	100	—	µg/L	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20	< 5.20
Silver	SW 6020B, Rev 2-2014	0.099	0.312	—	94	100	µg/L	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312	< 0.312
Thallium	SW 6020B, Rev 2-2014	0.046	0.260	2.0	0.2	—	µg/L	**0.092 J**	**0.066 J**	< 0.260	< 0.260	**0.052 J**	< 0.260	< 0.260	**0.257 J**	< 0.260	< 0.260	< 0.260	< 0.260
Tin	SW 6020B, Rev 2-2014	1.62	20.8	—	12,000	—	µg/L	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8	< 20.8
Vanadium	SW 6020B, Rev 2-2014	0.042	0.260	—	86	—	µg/L	**0.191 J**	< 0.260	**0.383**	**0.375**	**0.062 J**	**0.229 J**	**2.64**	**0.093 J**	**0.809**	**0.269**	**0.437**	< 0.260
Zinc	SW 6020B, Rev 2-2014	4.88	20.8	—	6,000	5,000	µg/L	**207**	**812**	**35.1**	**34.3**	**5.45 J**	**13.3 J**	**58.8**	**12.8 J**	**10.4 J**	**56.6**	**5.81 J**	< 20.8

Exceeds MCL MCL = Maximum Contaminant Level (May 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2022)

Exceeds SMCL SMCL = Secondary Maximum Contaminant Level

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: SO_4 - sulfate; mg/L - milligrams per liter; µg/L – micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit.

Page Intentionally Blank

Table 3-3 - Summary of Organic Parameter Analyses

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-6 Duplicate	MW-7	MW-509D	MW-509D Duplicate
							4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/18/2022	4/19/2022	4/19/2022
							945	1220	845	1845	1855	1450	1615	1017	849	1730	1730	1730	1030	1030
TOC	SM 5310 B-2011	0.26	1	—	—	mg/L	**9.75**	**1.37**	< 1.00	**5.58**	**9.98**	< 1.00	**2.63**	< 1.00	< 1.00	**1.07**	**1.08**	< 1.00	< 1.00	< 1.00
Acrolein	SW 8260C, Rev 3, 2006	1.1	4	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.08	1	5	0.46	µg/L	**4.84**	< 1.00	< 1.00	**1.91**	**1.37**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.14	1	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.19	1	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.12	1	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.16	1	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.24	2	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.75	2	—	5600	µg/L	< 2.00	< 2.00	< 2.00	**0.788 J**	**5.06**	< 2.00	< 2.00	< 2.00	< 2.00	**3.19**	**3.83**	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.09	1	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.15	2	—	2000	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.11	1	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.12	1	—	810	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.17	1	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.1	1	100	78	µg/L	**2.11**	< 1.00	< 1.00	**2.65**	**2.03**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.13	1	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.23	4	—	8300	µg/L	**2.71 J**	< 4.00	< 4.00	**1.77 J**	**1.12 J**	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.11	2	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloroform	SW 8260C, Rev 3, 2006	0.34	2	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.15	3	—	190	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.1	1	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.07	1	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.22	3	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.17	1	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.1	1	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.07	1	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.1	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.08	1	75	0.48	µg/L	**3.62**	< 1.00	< 1.00	**4.95**	**3.98**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.12	1	—	2.8	µg/L	**2.21**	< 1.00	< 1.00	**13.2**	**14.3**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.09	1	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	**0.527 J**	**0.399 J**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.14	2	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.12	1	70	36	µg/L	< 1.00	< 1.00	< 1.00	**8.00**	**6.65**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.08	1	100	68	µg/L	< 1.00	< 1.00	< 1.00	**0.593 J**	**0.353 J**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (May 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2022)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	CAO-1	CAO-2	CAO-3	MW-1	MW-1R	MW-2	MW-3	MW-4	MW-5	MW-6	MW-6 Duplicate	MW-7	MW-509D	MW-509D Duplicate
							4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/18/2022	4/19/2022	4/19/2022
							945	1220	845	1845	1855	1450	1615	1017	849	1730	1730	1730	1030	1030
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.18	2	—	200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.22	1	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	**0.257 J**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.07	1	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.2	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	2	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	1	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.12	1	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.08	1	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.12	3	—	0.14	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.43	1	—	38	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.07	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.09	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.25	3	5	11	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.2	1	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.13	1	—	14	µg/L	**38.9**	**0.264 J**	< 1.00	**55.0**	**49.0**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.1	4	—	0.12	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
n-Propylbenzene	SW 8260C, Rev 3, 2006	0.1	1	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.07	1	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.2	1	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.29	1	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.13	1	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.08	1	1,000	1,100	µg/L	**0.346 J**	< 1.00	< 1.00	**0.446 J**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.15	3	—	7	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.12	2	70	1.2	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.28	1	5	0.49	µg/L	< 1.00	< 1.00	< 1.00	**0.614 J**	**0.282 J**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.13	2	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.2	1	—	0.00075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4-Trimethylbenzene	SW 8260C, Rev 3, 2006	0.09	1	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5-Trimethylbenzene	SW 8260C, Rev 3, 2006	0.06	1	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.1	2	2	0.019	µg/L	**0.691 J**	< 2.00	< 2.00	**5.00**	**3.98**	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.15	2	—	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.07	1	—	190	µg/L	< 1.00	< 1.00	< 1.00	**0.234 J**	**0.251 J**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (May 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2022)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	MW-577	MW-633D	MW-689D	NAB-2	NAB-3	NAB-4	NAB-7	NAB-8	NE-2	NE-3	NE-4	NE-6	C1DS	C4DS
							4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/18/2022	4/19/2022	4/18/2022	5/4/2022	4/20/2022	4/18/2022	4/19/2022	4/18/2022	4/19/2022	4/19/2022
							1345	1146	1115	1641	1510	1313	1550	1145	822	1335	1744	1640	900	1543
TOC	SM 5310 B-2011	0.26	1	—	—	mg/L	< 1.00	**1.22**	< 1.00	**1.11**	**1.07**	**1.79**	< 1.00	< 1.00	**3.19**	< 1.00	< 1.00	< 1.00	**2.08**	**3.18**
Acrolein	SW 8260C, Rev 3, 2006	1.1	4	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.08	1	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.14	1	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.19	1	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.12	1	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.16	1	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.24	2	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.75	2	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.09	1	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.15	2	—	2000	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.11	1	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.12	1	—	810	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.17	1	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.1	1	100	78	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.13	1	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.23	4	—	8300	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.11	2	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloroform	SW 8260C, Rev 3, 2006	0.34	2	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.15	3	—	190	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.1	1	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.07	1	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.22	3	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.17	1	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.1	1	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.07	1	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.1	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.08	1	75	0.48	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.12	1	—	2.8	µg/L	< 1.00	**1.51**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.09	1	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.14	2	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.12	1	70	36	µg/L	< 1.00	**0.407 J**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.08	1	100	68	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (May 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2022)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	MW-577	MW-633D	MW-689D	NAB-2	NAB-3	NAB-4	NAB-7	NAB-8	NE-2	NE-3	NE-4	NE-6	C1DS	C4DS
							4/19/2022	4/19/2022	4/19/2022	4/19/2022	4/18/2022	4/19/2022	4/18/2022	5/4/2022	4/20/2022	4/18/2022	4/19/2022	4/18/2022	4/19/2022	4/19/2022
							1345	1146	1115	1641	1510	1313	1550	1145	822	1335	1744	1640	900	1543
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.18	2	—	200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.22	1	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.07	1	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.2	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	2	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.09	1	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.12	1	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.08	1	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.12	3	—	0.14	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.43	1	—	38	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.07	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.09	1	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.25	3	5	11	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.2	1	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.13	1	—	14	µg/L	< 1.00	**1.25**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.1	4	—	0.12	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
n-Propylbenzene	SW 8260C, Rev 3, 2006	0.1	1	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.07	1	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.2	1	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.29	1	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.13	1	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.08	1	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.15	3	—	7	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.12	2	70	1.2	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.09	1	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.28	1	5	0.49	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.13	2	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.2	1	—	0.00075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.09	1	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.06	1	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.1	2	2	0.019	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.15	2	10000	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.07	1	10000	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (May 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2022)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	LE SEEP	NE-3 Spring	Spring A	SP-4	SP-7	TSP-1	TSP-4	EB-1	TB-1	TB-2	TB-3	TB-4
							4/18/2022	4/18/2022	4/18/2022	4/19/2022	4/18/2022	4/18/2022	4/18/2022	4/18/2022				
							1615	1400	1745	0931	1546	1706	1415	1800				
TOC	SM 5310 B-2011	0.26	1.00	—	—	mg/L	**2.22**	**1.20**	**3.47**	**1.89**	**2.85**	**1.02**	**1.35**	< 1.00	—	—	—	—
Acrolein	SW 8260C, Rev 3, 2006	1.10	4.00	—	0.042	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
Acrylonitrile	SW 8260C, Rev 3, 2006	0.549	2.00	—	0.052	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Benzene	SW 8260C, Rev 3, 2006	0.080	1.00	5	0.46	µg/L	**0.213 J**	< 1.00	< 1.00	**0.220 J**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromobenzene	SW 8260C, Rev 3, 2006	0.140	1.00	—	62	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromochloromethane	SW 8260C, Rev 3, 2006	0.190	1.00	—	83	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromodichloromethane	SW 8260C, Rev 3, 2006	0.120	1.00	80	0.13	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromoform	SW 8260C, Rev 3, 2006	0.160	1.00	80	3.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Bromomethane	SW 8260C, Rev 3, 2006	0.240	2.00	—	7.5	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
2-Butanone	SW 8260C, Rev 3, 2006	0.750	2.00	—	5600	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
n-Butylbenzene	SW 8260C, Rev 3, 2006	0.090	1.00	—	1000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
sec-Butylbenzene	SW 8260C, Rev 3, 2006	0.150	2.00	—	2000	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
tert-Butylbenzene	SW 8260C, Rev 3, 2006	0.110	1.00	—	690	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon disulfide	SW 8260C, Rev 3, 2006	0.120	1.00	—	810	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Carbon tetrachloride	SW 8260C, Rev 3, 2006	0.170	1.00	5	0.46	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorobenzene	SW 8260C, Rev 3, 2006	0.100	1.00	100	78	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chlorodibromomethane	SW 8260C, Rev 3, 2006	0.130	1.00	80	0.87	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Chloroethane	SW 8260C, Rev 3, 2006	0.230	4.00	—	8300	µg/L	**3.43 J**	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	**1.96 J**	< 4.00	**1.61 J**	**1.59 J**
2-Chloroethyl vinyl ether	SW 8260C, Rev 3, 2006	0.110	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloroform	SW 8260C, Rev 3, 2006	0.340	2.00	80	0.22	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
Chloromethane	SW 8260C, Rev 3, 2006	0.150	3.00	—	190	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Chlorotoluene	SW 8260C, Rev 3, 2006	0.100	1.00	—	240	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
4-Chlorotoluene	SW 8260C, Rev 3, 2006	0.070	1.00	—	250	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromo-3-chloropropane	SW 8260C, Rev 3, 2006	0.220	3.00	0.2	0.00033	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
Dibromomethane	SW 8260C, Rev 3, 2006	0.170	1.00	—	8.3	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dibromoethane	SW 8260C, Rev 3, 2006	0.100	1.00	0.05	0.0075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.070	1.00	600	300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.100	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,4-Dichlorobenzene	SW 8260C, Rev 3, 2006	0.080	1.00	75	0.48	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethane	SW 8260C, Rev 3, 2006	0.120	1.00	—	2.8	µg/L	**8.41**	< 1.00	< 1.00	**2.19**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2-Dichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	5	0.17	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloroethene	SW 8260C, Rev 3, 2006	0.140	2.00	7	280	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.120	1.00	70	36	µg/L	**1.07**	< 1.00	< 1.00	**0.677 J**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,2-Dichloroethene	SW 8260C, Rev 3, 2006	0.080	1.00	100	68	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (May 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2022)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established or constituent not analyzed.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

Table 3-3 - Summary of Organic Parameter Analyses (continued)

Analyte	Method	Detection Limit	Reporting Limit	MCL	RSL	Units	LE SEEP	NE-3 Spring	Spring A	SP-4	SP-7	TSP-1	TSP-4	EB-1	TB-1	TB-2	TB-3	TB-4
							4/18/2022	4/18/2022	4/18/2022	4/19/2022	4/18/2022	4/18/2022	4/18/2022	4/18/2022				
							1615	1400	1745	0931	1546	1706	1415	1800				
Dichlorodifluoromethane	SW 8260C, Rev 3, 2006	0.180	2.00	—	200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.220	1.00	5	0.85	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3-Dichloropropane	SW 8260C, Rev 3, 2006	0.070	1.00	—	370	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
2,2-Dichloropropane	SW 8260C, Rev 3, 2006	0.200	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1-Dichloropropene	SW 8260C, Rev 3, 2006	0.090	2.00	—	—	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
cis-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.090	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
trans-1,3-Dichloropropene	SW 8260C, Rev 3, 2006	0.120	1.00	—	0.47	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Ethylbenzene	SW 8260C, Rev 3, 2006	0.080	1.00	700	1.5	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Hexachlorobutadiene	SW 8260C, Rev 3, 2006	0.120	3.00	—	0.14	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
2-Hexanone	SW 8260C, Rev 3, 2006	0.430	1.00	—	38	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Isopropylbenzene	SW 8260C, Rev 3, 2006	0.070	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
p-Isopropyltoluene	SW 8260C, Rev 3, 2006	0.090	1.00	—	—	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methylene Chloride	SW 8260C, Rev 3, 2006	0.250	3.00	5	11	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
4-Methyl-2-pentanone	SW 8260C, Rev 3, 2006	0.200	1.00	—	6,300	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Methyl-tert-Butyl Ether	SW 8260C, Rev 3, 2006	0.130	1.00	—	14	µg/L	**2.06**	< 1.00	< 1.00	**1.74**	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Naphthalene	SW 8260C, Rev 3, 2006	0.100	4.00	—	0.12	µg/L	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00	< 4.00
n-Propyl benzene	SW 8260C, Rev 3, 2006	0.100	1.00	—	660	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Styrene	SW 8260C, Rev 3, 2006	0.070	1.00	100	1200	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,1,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.200	1.00	—	0.57	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2,2-Tetrachloroethane	SW 8260C, Rev 3, 2006	0.290	1.00	—	0.076	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Tetrachloroethene	SW 8260C, Rev 3, 2006	0.130	1.00	5	11	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Toluene	SW 8260C, Rev 3, 2006	0.080	1.00	1,000	1,100	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,3-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.150	3.00	—	7	µg/L	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00	< 3.00
1,2,4-Trichlorobenzene	SW 8260C, Rev 3, 2006	0.120	2.00	70	1.2	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,1,1-Trichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	200	8,000	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,1,2-Trichloroethane	SW 8260C, Rev 3, 2006	0.090	1.00	5	0.28	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichloroethene	SW 8260C, Rev 3, 2006	0.280	1.00	5	0.49	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Trichlorofluoromethane	SW 8260C, Rev 3, 2006	0.130	2.00	—	5,200	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
1,2,3-Trichloropropane	SW 8260C, Rev 3, 2006	0.200	1.00	—	0.00075	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,2,4- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.090	1.00	—	56	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
1,3,5- Trimethylbenzene	SW 8260C, Rev 3, 2006	0.060	1.00	—	60	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00
Vinyl chloride	SW 8260C, Rev 3, 2006	0.100	2.00	2	0.019	µg/L	< 2.00	< 2.00	< 2.00	**0.471 J**	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
m,p-Xylene	SW 8260C, Rev 3, 2006	0.150	2.00	10000	190	µg/L	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00	< 2.00
o-Xylene	SW 8260C, Rev 3, 2006	0.070	1.00	10000	190	µg/L	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00

Exceeds MCL MCL = Maximum Contaminant Level (May 2022)

Exceeds RSL RSL = Regional Screening Level (EPA Regional Screening Level - Resident Tapwater – May 2022)

Bold Indicates constituent detected below screening levels.

Dash (—) Indicates no screening level has been established.

Notes: µg/L - micrograms per liter; Dup - duplicate; LE - landfill entrance; EB - equipment blank; J - Indicates "estimated" results that are below the quantitation limit but above the method detection limit; TOC - total organic carbon.

3.3 Statistical Analysis

Sanitas™ version 9.6.07 software was utilized to conduct a statistical analysis of the groundwater data for the April 2022 sampling event. The methods used in the Sanitas™ program are based on statistical procedures outlined in the EPA's Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities (*Unified Guidance*, March 2009).

Time plots of individual AMCs at wells showing current and historic detections were plotted to provide a visual summary of current and historic detections at individual wells, along with possible trends in the data and variability among the wells. The time plots also evaluate the potential presence of outliers that could disproportionally affect increasing or decreasing trends. Wells showing potential AMC outliers were then further analyzed using Rosner's Outlier Test and Tukey's Outlier Screening to evaluate outliers. One outlier was observed for mercury in the groundwater sample from CAO-2. No other outliers were observed. Time plots and outlier analysis are included in Appendix C.

The Mann-Kendall test for temporal trends combined with the Sen's slope estimate was performed on current and historically detected AMCs to evaluate whether statistical trends are evident in the data. The significant trend results are shown on the Mann-Kendall/Sen's Slope plots presented in Appendix C. Increasing and decreasing statistical trends for AMCs and wells are summarized in Table 3-4 below.

Table 3-4 – Summary of Statistical Trends

Well	Significant Increasing Trends	Significant Decreasing Trends
CAO-1	Arsenic, barium, benzene, chloride, 1,4-dichlorobenzene, iron, **MTBE,** TOC	Cadmium, chromium, cobalt, copper, 1,1-dichloroethane, chloroethane, cis-1,2-dichloroethene, lead, manganese, nickel, sulfate, thallium, **toluene**, trichloroethene, vanadium, vinyl chloride, zinc
CAO-2	***Barium***, chloride	Cadmium, chromium, cobalt, copper, **iron**, lead, thallium, vanadium, zinc
CAO-3	***Chloride***	Arsenic, barium, cadmium, chromium, cobalt, copper, lead, manganese, nickel, TOC, vanadium, **zinc**
MW-1	Arsenic, barium, benzene, ***2-butanone***, chloride, chlorobenzene, chloroethane, 1,1-dichloroethane, 1,2-dichloroethane, cis-1,2-dichloroethene, 1,4-dichlorobenzene, cobalt, TDS, iron, manganese, MTBE, nickel, sulfate, TOC, toluene, trichloroethene, vinyl chloride, zinc	Antimony, cadmium, chromium, copper, lead, vanadium
MW-1R	Arsenic, chlorobenzene, 1,2-dichloroethane, 1,4-dichlorobenzene, iron, MTBE	Barium, cobalt, manganese, **nickel**, ***TOC***, zinc
MW-2	***1,1-dichloroethane***	Cadmium, **chloride**, chromium, cobalt, copper, lead, manganese, nickel, vanadium, zinc
MW-3	Barium, ***1,1-dichloroethane***, iron, manganese, nickel, TDS, TOC, zinc	Chromium, cobalt, copper, lead, ***mercury***, vanadium
MW-4	**Barium**, chloride, sulfate, TDS, zinc	**Antimony**, arsenic, cadmium, chromium, cobalt, copper, lead, manganese, mercury, nickel, vanadium
MW-5	Chloride, sulfate, TDS, zinc	Antimony, arsenic, cadmium, chromium, cobalt, copper, lead, manganese, mercury, nickel, **thallium**, vanadium
MW-6	Chloride, sulfate, TDS, zinc	Arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, **thallium**, vanadium
MW-7	—	Arsenic, barium, cadmium, chloride, chromium, cobalt, copper, lead, nickel, sulfate, vanadium, zinc
MW-509D	Chloride	**Arsenic**, chromium, cobalt, copper, nickel, TOC, vanadium
MW-577	Chloride	Barium, cadmium, chromium, cobalt, copper, lead, nickel, sulfate, TDS, TOC, vanadium
MW-633D	Barium, chloride, 1,1-dichloroethane, mercury, TDS, zinc	**Antimony**, arsenic, chromium, cobalt, copper, lead, nickel, sulfate, vanadium
MW-689D		Cadmium, chromium, cobalt, copper, nickel, TOC, vanadium, zinc
NAB-2	Barium, chloride, manganese, TDS	Cadmium, chromium, cobalt, copper, sulfate, TOC, **thallium**, vanadium

Well	Significant Increasing Trends	Significant Decreasing Trends
NAB-3	***Barium***, chloride	Arsenic, cadmium, chromium, cobalt, copper, lead, nickel, **thallium**, vanadium
NAB-4	Barium, chloride, sulfate, TDS, zinc	Chromium, cobalt, copper, vanadium
NAB-7	Barium, chloride, iron	Cadmium, chromium, cobalt, copper, nickel, TOC, vanadium
NAB-8	***Chloride***, TDS	Barium, chromium, cobalt, **copper**, nickel, vanadium
NE-2	—	**Arsenic**, chloride, iron, nickel, sulfate, TOC, TDS
NE-3	—	**Chloride**, zinc
NE-4	—	***Copper***, thallium
NE-6	—	***Sulfate***

Generally, statistically increasing and decreasing trends were consistent with previous trends. Constituents that were previously noted as increasing or decreasing but are currently determined to be no longer significant are shown in italicized green text. Conversely, constituents that were added are shown in bold red text. It should be noted that many of the graphs in Appendix C are based on limited numbers of laboratory detections – the trends appear to be partially based on changes in detection limits over time.

As discussed in previous reports, an important consideration is whether the data is significantly influenced by seasonal changes. If so, then the data should be adjusted for seasonal influences. Based on the data generated to date, and as stated in previous reports, it is suspected that concentration levels are significantly influenced by the amount of precipitation and the timing of individual precipitation events in relation to sampling events. It is likely that the recently installed landfill cap will reduce the effect of precipitation at the site.

Confidence intervals are commonly used for assessment monitoring to demonstrate significance in AMC concentrations. The Groundwater Protection Standards (GWPS) utilized in the statistical evaluation (MCLs, RSLs and SMCLs) are included in Table 3-2 and Table 3-3 attached to this report. The statistical evaluation was conducted in accordance with recommended procedures found in the Unified Guidance (UG). Confidence intervals were constructed for any metal or VOC constituent detected in concentrations greater than the applicable screening level, also listed in Tables 3-2 and 3-3. Confidence interval statistical analysis was not performed for indicator parameters.

The calculation of confidence intervals consisted of the establishment of 95% Lower Confidence Limits (LCLs) and 95% Upper Confidence Limits (UCLs). If one or more of the events used for the confidence interval was above the constituent's MCL and the calculated coefficient of variation (CV) for the population was greater than 0.3, then additional evaluations were performed for that well/constituent pair. If, after further evaluation, a population that was compiled with the statistical procedures outlined in UG Section 22.1.1 & UG Table 22-3, then a visual inspection of the data was performed to identify shift points, that indicate a trend change in the time series.

From these shift points, the most recent population was used in the calculation of confidence limits.

The evaluation results show that the calculated LCLs were exceeded for the following AMC parameters at the following monitoring points, indicating with statistical confidence that the measured concentrations are above the established GWPS. The LCL exceedances are summarized in Table 3-5 below.

Table 3-5 – Summary of LCL Exceedances

Monitoring Point	AMC
CAO-1	Arsenic, cobalt, iron, 1,1-dichloroethane, MTBE, vinyl chloride
MW-1	Cobalt, 1,1-dichloroethane, MTBE, vinyl chloride
MW-1R	Arsenic, cobalt, iron, 1,1-dichloroethane, MTBE, vinyl chloride
MW-3	Manganese

The complete confidence interval evaluation results for the April 2022 sampling event are presented in Appendix C. Historic and current data are presented in Appendix D.

4.0 Leachate Analytical Results

As previously referenced, the leachate generated at the NABORS Landfill is transported to the City of Springfield's wastewater collection system under Wastewater Contribution Permit No. 593. A sample of the leachate plus a duplicate sample were collected on May 4, 2022, at 1031 and submitted for laboratory analysis. Table 4-1 below summarizes the analytical methods and results of the analyses.

Table 4-1 – Summary of Leachate Analysis Results

Parameter	Analytical Method	Units	Leachate	Leachate Duplicate
Ammonia as N	SM 4500-NH3 B,D,C-2011	mg/L	**38.6**	**43.6**
Cyanide (total)	SM 4500-CN B,E-2011	mg/L	< 0.010	< 0.010
pH	SM 4500-H+ B-2011	S.U.	**7.35**	**7.37**
Flashpoint	SW 1010A, Rev 1, 2004	°C	Did Not Flash	Did Not Flash
Oil & Grease	EPA1664 Mod, Rev. B 2010	mg/L	< 4.81	< 4.85
Arsenic	EPA 200.8 Rev 5.4(1994)	µg/L	**3.71**	**3.72**
Cadmium	EPA 200.8 Rev 5.4(1994)	µg/L	< 0.260	< 0.260
Chromium	EPA 200.8 Rev 5.4(1994)	µg/L	**3.95**	**4.01**
Copper	EPA 200.8 Rev 5.4(1994)	µg/L	**79.5**	**79.8**
Lead	EPA 200.8 Rev 5.4(1994)	µg/L	**2.43**	**2.42**
Mercury	SW7470A/EPA245.1,3.0-1994	µg/L	< 0.200	< 0.200
Nickel	EPA 200.8 Rev 5.4(1994)	µg/L	**22.8**	**22.9**
Phosphorus	EPA 200.8 Rev 5.4(1994)	µg/L	< 1.04	< 1.04
Zinc	EPA 200.8 Rev 5.4(1994)	µg/L	**104**	**104**

Notes: N – nitrogen; DNF – did not flash; mg/L – milligrams per liter; µg/L – micrograms per liter; S.U. – standard units; °C – degrees Celsius.

5.0 Quality Assurance/Quality Control Results

Field duplicate samples were collected from monitoring wells MW-6 and MW-509D during the April 2022 groundwater sampling event. In addition, a duplicate sample of leachate was also collected. With a few exceptions, comparison of the original and duplicate data shows generally good agreement between sample and duplicate pairs.

The calculated relative percent differences (RPD) for the MW-6 duplicate sample pair were below 20 percent with one exception. The RPD for nickel was 163.8 percent. The lab was contacted regarding this order of magnitude difference. The lab reviewed the data for this batch and no errors were found and no apparent instrument issues or mislabeling were identified.

The calculated RPDs for the MW-509D duplicate sample pair were below 20 percent with two exceptions. The RPD for arsenic was 23.2 percent and the RPD for copper was 23.1 percent. Calculated RPDs for the leachate duplicate sample pair were all below 20 percent.

One equipment blank was collected during groundwater sampling activities. The equipment blank was collected by running deionized water over decontaminated equipment directly into the sample containers. Two inorganic constituents (chromium and nickel) were detected in the equipment blank. No TOC or VOC constituents were detected in the equipment blank. Four trip blanks (one per cooler) were analyzed for VOCs only during this event. Chloroethane was detected in three of the four trip blanks. None of the other analyzed VOC constituents were detected above their respective detection limits in any of the trip blanks.

Figures

Page Intentionally Blank



Harbor
5800 Evergreen Drive, Little Rock, AR 72205
501-663-8800
www.harborenv.com

SITE LOCATION MAP
NABORS Landfill
Mountain Home
Baxter County, Arkansas

PROJECT NUMBER:
ADEQ-20124

ARKANSAS ENERGY & ENVIRONMENT

DRAWN BY:	TH
CHECKED BY:	LR
DATE:	11/18/2020
FIGURE NO:	1



Harbor
5800 Evergreen Drive
Little Rock, AR 72205
Ph (501) 663-8800
Fax (501) 588-0123
www.harborenv.com

ADEQ ARKANSAS Department of Environmental Quality

NABORS LANDFILL

ASSESSMENT MONITORING POINTS AND POTENTIOMETRIC SURFACE MAP - APRIL 2022

NO	REVISION DESCRIPTION	DATE
X	X	X-X-XX

Drawn By: AES | Date: 6-14-22
Checked By: TH | Scale: NOTED
Project Number: ADEQ-21271

FIG.2

Appendix A

Field Forms and Notes

Page Intentionally Blank

Harbor

NABORS Landfill
Monitoring Well
Measurement Record

Well ID	Date	Time	TOC Elevation (feet amsl)	GW Depth (feet below TOC)	GW Elevation (feet amsl)	TD (feet below TOC)
CAO-1	4-18-22	1106	1026.40	26.80		36.8
CAO-2		1157	998.80	23.06		45.6
CAO-3		1054	984.20	7.43		23.1
MW-1		1208	1067.26	66.10		77.2
MW-1R		1220	1067.57	69.09		78.6
MW-2		1115	1001.21	31.28		48.7
MW-3		1153	994.48	32.23		39.6
MW-4		1148	1012.11	86.61		99.9
MW-5		1142	1004.38	76.71		89.0
MW-6		1132	1000.38	55.51		68.3
MW-7		0950	999.66	6.14		22.9
MW-509D		1017	1014.20	15.95		39.7
MW-577		1028	982.60	41.19		55.2
MW-633D		1049	1050.10	63.14		88.1
MW-689D		1040	966.20	25.31		43.8
NAB-2		1007	993.98	74.18		102.8
NAB-3		1034	921.49	22.65		46.3
NAB-4		1246	1004.20	115.86		140.0
NAB-7		1000	1012.36	20.77		43.7
NAB-8		1059	1039.21	81.95		85.6
NE-2		1012	976.98	49.92		63.0
NE-3		1256	846.91	5.85		27.8
NE-4		1021	1009.85	58.91		112.2
NE-6	✓	1600	901.42	4.75		18.2

Notes: TOC – top of casing; amsl – above mean sea level; GW – groundwater; TD – total depth.

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	CA0-1	Date:	4-19-22
Well Diameter:	2"	Well Depth:	36.8	Screened Interval From:	—	to:	—	Initial Depth to Water:	26.80
Volume in Well:	1.6								
Sampling Method:	Low-Flow	Pump Type:	Peristaltic	Tubing Type:	LDPE	Tubing Diameter:	1/4"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
0910			~200								
0920				26.90	0.91	1593	-42.4	6.15	15.9	8.7	NA
0925				26.92	0.73	1593	-50.9	6.17	16.0	6.6	
0930				26.95	0.69	1593	-53.7	6.17	16.0	6.3	
0935				26.95	0.66	1594	-57.0	6.18	16.0	6.2	
0940	~2	~2		26.96	0.64	1594	-57.5	6.18	16.0	6.7	

Sampling Data

Sample ID:	CA0-1	Date:	4-19-22	Time:	0945	Sampler(s):	M. Lybrand	
Laboratory Analysis:	See report					# Bottles:	9	Preservative: Varies
Comments:	Tubing inlet set ~34' TOC.							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	CAO-2	Date:	4-19-22
Well Diameter:	2"	Well Depth:	45.6	Screened Interval From:	—	to:	—	Initial Depth to Water:	23.06
Volume in Well:	3.7								
Sampling Method:	Low-Flow			Pump Type:	Peristaltic			Tubing Type:	LDPE
Tubing Diameter:	1/4"								

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1145	Start		~200								
1155			↓	23.20	1.27	873	54.8	6.45	16.1	1.5	NA
1200				23.19	1.25	855	61.4	6.45	16.1	1.4	↓
1205				23.19	1.25	856	61.9	6.45	16.1	1.6	
1210	~2	~2	↓	23.19	1.24	857	62.4	6.45	16.1	1.6	↓

Sampling Data

Sample ID:	CAO-2	Date:	4-19-22	Time:	1220	Sampler(s):	M. Lybrand		
Laboratory Analysis:	See report.					# Bottles:	9	Preservative:	Varies
Comments:	Tubing inlet set ~43' TOC.								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings < 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings < 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	CA0-3	Date:	4-19-22
Well Diameter:	2"	Well Depth:	23.1	Screened Interval From:	—	to:	—	Initial Depth to Water:	7.43
Volume in Well:	2.6								
Sampling Method:	Low-Flow	Pump Type:	Peristaltic	Tubing Type:	LDPE	Tubing Diameter:	1/4"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
0810	Start		~150								
0815				7.53	2.58	261	152	6.69	12.1	9.0	NA
0820				7.54	2.49	259	144	6.71	12.1	7.7	
0825				7.55	2.36	260	136	6.73	12.1	6.2	
0830				7.54	2.31	259	134	6.75	12.1	7.1	
0835				7.55	2.29	259	132	6.76	12.1	6.6	
0840	~1.5	~1.5		7.55	2.28	258	130	6.76	12.1	5.8	

Sampling Data

Sample ID:	CA0-3	Date:	4-19-22	Time:	0845	Sampler(s):	M. Lybrand		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:	Tubing inlet set ~ 20' TOC.								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-1	Date:	4-19-22
Well Diameter:	2"	Well Depth:	77.2	Screened Interval From:	—	to:	—	Initial Depth to Water:	66.10
Volume in Well:	1.8								
Sampling Method:	Low-Flow			Pump Type:	Submersible	Tubing Type:	LDPE	Tubing Diameter:	1/2"

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1810	Start		~200								
1815			↓	66.92	1.34	1430	-41.6	6.20	16.4	12.4	NA
1820				66.84	1.09	1327	-42.4	6.20	16.7	12.0	↓
1825				66.75	0.74	1437	-59.2	6.22	16.9	4.0	
1830				66.75	0.70	1445	-59.9	6.22	16.9	3.6	
1835				66.74	0.69	1449	-60.5	6.22	17.0	3.4	
1840	~2	~2	↓	66.75	0.68	1451	-60.9	6.22	17.0	3.3	↓

Sampling Data

Sample ID:	MW-1	Date:	4-19-22	Time:	1845	Sampler(s):	M. Lybrand
Laboratory Analysis:	See Report.			# Bottles:	9	Preservative:	Varies
Comments:	Tubing inlet set ~ 74' TOC.						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings < 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings < 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-1R	Date:	4/19/22
Well Diameter:	2"	Well Depth:	78.6	Screened Interval From:	—	to:	—	Initial Depth to Water:	68.91
Volume in Well:	1.6								
Sampling Method:	LOW-FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1818				68.91	2.06	1365	-11.3	6.47	16.6	114	
1823		4L		69.50	0.88	1392	-26.1	6.37	16.6	163.26	
1828		6.5L		69.53	0.59	1485	-33.3	6.41	17.3	64.02	
1833		9L		69.60	0.46	1491	-38.8	6.42	17.4	52.47	
1838		12L		69.69	0.40	1472	-41.1	6.41	17.5	51.48	
1843		14 L		69.73	0.36	1453	-42.8	6.41	17.5	41.97	
1848		17.5L		70.09	0.31	1436	-44.6	6.39	17.4	38.64	
1853		21 L		69.89	0.29	1429	-46.3	6.40	17.1	39.57	

Sampling Data

Sample ID:	MW-1R	Date:	4/19/22	Time:	1855	Sampler(s):	T. HUETTER
Laboratory Analysis:	See report			# Bottles:	9	Preservative:	Varies
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-2	Date:	4-19-22
Well Diameter:	2"	Well Depth:	48.7	Screened Interval From:	—	to:	—	Initial Depth to Water:	31.28
Volume in Well:	2.8								
Sampling Method:	Low-Flow	Pump Type:	Submersible	Tubing Type:	LDPE	Tubing Diameter:	1/2"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1410	Start		~200								
1420			↓	31.96	0.90	736	7.7	6.95	16.4	0.91	NA
1425			↓	32.02	0.64	746	-6.7	6.92	16.5	0.53	↓
1430			↓	32.20	0.62	749	-9.1	6.92	16.6	0.76	↓
1435			↓	32.18	0.61	750	-9.4	6.92	16.6	0.70	↓
1440	~2	~2	↓	32.15	0.60	751	-9.9	6.92	16.6	0.58	↓

Sampling Data

Sample ID:	MW-2	Date:	4-19-22	Time:	1450	Sampler(s):	M. Lybrand	
Laboratory Analysis:	See report.					# Bottles:	9	Preservative: Varies
Comments:	Tubing inlet set ~ 46' TOC.							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings < 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings < 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-3	Date:	4-19-22
Well Diameter:	2"	Well Depth:	39.6	Screened Interval From:	—	to:	—	Initial Depth to Water:	32.23
Volume in Well:	1.2								
Sampling Method:	Low-Flow	Pump Type:	Submersible	Tubing Type:	LDPE	Tubing Diameter:	1/2"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1540	Start		~200								
1545				32.41	0.66	1197	49.4	6.39	17.1	0.51	NA
1550				32.38	0.60	1194	36.4	6.37	17.1	0.44	
1555				32.38	0.57	1192	34.6	6.36	17.1	0.29	
1600				32.39	0.55	1190	40.3	6.35	17.1	0.19	
1605				32.39	0.55	1189	40.5	6.35	17.1	0.16	
1610	~2	~2		32.40	0.54	1189	40.7	6.35	17.1	0.18	

Sampling Data

Sample ID:	MW-3	Date:	4-19-22	Time:	1615	Sampler(s):	M. Lybrand		
Laboratory Analysis:	See report.					# Bottles:	9	Preservative:	Varies
Comments:	Tubing inlet set ~ 3' TOC.								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings < 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings < 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-4	Date:	4/19/22
Well Diameter:	2"	Well Depth:	99.9	Screened Interval From:	—	to:	—	Initial Depth to Water:	86.65
Volume in Well:	2.1								
Sampling Method:	Low-Flow			Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
0957				88.60	6.17	642	76.6	7.00	12.8	12.12	—
1002		2L		87.89	4.94	606	88.2	6.90	14.6	14.12	—
1007		4L		88.22	4.81	675	94.1	6.91	15.6	8.37	—
1012		6L		88.50	4.81	676	100.2	6.92	15.9	5.13	—
1017		8L		88.54	4.78	675	105.3	6.93	15.9	3.59	—

Sampling Data

Sample ID:	MW-4	Date:	4/19/22	Time:	1017	Sampler(s):	T. HUETTEN
Laboratory Analysis:	See report			# Bottles:	9	Preservative:	Varies
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-5	Date:	4/19/22
Well Diameter:	2"	Well Depth:	89.1	Screened Interval From:	—	to:	—	Initial Depth to Water:	76.35
Volume in Well:	2.0								
Sampling Method:	LOW FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
0834				76.35	5.57	823	196.3	6.18	18.3	31.96	—
0839		2L		77.01	3.99	787	186.2	6.61	14.0	25.86	—
0844		4L		77.01	3.92	771	181.4	6.65	14.4	18.69	—
0849		6L		77.01	3.82	770	177.9	6.67	14.6	10.98	—

Sampling Data

Sample ID:	MW-5	Date:	4/19/22	Time:	0849	Sampler(s):	T. HUETTEL
Laboratory Analysis:	See report			# Bottles:	9	Preservative:	Varies
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-6	Date:	4-19-22
Well Diameter:	2"	Well Depth:	68.3	Screened Interval From:	–	to:	–	Initial Depth to Water:	55.51
Volume in Well:	2.1								
Sampling Method:	Low-Flow			Pump Type:	Submersible	Tubing Type:	LDPE	Tubing Diameter:	1/2"

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1645	start		~200								
1700				55.78	0.73	869	77.6	6.79	14.7	1.9	NA
1710				55.75	0.65	869	73.8	6.80	14.8	1.5	
1715				55.75	0.64	870	73.5	6.80	14.8	1.5	
1720	~2.5	~2.5		55.75	0.63	869	73.5	6.80	14.8	1.5	

Sampling Data

Sample ID:	MW-6	Date:	4-19-22	Time:	1730	Sampler(s):	M. Lybrand	
Laboratory Analysis:	See report.					# Bottles:	9+9 (Dup.)	Preservative: Varies
Comments:	Tubing inlet set ~ 65' TOC. Duplicate MW-6 DUP collected.							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings < 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings < 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-7	Date:	4-18-22
Well Diameter:	2"	Well Depth:	22.9	Screened Interval From:	—	to:	—	Initial Depth to Water:	6.14
Volume in Well:	2.7								
Sampling Method:	Low Flow	Pump Type:	Peristaltic	Tubing Type:	LDPE	Tubing Diameter:	1/4"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1653	start		~200								
1705			↓	7.11	1.12	369	83.6	6.99	12.7	0.54	NA
1710			↓	7.20	1.08	369	82.5	6.99	12.7	0.60	↓
1715			↓	7.21	1.05	369	81.5	6.99	12.7	0.56	↓
1720	~2	~2	↓	7.22	1.02	369	80.4	6.99	12.7	0.52	↓

Sampling Data

Sample ID:	MW-7	Date:	4-18-22	Time:	1730	Sampler(s):	M. Lybrand
Laboratory Analysis:	See report					# Bottles:	9
Preservative:	Varies						
Comments:	Tubing inlet set ~ 20' TOC.						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-509D	Date:	4-19-22
Well Diameter:	2"	Well Depth:	39.7	Screened Interval From:	—	to:	—	Initial Depth to Water:	15.95
Volume in Well:	3.9								
Sampling Method:	Low-Flow			Pump Type:	Peristaltic			Tubing Type:	LDPE
Tubing Diameter:	1/4"								

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
0955	Start		~200								
1005				16.25	4.63	631	38.4	6.65	14.1	10.9	NA
1010				16.26	4.69	625	51.9	6.64	14.1	8.8	
1015				16.27	4.61	626	53.7	6.65	14.1	9.0	
1020				16.27	4.60	625	54.2	6.64	14.1	9.3	
1025				16.27	4.58	625	55.9	6.64	14.1	9.6	

Sampling Data

Sample ID:	MW-509D	Date:	4-19-22	Time:	1030	Sampler(s):	M. Lybrand
Laboratory Analysis:	See report					# Bottles:	9 + 9 (Dup.)
Preservative:	Varies						
Comments:	Tubing inlet set ~ 37' TOC. Duplicate MW-509D DUP collected.						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-577	Date:	4-19-22
Well Diameter:	2"	Well Depth:	55.2	Screened Interval From:	—	to:	—	Initial Depth to Water:	41.19	Volume in Well:	2.3
Sampling Method:	Low-Flow			Pump Type:	Submersible	Tubing Type:	LDPE			Tubing Diameter:	1/2"

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1300	Start		~200								
1310				41.29	0.90	839	18.7	6.80	16.7	8.2	NA
1320				41.28	0.71	837	14.6	6.81	16.7	7.4	
1325				41.29	0.70	815	11.3	6.82	16.8	9.3	
1330				41.29	0.68	818	10.9	6.82	16.8	8.8	
1335	~2.5	~2.5		41.30	0.67	820	11.1	6.82	16.8	9.1	

Sampling Data

Sample ID:	MW-577	Date:	4-19-22	Time:	1345	Sampler(s):	M. Lybrand
Laboratory Analysis:	See report.					# Bottles:	9	Preservative:	Varies
Comments:	Tubing inlet set ~ 53' TOC.								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings < 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings < 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	MW-633D	Date:	4/19/22
Well Diameter:	2"	Well Depth:	87.9	Screened Interval From:	—	to:	—	Initial Depth to Water:	63.05
Volume in Well:	4.0								
Sampling Method:	LOW - FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1116				63.03	3.79	669	131.4	7.15	16.1	85.01	—
1121				63.41	1.49	662	133.7	7.00	16.1	81.70	—
1126		3.9		63.41	0.95	663	132.6	6.97	16.4	76.70	—
1131				63.29	0.83	664	130.4	6.96	16.5	72.23	
1136		8L		63.21	0.83	665	128.2	6.96	16.5	68.57	
1141				63.22	0.79	662	126.4	6.96	16.3	66.62	
1146		12L		63.42	0.64	660	124.7	6.95	16.4	64.11	

Sampling Data

Sample ID:	MW-633D	Date:	4/19/22	Time:	1146	Sampler(s):	T. HUETTER		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:	TURBIDITY NOT DROPPING, BUT WATER APPEARS CLEAR								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill						**Well ID:**	MW-689D	**Date:**	4-19-22		
Well Diameter:	2"	**Well Depth:**	43.8	**Screened Interval From:**	—	**to:**	—	**Initial Depth to Water:**	25.31	**Volume in Well:**	3.0	
Sampling Method:	Low-Flow			**Pump Type:**	Peristaltic			**Tubing Type:**	LDPE	**Tubing Diameter:**	1/4"	

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1038	Start		~200								
1045				25.45	1.28	502	-43.9	6.92	15.6	11.2	NA
1050				25.45	1.09	525	-52.7	6.93	15.6	5.8	
1055				25.45	1.03	538	-56.7	6.93	15.6	6.3	
1100				25.46	0.98	545	-58.8	6.93	15.6	5.5	
1105				25.46	0.95	548	-59.2	6.92	15.6	4.9	
1110	~2	~2		25.46	0.92	550	-59.7	6.92	15.6	4.8	

Sampling Data

Sample ID:	MW-689D	**Date:**	4-19-22	**Time:**	1115	**Sampler(s):**	M. Lybrand
Laboratory Analysis:	See report					**# Bottles:**	9
Preservative:	Varies						
Comments:	Tubing inlet set ~41' TOC.						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill				Well ID:	NAB-2	Date:	4/19/20
Well Diameter:	2"	Well Depth:	102.8	Screened Interval From:	—	to:	—	Initial Depth to Water:	74.56	Volume in Well:	4.5
Sampling Method:	LOW-FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"				

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1626				74.56	6.08	774	166.3	7.08	15.5	86.71	—
1631		7L		77.39	1.83	787	163.8	6.86	15.9	16.43	
1636				77.33	1.43	789	161.7	6.82	16.0	9.35	
1641		11L		77.35	1.21	792	159.5	4.80	16.2	7.40	

Sampling Data

Sample ID:	NAB-2	Date:	4/19/22	Time:	1641	Sampler(s):	T. HUSTEN		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:									

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	NAB-3	Date:	4-18-22
Well Diameter:	2"	Well Depth:	46.3	Screened Interval From:	—	to:	—	Initial Depth to Water:	22.65
Volume in Well:	3.9								
Sampling Method:	Low-Flow	Pump Type:	Peristaltic	Tubing Type:	LDPE	Tubing Diameter:	1/4"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1430	Start		~200								
1440				23.20	1.85	459	68.5	6.94	14.0	9.8	NA
1445				23.48	1.59	456	71.3	6.94	14.0	9.7	
1450				23.49	1.47	451	72.5	6.94	14.0	7.9	
1455				23.50	1.46	450	72.5	6.94	13.9	8.0	
1500	~2	~2		23.50	1.46	451	72.5	6.94	13.9	7.4	

Sampling Data

Sample ID:	NAB-3	Date:	4-18-22	Time:	1510	Sampler(s):	M. Lybrand
Laboratory Analysis:	See report			# Bottles:	9	Preservative:	Varies
Comments:	Tubing inlet set ~ 43' TOC.						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	NAB-4	Date:	4/19/22
Well Diameter:	2"	Well Depth:	140.0	Screened Interval From:	—	to:	—	Initial Depth to Water:	115.71
Volume in Well:	3.9								
Sampling Method:	LOW - FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1243				115.71	3.36	909	147.4	7.15	16.7	82.49	
1248				116.12	1.30	896	157.4	6.68	16.7	49.62	
1253				116.16	1.14	890	157.7	6.65	16.6	55.38	
1258				116.12	1.07	890	155.9	6.63	17.0	49.95	
1303		6L		116.19	0.99	887	153.9	6.63	16.9	44.98	
1308		7.5L		116.24	0.95	894	151.3	6.62	17.3	37.31	
1313				116.19	0.94	903	148.5	6.61	17.4	29.22	
1318		10L		116.27	0.90	898	146.6	6.60	17.5	19.22	

Sampling Data

Sample ID:	NAB-4	Date:	4/19/22	Time:	1318	Sampler(s):	T. HUETTER
Laboratory Analysis:	See report			# Bottles:	9	Preservative:	Varies
Comments:							

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	NAB-7	Date:	4-18-22
Well Diameter:	2"	Well Depth:	43.7	Screened Interval From:	—	to:	—	Initial Depth to Water:	20.77
Volume in Well:	3.7								
Sampling Method:	Low-Flow	Pump Type:	Peristaltic	Tubing Type:	LDPE	Tubing Diameter:	1/4"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1520	start		~200								
1525				21.41	3.50	380	87.9	6.83	13.0	17.4	NA
1530				21.91	3.33	374	81.0	6.84	13.0	6.3	
1535				21.85	3.17	380	78.1	6.85	13.0	5.4	
1540				21.81	3.09	381	77.8	6.85	13.0	3.3	
1545	~1.5	~1.5		21.80	3.07	382	77.3	6.85	13.0	4.1	

Sampling Data

Sample ID:	NAB-7	Date:	4-18-22	Time:	1550	Sampler(s):	M. Lybrand
Laboratory Analysis:	See report					# Bottles:	9
Preservative:	Varies						
Comments:	Tubing inlet set ~ 41' TOC.						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill						Well ID:	NAB-8	Date:	5/4/22
Well Diameter:	2"	Well Depth:	85.7	Screened Interval From:	—	to:	—	Initial Depth to Water:	81.95	Volume in Well:	0.6
Sampling Method:	BAILER			Pump Type:	—			Tubing Type:	—	Tubing Diameter:	—

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1145	—	—	—	81.95	5.65	530	120.7	6.95	16.3	2.71	—

Sampling Data

Sample ID:	NAB-8	Date:	5/4/22	Time:	1145	Sampler(s):	T. HUETTER		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:	BAILED DRY ON 4/18/22 - SAMPLED ON 5/4/22 DUE TO LOW VOLUME								

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	NE-2	Date:	4/20/22
Well Diameter:	2"	Well Depth:	62.9	Screened Interval From:	—	to:	—	Initial Depth to Water:	49.92
Volume in Well:	2.1								
Sampling Method:	BAILER	Pump Type:	—	Tubing Type:	—	Tubing Diameter:	—		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
0822	—	—	—	49.92	6.44	1320	153.2	7.08	15.3	4.52	—

Sampling Data

Sample ID:	NE-2	Date:	4/20/22	Time:	0822	Sampler(s):	T. HUETTER
Laboratory Analysis:	See report			# Bottles:	9	Preservative:	Varies
Comments:	BAILED DRY, THEN SAMPLED NEXT DAY						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	NE-3	Date:	4-18-22
Well Diameter:	2"	Well Depth:	27.8	Screened Interval From:	—	to:	—	Initial Depth to Water:	5.85
Volume in Well:	3.6								
Sampling Method:	Low-Flow	Pump Type:	Peristaltic	Tubing Type:	LDPE	Tubing Diameter:	1/4"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1300	Start		~200								
1305			↓	12.04	1.78	405	44.8	7.29	12.8	6.4	NA
1310				12.69	1.44	402	40.9	7.29	12.7	6.9	↓
1315				12.75	1.33	401	37.9	7.28	12.7	7.4	
1320				12.80	1.33	397	27.2	7.28	12.8	7.8	
1325				12.82	1.34	396	25.3	7.27	12.7	8.0	
1330	~2	~2	↓	12.85	1.34	396	25.0	7.27	12.7	8.0	↓

Sampling Data

Sample ID:	NE-3	Date:	4-18-22	Time:	1335	Sampler(s):	M. Lybrand
Laboratory Analysis:	See report					# Bottles:	9
Preservative:	Varies						
Comments:	Tubing inlet set ~ 25' TOC.						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	NE-4	Date:	4/19/22
Well Diameter:	2"	Well Depth:	112.2	Screened Interval From:	—	to:	—	Initial Depth to Water:	59.20
Volume in Well:	8.5								
Sampling Method:	LOW - FLOW	Pump Type:	SUBMERSIBLE	Tubing Type:	LDPE	Tubing Diameter:	0.375"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1724				59.20	6.37	1656	138.7	7.58	16.0	12.37	
1729		2L		60.49	2.47	654	154.1	7.05	15.9	137.9	
1734		3.3L		60.83	1.42	649	151.2	6.99	15.7	48.29	
1739		5L		60.92	1.09	649	152.5	6.97	16.1	22.74	
1744		6.5		61.30	0.77	647	150.3	6.97	15.8	15.10	

Sampling Data

Sample ID:	NE-4	Date:	4/19/20	Time:	1744	Sampler(s):	T. HUETTEN		
Laboratory Analysis:	See report					# Bottles:	9	Preservative:	Varies
Comments:									

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Harbor

Groundwater Sampling Record

Site Name:	NABORS Landfill					Well ID:	NE-6	Date:	4-18-22
Well Diameter:	2"	Well Depth:	18.2	Screened Interval From:	—	to:	—	Initial Depth to Water:	4.75
Volume in Well:	2.2								
Sampling Method:	Low Flow	Pump Type:	Peristaltic	Tubing Type:	LDPE	Tubing Diameter:	1/4"		

Time	Volume Purged (gallons)	Cumulative Volume Purged (gallons)	Purge Rate (mL/min)	Depth to Water (feet)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
1602	Start		~200								NA
1610			↓	6.40	1.06	475	83.4	6.86	13.2	0.81	↓
1615			↓	6.95	0.69	477	64.7	6.86	13.3	0.47	↓
1620			↓	7.25	0.63	477	56.5	6.86	13.2	0.33	↓
1625			↓	7.30	0.61	477	54.2	6.86	13.2	0.39	↓
1630	~1.5	~1.5	↓	7.33	0.61	476	53.6	6.86	13.2	0.42	↓

Sampling Data

Sample ID:	NE-6	Date:	4-18-22	Time:	1640	Sampler(s):	M. Lybrand
Laboratory Analysis:	See report					# Bottles:	9
Preservative:	Varies						
Comments:	Tubing inlet set ~ 15' TOC.						

Notes: Stabilization criteria for range of variation of last three consecutive readings – pH: ± 0.2 units; Temperature: ± 0.2 °C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings <20% saturation; optionally, ± 0.2 mg/L or ± 10% (whichever is greater); Turbidity: all readings <20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Harbor

Spring Sampling Record

Site Name:	NABORS Landfill	Location:	Three Brothers, AR	Date(s):	4/18/22 - 4/19/22

Spring ID	Flow (Y/N)	Sampled (Y/N)	Sample Date	Sample Time	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	Oxidation-Reduction Potential (mV)	pH (Standard Units)	Temperature (°C)	Turbidity (NTU)	Odor/ Color
Class I Draw	Y	Y	4/19/22	0900	10.38	155	56.8	7.42	11.0	12.7	—
Class IV Draw	Y	Y	4/19/22	1543	8.18	422	156.5	7.74	13.4	10.07	—
LE seep	Y	Y	4/18/22	1615	4.77	535	47.0	6.68	15.4	5.95	N/A *
NE-3 Spring	Y	Y	4/18/22	1400	4.93	253	54.3	7.13	11.6	6.6	—
Spring A	Y	Y	4/18/22	1745	8.90	139	106.7	7.54	13.7	45	—
Spring B	N	N	—	—	—	—	—	—	—	—	—
SP-4	Y	Y	4/19/22	0931	8.63	531	17.2	6.87	11.5	9.04	N/A *
SP-5	N	N	—	—	—	—	—	—	—	—	—
SP-7	Y	Y	4/18/22	1546	7.51	252.4	142.8	7.10	14.0	11.96	N/A *
TSP-1	Y	Y	11	1706	5.28	143.9	421.8	6.91	12.3	0.60	N/A
TSP-2	N	N	—	—	—	—	—	—	—	—	—
TSP-3	N	N	—	—	—	—	—	—	—	—	—
TSP-4	Y	Y	4/18/22	1415	9.60	282	70.8	7.95	15.9	7.7	—

Sampling Data

Sampler(s):	T. HNETTER / M. LYBRAND				
Laboratory Analysis:	See report	# Bottles:	9	Preservative:	Varies
Comments:	* ABUNDANT IRON FLOC IN CHANNEL				

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

4/12/22

NABORS LANDFILL APRIL 2022 GW SAMPLING

WEATHER: MOSTLY SUNNY, WINDY, MID 50s TO LOW 60s.

1144: T. HUETTER ON SITE, GO TO LEACHATE TANK AREA TO UNLOAD EQUIPMENT AND SAMPLE COOLERS

~~1225: GO TO~~ M. LYBRAND ALREADY ONSITE CHECKING WELLS.

1225: GO TO NAB-4 TO CHECK WATER LEVEL.

1231: ARRIVE AT NAB-4, KEY DID NOT WORK - MIKE WILL UNLOCK

1235: ARRIVE AT GP-5 TO START GAS MEASUREMENTS

1256: ARRIVE AT GP-16

1304: ARRIVE AT GP-17

1309: ARRIVE AT GP-18 & GP-13R

1320: ARRIVE AT GP-1

1334: ARRIVE AT GP-3

1339: ARRIVE AT GP-2

1345: ARRIVE AT GP-4

1351: ARRIVE AT GP-6

1355: ARRIVE AT GP-7

1359: ARRIVE AT GP-8

1406: ARRIVE AT GP-9

4/13/22

1414: ARRIVE AT GP-10

1420: ARRIVE AT GP-11

1435: ~~1443~~: ARRIVE AT GP-12

1443: ARRIVE AT GP-13

1451: ARRIVE AT GP-14R

1456: ARRIVE AT GP-14

1506: ARRIVE AT GP-15

1509: ARRIVE AT GP-16R. OUTER WELL STICK-UP CASING AND PAD ARE DAMAGED. LOCK COULD NOT BE REMOVED DUE TO BENT HASP.

1526: ARRIVE AT VLCS-1, RED STROBE NOT ACTIVATED, SUMP FULL AND OVERFLOWING

1529: ARRIVE AT VLCS-2, RED STROBE NOT ACTIVATED. SUMP LEVEL ~ 8' BELOW TOP.

1545: ARRIVE AT SP-7 SPRING

1546: COLLECT SAMPLE SP-7 NO SURFACE WATER FLOW.

1614: ARRIVE AT L.E. SEEP

1615: COLLECT SAMPLE LE SEEP

1639: CHECK LEACHATE LEVEL AT TANKS => 19.6" pH = 8.83

4/18/22

NABORS G.W MONITORING

1652: ARRIVE AT TSP-2. SOME POOLED WATER EVIDENT IN CHANNEL BUT FLOW NOT APPARENT

1701: ARRIVE AT TSP-1 SPRING GOOD FLOW OUT OF DEEP HOLE.

1706: COLLECT SAMPLE TSP-1

1718: ARRIVE AT NAB-8 TO BAIL

BAILER	TEMP	DO	COND	pH	ORP	TURB
FULL	16.3	5.65	530	6.95	120.7	7.71
2/3	16.4	5.76	527	7.07	126.7	22.4
<1/2	16.0	5.61	257.8	7.11	177.9	4.98

1741: DRY AFTER FOURTH BAILER DROP.

1747: BACK TO STAGING AREA

1812: T. HUETTER, M. LYDLAND OFF SITE.

4/19/22

NABBIS APRIL 2022 GW MONITORING

WEATHER: CLEAR, BLEEK, LOW 30s TO MID 60s

0730: T. HUETTER, J. SEALS, M. LYDLAND ON SITE, START CALIBRATING INSTRUMENTS.

0818: ARRIVE AT MW-5

0831: BEGIN PURGING MW-5

0849: MW-5 PURGE COMPLETE, COLLECT MW-5 SAMPLE

0918: ARRIVE AT MW-4, GO TO LOOK FOR SP-4

0926: ARRIVE AT SP-4, FLOW IS OCCURRING, WILL SAMPLE

	TEMP	DO	COND.	pH	ORP	TURB
	11.5	8.63	531	6.87	17.2	9.04

0931 COLLECT SAMPLE SP-4

0942: SET UP ON MW-4

0957: START PURGING MW-4

1017: MW-4 PURGE COMPLETE, COLLECT SAMPLE.

1040: ARRIVE AT LCS-1, DISPLAY IS OFF

1052: ARRIVE AT LCS-6 15.9" WORKING IN HAND

4/19/22

NABORS CW APRIL 2022

1055: ARRIVE AT LCS-7 13.6" WORKING IN HAND ALTHOUGH LEVEL DID NOT DROP 63 HOURS ON PUMP

1059: ARRIVE AT LCS-8 0.0" 268 HOURS STATION OK DISPLAY ~~NO~~ GREEN STROBE NOT COMING ON IN HAND.

1106: ARRIVE AT MW-633D

1116: START PURGING MW-633D

1146: MW-633D PURGE COMPLETE, COLLECT SAMPLE

1218: SET UP ON NAB-4

1243: START PURGING NAB-4

~~1338~~ 1318: PURGE COMPLETE, COLLECT SAMPLE

1341: GET UP ON NAB-2

1348: T.H OFF SITE TO GET SECOND CHARGED BATTERY FROM HOTEL

1551: TH BACK ON SITE. HAD TO GET NEW FUSE FOR PUMP. IT WENT OUT SHORTLY AFTER LEAVING. ALSO PICKED UP MORE DISTILLED WATER AND ICE FOR SAMPLES.

1643: JS COLLECTED CLASS IV DRAW SAMPLE

4/19/22

1606: ARRIVE AT LCS-9. GREEN STROBE ON. 60.7" STATION OK

1618: ARRIVE AT NAB-2

1626: START PURGING NAB-2

1641: PURGE COMPLETE, COLLECT SAMPLE

1643: TH TO NE-4 TO PURGE WITH BAILER

1649: TEMP DO COND. pH ORP TURB
15.3 6.44 1320 7.08 153.2 1.52

1659: APROX. 2 L REMOVED. BAILER WOULD NOT LIFT ANY MORE WATER

1712: ARRIVE AT NE-4

1724: START PURGING NE-4

1744: NE-4 PURGE COMPLETE COLLECT SAMPLE

1811: GET UP ON MW-1R

1818: START PURGING MW-1R

1844: ARRIVE AT LCS-2 #203 DIALOG TABLE READING IMPOSSIBLE CAN NOT SCROLL LEVEL = ????

1846: ARRIVE AT LCS-3 40.5" WORKING IN HAND

1849: ARRIVE AT LCS-4 23.6" W.I.H.

1852: ARRIVE AT LCS-5 17.5" W.I.H.

1855: JS COLLECT SAMPLE MW-1R

4/19/22

1357: BACK TO STAGING AREA

1915: TH, NAL, JS OFF SITE

4/20/22

NABORS C-N MONITORING

WEATHER: OVERCAST, LIGHT RAIN

MID 40s

0809: TH, JS ON SITE, GO TO NE-2 TO COLLECT SAMPLE

0822: COLLECT SAMPLE NE-2 LOCK FOR NE-2 WAS MISSING DID NOT HAVE REPLACEMENT

0858: ARRIVE AT NAB-8. ONLY V3 BAILER WITH SAMPLE ON NEXT BI-WEEKLY VISIT NAB-8 LOCK ALSO MISSING

0915: TH OFF SITE

4-18-22 - NABORS Landfill

AM - Ptly cloudy, windy, cold.

PM - Clear, windy, mild.

0915 - M. Lybrand arrives @ NABORS site, unloads 4-wheeler and equipment. Prepares to gauge wells.

0945 - Start gauging wells - see water level Field form.

1225 - Complete well gauging. Tom Huetter onsite - measuring gas well readings. Prepare for groundwater and spring sampling.

1246 - Gauge NAB-4 using 200' water level indicator.

1300 - Start purging NE-3 w/ peristaltic pump - see Groundwater Sampling Records for purging/sampling info. Note: YSI ProDSS used as field meter - was calibrated by Field Env. prior to use.

1750 - Complete sampling for day. Decon water level indicator & pack-up

equipment.
1800 - Collect Equip. Blank EB-1.
1820 - Leave site for day. T.H. has all samples on ice in ice chests, will lock in hotel room overnight.
Samples collected by M. Lybrand on 4/18/22:

1335 - NE-3
1400 - NE-3 Spring
1415 - TSP-4
1510 - NAB-3
1550 - NAB-7
1640 - NE-6
1730 - MW-7
1745 - Spring A
1800 - EB-1

M. S. Lybrand

4-19-22 - NABORS Landfill
AM - Clear, cold.
PM - Ptly cloudy, mild.
0715 - M. Lybrand arrives @ NABORS site, prepares for sampling.
0745 - Calibrate YSI Pro DSS meter (along w/ Tom's meter). See Calibrations Logs.
0810 - Start purging well CAO-3. See Groundwater Sampling Records for purging and sampling info.
Note: Collect field duplicate from MW-509D [MW-509D DUP].
1225 - Complete sampling w/ peristaltic pump, prepare to utilize submersible pumps for gw sampling.
Note: Pump and flow-through cell will be decontaminated prior to and between well locations.
1320 - Start purging MW-577 (see field forms).

(38)

1500 - Help Jason (Harbor) find Class IV Draw Spring.

1530 - Continue groundwater sampling.

Note: Duplicate sample collected from well MW-6 [MW-6 DUP].

1850 - Complete groundwater sampling, load up and prepare to leave site for day. T. Hutter has all samples on ice in ice chests, will lock in hotel overnight.

* Samples collected by Mike Lybrand on 4-19-22:

0845 - CAO-3
0945 - CAO-1
1030 - MW-509D
1030 - MW-509D DUP.
1115 - MW-689D
1220 - CAO-2
1345 - MW-577
1450 - MW-2
1615 - MW-3

harbor)
spring.
waters

e
MW-6

waters
and
ite
has
in
the
t.

2
9-22:

1730 - MW-6
1730 - MW-6 DUP.
1845 - MW-1

19.5 - M. Hybrand leaves site. Harbor crew will finish-up sampling on 4-20-22.

M.J. Hybrand

Harbor

Field Meter Calibration Log

Date:	4-19-22	**Time:**	0745
Project:	NABORS S1 22 SAMPLING		
Site Location:	NABORS LANDFILL		
Personnel:	M. LYBRAND		
Manufacturer:	YSI		
Model #:	Pro DSS		

Parameter:	Units:		Initial Reading:	Final Reading:
pH:	S.U.	4	–	4.00
pH:	S.U.	7	–	7.00
pH:	S.U.	10	–	–
Specific Conductance:	mS/cm	1409	–	1409
Turbidity:	NTU		–	–
Dissolved Oxygen:	mg/L		–	–
	%		–	–
ORP:	mV		–	–

Comments:	NA
Signature	M. S. Lybrand
Date	4-19-22

Notes: S.U. – standard units; mS/cm – micro Siemens per centimeter; NTU – nephelometric turbidity units; mg/L – milligrams per liter; % - percent; mV - millivolt

5800 Evergreen Drive • Little Rock, Arkansas 72205 • Phone 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Appendix B

Laboratory Analytical Results

Page Intentionally Blank

Arkansas Analytical Inc.

8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205

Project: NABORS Landfill Sample(s)

Project Number: April 2022

SDG Number: 2204300

Enclosed are the results of analyses for samples received by the laboratory on 20-Apr-22 14:44. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✔
Containers Correct	✔
COC/Labels Agree	✔
Received On Ice	✔
Temperature on Receipt	3.0°C

Sincerely,

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

CASE NARRATIVE

Sample Delivery Group – 2204300

One *OR* more of the qualifiers described below may appear in this report. Qualifiers in RED apply to this SDG (Sample Delivery Group).

QUALITY CONTROL QUALIFIERS:

Qualifier	Description
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01	Surrogate failed to recover within acceptance criteria (%D3/S-01).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control Surrogate failed.

CALIBRATION QUALIFIERS:

Qualifier	Description
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-F	Second Source Verification Failure
E7	Internal Standard Response Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

SAMPLE RECEIPT QUALIFIERS:

Qualifier	Description
ET	Samples received above required temperature (6°C).
ET	Samples received above required temperature. Although collected and received the same day, no ice was present to indicate the cooling preservation was attempted.
E2	Result qualified as it was received and analyzed outside of holding time. Analysis is considered a "Field" analysis.
E2	Result qualified as it was received and/or analyzed outside of holding time (7 days).
E3	Result qualified as it was received in the incorrect container and/or preservation.

ANALYTICAL QUALIFIERS:

Qualifier	Description
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
EX2	The result exceeds the TCLP limit.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).
N	Insufficient Sample Weight as Required by Method.
T40	The ambient temperature exceeded 23 +/- 2oC during the TCLP rotation process
TCLP-1	TCLP extraction done in alternate ZHE due to sample matrix.

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-01**
Sample Name:	**NE-3**
Date/Time Collected:	**4/18/22 13:35**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**1.80**		4/22/22 10:09	B204363	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**18.6**		4/22/22 15:11	B204363	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	**0.656**	J	4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.390**		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**125**		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.106**	J	4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.368**		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.111**	J	4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.316**	J	4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**25.8**		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**12.8**		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 13:49	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**1.94**		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	**0.108**	J	4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.075**	J	4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.122**	J	4/26/22 12:35	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**38.9**		4/26/22 12:35	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-01
Sample Name: NE-3
Date/Time Collected: 4/18/22 13:35
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00	E20	4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-01**
Sample Name:	**NE-3**
Date/Time Collected:	**4/18/22 13:35**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		4/22/22 1:24	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**332**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	< 1.00		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-02**
Sample Name:	**NE-3 Spring**
Date/Time Collected:	**4/18/22 14:00**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**1.28**		4/22/22 10:31	B204363	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**4.92**		4/22/22 10:31	B204363	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.168**	J	4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**23.5**		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.082**	J	4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.358**		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.350**	J	4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**30.6**		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.219**	J	4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**0.818**	J	4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 13:53	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.29**	J	4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.229**	J	4/26/22 12:39	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**13.3**	J	4/26/22 12:39	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-02
Sample Name: NE-3 Spring
Date/Time Collected: 4/18/22 14:00
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-02**
Sample Name: **NE-3 Spring**
Date/Time Collected: **4/18/22 14:00**
Sample Matrix: **Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	110		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		4/22/22 1:49	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**213**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	**1.20**		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-03
Sample Name: TSP-4
Date/Time Collected: 4/18/22 14:15
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**1.33**		4/22/22 10:52	B204363	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**4.56**		4/22/22 10:52	B204363	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.217**	J	4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**24.9**		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.470**		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.047**	J	4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.383**	J	4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**90.5**		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.475**		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**1.92**		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 13:56	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.26**	J	4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.437**		4/26/22 12:46	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**5.81**	J	4/26/22 12:46	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-03
Sample Name: TSP-4
Date/Time Collected: 4/18/22 14:15
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-03**
Sample Name:	**TSP-4**
Date/Time Collected:	**4/18/22 14:15**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/22/22 2:14	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**214**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	**1.35**		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-04
Sample Name: NAB-3
Date/Time Collected: 4/18/22 15:10
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**3.62**		4/22/22 11:14	B204363	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**18.0**		4/22/22 11:14	B204363	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.550**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**39.7**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**1.14**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.411**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.336**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**1.36**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**42.5**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.685**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**282**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 13:59	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**4.04**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.063**	J	4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.176**	J	4/26/22 12:50	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**122**		4/26/22 12:50	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-04
Sample Name: NAB-3
Date/Time Collected: 4/18/22 15:10
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-04**
Sample Name:	**NAB-3**
Date/Time Collected:	**4/18/22 15:10**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	106		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.9		4/22/22 2:40	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**368**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	**1.07**		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-05
Sample Name: SP-7
Date/Time Collected: 4/18/22 15:46
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.13**		4/22/22 11:35	B204363	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**8.05**		4/22/22 11:35	B204363	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**1.97**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**41.4**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.039**	J	4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.635**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.542**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.865**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**1760**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**1.24**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**228**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:02	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.79**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.809**		4/26/22 12:53	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**10.4**	J	4/26/22 12:53	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-05
Sample Name: SP-7
Date/Time Collected: 4/18/22 15:46
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-05**
Sample Name:	**SP-7**
Date/Time Collected:	**4/18/22 15:46**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	110		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/22/22 3:05	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**171**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	**2.85**		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-06
Sample Name: NAB-7
Date/Time Collected: 4/18/22 15:50
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**3.45**		4/22/22 11:57	B204363	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**13.5**		4/22/22 11:57	B204363	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**3.16**		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**25.7**		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.227**	J	4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.325**		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.126**	J	4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.145**	J	4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**233**		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**3.87**		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**2.84**		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:12	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**1.51**		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.215**	J	4/26/22 14:16	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**39.8**		4/26/22 14:16	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-06
Sample Name: NAB-7
Date/Time Collected: 4/18/22 15:50
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-06**
Sample Name:	**NAB-7**
Date/Time Collected:	**4/18/22 15:50**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	108		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		4/22/22 3:30	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**312**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	< 1.00		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-07**
Sample Name:	**LE SEEP**
Date/Time Collected:	**4/18/22 16:15**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**5.58**	E20	4/25/22 12:54	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**5.05**		4/25/22 12:54	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**6.10**		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**82.0**		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.065**	J	4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.327**		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**5.93**		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.413**		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**2670**		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.097**	J	4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**1180**		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:16	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**4.82**		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.052**	J	4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.062**	J	4/26/22 14:20	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**5.45**	J	4/26/22 14:20	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	**8.41**		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-07
Sample Name: LE SEEP
Date/Time Collected: 4/18/22 16:15
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	**0.213**	J	4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	**3.43**	J	4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	**1.07**		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	**2.06**		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-07**
Sample Name:	**LE SEEP**
Date/Time Collected:	**4/18/22 16:15**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		4/22/22 3:55	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**321**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	**2.22**		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-08
Sample Name: NE-6
Date/Time Collected: 4/18/22 16:40
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.47**		4/25/22 13:15	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**33.0**		4/25/22 13:15	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.347**		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**28.4**		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.103**	J	4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.378**		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.388**		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.395		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**57.6**		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.122**	J	4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**5.41**		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:23	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**4.82**		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.066**	J	4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**812**		4/26/22 14:24	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-08
Sample Name: NE-6
Date/Time Collected: 4/18/22 16:40
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-08**
Sample Name:	**NE-6**
Date/Time Collected:	**4/18/22 16:40**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	113		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		4/22/22 4:20	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**395**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	< 1.00		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-09
Sample Name: TSP-1
Date/Time Collected: 4/18/22 17:06
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.44**		4/25/22 13:37	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**8.65**		4/25/22 13:37	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.255**	J	4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**46.6**		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.478**		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.409**		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.066**	J	4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.467**		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**79.3**		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.201**	J	4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**11.0**		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:27	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.98**		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.269**		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**56.6**		4/26/22 14:27	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-09
Sample Name: TSP-1
Date/Time Collected: 4/18/22 17:06
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-09**
Sample Name: **TSP-1**
Date/Time Collected: **4/18/22 17:06**
Sample Matrix: **Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.7		4/22/22 4:45	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**290**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	**1.02**		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-10
Sample Name: MW-7
Date/Time Collected: 4/18/22 17:30
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**1.28**		4/25/22 13:58	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**6.38**		4/25/22 13:58	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.215**	J	4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**29.7**		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.039**	J	4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.401**		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.049**	J	4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.226**	J	4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	< 20.8		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**5.11**		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:30	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.19**	J	4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.065**	J	4/26/22 14:31	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		4/26/22 14:31	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-10
Sample Name: MW-7
Date/Time Collected: 4/18/22 17:30
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-10**
Sample Name:	**MW-7**
Date/Time Collected:	**4/18/22 17:30**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Toluene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	108		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		4/22/22 5:10	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**302**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	< 1.00		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-11**
Sample Name:	**SPRING A**
Date/Time Collected:	**4/18/22 17:45**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**0.836**		4/25/22 14:20	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**0.926**		4/25/22 14:20	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**1.51**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**34.0**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	**0.140**	J	4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.154**	J	4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**1.81**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.362**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**2.28**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**1520**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**3.33**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**14.3**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:33	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**1.63**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**2.64**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**58.8**		4/26/22 14:35	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-11
Sample Name: SPRING A
Date/Time Collected: 4/18/22 17:45
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-11**
Sample Name:	**SPRING A**
Date/Time Collected:	**4/18/22 17:45**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	114		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/22/22 5:35	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**153**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	**3.47**		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-12**
Sample Name:	**EB-1**
Date/Time Collected:	**4/18/22 18:00**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	< 0.500		4/25/22 14:41	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		4/25/22 14:41	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	< 0.260		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.398**		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.395		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	< 20.8		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:36	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.23**	J	4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		4/26/22 14:39	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-12
Sample Name: EB-1
Date/Time Collected: 4/18/22 18:00
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-12**
Sample Name:	**EB-1**
Date/Time Collected:	**4/18/22 18:00**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	114		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		4/22/22 6:00	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/26/22 13:02	B204427	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	< 5.00		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	< 1.00		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-13
Sample Name: CAO-3
Date/Time Collected: 4/19/22 8:45
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.42**		4/25/22 15:03	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**2.76**		4/25/22 15:03	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.131**	J	4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**21.3**		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.180**	J	4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.423**		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.245**	J	4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**51.4**		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.318**		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:40	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.40**	J	4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.267**		4/26/22 14:42	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**8.60**	J	4/26/22 14:42	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-13
Sample Name: CAO-3
Date/Time Collected: 4/19/22 8:45
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-13**
Sample Name:	**CAO-3**
Date/Time Collected:	**4/19/22 8:45**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	113		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/22/22 6:25	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**140**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	< 1.00		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-14**
Sample Name: **MW-5**
Date/Time Collected: **4/19/22 8:49**
Sample Matrix: **Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**6.43**		4/25/22 15:24	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**10.4**		4/26/22 11:27	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	**0.997**	J	4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.586**		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**38.5**		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.149**	J	4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**1.28**		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.070**	J	4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.518**		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**25.5**		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.173**	J	4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**1.76**		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:43	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**1.80**		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.116**	J	4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.145**	J	4/26/22 14:46	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**38.1**		4/26/22 14:46	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-14
Sample Name: MW-5
Date/Time Collected: 4/19/22 8:49
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-14**
Sample Name:	**MW-5**
Date/Time Collected:	**4/19/22 8:49**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	111		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		4/22/22 6:50	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**450**		4/21/22 12:30	B204339	SM 2540 C-2011
TOC	mg/L	< 1.00		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-15
Sample Name: C1DS -- Class 1 Draw Spring
Date/Time Collected: 4/19/22 9:00
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**3.88**		4/25/22 15:45	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**2.66**		4/25/22 15:45	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.886**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**30.0**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.075**	J	4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.473**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.695**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.452**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**528**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.851**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**181**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:46	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.65**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.383**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**35.1**		4/26/22 14:50	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-15
Sample Name: C1DS -- Class 1 Draw Spring
Date/Time Collected: 4/19/22 9:00
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-15
Sample Name: C1DS -- Class 1 Draw Spring
Date/Time Collected: 4/19/22 9:00
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.5		4/22/22 7:15	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**136**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**2.08**		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-16
Sample Name: SP-4
Date/Time Collected: 4/19/22 9:31
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.03**		4/25/22 16:07	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**1.33**		4/25/22 16:07	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**47.5**		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**74.1**		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.042**	J	4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.280**		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**52.4**		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.278**	J	4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**15800**		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**5390**		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 14:59	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**70.9**		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.257**	J	4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.093**	J	4/26/22 15:31	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**12.8**	J	4/26/22 15:31	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	**2.19**		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-16
Sample Name: SP-4
Date/Time Collected: 4/19/22 9:31
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	**0.220**	J	4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	**0.677**	J	4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	**1.74**		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-16**
Sample Name:	**SP-4**
Date/Time Collected:	**4/19/22 9:31**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	**0.471**	J	4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	104		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	108		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		4/22/22 7:40	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**315**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**1.89**		4/22/22 8:43	B204365	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-17
Sample Name: CAO-1
Date/Time Collected: 4/19/22 9:45
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**87.3**		4/25/22 17:11	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	< 0.500		4/26/22 11:48	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**164**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**239**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.137**	J	4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.403**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	**14.1**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.316**	J	4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**25200**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	**0.290**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	**390**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	**0.0700**	J	4/26/22 15:03	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**38.6**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.050**	J	4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.811**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**91.8**		4/26/22 15:35	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	**2.21**		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-17
Sample Name: CAO-1
Date/Time Collected: 4/19/22 9:45
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	**3.62**		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	**4.84**		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	**2.11**		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	**2.71**	J	4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	**38.9**		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-17**
Sample Name:	**CAO-1**
Date/Time Collected:	**4/19/22 9:45**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	**0.346**	J	4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	**0.691**	J	4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	109		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.4		4/22/22 8:06	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		4/21/22 13:07	B204384	SM 4500-S2 D-2011
TDS	mg/L	**746**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**9.75**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-18**
Sample Name: **MW-509D**
Date/Time Collected: **4/19/22 10:30**
Sample Matrix: **Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.72**		4/25/22 17:33	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**6.09**		4/25/22 17:33	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.212**	J	4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**29.6**		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**3.53**		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.496**		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.207**	J	4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	**8.61**	J	4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 15:06	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.86**		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.369**		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**393**		4/26/22 15:38	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-18
Sample Name: MW-509D
Date/Time Collected: 4/19/22 10:30
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-18**
Sample Name:	**MW-509D**
Date/Time Collected:	**4/19/22 10:30**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Toluene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	104		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	109		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		4/22/22 8:31	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**315**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	< 1.00		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-19**
Sample Name:	**MW-509D Duplicate**
Date/Time Collected:	**4/19/22 10:30**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.72**		4/25/22 17:54	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**6.11**		4/25/22 17:54	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.168**	J	4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Barium	ug/L	**28.8**		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Cadmium	ug/L	**3.53**		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.537**		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Copper	ug/L	**0.261**	J	4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Iron	ug/L	< 20.8		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Manganese	ug/L	< 1.56		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 15:09	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.91**		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.365**		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014
Zinc	ug/L	**393**		4/26/22 15:42	B204399	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-19
Sample Name: MW-509D Duplicate
Date/Time Collected: 4/19/22 10:30
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-19**
Sample Name:	**MW-509D Duplicate**
Date/Time Collected:	**4/19/22 10:30**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Toluene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	106		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/22/22 8:56	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**325**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	< 1.00		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-20**
Sample Name:	**MW-4**
Date/Time Collected:	**4/19/22 10:17**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**7.20**		4/25/22 18:16	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**17.2**		4/25/22 18:16	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	**0.473**	J	5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.428**		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**41.8**		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.914**		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.617**		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.047**	J	5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.325**	J	5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**14.0**	E20, J	5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**0.128**	J	5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**0.808**	J	5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/26/22 15:12	B204426	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.90**		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.174**	J	5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.094**	J	5/3/22 18:19	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**119**		5/3/22 18:19	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-20
Sample Name: MW-4
Date/Time Collected: 4/19/22 10:17
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21	4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00	E21	4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-20**
Sample Name:	**MW-4**
Date/Time Collected:	**4/19/22 10:17**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	108		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/22/22 9:21	B204350	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**428**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	< 1.00		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-21
Sample Name: MW-689D
Date/Time Collected: 4/19/22 11:15
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**1.42**		4/25/22 18:37	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**8.70**		4/25/22 18:37	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**5.08**		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**31.3**		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.396**		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.082**	J	5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.274**	J	5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**1290**		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**0.539**		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**8.55**		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 12:17	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.34**	J	5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.171**	J	5/3/22 18:23	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/3/22 18:23	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-21
Sample Name: MW-689D
Date/Time Collected: 4/19/22 11:15
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-21**
Sample Name:	**MW-689D**
Date/Time Collected:	**4/19/22 11:15**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 14:12	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**291**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	< 1.00		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-22**
Sample Name:	**MW-633D**
Date/Time Collected:	**4/19/22 11:46**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**16.8**		4/25/22 18:58	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**10.3**		4/25/22 18:58	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	**0.533**	J	5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.379**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**66.4**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**2.04**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**1.04**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.140**	J	5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.839**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**40.3**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**0.233**	J	5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**12.9**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	**0.730**		4/27/22 12:21	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**5.68**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.174**	J	5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.282**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**365**		5/3/22 15:00	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	**1.51**		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-22
Sample Name: MW-633D
Date/Time Collected: 4/19/22 11:46
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	**0.407**	J	4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	**1.25**		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-22**
Sample Name:	**MW-633D**
Date/Time Collected:	**4/19/22 11:46**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	105		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	112		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 19:14	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**393**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**1.22**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-23
Sample Name: CAO-2
Date/Time Collected: 4/19/22 12:20
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**18.2**		4/25/22 19:20	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**6.96**		4/25/22 19:20	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.456**		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**73.1**		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.045**	J	5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.521**		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.140**	J	5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.309**	J	5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**9.54**	J	5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**2.80**		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	**0.672**		4/27/22 12:24	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**1.35**		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.056**	J	5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.220**	J	5/3/22 15:04	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**7.20**	J	5/3/22 15:04	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-23
Sample Name: CAO-2
Date/Time Collected: 4/19/22 12:20
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	**0.264**	J	4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-23**
Sample Name:	**CAO-2**
Date/Time Collected:	**4/19/22 12:20**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	105		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.8		4/26/22 14:37	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**418**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**1.37**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-24**
Sample Name: **NAB-4**
Date/Time Collected: **4/19/22 13:13**
Sample Matrix: **Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**5.85**		4/25/22 19:41	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**82.4**		4/25/22 19:41	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	**0.771**	J	5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**7.62**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**52.3**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**2.32**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**1.16**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.805**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.942**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**165**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**1.60**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**183**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	**0.405**		4/27/22 12:27	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**12.8**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.903**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.120**	J	5/3/22 18:27	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**1390**		5/3/22 18:27	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-24
Sample Name: NAB-4
Date/Time Collected: 4/19/22 13:13
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-24**
Sample Name:	**NAB-4**
Date/Time Collected:	**4/19/22 13:13**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	108		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 15:02	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/28/22 12:50	B204498	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**404**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**1.79**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-25**
Sample Name: **MW-577**
Date/Time Collected: **4/19/22 13:45**
Sample Matrix: **Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.72**		4/25/22 20:03	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**25.1**		4/25/22 20:03	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.998**		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**24.1**		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.408**		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.395		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**90.7**		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**5.00**		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 12:30	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.23**	J	5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/3/22 15:59	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-25
Sample Name: MW-577
Date/Time Collected: 4/19/22 13:45
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00	E20	4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-25**
Sample Name:	**MW-577**
Date/Time Collected:	**4/19/22 13:45**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Toluene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	104		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	109		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.8		4/26/22 15:28	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**581**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	< 1.00		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-26**
Sample Name:	**MW-2**
Date/Time Collected:	**4/19/22 14:50**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.67**		4/25/22 20:24	B204401	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**15.8**		4/25/22 20:24	B204401	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**4.02**		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**28.5**		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.348**		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.054**	J	5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	< 0.395		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**63.1**		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**5.51**		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 12:40	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.25**	J	5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.158**	J	5/3/22 16:03	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		5/3/22 16:03	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-26
Sample Name: MW-2
Date/Time Collected: 4/19/22 14:50
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-26**
Sample Name:	**MW-2**
Date/Time Collected:	**4/19/22 14:50**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Toluene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	104		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	109		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 15:53	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**367**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	< 1.00		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-27
Sample Name: C4DS -- Class 4 Draw Spring
Date/Time Collected: 4/19/22 15:43
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.26**		4/28/22 9:18	B204462	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**8.95**		4/28/22 15:43	B204462	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.475**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**29.9**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.141**	J	5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.401**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.205**	J	5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.592**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**158**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**1.33**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**42.1**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 12:44	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.65**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.375**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**34.3**		5/3/22 16:07	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-27
Sample Name: C4DS -- Class 4 Draw Spring
Date/Time Collected: 4/19/22 15:43
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-27
Sample Name: C4DS -- Class 4 Draw Spring
Date/Time Collected: 4/19/22 15:43
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	105		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	110		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		4/26/22 16:18	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**197**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**3.18**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-28**
Sample Name: **MW-3**
Date/Time Collected: **4/19/22 16:15**
Sample Matrix: **Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**24.1**		4/28/22 9:39	B204462	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**51.5**		4/28/22 9:39	B204462	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**1.14**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**91.0**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**1.20**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.331**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.972**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.602**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**71.9**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**0.211**	J	5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**496**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 12:47	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**18.4**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.498**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.476**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**159**		5/3/22 16:10	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-28
Sample Name: MW-3
Date/Time Collected: 4/19/22 16:15
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-28**
Sample Name:	**MW-3**
Date/Time Collected:	**4/19/22 16:15**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	105		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	110		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		4/26/22 16:43	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**597**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**2.63**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-29
Sample Name: MW-6
Date/Time Collected: 4/19/22 17:30
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**18.3**		4/28/22 10:01	B204462	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**6.61**		4/28/22 10:01	B204462	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.390**		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**46.7**		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.456**		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.400**		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.041**	J	5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.281**	J	5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**22.3**		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**0.499**	J	5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 12:50	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**0.79**		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.109**	J	5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.139**	J	5/3/22 16:18	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**41.7**		5/3/22 16:18	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-29
Sample Name: MW-6
Date/Time Collected: 4/19/22 17:30
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	**3.19**		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-29**
Sample Name:	**MW-6**
Date/Time Collected:	**4/19/22 17:30**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	105		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	111		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 17:08	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**447**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**1.07**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-30**
Sample Name: **MW-6 Duplicate**
Date/Time Collected: **4/19/22 17:30**
Sample Matrix: **Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**18.3**		4/28/22 10:22	B204462	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**6.56**		4/28/22 10:22	B204462	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.383**		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**47.2**		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.464**		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.352**		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.041**	J	5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.271**	J	5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**19.0**	J	5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.260		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**0.561**	J	5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 12:53	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**7.94**		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.114**	J	5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.137**	J	5/3/22 16:22	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**42.6**		5/3/22 16:22	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-30
Sample Name: MW-6 Duplicate
Date/Time Collected: 4/19/22 17:30
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	**3.83**		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-30**
Sample Name: **MW-6 Duplicate**
Date/Time Collected: **4/19/22 17:30**
Sample Matrix: **Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	107		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	111		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	100		4/26/22 17:33	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**425**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**1.08**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-31**
Sample Name:	**NAB-2**
Date/Time Collected:	**4/19/22 16:41**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**6.12**		4/28/22 10:44	B204462	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**13.5**		4/28/22 10:44	B204462	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**12.5**		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**60.3**		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.050**	J	5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**1.08**		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**6.05**		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.345**	J	5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**173**		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**1.15**		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**240**		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 12:57	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**11.7**		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.123**	J	5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.201**	J	5/3/22 16:25	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**37.5**		5/3/22 16:25	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-31
Sample Name: NAB-2
Date/Time Collected: 4/19/22 16:41
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-31**
Sample Name:	**NAB-2**
Date/Time Collected:	**4/19/22 16:41**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	105		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	115		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 17:59	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**416**		4/25/22 7:29	B204389	SM 2540 C-2011
TOC	mg/L	**1.11**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-32**
Sample Name: **NE-4**
Date/Time Collected: **4/19/22 17:44**
Sample Matrix: **Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**2.60**		4/28/22 11:05	B204462	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**20.8**		4/28/22 11:05	B204462	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**3.98**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**29.7**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.180**	J	5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**1.21**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.342**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.996**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**209**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**1.17**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**22.9**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 13:00	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**5.46**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.092**	J	5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.191**	J	5/3/22 16:33	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**207**		5/3/22 16:33	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-32
Sample Name: NE-4
Date/Time Collected: 4/19/22 17:44
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-32**
Sample Name:	**NE-4**
Date/Time Collected:	**4/19/22 17:44**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	111		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		4/26/22 18:24	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**349**		4/26/22 14:20	B204433	SM 2540 C-2011
TOC	mg/L	< 1.00		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-33
Sample Name: MW-1
Date/Time Collected: 4/19/22 18:45
Sample Matrix: Water

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**55.4**		4/28/22 12:31	B204462	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**3.62**		4/28/22 12:31	B204462	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**18.0**		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**144**		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.041**	J	5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.449**		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**44.7**		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.669**		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**13300**		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**0.254**	J	5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**382**		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 13:03	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**38.9**		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.183**	J	5/3/22 16:38	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**81.2**		5/3/22 16:38	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	**13.2**		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	**0.527**	J	4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	**0.257**	J	4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-33
Sample Name: MW-1
Date/Time Collected: 4/19/22 18:45
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	**4.95**		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	**0.788**	J	4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	**1.91**		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	**2.65**		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	**1.77**	J	4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	**8.00**		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	**55.0**		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	**0.234**	J	4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-33**
Sample Name: **MW-1**
Date/Time Collected: **4/19/22 18:45**
Sample Matrix: **Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
tert-Butylbenzene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	**0.446**	J	4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	**0.593**	J	4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	**0.614**	J	4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	**5.00**		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	111		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 19:39	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**681**		4/26/22 14:20	B204433	SM 2540 C-2011
TOC	mg/L	**5.58**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-34**
Sample Name: **MW-1R**
Date/Time Collected: **4/19/22 18:55**
Sample Matrix: **Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**61.3**		4/28/22 12:52	B204462	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**6.48**		4/28/22 12:52	B204462	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**116**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**145**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.298**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**1.15**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**38.9**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**6.49**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**25300**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**2.40**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**172**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	**1.84**		4/27/22 13:07	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**53.9**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.981**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.702**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**500**		5/3/22 16:41	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	**14.3**		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	**0.399**	J	4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-34
Sample Name: MW-1R
Date/Time Collected: 4/19/22 18:55
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	**3.98**		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	**5.06**		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	**1.37**		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	**2.03**		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	**1.12**	J	4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	**6.65**		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	**49.0**		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	**0.251**	J	4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)
Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: **2204300-34**
Sample Name: **MW-1R**
Date/Time Collected: **4/19/22 18:55**
Sample Matrix: **Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
tert-Butylbenzene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	**0.353**	J	4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	**0.282**	J	4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	**3.98**		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	105		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	112		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	99.3		4/26/22 20:04	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**745**		4/26/22 14:20	B204433	SM 2540 C-2011
TOC	mg/L	**9.98**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-35**
Sample Name:	**NE-2**
Date/Time Collected:	**4/20/22 8:22**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**9.86**		4/28/22 13:14	B204462	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**295**		4/28/22 16:48	B204462	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Arsenic	ug/L	**0.567**		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Barium	ug/L	**24.9**		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.128**	J	5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.535**		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.106**	J	5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Copper	ug/L	**0.999**		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Iron	ug/L	**159**		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Lead	ug/L	**0.154**	J	5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Manganese	ug/L	**1.96**		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		4/27/22 13:10	B204442	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**4.95**		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Thallium	ug/L	**0.078**	J	5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.450**		5/3/22 18:01	B204417	SW 6020B, Rev 2-2014
Zinc	ug/L	**12.4**	J	5/3/22 18:01	B204417	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-35
Sample Name: NE-2
Date/Time Collected: 4/20/22 8:22
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number:	**2204300-35**
Sample Name:	**NE-2**
Date/Time Collected:	**4/20/22 8:22**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	105		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	112		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 18:49	B204425	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		4/29/22 11:05	B204507	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150	E2	4/27/22 10:22	B204471	SM 4500-S2 D-2011
TDS	mg/L	**842**		4/26/22 14:20	B204433	SM 2540 C-2011
TOC	mg/L	**3.19**		4/26/22 8:37	B204392	SM 5310 B-2011

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-36
Sample Name: TB-1 -- Trip Blank
Date/Time Collected: 4/20/22 14:44
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	**1.96**	J	4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-36
Sample Name: TB-1 -- Trip Blank
Date/Time Collected: 4/20/22 14:44
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	104		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	106		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 12:31	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-37
Sample Name: TB-2 -- Trip Blank
Date/Time Collected: 4/20/22 14:44
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-37
Sample Name: TB-2 -- Trip Blank
Date/Time Collected: 4/20/22 14:44
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 12:56	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-38
Sample Name: TB-3 -- Trip Blank
Date/Time Collected: 4/20/22 14:44
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	**1.61**	J	4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-38
Sample Name: TB-3 -- Trip Blank
Date/Time Collected: 4/20/22 14:44
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 13:22	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-39
Sample Name: TB-4 -- Trip Blank
Date/Time Collected: 4/20/22 14:44
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	**1.59**	J	4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

ANALYTICAL RESULTS

Lab Number: 2204300-39
Sample Name: TB-4 -- Trip Blank
Date/Time Collected: 4/20/22 14:44
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
cis-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	105		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	107		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		4/26/22 13:47	B204425	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: B204339 (Water)
Prepared: 20-Apr-22 13:30 By: ALA -- Analyzed: 20-Apr-22 13:30 By: ALA

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TDS	<5.00 mg/L	107% / 101%	NA / NA		5.79%	

Volatiles -- Batch: B204350 (Water)
Prepared: 21-Apr-22 08:54 By: CT -- Analyzed: 22-Apr-22 10:12 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.200 ug/L	101% / NA	92.7% / 93.9%		1.31%	
1,1,1-Trichloroethane	<0.319 ug/L	102% / NA	98.7% / 101%		2.43%	
1,1,2,2-Tetrachloroethane	<0.290 ug/L	98.1% / NA	105% / 104%		1.53%	
1,1,2-Trichloroethane	<0.238 ug/L	99.1% / NA	101% / 95.4%		6.02%	
1,1-Dichloroethane	<0.299 ug/L	102% / NA	108% / 106%		1.22%	
1,1-Dichloroethene	<0.355 ug/L	103% / NA	97.3% / 98.3%		1.11%	
1,1-Dichloropropene	<0.390 ug/L	103% / NA	103% / 103%		0.150%	
1,2,3-Trichlorobenzene	<0.661 ug/L	91.7% / NA	83.4% / 88.9%		6.35%	
1,2,3-Trichloropropane	<0.200 ug/L	97.8% / NA	93.8% / 96.8%		3.12%	
1,2,4- Trimethylbenzene	<0.216 ug/L	101% / NA	94.6% / 96.4%		1.88%	
1,2,4-Trichlorobenzene	<0.564 ug/L	89.7% / NA	82.6% / 87.0%		5.14%	
1,2-Dibromo-3-chloropropane	<0.696 ug/L	91.3% / NA	89.8% / 87.7%		2.38%	
1,2-Dibromoethane	<0.260 ug/L	101% / NA	103% / 98.8%		4.54%	
1,2-Dichlorobenzene	<0.206 ug/L	98.6% / NA	91.4% / 94.2%		3.03%	
1,2-Dichloroethane	<0.248 ug/L	97.0% / NA	111% / 105%		5.93%	
1,2-Dichloropropane	<0.220 ug/L	101% / NA	109% / 104%		4.50%	
1,3,5- Trimethylbenzene	<0.227 ug/L	101% / NA	95.8% / 96.9%		1.13%	
1,3-Dichlorobenzene	<0.249 ug/L	99.6% / NA	92.8% / 94.2%		1.50%	
1,3-Dichloropropane	<0.210 ug/L	100% / NA	105% / 99.8%		5.11%	
1,4-Dichlorobenzene	<0.187 ug/L	100% / NA	93.7% / 94.9%		1.34%	
2,2-Dichloropropane	<0.200 ug/L	102% / NA	103% / 104%		1.82%	
2-Butanone	<0.485 ug/L	93.2% / NA	91.2% / 102%		11.1%	
2-Chloroethyl Vinyl Ether	<0.328 ug/L	96.6% / NA	MBI / MBI		171%	MBI
2-Chlorotoluene	<0.250 ug/L	102% / NA	95.7% / 97.8%		2.16%	
2-Hexanone	<0.430 ug/L	93.4% / NA	97.0% / 91.7%		5.68%	
4-Chlorotoluene	<0.309 ug/L	99.6% / NA	94.8% / 97.3%		2.55%	
4-Methyl-2-pentanone	<0.200 ug/L	93.5% / NA	105% / 92.4%		12.7%	
Acrolein	<1.10 ug/L	74.3% / NA	85.2% / 86.1%		1.02%	E21
Acrylonitrile	<0.539 ug/L	99.5% / NA	110% / 109%		1.09%	
Benzene	<0.174 ug/L	104% / NA	103% / 102%		0.301%	
Bromobenzene	<0.140 ug/L	101% / NA	96.0% / 97.0%		1.00%	
Bromochloromethane	<0.190 ug/L	104% / NA	97.7% / 102%		4.81%	
Bromodichloromethane	<0.278 ug/L	99.3% / NA	104% / 101%		2.75%	
Bromoform	<0.160 ug/L	93.7% / NA	95.9% / 92.4%		3.81%	
Bromomethane	<0.579 ug/L	85.9% / NA	92.6% / 95.2%		2.83%	
Carbon disulfide	<0.278 ug/L	94.0% / NA	91.1% / 93.3%		2.36%	
Carbon Tetrachloride	<0.170 ug/L	104% / NA	102% / 101%		1.19%	
Chlorobenzene	<0.100 ug/L	100% / NA	98.8% / 94.8%		4.19%	
Chloroethane	<0.993 ug/L	91.4% / NA	99.8% / 99.1%		0.707%	
Chloroform	<0.591 ug/L	106% / NA	103% / 104%		0.563%	
Chloromethane	<0.660 ug/L	82.9% / NA	94.5% / 96.6%		2.19%	

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

QUALITY CONTROL RESULTS

Volatiles -- Batch: B204350 (Water)

Prepared: 21-Apr-22 08:54 By: CT -- Analyzed: 22-Apr-22 10:12 By: ct

Analyte	BLK	LCS / LCSD			MS / MSD			Dup	RPD	Qualifiers
cis-1,2-Dichloroethene	<0.258 ug/L	105%	/	NA	101%	/	102%		0.356%	
cis-1,3-Dichloropropene	<0.220 ug/L	99.6%	/	NA	100%	/	95.0%		5.45%	
Dibromochloromethane	<0.130 ug/L	101%	/	NA	94.7%	/	91.8%		3.15%	
Dibromomethane	<0.170 ug/L	97.0%	/	NA	100%	/	97.3%		2.86%	
Dichlorodifluoromethane	<0.472 ug/L	71.3%	/	NA	70.6%	/	72.4%		2.54%	E21
Ethylbenzene	<0.216 ug/L	102%	/	NA	102%	/	98.9%		3.35%	
Hexachlorobutadiene	<0.667 ug/L	90.8%	/	NA	81.9%	/	85.9%		4.84%	
Isopropylbenzene	<0.195 ug/L	101%	/	NA	94.3%	/	96.0%		1.88%	
m,p-Xylene	<0.350 ug/L	101%	/	NA	102%	/	100%		2.02%	
Methylene Chloride	<0.751 ug/L	104%	/	NA	97.6%	/	101%		3.53%	
Methyl-tert-Butyl Ether	<0.263 ug/L	100%	/	NA	98.6%	/	100%		1.46%	
Naphthalene	<0.920 ug/L	89.8%	/	NA	74.1%	/	82.5%		10.7%	
n-Butylbenzene	<0.303 ug/L	95.6%	/	NA	87.8%	/	89.6%		1.93%	
n-Propylbenzene	<0.240 ug/L	101%	/	NA	96.8%	/	97.1%		0.329%	
o-Xylene	<0.180 ug/L	103%	/	NA	102%	/	100%		1.37%	
p-Isopropyltoluene	<0.220 ug/L	101%	/	NA	91.3%	/	94.0%		2.91%	
sec-Butylbenzene	<0.348 ug/L	97.1%	/	NA	88.9%	/	94.2%		5.83%	
Styrene	<0.173 ug/L	102%	/	NA	101%	/	99.1%		1.96%	
tert-Butylbenzene	<0.265 ug/L	101%	/	NA	91.9%	/	95.5%		3.78%	
Tetrachloroethene	<0.280 ug/L	99.0%	/	NA	96.2%	/	94.3%		1.96%	
Toluene	<0.245 ug/L	103%	/	NA	101%	/	96.2%		5.01%	
trans-1,2-Dichloroethene	<0.258 ug/L	102%	/	NA	99.0%	/	99.2%		0.240%	
trans-1,3-Dichloropropene	<0.287 ug/L	99.4%	/	NA	99.4%	/	95.1%		4.39%	
Trichloroethene	<0.280 ug/L	98.3%	/	NA	92.5%	/	92.9%		0.507%	
Trichlorofluoromethane	<0.465 ug/L	97.6%	/	NA	97.1%	/	98.5%		1.45%	
Vinyl chloride	<0.373 ug/L	90.7%	/	NA	99.5%	/	101%		1.37%	
1,2-Dichloroethane-d4 [surr]	105 %	101%	/	NA	110%	/	108%		NA	
4-Bromofluorobenzene [surr]	103 %	102%	/	NA	100%	/	101%		NA	
Toluene-d8 [surr]	99.8 %	101%	/	NA	102%	/	99.2%		NA	

Anions -- Batch: B204363 (Water)

Prepared: 21-Apr-22 13:10 By: MB -- Analyzed: 21-Apr-22 17:50 By: MB

Analyte	BLK	LCS / LCSD			MS / MSD			Dup	RPD	Qualifiers
Chloride	<0.500 mg/L	95.1%	/	NA	95.1%	/	93.6%		1.57%	
Sulfate as SO4	<0.500 mg/L	95.7%	/	NA	102%	/	99.4%		1.66%	

Wet Chemistry -- Batch: B204365 (Water)

Prepared: 21-Apr-22 14:11 By: ST -- Analyzed: 22-Apr-22 08:43 By: ST

Analyte	BLK	LCS / LCSD			MS / MSD			Dup	RPD	Qualifiers
TOC	<1.00 mg/L	102%	/	NA	96.9%	/	101%		2.65%	

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: B204384 (Water)
Prepared: 21-Apr-22 13:07 By: JH -- Analyzed: 21-Apr-22 13:07 By: JH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Sulfide	<0.150 mg/L	102% / 99.0%	102% / NA		2.99%	

Wet Chemistry -- Batch: B204389 (Water)
Prepared: 25-Apr-22 07:29 By: ALA -- Analyzed: 25-Apr-22 07:29 By: ALA

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TDS	<5.00 mg/L	101% / 109%	NA / NA		7.59%	

Wet Chemistry -- Batch: B204392 (Water)
Prepared: 25-Apr-22 08:47 By: ST -- Analyzed: 26-Apr-22 08:37 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TOC	<1.00 mg/L	101% / NA	103% / 104%		0.403%	

Total Metals -- Batch: B204399 (Water)
Prepared: 25-Apr-22 10:48 By: ST -- Analyzed: 26-Apr-22 12:31 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	102% / NA	102% / 102%		0.588%	
Arsenic	<0.052 ug/L	103% / NA	111% / 111%		0.647%	
Barium	<0.078 ug/L	104% / NA	101% / 101%		0.00810%	
Beryllium	<0.074 ug/L	98.2% / NA	100% / 100%		0.204%	
Cadmium	<0.038 ug/L	104% / NA	101% / 102%		0.831%	
Chromium	<0.0751 ug/L	103% / NA	102% / 103%		0.860%	
Cobalt	<0.035 ug/L	104% / NA	103% / 105%		1.73%	
Copper	<0.120 ug/L	105% / NA	102% / 102%		0.476%	
Iron	<5.83 ug/L	106% / NA	102% / 99.5%		1.81%	
Lead	<0.079 ug/L	103% / NA	101% / 102%		1.16%	
Manganese	<0.423 ug/L	104% / NA	121% / 107%		9.99%	
Nickel	<0.16 ug/L	104% / NA	102% / 103%		1.13%	
Selenium	<1.50 ug/L	103% / NA	112% / 119%		5.72%	
Silver	<0.099 ug/L	98.5% / NA	102% / 103%		1.23%	
Thallium	<0.046 ug/L	102% / NA	102% / 102%		0.188%	
Tin	<1.62 ug/L	105% / NA	103% / 104%		0.869%	
Vanadium	<0.042 ug/L	101% / NA	99.2% / 101%		1.51%	
Zinc	<4.89 ug/L	114% / NA	109% / 108%		0.430%	

Anions -- Batch: B204401 (Water)
Prepared: 25-Apr-22 11:44 By: ALA -- Analyzed: 25-Apr-22 22:33 By: ALA

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Chloride	<0.500 mg/L	99.7% / NA	112% / 113%		0.0370%	%D1
Sulfate as SO4	<0.500 mg/L	101% / NA	109% / 107%		0.735%	

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

QUALITY CONTROL RESULTS

Total Metals -- Batch: B204417 (Water)

Prepared: 25-Apr-22 15:47 By: ST -- Analyzed: 03-May-22 14:29 By: ST

Analyte	BLK	LCS / LCSD			MS / MSD			Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	99.2%	/	NA	101%	/	98.8%		2.58%	
Arsenic	<0.052 ug/L	97.7%	/	NA	102%	/	100%		2.23%	
Barium	<0.078 ug/L	99.6%	/	NA	97.7%	/	94.2%		1.95%	
Beryllium	<0.074 ug/L	100%	/	NA	98.3%	/	102%		3.50%	
Cadmium	<0.038 ug/L	100%	/	NA	95.6%	/	95.6%		0.0333%	
Chromium	<0.0751 ug/L	101%	/	NA	98.5%	/	97.9%		0.555%	
Cobalt	<0.035 ug/L	104%	/	NA	99.6%	/	98.2%		1.46%	
Copper	<0.120 ug/L	100%	/	NA	96.7%	/	95.7%		0.956%	
Iron	<5.83 ug/L	115%	/	NA	113%	/	137%		15.7%	%D1
Lead	<0.079 ug/L	96.5%	/	NA	93.3%	/	91.7%		1.72%	
Manganese	<0.423 ug/L	99.4%	/	NA	105%	/	100%		5.18%	
Nickel	<0.16 ug/L	98.9%	/	NA	97.6%	/	96.3%		1.25%	
Selenium	<1.50 ug/L	96.7%	/	NA	98.4%	/	98.7%		0.234%	
Silver	<0.099 ug/L	95.8%	/	NA	97.3%	/	96.6%		0.681%	
Thallium	<0.046 ug/L	102%	/	NA	94.6%	/	93.4%		1.28%	
Tin	<1.62 ug/L	100%	/	NA	97.6%	/	95.0%		2.71%	
Vanadium	<0.042 ug/L	99.3%	/	NA	97.6%	/	97.4%		0.250%	
Zinc	<4.89 ug/L	102%	/	NA	122%	/	106%		4.66%	

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

QUALITY CONTROL RESULTS

Volatiles -- Batch: B204425 (Water)

Prepared: 26-Apr-22 09:09 By: CT -- Analyzed: 26-Apr-22 21:20 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.200 ug/L	92.9% / NA	93.1% / 90.1%		3.26%	
1,1,1-Trichloroethane	<0.319 ug/L	94.7% / NA	101% / 100%		0.340%	
1,1,2,2-Tetrachloroethane	<0.290 ug/L	106% / NA	97.1% / 93.0%		4.29%	
1,1,2-Trichloroethane	<0.238 ug/L	96.7% / NA	96.1% / 94.7%		1.57%	
1,1-Dichloroethane	<0.299 ug/L	98.2% / NA	111% / 109%		1.69%	
1,1-Dichloroethene	<0.355 ug/L	94.9% / NA	105% / 104%		1.15%	
1,1-Dichloropropene	<0.390 ug/L	98.4% / NA	103% / 100%		2.23%	
1,2,3-Trichlorobenzene	<0.661 ug/L	90.2% / NA	102% / 87.0%		15.6%	
1,2,3-Trichloropropane	<0.200 ug/L	94.3% / NA	91.8% / 90.3%		1.59%	
1,2,4- Trimethylbenzene	<0.216 ug/L	99.9% / NA	104% / 100%		4.09%	
1,2,4-Trichlorobenzene	<0.564 ug/L	92.3% / NA	97.6% / 85.9%		12.8%	
1,2-Dibromo-3-chloropropane	<0.696 ug/L	94.4% / NA	96.9% / 87.5%		10.2%	
1,2-Dibromoethane	<0.260 ug/L	97.9% / NA	96.5% / 93.1%		3.66%	
1,2-Dichlorobenzene	<0.206 ug/L	95.9% / NA	99.3% / 94.4%		5.13%	
1,2-Dichloroethane	<0.248 ug/L	95.3% / NA	101% / 103%		1.63%	
1,2-Dichloropropane	<0.220 ug/L	97.4% / NA	103% / 104%		1.09%	
1,3,5- Trimethylbenzene	<0.227 ug/L	98.6% / NA	104% / 100%		3.87%	
1,3-Dichlorobenzene	<0.249 ug/L	96.3% / NA	98.6% / 96.2%		2.44%	
1,3-Dichloropropane	<0.210 ug/L	97.1% / NA	97.4% / 95.4%		2.15%	
1,4-Dichlorobenzene	<0.187 ug/L	97.0% / NA	98.0% / 95.2%		2.90%	
2,2-Dichloropropane	<0.200 ug/L	103% / NA	92.4% / 91.0%		1.47%	
2-Butanone	<0.485 ug/L	94.8% / NA	99.6% / 96.8%		2.83%	
2-Chloroethyl Vinyl Ether	<0.328 ug/L	89.3% / NA	MBI / MBI		%	MBI
2-Chlorotoluene	<0.250 ug/L	98.8% / NA	103% / 100%		2.90%	
2-Hexanone	<0.430 ug/L	87.4% / NA	91.2% / 88.7%		2.86%	
4-Chlorotoluene	<0.309 ug/L	99.4% / NA	101% / 97.3%		3.65%	
4-Methyl-2-pentanone	<0.200 ug/L	93.2% / NA	95.3% / 92.3%		3.26%	
Acrolein	<1.10 ug/L	87.1% / NA	36.3% / 32.8%		10.0%	
Acrylonitrile	<0.539 ug/L	105% / NA	113% / 102%		10.6%	
Benzene	<0.174 ug/L	100% / NA	108% / 105%		2.72%	
Bromobenzene	<0.140 ug/L	96.8% / NA	97.4% / 97.7%		0.320%	
Bromochloromethane	<0.190 ug/L	103% / NA	98.3% / 98.7%		0.444%	
Bromodichloromethane	<0.278 ug/L	98.9% / NA	103% / 105%		1.34%	
Bromoform	<0.160 ug/L	88.9% / NA	88.9% / 83.8%		5.99%	
Bromomethane	<0.579 ug/L	88.1% / NA	101% / 97.6%		3.69%	
Carbon disulfide	<0.278 ug/L	85.7% / NA	92.7% / 91.3%		1.57%	
Carbon Tetrachloride	<0.170 ug/L	93.2% / NA	101% / 98.7%		1.90%	
Chlorobenzene	<0.100 ug/L	94.9% / NA	98.9% / 94.4%		4.64%	
Chloroethane	<0.993 ug/L	84.6% / NA	99.0% / 101%		1.66%	
Chloroform	<0.591 ug/L	101% / NA	106% / 104%		2.13%	
Chloromethane	<0.660 ug/L	84.2% / NA	107% / 106%		0.913%	
cis-1,2-Dichloroethene	<0.258 ug/L	102% / NA	108% / 105%		2.43%	
cis-1,3-Dichloropropene	<0.220 ug/L	98.0% / NA	91.5% / 91.2%		0.283%	
Dibromochloromethane	<0.130 ug/L	91.3% / NA	91.4% / 91.7%		0.376%	
Dibromomethane	<0.170 ug/L	89.2% / NA	93.9% / 94.4%		0.533%	
Dichlorodifluoromethane	<0.472 ug/L	113% / NA	86.4% / 89.4%		3.45%	
Ethylbenzene	<0.216 ug/L	96.2% / NA	102% / 99.4%		2.13%	
Hexachlorobutadiene	<0.667 ug/L	88.2% / NA	89.4% / 79.7%		11.5%	

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

QUALITY CONTROL RESULTS

Volatiles -- Batch: B204425 (Water)
Prepared: 26-Apr-22 09:09 By: CT -- Analyzed: 26-Apr-22 21:20 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Isopropylbenzene	<0.195 ug/L	96.6% / NA	99.2% / 96.4%		2.80%	
m,p-Xylene	<0.350 ug/L	95.6% / NA	98.2% / 96.2%		2.07%	
Methylene Chloride	<0.751 ug/L	101% / NA	105% / 103%		1.86%	
Methyl-tert-Butyl Ether	<0.263 ug/L	103% / NA	103% / 100%		3.15%	
Naphthalene	<0.920 ug/L	90.2% / NA	108% / 81.7%		27.6%	D
n-Butylbenzene	<0.303 ug/L	98.2% / NA	96.5% / 92.0%		4.82%	
n-Propylbenzene	<0.240 ug/L	99.3% / NA	101% / 98.2%		3.24%	
o-Xylene	<0.180 ug/L	97.5% / NA	103% / 99.8%		3.00%	
p-Isopropyltoluene	<0.220 ug/L	97.3% / NA	99.3% / 95.7%		3.66%	
sec-Butylbenzene	<0.348 ug/L	93.4% / NA	96.6% / 92.6%		4.26%	
Styrene	<0.173 ug/L	97.3% / NA	101% / 98.4%		2.17%	
tert-Butylbenzene	<0.265 ug/L	95.0% / NA	96.9% / 93.4%		3.63%	
Tetrachloroethene	<0.280 ug/L	85.3% / NA	91.3% / 89.1%		2.41%	
Toluene	<0.245 ug/L	95.5% / NA	102% / 99.9%		2.31%	
trans-1,2-Dichloroethene	<0.258 ug/L	96.7% / NA	105% / 103%		2.26%	
trans-1,3-Dichloropropene	<0.287 ug/L	98.1% / NA	95.3% / 93.5%		1.93%	
Trichloroethene	<0.280 ug/L	85.6% / NA	94.2% / 92.0%		2.35%	
Trichlorofluoromethane	<0.465 ug/L	86.2% / NA	95.2% / 95.2%		0.00851%	
Vinyl chloride	<0.373 ug/L	85.5% / NA	109% / 108%		0.723%	
1,2-Dichloroethane-d4 [surr]	105 %	101% / NA	109% / 110%		NA	
4-Bromofluorobenzene [surr]	105 %	105% / NA	105% / 104%		NA	
Toluene-d8 [surr]	100 %	101% / NA	101% / 102%		NA	

Total Metals -- Batch: B204426 (Water)
Prepared: 26-Apr-22 09:14 By: CF -- Analyzed: 26-Apr-22 13:46 By: CF

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Mercury	<0.0610 ug/L	114% / NA	114% / 110%		3.06%	

Wet Chemistry -- Batch: B204427 (Water)
Prepared: 25-Apr-22 14:10 By: JH -- Analyzed: 25-Apr-22 14:10 By: JH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.010 mg/L	117% / 106%	105% / NA		9.87%	

Wet Chemistry -- Batch: B204433 (Water)
Prepared: 26-Apr-22 14:20 By: ALA -- Analyzed: 26-Apr-22 14:20 By: ALA

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TDS	<5.00 mg/L	101% / 101%	NA / NA		0.00%	

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

QUALITY CONTROL RESULTS

Total Metals -- Batch: B204442 (Water)
Prepared: 27-Apr-22 08:17 By: CF -- Analyzed: 27-Apr-22 12:14 By: CF

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Mercury	<0.0610 ug/L	108% / NA	104% / 102%		0.971%	

Anions -- Batch: B204462 (Water)
Prepared: 28-Apr-22 07:23 By: MB -- Analyzed: 28-Apr-22 15:01 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Chloride	<0.500 mg/L	93.0% / NA	108% / 107%		0.395%	
Sulfate as SO4	<0.500 mg/L	102% / NA	109% / 108%		0.511%	

Wet Chemistry -- Batch: B204471 (Water)
Prepared: 27-Apr-22 10:22 By: JH -- Analyzed: 27-Apr-22 10:22 By: JH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Sulfide	<0.150 mg/L	98.0% / 96.5%	100% / NA		1.54%	

Wet Chemistry -- Batch: B204498 (Water)
Prepared: 28-Apr-22 12:50 By: JH -- Analyzed: 28-Apr-22 12:50 By: JH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.010 mg/L	110% / 107%	124% / NA		2.76%	

Wet Chemistry -- Batch: B204507 (Water)
Prepared: 29-Apr-22 11:05 By: JH -- Analyzed: 29-Apr-22 11:05 By: JH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.010 mg/L	117% / 116%	107% / NA		0.858%	

QUALIFIER(S)

*%D1: Matrix Spike and/or Matrix Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
*D: RPD Value Does Not Meet Laboratory Acceptance Criteria
*E2: Estimated Result; Analyzed Outside of Holding Time
*E20: Estimated Result Due to Matrix Spike and/or Matrix Spike Duplicate Failure; This sample was used as the "parent sample" in MS/MSD prep.
*E21: Estimated Result; This Analyte failed (low) in the CCV.
*J: Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
*MBI: Masked By Interference

This report must be reproduced in its entirety.

05 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: April 2022
Date Received: 20-Apr-22 14:44

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: Norma James

Norma James
Technical Director

This report must be reproduced in its entirety.

Arkansas Analytical Inc.
8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION	Project Description	Turnaround Time
Harbor Environmental & Safety	NABORS Landfill	1 Day (100%)
5800 Evergreen Dr.		2 Day (50%)
Little Rock, AR 72205	Reporting Information	3 Day (25%)
	Telephone: 501-663-8800	5 Day (Routine)
Attn: Tom Huetter	Email: thuetter@harborenv.com	Preservative Code:
		Bottle Type:

Preservation Codes:

1. Cool, 6 Degrees Centigrade
2. Sulfuric Acid (H_2SO_4), pH < 2
3. Nitric Acid (HNO_3), pH < 2
4. Thiosulfate for Dechlorination
5. Hydrochloric Acid(HCl)
6. Sodium Hydroxide (NaOH), pH > 12

Sampler(s) Signature

Sampler(s) Printed: THOMAS A. HUETTER

Field Number	SAMPLE COLLECTION Date/s	Time/s	Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION	Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Tl, Sn, V, Zn), Hg				Arkansas Analytical Work Order Number:
								TEST PARAMETERS									Bottle Type Code
								1,5	1	1,6	1,6,Zn Acetate	1,5	1,3				G = Glass; P = Plastic
								GV	P	P	P	GV	P				V = Septum; A = Amber
NE-3	4/18/22	1335	X		9	Water		X	X	X	X	X	X				2204300 01
NE-3SPRNG	"	1400	X		9	Water		X	X	X	X	X	X				02
TSP-4	"	1415	X		9	Water		X	X	X	X	X	X				03
NAB-3	"	1510	X		9	Water		X	X	X	X	X	X				04
SP-7	"	1546	X		9	Water		X	X	X	X	X	X				05
NAB-7	"	1550	X		9	Water		X	X	X	X	X	X				06
LE SEEP	"	1615	X		9	Water		X	X	X	X	X	X				07
NE-6	"	1640	X		9	Water		X	X	X	X	X	X				08
TSP-1	"	1706	X		9	Water		X	X	X	X	X	X				09
MW-7	"	1730	X		9	Water		X	X	X	X	X	X				10

1. Relinquished by: (Signature)	Date/Time	2. Received by: (Signature)
	4/20/22 1444	
3. Relinquished by: (Signature)	Date/Time	4. Received by lab: (Signature)
		Amanda Johnson

SAMPLE CONDITION UPON RECEIPT IN LAB

1. CUSTODY SEALS:	✓ Yes	No
2. CONTAINERS CORRECT:	Yes	No
3. COC/LABELS AGREE:	Yes	No
4 RECEIVED ON ICE:	Yes	No
5. TEMPERATURE ON RECEIPT:	3 °C	
6. TEMPERATURE GUN ID:	HHT# 5	

FOR COMPLETION BY LAB ONLY

REMARKS / SAMPLE COMMENTS

Arkansas Analytical Inc.
8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION	Project Description	Turnaround Time
Harbor Environmental & Safety	NABORS Landfill	1 Day (100%)
5800 Evergreen Dr.		2 Day (50%)
Little Rock, AR 72205	Reporting Information	3 Day (25%)
	Telephone: 501-663-8800	5 Day (Routine)
Attn: Tom Huetter	Email: thuetter@harborenv.com	Preservative Code:
		Bottle Type:

Preservation Codes:
1. Cool, 6 Degrees Centigrade
2. Sulfuric Acid (H_2SO_4), pH < 2
3. Nitric Acid (HNO_3), pH < 2
4. Thiosulfate for Dechlorination
5. Hydrochloric Acid(HCl)
6. Sodium Hydroxide (NaOH), pH > 12

Sampler(s) Signature: [signature]
Sampler(s) Printed: THOMAS A. HUETTER

Field Number	SAMPLE COLLECTION Date/s	Time/s	Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION	TEST PARAMETERS: Volatiles (1,5)	Chloride, Sulfate, TDS (1)	Cyanide (1,6)	Sulfide (1,6,Zn Acetate)	TOC (1,5)	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Tl, Sn, V, Zn), Hg (1,3)				Bottle Type Code: G = Glass; P = Plastic; V = Septum; A = Amber	Arkansas Analytical Work Order Number: 22043X0
								GV	P	P	P	GV	P					
SPRING A	4/13/22	1745	X		9	Water		X	X	X	X	X	X					11
EB-1	"	1800	X		9	Water	EQUIP. BLANK	X	X	X	X	X	X					12
CAO-3	4/19/22	0845	X		9	Water		X	X	X	X	X	X					13
MW-5	"	0849	X		9	Water		X	X	X	X	X	X					14
C1DS	"	0900	X		9	Water	CLASS I DRAW SPRING	X	X	X	X	X	X					15
SP-4	"	0931	X		9	Water		X	X	X	X	X	X					16
CAO-1	"	0945	X		9	Water		X	X	X	X	X	X					17
MW-509D	"	1030	X		9	Water		X	X	X	X	X	X					18
MW-509D	"	1030	X		9	Water	DUPLICATE	X	X	X	X	X	X					19
MW-4	"	1017	X		9	Water		X	X	X	X	X	X					20

1. Relinquished by: (Signature)	Date/Time	2. Received by: (Signature)
[signature]	4.20.22 1444	
3. Relinquished by: (Signature)	Date/Time	4. Received by lab: (Signature)
[signature]		Amanda Jobush

SAMPLE CONDITION UPON RECEIPT IN LAB

1. CUSTODY SEALS:	✓ Yes	No
2. CONTAINERS CORRECT:	Yes	No
3. COC/LABELS AGREE:	Yes	No
4. RECEIVED ON ICE:	Yes	No
5. TEMPERATURE ON RECEIPT:	3 °C	
6. TEMPERATURE GUN ID:	HHT# 5	

FOR COMPLETION BY LAB ONLY

REMARKS / SAMPLE COMMENTS

Arkansas Analytical Inc.
8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION	Project Description	Turnaround Time
Harbor Environmental & Safety	NABORS Landfill	1 Day (100%)
5800 Evergreen Dr.		2 Day (50%)
Little Rock, AR 72205	Reporting Information	3 Day (25%)
	Telephone: 501-663-8800	5 Day (Routine)
Attn: Tom Huetter	Email: thuetter@harborenv.com	Preservative Code:
		Bottle Type:

Preservation Codes:
1. Cool, 6 Degrees Centigrade
2. Sulfuric Acid (H_2SO_4), pH < 2
3. Nitric Acid (HNO_3), pH < 2
4. Thiosulfate for Dechlorination
5. Hydrochloric Acid(HCl)
6. Sodium Hydroxide (NaOH), pH > 12

Sampler(s) Signature: [signature]
Sampler(s) Printed: THOMAS A. HUETTER

Field Number	SAMPLE COLLECTION Date/s	Time/s	Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION	TEST PARAMETERS: Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Tl, Sn, V, Zn), Hg				Arkansas Analytical Work Order Number:
							Bottle Type Code: G = Glass; P = Plastic; V = Septum; A = Amber	1,5 GV	1 P	1,6 P	1,6,Zn Acetate P	1,5 GV	1,3 P				
MW-6S	4/19/22	1115	X		9	Water		X	X	X	X	X	X				21
MW-6D	"	1146	X		9	Water		X	X	X	X	X	X				22
CAO-2	"	1220	X		9	Water		X	X	X	X	X	X				23
NAB-4	"	1313	X		9	Water		X	X	X	X	X	X				24
MW-5	"	1345	X		9	Water		X	X	X	X	X	X				25
MW-2	"	1450	X		9	Water		X	X	X	X	X	X				26
C4DS	"	1543	X		9	Water	GLASS & DRAW SPRING	X	X	X	X	X	X				27
MW-3	"	1615	X		9	Water		X	X	X	X	X	X				28
MW-6	"	1730	X		9	Water		X	X	X	X	X	X				29
MW-6	"	1730	X		9	Water	DUPLICATE	X	X	X	X	X	X				30

1. Relinquished by: (Signature)	Date/Time	2. Received by: (Signature)	SAMPLE CONDITION UPON RECEIPT IN LAB	REMARKS / SAMPLE COMMENTS
[signature]	4/20/22 1444		1. CUSTODY SEALS: ✓ Yes ___ No	
			2. CONTAINERS CORRECT: ✓ Yes ___ No	
3. Relinquished by: (Signature)	Date/Time	4. Received by lab: (Signature)	3. COC/LABELS AGREE: ✓ Yes ___ No	
		Amanda Johnson	4. RECEIVED ON ICE: ___ Yes ___ No	
			5. TEMPERATURE ON RECEIPT: 3 °C	
			6. TEMPERATURE GUN ID: HHT# 5	
			FOR COMPLETION BY LAB ONLY	

Arkansas Analytical Inc.
8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION	Project Description	Turnaround Time
Harbor Environmental & Safety	NABORS Landfill	1 Day (100%)
5800 Evergreen Dr.		2 Day (50%)
Little Rock, AR 72205	Reporting Information	3 Day (25%)
	Telephone: 501-663-8800	5 Day (Routine)
Attn: Tom Huetter	Email: thuetter@harborenv.com	Preservative Code:
		Bottle Type:

Preservation Codes:
1. Cool, 6 Degrees Centigrade
2. Sulfuric Acid (H_2SO_4), pH < 2
3. Nitric Acid (HNO_3), pH < 2
4. Thiosulfate for Dechlorination
5. Hydrochloric Acid(HCl)
6. Sodium Hydroxide (NaOH), pH > 12

Sampler(s) Signature: [signature]
Sampler(s) Printed: THOMAS A. HUETTER

Field Number	SAMPLE COLLECTION Date/s	Time/s	Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION	TEST PARAMETERS: Volatiles	Chloride, Sulfate, TDS	Cyanide	Sulfide	TOC	ICP/MS-6020 - (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Mn, Ni, Se, Ag, Tl, Sn, V, Zn); Hg				Arkansas Analytical Work Order Number:
								1,5	1	1,6	1,6,Zn Acetate	1,5	1,3				Bottle Type Code
								GV	P	P	P	GV	P				G = Glass; P = Plastic; V = Septum; A = Amber
NAB-2	4/19/22	1641	X		9	Water		X	X	X	X	X	X				2204300-31
NE-4	"	1744	X		9	Water		X	X	X	X	X	X				32
MW-1	"	1845	X		9	Water		X	X	X	X	X	X				33
MW-1R	"	1855	X		9	Water		X	X	X	X	X	X				34
~~TB-1~~ NS-2	4/20/22	0822	X		9	Water		X	X	X	X	X	X				35
~~TB~~ TB-1	—	—	X		9	Water	TRIP BLANK	X	X	X	X	X	X				36
TB-2	—	—	X		9	Water	" "	X	X	X	X	X	X				37
TB-3	—	—	X		9	Water	" "	X	X	X	X	X	X				38
TB-4	—	—	X		9	Water	" "	X	X	X	X	X	X				39
			X		9	Water		X	X	X	X	X	X				

1. Relinquished by: (Signature)	Date/Time	2. Received by: (Signature)
[signature]	4/20/22 1444	[signature]
3. Relinquished by: (Signature)	Date/Time	4. Received by lab: (Signature)
[signature]		[signature]

SAMPLE CONDITION UPON RECEIPT IN LAB		
1. CUSTODY SEALS:	✓ Yes	No
2. CONTAINERS CORRECT:	Yes	No
3. COC/LABELS AGREE:	Yes	No
4. RECEIVED ON ICE:	Yes	No
5. TEMPERATURE ON RECEIPT:	3 °C	
6. TEMPERATURE GUN ID:	HHT# 15	
FOR COMPLETION BY LAB ONLY		

REMARKS / SAMPLE COMMENTS

Revision 3
1/4/16

Arkansas Analytical Inc.

8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205

Project: NABORS Landfill Sample(s)

Project Number: May 2022 -- NAB-8

SDG Number: 2205097

Enclosed are the results of analyses for samples received by the laboratory on 05-May-22 07:40. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✔
Containers Correct	✔
COC/Labels Agree	✔
Received On Ice	✔
Temperature on Receipt	5.0°C

Sincerely,

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: May 2022 -- NAB-8
Date Received: 05-May-22 07:40

CASE NARRATIVE

Sample Delivery Group – 2205097

One *OR* more of the qualifiers described below may appear in this report. Qualifiers in RED apply to this SDG (Sample Delivery Group).

ANALYTICAL QUALIFIERS:

Qualifier	Description
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
EX2	The result exceeds the TCLP limit.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).
N	Insufficient Sample Weight as Required by Method.
T40	The ambient temperature exceeded 23 +/- 2oC during the TCLP rotation process
TCLP-1	TCLP extraction done in alternate ZHE due to sample matrix.

QUALITY CONTROL QUALIFIERS:

Qualifier	Description
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01	Surrogate failed to recover within acceptance criteria (%D3/S-01).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control Surrogate failed.

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: May 2022 -- NAB-8
Date Received: 05-May-22 07:40

ANALYTICAL RESULTS

Lab Number:	**2205097-01**
Sample Name:	**NAB-8**
Date/Time Collected:	**5/4/22 11:45**
Sample Matrix:	**Water**

Anions	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Chloride	mg/L	**1.78**		5/10/22 9:27	B205156	EPA 300.0, 2.1-1993
Sulfate as SO4	mg/L	**10.6**		5/10/22 9:27	B205156	EPA 300.0, 2.1-1993

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	**0.384**	J	5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Arsenic	ug/L	**1.68**		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Barium	ug/L	**32.7**		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Cadmium	ug/L	**0.207**	J	5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Chromium	ug/L	**0.465**		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Cobalt	ug/L	**0.038**	J	5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Copper	ug/L	**1.06**		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Iron	ug/L	**49.4**		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Lead	ug/L	**0.309**		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Manganese	ug/L	**3.23**		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		5/11/22 12:29	B205193	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**2.07**		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Vanadium	ug/L	**0.096**	J	5/10/22 14:53	B205166	SW 6020B, Rev 2-2014
Zinc	ug/L	**10.7**	J	5/10/22 14:53	B205166	SW 6020B, Rev 2-2014

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 3.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: May 2022 -- NAB-8
Date Received: 05-May-22 07:40

ANALYTICAL RESULTS

Lab Number: 2205097-01
Sample Name: NAB-8
Date/Time Collected: 5/4/22 11:45
Sample Matrix: Water

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,3-Dichlorobenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 4.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 3.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 3.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 3.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 4.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: May 2022 -- NAB-8
Date Received: 05-May-22 07:40

ANALYTICAL RESULTS

Lab Number:	**2205097-01**
Sample Name:	**NAB-8**
Date/Time Collected:	**5/4/22 11:45**
Sample Matrix:	**Water**

Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Tetrachloroethene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 1.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	106		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	115		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	101		5/5/22 17:26	B205087	SW 8260C, Rev 3, 2006

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Cyanide (total)	mg/L	< 0.010		5/6/22 13:25	B205142	SM 4500-CN B,E-2011
Sulfide	mg/L	< 0.150		5/6/22 13:27	B205144	SM 4500-S2 D-2011
TDS	mg/L	**360**		5/9/22 15:00	B205160	SM 2540 C-2011
TOC	mg/L	< 1.00		5/12/22 14:32	B205221	SM 5310 B-2011

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: May 2022 -- NAB-8
Date Received: 05-May-22 07:40

QUALITY CONTROL RESULTS

Volatiles -- Batch: B205087 (Water)

Prepared: 05-May-22 11:15 By: CT -- Analyzed: 05-May-22 21:38 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.200 ug/L	93.9% / NA	92.8% / 89.0%		4.23%	
1,1,1-Trichloroethane	<0.319 ug/L	99.1% / NA	95.7% / 97.0%		1.38%	
1,1,2,2-Tetrachloroethane	<0.290 ug/L	96.0% / NA	106% / 105%		1.01%	
1,1,2-Trichloroethane	<0.238 ug/L	101% / NA	98.6% / 97.8%		0.843%	
1,1-Dichloroethane	<0.299 ug/L	111% / NA	109% / 102%		5.90%	
1,1-Dichloroethene	<0.355 ug/L	97.2% / NA	96.0% / 92.5%		3.75%	
1,1-Dichloropropene	<0.390 ug/L	98.8% / NA	96.6% / 96.7%		0.0963%	
1,2,3-Trichlorobenzene	<0.661 ug/L	93.8% / NA	90.2% / 90.9%		0.800%	
1,2,3-Trichloropropane	<0.200 ug/L	94.9% / NA	96.1% / 96.4%		0.303%	
1,2,4- Trimethylbenzene	<0.216 ug/L	105% / NA	102% / 101%		1.21%	
1,2,4-Trichlorobenzene	<0.564 ug/L	93.6% / NA	91.4% / 91.1%		0.361%	
1,2-Dibromo-3-chloropropane	<0.696 ug/L	87.8% / NA	92.8% / 90.4%		2.68%	
1,2-Dibromoethane	<0.260 ug/L	102% / NA	99.2% / 97.3%		1.91%	
1,2-Dichlorobenzene	<0.206 ug/L	99.0% / NA	99.1% / 98.1%		0.973%	
1,2-Dichloroethane	<0.248 ug/L	111% / NA	110% / 102%		7.88%	
1,2-Dichloropropane	<0.220 ug/L	110% / NA	107% / 101%		6.05%	
1,3,5- Trimethylbenzene	<0.227 ug/L	103% / NA	103% / 99.9%		2.72%	
1,3-Dichlorobenzene	<0.249 ug/L	99.5% / NA	99.2% / 96.8%		2.50%	
1,3-Dichloropropane	<0.210 ug/L	102% / NA	100% / 98.1%		2.08%	
1,4-Dichlorobenzene	<0.187 ug/L	100% / NA	98.2% / 98.1%		0.0670%	
2,2-Dichloropropane	<0.200 ug/L	101% / NA	102% / 97.2%		4.42%	
2-Butanone	<0.485 ug/L	112% / NA	115% / 107%		7.90%	
2-Chloroethyl Vinyl Ether	<0.328 ug/L	99.2% / NA	MBI / MBI		%	MBI
2-Chlorotoluene	<0.250 ug/L	103% / NA	101% / 99.8%		1.04%	
2-Hexanone	<0.430 ug/L	107% / NA	104% / 101%		3.04%	
4-Chlorotoluene	<0.309 ug/L	103% / NA	101% / 99.9%		0.763%	
4-Methyl-2-pentanone	<0.200 ug/L	108% / NA	112% / 104%		7.51%	
Acrolein	<1.10 ug/L	90.5% / NA	97.8% / 90.5%		7.74%	
Acrylonitrile	<0.539 ug/L	109% / NA	109% / 102%		6.89%	
Benzene	<0.174 ug/L	104% / NA	100% / 101%		0.819%	
Bromobenzene	<0.140 ug/L	99.7% / NA	98.4% / 97.3%		1.12%	
Bromochloromethane	<0.190 ug/L	101% / NA	97.6% / 98.1%		0.519%	
Bromodichloromethane	<0.278 ug/L	111% / NA	106% / 105%		1.47%	
Bromoform	<0.160 ug/L	91.2% / NA	90.0% / 87.7%		2.67%	
Bromomethane	<0.579 ug/L	96.3% / NA	97.2% / 92.0%		5.45%	
Carbon disulfide	<0.278 ug/L	86.5% / NA	83.3% / 80.0%		4.06%	
Carbon Tetrachloride	<0.170 ug/L	98.3% / NA	94.7% / 95.2%		0.589%	
Chlorobenzene	<0.100 ug/L	101% / NA	96.9% / 95.6%		1.35%	
Chloroethane	<0.993 ug/L	116% / NA	108% / 107%		1.39%	
Chloroform	<0.591 ug/L	107% / NA	103% / 101%		1.72%	
Chloromethane	<0.660 ug/L	118% / NA	119% / 106%		11.5%	
cis-1,2-Dichloroethene	<0.258 ug/L	105% / NA	103% / 102%		0.907%	
cis-1,3-Dichloropropene	<0.220 ug/L	97.7% / NA	96.5% / 95.1%		1.50%	
Dibromochloromethane	<0.130 ug/L	95.2% / NA	93.1% / 94.5%		1.49%	
Dibromomethane	<0.170 ug/L	99.3% / NA	99.8% / 93.7%		6.27%	
Dichlorodifluoromethane	<0.472 ug/L	106% / NA	104% / 98.3%		5.68%	
Ethylbenzene	<0.216 ug/L	103% / NA	102% / 99.0%		3.00%	
Hexachlorobutadiene	<0.667 ug/L	86.3% / NA	84.3% / 85.9%		1.85%	

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: May 2022 -- NAB-8
Date Received: 05-May-22 07:40

QUALITY CONTROL RESULTS

Volatiles -- Batch: B205087 (Water)
Prepared: 05-May-22 11:15 By: CT -- Analyzed: 05-May-22 21:38 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Isopropylbenzene	<0.195 ug/L	98.1% / NA	97.4% / 95.1%		2.38%	
m,p-Xylene	<0.350 ug/L	102% / NA	99.6% / 96.3%		3.37%	
Methylene Chloride	<0.751 ug/L	103% / NA	98.6% / 96.6%		2.03%	
Methyl-tert-Butyl Ether	<0.263 ug/L	110% / NA	109% / 104%		4.24%	
Naphthalene	<0.920 ug/L	86.1% / NA	81.5% / 84.4%		3.49%	
n-Butylbenzene	<0.303 ug/L	102% / NA	97.3% / 96.5%		0.817%	
n-Propylbenzene	<0.240 ug/L	101% / NA	99.6% / 97.5%		2.13%	
o-Xylene	<0.180 ug/L	105% / NA	103% / 102%		1.51%	
p-Isopropyltoluene	<0.220 ug/L	99.1% / NA	95.5% / 95.1%		0.447%	
sec-Butylbenzene	<0.348 ug/L	96.8% / NA	93.1% / 92.4%		0.851%	
Styrene	<0.173 ug/L	104% / NA	102% / 99.7%		2.20%	
tert-Butylbenzene	<0.265 ug/L	94.5% / NA	91.8% / 91.2%		0.754%	
Tetrachloroethene	<0.280 ug/L	90.5% / NA	89.6% / 88.8%		0.946%	
Toluene	<0.245 ug/L	101% / NA	99.8% / 97.4%		2.44%	
trans-1,2-Dichloroethene	<0.258 ug/L	98.2% / NA	96.6% / 95.5%		1.11%	
trans-1,3-Dichloropropene	<0.287 ug/L	105% / NA	101% / 99.0%		2.20%	
Trichloroethene	<0.280 ug/L	93.6% / NA	84.4% / 86.0%		1.87%	
Trichlorofluoromethane	<0.465 ug/L	102% / NA	100% / 95.6%		4.69%	
Vinyl chloride	<0.373 ug/L	119% / NA	118% / 106%		11.0%	
1,2-Dichloroethane-d4 [surr]	114 %	115% / NA	114% / 116%		NA	
4-Bromofluorobenzene [surr]	106 %	103% / NA	105% / 104%		NA	
Toluene-d8 [surr]	100 %	102% / NA	101% / 103%		NA	

Wet Chemistry -- Batch: B205142 (Water)
Prepared: 06-May-22 13:25 By: JH -- Analyzed: 06-May-22 13:25 By: JH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.010 mg/L	109% / 98.0%	109% / NA		10.6%	

Wet Chemistry -- Batch: B205144 (Water)
Prepared: 06-May-22 13:27 By: JH -- Analyzed: 06-May-22 13:27 By: JH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Sulfide	<0.150 mg/L	95.0% / 97.0%	103% / NA		2.08%	

Anions -- Batch: B205156 (Water)
Prepared: 09-May-22 14:00 By: MB -- Analyzed: 09-May-22 15:49 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Chloride	<0.500 mg/L	92.8% / NA	109% / 108%		0.276%	
Sulfate as SO4	<0.500 mg/L	97.6% / NA	106% / 106%		0.399%	

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: May 2022 -- NAB-8
Date Received: 05-May-22 07:40

QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: B205160 (Water)
Prepared: 09-May-22 15:00 By: ALA -- Analyzed: 09-May-22 15:00 By: ALA

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TDS	<5.00 mg/L	103% / 104%	NA / NA		1.29%	

Total Metals -- Batch: B205166 (Water)
Prepared: 10-May-22 09:14 By: ST -- Analyzed: 10-May-22 15:50 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	108% / NA	97.7% / 98.1%		0.369%	
Arsenic	<0.052 ug/L	112% / NA	104% / 105%		0.386%	
Barium	<0.078 ug/L	108% / NA	93.2% / 92.4%		0.420%	
Beryllium	<0.074 ug/L	108% / NA	101% / 103%		2.06%	
Cadmium	<0.038 ug/L	106% / NA	97.1% / 96.7%		0.369%	
Chromium	<0.0751 ug/L	104% / NA	98.4% / 98.9%		0.554%	
Cobalt	<0.035 ug/L	113% / NA	102% / 103%		0.863%	
Copper	<0.120 ug/L	109% / NA	98.4% / 99.1%		0.521%	
Iron	<5.83 ug/L	114% / NA	96.2% / 95.9%		0.135%	
Lead	<0.079 ug/L	107% / NA	94.2% / 95.1%		0.961%	
Manganese	<0.423 ug/L	114% / NA	98.5% / 98.3%		0.194%	
Nickel	<0.16 ug/L	110% / NA	101% / 101%		0.135%	
Selenium	<1.50 ug/L	112% / NA	102% / 101%		1.39%	
Silver	<0.099 ug/L	110% / NA	98.5% / 98.9%		0.350%	
Thallium	<0.046 ug/L	111% / NA	96.0% / 97.1%		1.09%	
Tin	<1.62 ug/L	111% / NA	95.7% / 96.1%		0.404%	
Vanadium	<0.042 ug/L	105% / NA	98.1% / 98.1%		0.0280%	
Zinc	<4.89 ug/L	112% / NA	92.1% / 93.7%		0.750%	

Total Metals -- Batch: B205193 (Water)
Prepared: 11-May-22 08:18 By: CF -- Analyzed: 11-May-22 12:19 By: CF

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Mercury	<0.0610 ug/L	98.6% / NA	104% / 98.9%		5.27%	

Wet Chemistry -- Batch: B205221 (Water)
Prepared: 12-May-22 09:08 By: ST -- Analyzed: 12-May-22 14:32 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
TOC	<1.00 mg/L	101% / NA	104% / 91.9%		10.6%	D

QUALIFIER(S)

*D: RPD Value Does Not Meet Laboratory Acceptance Criteria
*J: Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
*MBI: Masked By Interference

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Sample(s)

Project Number: May 2022 -- NAB-8
Date Received: 05-May-22 07:40

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: Norma James

Norma James
Technical Director

This report must be reproduced in its entirety.

Harbor

CHAIN-OF-CUSTODY

PROJECT INFORMATION	PROJECT NUMBER	Turnaround Time
NABORS LF GW	AOEQ-21272	24 Hour / 48 Hour / 72 Hour / Routine (5 Day)
	SEND REPORT TO:	
	TOM HUETTER	Preservative Code: / Bottle Type:

Preservation Codes:

1. Cool, 4 Degrees Centigrade
2. Sulfuric Acid (H_2SO_4), pH < 2
3. Nitric Acid (HNO_3), pH < 2
4. Thiosulfate for Dechlorination
5. Hydrochloric Acid(HCl)
6. Sodium Hydroxide (NaOH), pH > 12

Sampler(s) Signature

Sampler(s) Printed: THOMAS A. HUETTER

SAMPLE NUMBER	SAMPLE COLLECTION Date/s	Time/s	Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION	TEST PARAMETERS: NABORS LF PARAMETERS	VOA	Chloride, Sulfate TDS	Cyanide	Sulfide	TOC	Metals - Total			Bottle Type Code G = Glass; P = Plastic V = Septum; A = Amber
NAB-5	5/4/22	1145	X		9	W		X	X	X	X	X	X	X			2205097 LAB IDENTIFICATION
																	01

1. Relinquished by: (Signature)	Date/Time	2. Received by: (Signature)
	5/5/22 5/4/22 1622 0740	
3. Relinquished by: (Signature)	Date/Time	4. Received by lab: (Signature)
		Sydney James

SAMPLE CONDITION UPON RECEIPT IN LAB

1. CUSTODY SEALS:	✓ Yes ___ No
2. CONTAINERS CORRECT:	✓ Yes ___ No
3. COC/LABELS AGREE:	✓ Yes ___ No
4. PRESERVATION CONFIRMED:	___ Yes ___ No TR
5. RECEIVED ON ICE:	✓ Yes ___ No
6. TEMPERATURE ON RECEIPT: 5°C	HHT#5

FOR COMPLETION BY LAB ONLY

REMARKS / SAMPLE COMMENTS

Lab added parameters - per project/containers received - TR 5/5/22

Harbor Environmental & Safety • 8114 Cantrell Road, Suite 350 • Little Rock, Arkansas 72227 • Phone: 501.663.8800 • Facsimile 501.588.0123
www.HarborEnv.com

Arkansas Analytical Inc.

8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205

Project: NABORS Landfill Leachate Sample(s)

Project Number: May 2022

SDG Number: 2205096

Enclosed are the results of analyses for samples received by the laboratory on 05-May-22 07:40. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✔
Containers Correct	✔
COC/Labels Agree	✔
Received On Ice	✔
Temperature on Receipt	5.0°C

Sincerely,

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Leachate Sample(s)

Project Number: May 2022
Date Received: 05-May-22 07:40

CASE NARRATIVE

Sample Delivery Group – 2205096

One *OR* more of the qualifiers described below may appear in this report. Qualifiers in RED apply to this SDG (Sample Delivery Group).

SAMPLE RECEIPT QUALIFIERS:

Qualifier	Description
ET	Samples received above required temperature (6°C).
ET	Samples received above required temperature. Although collected and received the same day, no ice was present to indicate the cooling preservation was attempted.
E2	Result qualified as it was received and analyzed outside of holding time. Analysis is considered a "Field" analysis.
E2	Result qualified as it was received and/or analyzed outside of holding time.
E3	Result qualified as it was received in the incorrect container and/or preservation.

FLASHPOINT QUALIFIER:

Qualifier	Description
DNF	Did Not Flash at or below method required temperature of 100 degrees C or 212 degrees F

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Leachate Sample(s)

Project Number: May 2022
Date Received: 05-May-22 07:40

ANALYTICAL RESULTS

Lab Number: **2205096-01**
Sample Name: **Leachate**
Date/Time Collected: **5/4/22 10:31**
Sample Matrix: **Leachate**

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Arsenic	ug/L	**3.71**		5/10/22 14:59	B205166	EPA 200.8, Rev. 5.4(1994)
Cadmium	ug/L	< 0.260		5/10/22 14:59	B205166	EPA 200.8, Rev. 5.4(1994)
Chromium	ug/L	**3.95**		5/10/22 14:59	B205166	EPA 200.8, Rev. 5.4(1994)
Copper	ug/L	**79.5**		5/10/22 14:59	B205166	EPA 200.8, Rev. 5.4(1994)
Lead	ug/L	**2.43**		5/10/22 14:59	B205166	EPA 200.8, Rev. 5.4(1994)
Mercury	ug/L	< 2.00		5/11/22 12:22	B205193	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**22.8**		5/10/22 14:59	B205166	EPA 200.8, Rev. 5.4(1994)
Phosphorus	mg/L	< 1.04		5/10/22 13:42	B205174	EPA 200.7, Rev 4.4 (1994)
Zinc	ug/L	**104**		5/10/22 14:59	B205166	EPA 200.8, Rev. 5.4(1994)

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Ammonia as N	mg/L	**38.6**		5/9/22 8:21	B205146	SM 4500-NH3 B,D,C-2011
Cyanide (total)	mg/L	< 0.010		5/6/22 13:25	B205142	SM 4500-CN B,E-2011
Flashpoint	°C	Did Not Flash	DNF*	5/5/22 16:27	B205090	SW 1010A, Rev 1, 2004
Oil and Grease	mg/L	< 4.81		5/9/22 12:24	B205155	EPA1664 Mod, Rev. B 2010
pH	S.U.	**7.35**	E2	5/5/22 15:05	B205097	SM 4500-H+ B-2011

ANALYTICAL RESULTS

Lab Number: **2205096-02**
Sample Name: **Leachate Duplicate**
Date/Time Collected: **5/4/22 10:31**
Sample Matrix: **Leachate**

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Arsenic	ug/L	**3.72**		5/10/22 15:03	B205166	EPA 200.8, Rev. 5.4(1994)
Cadmium	ug/L	< 0.260		5/10/22 15:03	B205166	EPA 200.8, Rev. 5.4(1994)
Chromium	ug/L	**4.01**		5/10/22 15:03	B205166	EPA 200.8, Rev. 5.4(1994)
Copper	ug/L	**79.8**		5/10/22 15:03	B205166	EPA 200.8, Rev. 5.4(1994)
Lead	ug/L	**2.42**		5/10/22 15:03	B205166	EPA 200.8, Rev. 5.4(1994)
Mercury	ug/L	< 2.00		5/11/22 12:26	B205193	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	**22.9**		5/10/22 15:03	B205166	EPA 200.8, Rev. 5.4(1994)
Phosphorus	mg/L	< 1.04		5/10/22 13:43	B205174	EPA 200.7, Rev 4.4 (1994)
Zinc	ug/L	**104**		5/10/22 15:03	B205166	EPA 200.8, Rev. 5.4(1994)

Wet Chemistry	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Ammonia as N	mg/L	**43.6**		5/9/22 8:21	B205146	SM 4500-NH3 B,D,C-2011
Cyanide (total)	mg/L	< 0.010		5/6/22 13:25	B205142	SM 4500-CN B,E-2011
Flashpoint	°C	Did Not Flash	DNF*	5/5/22 16:27	B205090	SW 1010A, Rev 1, 2004
Oil and Grease	mg/L	< 4.85		5/9/22 12:24	B205155	EPA1664 Mod, Rev. B 2010
pH	S.U.	**7.37**	E2	5/5/22 15:05	B205097	SM 4500-H+ B-2011

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Leachate Sample(s)

Project Number: May 2022
Date Received: 05-May-22 07:40

QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: B205090 (Water)
Prepared: 05-May-22 13:57 By: CNW -- Analyzed: 05-May-22 16:27 By: CNW

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Flashpoint	NA	107% / 111%	NA / NA		3.39%	

Wet Chemistry -- Batch: B205097 (Water)
Prepared: 05-May-22 09:48 By: CJ -- Analyzed: 05-May-22 09:48 By: CJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
pH	NA	NA / NA	NA / NA		0.288%	

Wet Chemistry -- Batch: B205142 (Water)
Prepared: 06-May-22 13:25 By: JH -- Analyzed: 06-May-22 13:25 By: JH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.010 mg/L	109% / 98.0%	109% / NA		10.6%	

Wet Chemistry -- Batch: B205146 (Water)
Prepared: 09-May-22 08:21 By: MB -- Analyzed: 09-May-22 08:21 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Ammonia as N	<0.500 mg/L	84.5% / NA	80.6% / 81.4%		1.03%	

Wet Chemistry -- Batch: B205155 (Water)
Prepared: 09-May-22 12:24 By: JM -- Analyzed: 09-May-22 12:24 By: JM

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Oil and Grease	<5.00 mg/L	107% / 98.2%	83.3% / NA		8.53%	

Total Metals -- Batch: B205166 (Water)
Prepared: 10-May-22 09:14 By: ST -- Analyzed: 10-May-22 15:50 By: ST

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Arsenic	<0.260 ug/L	112% / NA	104% / 105%		0.386%	
Cadmium	<0.260 ug/L	106% / NA	97.1% / 96.7%		0.369%	
Chromium	<0.260 ug/L	104% / NA	98.4% / 98.9%		0.554%	
Copper	<0.395 ug/L	109% / NA	98.4% / 99.1%		0.521%	
Lead	<0.260 ug/L	107% / NA	94.2% / 95.1%		0.961%	
Nickel	<0.52 ug/L	110% / NA	101% / 101%		0.135%	
Zinc	<20.8 ug/L	112% / NA	92.1% / 93.7%		0.750%	

This report must be reproduced in its entirety.

12 May 2022

Tom Huetter
Harbor Environmental & Safety
5800 Evergreen Dr.
Little Rock, AR 72205
Project: NABORS Landfill Leachate Sample(s)

Project Number: May 2022
Date Received: 05-May-22 07:40

QUALITY CONTROL RESULTS

Total Metals -- Batch: B205174 (Water)
Prepared: 10-May-22 11:08 By: CF -- Analyzed: 10-May-22 13:00 By: CF

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Phosphorus	<0.042 mg/L	98.0% / NA	110% / 112%		0.0517%	

Total Metals -- Batch: B205193 (Water)
Prepared: 11-May-22 08:18 By: CF -- Analyzed: 11-May-22 12:19 By: CF

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Mercury	<0.200 ug/L	98.6% / NA	104% / 98.9%		5.27%	

QUALIFIER(S)

DNF: Did not flash at or below method required temperature of 100 degrees C or 212 degrees F.
*E2: Estimated Result; Analyzed Outside of Holding Time

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: Norma James

Norma James
Technical Director

This report must be reproduced in its entirety.

Arkansas Analytical Inc.

8100 National Drive
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION	Project Description	Turnaround Time
Harbor Environmental & Safety	NABORS Landfill	1 Day (100%)
5800 Evergreen Dr.	Leachate Sample	2 Day (50%)
Little Rock, AR 72205	**Reporting Information**	3 Day (25%)
	Telephone: 501-663-8800	5 Day (Routine)
Attn: Tom Huetter	Email: thuetter@harborenv.com	Preservative Code:
		Bottle Type:

Preservation Codes:

1. Cool, 6 Degrees Centigrade
2. Sulfuric Acid (H_2SO_4), pH < 2
3. Nitric Acid (HNO_3), pH < 2
4. Thiosulfate for Dechlorination
5. Hydrochloric Acid(HCl)
6. Sodium Hydroxide (NaOH), pH > 12

Sampler(s) Signature

Sampler(s) Printed: THOMAS A. HUETTER

Field Number	SAMPLE COLLECTION Date/s	Time/s	Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION	Flashpoint, pH	Ammonia	Cyanide	Oil and Grease	P (200.7), Hg	200.8-(As, Cd, Cr, Cu, Pb, Ni, Zn)	Arkansas Analytical Work Order Number:
								TEST PARAMETERS						Bottle Type Code
								1	1,2	1,6	1,2	1,3		G = Glass; P = Plastic
								P	P	P	GA	P		V = Septum; A = Amber
L-1	5/4/22	1031	X		11	Liquid	Leachate	X	X	X	X	X		01
L-1 DUP	5/4/22	1031	X		11	Liquid	Leachate Duplicate	X	X	X	X	X		02

1. Relinquished by: (Signature)	Date/Time	2. Received by: (Signature)
	5/5/22 0740 ~~5/4/22 1022~~	
3. Relinquished by: (Signature)	Date/Time	4. Received by lab: (Signature)
		Sydney James

SAMPLE CONDITION UPON RECEIPT IN LAB

1. CUSTODY SEALS: ✓ Yes ___ No
2. CONTAINERS CORRECT: ✓ Yes ___ No
3. COC/LABELS AGREE: ✓ Yes ___ No
4. RECEIVED ON ICE: ✓ Yes ___ No
5. TEMPERATURE ON RECEIPT: 5 °C
6. TEMPERATURE GUN ID: HHT# 5

FOR COMPLETION BY LAB ONLY

REMARKS / SAMPLE COMMENTS

Appendix C

Statistical Plots

Page Intentionally Blank

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Antimony Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Antimony Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Antimony Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Antimony Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Antimony Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Antimony Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Antimony Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Antimony Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Arsenic Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Arsenic Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Arsenic Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Arsenic Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Arsenic Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Arsenic Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Arsenic Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Arsenic Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Barium Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Barium Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Barium Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Barium Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Barium Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Barium Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Barium Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Barium Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cadmium Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cadmium Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cadmium Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cadmium Analysis Run 6/9/2022 11:02 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cadmium Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cadmium Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cadmium Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cadmium Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Chloride Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chloride Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chloride Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Chloride Analysis Run 6/9/2022 11:02 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chloride Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Chloride Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Chloride Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Chloride Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chromium Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chromium Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chromium Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chromium Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chromium Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chromium Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chromium Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chromium Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cobalt Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cobalt Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cobalt Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cobalt Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cobalt Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cobalt Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cobalt Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Cobalt Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Copper Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Copper Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Copper Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Copper Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Copper Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Copper Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Copper Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Copper Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Dissolved Solids Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Dissolved Solids Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Dissolved Solids Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Dissolved Solids Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Dissolved Solids Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Dissolved Solids Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Dissolved Solids Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Dissolved Solids Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Iron Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Iron Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Iron Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Iron Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Iron Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Iron Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Iron Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Iron Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Lead Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Lead Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Lead Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Lead Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Lead Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Lead Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Lead Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Lead Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Manganese Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Manganese Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Manganese Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Manganese Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Manganese Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Manganese Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Manganese Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Manganese Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Mercury Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Mercury Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Mercury Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Mercury Analysis Run 6/9/2022 11:03 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Mercury Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Mercury Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Mercury Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Mercury Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Nickel Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Nickel Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Nickel Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Nickel Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Nickel Analysis Run 6/9/2022 11:03 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Nickel Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Nickel Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Nickel Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Selenium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Selenium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Selenium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Selenium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Selenium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Selenium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Selenium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Selenium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Sulfate Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Sulfate Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Sulfate Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Sulfate Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Sulfate Analysis Run 6/9/2022 11:04 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Sulfate Analysis Run 6/9/2022 11:04 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Sulfate Analysis Run 6/9/2022 11:04 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Sulfate Analysis Run 6/9/2022 11:04 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Thallium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Thallium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Thallium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Thallium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Thallium Analysis Run 6/9/2022 11:04 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Thallium Analysis Run 6/9/2022 11:04 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Thallium Analysis Run 6/9/2022 11:04 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Thallium Analysis Run 6/9/2022 11:04 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vanadium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vanadium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vanadium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vanadium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vanadium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vanadium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vanadium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vanadium Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Zinc Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Zinc Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Zinc Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Zinc Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Zinc Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Zinc Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Zinc Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Zinc Analysis Run 6/9/2022 11:04 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = -0.01406 units per year.

Mann-Kendall normal approx. = -2.931
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1R



n = 21

Slope = 0.06511 units per year.

Mann-Kendall statistic = 89
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.01729 units per year.

Mann-Kendall normal approx. = -2.383
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = -0.04583 units per year.

Mann-Kendall normal approx. = -3.313
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.04918 units per year.

Mann-Kendall normal approx. = -3.597
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.04609 units per year.

Mann-Kendall normal approx. = -3.794
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-509D



n = 42

Slope = 0.007503 units per year.

Mann-Kendall normal approx. = 2.644
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.03056 units per year.

Mann-Kendall normal approx. = -2.721
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



n = 42

Slope = 0.002413 units per year.

Mann-Kendall normal approx. = 2.746
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-689D



n = 40

Slope = 0.01951 units per year.

Mann-Kendall statistic = 234
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.0139 units per year.

Mann-Kendall normal approx. = -2.773
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = 0.009939 units per year.

Mann-Kendall normal approx. = 3.066
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-2



n = 21

Slope = 0.1126 units per year.

Mann-Kendall statistic = 107
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-3



n = 21

Slope = 0.07705 units per year.

Mann-Kendall statistic = 97
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-6



n = 21

Slope = 0.06227 units per year.

Mann-Kendall statistic = 90
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Antimony Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = 7.151 units per year.

Mann-Kendall normal approx. = 5.725
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.05085 units per year.

Mann-Kendall normal approx. = -3.126
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 0.915 units per year.

Mann-Kendall normal approx. = 4.71
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-1R



n = 21

Slope = 13.9 units per year.

Mann-Kendall statistic = 162
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.06844 units per year.

Mann-Kendall normal approx. = -4.773
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.06193 units per year.

Mann-Kendall normal approx. = -3.492
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-509D



n = 42

Slope = -0.08929 units per year.

Mann-Kendall normal approx. = -2.382
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.07775 units per year.

Mann-Kendall normal approx. = -4.71
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



n = 42

Slope = -0.04384 units per year.

Mann-Kendall normal approx. = -2.521
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.08019 units per year.

Mann-Kendall normal approx. = -5.415
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = -0.06002 units per year.

Mann-Kendall normal approx. = -2.748
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-2



n = 21

Slope = -0.9265 units per year.

Mann-Kendall statistic = -87
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Arsenic Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = 4.263 units per year.

Mann-Kendall normal approx. = 3.205
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.7071 units per year.

Mann-Kendall normal approx. = -4.094
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 8.675 units per year.

Mann-Kendall normal approx. = 7.382
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-1R



n = 21

Slope = -4.098 units per year.

Mann-Kendall statistic = -108
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = 2.626 units per year.

Mann-Kendall normal approx. = 5.607
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = 0.4992 units per year.

Mann-Kendall normal approx. = 2.465
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-577



n = 40

Slope = -0.3602 units per year.

Mann-Kendall statistic = -324
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-633D



n = 42

Slope = 0.854 units per year.

Mann-Kendall normal approx. = 5.531
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -9.605 units per year.

Mann-Kendall normal approx. = -6.229
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-2



n = 40

Slope = 2.377 units per year.

Mann-Kendall statistic = 474 critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-4



n = 40

Slope = 2.329 units per year.

Mann-Kendall statistic = 512 critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-7



n = 42

Slope = 0.4058 units per year.

Mann-Kendall normal approx. = 3.999 critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-8



n = 33

Slope = -1.467 units per year.

Mann-Kendall statistic = -163 critical = -151

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Barium Analysis Run 6/9/2022 11:23 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -0.1047 units per year.

Mann-Kendall normal approx. = -5.17
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-2



n = 44

Slope = -0.04402 units per year.

Mann-Kendall normal approx. = -3.848
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.04944 units per year.

Mann-Kendall normal approx. = -3.271
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = -0.08076 units per year.

Mann-Kendall normal approx. = -5.102
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.05979 units per year.

Mann-Kendall normal approx. = -4.677
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.0352 units per year.

Mann-Kendall normal approx. = -3.876
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.06248 units per year.

Mann-Kendall normal approx. = -4.767
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-577



n = 40

Slope = -0.02622 units per year.

Mann-Kendall statistic = -306
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.05254 units per year.

Mann-Kendall normal approx. = -4.058
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-689D



n = 40

Slope = -0.03104 units per year.

Mann-Kendall statistic = -340
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.05989 units per year.

Mann-Kendall normal approx. = -4.938
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-2



n = 40

Slope = -0.04255 units per year.

Mann-Kendall statistic = -451
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = -0.07648 units per year.

Mann-Kendall normal approx. = -3.193
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-7



n = 42

Slope = -0.04227 units per year.

Mann-Kendall normal approx. = -4.357
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cadmium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

CAO-1



n = 45

Slope = 5.836 units per year.

Mann-Kendall normal approx. = 5.137
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

CAO-2



n = 44

Slope = 0.67 units per year.

Mann-Kendall normal approx. = 2.909
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 3.866 units per year.

Mann-Kendall normal approx. = 5.77
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.06606 units per year.

Mann-Kendall normal approx. = -2.532
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = 0.2011 units per year.

Mann-Kendall normal approx. = 5.81
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = 0.1271 units per year.

Mann-Kendall normal approx. = 7.076
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-509D



n = 42

Slope = 0.1282 units per year.

Mann-Kendall normal approx. = 2.776
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-577



n = 40

Slope = 0.08314 units per year.

Mann-Kendall statistic = 338
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-6



n = 59

Slope = 0.8507 units per year.

Mann-Kendall normal approx. = 5.272
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-633D



n = 42

Slope = 0.9342 units per year.

Mann-Kendall normal approx. = 6.16
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.2027 units per year.

Mann-Kendall normal approx. = -6.994
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-2



n = 40

Slope = 0.4491 units per year.

Mann-Kendall statistic = 536
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-3



n = 42

Slope = 0.277 units per year.

Mann-Kendall normal approx. = 4.597
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-4



n = 40

Slope = 0.1108 units per year.

Mann-Kendall statistic = 244
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-7



n = 42

Slope = 0.07417 units per year.

Mann-Kendall normal approx. = 2.745
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NE-2



n = 21

Slope = -4.209 units per year.

Mann-Kendall statistic = -193
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NE-3



n = 21

Slope = -0.581 units per year.

Mann-Kendall statistic = -79
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloride Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -0.2056 units per year.

Mann-Kendall normal approx. = -3.284
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-2



n = 44

Slope = -0.1011 units per year.

Mann-Kendall normal approx. = -2.591
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.2185 units per year.

Mann-Kendall normal approx. = -3.913
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 0 units per year.

Mann-Kendall normal approx. = -3.243
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = 0 units per year.

Mann-Kendall normal approx. = -3.752
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = 0
units per year.

Mann-Kendall
normal approx. =
-4.669
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.0228
units per year.

Mann-Kendall
normal approx. =
-4.658
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = 0
units per year.

Mann-Kendall
normal approx. =
-4.482
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-509D



n = 42

Slope = -0.3006
units per year.

Mann-Kendall
normal approx. =
-3.766
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-577



n = 40

Slope = -0.3134 units per year.

Mann-Kendall statistic = -316
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = 0 units per year.

Mann-Kendall normal approx. = -4.423
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



n = 42

Slope = -0.2771 units per year.

Mann-Kendall normal approx. = -3.813
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-689D



n = 40

Slope = -0.3647 units per year.

Mann-Kendall statistic = -353
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = 0
units per year.

Mann-Kendall
normal approx. =
-4.238
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-2



n = 40

Slope = -0.07885
units per year.

Mann-Kendall
statistic = -235
critical = -201

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = -0.2607
units per year.

Mann-Kendall
normal approx. =
-3.75
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-4



n = 40

Slope = -0.2924
units per year.

Mann-Kendall
statistic = -266
critical = -201

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-7



n = 42

Slope = -0.1482 units per year.

Mann-Kendall normal approx. = -3.713
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-8



n = 33

Slope = -0.348 units per year.

Mann-Kendall statistic = -234
critical = -151

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chromium Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

CAO-1



n = 45

Slope = -3.727 units per year.

Mann-Kendall normal approx. = -5.451
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-2



n = 44

Slope = -0.3555 units per year.

Mann-Kendall normal approx. = -5.061
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.3799 units per year.

Mann-Kendall normal approx. = -5.729
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 2.472 units per year.

Mann-Kendall normal approx. = 4.487
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-1R



n = 21

Slope = -5.703 units per year.

Mann-Kendall statistic = -151
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.4861 units per year.

Mann-Kendall normal approx. = -7.447
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = -0.2511 units per year.

Mann-Kendall normal approx. = -4.612
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:24 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.4856 units per year.

Mann-Kendall normal approx. = -7.438
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.4872 units per year.

Mann-Kendall normal approx. = -7.328
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-509D



n = 42

Slope = -0.3437 units per year.

Mann-Kendall normal approx. = -4.353
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-577



n = 40

Slope = -0.2862 units per year.

Mann-Kendall statistic = -381
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.4847 units per year.

Mann-Kendall normal approx. = -7.397
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



n = 42

Slope = -0.1885 units per year.

Mann-Kendall normal approx. = -4.617
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-689D



n = 40

Slope = -0.3462 units per year.

Mann-Kendall statistic = -452
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.4919 units per year.

Mann-Kendall normal approx. = -6.963
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-2



n = 40

Slope = -0.1466 units per year.

Mann-Kendall statistic = -287
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = -0.3206 units per year.

Mann-Kendall normal approx. = -5.035
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-4



n = 40

Slope = -0.1505 units per year.

Mann-Kendall statistic = -312
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-7



n = 42

Slope = -0.2897 units per year.

Mann-Kendall normal approx. = -4.472
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-8



n = 33

Slope = -0.3397 units per year.

Mann-Kendall statistic = -234
critical = -151

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Cobalt Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -0.2402 units per year.

Mann-Kendall normal approx. = -3.879
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-2



n = 44

Slope = -0.1269 units per year.

Mann-Kendall normal approx. = -3.709
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.1516 units per year.

Mann-Kendall normal approx. = -3.838
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = -0.0516 units per year.

Mann-Kendall normal approx. = -2.586
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.1077 units per year.

Mann-Kendall normal approx. = -4.089
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = -0.07436 units per year.

Mann-Kendall normal approx. = -3.114
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.1076 units per year.

Mann-Kendall normal approx. = -4.512
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.09242 units per year.

Mann-Kendall normal approx. = -4.181
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-509D



n = 42

Slope = -0.3586 units per year.

Mann-Kendall normal approx. = -3.506
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-577



n = 40

Slope = -0.1595 units per year.

Mann-Kendall statistic = -346
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.1044 units per year.

Mann-Kendall normal approx. = -4.341
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



n = 42

Slope = -0.09238 units per year.

Mann-Kendall normal approx. = -2.753
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-689D



n = 40

Slope = -0.2951 units per year.

Mann-Kendall statistic = -312
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.1056 units per year.

Mann-Kendall normal approx. = -4.495
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-2



n = 40

Slope = -0.1177 units per year.

Mann-Kendall statistic = -314
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = -0.2407 units per year.

Mann-Kendall normal approx. = -3.35
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-4



n = 40

Slope = -0.3018 units per year.

Mann-Kendall statistic = -297
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-7



n = 42

Slope = -0.09164 units per year.

Mann-Kendall normal approx. = -3.989
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-8



n = 33

Slope = -0.2578 units per year.

Mann-Kendall statistic = -156 critical = -151

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Copper Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-1



n = 56

Slope = 34.94 units per year.

Mann-Kendall normal approx. = 8.398 critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-3



n = 57

Slope = 10.06 units per year.

Mann-Kendall normal approx. = 5.502 critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-4



n = 59

Slope = 5.766 units per year.

Mann-Kendall normal approx. = 7.84 critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-5



n = 59

Slope = 5.787 units per year.

Mann-Kendall normal approx. = 8.144
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-577



n = 40

Slope = -4.402 units per year.

Mann-Kendall statistic = -250
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-6



n = 59

Slope = 3.439 units per year.

Mann-Kendall normal approx. = 5.771
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-633D



n = 42

Slope = 2.494 units per year.

Mann-Kendall normal approx. = 3.167
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-2



n = 40

Slope = 5.222 units per year.

Mann-Kendall statistic = 349
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-4



n = 40

Slope = 11.16 units per year.

Mann-Kendall statistic = 464
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-8



n = 32

Slope = 2.276 units per year.

Mann-Kendall statistic = 183
critical = 145

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NE-2



n = 21

Slope = -239.9 units per year.

Mann-Kendall statistic = -169
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Dissolved Solids Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

CAO-1



Constituent: Iron Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-2



Constituent: Iron Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



Constituent: Iron Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-1R



Constituent: Iron Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = 6
units per year.

Mann-Kendall
normal approx. =
4.185
critical = 2.33

Increasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Iron Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-7



n = 42

Slope = 13.09
units per year.

Mann-Kendall
normal approx. =
2.561
critical = 2.33

Increasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Iron Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NE-2



n = 21

Slope = -388.5
units per year.

Mann-Kendall
statistic = -116
critical = -78

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Iron Analysis Run 6/9/2022 11:25 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -0.1603
units per year.

Mann-Kendall
normal approx. =
-3.419
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-2



Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = -0.07273 units per year.

Mann-Kendall normal approx. = -4.383
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.08614 units per year.

Mann-Kendall normal approx. = -4.777
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.08584 units per year.

Mann-Kendall normal approx. = -4.941
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-577



n = 40

Slope = -0.1464 units per year.

Mann-Kendall statistic = -258
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.08718 units per year.

Mann-Kendall normal approx. = -4.623
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



n = 42

Slope = -0.1494 units per year.

Mann-Kendall normal approx. = -3.887
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.09892 units per year.

Mann-Kendall normal approx. = -5.074
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = -0.1083 units per year.

Mann-Kendall normal approx. = -3.017
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Lead Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

CAO-1



n = 45

Slope = -610.9 units per year.

Mann-Kendall normal approx. = -7.723
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.9588 units per year.

Mann-Kendall normal approx. = -3.053
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 37.57 units per year.

Mann-Kendall normal approx. = 3.724
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-1R



n = 21

Slope = -58.99 units per year.

Mann-Kendall statistic = -182
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.7788 units per year.

Mann-Kendall normal approx. = -4.196
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = 8.97 units per year.

Mann-Kendall normal approx. = 3.308
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.7243 units per year.

Mann-Kendall normal approx. = -6.933
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.7103 units per year.

Mann-Kendall normal approx. = -7.117
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.7103 units per year.

Mann-Kendall normal approx. = -7.494
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-2



n = 40

Slope = 1.896 units per year.

Mann-Kendall statistic = 321
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Manganese Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 41

Slope = 0 units per year.

Mann-Kendall normal approx. = -2.88
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Mercury Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 41

Slope = 0 units per year.

Mann-Kendall normal approx. = -2.707
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Mercury Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



n = 40

Slope = 0 units per year.

Mann-Kendall statistic = 271
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Mercury Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -2.774 units per year.

Mann-Kendall normal approx. = -4.003
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.7351 units per year.

Mann-Kendall normal approx. = -5.916
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 3.321 units per year.

Mann-Kendall normal approx. = 7.457
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-1R



n = 21

Slope = -1.741 units per year.

Mann-Kendall statistic = -85 critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.1631 units per year.

Mann-Kendall normal approx. = -3.053 critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = 0.7455 units per year.

Mann-Kendall normal approx. = 5.768 critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.1631 units per year.

Mann-Kendall normal approx. = -3.028 critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.1637 units per year.

Mann-Kendall normal approx. = -3.094
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-509D



n = 42

Slope = -0.6372 units per year.

Mann-Kendall normal approx. = -4.647
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-577



n = 40

Slope = -0.7135 units per year.

Mann-Kendall statistic = -431
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.1868 units per year.

Mann-Kendall normal approx. = -3.387
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



n = 42

Slope = -0.3546 units per year.

Mann-Kendall normal approx. = -4.335
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:26 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-689D



n = 40

Slope = -0.7425 units per year.

Mann-Kendall statistic = -441
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.2139 units per year.

Mann-Kendall normal approx. = -2.63
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = -0.6193 units per year.

Mann-Kendall normal approx. = -4.599
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-7



n = 42

Slope = -0.5018 units per year.

Mann-Kendall normal approx. = -5.483
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-8



n = 33

Slope = -0.8095 units per year.

Mann-Kendall statistic = -251
critical = -151

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-2



n = 21

Slope = -0.9054 units per year.

Mann-Kendall statistic = -105
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Nickel Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = -0.1131 units per year.

Mann-Kendall normal approx. = -2.371
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1R



n = 21

Slope = 0.3069 units per year.

Mann-Kendall statistic = 122
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.1111 units per year.

Mann-Kendall normal approx. = -2.547
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = -0.1162 units per year.

Mann-Kendall normal approx. = -3.208
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.1037 units per year.

Mann-Kendall normal approx. = -2.724
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.09711 units per year.

Mann-Kendall normal approx. = -2.538
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.1037 units per year.

Mann-Kendall normal approx. = -2.518
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.1065 units per year.

Mann-Kendall normal approx. = -2.623
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-2



n = 21

Slope = 0.3509 units per year.

Mann-Kendall statistic = 102
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-3



n = 21

Slope = 0.3074 units per year.

Mann-Kendall statistic = 109
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-6



n = 21

Slope = 0.3074 units per year.

Mann-Kendall statistic = 122
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Selenium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -1.207 units per year.

Mann-Kendall normal approx. = -5.48
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 0.514 units per year.

Mann-Kendall normal approx. = 5.19
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-4



n = 59

Slope = 0.3996 units per year.

Mann-Kendall normal approx. = 7.178
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = 0.1889 units per year.

Mann-Kendall normal approx. = 6.136
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-577



n = 40

Slope = -2.696 units per year.

Mann-Kendall statistic = -425
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = 0.1788 units per year.

Mann-Kendall normal approx. = 6.584
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-633D



n = 42

Slope = -0.3955 units per year.

Mann-Kendall normal approx. = -4.71
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.175 units per year.

Mann-Kendall normal approx. = -2.584
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-2



n = 40

Slope = -0.4962 units per year.

Mann-Kendall statistic = -374
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-4



n = 40

Slope = 1.872 units per year.

Mann-Kendall statistic = 316
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NE-2



n = 21

Slope = -164.8 units per year.

Mann-Kendall statistic = -199
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Sulfate Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -0.02448 units per year.

Mann-Kendall normal approx. = -2.894
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Thallium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-2



n = 44

Slope = -0.01479 units per year.

Mann-Kendall normal approx. = -3.178
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Thallium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = 0 units per year.

Mann-Kendall normal approx. = -2.453
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Thallium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = 0
units per year.

Mann-Kendall
normal approx. =
-2.428
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Thallium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = 0
units per year.

Mann-Kendall
normal approx. =
-2.451
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Thallium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = 0
units per year.

Mann-Kendall
normal approx. =
-2.535
critical = -2.33

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Thallium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-2



n = 40

Slope = 0
units per year.

Mann-Kendall
statistic = -205
critical = -201

Decreasing trend
significant at 98%
confidence level
(α = 0.01 per
tail).

Constituent: Thallium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = 0 units per year.

Mann-Kendall normal approx. = -2.383
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Thallium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-4



n = 10

Slope = -0.0459 units per year.

Mann-Kendall statistic = -34
critical = -27

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Thallium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -0.2793 units per year.

Mann-Kendall normal approx. = -4.036
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-2



n = 44

Slope = -0.3242 units per year.

Mann-Kendall normal approx. = -4.512
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.2603 units per year.

Mann-Kendall normal approx. = -4.071
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = -0.4768 units per year.

Mann-Kendall normal approx. = -5.877
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.6015 units per year.

Mann-Kendall normal approx. = -6.669
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = -0.6228 units per year.

Mann-Kendall normal approx. = -6.495
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:27 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = -0.5907 units per year.

Mann-Kendall normal approx. = -6.691
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = -0.5905 units per year.

Mann-Kendall normal approx. = -6.658
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-509D



n = 42

Slope = -0.2964 units per year.

Mann-Kendall normal approx. = -2.756
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-577



n = 40

Slope = -0.308 units per year.

Mann-Kendall statistic = -335
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = -0.5833 units per year.

Mann-Kendall normal approx. = -6.669
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



n = 42

Slope = -0.2744 units per year.

Mann-Kendall normal approx. = -4.385
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-689D



n = 40

Slope = -0.3564 units per year.

Mann-Kendall statistic = -303
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.5926 units per year.

Mann-Kendall normal approx. = -6.759
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-2



n = 40

Slope = -0.306 units per year.

Mann-Kendall statistic = -310
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-3



n = 42

Slope = -0.299 units per year.

Mann-Kendall normal approx. = -3.721
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-4



n = 40

Slope = -0.2791 units per year.

Mann-Kendall statistic = -308
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-7



n = 42

Slope = -0.2739 units per year.

Mann-Kendall normal approx. = -3.832
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-8



n = 33

Slope = -0.292 units per year.

Mann-Kendall statistic = -197 critical = -151

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Vanadium Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -73.51 units per year.

Mann-Kendall normal approx. = -6.168 critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-2



n = 44

Slope = -1.292 units per year.

Mann-Kendall normal approx. = -3.577 critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -1.381 units per year.

Mann-Kendall normal approx. = -2.351 critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 55

Slope = 12.54 units per year.

Mann-Kendall normal approx. = 3.55
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-1R



n = 20

Slope = -145.7 units per year.

Mann-Kendall statistic = -126
critical = -73

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-2



n = 59

Slope = -0.263 units per year.

Mann-Kendall normal approx. = -4.282
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = 4.882 units per year.

Mann-Kendall normal approx. = 5.075
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-4



n = 59

Slope = 4.293 units per year.

Mann-Kendall normal approx. = 7.575
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-5



n = 59

Slope = 0.7509 units per year.

Mann-Kendall normal approx. = 3.725
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-6



n = 59

Slope = 1.338 units per year.

Mann-Kendall normal approx. = 4.79
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-633D



n = 42

Slope = 13.04 units per year.

Mann-Kendall normal approx. = 5.748
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-689D



n = 40

Slope = -0.7426 units per year.

Mann-Kendall statistic = -290
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-7



n = 59

Slope = -0.2364 units per year.

Mann-Kendall normal approx. = -3.715
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NAB-4



n = 40

Slope = 70.92 units per year.

Mann-Kendall statistic = 486
critical = 201

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NE-3



n = 21

Slope = -6.722 units per year.

Mann-Kendall statistic = -107
critical = -78

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Zinc Analysis Run 6/9/2022 11:28 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance limit is exceeded.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Francia, alpha based on n.

Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cadmium Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.

Constituent: Cadmium Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.

Constituent: Cadmium Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Iron Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Iron Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Manganese Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Mercury Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Mercury Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Mercury Analysis Run 4/21/2023 10:23 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Constituent: Thallium Analysis Run 4/21/2023 10:24 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Thallium Analysis Run 4/21/2023 10:24 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Sanitas™ v.9.6.37 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.

Constituent: Thallium Analysis Run 4/21/2023 10:24 AM

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10

Confidence Interval

NABORS Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2022-10 Printed 4/21/2023, 10:25 AM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	%NDs	Transform	Alpha	Method
Arsenic (ug/l)	**CAO-1**	**46**	**30**	**10**	**Yes**	**45**	**2.222**	**No**	**0.05**	**NP (normality)**
Arsenic (ug/l)	CAO-2	2.396	1.306	10	No	44	22.73	ln(x)	0.05	Param.
Arsenic (ug/l)	CAO-3	0.5329	0.2895	10	No	45	55.56	ln(x)	0.05	Param.
Arsenic (ug/l)	MW-1	17.4	2.1	10	No	41	21.95	No	0.05	NP (normality)
Arsenic (ug/l)	**MW-1R**	**93.49**	**66.82**	**10**	**Yes**	**19**	**0**	**No**	**0.05**	**Param.**
Arsenic (ug/l)	MW-2	4.479	3.628	10	No	59	15.25	sqrt(x)	0.05	Param.
Arsenic (ug/l)	MW-3	5.133	2.706	10	No	17	11.76	No	0.05	Param.
Arsenic (ug/l)	MW-4	0.55	0.482	10	No	38	71.05	No	0.05	NP (normality)
Arsenic (ug/l)	MW-5	0.662	0.5	10	No	29	58.62	No	0.05	NP (normality)
Arsenic (ug/l)	MW-509D	1.4	0.5	10	No	38	44.74	No	0.05	NP (normality)
Arsenic (ug/l)	MW-577	2.2	1.3	10	No	38	31.58	No	0.05	NP (normality)
Arsenic (ug/l)	MW-6	0.504	0.39	10	No	29	55.17	No	0.05	NP (normality)
Arsenic (ug/l)	MW-633D	0.6177	0.3242	10	No	7	0	sqrt(x)	0.05	Param.
Arsenic (ug/l)	MW-689D	6.834	3.066	10	No	7	0	No	0.05	Param.
Arsenic (ug/l)	MW-7	0.281	0.2336	10	No	7	0	No	0.05	Param.
Arsenic (ug/l)	NAB-2	13.2	7.289	10	No	17	5.882	ln(x)	0.05	Param.
Arsenic (ug/l)	NAB-3	0.55	0.248	10	No	7	0	No	0.008	NP (normality)
Arsenic (ug/l)	NAB-4	5.015	2.855	10	No	18	11.11	sqrt(x)	0.05	Param.
Arsenic (ug/l)	NAB-7	7.567	3.705	10	No	41	7.317	ln(x)	0.05	Param.
Arsenic (ug/l)	NAB-8	2.976	1.957	10	No	32	18.75	ln(x)	0.05	Param.
Arsenic (ug/l)	NE-2	9.631	1.247	10	No	8	0	sqrt(x)	0.05	Param.
Arsenic (ug/l)	NE-3	1.17	0.36	10	No	7	0	No	0.008	NP (normality)
Arsenic (ug/l)	NE-4	4.753	2.536	10	No	7	0	No	0.05	Param.
Arsenic (ug/l)	NE-6	0.5059	0.3558	10	No	7	0	No	0.05	Param.
Cadmium (ug/l)	MW-509D	4.751	4.023	5	No	19	0	ln(x)	0.05	Param.
Cadmium (ug/l)	MW-633D	1.79	1.308	5	No	35	11.43	sqrt(x)	0.05	Param.
Cadmium (ug/l)	NAB-4	2.046	1.451	5	No	18	5.556	No	0.05	Param.
Cobalt (ug/l)	**CAO-1**	**25.1**	**17.48**	**6**	**Yes**	**21**	**0**	**sqrt(x)**	**0.05**	**Param.**
Cobalt (ug/l)	**MW-1**	**67.43**	**49.83**	**6**	**Yes**	**26**	**0**	**No**	**0.05**	**Param.**
Cobalt (ug/l)	**MW-1R**	**73.32**	**57.08**	**6**	**Yes**	**21**	**0**	**x^(1/3)**	**0.05**	**Param.**
Cobalt (ug/l)	NAB-2	1.747	0.4205	6	No	7	0	ln(x)	0.05	Param.
Iron (ug/l)	**CAO-1**	**32774**	**27917**	**14000**	**Yes**	**31**	**0**	**No**	**0.05**	**Param.**
Iron (ug/l)	**MW-1R**	**27029**	**20540**	**14000**	**Yes**	**19**	**0**	**No**	**0.05**	**Param.**
Manganese (ug/l)	**MW-3**	**2268**	**1347**	**430**	**Yes**	**16**	**0**	**No**	**0.05**	**Param.**
Mercury (ug/l)	CAO-2	0.15	0.025	2	No	18	55.56	No	0.05	NP (normality)
Mercury (ug/l)	MW-1R	0.6947	0.3231	2	No	19	5.263	x^(1/3)	0.05	Param.
Mercury (ug/l)	MW-633D	0.9213	0.3275	2	No	19	26.32	sqrt(x)	0.05	Param.
Thallium (ug/l)	MW-1R	2.02	1	2	No	19	42.11	No	0.05	NP (normality)
Thallium (ug/l)	MW-3	0.7096	0.1687	2	No	7	0	No	0.05	Param.
Thallium (ug/l)	NAB-4	0.9817	0.8901	2	No	7	0	No	0.05	Param.

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 1,1-Dichloroethane Analysis Run 6/9/2022 10:40 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 1,1-Dichloroethane Analysis Run 6/9/2022 10:40 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: 1,1-Dichloroethane Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 1,1-Dichloroethane Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 1,2-Dichloroethane Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 1,2-Dichloroethane Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 1,4-Dichlorobenzene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 1,4-Dichlorobenzene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 1,4-Dichlorobenzene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 2-Butanone [MEK] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: 2-Butanone [MEK] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Benzene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Benzene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Benzene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chlorobenzene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chlorobenzene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chlorobenzene Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chloroethane Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chloroethane Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Chloroethane Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: cis-1,2-Dichloroethene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: cis-1,2-Dichloroethene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: cis-1,2-Dichloroethene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: cis-1,2-Dichloroethene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: o-Xylene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: o-Xylene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: o-Xylene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Time Series



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Toluene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Toluene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Toluene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: trans-1,2-Dichloroethene Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: trans-1,2-Dichloroethene Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: trans-1,2-Dichloroethene Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Trichloroethene Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Trichloroethene Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Trichloroethene Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vinyl chloride Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vinyl chloride Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Time Series



Constituent: Vinyl chloride Analysis Run 6/9/2022 10:41 AM
NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Time Series



Constituent: Vinyl chloride Analysis Run 6/9/2022 10:41 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



Constituent: 1,1-Dichloroethane Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



Constituent: 1,1-Dichloroethane Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-633D



Constituent: 1,1-Dichloroethane Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



Constituent: 1,2-Dichloroethane Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1R



Constituent: 1,2-Dichloroethane Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



Constituent: 1,4-Dichlorobenzene Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



Constituent: 1,4-Dichlorobenzene Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1R



Constituent: 1,4-Dichlorobenzene Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = 0.2344 units per year.

Mann-Kendall normal approx. = 5.529
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Benzene Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 0.05963 units per year.

Mann-Kendall normal approx. = 6.062
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Benzene Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 0.07482 units per year.

Mann-Kendall normal approx. = 7.955
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chlorobenzene Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1R



n = 21

Slope = 0.2242 units per year.

Mann-Kendall statistic = 135
critical = 78

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chlorobenzene Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -0.649 units per year.

Mann-Kendall normal approx. = -4.621
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloroethane Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 0.05068 units per year.

Mann-Kendall normal approx. = 2.713
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: Chloroethane Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



n = 45

Slope = -0.5015 units per year.

Mann-Kendall normal approx. = -5.884
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: cis-1,2-Dichloroethene Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 0.5398 units per year.

Mann-Kendall normal approx. = 7.727
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: cis-1,2-Dichloroethene Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

CAO-1



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

MW-1R



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

CAO-1



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-3



n = 45

Slope = -0.1277 units per year.

Mann-Kendall normal approx. = -3.344
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



n = 56

Slope = 0.4381 units per year.

Mann-Kendall normal approx. = 5.831
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-3



n = 57

Slope = 0.07665 units per year.

Mann-Kendall normal approx. = 2.983
critical = 2.33

Increasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-509D



n = 42

Slope = -0.09659 units per year.

Mann-Kendall normal approx. = -2.955
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-577



n = 40

Slope = -0.07061 units per year.

Mann-Kendall statistic = -231
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:43 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-689D



n = 40

Slope = -0.0619 units per year.

Mann-Kendall statistic = -210
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-2



n = 40

Slope = -0.0889 units per year.

Mann-Kendall statistic = -233
critical = -201

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

NAB-7



n = 42

Slope = -0.04957 units per year.

Mann-Kendall normal approx. = -2.781
critical = -2.33

Decreasing trend significant at 98% confidence level (α = 0.01 per tail).

Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Sen's Slope Estimator

NE-2



Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



Constituent: Toluene Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



Constituent: Toluene Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



Constituent: Trichloroethene Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



Constituent: Trichloroethene Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

CAO-1



Constituent: Vinyl chloride Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG
Hollow symbols indicate censored values.

Sen's Slope Estimator

MW-1



Constituent: Vinyl chloride Analysis Run 6/9/2022 10:44 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Tukey's Outlier Screening

CAO-1



n = 45

Outlier is drawn as solid.
Tukey's method selected by user.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

High cutoff = 64.53, low cutoff = 1.04, based on IQR multiplier of 3.

Constituent: TOC [Total Organic Carbon] Analysis Run 6/9/2022 10:57 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Tukey's Outlier Screening

MW-1R



n = 21

Outliers are drawn as solid.
Tukey's method selected by user.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

High cutoff = 1.154, low cutoff = 0.1639, based on IQR multiplier of 3.

Constituent: Toluene Analysis Run 6/9/2022 10:57 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: 1,1-Dichloroethane Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: 1,1-Dichloroethane Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: 1,1-Dichloroethane Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: 1,2-Dichloroethane Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.

Constituent: 1,2-Dichloroethane Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.

Constituent: 1,4-Dichlorobenzene Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Non-Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded.



Constituent: 1,4-Dichlorobenzene Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: 1,4-Dichlorobenzene Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Benzene Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Benzene Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Benzene Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Methyl-tert-Butyl Ether Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Trichloroethene Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance Limit is not exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Trichloroethene Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Vinyl chloride Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Vinyl chloride Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Sanitas™ v.9.6.34 Software licensed to Harbor Environmental. UG

Parametric Confidence Interval, Corrective Action Mode

Compliance limit is exceeded. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Vinyl chloride Analysis Run 6/21/2022 11:12 AM

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10

Confidence Interval

NABORS Landfill Client: Harbor Environmental Data: NABORS_DATABASE_SanitasMatrix_Thru_2021-10 Printed 6/21/2022, 11:13 AM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	%NDs	Transform	Alpha	Method
1,1-Dichloroethane (ug/l)	**CAO-1**	**5.765**	**4.009**	**2.8**	**Yes**	**27**	**0**	**sqrt(x)**	**0.05**	**Param.**
1,1-Dichloroethane (ug/l)	**MW-1**	**17.66**	**15.57**	**2.8**	**Yes**	**36**	**0**	**sqrt(x)**	**0.05**	**Param.**
1,1-Dichloroethane (ug/l)	**MW-1R**	**16.12**	**14.51**	**2.8**	**Yes**	**21**	**0**	**No**	**0.05**	**Param.**
1,2-Dichloroethane (ug/l)	MW-1	0.6093	0.5389	5	No	8	0	No	0.05	Param.
1,2-Dichloroethane (ug/l)	MW-1R	0.5752	0.4597	5	No	9	0	No	0.05	Param.
1,4-Dichlorobenzene (ug/l)	CAO-1	2.761	1.574	75	No	9	0	No	0.05	Param.
1,4-Dichlorobenzene (ug/l)	MW-1	4.15	0.5	75	No	16	37.5	No	0.05	NP (normality)
1,4-Dichlorobenzene (ug/l)	MW-1R	3.261	2.248	75	No	17	11.76	No	0.05	Param.
Benzene (ug/l)	CAO-1	4.353	3.42	5	No	21	0	No	0.05	Param.
Benzene (ug/l)	MW-1	1.096	0.8416	5	No	27	18.52	No	0.05	Param.
Benzene (ug/l)	MW-1R	1.179	1.001	5	No	18	22.22	x^3	0.05	Param.
Methyl-tert-Butyl Ether (ug/L)	**CAO-1**	**32.19**	**16.67**	**14**	**Yes**	**9**	**0**	**No**	**0.05**	**Param.**
Methyl-tert-Butyl Ether (ug/L)	**MW-1**	**54.44**	**44.86**	**14**	**Yes**	**9**	**0**	**x^3**	**0.05**	**Param.**
Methyl-tert-Butyl Ether (ug/L)	**MW-1R**	**49.28**	**38.03**	**14**	**Yes**	**9**	**0**	**No**	**0.05**	**Param.**
Trichloroethene (ug/l)	MW-1	0.7834	0.53	5	No	16	37.5	ln(x)	0.05	Param.
Trichloroethene (ug/l)	MW-1R	0.9848	0.6555	5	No	18	11.11	No	0.05	Param.
Vinyl chloride (ug/l)	**CAO-1**	**3.328**	**2.476**	**2**	**Yes**	**45**	**6.667**	**No**	**0.05**	**Param.**
Vinyl chloride (ug/l)	**MW-1**	**4.098**	**2.959**	**2**	**Yes**	**33**	**3.03**	**No**	**0.05**	**Param.**
Vinyl chloride (ug/l)	**MW-1R**	**3.968**	**3.428**	**2**	**Yes**	**21**	**0**	**No**	**0.05**	**Param.**

Appendix D

Historical Database

Page Intentionally Blank

NABORS Landfill Historic Data through April 2022

	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	Vinyl chloride (ug/l)
CAO-1	10/11/2005	n/a	<6	15.7	62.6	0.447	10.9	46	3.6	47.6	5.17	12300	12.4	8430	n/a	95.4	<10	<3	31.2	<2	n/a	6.43	1370	<0.5	1.62	4.57
	1/16/2006	6.1	n/a	16.4	<100	<0.18	0.915	29.5	2.75	65.1	<2	12200	<1	8560	n/a	121	<3	<0.39	28.5	<1	n/a	<10	1140	1	2.29	3.68
	4/5/2006	6.7	<6	18.4	<100	<0.8	0.559	30	0.891	102	<8	15100	<5	10100	n/a	125	<10	<1.7	20.8	<2	n/a	<10	1140	1.28	2.34	4.48
	7/27/2006	6.8	<1	17	200	<2	<5	24	39	60	<20	17000	6.8	10000	n/a	75	33	<10	17	<1	n/a	<10	1200	1.6	2	5.8
	9/6/2006	6.63	<1	23	210	<2	<5	23	<10	64	<20	18000	5	10000	<0.2	64	30	<10	15	<1	n/a	<10	1200	<1	1.2	<1
	2/7/2007	6.48	<1	22	220	<2	<5	25	<10	66	<20	17000	<5	11000	<0.2	52	<20	<10	18	<1	n/a	<10	960	1.9	1.9	6.4
	5/24/2007	6.94	<1	25	230	<2	<5	27	<10	66	<20	19000	<5	11000	<0.2	70	<20	<10	15	<10	n/a	<10	1100	1.5	<1	<1
	8/25/2007	6.65	<1	24	220	<2	<5	2.7	<10	60	<20	21000	15	10000	<0.2	63	63	<10	15	<10	n/a	<10	1200	2.2	1.5	3.9
	11/6/2007	6.3	<1	31	240	<2	<5	24	<10	64	<20	22000	<5	10000	<0.2	65	<20	<10	14	<10	<20	<10	1200	2.1	<1	3.9
	2/22/2008	6.2	<1	30	240	<2	<5	14	<10	64	<20	24000	<5	7200	<0.2	51	<20	<10	13	<1	25	<10	750	3.5	0.84	6.3
	4/29/2008	7.08	<1	32	190	<1	<5	15	<10	70	<1	26000	<5	7800	<0.2	62	2.2	<10	9.6	<1	<20	<10	730	2.4	<1	5.3
	8/19/2008	6.64	<1	35	280	<1	<5	15	<10	68	<20	29000	<5	7600	<0.2	60	<20	<10	11	<1	<20	<10	770	2.9	<1	7
	11/18/2008	6.48	<1	36	220	<2	<5	14	<10	68	<20	27000	6.2	6600	<0.2	52	<20	<10	9.7	<1	<20	<10	630	1.8	<1	4.2
	2/20/2009	7.43	<1	<1	87	<1	<5	3	<10	12	<1	1000	1.2	980	<0.2	<20	<1	<10	7.5	<1	<1	<10	62	<1	<1	<1
	5/20/2009	6.43	<1	24	150	<1	<5	20	<10	54	<1	24000	<1	5000	<0.2	34	<1	<10	10	<1	<1	<10	220	1.7	<1	3.7
	8/19/2009	5.83	<1	49	190	<1	<0.5	28	<10	78	<2	36000	<1	6300	<0.2	68	1.9	<10	15	<1	<1	<10	730	4.4	1.6	5.5
	12/15/2009	6.58	n/a	33	280	<2	<5	33	12	30	<20	20000	29	2100	<0.2	38	<40	<10	29	<1	77	22	1100	0.42	<1	1.3
	3/22/2010	6.28	<1	4.5	170	<1	<0.5	48	2.1	11	1.8	4500	1.8	950	<0.2	10	1	4.3	28	<1	<1	2.7	100	0.43	<1	2.2
	6/17/2010	n/a	0.21	46	170	<1	0.55	47	<10	75	0.65	35000	1	5800	<0.2	70	0.92	<10	13	<1	0.51	<10	590	2.9	<1	2.2
	9/23/2010	6.22	<1	35	200	0.18	2.2	44	5.7	45	5.7	29000	10	4500	<0.2	32	0.78	28	13	0.24	0.79	6.2	640	2.9	<1	4.5
	12/8/2010	6.08	<1	19	220	<1	<0.5	44	<10	52	<2	37000	<1	5000	<0.2	48	1.1	<10	11	<1	<1	3.5	150	3.8	0.88	2.9
	3/23/2011	6.36	<1	24	210	<1	<0.5	49	<10	46	0.92	27000	1.4	5200	<0.2	37	0.45	<10	17	<1	<1	<10	270	2.3	0.6	2.3
	6/29/2011	6.21	<1	36	210	<1	<0.5	48	<10	63	1.8	36000	2.2	5700	<0.2	83	<1	<10	11	<1	0.3	<10	230	3.9	0.44	3.4
	9/29/2011	n/a	0.28	13	260	0.44	0.49	40	6	37	<10	38000	1.8	4300	0.05	32	<5	<10	4.4	<1	0.66	<10	140	4.3	0.61	4.2
	6/21/2012	n/a	<1	21	240	<1	1	74	<10	42	2.4	39000	3.9	4800	<0.2	29	1.2	<10	<5	<1	<1	22	350	2.4	<1	2.1
	9/19/2012	n/a	<1	16	220	<1	<0.5	67	<10	20	<2	36000	<1	3000	<0.2	<20	1.2	<10	<5	<1	<1	<10	130	2.7	<1	2.7
	3/11/2015	n/a	<0.21	30	240	<0.12	<0.16	81	<1.4	20	<0.52	24000	10	2000	<0.049	28	<0.38	<2.8	5	<0.19	<0.3	<2.4	<2.6	1.5	<0.4	1.6
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	<0.21	54	290	<0.12	<0.16	12	<1.4	36	<0.52	38000	<0.24	3400	<0.049	49	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	3.2	<0.4	2.2
	9/16/2015	n/a	<0.21	32.8	284	<0.12	<0.16	123	<0.54	21.9	5.04	26500	<0.24	2000	<0.049	35.7	<0.38	<0.31	9.36	<0.19	<0.3	<0.18	<2.56	2.84	<0.398	2.17
	12/16/2015	n/a	<0.21	52	296	<0.12	<0.16	108	<0.54	26.4	<0.52	32000	<0.24	2420	<0.049	34.8	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	2.8	<0.398	1.59
	3/29/2016	n/a	<0.21	112	222	<0.12	<0.16	121	<0.54	44.1	<0.52	39600	<0.24	2420	<0.049	68.9	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	29.4	4.25	<0.398	2.52
	6/29/2016	n/a	<0.754	135	229	<0.12	<0.16	99.9	<0.54	39.1	<0.52	41200	<0.24	1950	<0.049	64	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	5.08	<0.398	2.96
	9/20/2016	n/a	<2	132	206	<2	<1	91.1	<2	32.1	<5	34500	<2	1210	<0.2	58.5	<2	<2	<5	<2	<2	<5	76.6	4.04	<1	3.53
	12/21/2016	n/a	<2	122	250	<2	<1	95.9	<2	28.6	<5	36300	<2	1200	<0.2	57.1	<2	<2	<5	<2	<2	<5	27.2	4.34	<1	2.6
	3/29/2017	n/a	<2	37.9	249	<2	<1	109	<2	12.7	<5	22000	3.31	1050	<0.2	23.6	<2	<2	7.66	<2	<2	<5	25.9	4.28	<1	2.28
	9/28/2017	n/a	<2	142	255	<2	<1	112	<2	24.9	<5	35100	<2	993	<0.2	50.8	<2	<2	<5	<2	<2	<5	36.2	4.12	<1	2.69
	4/30/2018	n/a	<10*	57.8	318	<0.416*	0.358	65	<12.5*	12.4	<5*	26400	<15.6*	886	<0.2*	30	<52*	<20.8*	12.1	<73*	<41.6*	<20*	19.2	4.9	<5*	2.25
	10/29/2018	n/a	<36*	108	260	<0.624*	<1.2*	82	<12.5*	15	<5*	33000	<15.6*	611	<0.2*	33	<52*	<20.8*	<0.5*	<73*	<728*	<21*	22.5	4.83	<5*	2.41
	4/23/2019	n/a	<2.08*	132	274	<0.26*	0.071	94.1	0.283	13.9	0.373	26200	0.312	553	<0.2*	22.6	<2.08*	<0.26*	<0.5*	<0.26*	<20.8*	0.877	69.4	4.74	<5*	1.51
	10/8/2019	n/a	<2.08*	32.8	228	0.177	0.127	36.6	0.633	9.93	1.38	21400	1.71	820	<0.2*	17.1	<4.16*	0.028	19.4	0.075	<20.8*	1.37	153	1.03	<1*	1.27
	4/21/2020	n/a	<2.08*	125	238	<0.26*	0.049	97.6	0.292	13.2	0.162	26300	0.159	517	<0.2*	30.2	<5.2*	<0.312*	<0.5*	<0.26*	<20.8*	0.969	56.6	5.57	<1*	1.47
	10/6/2020	n/a	<2.08	128	200	<0.26	<0.26	107	0.389	13.5	0.137	25400	<0.26	419	<0.2	13.7	<5.2	<0.312	<0.5	<0.26	<20.8	0.758	5.56	4.94	<1	1.14
	4/6/2021	n/a	<2.08*	150	225	<0.26*	<0.26*	107	0.114	12.7	0.366	40600	<0.26*	381	<0.2*	34	<5.2*	<0.312*	<0.5*	<0.26*	<20.8*	0.787	10.7	4.56	<1*	0.912
	10/5/2021	n/a	<2	171	210	<0.25	<0.25	96.6	0.323	15.2	0.34	25500	<0.25	376	<0.2	40.7	<5	<0.3	<0.5	<0.25	<20	0.776	6.65	4.65	<1	0.783
	4/19/2022	n/a	<2.08*	164	239	<0.26*	0.137	87.3	0.403	14.1	0.316	25200	0.29	390	0.07	38.6	<5.2*	<0.312*	<0.5*	0.05	<20.8*	0.811	91.8	4.84	<1*	0.691
CAO-2	10/11/2005	n/a	<6	13.8	27.5	<1.2	1.15	25	<4.7	<50	3.18	12200	31.9	498	n/a	26.6	<10	<3	15.7	<2	n/a	8.4	69.2	<0.5	<0.25	<0.5
	1/16/2006	6.52	n/a	2.26	<100	<0.18	<0.3	24.5	1.39	11.5	<2	483	3.76	127	n/a	27.9	<3	<0.39	25.2	<1	n/a	<10	19.4	<0.5	<0.25	<0.5
	4/5/2006	7.2	<6	<10	<100	<0.8	<1.5	18.5	2.41	<200	<8	<50	<5	68.6	n/a	<200	<10	<1.7	6.06	<2	n/a	<10	<200	<0.5	<0.25	<0.5
	7/27/2006	7.33	<1	<10	78	<2	<5	14	<10	<10	<20	220	<5	180	n/a	<20	28	<10	8.8	<1	n/a	<10	58	<1	<1	<1
	9/6/2006	7.04	<1	1.7	130	<2	<5	12	<10	<10	<20	<100	6.2	58	<0.2	<20	<20	<10	8.3	<1	n/a	<10	<30	<1	<1	<1
	2/7/2007	6.48	<1	1	79	<2	<5	25	<10	<10	<20	17000	<5	11000	<0.2	<20	<20	<10	18	<1	n/a	<10	<30	<1	<1	<1
	5/24/2007	8.55	<1	<1	86	<2	<5	25	<10	<10	<20	<100	<5	50	<0.2	<20	<20	<10	5.4	<1	n/a	<10	91	<1	<1	<1
	8/25/2007	n/a	<1	1.4	65	<2	<5	12	<10	<10	<20	440	6.9	130	<0.2	<20	48	<10	17	<1	n/a	<10	40	<1	<1	<1
	11/6/2007	7.01	<1	2.1	70	<2	<5	12	<10	<10	<20	270	<5	310	<0.2	<20	<20	<10	36	<1	<20	<10	<30	<1	<1	<1
	2/22/2008	6.87	<1	1	76	<2	<5	22	<10	<10	<20	<100	<5	56	<0.2	<20	<20	<10	<5	<1	22	<10	<30	<1	<1	<1
	4/29/2008	7.25	<1	1.2	74	<1	<0.5	25	<10	<10	<1	200	<5	42	<0.2	<20	<1	<10	5.9	<1	<20	<10	39	<1	<1	<1
	8/19/2008	7.11	<1	1.4	76	<1	<5	12	<10	<10	<20	<100	<5	7.6	<0.2	<20	<20	<10	8.1	<1	<20	<10	<30	<1	<1	<1
	11/18/2008	6.83	<1	1.2	78	<2	<5	12	<10	<10	<20	<100	<5	85	<0.2	<20	<20	<10	6.9	<1	72	<10	<30	<1	<1	<1
	2/20/2009	6.88	<1	1.6	76	<1	<0.5	18	<10	<10	<1	<100	<1	42	<0.2	<20	<1	<10	5.9	<1	<1	<10	13	<1	<1	<1
	5/20/2009	6.57	<1	1.4	64	<1	<5	2.1	<10	<10	<1	<100	<1	18	<0.2	<20	<1	<10	8.2	<1	<1	<10	46	<1	<1	<1
	8/27/2009	6.34	<1	1.5	56	<1	2.8	18	<10	<10	<2	240	<1	36	<0.2	<20	<1	<10	10	<1	<1	<10	11	<1	<1	<1
	12/16/2009	7.57	n/a	110	200	2.7	5.5	16	51	57	29	44000	210	3300	0.21	130	<20	<10	12	3.3	<400	71	370	<1	<1	<1
	3/22/2010	7.5	<1	31	87	0.79	<0.5	16	13	19	11	10000	42	1100	<0.2	28	<1	3.3	10	0.49	<1	16	130	<1	<1	<1
	6/16/2010	n/a	<1	2.3	52	<1	<0.5	20	<10	1.8	0.75	810	2.3	74	0.06	5.6	0.65	<10	7.1	<1	<1	<10	16	<1	<1	<1
	9/22/2010	6.81	<1	5.4	80	<1	<0.5	18	<10	<10	1.3	1300	5.8	230	0.02	7.4	0.6	6.8	10	0.21	<1	2.6	25	<1	<1	<1
	12/6/2010	6.78	0.42	5.4	79	0.6	0.41	18	2.4	2.6	1.6	1400	4.8	410	<0.2	<20	<1	<10	11	0.2	0.39	<10	16	<1	<1	<1
	3/21/2011	6.79	<1	2.8	63	<1	<0.5	20	<10	<10	0.66	640	1.8	140	<0.2	<20	<1	<10	7.6	<1	<1	<10	14	<1	<1	<1
	6/27/2011	6.63	<1	3	63	<1	<0.5	19	2	3	0.79	1400	4.1	190	<0.2	11	<1	<10	8.6	<1	<1	<10	17	<1	<1	<1

NABORS Landfill Historic Data through April 2022

	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	Vinyl chloride (ug/l)
	9/27/2011	n/a	0.26	5.6	110	0.37	0.17	17	<10	2.3	0.76	260	1.4	350	<0.2	<20	0.61	<10	10	0.3	<1	<10	4.1	<1	<1	<1
	6/20/2012	n/a	<1	6.3	72	<1	<0.5	22	<10	<10	<2	960	5.8	350	<0.2	<20	<1	<10	14	<1	<1	28	16	<1	<1	<1
	9/19/2012	n/a	<1	6.7	120	<1	<0.5	16	<10	<10	<2	330	<1	460	<0.2	<20	<1	<10	11	<1	<1	<10	<10	<1	<1	<1
	3/11/2015	n/a	<0.21	2.6	69	<0.12	<0.16	21	<1.4	<2.3	<0.52	140	12	40	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	2.5	86	<0.12	<0.16	64	<1.4	<2.3	<0.52	120	<0.24	120	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	2.84	87.4	<0.12	1.11	58.1	<0.54	2.77	<0.52	136	<0.24	1660	<0.049	30.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	26.6	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	<0.25	71.6	<0.12	<0.16	30.3	<0.54	<0.26	<0.52	<15	<0.24	1200	<0.049	21.1	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	2.18	78.3	<0.12	<0.16	49.3	<0.54	<0.26	<0.52	<15	<0.24	743	<0.049	19.5	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	83.5	<0.12	1.33	60.2	<0.54	2.21	<0.52	<15	<0.24	1870	<0.049	27.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	28.4	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	81.6	<2	1.29	61.8	<2	4.37	<5	106	<2	2590	<0.2	32.3	<2	<2	<5	<2	<2	<5	25.5	<1	<1	<1
	12/21/2016	n/a	<2	<2	99.6	<2	1.48	66.2	<2	11.1	<5	305	<2	4350	<0.2	43.8	<2	<2	<5	<2	<2	<5	42.9	<1	<1	<1
	3/29/2017	n/a	<2	<2	70.4	<2	1.37	28.2	<2	3.22	<5	171	<2	1950	<0.2	23	<2	<2	<5	<2	<2	<5	<25	<1	<1	<1
	4/20/2018	n/a	<10*	<23.4*	68	<0.416*	<1.2*	20.7	<12.5*	1.19	2	478	<15.6*	213	0.025	4	<52*	<20.8*	8.68	<73*	<41.6*	0.5	8.6	<5*	<5*	<2*
	10/26/2018	n/a	<36*	<23.5*	107	<0.624*	<1.2*	27.4	<12.5*	<13.5*	1	171	<15.6*	321	<0.2*	9	<52*	<20.8*	10.4	<73*	<728*	<21*	16.2	<5*	<5*	<2*
	4/24/2019	n/a	<2.08*	1.4	106	<0.26*	0.099	26.2	0.285	0.319	0.412	41.2	0.241	78.3	0.15	4.91	<2.08*	<0.26*	9.51	0.279	<20.8*	0.255	9.07	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	3.36	139	<0.26*	0.133	30.7	9.85	0.933	0.743	104	0.167	272	0.2	17.7	<2.08*	0.031	9.74	0.333	<20.8*	0.255	8.14	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	0.8	78	<0.26*	<0.26*	24.9	0.425	0.185	0.382	20.3	<0.26*	5.81	0.325	2.44	<5.2*	<0.312*	8.84	0.112	<20.8*	0.173	9.12	<1*	<1*	<1*
	10/6/2020	n/a	0.589	1.99	104	<0.26	0.101	25.2	0.514	0.318	0.61	26.3	19.5	141	0.075	0.43	<5.2	<0.312	10.6	0.205	<20.8	0.222	12.8	<1	<1	<2
	4/6/2021	n/a	<2.08*	0.98	77.6	<0.26*	<0.26*	19	0.777	0.401	0.323	40.4	0.162	42.7	0.03	1.92	<5.2*	<0.312*	8.79	0.066	<20.8*	0.235	7.32	<1*	<1*	<2*
	10/5/2021	n/a	<2	1.27	83.2	<0.25	0.087	23.4	0.603	0.672	0.632	53.2	0.387	91.8	0.152	3.62	<5	<0.3	10.5	0.076	<20	0.284	9.27	<1	<1	<2
	4/19/2022	n/a	<2.08*	0.456	73.1	<0.26*	0.045	18.2	0.521	0.14	0.309	9.54	<0.26*	2.8	0.672	1.35	<5.2*	<0.312*	6.96	0.056	<20.8*	0.22	7.2	<1*	<1*	<2*
CAO-3	10/11/2005	n/a	<6	1.76	<50	0.728	0.978	25	1.25	<50	2.09	745	5.56	<50	n/a	<50	<10	<3	16.1	<2	n/a	<10	65.7	<0.5	<0.25	<0.5
	1/16/2006	6.85	n/a	12.6	<100	0.853	0.541	7.5	6.02	26	5.79	4310	36	196	n/a	68.3	<3	<0.39	64.6	<1	n/a	14.2	112	<0.5	<0.25	<0.5
	4/5/2006	7.33	<6	<10	<100	<0.8	0.575	6.5	0.992	<200	<8	<50	<5	<50	n/a	<200	<10	<1.7	10.5	<2	n/a	<10	<200	<0.5	<0.25	<0.5
	7/27/2006	7.34	<1	<10	43	<2	<5	2.8	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	9.2	<1	n/a	<10	<30	<1	<1	<1
	9/6/2006	7.28	<1	<10	44	<2	<5	3.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	<30	<1	<1	<1
	2/7/2007	7.02	<1	<1	44	<2	<5	3.2	<10	<10	<20	<10000	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	31	<1	<1	<1
	5/24/2007	8.91	<1	6.4	55	<2	<5	4.4	<10	<10	<20	1500	5.7	40	<0.2	<20	<20	<10	71	<1	n/a	<10	98	<1	<1	<1
	8/25/2007	7.45	<1	1.1	38	<2	<5	2.7	<10	<10	<20	<100	6.7	46	<0.2	<20	20	<10	86	<1	n/a	<10	49	<1	<1	<1
	11/6/2007	6.89	<1	2.9	55	<2	<5	2.6	<10	<10	<20	300	<5	80	<0.2	27	<20	<10	160	<1	32	<10	<30	<1	<1	<1
	2/22/2008	7	<1	<1	41	<2	<5	4.6	<10	<10	<20	<100	<5	36	<0.2	<20	<20	<10	21	<1	<20	<10	<30	<1	<1	<1
	4/29/2008	7.5	<1	<1	43	<1	<0.5	4.1	<10	<10	<1	130	<5	<10	<0.2	<20	<1	<10	20	<1	<20	<10	44	<1	<1	<1
	8/19/2008	7.05	<1	<1	53	<1	<5	3.7	<10	<10	<20	48	<5	<10	<0.2	<20	<20	<10	22	<1	<20	<10	38	<1	<1	<1
	11/18/2008	6.97	<1	<1	51	<2	<5	4.2	<10	<10	<20	<100	<5	85	<0.2	<20	<20	<10	21	<1	72	<10	<30	<1	<1	<1
	2/20/2009	7.04	<1	<1	42	<1	0.54	3.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	21	<1	<1	<10	28	<1	<1	<1
	5/20/2009	6.73	<1	<1	40	<1	<5	4.7	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	16	<1	<1	<10	27	<1	<1	<1
	8/19/2009	6	<1	<1	47	<1	0.56	5.4	<10	<10	<2	110	<1	26	<0.2	<20	<1	<10	19	<1	<1	<10	37	<1	<1	<1
	12/16/2009	7.06	<1	2.9	54	<2	<5	3.9	<10	<10	<20	2200	22	44	<0.2	<20	<20	<10	21	<1	<100	<10	55	<1	<1	<1
	3/22/2010	6.94	<1	<1	42	<1	<0.5	1.8	<10	<10	0.52	390	0.75	7.8	<0.2	<20	<1	<10	9.8	<1	<1	<10	33	<1	<1	<1
	6/16/2010	n/a	<1	0.4	47	<1	0.59	5.2	<10	<10	0.59	510	1.2	12	<0.2	<20	0.38	<10	19	<1	<1	<10	31	<1	<1	<1
	9/22/2010	6.83	0.4	0.89	48	0.85	1.3	9.1	4	<10	0.72	170	1.3	11	<0.2	<20	<1	<10	13	<1	<1	<10	26	<1	<1	<1
	12/6/2010	7.07	0.39	0.76	42	0.52	1	11	<10	<10	1.2	210	1	18	<0.2	<20	<1	<10	15	<1	0.35	<10	25	<1	<1	<1
	3/21/2011	6.83	<1	0.84	41	<1	<0.5	3.6	<10	<10	4.5	670	2.9	34	<0.2	<20	<1	<10	13	<1	<1	<10	57	<1	<1	<1
	6/27/2011	6.58	<1	<1	47	<1	<0.5	3.6	4	<10	<2	490	<1	11	<0.2	<20	<1	<10	15	<1	<1	<10	22	<1	<1	<1
	9/27/2011	n/a	0.26	1.2	45	0.36	0.56	15	<10	<10	0.69	<100	0.73	<10	<0.2	<20	1.3	<10	13	<1	<1	<10	17	<1	<1	<1
	6/20/2012	n/a	<1	1.8	47	<1	1.4	10	<10	<10	4.4	1500	8.4	65	<0.2	<20	<1	<10	24	<1	<1	34	69	<1	<1	<1
	9/20/2012	n/a	<1	1.6	45	<1	0.54	5.2	<10	<10	<2	730	3.4	33	<0.2	<20	<1	<10	66	<1	<1	<10	43	<1	<1	<1
	3/11/2015	n/a	<0.21	<0.25	39	<0.12	<0.16	4.3	<1.4	<2.3	<0.52	<14	8.1	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	45	<0.12	<0.16	12	<1.4	<2.3	<0.52	920	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.6	<0.19	<0.3	<2.4	31	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	<0.25	43.5	<0.12	<0.16	20.5	<0.54	<0.26	11.6	<15	<0.24	12.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	<0.25	41.7	<0.12	<0.16	11.4	<0.54	<0.26	<0.52	<15	<0.24	5.77	<0.049	2.4	<0.38	<0.31	6.19	<0.19	<0.3	<0.18	27.5	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	39	<0.12	<0.16	8.98	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	6.96	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	40.4	<0.12	<0.16	18.2	<0.54	<0.26	<0.52	<15	<0.24	5.37	<0.049	<0.35	<0.38	<0.31	6.38	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	39.6	<2	<1	22.3	<2	<2	<5	129	<2	28.2	<0.2	2.33	<2	<2	5.19	<2	<2	<5	<25	<1	<1	<1
	12/21/2016	n/a	<2	<2	41.2	<2	<1	17.9	<2	<2	<5	<100	<2	8.4	<0.2	<2	<2	<2	6.01	<2	<2	<5	<25	<1	<1	<1
	3/29/2017	n/a	<2	<2	40.7	<2	<1	7.32	<2	<2	<5	128	2.3	<5	<0.2	<2	<2	<2	7.41	<2	<2	<5	<25	<1	<1	<1
	9/29/2017	n/a	<2	<2	45.6	<2	1.43	13.9	<2	<2	<5	690	2.68	10.2	<0.2	2.18	<2	<2	12.5	<2	<2	<5	32.6	<1	<1	<1
	4/18/2018	n/a	<10*	<23.4*	36.8	<0.416*	<1.2*	7.84	<12.5*	<10*	<5*	319	<15.6*	<10.4*	<0.2*	<10*	<52*	<20.8*	9.2	<73*	<41.6*	<20*	24	<5*	<5*	<2*
	10/29/2018	n/a	<36*	<23.5*	39.6	<0.624*	<1.2*	10.9	<12.5*	<13.5*	<5*	108	<15.6*	<10.4*	<0.2*	4	<52*	<20.8*	30.2	<73*	<728*	<21*	27.4	<5*	<5*	<2*
	4/23/2019	n/a	<2.08*	0.132	42.8	<0.26*	0.626	6.21	0.298	<0.26*	0.363	15.9	0.178	0.568	<0.2*	0.73	0.514	<0.26*	9.94	<0.26*	<20.8*	0.192	20.5	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	0.474	40.9	<0.26*	0.406	8.75	0.351	0.409	0.321	21.4	0.26	51.8	<0.2*	4.9	<2.08*	<0.26*	45.9	0.197	<20.8*	0.27	24.6	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	0.092	37.4	<0.26*	0.555	3.22	0.317	0.035	0.249	23.4	0.104	0.965	<0.2*	0.87	<5.2*	<0.312*	6.82	<0.26*	<20.8*	0.185	23.7	<1*	<1*	<1*
	10/6/2020	n/a	<2.08	0.455	32.7	<0.26	0.253	6.94	0.494	0.071	0.419	33.9	0.315	1.5	<0.2	0.16	<5.2	<0.312	54.2	0.209	<20.8	0.273	25.7	<1	<1	<2
	4/6/2021	n/a	<2.08*	0.206	30.8	<0.26*	0.49	4.98	0.0801	0.043	0.304	15.6	0.139	1.07	<0.2*	2.81	<5.2*	<0.312*	21.7	0.107	<20.8*	0.213	32.9	<1*	<1*	<2*
	10/5/2021	n/a	<2	0.269	35.1	<0.25	0.784	7.23	0.396	<0.25	0.336	5.67	0.099	1.7	<0.2	2.63	<5	<0.3	48.2	0.24	<20	0.256	68.9	<1	<1	<2
	4/19/2022	n/a	<2.08*	0.131	21.3	<0.26*	0.18	2.42	0.423	<0.26*	0.245	51.4	0.318	<1.56*	<0.2*	0.4	<5.2*	<0.312*	2.76	<0.26*	<20.8*	0.267	8.6	<1*	<1*	<2*
MW-1	4/13/1999	7.11	<6	<5	<100	<2	<3	5.5	<10	<20	<5	277	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	75	<0.05	<0.5	<1

NABORS Landfill Historic Data through April 2022

	Sample	pH	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chloride	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Sulfate	Thallium	Tin	Vanadium	Zinc	Benzene	Trichloroethene	Vinyl chloride
	Date	(S.U.)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	7/28/1999	7.06	<6	<5	<100	<2	<3	5	<10	<20	<5	148	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/12/1999	6.92	<6	<5	<100	<2	<3	4.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.6	<1	n/a	<400	<30	<0.05	<0.5	<1
	1/25/2000	7.12	<6	<5	<100	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.9	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/26/2000	7	<6	<5	<100	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/18/2000	6.94	<6	<5	<100	<2	<3	4.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/19/2001	7.01	<6	<5	<100	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	7.2	<1	n/a	<400	131	<0.05	<0.5	<1
	10/25/2001	7.06	<6	<5	<10	6	<3	5	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	6.7	<2	n/a	<400	<30	<0.05	<0.5	<1
	4/18/2002	6.86	<6	<5	<10	<2	<3	5.5	<10	<20	<5	<30	<5	179	n/a	<10	<10	<10	8.2	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/31/2002	6.95	<6	<5	211	<2	<3	5.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.2	<1	n/a	<400	98.7	<0.05	<0.5	<1
	4/15/2003	6.97	<6	<5	14	<2	<3	5.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.8	<1	n/a	<400	113.7	<0.05	<0.5	<1
	10/29/2003	6.98	<6	<5	18.4	<2	<3	5.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	156	<0.05	<0.5	<1
	4/13/2004	6.9	8.1	<5	47	<2	3.3	5.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.6	<1	n/a	<400	147.2	<0.05	<0.5	<1
	10/20/2004	6.78	<6	<5	<30	<2	3.8	6	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.06	<1	n/a	<400	<30	<0.05	<0.5	<0.6
	4/14/2005	6.88	<2	<1.5	<25	<0.18	2.93	<10	0.186	<20	<2	77	<1	261	n/a	<10	<3	<1	11.8	<1	n/a	2.16	183	<0.05	<0.5	<0.6
	10/11/2005	6.47	4.87	<4	<50	<0.8	2.21	6.5	1.56	<50	<10	122	<5	<50	n/a	<50	<10	<3	9.43	<2	n/a	<10	233	<1	<1	<1
	4/4/2006	7.19	2.44	<5	<50	0.8	1.98	5.5	1.34	<100	<2	<30	<1	<30	n/a	<100	<5	<0.5	9.64	<1	n/a	<2	270	<0.5	0.86	<0.5
	7/26/2006	7.25	<1	<10	54	<2	<5	2.6	<10	<10	<20	<100	<5	<10	n/a	<20	25	<10	9.4	<1	n/a	<10	220	<1	<1	<1
	9/5/2006	7.07	<1	1.1	58	<2	<5	2.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.8	<1	n/a	<10	200	<1	<1	<1
	2/7/2007	6.87	<1	1.3	58	<2	<5	3.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.2	<1	n/a	<10	230	1.1	1.1	<1
	5/24/2007	8.21	<1	<1	65	<2	<5	3.3	<10	<10	<20	350	<5	13	<0.2	<20	<20	<10	8.8	<1	n/a	<10	250	1.3	1.1	<1
	8/25/2007	6.12	<1	<1	59	<2	<5	2.6	<10	<10	<20	<100	6.3	<10	<0.2	<20	35	<10	9.5	<1	n/a	<10	260	2	1.5	<1
	11/6/2007	6.7	<1	<1	65	<2	<5	4.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.3	<1	<20	<10	240	1.8	1	<1
	2/22/2008	6.78	<1	<1	60	<2	<5	4.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.1	<1	38	<10	230	1.4	2.7	1.3
	4/29/2008	6.97	<1	<1	60	<1	1.7	2.5	<10	<10	1.1	<100	<5	<10	<0.2	<20	<1	<10	8.9	<1	<20	<10	230	<1	<1	<1
	8/19/2008	6.97	<1	<1	61	<1	<5	2.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.6	<1	<20	<10	250	<1	1.6	2.8
	11/18/2008	6.81	<1	1.1	64	<2	<5	3.5	<10	<10	<20	<100	7.6	<10	<0.2	<20	<20	<10	9.9	<1	<20	<10	260	<1	1.5	2.1
	2/20/2009	6.94	<1	1.1	61	<1	2	2.8	<10	<10	<1	<100	<1	14	<0.2	<20	<1	<10	9.9	<1	<1	<10	250	<1	1.6	1.6
	5/20/2009	6.6	<1	1	68	<1	1	5.8	<10	<10	<1	<100	<1	64	0.81	<20	<1	<10	10	<1	<1	<10	350	<1	1.9	1.9
	8/19/2009	5.81	<1	1.2	80	<1	1.4	6.4	<10	<10	<2	<100	<1	380	0.92	<20	<1	<10	11	<1	<1	<10	450	0.62	1.7	2.8
	12/16/2009	7.05	<1	2.5	94	0.31	1.4	7.6	2.3	36	<20	630	<5	930	1.7	9.1	24	<10	9.7	0.2	<20	<10	520	0.42	1.5	1.1
	3/22/2010	n/a	<1	1.9	110	<1	0.38	13	<10	55	0.76	310	0.72	1100	0.82	33	<1	<10	11	<1	<1	<10	650	1	2.8	6.6
	3/23/2010	6.42	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/16/2010	n/a	<1	2.8	120	<1	2.3	25	<10	53	1.2	370	2.7	1100	3.8	34	0.54	7.6	13	0.28	<1	<10	780	1	1.8	4.8
	9/22/2010	6.46	0.54	2.6	120	0.31	2.4	30	<10	28	1.1	230	3.8	860	4.4	30	1.2	<10	13	0.8	0.6	8.6	640	0.68	1.3	2.2
	12/8/2010	6.42	<1	2.1	100	<1	0.16	30	<10	29	<2	310	0.69	770	1.2	29	0.44	<10	12	<1	<1	<10	460	0.5	1.4	1.7
	3/23/2011	6.57	<1	2.5	100	<1	<0.5	27	<10	32	0.55	730	0.25	790	0.59	28	<1	<10	12	<1	<1	<10	420	0.63	1.6	2
	6/29/2011	6.77	<1	13	120	<1	<0.5	37	<10	95	0.77	4100	0.73	780	0.67	57	<1	<10	6.5	<1	<1	<10	110	0.7	1.2	2.2
	9/29/2011	n/a	0.37	12	140	0.29	0.42	40	4	73	<10	1500	0.89	1100	0.15	55	2.6	<10	11	0.75	0.33	<50	240	0.91	2	4
	6/20/2012	n/a	<1	8.3	170	<1	<0.5	81	<10	64	<2	4400	<1	1100	<0.2	63	1.1	<10	16	<1	<1	42	120	1.3	2	3.5
	9/19/2012	n/a	<1	13	160	<1	<0.5	73	<10	85	<2	2500	<1	1100	<0.2	88	1.1(P1)	<10	20	<1	<1	<10	180	1	1.3	3.2
	12/15/2015	n/a	<0.21	24.2	195	<0.12	<0.16	133	<0.54	41	<0.52	6100	<0.24	789(V)	<0.049	58.1	<0.38	<0.31	26.4	<0.19	<0.3	<0.18	163(O1)	1.06	<0.398	1.71
	3/29/2016	n/a	<0.21	12.1	189	<0.12	<0.16	127	<0.54	33.6	<0.52	5400	<0.24	773(V)	<0.049	47.1	<0.38	<0.31	21.2	<0.19	<0.3	<0.18	101	1.62	1.4	3.32
	6/28/2016	n/a	<0.754	47.1	196	<0.12	<0.16	137	<0.54	46.6	<0.52	5680	<0.24	804	<0.049	83.5	<0.38	<0.31	22	<0.19	<0.3	<0.18	154	1.69	1.37	5.16
	9/20/2016	n/a	<2	39.8	172	<2	<1	119	3.66	45.2	<5	6300	3.93	730	<0.2	63.6	<2	<2	21	<2	<2	<5	243	<1	1.25	3.73
	12/20/2016	n/a	<2	71	201	<2	<1	122	5.88	109	10.4	6300	2.9	780	<0.2	158	<2	<2	23.6	<2	<2	<5	619	<1	<1	1.36
	3/28/2017	n/a	<2	17.4	176	<2	<1	117	<2	57.8	<5	3910	<2	983	<0.2	61.2	<2	<2	25.4	<2	<2	<5	493	<1	1.06	3.52
	9/27/2017	n/a	<2	23.8	190	<2	<1	123	<2	61.3	<5	6340	<2	889	<0.2	83.6	<2	<2	19.3	<2	<2	<5	327	<1	<1	4.86
	4/18/2018	n/a	<10*	37.3	179	<0.416*	<1.2*	98.1	<12.5*	120	<5*	3430	<15.6*	1320	<0.2*	90	<52*	<20.8*	45	<73*	<41.6*	<20*	1620	<5*	<5*	3.36
	10/29/2018	n/a	<36*	44.1	171	<0.624*	<1.2*	91.3	127	47.7	3	9630	<15.6*	596	<0.2*	147	<52*	<20.8*	17.2	<73*	<728*	<21*	151	0.815	<5*	5.12
	4/24/2019	n/a	<2.08*	18.8	187	<0.26*	0.294	95.4	0.961	28.5	1.1	7270	0.823	828	0.15	33.7	<2.08*	0.025	5.58	0.531	<20.8*	0.69	374	1.06	0.509	3.71
	10/9/2019	n/a	0.388	49.7	182	<0.26*	<0.26*	96.6	0.854	70.1	0.306	9480	0.125	658	0.05	119	<2.08*	<0.26*	10.7	0.057	<20.8*	0.308	49.2	0.942	0.461	6.57
	4/22/2020	n/a	<2.08*	18.9	182	<0.26*	0.072	84.1	0.49	34.9	1.54	7900	0.457	802	0.075	38.2	<5.2*	<0.312*	5.08	0.174	<20.8*	0.31	162	1.28	0.55	5.96
	10/7/2020	n/a	<2.08	40.4	180	<0.26	0.064	76.8	0.492	59.6	0.353	8960	0.271	630	<0.2	89.7	<5.2	<0.312	7.6	0.141	<20.8	0.393	73.9	1.22	<1	9.33
	4/7/2021	n/a	<2.08*	20.6	164	<0.26*	0.045	77.1	0.343	67.4	1.71	8830	0.53	778	0.08	58.8	<5.2*	<0.312*	9.68	0.114	<20.8*	0.29	164	1.16	0.527	4.27
	10/6/2021	n/a	0.458	56.6	157	<0.25	0.14	65.7	0.403	107	0.593	12800	0.387	351	0.0725	128	<5	<0.3	10.5	0.325	<20	0.2	245	1.44	0.422	5.15
	4/19/2022	n/a	<2.08*	18	144	<0.26*	0.041	55.4	0.449	44.7	0.669	13300	0.254	382	<0.2*	38.9	<5.2*	<0.312*	3.62	<0.26*	<20.8*	0.183	81.2	1.91	0.614	5
MW-1R	6/21/2012	n/a	1.4	91	350	4	36	51	65	160	71	62000	240	4800	<0.2	160	<1	<10	16	6.6	2	83	4800	<1	1.3	4.2
	9/20/2012	n/a	<1	2.8	130	<1	2	34	<10	48	<2	210	<1	1000	7	43	<1	<10	14	<1	<1	<10	850	<1	<1	3.8
	3/10/2015	n/a	<0.21	34	180	<0.12	<0.16	100	<1.4	96	<0.52	11000	7.9	590	0.96(J3)	83	<0.38	<2.8	23	<0.19	<0.3	<2.4	1500	<0.33	<0.4	3
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	48	190	<0.12	<0.16	110	<1.4	87	<0.52	15000	<0.24	510	0.83	83	<0.38	<2.8	20	<0.19	<0.3	<2.4	1300(O1)	1.3	1.5	3.6
	9/15/2015	n/a	<0.21	49.2	165	<0.12	<0.16	121	<0.54	76.1	<0.52	13400	<0.24	442	0.231	82.4	<0.38	<0.31	21	2.23	<0.3	<0.18	1490	1.23	1.18	2
	12/15/2015	n/a	<0.21	25.8	170	<0.12	4.06	112	5.03	65.9	<0.52	9810	17.9	528	3.07	76.8(B)	<0.38	<0.31	26.9	2.03	<0.3	<0.18	1650	1.18	<0.398	3.18
	3/29/2016	n/a	<0.21	59.9	175	<0.12	<0.16	117	<0.54	75.3	<0.52	19700	2.56	433	0.327	80.3	<0.38	<0.31	21.7	2.02	<0.3	<0.18	1630	1.14	1.42	2.97
	6/28/2016	n/a	<0.754	52.9	169	<0.12	<0.16	116	<0.54	67.4	<0.52	15400	<0.24	353	0.22	76.3	<0.38	<0.31	22.7	2.07	<0.3	<0.18	1590	1.19	1.26	4.13
	9/20/2016	n/a	<2	60.4	166	<2	<1	114	<2	64.9	<5	19500	<2	320	0.683	78.4	<2	<2	23	<2	<2	<5	1760	<1	1.33	4.69
	12/20/2016	n/a	<2	62.7	173	<2	<1	102	<2	69.2	<5	23700	2.41	346	0.715	80.2	<2	<2	23.7	<2	<2	<5	1600	<1	1.11	3.69
	3/28/2017	n/a	<2	64.6	173	<2	<1	103	2.92	75.4	<5	22900	<2	364	0.206	82.8	<2	<2	21.7	<2	<2	<5	1420	<1	<1	2.57
	9/27/2017	n/a	<2	75	169	<2	<1	118	<2	65.6	<5	28000	<2	279	<0.2	82	<2	<2	21.8	<2	<2	<5	1370	<1	1.08	3.96
	4/30/2018	n/a	<10*	73.8	162	<0.416*	0.521	83.1	<12.5*	65	<5*	26800	<15.6*	271	0.625	80	<52*	<20.8*	25.7	<73*	<41.6*	<20*	1390	0.753	0.676	3.23

NABORS Landfill Historic Data through April 2022

	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	Vinyl chloride (ug/l)
	10/29/2018	n/a	<36*	85.6	163	<0.624*	<1.2*	97.6	<12.5*	58.6	<5*	32900	<15.6*	231	0.225	83	<52*	<20.8*	22.7	<73*	<728*	<21*	1340	1.05	0.694	3.85
	4/24/2019	n/a	<2.08*	110	174	<0.26*	0.201	89.4	0.393	56.9	3.39	28100	1.99	284	0.35	72.8	<2.08*	0.016	<25*	1.79	<20.8*	0.307	1220	1.09	0.684	3.61
	10/9/2019	n/a	<2.08*	117	169	<0.26*	0.133	92.7	0.713	56.1	0.504	32000	0.782	236	0.275	80.4	<2.08*	<0.26*	18.7	1.65	<20.8*	0.265	1120	0.786	0.718	3.43
	4/22/2020	n/a	<2.08*	108	161	<0.26*	0.166	84.7	0.576	46.4	1.74	27000	1.05	247	0.5	63.8	<5.2*	<0.312*	11.1	1.62	<20.8*	0.29	858	1.26	0.553	5.11
	10/7/2020	n/a	<2.08	120	153	<0.26	<0.26	76.2	0.43	48.5	0.251	34900	0.263	215	0.075	75.2	<5.2	<0.312	15.5	1.6	<20.8	0.233	1090	1.27	0.59	4.51
	4/7/2021	n/a	<2.08*	123	152	<0.26*	0.193	79.7	0.155	44.7	3.77	37500	1.17	216	0.465	65.2	<5.2*	<0.312*	13.3	1.53	<20.8*	0.27	851	1.05	0.446	4.03
	10/6/2021	n/a	<2	137	148	<0.25	0.13	63	0.716	46.4	0.507	29000	0.877	147	0.48	74.9	<5	<0.3	15	1.35	<20	0.324	747	1.38	0.541	4.12
	4/19/2022	n/a	<2.08*	116	145	<0.26*	0.298	61.3	1.15	38.9	6.49	25300	2.4	172	1.84	53.9	<5.2*	<0.312*	6.48	0.981	<20.8*	0.702	500	1.37	0.282	3.98
MW-2	4/13/1999	7.08	<6	<5	<100	<2	<3	12.5	<10	<20	<5	204	<5	<50	n/a	<10	<10	<10	16.6	<1	n/a	<400	<30	<0.05	<0.5	<1
	7/28/1999	7.17	<6	<5	<100	<2	<3	5.25	<10	<20	<5	59	<5	<50	n/a	<10	<10	<10	16.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/12/1999	7.05	<6	<5	<100	<2	<3	5.75	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	17.7	<1	n/a	<400	<30	<0.05	<0.5	<1
	1/25/2000	7.45	<6	13	<100	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	18.1	11	n/a	<400	<30	<0.05	<0.5	<1
	4/26/2000	7.08	<6	<5	<100	<2	<3	3.8	<10	<20	<5	65	<5	<50	n/a	<10	<10	<10	15.2	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/18/2000	7.04	<6	8	<100	<2	<3	3.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/19/2001	7.18	<6	7.49	<100	<2	<3	4.7	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	16.7	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/25/2001	7.06	<6	6.1	<10	4	<3	5	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	16.3	<2	n/a	<400	<30	<0.05	<0.5	<1
	4/18/2002	7.1	<6	5	51	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	16.2	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/31/2002	7.1	<6	6	184	<2	<3	5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	17	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/15/2003	7.07	<6	6	<10	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	15.7	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/29/2003	7.09	<6	<5	<10	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	17.5	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/13/2004	7.04	<6	<5	41.5	<2	<3	7	<10	<20	<5	465	<5	<50	n/a	<10	<10	<10	13.7	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/20/2004	6.96	<6	<5	<30	<2	<3	8.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	12	<1	n/a	<400	<30	<0.05	<0.5	<0.6
	4/14/2005	7.02	<2	2.85	<25	<0.18	<1.2	<10	0.154	<20	5.81	92.6	<1	<30	n/a	<10	<3	<1	14	<1	n/a	<20	<10	<0.05	<0.5	<0.6
	10/11/2005	6.76	<6	5.85	<50	<0.8	<1.5	8.5	0.269	<50	<10	72.2	<5	<50	n/a	<50	<10	<3	12.4	<2	n/a	<10	<30	<1	<1	<1
	4/4/2006	7.6	<2	5.36	<50	<0.18	<0.3	5.5	0.643	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	16.6	<1	n/a	<2	<100	<0.5	<0.25	<0.5
	7/26/2006	7.7	<1	<10	31	<2	<5	3.3	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1	<1
	9/5/2006	7.56	<1	5.4	31	<2	<5	2.9	<10	<10	<20	<100	<5	12	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1	<1
	2/7/2007	7.76	<1	5.5	29	<2	<5	5.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	<30	<1	<1	<1
	5/24/2007	7.98	<1	3.6	35	<2	<5	5.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	<30	<1	<1	<1
	8/25/2007	7.23	<1	4.4	28	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	45	<10	13	<1	n/a	<10	<30	<1	<1	<1
	11/6/2007	6.87	<1	4.7	33	<2	<5	3.9	<10	<10	<20	120	<5	14	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	<1	<1
	2/22/2008	7.57	<1	5.2	30	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	14	<1	21	<10	<30	<1	<1	<1
	4/29/2008	7.31	<1	2.8	32	<1	<0.5	4.4	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	14	<1	<20	<10	16	<1	<1	<1
	8/19/2008	7.32	<1	3.6	28	<1	<5	3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	<20	<10	<30	<1	<1	<1
	11/18/2008	7.43	<1	3.9	33	<2	<5	4.6	<10	<10	<20	<100	6.1	15	<0.2	<20	<20	<10	13	<1	<20	<10	<30	<1	<1	<1
	2/20/2009	7.43	<1	4.6	32	<1	<5	4.4	<10	<10	1.3	<100	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	<10	<1	<1	<1
	5/20/2009	6.98	<1	3.2	31	<1	<5	7.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	18	<1	<1	<1
	8/19/2009	6.35	<1	3.1	34	<1	<0.5	4.4	<10	<10	<2	<100	<1	14	<0.2	<20	<1	<10	16	<1	<1	<10	28	<1	<1	<1
	12/18/2009	10.2	0.52	2.2	28	<2	<5	16	2.1	<10	5.8	150	<5	5.4	0.07	<20	15	<10	39	<1	<20	4.8	<30	<1	<1	0.69
	3/22/2010	10	<1	2.3	24	<1	<0.5	12	<10	<10	<2	36	<1	1.7	<0.2	<20	0.54	3.5	33	<1	<1	6	7.5	<1	<1	1.1
	6/17/2010	n/a	0.69	2.5	25	<1	<0.5	16	<10	1.8	<2	32	<1	2.4	<0.2	<20	<1	<10	44	<1	<1	6.6	7.1	<1	<1	0.99
	9/23/2010	9.74	0.6	1.9	26	<1	<0.5	15	<10	<10	<2	30	<1	<10	<0.2	<20	<1	<10	44	<1	<1	9.6	7.7	<1	<1	0.82
	12/8/2010	7.47	<1	1.7	30	<1	<0.5	8.5	<10	<10	<2	34	<1	2	<0.2	<20	<1	<10	24	<1	<1	4.3	3.3	<1	<1	<1
	3/23/2011	7.46	<1	2.1	33	<1	<0.5	6.2	<10	<10	<2	<100	<1	4.1	<0.2	<20	<1	<10	19	<1	<1	<10	3.3	<1	<1	<1
	6/29/2011	9.4	<1	1.1	24	<1	<0.5	15	<10	<10	<2	21	2	1.1	<0.2	<20	<1	<10	27	<1	<1	4.4	<10	<1	<1	<1
	9/29/2011	n/a	1.9	4.3	27	0.27	0.91	11	<10	<10	3.6	110	4	3.8	0.03	11	<5	<10	26	<1	7.7	4.3	<50	<1	<1	<1
	6/21/2012	n/a	<1	1.5	17	<1	<0.5	12	<10	<10	<2	<100	<1	<10	<0.2	<20	1.6	<10	28	<1	<1	18	<10	<1	<1	<1
	9/19/2012	n/a	<1	1.8	29	<1	<0.5	10	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	25	<1	<1	10	<10	<1	<1	<1
	3/11/2015	n/a	<0.21	4	31	<0.12	<0.16	3.3	<1.4	<2.3	<0.52	<14	10	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	4.6	29	<0.12	<0.16	5.4	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	17	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	5.5	28.1	<0.12	<0.16	4.82	<0.54	<0.26	<0.52	<15	<0.24	11.2	<0.049	<0.35	<0.38	<0.31	17.6	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	4.76	30.3	<0.12	<0.16	3.6	<0.54	<0.26	<0.52	<15	<0.24	14.2	<0.049	<0.35	<0.38	<0.31	17	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	4.48	27.4	<0.12	<0.16	4.12	<0.54	<0.26	<0.52	<15	<0.24	7.62	<0.049	2.08(B)	<0.38	<0.31	15.5	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/29/2016	n/a	<0.754	4	29	<0.12	<0.16	4.1	<0.54	<0.26	<0.52	<15	<0.24	7.49	<0.049	<0.35	<0.38	<0.31	16.3	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	4.19	26.2	<2	<1	3.07	<2	<2	<5	<100	<2	8.12	<0.2	<2	<2	<2	14.9	<2	<2	<5	<25	<1	<1	<1
	12/20/2016	n/a	<2	4.66	31.5	<2	<1	3.6	<2	<2	<5	118	<2	10.4	<0.2	9.79	<2	<2	14.7	<2	<2	<5	<25	<1	<1	<1
	3/29/2017	n/a	<2	5.32	27.8	<2	<1	4.23	<2	<2	<5	152	<2	12	<0.2	<2	<2	<2	13.9	<2	<2	<5	<25	<1	<1	<1
	9/28/2017	n/a	<2	4.74	26.4	<2	<1	6.49	<2	<2	<5	<100	<2	6.43	<0.2	<2	<2	<2	16.1	<2	<2	<5	<25	<1	<1	<1
	4/30/2018	n/a	<10*	7.51	31.5	0.0568	<1.2*	3.76	<12.5*	<10.4*	<5*	167	<15.6*	8.06	<0.2*	<10*	<52*	<20.8*	15.6	<73*	<41.6*	<20*	<15.6*	<5*	<5*	<2*
	10/30/2018	n/a	<36*	<23.5*	30.5	<0.624*	<1.2*	2.73	<12.5*	<13.5*	<5*	171	<15.6*	7.4	<0.2*	<10*	<52*	<20.8*	13.8	<73*	<728*	<21*	5.61	<5*	<5*	<2*
	4/24/2019	n/a	<2.08*	6.17	39.7	<0.26*	0.057	4.13	0.632	0.256	0.471	251	0.459	12.9	<0.2*	0.86	<2.08*	0.024	13.6	<0.26*	<20.8*	0.636	6.39	<5*	<5*	<2*
	10/9/2019	n/a	<2.08*	5.23	29.3	<0.26*	<0.26*	3.46	0.379	0.123	0.12	26.1	0.104	9.88	0.025	0.57	<2.08*	<0.26*	13.3	<0.26*	<20.8*	0.492	<20.8*	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	4.24	28.9	<0.26*	<0.26*	3.46	0.518	0.075	0.806	25.8	0.088	4.52	<0.2*	0.31	<5.2*	<0.312*	13.8	<0.26*	<20.8*	0.694	5.7	<1*	<1*	<1*
	10/6/2020	n/a	<2.08	8.89	27.5	<0.26	<0.26	3.41	0.518	0.195	0.17	408	<0.26	11.1	<0.2	0.28	<5.2	<0.312	12.4	<0.26	<20.8	0.087	<20.8	<1	<1	<2
	4/6/2021	n/a	<2.08*	6.42	28.3	<0.26*	<0.26*	3.41	0.667	0.1	1.32	209	0.113	5.72	0.0125	0.38	<5.2*	<0.312*	13.8	<0.26*	<20.8*	0.383	<20.8*	<1*	<1*	<2*
	10/5/2021	n/a	<2	3.88	28.4	<0.25	<0.25	3.06	0.331	0.057	<0.38	31.8	<0.25	7.07	<0.2	0.26	<5	<0.3	12.6	<0.25	<20	0.326	<20	<1	<1	<2
	4/19/2022	n/a	<2.08*	4.02	28.5	<0.26*	<0.26*	2.67	0.348	0.054	<0.395*	63.1	<0.26*	5.51	<0.2*	0.25	<5.2*	<0.312*	15.8	<0.26*	<20.8*	0.158	<20.8*	<1*	<1*	<2*
MW-3	4/13/1999	6.49	<6	<5	<100	<2	<3	10	<10	<20	<5	166	<5	<50	n/a	<10	<10	<10	5	<1	n/a	<400	<30	<0.05	<0.5	<1

NABORS Landfill Historic Data through April 2022

	Sample	pH	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chloride	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Sulfate	Thallium	Tin	Vanadium	Zinc	Benzene	Trichloroethene	Vinyl chloride
	Date	(S.U.)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	7/28/1999	6.89	<6	<5	<100	<2	<3	9.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13.8	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/12/1999	6.77	<6	<5	<100	<2	<3	7.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	18.6	<1	n/a	<400	<30	<0.05	<0.5	<1
	1/25/2000	6.87	<6	<5	<100	<2	<3	6.75	<10	<20	<5	770	<5	<50	n/a	<10	<10	<10	19.6	12	n/a	<400	<30	<0.05	<0.5	<1
	4/26/2000	6.97	<6	<5	<100	<2	<3	7.8	<10	<20	<5	128	<5	<50	n/a	<10	<10	<10	14	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/18/2000	6.74	<6	<5	<100	<2	<3	7.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13.4	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/19/2001	6.91	<6	<5	<100	<2	<3	17.7	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	13.7	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/25/2001	6.72	<6	<5	<10	<2	<3	9.5	<10	<20	<5	70	<5	<50	n/a	<10	<10	<10	14.4	<2	n/a	<400	<30	<0.05	<0.5	<1
	4/18/2002	6.82	<6	<5	47	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.1	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/31/2002	6.9	<6	<5	258	<2	<3	9.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	14.1	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/15/2003	6.85	<6	<5	<10	<2	<3	10.7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.2	<1	n/a	<400	47	<0.05	<0.5	<1
	10/29/2003	6.56	<6	<5	24	<2	<3	10.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	14.1	<1	n/a	<400	88.4	<0.05	<0.5	<1
	4/13/2004	6.74	<6	<5	59.1	<2	<3	10.5	<10	<20	<5	35	<5	<50	n/a	<10	<10	<10	9.7	<1	n/a	<400	35	<0.05	<0.5	<1
	10/20/2004	6.61	<6	<5	<30	<2	<3	10.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.12	<1	n/a	<400	<30	<0.05	<0.5	<0.6
	4/14/2005	6.76	<2	<1.5	<25	<0.18	1.65	6	0.333	<20	<2	119	<1	<30	n/a	<10	<3	<1	9.36	<1	n/a	<20	17.3	<0.05	<0.5	<0.6
	10/11/2005	6.41	<6	<4	<50	3	1.92	11.5	2.03	<50	<10	392	1.17	<50	n/a	<50	<10	<3	9.43	<2	n/a	<10	104	<1	<1	<1
	4/4/2006	7.24	<2	<5	<50	<0.18	1.35	9	1.16	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	10.1	<1	n/a	<2	<100	<0.5	<0.25	<0.5
	7/26/2006	7.11	<1	<10	52	<2	<5	6.9	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	8.8	<1	n/a	<10	100	<1	<1	<1
	9/5/2006	6.86	<1	<1	55	<2	<5	7.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.5	<1	n/a	<10	53	<1	<1	<1
	2/7/2007	7.08	<1	<1	45	<2	<5	3.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6.2	<1	n/a	<10	45	<1	<1	<1
	5/24/2007	7.43	<1	<1	49	<2	<5	5.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	6.8	<1	n/a	<10	74	<1	<1	<1
	8/25/2007	6.67	<1	<1	50	<2	<5	7.6	<10	<10	<20	<100	7.2	<10	<0.2	<20	30	<10	8.2	<1	n/a	<10	110	<1	<1	<1
	11/6/2007	6.48	<1	<1	55	<2	<5	8.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.6	<1	<20	<10	100	<1	<1	<1
	2/22/2008	6.96	<1	<1	40	<2	<5	4.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.4	<1	23	<10	42	<1	<1	<1
	4/29/2008	7.02	<1	0.49	42	<1	0.66	3.5	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	7.2	<1	<20	<10	47	<1	<1	<1
	8/19/2008	6.86	<1	<1	49	<1	1.8	5.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.6	<1	<20	<10	79	<1	<1	<1
	11/18/2008	6.74	<1	<1	53	<2	<5	7.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.7	<1	<20	<10	98	<1	<1	<1
	2/20/2009	6.74	<1	1.1	41	<1	0.92	4.8	<10	<10	1.7	440	<1	<10	<0.2	<20	<1	<10	7.9	<1	<1	<10	45	<1	<1	<1
	5/20/2009	6.52	<1	1	47	<1	<5	4.7	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.7	<1	<1	<10	150	<1	<1	<1
	8/19/2009	5.84	<1	<1	59	<1	1.4	9.3	<10	<10	<2	<100	<1	12	<0.2	<20	<1	<10	9.3	<1	<1	<10	120	<1	<1	<1
	12/16/2009	6.82	<1	<1	48	<2	<5	4.9	<10	<10	<20	<100	6.5	<10	<0.2	<20	<20	<10	8.2	<1	<100	<10	46	<1	<1	<1
	3/22/2010	6.72	<1	<1	38	<1	0.17	2.8	<10	<10	<2	26	<1	1.7	<0.2	<20	<1	3.5	7	<1	<1	<10	56	<1	<1	<1
	6/16/2010	n/a	<1	<1	54	<1	1	3.7	<10	<10	0.57	20	<1	9.1	<0.2	<20	<1	<10	6.5	<1	<1	49	69	<1	<1	<1
	9/22/2010	6.47	<1	0.4	59	<1	2.7	5.7	<10	<10	<2	35	<1	92	<0.2	7.5	<1	<10	7.6	<1	<1	6	120	<1	<1	<1
	12/6/2010	6.64	<1	<1	56	<1	2.2	7.7	<10	<10	<2	24	<1	5.2	<0.2	<20	<1	<10	10	<1	<1	<10	97	<1	<1	<1
	3/21/2011	6.73	<1	<1	44	<1	<0.5	3.6	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	7.1	<1	<1	<10	45	<1	<1	<1
	6/27/2011	6.38	<1	<1	55	<1	1.1	4.6	2	<10	<2	27	0.26	31	<0.2	<20	<1	<10	7	<1	<1	<10	72	<1	<1	<1
	9/27/2011	n/a	0.22	1	64	0.37	3.4	7	<10	<10	<2	<100	0.72	62	0.05	6.6	<1	<10	9.5	<1	<1	<10	120	<1	<1	<1
	6/20/2012	n/a	<1	<1	67	<1	2.9	6.9	<10	<10	<2	180	<1	53	<0.2	<20	<1	<10	8.7	<1	<1	34	100	<1	<1	<1
	9/19/2012	n/a	<1	1	67	<1	4.2	7.3	<10	<10	<2	160	<1	120	<0.2	<20	<1	<10	9.1	<1	<1	16	150	<1	<1	<1
	3/11/2015	n/a	<0.21	<0.25	43	<0.12	<0.16	4.5	<1.4	<2.3	<0.52	<14	10	<1.2	<0.049	<4.9	<0.38	<2.8	6.4	<0.19	<0.3	<2.4	40	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	2.5	63	<0.12	2.8	5.4	<1.4	<2.3	<0.52	1400	<0.24	920	<0.049	24	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	120	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	6.12	72.3	<0.12	1.08	5.56	<0.54	5.42	<0.52	3850	<0.24	1800	<0.049	53.2	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	80.4	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	6.84	75.2	<0.12	1.13	5.75	<0.54	11.1	<0.52	4190	<0.24	2200	<0.049	55.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	31.6	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	3.62	76.5	<0.12	<0.16	8.21	<0.54	3.56	<0.52	3050	<0.24	1900	<0.049	25.3	<0.38	<0.31	5.33	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/29/2016	n/a	<0.754	6.25	80.8	<0.12	<0.16	6.78	<0.54	10.8	<0.52	4830	<0.24	3380	<0.049	66.6	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	72.2	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	7.65	84.4	<2	1.46	9.8	<2	7.1	<5	2710	<2	3670	<0.2	50.6	<2	<2	6.33	<2	<2	<5	113	<1	<1	<1
	12/21/2016	n/a	<2	2.31	81.2	<2	<1	9.54	<2	4.1	<5	473	<2	2230	<0.2	62.2	<2	<2	12.3	<2	<2	<5	146	<1	<1	<1
	3/29/2017	n/a	<2	<2	52.9	<2	3.04	5.11	<2	<2	<5	<100	<2	109	<0.2	28.5	<2	<2	6.95	<2	<2	<5	301	<1	<1	<1
	10/25/2018	n/a	<36*	4.48	105	<0.624*	2.75	32.5	<12.5*	10.2	1	1130	<15.6*	2460	<0.2*	43	5.6	<20.8*	12	<73*	<728*	<21*	124	<5*	<5*	<2*
	4/23/2019	n/a	<2.08*	2.41	97.3	<0.26*	1.06	39.2	0.211	1.54	0.524	711	0.243	990	<0.2*	18.4	0.569	<0.26*	35.8	0.25	<20.8*	0.293	59.5	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	2.98	108	<0.26*	0.646	32.8	0.252	3.44	1.06	862	0.388	2390	0.025	44.8	0.674	0.035	20.1	0.169	<20.8*	0.227	94.8	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	1.59	70.1	<0.26*	0.604	27.9	0.368	0.945	1.04	644	0.166	932	<0.2*	20.4	<5.2*	<0.312*	56.2	0.075	<20.8*	0.281	34.9	<1*	<1*	<1*
	10/6/2020	n/a	<2.08	3.65	83.4	<0.26	1.22	24.2	0.403	9.32	4.64	1430	0.25	2470	<0.2	63.2	<5.2	<0.312	14	0.197	<20.8	0.651	82.3	<1	<1	<2
	4/6/2021	n/a	<2.08*	11.2	97.3	<0.26*	1.14	26.2	0.748	3.73	1.29	132	4.5	479	0.02	24.7	<5.2*	<0.312*	66.2	0.983	<20.8*	0.729	327	<1*	<1*	<2*
	10/5/2021	n/a	<2	2.76	94.3	<0.25	1.44	25.6	0.277	7.14	1.16	<2000	0.423	2490	0.0175	53.2	<5	<0.3	17.3	0.902	<20	0.219	200	<1	<1	<2
	4/19/2022	n/a	<2.08*	1.14	91	<0.26*	1.2	24.1	0.331	0.972	0.602	71.9	0.211	496	<0.2*	18.4	<5.2*	<0.312*	51.5	0.498	<20.8*	0.476	159	<1*	<1*	<2*
MW-4	4/13/1999	6.65	<6	<5	<100	<2	<3	10.4	<10	<20	<5	110	<5	<50	n/a	<10	<10	<10	10.4	<1	n/a	<400	<30	<0.05	<0.5	<1
	7/28/1999	7.19	<6	<5	<100	<2	<3	4.5	<10	<20	<5	41	<5	<50	n/a	<10	<10	<10	11.6	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/12/1999	7.14	<6	<5	<100	<2	<3	4	<10	<20	<5	90	<5	<50	n/a	<10	<10	<10	12.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	1/25/2000	7.34	<6	<5	<100	<2	<3	3.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	13	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/26/2000	7.25	<6	<5	<100	<2	<3	3.5	<10	<20	<5	81	<5	<50	n/a	<10	<10	<10	10.9	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/18/2000	7.17	<6	<5	<100	<2	<3	3.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/19/2001	7.03	<6	<5	<100	<2	<3	4.8	<10	<20	<5	215	<5	<50	n/a	<50	<10	<10	11.5	<1	n/a	<400	54.5	<0.05	<0.5	<1
	10/25/2001	7.18	<6	<5	<10	<2	<3	4	<10	<20	<5	40	<5	<50	n/a	<10	<10	<10	10.6	<2	n/a	<400	<30	<0.05	<0.5	<1
	4/18/2002	6.98	<6	<5	38	<2	<3	3.7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.9	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/31/2002	7.34	<6	<5	161	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	11.8	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/15/2003	7.03	<6	<5	<10	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	10.1	<1	n/a	<400	53.5	<0.05	<0.5	<1
	10/29/2003	7.16	<6	<5	22.5	<2	<3	5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	11.3	<1	n/a	<400	80.6	<0.05	<0.5	<1
	4/13/2004	7.15	<6	<5	45.8	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.9	<1	n/a	<400	49.5	<0.05	<0.5	<1

NABORS Landfill Historic Data through April 2022

	Sample	pH	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chloride	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Sulfate	Thallium	Tin	Vanadium	Zinc	Benzene	Trichloroethene	Vinyl chloride
	Date	(S.U.)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	10/20/2004	7.14	<6	<5	<30	<2	<3	3.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8.9	<1	n/a	<400	<30	<0.05	<0.5	<0.6
	4/14/2005	7.09	<2	<1.5	<25	<0.18	1.29	<5	0.565	<20	<2	107	<1	<30	n/a	<10	<3	<1	10.7	<1	n/a	<20	37.8	<0.05	<0.5	<0.6
	10/11/2005	6.81	2.67	<4	<50	<0.8	0.603	9	1.1	<50	<10	70.9	<5	<50	n/a	<50	<10	<3	9.26	<2	n/a	<10	73.4	<1	<1	<1
	4/4/2006	7.7	<2	<5	<50	<0.18	1.1	5	7.06	<100	<2	965	<1	<30	n/a	<100	<5	6.32	10.6	<1	n/a	<2	101	<0.5	<0.25	<0.5
	7/26/2006	7.69	<1	<10	33	<2	<5	2.3	<10	<10	<20	<100	<5	<10	n/a	<20	22	<10	10	<1	n/a	<10	100	<1	<1	<1
	9/6/2006	7.61	<1	<10	30	<2	<5	2.1	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	9.7	<1	n/a	<10	45	<1	<1	<1
	2/7/2007	7.48	<1	<1	35	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.5	<1	n/a	<10	32	<1	<1	<1
	5/24/2007	7.94	<1	1	32	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	9.6	<1	n/a	<10	88	<1	<1	<1
	8/25/2007	7.36	<1	<1	27	<2	<5	2.5	<10	<10	<20	<100	<5	<10	0.2	<20	40	<10	11	<1	n/a	<10	95	<1	<1	<1
	11/6/2007	7.08	<1	<1	30	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	10	<1	<20	<10	66	<1	<1	<1
	2/22/2008	7.45	<1	<1	30	<2	<5	3	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	10	<1	21	<10	71	<1	<1	<1
	4/29/2008	7.26	<1	<1	31	<1	0.56	2.5	<10	<10	1.3	<100	<5	<10	<0.2	<20	<1	<10	10	<1	<20	<10	80	<1	<1	<1
	8/19/2008	7.37	<1	<1	31	<1	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	<20	<10	110	<1	<1	<1
	11/18/2008	7.26	<1	<1	30	<2	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	64	<10	130	<1	<1	<1
	2/20/2009	7.3	<1	<1	30	<1	0.81	3.9	<10	<10	1.4	<100	<1	<10	<0.2	<20	<1	<10	11	<1	<1	<10	80	<1	<1	<1
	5/20/2009	7.12	<1	<1	29	<1	<5	4.8	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	11	<1	<1	<10	77	<1	<1	<1
	8/19/2009	6.14	<1	<1	33	<1	0.87	5.2	32	<10	<2	370	<1	<10	<0.2	29	<1	<10	12	<1	<1	<10	86	<1	<1	<1
	12/17/2009	7.21	<1	<1	32	<2	<5	4.2	<10	<10	<20	30	<5	1.3	0.04	<20	<20	<10	12	<1	<20	<10	91	<1	<1	<1
	3/23/2010	7.16	<1	<1	32	<1	0.21	4.1	<10	<10	<2	20	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	100	<1	<1	<1
	6/16/2010	n/a	<1	0.27	33	<1	0.57	4.6	<10	<10	<2	25	<1	<10	0.02	<20	<1	<10	13	<1	<1	28	85	<1	<1	<1
	9/22/2010	7.1	0.36	0.84	32	0.84	1.2	4.6	3	<10	<2	21	0.93	<10	<0.2	<20	0.49	<10	13	<1	0.35	<10	81	<1	<1	<1
	12/6/2010	7.06	0.34	0.55	32	0.48	0.95	4.9	<10	<10	<2	<100	0.43	<10	<0.2	<20	<1	<10	13	<1	0.34	<10	81	<1	<1	<1
	3/21/2011	7.17	<1	<1	30	<1	<0.5	4.9	<10	<10	<2	33	<1	1.5	<0.2	<20	<1	<10	13	<1	<1	<10	92	<1	<1	<1
	6/28/2011	6.95	<1	<1	32	<1	0.36	5.1	<10	<10	<2	26	0.66	<10	<0.2	<20	<1	<10	14	<1	<1	<10	91	<1	<1	<1
	9/27/2011	n/a	0.21	0.91	31	0.34	0.99	5.3	<10	<10	0.65	42	1	<10	0.05	<20	<1	<10	14	<1	<1	<10	79	<1	<1	<1
	6/21/2012	n/a	<1	<1	38	<1	0.77	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	23	81	<1	<1	<1
	9/19/2012	n/a	<1	<1	35	<1	<0.5	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	12	82	<1	<1	<1
	3/11/2015	n/a	<0.21	<0.25	36	<0.12	<0.16	6.8	<1.4	<2.3	<0.52	<14	8.6	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	93	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	37	<0.12	1	7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	90	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	<0.25	34.3	<0.12	<0.16	7.08	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	15.6	<0.19	<0.3	<0.18	96.7	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	<0.25	35.4	<0.12	<0.16	7.15	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	16.5	<0.19	<0.3	<0.18	96.4	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	34.6	<0.12	<0.16	6.94	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	14.9	<0.19	<0.3	<0.18	98.8	<0.331	<0.398	<0.259
	6/29/2016	n/a	<0.754	<0.25	35.5	<0.12	<0.16	7.13	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	16.3	<0.19	<0.3	<0.18	95.9	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	33.4	<2	<1	7.19	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	14.8	<2	<2	<5	94.1	<1	<1	<1
	12/21/2016	n/a	<2	<2	35.8	<2	<1	7.31	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	14.9	<2	<2	<5	105	<1	<1	<1
	3/29/2017	n/a	<2	<2	35.3	<2	1.04	7.21	<2	<2	<5	110	<2	<5	<0.2	<2	<2	<2	15.5	<2	<2	<5	108	<1	<1	<1
	9/28/2017	n/a	<2	<2	34.7	<2	<1	7.46	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	15.8	<2	<2	<5	101	<1	<1	<1
	4/19/2018	n/a	<10*	<23.4*	39.4	<0.416*	0.943	6.49	<12.5*	<10.4*	<5*	103	<15.6*	0.956	0.025	<10*	<52*	<20.8*	17.2	<73*	<41.6*	<20*	106	<5*	<5*	<2*
	10/24/2018	n/a	<36*	<23.5*	42.7	<0.624*	0.961	6.45	1.9	<13.5*	<5*	160	<15.6*	<10.4*	0.025	3	<52*	<20.8*	17.8	<73*	<728*	<21*	100	<5*	<5*	<2*
	4/24/2019	n/a	<2.08*	0.98	53.7	<0.26*	0.945	7.7	0.606	0.096	0.582	110	0.554	6.26	<0.2*	1.24	0.567	<0.26*	15.9	0.18	<20.8*	0.29	118	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	0.482	42.1	<0.26*	1.03	6.86	1.79	0.068	0.324	65.6	0.356	3.15	0.025	2.03	0.899	<0.26*	16.4	0.162	<20.8*	0.159	125	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	0.401	38	<0.26*	0.835	7.42	0.316	<0.26*	<0.395*	7.65	0.098	1.77	<0.2*	0.62	<5.2*	<0.312*	18.4	0.161	<20.8*	0.068	117	<1*	<1*	<1*
	10/6/2020	n/a	<2.08	0.384	36.6	<0.26	0.863	7.12	0.433	0.04	0.208	23.2	0.178	0.715	<0.2	<0.52	<5.2	<0.312	16.8	0.15	<20.8	0.072	110	<1	<1	<2
	4/7/2021	n/a	<2.08*	0.476	41.8	<0.26*	1.07	7.38	0.305	0.038	0.402	93.5	0.287	3.01	<0.2*	1.77	<5.2*	<0.312*	18.2	0.16	<20.8*	0.117	131	<1*	<1*	<2*
	10/5/2021	n/a	0.471	0.455	42.2	<0.25	0.963	7.3	0.632	<0.25	0.153	12.4	0.155	0.945	<0.2	0.85	<5	<0.3	16.8	0.172	<20	0.058	126	<1	<1	<2
	4/19/2022	n/a	0.473	0.428	41.8	<0.26*	0.914	7.2	0.617	0.047	0.325	14	0.128	0.808	<0.2*	0.9	<5.2*	<0.312*	17.2	0.174	<20.8*	0.094	119	<1*	<1*	<2*
MW-5	4/13/1999	6.58	<6	<5	<100	<2	<3	3.5	<10	<20	<5	296	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	<1
	7/28/1999	7.09	<6	<5	<100	<2	<3	3.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.9	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/12/1999	7.04	<6	<5	<100	<2	<3	4.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05	<0.5	<1
	1/25/2000	7.21	<6	<5	<100	<2	<3	2.75	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.6	8	n/a	<400	<30	<0.05	<0.5	<1
	4/26/2000	7.13	<6	<5	<100	<2	<3	3.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/18/2000	7.1	<6	<5	<100	<2	<3	3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/19/2001	7.05	<6	<5	<100	<2	<3	3.7	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	5.7	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/25/2001	7.03	<6	<5	<10	<2	<3	4	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	5.9	<2	n/a	<400	<30	<0.05	<0.5	<1
	4/18/2002	6.97	<6	<5	37	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/31/2002	7.2	<6	<5	145	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.9	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/15/2003	6.99	<6	<5	<10	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.1	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/29/2003	7.13	<6	<5	<10	<2	<3	4.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	7.5	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/13/2004	7.14	<6	<5	43.2	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/20/2004	6.96	<6	<5	<30	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.7	<1	n/a	<400	<30	<0.05	<0.5	<0.6
	4/14/2005	7.02	<2	<1.5	<25	<0.18	0.502	5.5	0.384	<20	<2	100	<1	<30	n/a	<10	<3	<1	7.79	<1	n/a	<20	<10	<0.05	<0.5	<0.6
	10/11/2005	6.71	<6	<4	<50	<0.8	<1.5	<5	0.631	<50	<10	47.9	<5	<50	n/a	<50	<10	<3	5.15	<2	n/a	<10	15.7	<1	<1	<1
	4/4/2006	7.6	<2	<5	<50	<0.18	<0.3	5	1.84	<100	<2	<30	<1	<30	n/a	<100	<5	<5.7	5.51	<1	n/a	<2	<100	<0.5	<0.25	<0.5
	7/26/2006	7.64	<1	<10	33	<2	<5	2.8	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	6.1	<1	n/a	<10	47	<1	<1	<1
	9/6/2006	7.36	1	<10	33	<2	<5	2.6	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	5.8	<1	n/a	<10	<30	<1	<1	<1
	2/7/2007	7.45	<1	<1	35	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	7.5	<1	n/a	<10	32	<1	<1	<1
	5/24/2007	7.77	<1	<1	33	<2	<5	5	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	6.2	<1	n/a	<10	42	<1	<1	<1
	8/25/2007	7.17	<1	<1	28	<2	<5	2.9	<10	<10	<20	<100	<5	<10	0.2	<20	39	<10	7.7	<10	n/a	<10	43	<1	<1	<1
	11/6/2007	6.96	<1	<1	31	<2	<5	3.9	<10	<10	<20	<100	<5	<10	0.2	<20	<20	<10	6.6	<10	<20	<10	<30	<1	<1	<1

NABORS Landfill Historic Data through April 2022

Sample	pH	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chloride	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Sulfate	Thallium	Tin	Vanadium	Zinc	Benzene	Trichloroethene	Vinyl chloride
Date	(S.U.)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
2/22/2008	7.2	<1	<1	32	<2	<5	3.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.2	<1	22	<10	<30	<1	<1	<1
4/29/2008	7.22	<1	<1	32	<1	<5	3.2	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	7.2	<1	<20	<10	32	<1	<1	<1
8/19/2008	7.28	<1	<1	31	<1	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.6	<1	<20	<10	42	<1	<1	<1
11/18/2008	7.17	<1	<1	33	<2	<5	3.5	<10	<10	<20	130	<5	<10	<0.2	<20	<20	64	10	<1	74	<10	<30	<1	<1	<1
2/20/2009	7.25	<1	<1	32	<1	0.81	4.5	<10	<10	1.1	<100	<1	<10	<0.2	<20	<1	<10	7.6	<1	<1	<10	35	<1	<1	<1
5/20/2009	6.94	<1	<1	31	<1	<5	5.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	8.5	<1	<1	<10	34	<1	<1	<1
8/19/2009	6.13	<1	<1	36	<1	<0.5	5.4	<10	<10	<2	140	<1	<10	<0.2	<20	<1	<10	7.8	<1	<1	<10	49	<1	<1	<1
12/17/2009	7.03	<1	0.37	33	<2	<5	4.7	<10	<10	<20	50	<5	<10	0.03	<20	19	<10	7.4	<1	<20	<10	26	<1	<1	<1
3/23/2010	7.03	<1	<1	35	<1	<0.5	4.3	<10	2.3	<2	62	<1	2.9	<0.2	<20	<1	<10	7.8	<1	<1	<10	33	<1	<1	<1
6/16/2010	n/a	<1	0.57	35	<1	<0.5	4.6	<10	<10	<2	47	<1	1.2	0.02	<20	<1	<10	9.7	<1	<1	30	29	<1	<1	<1
9/22/2010	7	0.51	1	35	0.83	0.56	4.5	4	<10	<2	52	0.8	<10	<0.2	<20	<1	<10	9.6	<1	0.34	<10	27	<1	<1	<1
12/6/2010	7.05	0.44	0.74	32	0.5	0.36	4.8	<10	<10	<2	44	0.74	<10	<0.2	<20	<1	<10	9.1	<1	0.39	<10	27	<1	<1	<1
3/21/2011	7.19	<1	<1	38	<1	<0.5	4.5	<10	<10	<2	74	<1	2	<0.2	<20	<1	<10	16	<1	<1	<10	28	<1	<1	<1
6/28/2011	6.82	<1	<1	33	<1	<0.5	5	<10	<10	<2	41	0.45	<10	<0.2	<20	<1	<10	10	<1	<1	<10	21	<1	<1	<1
9/27/2011	n/a	0.45	1.5	32	0.33	0.24	4.9	<10	<10	<2	31	1.2	<10	0.03	8.5	0.6	6.7	9	<1	<1	2.9	25	<1	<1	<1
6/21/2012	n/a	<1	<1	39	<1	<0.5	5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	7.8	<1	<1	30	32	<1	<1	<1
9/19/2012	n/a	<1	<1	35	<1	<0.5	4.9	<10	<10	<2	150	<1	<10	<0.2	<20	<1	<10	7	<1	<1	<10	30	<1	<1	<1
3/11/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.4	<1.4	<2.3	<0.52	<14	11	<1.2	<0.049	<4.9	<0.38	<2.8	8	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
6/9/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.7	<0.19	<0.3	<2.4	26	<0.33	<0.4	<0.26
9/15/2015	n/a	<0.21	<0.25	34	<0.12	<0.16	5.67	<0.54	<0.26	<0.52	117	<0.24	5.41	<0.049	2	<0.38	<0.31	7.53	<0.19	<0.3	<0.18	30.4	<0.331	<0.398	<0.259
12/16/2015	n/a	<0.21	<0.25	33.6	<0.12	<0.16	5.56	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.44	<0.19	<0.3	<0.18	25	<0.331	<0.398	<0.259
3/29/2016	n/a	<0.21	<0.25	34.3	<0.12	<0.16	5.57	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.56	<0.19	<0.3	<0.18	26.1	<0.331	<0.398	<0.259
6/29/2016	n/a	<0.754	<0.25	34.8	<0.12	<0.16	5.45	<0.54	<0.26	<0.52	<15	<0.24	13.3	<0.049	<0.35	<0.38	<0.31	7.91	<0.19	<0.3	<0.18	28.7	<0.331	<0.398	<0.259
9/20/2016	n/a	<2	<2	30.6	<2	<1	5.79	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.35	<2	<2	<5	25.8	<1	<1	<1
12/21/2016	n/a	<2	<2	34.1	<2	<1	5.76	3.28	<2	<5	<100	<2	<5	<0.2	2.81	<2	<2	7.07	<2	<2	<5	26.8	<1	<1	<1
3/29/2017	n/a	<2	<2	31.9	<2	<1	5.72	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.02	<2	<2	<5	31.3	<1	<1	<1
9/28/2017	n/a	<2	<2	35	<2	<1	5.85	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	8.56	<2	<2	<5	28.7	<1	<1	<1
4/19/2018	n/a	<10*	<23.4*	35.1	<0.416*	<1.2*	5.06	<12.5*	<10.4*	<5*	113	<15.6*	2.15	0.025	<10*	<52*	<20.8*	9.56	<73*	<41.6*	<20*	26.1	<5*	<5*	<2*
10/24/2018	n/a	<36*	<23.5*	38	<0.624*	<1.2*	4.91	2.67	<13.5*	<5*	127	<15.6*	<10.4*	0.025	5	<52*	<20.8*	9.01	<73*	<728*	<21*	28.5	<5*	<5*	<2*
4/25/2019	n/a	<2.08*	0.555	38.6	<0.26*	0.131	6.46	0.485	0.039	0.255	8.6	0.102	0.554	<0.2*	1.19	<2.08*	<0.26*	9.65	0.119	<20.8*	0.098	31.4	<5*	<5*	<2*
10/9/2019	n/a	0.38	0.567	37.9	<0.26*	0.156	5.87	1.55	0.06	0.363	14.1	0.278	1.45	0.025	1.74	0.573	0.016	9.75	0.118	<20.8*	0.119	33.6	<1*	<1*	<1*
4/21/2020	n/a	<2.08*	0.49	35.3	<0.26*	0.112	6.02	0.397	0.039	0.345	15.9	0.119	0.789	<0.2*	1.04	<5.2*	<0.312*	8.72	0.115	<20.8*	0.107	31.4	<1*	<1*	<1*
10/6/2020	n/a	0.412	0.511	33.8	<0.26	0.129	5.6	0.485	<0.26	0.233	11.6	0.138	0.927	<0.2	<0.52	<5.2	<0.312	9.33	0.101	<20.8	0.12	30.2	<1	<1	<2
4/7/2021	n/a	0.513	0.503	35.6	<0.26*	0.131	5.74	0.175	<0.26*	0.445	7.18	<0.26*	0.588	<0.2*	1.6	<5.2*	<0.312*	9.8	0.111	<20.8*	0.092	29.2	<1*	<1*	<2*
10/5/2021	n/a	0.786	0.662	38.8	<0.25	0.169	6.05	0.883	0.068	0.339	27.4	0.254	1.84	<0.2	1.43	<5	<0.3	9.04	0.125	<20	0.162	37.6	<1	<1	<2
4/19/2022	n/a	0.997	0.586	38.5	<0.26*	0.149	6.43	1.28	0.07	0.518	25.5	0.173	1.76	<0.2*	1.8	<5.2*	<0.312*	10.4	0.116	<20.8*	0.145	38.1	<1*	<1*	<2*
MW-509D																									
7/25/2006	7.53	<1	<10	29	<2	<5	3.2	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	8.4	<1	n/a	<10	470	<1	<1	<1
9/8/2006	7.46	<1	<10	30	<2	<5	3.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	420	<1	<1	<1
2/7/2007	7.08	<1	<10	35	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5	<1	n/a	<10	380	<1	<1	<1
5/24/2007	7.98	1.1	5.2	45	<2	<5	3.5	<10	<10	<20	4100	<5	96	<0.2	<20	<20	<10	6	<1	n/a	<10	710	<1	<1	<1
8/25/2007	7.08	<1	<10	28	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	44	<10	7.9	<1	100	<10	430	<1	<1	<1
11/6/2007	6.82	<1	1.4	29	<2	<5	2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9	<1	<20	<10	380	<1	<1	<1
2/22/2008	6.82	<1	<1	35	<2	<5	3.3	<10	<10	<20	120	<5	<10	<0.2	<20	<20	<10	7.3	<1	<20	<10	410	<1	<1	<1
4/29/2008	6.95	<1	1.2	31	<1	2.9	3.4	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	4.8	<1	<20	<10	290	<1	<1	<1
8/19/2008	7.16	<1	1.4	29	<1	5.5	2.6	<10	<10	<20	230	<5	12	<0.2	<20	<20	<10	7.9	<1	<20	<10	490	<1	<1	<1
11/18/2008	6.87	<1	1.2	29	<2	6	3.5	<10	<10	<20	210	<5	<10	<0.2	<20	<20	<10	7	<1	<20	<10	410	<1	<1	<1
2/20/2009	6.94	<1	<1	32	<1	3.7	3.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	380	<1	<1	<1
5/20/2009	6.39	<1	<1	26	<1	2.5	3.4	<10	<10	<1	120	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	330	<1	<1	<1
8/19/2009	6.76	<1	<1	28	<1	6.2	4	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	410	<10	410	<1	<1	<1
12/16/2009	7.11	0.37	20	110	4.7	17	4.1	15	12	15	18000	90	780	0.22	<20	<20	<10	8.1	0.54	<20	35	1500	<1	<1	<1
3/23/2010	6.81	<1	5	52	0.87	6.2	2.8	8.6	2.1	8.8	7300	20	180	<0.2	10	<1	<10	5.3	<1	<1	18	580	<1	<1	<1
6/17/2010	n/a	<1	2	35	0.2	4.7	4.5	<10	<10	2.8	2200	5.8	50	<0.2	<20	0.41	<10	8.5	<1	<1	5.6	440	<1	<1	<1
9/23/2010	6.72	<1	2.7	40	0.14	6.4	5.3	3.1	<10	3.9	2400	10	75	<0.2	<20	0.47	<10	8.7	<1	<1	12	520	<1	<1	<1
12/7/2010	6.54	0.55	13	110	3.1	20	7.1	28	7	22	25000	59	570	0.15	21	1.4	<10	5.9	0.38	0.6	48	1200	<1	<1	<1
3/22/2011	6.83	<1	15	69	1.3	12	5.4	14	4.4	28	14000	43	280	<0.2	<20	0.5	<10	10	<1	0.82	27	8200	<1	<1	<1
6/29/2011	6.65	<1	1.9	39	<1	5	6.4	<10	<10	3.1	2400	7.6	63	0.04	<20	<1	77	10	<1	<1	8.3	500	<1	<1	<1
9/28/2011	n/a	<1	5.8	49	0.44	11	5.4	5.8	3.8	8.8	5100	25	200	0.03	12	<1	<10	9.2	<1	<1	12	690	<1	<1	<1
6/21/2012	n/a	<1	18	94	2.8	21	4.4	23	<10	29	22000	73	520	<0.2	<20	1.2	<10	9.2	<1	<1	74	1500	<1	<1	<1
9/20/2012	n/a	<1	28	140	6.2	39	4.4	37	14	53	34000	160	1100	0.39	25	<1	<10	9.2	1.3	<1	77	2800	<1	<1	<1
3/9/2015	n/a	<0.21	<0.25	27	<0.12	3.1	3.9	<1.4	<2.3	<0.52	<14	6	<1.2	<0.049	<4.9	<0.38	<2.8	9.7	<0.19	<0.3	<2.4	290	<0.33	<0.4	<0.26
3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
6/9/2015	n/a	<0.21	<0.25	31	<0.12	3.8	5.5	<1.4	<2.3	<0.52	240	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	13	<0.19	<0.3	<2.4	380	<0.33	<0.4	<0.26
9/16/2015	n/a	<0.21	<0.25	32.1	<0.12	4.8	6.2	3.09	<0.26	<0.52	497	<0.24	7.57	<0.049	2.76	<0.38	<0.31	13.9	<0.19	<0.3	<0.18	415	<0.331	<0.398	<0.259
12/15/2015	n/a	<0.21	<0.25	29.2	<0.12	3.93	4.87	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	11.6	<0.19	<0.3	<0.18	366	<0.331	<0.398	<0.259
3/29/2016	n/a	<0.21	<0.25	31.7	<0.12	4.32	6.16	4.21(B)	<0.26	<0.52	1010	<0.24	8.69	<0.049	3.26(B)	<0.38	<0.31	12	<0.19	<0.3	<0.18	431	<0.331	<0.398	<0.259
6/28/2016	n/a	<0.754	<0.25	32.6	<0.12	3.92	5.78	<0.54	<0.26	<0.52	534	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	12.3	<0.19	<0.3	<0.18	402	<0.331	<0.398	<0.259
9/20/2016	n/a	<2	<2	30.9	<2	5.34	6.05	2.62	<2	<5	1130	2.94	17.1	<0.2	2.82	<2	<2	16.1	<2	<2	<5	436	<1	<1	<1
12/20/2016	n/a	<2	<2	34	<2	6.21	6.42	2.32	<2	<5	882	2.9	14.9	<0.2	2.82	<2	<2	16	<2	<2	<5	457	<1	<1	<1
3/28/2017	n/a	<2	<2	27.7	<2	3.78	5.19	<2	<2	<5	430	<2	6.51	<0.2	<2	<2	<2	9.04	<2	<2	<5	350	<1	<1	<1

NABORS Landfill Historic Data through April 2022

	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	Vinyl chloride (ug/l)
	9/27/2017	n/a	<2	<2	32.7	<2	6.14	7	3.21	<2	6.45	989	2.71	16.5	<0.2	2.82	<2	<2	10.2	<2	<2	<5	518	<1	<1	<1
	4/20/2018	n/a	<10*	<23.4*	30.3	<0.416*	3.8	4.68	<12.5*	<10.4*	1	347	<15.6*	3.31	<0.2*	<10*	<52*	<20.8*	8.48	<73*	<41.6*	0.6	379	<5*	<5*	<2*
	10/26/2018	n/a	<36*	<23.5*	34.8	<0.624*	4.62	4.82	1.7	<13.5*	2	701	<15.6*	9.44	<0.2*	<10*	<52*	<20.8*	11	<73*	<728*	<21*	423	<5*	<5*	<2*
	4/24/2019	n/a	<2.08*	0.172	30.9	<0.26*	3.92	4.52	0.441	<0.26*	0.201	8.56	0.072	0.398	<0.2*	0.71	<2.08*	<0.26*	7.58	<0.26*	<20.8*	0.329	360	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	0.183	30.9	<0.26*	4.49	4.06	0.494	<0.26*	0.258	13.5	0.083	0.237	0.025	1.03	<2.08*	<0.26*	8.81	<0.26*	<20.8*	0.491	435	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	0.151	29.4	<0.26*	3.72	3.61	0.528	<0.26*	0.279	7.96	<0.26*	<1.56*	<0.2*	0.98	<5.2*	<0.312*	6.49	<0.26*	<20.8*	0.35	380	<1*	<1*	<1*
	10/6/2020	n/a	<2.08	0.349	28.4	<0.26	5.65	4.34	0.567	0.086	6.85	78.3	1.06	3.64	<0.2	0.16	<5.2	<0.312	7.96	<0.26	<20.8	0.704	466	<1	<1	<2
	4/6/2021	n/a	<2.08*	0.15	28.2	<0.26*	3.66	3.11	0.19	<0.26*	0.249	7.84	<0.26*	<1.56*	<0.2*	1.42	<5.2*	<0.312*	6.86	<0.26*	<20.8*	0.363	395	<1*	<1*	<2*
	10/5/2021	n/a	<2	0.925	33.3	0.078	6.12	3.76	1.45	0.207	3.09	661	1.5	6.11	<0.2	1.83	<5	<0.3	6.99	<0.25	<20	2.39	546	<1	<1	<2
	4/19/2022	n/a	<2.08*	0.212	29.6	<0.26*	3.53	2.72	0.496	<0.26*	0.207	8.61	<0.26*	<1.56*	<0.2*	0.86	<5.2*	<0.312*	6.09	<0.26*	<20.8*	0.369	393	<1*	<1*	<2*
MW-577	2/7/2007	7.02	<1	2.9	30	<2	<5	1.1	<10	<10	<20	490	<5	13	<0.2	<20	<20	<10	48	<1	n/a	<10	<30	<1	<1	<1
	5/24/2007	8.2	<1	2.7	29	<2	<5	1.8	<10	<10	<20	320	<5	<10	<0.2	<20	<20	<10	56	<1	n/a	<10	42	<1	<1	<1
	8/25/2007	7.15	<1	2.3	27	<1	<0.5	1.3	<10	<10	<20	<100	6.3	<10	<0.2	<20	<20	<10	50	<1	n/a	<10	<30	<1	<1	<1
	11/6/2007	6.93	<1	2.8	27	<1	<0.5	1.3	<10	<10	<20	160	<5	<10	<0.2	<20	<20	<10	55	<1	<20	<10	<30	<1	<1	<1
	2/22/2008	7.49	<1	1.3	29	<2	<5	1.7	<10	<10	<20	180	<5	<10	<0.2	<20	<20	<10	82	<1	<20	<10	<30	<1	<1	<1
	4/29/2008	7.1	1.1	2.7	31	<1	0.73	6.3	<10	<10	1.8	210	<5	<10	<0.2	<20	<1	<10	63	<1	<20	<10	<10	<1	<1	<1
	8/19/2008	7.18	<1	<1	24	<1	<5	1.2	<10	<10	<20	100	<5	<10	<0.2	<20	<20	<10	45	<1	130	<10	<30	<1	<1	<1
	11/18/2008	7.03	<1	2.1	24	<2	<5	1.6	<10	<10	<20	130	6.9	<10	<0.2	<20	<20	<10	42	<1	<20	<10	70	<1	<1	<1
	2/20/2009	7.12	<1	2.1	28	<1	<5	1	<10	<10	<1	140	<1	<10	<0.2	<20	<1	<10	76	<1	<1	<10	<10	<1	<1	<1
	5/20/2009	6.77	<1	1.8	26	<1	<0.5	1.6	<10	<10	<1	130	<1	<10	<0.2	<20	<1	<10	79	<1	<1	<10	6.9	<1	<1	<1
	8/27/2009	6.27	1	2	28	<1	0.62	1.8	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	46	<1	<1	<10	53	<1	<1	<1
	12/17/2009	6.97	<1	4	35	0.51	<5	2.6	4.8	<10	<20	2500	12	35	0.03	<20	9.1	<10	40	<1	<20	5.3	26	<1	<1	<1
	3/23/2010	6.9	<1	1.6	31	<1	<0.5	1.3	<10	<10	0.89	460	0.59	9.7	<0.2	<20	<1	3.6	75	<1	<1	<10	6.1	<1	<1	<1
	6/15/2010	n/a	<1	1.4	27	<1	<0.5	1.5	<10	<10	0.7	170	0.48	7	<0.2	<20	<1	<10	64	<1	<1	<10	17	<1	<1	<1
	9/22/2010	6.9	0.34	2.5	28	0.88	0.5	1.4	3	<10	0.57	350	1.2	8	<0.2	<20	<1	<10	55	<1	0.31	<10	5.8	<1	<1	<1
	12/8/2010	7.23	1.1	18	39	1	0.43	5.1	5.4	<10	8.7	3300	20	60	0.02	7.6	0.4	6	48	<1	0.78	<10	43	<1	<1	<1
	3/22/2011	6.91	<1	2.3	25	<1	<0.5	1.6	<10	<10	<2	300	0.36	6.8	<0.2	<20	<1	<10	55	<1	<1	<10	8.4	<1	<1	<1
	6/28/2011	6.88	<1	3.8	31	<1	<0.5	1.7	2	<10	2.7	1300	4.6	24	<0.2	<20	<1	<10	48	<1	0.47	<10	9.9	<1	<1	<1
	9/28/2011	n/a	<1	3.9	26	<1	<0.5	1.7	<10	<10	1.2	1000	4.6	17	<0.2	7.5	<1	<10	43	<1	<1	4.2	10	<1	<1	<1
	6/21/2012	n/a	<1	2.2	30	<1	<0.5	1.7	<10	<10	<2	720	1.9	13	<0.2	<20	<1	<10	39	<1	<1	29	<10	<1	<1	<1
	9/20/2012	n/a	<1	2.8	25	<1	<0.5	1.9	<10	<10	<2	310	1.5	<10	<0.2	<20	<1	<10	41	<1	<1	<10	<10	<1	<1	<1
	3/10/2015	n/a	<0.21	<0.25	26	<0.12	<0.16	1.9	<1.4	<2.3	<0.52	100	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	45	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	23	<0.12	<0.16	2.2	<1.4	<2.3	<0.52	130	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	26	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	2.1	24.3	<0.12	<0.16	8.45	<0.54	<0.26	<0.52	<15	<0.24	5.32	<0.049	<0.35	<0.38	<0.31	22.8	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	<0.25	24.7	<0.12	<0.16	2.27	<0.54	<0.26	<0.52	189	<0.24	7.48	<0.049	<0.35	<0.38	<0.31	22.9	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	21.8	<0.12	<0.16	2.44	<0.54	<0.26	<0.52	133	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	24.2	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	23.1	<0.12	<0.16	2.33	<0.54	<0.26	<0.52	159	<0.24	6.1	<0.049	<0.35	<0.38	<0.31	21.4	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	22	<2	<1	2.5	<2	<2	<5	286	<2	8.14	<0.2	<2	<2	<2	21.4	<2	<2	<5	<25	<1	<1	<1
	12/20/2016	n/a	<2	<2	23.3	<2	<1	2.48	<2	<2	<5	189	<2	<5	<0.2	4.8	<2	<2	20.2	<2	<2	<5	<25	<1	<1	<1
	3/28/2017	n/a	<2	<2	21.4	<2	<1	2.47	<2	<2	<5	160	<2	5.06	<0.2	<2	<2	<2	24.7	<2	<2	<5	<25	<1	<1	<1
	9/27/2017	n/a	<2	<2	23.1	<2	<1	3	<2	<2	<5	171	<2	5.8	<0.2	<2	<2	<2	25.1	<2	<2	<5	<25	<1	<1	<1
	4/17/2018	n/a	<10*	<23.4*	25.8	<0.416*	<1.2*	1.49	<12.5*	<10*	<5*	363	<15.6*	<10.4*	<0.2*	<10*	<52*	<20.8*	22.7	<73*	<41.6*	<20*	<16*	<5*	<5*	<2*
	10/22/2018	n/a	<36*	<23.5*	25.2	<0.624*	<1.2*	1.99	<12.5*	<13.5*	1	288	<15.6*	7.25	<0.2*	<10*	<52*	<20.8*	24.3	<73*	<728*	<21*	<15.6*	<5*	<5*	<2*
	4/24/2019	n/a	<2.08*	1.9	25.6	<0.26*	0.046	2.2	0.443	0.051	0.684	165	0.515	7.6	<0.2*	0.55	<2.08*	0.037	26.4	<0.26*	<20.8*	0.106	15.2	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	1.77	23.4	<0.26*	<0.26*	2.5	0.342	<0.26*	0.11	180	0.096	5.65	0.025	0.21	<2.08*	<0.26*	23.6	<0.26*	<20.8*	<0.26*	<20.8*	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	1.77	24.3	<0.26*	<0.26*	1.76	0.394	0.042	0.18	175	0.122	6.49	<0.2*	0.21	<5.2*	<0.312*	31	<0.26*	<20.8*	0.057	<20.8*	<1*	<1*	<1*
	10/6/2020	n/a	<2.08	1.19	23.4	<0.26	<0.26	2.4	0.594	0.048	0.378	123	0.125	6.12	<0.2	<0.52	<5.2	<0.312	24.1	<0.26	<20.8	0.07	<20.8	<1	<1	<2
	4/6/2021	n/a	<2.08*	1.32	24.1	<0.26*	<0.26*	2.18	0.763	<0.26*	0.264	123	0.167	5.62	0.015	0.25	<5.2*	<0.312*	28.5	<0.26*	<20.8*	0.065	<20.8*	<1*	<1*	<2*
	10/6/2021	n/a	<2	1.3	24.5	<0.25	<0.25	2.78	0.57	0.058	0.484	153	0.197	8.1	<0.2	0.36	<5	<0.3	23.7	<0.25	<20	0.078	<20	<1	<1	<2
	4/19/2022	n/a	<2.08*	0.998	24.1	<0.26*	<0.26*	2.72	0.408	<0.26*	<0.395*	90.7	<0.26*	5	<0.2*	0.23	<5.2*	<0.312*	25.1	<0.26*	<20.8*	<0.26*	<20.8*	<1*	<1*	<2*
MW-6	4/13/1999	6.72	<6	<5	<100	<2	<3	6.5	<10	<20	<5	204	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	<1
	7/28/1999	6.99	<6	<5	<100	<2	<3	7.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.1	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/12/1999	6.95	<6	<5	<100	<2	<3	7.25	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	<1
	1/25/2000	7.07	<6	<5	<100	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	6	n/a	<400	<30	<0.05	<0.5	<1
	4/26/2000	6.96	<6	<5	<100	<2	<3	7.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/18/2000	6.93	<6	<5	<100	<2	<3	8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/19/2001	6.92	<6	<5	190	<2	<3	9.3	<10	<20	<5	<30	<5	<50	n/a	<50	<10	<10	5.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/25/2001	6.92	<6	<5	<10	<2	<3	8.5	<10	<20	<5	50	<5	<50	n/a	<10	<10	<10	5.4	<2	n/a	<400	<30	<0.05	<0.5	<1
	4/18/2002	6.9	<6	<5	58	<2	<3	7.8	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	<5	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/31/2002	7.01	<6	<5	274	<2	<3	8.3	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/15/2003	6.98	<6	<5	<10	<2	<3	8.3	<10	<20	<5	34	<5	<50	n/a	<10	<10	<10	6.5	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/29/2003	6.98	<6	<5	22.2	<2	<3	8.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	8	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/13/2004	7.04	<6	<5	75.2	<2	<3	9	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/20/2004	6.87	<6	<5	<30	<2	<3	7.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6	<1	n/a	<400	<30	<0.05	<0.5	<0.6
	4/14/2005	6.87	<2	<1.5	<25	<0.18	0.654	7	0.186	<20	<2	112	<1	<30	n/a	<10	<3	<1	7.15	<1	n/a	<20	10.3	<0.05	<0.5	<0.6
	10/11/2005	6.61	<6	<4	<50	<0.8	0.437	10	0.352	<50	<10	55.1	<5	<50	n/a	<50	<10	<3	5.82	<2	n/a	<10	39.8	<1	<1	<1
	4/4/2006	7.4	<2	<5	<50	<0.18	0.453	8	1.31	<100	<2	<30	<1	<30	n/a	<100	<5	<0.57	5.97	<1	n/a	<2	<10	<0.5	<0.25	<0.5
	7/27/2006	7.54	<1	<10	46	<2	<5	4.6	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	6.2	<1	n/a	<10	46	<1	<1	<1

NABORS Landfill Historic Data through April 2022

	Sample	pH	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chloride	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Sulfate	Thallium	Tin	Vanadium	Zinc	Benzene	Trichloroethene	Vinyl chloride
	Date	(S.U.)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	9/6/2006	7.3	<1	<10	45	<2	<5	4.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.9	<1	n/a	<10	34	<1	<1	<1
	2/7/2007	7.35	<1	<1	47	<2	<5	4.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.9	<1	n/a	<10	43	<1	<1	<1
	5/24/2007	7.71	<1	<1	46	<2	<5	5.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.9	<1	n/a	<10	53	<1	<1	<1
	8/25/2007	7.23	<1	<1	41	<2	<5	4.5	<10	<10	<20	<100	5.3	<10	<0.2	<20	30	<10	6.3	<1	n/a	<10	58	<1	<1	<1
	11/6/2007	6.91	<1	<1	44	<2	<5	5	<10	<10	<20	<100	<5	<10	0.22	<20	<20	<10	5.8	<1	<20	<10	40	<1	<1	<1
	2/22/2008	7.05	<1	<1	42	<2	<5	5.1	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.6	<1	25	<10	37	<1	<1	<1
	4/29/2008	7.37	<1	<1	42	<1	<0.5	4.2	<10	<10	1.1	<100	<5	<10	<0.2	<20	<1	<10	5.8	<1	<20	<10	50	<1	<1	<1
	8/19/2008	7.25	<1	<1	42	<1	<5	4.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	5.7	<1	<20	<10	40	<1	<1	<1
	11/18/2008	7.19	<1	<1	44	<2	<5	5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	64	6.1	<1	82	<10	40	<1	<1	<1
	2/20/2009	7.18	<1	<1	44	<1	<0.5	6	<10	<10	1.1	<100	<1	<10	<0.2	<20	<1	<10	6	<1	<1	<10	38	<1	<1	<1
	5/20/2009	6.92	<1	<1	41	<1	<5	6.4	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	7	<1	<1	<10	51	<1	<1	<1
	8/19/2009	6.19	<1	<1	43	<1	<0.5	6.6	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	7.1	<1	<1	<10	51	<1	<1	<1
	12/17/2009	7.01	<1	0.32	43	<2	<5	6.2	<10	<10	<20	110	3.3	3.2	0.33	<20	15	<10	6.4	<1	<20	<10	42	<1	<1	<1
	3/23/2010	7.03	0.37	0.25	44	<1	<0.5	5.7	<10	<10	3.9	58	0.49	1.2	0.18	5.6	<1	4.1	6.1	<1	<1	<10	45	<1	<1	<1
	6/16/2010	n/a	<1	0.32	44	<1	<0.5	6.5	<10	<10	<2	48	<1	<10	0.52	<20	<1	<10	6.6	<1	<1	43	39	<1	<1	<1
	9/22/2010	6.98	1.6	1.6	45	0.87	0.92	6.4	3	<10	<2	44	1.2	<10	0.35	<20	0.88	<10	6.8	<1	2.7	<10	39	<1	<1	<1
	12/8/2010	6.64	0.43	0.62	40	0.52	0.59	6.9	<10	<10	3.3	27	0.47	<10	0.23	<20	<1	<10	7.4	<1	0.39	<10	36	<1	<1	<1
	3/21/2011	7.16	<1	<1	50	<1	<0.5	7.4	<10	<10	<2	46	0.78	2.4	0.41	<20	<1	<10	6.6	<1	<1	<10	56	<1	<1	<1
	6/28/2011	6.83	<1	<1	44	<1	<0.5	8	<10	<10	<2	100	<1	3.2	0.76	<20	<1	<10	6.8	<1	<1	<10	34	<1	<1	<1
	9/27/2011	n/a	<1	1.1	42	0.34	0.5	8.4	<10	<10	<2	40	0.61	<10	0.32	10	<1	<10	6.7	<1	<1	<10	35	<1	<1	<1
	6/21/2012	n/a	<1	<1	51	<1	<0.5	9.8	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.9	<1	<1	27	43	<1	<1	<1
	9/19/2012	n/a	<1	<1	45	<1	<0.5	11	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	6.5	<1	<1	<10	35	<1	<1	<1
	3/11/2015	n/a	<0.21	<0.25	46	<0.12	<0.16	16	<1.4	<2.3	<0.52	<14	9.8	<1.2	<0.049	<4.9	<0.38	<2.8	8.4	<0.19	<0.3	<2.4	36	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	47	<0.12	<0.16	16	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	8.8	<0.19	<0.3	<2.4	37	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	<0.25	45.9	<0.12	<0.16	16.6	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.02	<0.19	<0.3	<0.18	42.7	<0.331	<0.398	<0.259
	12/16/2015	n/a	<0.21	<0.25	47.3	<0.12	<0.16	17.9	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	8.66	<0.19	<0.3	<0.18	40.1	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	45.1	<0.12	<0.16	17.6	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.86	<0.19	<0.3	<0.18	37.9	<0.331	<0.398	<0.259
	6/29/2016	n/a	<0.754	<0.25	46.5	<0.12	<0.16	18.5	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	2.05	<0.38	<0.31	8.23	<0.19	<0.3	<0.18	41	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	43.7	<2	<1	19.1	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.81	<2	<2	<5	37	<1	<1	<1
	12/21/2016	n/a	<2	<2	46.5	<2	<1	21	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.76	<2	<2	<5	41.5	<1	<1	<1
	3/29/2017	n/a	<2	<2	43.8	<2	<1	22.4	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	7.28	<2	<2	<5	43.2	<1	<1	<1
	9/28/2017	n/a	<2	<2	46.8	<2	<1	26.4	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	8.25	<2	<2	<5	44.9	<1	<1	<1
	4/21/2018	n/a	<10*	<23.4*	49.8	0.0773	0.479	30	<12.5*	<10.4*	<5*	110	<15.6*	1.54	0.25	<10*	<52*	<20.8*	8.62	<73*	<41.6*	<20*	39.1	<5*	<5*	<2*
	10/23/2018	n/a	<36*	<23.5*	52.6	<0.624*	0.437	30.5	2.73	<13.5*	1	163	<15.6*	<10.4*	0.45	4	<52*	<20.8*	8.58	<73*	<728*	<21*	46.2	<5*	<5*	<2*
	4/24/2019	n/a	<2.08*	0.473	53.8	53.8	0.495	30	0.369	0.042	0.304	13.3	0.067	1.18	0.175	0.74	<2.08*	<0.26*	8.41	0.122	<20.8*	0.233	47	<5*	<5*	<2*
	10/7/2019	n/a	<2.08*	0.504	50.5	<0.26*	0.384	29.4	0.875	0.08	0.357	39.5	0.115	2.63	0.6	1.48	<2.08*	0.031	7.84	0.096	<20.8*	0.169	48.3	<1*	<1*	<1*
	4/22/2020	n/a	<2.08*	0.462	48.5	<0.26*	0.339	28.4	0.358	0.044	0.336	20.2	<0.26*	1.1	0.125	0.99	<5.2*	<0.312*	7.78	0.111	<20.8*	0.125	45.3	<1*	<1*	<1*
	10/7/2020	n/a	<2.08	0.403	49.1	<0.26	0.414	25	0.405	<0.26	0.253	15.3	<0.26	0.498	<0.2	0.88	<5.2	<0.312	8.03	0.111	<20.8	0.113	43.8	<1	<1	<2
	4/6/2021	n/a	<2.08*	0.486	48.6	<0.26*	0.477	24.4	0.751	0.077	0.488	26.6	0.15	3.11	0.248	0.85	<5.2*	<0.312*	8.88	0.108	<20.8*	0.165	45.2	<1*	<1*	<2*
	10/6/2021	n/a	<2	0.436	49.7	<0.25	0.402	21	0.404	0.101	0.233	8.3	<0.25	0.585	0.05	0.82	<5	<0.3	7.58	0.111	<20	0.127	44.8	<1	<1	<2
	4/19/2022	n/a	<2.08*	0.39	46.7	<0.26*	0.456	18.3	0.4	0.041	0.281	22.3	<0.26*	0.499	<0.2*	0.79	<5.2*	<0.312*	6.61	0.109	<20.8*	0.139	41.7	<1*	<1*	<2*
MW-633D	7/25/2006	7.74	<1	<10	38	<2	<5	4.6	<10	<10	<20	<100	<5	<10	n/a	<20	26	14	16	<1	n/a	<10	180	<1	<1	<1
	9/8/2006	7.51	<1	<10	37	<2	<5	4.9	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	140	<1	<1	<1
	2/7/2007	7.23	<1	<10	37	<2	<5	4.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	130	<1	<1	<1
	5/24/2007	12.84	<1	1.5	38	<2	<5	4.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	230	<1	<1	<1
	8/25/2007	7.19	<1	<10	33	<2	<5	6.4	<10	<10	<20	<100	6.5	<10	<0.2	<20	33	<10	13	<1	110	<10	250	<1	<1	<1
	11/6/2007	6.99	<1	<1	33	<2	<5	6.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	32	<1	<1	<1
	2/22/2008	7.18	<1	1	35	<2	<5	5.3	<10	1.3	<20	210	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	160	<1	<1	<1
	4/29/2008	7.39	<1	<1	38	<1	0.67	6	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	15	<1	<20	<10	190	<1	<1	<1
	8/19/2008	7.3	<1	1	36	<1	<5	4.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	<20	<10	320	<1	<1	<1
	11/18/2008	7.1	<1	<1	37	<2	<5	5.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	80	<10	260	<1	<1	<1
	2/20/2009	7.53	<1	<1	37	<1	1.5	4.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	12	<1	<1	<10	250	<1	<1	<1
	5/20/2009	7.05	<1	<1	35	<1	0.53	5.5	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	13	<1	<1	<10	230	<1	<1	<1
	8/19/2009	6.14	<1	<1	36	<1	0.97	5.5	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	13	<1	<1	<10	200	<1	<1	<1
	12/14/2009	6.97	<1	3.5	43	<2	<5	6	<10	<10	<20	2000	32	92	<0.2	<20	<20	<10	15	<1	<200	<10	270	<1	<1	<1
	3/22/2010	6.95	<1	0.5	38	<1	0.55	6.3	<10	<10	0.56	380	1	20	<0.2	<20	<1	<10	14	<1	<1	<10	220	<1	<1	<1
	6/17/2010	n/a	<1	0.93	40	<1	1.6	6.3	<10	<10	0.77	590	1.8	33	<0.2	<20	<1	<10	14	<1	<1	<10	250	<1	<1	<1
	9/22/2010	6.93	0.53	1.3	36	0.91	1.7	5.8	4	<10	0.77	360	1.7	17	<0.2	<20	<1	<10	14	<1	0.56	<10	220	<1	<1	<1
	12/7/2010	6.81	0.39	1.2	36	0.55	1.6	6	<10	<10	0.97	490	1.8	24	<0.2	<20	<1	7.6	14	<1	0.44	2.5	210	<1	<1	<1
	3/23/2011	6.92	<1	<1	37	<1	0.52	5.7	<10	<10	<2	310	0.47	18	<0.2	<20	<1	<10	17	<1	<1	<10	200	<1	<1	<1
	6/28/2011	6.77	<1	<1	39	<1	0.75	5.8	3	<10	<2	600	2	36	<0.2	<20	<1	<10	14	<1	<1	<10	210	<1	<1	<1
	9/29/2011	n/a	1.7	2.9	36	0.36	2.8	5.4	<10	<10	3	770	2.8	34	0.03(O)	8.7	<5	4.6	15	<1	2.1	4.5	180	<1	<1	<1
	6/21/2012	n/a	<1	<1	36	<1	1.4	5	<10	<10	<2	280	1.3	16	<0.2	<20	<1	<10	13	<1	<1	<10	190	<1	<1	<1
	9/20/2012	n/a	<1	1.2	39	<1	1.3	4.9	<10	<10	<2	750	2	31	<0.2	<20	<1	<10	15	<1	<1	<10	200	<1	<1	<1
	3/9/2015	n/a	<0.21	<0.25	39	<0.12	1.4	7.7	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	240	<0.33	<0.4	<0.26
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	<0.25	40	<0.12	1.8	9.6	<1.4	<2.3	<0.52	480	<0.24	25	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	270	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	<0.25	39.5	<0.12	1.46	9.42	<0.54	<0.26	<0.52	<15	2.08	<0.25	<0.049	<0.35	<0.38	<0.31	11.4	<0.19	<0.3	<0.18	257	<0.331	<0.398	<0.259
	12/14/2015	n/a	<0.21	<0.25	41.4	<0.12	1.58	12.7	<0.54	<0.26	<0.52	<15	<0.24	<0.25	0.386	3.52	<0.38	<0.31	10.4	<0.19	<0.3	<0.18	268	<0.331	<0.398	<0.259

NABORS Landfill Historic Data through April 2022

	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	Vinyl chloride (ug/l)
	3/29/2016	n/a	<0.21	<0.25	39.1	<0.12	<0.16	14.9	<0.54	<0.26	<0.52	<15	<0.24	6.36	0.664	<0.35	<0.38	<0.31	8.55	<0.19	<0.3	<0.18	256	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	39.5	<0.12	1.65	15.3	<0.54	<0.26	<0.52	<15	<0.24	11.2	1.35	<0.35	<0.38	<0.31	9.08	<0.19	<0.3	<0.18	285	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	36	<2	1.46	15.4	<2	<2	<5	<100	<2	11.6	2.43	<2	<2	<2	9.31	<2	<2	<5	286	<1	<1	<1
	12/20/2016	n/a	<2	<2	41	<2	1.67	15.4	<2	<2	<5	<100	<2	<5	<0.2	4.65	<2	<2	10.6	<2	<2	<5	283	<1	<1	<1
	3/28/2017	n/a	<2	<2	37.5	<2	1.64	14.2	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	10.6	<2	<2	<5	274	<1	<1	<1
	9/27/2017	n/a	<2	<2	39.9	<2	1.82	17.5	<2	<2	<5	<100	<2	6.3	2.15	<2	<2	<2	11.5	<2	<2	<5	325	<1	<1	<1
	4/18/2018	n/a	<10*	<23.4*	43.5	<0.416*	1.63	16	<12.5*	<10*	<5*	156	<15.6*	<10.4*	0.25	<10*	<52*	<20.8*	11.1	<73*	<41.6*	<20*	277	<5*	<5*	<2*
	10/23/2018	n/a	<36*	<23.5*	47.7	<0.624*	1.75	15.8	<12.5*	<13.5*	1	126	<15.6*	<10.4*	0.1	<10*	<52*	<20.8*	11.6	<73*	<728*	<21*	330	<5*	<5*	<2*
	4/24/2019	n/a	<2.08*	0.389	48.5	<0.26*	1.89	18.6	0.402	0.048	0.611	35.4	0.31	3.84	0.225	1.74	<2.08*	<0.26*	9.15	0.176	<20.8*	0.303	314	<5*	<5*	<2*
	10/9/2019	n/a	<2.08*	0.941	50.6	<0.26*	1.67	19.7	0.862	0.194	0.545	61.5	0.295	11.9	2.55	2.87	<2.08*	<0.26*	8.78	0.13	<20.8*	0.258	337	0.131	<1*	0.413
	4/21/2020	n/a	<2.08*	0.451	57.5	<0.26*	1.41	24.6	0.435	0.259	0.325	24.1	0.101	33.9	1.58	4.56	<5.2*	<0.312*	5.94	0.182	<20.8*	0.085	390	<1*	<1*	0.379
	10/7/2020	n/a	<2.08	0.359	63.1	<0.26	1.98	15.5	1.55	0.172	1.15	30.3	0.16	60.8	2	7.17	<5.2	<0.312	9.73	0.248	<20.8	0.061	449	0.245	<1	0.575
	4/6/2021	n/a	<2.08*	0.264	65.4	<0.26*	5.18	18.9	0.681	0.052	1.19	22.8	0.225	9.89	0.46	4.22	<5.2*	<0.312*	9.88	0.232	<20.8*	0.529	411	<1*	<1*	<2*
	10/6/2021	n/a	<2	0.562	69.4	<0.25	2.3	14.5	0.621	0.119	0.457	44.7	0.251	14.3	0.538	5.57	<5	<0.3	9.36	0.199	<20	0.219	488	<1	<1	<2
	4/19/2022	n/a	0.533	0.379	66.4	<0.26*	2.04	16.8	1.04	0.14	0.839	40.3	0.233	12.9	0.73	5.68	<5.2*	<0.312*	10.3	0.174	<20.8*	0.282	365	<1*	<1*	<2*
MW-689D	2/7/2007	7.22	<1	<1	21	<2	<5	2.7	<10	<10	<20	130	<5	<10	<0.2	<20	<20	<10	8.3	<1	n/a	<10	<30	<1	<1	<1
	5/24/2007	8.06	<1	<1	30	<2	<5	1.4	<10	<10	<20	130	<5	14	<0.2	<20	<20	<10	13	<1	n/a	<10	<30	<1	<1	<1
	8/25/2007	6.95	<1	<1	26	<2	<5	1.7	<10	<10	<20	140	<5	11	<0.2	<20	52	<10	14	<1	46	<10	32	<1	<1	<1
	11/6/2007	6.95	<1	2	29	<2	<5	1.8	<10	<10	<20	300	<5	11	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	<1	<1
	2/22/2008	6.98	<1	<1	28	<2	<5	2	<10	<10	<20	200	<5	10	<0.2	<20	<20	<10	14	<1	<20	<10	<30	<1	<1	<1
	4/29/2008	7.44	<1	1.5	29	<1	<0.5	2.3	<10	<10	<1	<100	<5	<10	<0.2	<20	<1	<10	13	<1	<20	<10	31	<1	<1	<1
	8/19/2008	7.24	<1	<1	28	<1	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	110	13	<1	<20	<10	14	<1	<1	<1
	11/18/2008	7.09	<1	<1	29	<2	<5	2.3	<10	<10	<20	140	<5	<10	<0.2	<20	<20	<10	14	<1	77	<10	<30	<1	<1	<1
	2/20/2009	7.16	<1	<1	27	<1	<1	2.6	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	6.1	<1	<1	<10	24	<1	<1	<1
	5/20/2009	6.9	<1	<1	25	<1	<0.5	3.7	<10	<10	<1	100	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	11	<1	<1	<1
	8/19/2009	6.03	<1	1.2	31	<1	<0.5	2.6	17	<10	<2	250	<1	<10	<0.2	<20	<1	<10	14	<1	<1	<10	18	<1	<1	<1
	12/15/2009	7.1	<1	7	46	<2	<5	3.6	<10	<10	<20	6000	44	72	<0.2	<20	<20	<10	7.3	<1	<100	15	67	<1	<1	<1
	3/23/2010	6.66	<1	0.96	25	<1	<0.5	2.1	2.7	<10	1.3	1700	8.5	6.5	<0.2	<20	<1	<10	8	<1	<1	3	22	<1	<1	<1
	6/17/2010	n/a	<1	3.9	37	0.4	0.18	4.4	6.6	2.1	3.9	5500	24	30	0.03	<20	0.62	<10	5.6	<1	0.31	12	62	<1	<1	<1
	9/21/2010	6.24	0.29	12	87	1.6	0.51	3.8	26	2	24	22000	110	190	0.12	9.4	1	<10	8.8	0.33	0.59	50	140	<1	<1	<1
	12/7/2010	6.61	0.71	15	69	2.2	0.75	7.3	16	3.1	22	14000	87	230	0.09	13	0.85	<10	12	0.38	0.9	17	150	<1	<1	<1
	3/22/2011	6.89	<1	9.2	59	0.25	<0.5	3.4	13	2.2	13	12000	50	110	<0.2	8.2	<1	<10	8.1	<1	<1	22	120	<1	<1	<1
	6/27/2011	6.75	<1	0.69	34	<1	<0.5	2.4	3	2	1.7	1800	8.2	22	<0.2	6	<1	<10	15	<1	<1	<10	27	<1	<1	<1
	9/28/2011	n/a	0.22	1.8	32	0.44	0.22	3	<10	<10	1.8	880	4.7	25	0.03	9.7	<1	<10	14	<1	<1	<10	16	<1	<1	<1
	6/21/2012	n/a	<1	<1	32	<1	<0.5	5.4	<10	<10	<2	710	3.2	<10	<0.2	<20	<1	<10	<5	<1	<1	23	13	<1	<1	<1
	9/20/2012	n/a	<1	4.7	45	<1	<0.5	2.3	<10	<10	5	7100	32	100	<0.2	<20	<1	<10	16	<1	<1	14	43	<1	<1	<1
	3/10/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2.4	<1.4	<2.3	<0.52	200	6.7	<1.2	<0.049	<4.9	<0.38	<2.8	15	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2.4	<1.4	<2.3	<0.52	270	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	14	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	<0.25	29.6	<0.12	<0.16	2.43	<0.54	<0.26	<0.52	<15	2	17.4	<0.049	<0.35	<0.38	<0.31	13.7	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	<0.25	27.7	<0.12	<0.16	2.11	<0.54	<0.26	<0.52	125	<0.24	14.3	<0.049	<0.35	<0.38	<0.31	13.7	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	27.4	<0.12	<0.16	2.53	<0.54	<0.26	<0.52	155	<0.24	6.55	<0.049	<0.35	<0.38	<0.31	12.9	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	28.9	<0.12	<0.16	2.09	<0.54	<0.26	<0.52	147	<0.24	7.41	<0.049	<0.35	<0.38	<0.31	13.8	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	25.7	<2	<1	2.28	<2	<2	<5	338	<2	8.64	<0.2	<2	<2	<2	13.8	<2	<2	<5	<25	<1	<1	<1
	12/20/2016	n/a	<2	<2	27.7	<2	<1	2.48	<2	<2	<5	143	<2	8.02	<0.2	<2	<2	<2	14.2	<2	<2	<5	<25	<1	<1	<1
	3/28/2017	n/a	<2	<2	27.1	<2	<1	2.26	3.13	<2	<5	181	<2	5.8	<0.2	<2	<2	<2	12.8	<2	<2	<5	<25	<1	<1	<1
	9/27/2017	n/a	<2	<2	26.8	<2	<1	2.91	<2	<2	<5	<100	<2	5.69	<0.2	<2	<2	<2	13.7	<2	<2	<5	<25	<1	<1	<1
	4/20/2018	n/a	<10*	<23.4*	35.9	<0.416*	<1.2*	1.72	<12.5*	0.699	<5*	500	<15.6*	9.54	0.025	<10*	<52*	<20.8*	13.6	<73*	<41.6*	0.5	7.89	<5*	<5*	<2*
	10/23/2018	n/a	<36*	<23.5*	31.1	<0.624*	<1.2*	1.67	2.33	<13.5*	<5*	321	<15.6*	24.1	0.025	3	<52*	<20.8*	13.2	<73*	<728*	<21*	5.34	<5*	<5*	<2*
	4/23/2019	n/a	<2.08*	0.682	30.5	<0.26*	0.038	2.01	0.241	0.145	0.31	30.6	0.443	5.43	<0.2*	0.53	<2.08*	<0.26*	12.7	<0.26*	<20.8*	0.127	7.32	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	7.24	33.1	<0.26*	<0.26*	2.01	0.408	0.49	0.328	2360	0.663	67.3	<0.2*	0.31	<2.08*	<0.26*	7.83	<0.26*	<20.8*	0.206	<20.8*	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	2.32	32.6	<0.26*	0.071	1.42	0.48	0.314	0.546	553	2.16	12.6	<0.2*	0.96	<5.2*	<0.312*	9.77	0.063	<20.8*	0.617	8.36	<1*	<1*	<1*
	10/6/2020	n/a	<2.08	5.35	30.1	<0.26	<0.26	2.02	0.283	0.193	0.123	1510	0.285	29.9	<0.2	0.27	<5.2	<0.312	4.12	<0.26	<20.8	0.138	<20.8	<1	<1	<2
	4/6/2021	n/a	<2.08*	6.44	31.2	<0.26*	<0.26*	1.6	<0.26*	0.209	0.144	1860	0.946	10.6	<0.2*	1.02	<5.2*	<0.312*	10	<0.26*	<20.8*	0.126	5.37	<1*	<1*	<2*
	10/5/2021	n/a	<2	7.54	33.9	<0.25	<0.25	2.09	0.313	0.045	0.184	1820	0.187	14.8	<0.2	<0.5	<5	<0.3	1.54	<0.25	<20	0.134	<20	<1	<1	<2
	4/19/2022	n/a	<2.08*	5.08	31.3	<0.26*	<0.26*	1.42	0.396	0.082	0.274	1290	0.539	8.55	<0.2*	0.34	<5.2*	<0.312*	8.7	<0.26*	<20.8*	0.171	<20.8*	<1*	<1*	<2*
MW-7	4/13/1999	6.74	<6	<5	<100	<2	<3	9	<10	<20	<5	277	<5	<50	n/a	<10	<10	<10	27.7	<1	n/a	<400	<30	<0.05	<0.5	<1
	7/28/1999	6.93	<6	<5	<100	<2	<3	7	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.8	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/12/1999	7.06	<6	<5	530	<2	<3	7	<10	<20	<5	69	<5	<50	n/a	<10	<10	<10	5.2	<1	n/a	<400	<30	<0.05	<0.5	<1
	1/25/2000	7.07	<6	5	430	<2	<3	8	<10	<20	<5	70	<5	<50	n/a	<10	<10	<10	5.9	6	n/a	<400	<30	<0.05	<0.5	<1
	4/26/2000	6.96	<6	<5	380	<2	<3	8	<10	<20	<5	200	<5	<50	n/a	<10	<10	<10	33.4	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/18/2000	6.96	<6	<5	400	<2	<3	6.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	5.8	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/19/2001	7.05	<6	<5	<100	<2	<3	7	<10	<20	<5	37	<5	<50	n/a	<50	<10	<10	16.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/25/2001	7.01	<6	<5	180	<2	<3	7.25	<10	<20	<5	150	<5	<50	n/a	<10	<10	<10	<5	<2	n/a	<400	<30	<0.05	<0.5	<1
	4/18/2002	6.96	<6	<5	318	<2	<3	4	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/31/2002	7.12	<6	<5	2670	<2	<3	6.5	<10	<20	<5	118	<5	<50	n/a	<10	<10	<10	5.8	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/15/2003	6.98	<6	<5	26	<2	<3	7	<10	<20	<5	46	<5	<50	n/a	<10	<10	<10	11.6	<1	n/a	<400	<30	<0.05	<0.5	<1
	10/29/2003	7.07	<6	<5	279	<2	<3	6.2	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	9.3	<1	n/a	<400	<30	<0.05	<0.5	<1
	4/13/2004	7.16	<6	<5	432	<2	<3	5	<10	<20	<5	153	<5	<50	n/a	<10	<10	<10	10.5	<1	n/a	<400	<30	<0.05	<0.5	<1

NABORS Landfill Historic Data through April 2022

	Sample	pH	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chloride	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Sulfate	Thallium	Tin	Vanadium	Zinc	Benzene	Trichloroethene	Vinyl chloride
	Date	(S.U.)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	10/20/2004	7.02	<6	<5	71	<2	<3	4.5	<10	<20	<5	<30	<5	<50	n/a	<10	<10	<10	6.1	<1	n/a	<400	<30	<0.05	<0.5	<0.6
	4/14/2005	6.77	<2	1.58	25.4	<0.18	0.506	<5	0.293	<20	<2	539	1.14	<30	n/a	<10	<3	<1	13.8	<1	n/a	<20	<10	<0.05	<0.5	<0.6
	10/11/2005	6.62	<6	1.53	77.5	1.87	0.421	9	<0.45	<50	<10	179	<5	632	n/a	14.5	<10	<3	7	<2	n/a	<10	11.8	<1	<1	<1
	4/4/2006	7.6	<2	<5	<50	<0.18	<0.3	<5	0.705	<100	<2	<30	<1	124	n/a	<100	<5	<0.57	10.5	<1	n/a	<2	<100	<0.5	<0.25	<0.5
	7/27/2006	7.62	<1	<10	180	<2	<5	1.7	<10	<10	<20	<100	<5	100	n/a	<20	21	<10	8.9	<1	n/a	<10	<30	<1	<1	<1
	9/6/2006	7.41	<1	<10	190	<2	<5	1.6	<10	<10	<20	<100	<5	200	<0.2	<20	<20	<10	7.9	<1	n/a	<10	<30	<1	<1	<1
	2/7/2007	7.36	<1	<1	150	<2	<5	1.7	<10	<10	<20	<100	<5	160	<0.2	<20	<20	<10	9.9	<1	n/a	<10	<30	<1	<1	<1
	5/24/2007	8.27	<1	<1	160	<2	<5	2.5	<10	<10	<20	<100	<5	91	<0.2	<20	<20	<10	9.1	<1	n/a	<10	<30	<1	<1	<1
	8/25/2007	7.26	<1	<1	150	<2	<5	1.7	<10	<10	<20	<100	5	130	<0.2	<20	39	<10	8.5	<1	n/a	<10	<30	<1	<1	<1
	11/6/2007	6.93	<1	<1	160	<2	<5	2.7	<10	<10	<20	<100	<5	86	<0.2	<20	<20	<10	8	<1	<20	<10	<30	<1	<1	<1
	2/22/2008	7.21	<1	<1	140	<2	<5	2.3	<10	<10	<20	<100	<5	36	<0.2	<20	<20	<10	12	<1	<20	<10	<30	<1	<1	<1
	4/29/2008	7.35	<1	<1	120	<1	<5	2.1	<10	<10	<1	<100	<5	25	<0.2	<20	<1	<10	12	<1	<20	<10	11	<1	<1	<1
	8/19/2008	7.26	<1	<1	140	<1	<5	1.7	<10	<10	<20	<100	<5	70	<0.2	<20	<20	<10	9.6	<1	<20	<10	12	<1	<1	<1
	11/18/2008	7.18	<1	<1	140	<2	<5	2.9	<10	<10	<20	<100	<5	99	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	<1	<1
	2/20/2009	7.3	<1	<1	120	<1	<0.5	2.8	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	13	<1	<1	<10	11	<1	<1	<1
	5/20/2009	6.98	<1	<1	100	<1	<5	3.7	<10	<10	<1	<100	<1	27	<0.2	<20	<1	34	14	<1	<1	<10	23	<1	<1	<1
	8/27/2009	6.12	<1	1.5	150	<1	1	2.8	<10	<10	2.2	350	2	850	<0.2	<20	<1	<10	10	<1	<1	<10	71	<1	<1	<1
	12/18/2009	6.9	<1	0.45	130	<2	<5	3.5	<10	7.3	4.5	290	<5	740	0.08	5.4	20	<10	8.9	<1	<20	<10	19	<1	<1	<1
	3/23/2010	7.09	<1	<1	120	<1	<0.5	2.1	<10	5	1.2	110	<1	410	<0.2	54	<1	3.7	10	<1	<1	<10	21	<1	<1	<1
	6/17/2010	n/a	<1	0.52	120	<1	<0.5	2.5	<10	<10	0.59	85	<1	340	<0.2	7.4	<1	<10	7.9	<1	<1	40	15	<1	<1	<1
	9/23/2010	6.91	<1	0.41	82	<1	<0.5	2.5	<10	<10	<2	<100	<1	86	<0.2	<20	<1	<10	9.2	<1	<1	5.6	9.8	<1	<1	<1
	12/8/2010	6.72	0.39	0.73	70	0.49	0.34	3.2	<10	2.5	0.95	67	0.8	360	<0.2	5.9	0.59	<10	11	<1	0.34	<10	13	<1	<1	<1
	3/22/2011	7.02	<1	<1	81	<1	<0.5	2.7	<10	5.8	1.3	180	0.33	690	<0.2	17	<1	<10	12	<1	<1	<10	85	<1	<1	<1
	6/28/2011	6.88	<1	<1	96	<1	<0.5	2.8	<10	12	1.5	340	1.2	1200	<0.2	20	<1	<10	8.1	<1	<1	<10	26	<1	<1	<1
	9/28/2011	n/a	<1	0.32	61	<1	<0.5	2.7	<10	2.4	<2	56	1.1	200	0.03	11	<1	<10	9.9	<1	<1	<10	8	<1	<1	<1
	6/21/2012	n/a	<1	<1	61	<1	<0.5	2.8	<10	<10	<2	<100	<1	86	<0.2	<20	<1	<10	8.1	<1	<1	25	19	<1	<1	<1
	9/19/2012	n/a	<1	<1	110	<1	<0.5	2.8	<10	13	<2	340	<1	1300	<0.2	29	<1	<10	12	<1	<1	<10	35	<1	<1	<1
	3/11/2015	n/a	<0.21	<0.25	35	<0.12	<0.16	1.8	<1.4	<2.3	<0.52	<14	8.5	<1.2	<0.049	<4.9	<0.38	<2.8	9.7	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	37	<0.12	<0.16	2.4	<1.4	<2.3	<0.52	<14	<0.24	22	<0.049	<4.9	<0.38	<2.8	7.2	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	<0.25	37.4	<0.12	<0.16	1.96	<0.54	<0.26	<0.52	<15	<0.24	80.2	<0.049	2.38	<0.38	<0.31	7.19	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	<0.25	34.5	<0.12	<0.16	1.69	<0.54	<0.26	<0.52	<15	<0.24	9.7	<0.049	<0.35	<0.38	<0.31	7.59	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	31.6	<0.12	<0.16	1.69	<0.54	<0.26	<0.52	<15	<0.24	7.78	<0.049	<0.35	<0.38	<0.31	6.66	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	36.5	<0.12	<0.16	1.5	<0.54	<0.26	<0.52	<15	<0.24	55.3	<0.049	<0.35	<0.38	<0.31	6.16	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	38	<2	<1	1.69	<2	<2	<5	<100	<2	43.7	<0.2	<2	<2	<2	6.49	<2	<2	<5	<25	<1	<1	<1
	12/20/2016	n/a	<2	<2	46.2	<2	<1	1.5	<2	3.56	<5	153	<2	363	<0.2	10.6	<2	<2	6.39	<2	<2	<5	<25	<1	<1	<1
	3/29/2017	n/a	<2	<2	31.2	<2	<1	1.91	<2	<2	<5	<100	<2	54.4	<0.2	2.05	<2	<2	6.07	<2	<2	<5	<25	<1	<1	<1
	9/27/2017	n/a	<2	<2	37.1	<2	<1	2.19	<2	<2	<5	<100	<2	22.9	<0.2	<2	<2	<2	5.68	<2	<2	<5	<25	<1	<1	<1
	4/21/2018	n/a	3	<23.4*	35	0.091	<1.2*	1.22	<12.5*	1.54	<5*	142	<15.6*	172	0.025	4	<52*	<20.8*	8.1	<73*	<41.6*	<20*	9.42	<5*	<5*	<2*
	10/23/2018	n/a	<36*	<23.5*	38.4	<0.624*	<1.2*	1.3	2.48	<13.5*	<5*	94.3	<15.6*	19.6	0.025	<10*	<52*	<20.8*	12.2	<73*	<728*	<21*	6.29	<5*	<5*	<2*
	4/23/2019	n/a	<2.08*	0.257	31.1	<0.26*	0.047	1.4	0.294	0.14	0.208	5.47	<0.26*	14.3	<0.2*	0.43	<2.08*	<0.26*	6.97	<0.26*	<20.8*	0.069	<20.8*	<5*	<5*	<2*
	10/7/2019	n/a	<2.08*	0.293	34.5	<0.26*	<0.26*	1.56	0.36	0.125	0.439	4.78	<0.26*	13	<0.2*	0.36	0.666	0.032	6.53	<0.26*	<20.8*	0.092	5.65	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	0.249	28.9	<0.26*	<0.26*	1.03	0.281	0.074	0.237	<20.8*	<0.26*	6.17	<0.2*	0.28	<5.2*	<0.312*	6.17	<0.26*	<20.8*	0.078	<20.8*	<1*	<1*	<1*
	10/5/2020	n/a	<2.08	0.278	32.3	<0.26	0.066	1.54	0.399	<0.26	0.271	<20.8	0.1	3.08	<0.2	<0.52	<5.2	<0.312	5.95	0.077	<20.8	0.117	5.19	<1	<1	<2
	4/5/2021	n/a	<2.08*	0.218	26.1	<0.26*	<0.26*	1.3	0.571	<0.26*	0.229	<20.8*	<0.26*	0.677	0.0125	0.18	<5.2*	<0.312*	6.72	<0.26*	<20.8*	0.066	<20.8*	<1*	<1*	<2*
	10/5/2021	n/a	<2	0.291	34.8	<0.25	<0.25	1.59	0.418	<0.25	0.185	<20	<0.25	<1.5	<0.2	<0.5	<5	<0.3	7.26	<0.25	<20	0.108	<20	<1	<1	<2
	4/18/2022	n/a	<2.08*	0.215	29.7	<0.26*	0.039	1.28	0.401	0.049	0.226	<20.8*	<0.26*	5.11	<0.2*	0.19	<5.2*	<0.312*	6.38	<0.26*	<20.8*	0.065	<20.8*	<1*	<1*	<2*
NAB-1	7/25/2006	7.54	<1	22	27	<2	<5	2.1	<10	<10	<20	<100	<5	100	n/a	<20	22	<10	26	<1	n/a	<10	34	<1	<1	<1
	9/7/2006	7.26	<1	31	27	<2	<5	1.6	<10	<10	<20	100	<5	<10	<0.2	<20	<20	<10	16	<1	n/a	<10	<30	<1	<1	<1
	2/7/2007	7.06	1.4	72	26	<2	<5	1.8	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	21	<1	n/a	<10	<30	<1	<1	<1
	5/24/2007	8.21	1.1	47	28	<2	<5	2.8	<10	<10	<20	370	<5	10	<0.2	<20	<20	<10	16	<1	n/a	<10	64	<1	<1	<1
	8/25/2007	7.29	<1	58	31	5.7	5.7	1.9	<10	<10	<20	<100	<5	13	0.23	<20	<20	<10	16	<1	51	<10	30	<1	<1	<1
	11/6/2007	6.94	<1	60	26	<2	<5	1.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	16	<1	<20	<10	<30	<1	<1	<1
	2/22/2008	7.08	<1	46	25	<2	<5	2.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	22	<1	22	<10	66	<1	<1	<1
	4/29/2008	7.24	1.5	44	27	<1	<0.5	3.1	<10	<10	4.7	<100	<5	14	<0.2	<20	<1	<10	21	<1	<20	<10	100	<1	<1	<1
	8/19/2008	7.19	<1	53	28	<1	<5	2.2	<10	<10	<20	48	<5	11	<0.2	<20	<20	<10	19	<1	<20	<10	140	<1	<1	<1
	11/18/2008	6.98	1.4	37	29	<2	<5	3.3	<10	<10	<20	<100	<5	12	<0.2	<20	<20	<10	24	<1	<20	<10	140	<1	<1	<1
	2/20/2009	7.12	1.2	34	28	<1	<5	3.5	<10	<10	<1	140	<1	12	<0.2	<20	<1	<10	27	<1	<1	<10	140	<1	<1	<1
	5/20/2009	7.4	<1	24	26	<1	<5	3.4	<10	<10	<1	<100	<1	15	<0.2	<20	<1	<10	24	<1	<1	<10	160	<1	<1	<1
	8/19/2009	6.11	<1	23	31	<1	<0.5	4.8	<10	<10	<2	<100	<1	19	<0.2	<20	<1	<10	28	<1	<1	<10	120	<1	<1	<1
	12/17/2009	7.19	0.59	11	31	<2	<5	3.9	2	<10	<20	990	5.4	49	0.03	<20	22	<10	27	<1	<20	<10	170	<1	<1	<1
	3/23/2010	7.19	<1	8.2	32	<1	<0.5	4.6	1.9	3.3	4	1100	5.6	67	<0.2	11	<1	3.7	26	<1	<1	<10	190	<1	<1	<1
	6/16/2010	n/a	0.3	10	32	0.15	0.27	4.4	1.7	<10	1.8	1200	7.2	62	<0.2	11	<1	<10	25	<1	<1	55	200	<1	<1	<1
	9/23/2010	5.56	0.72	17	40	1.1	1.2	4.4	6	<10	2.3	2200	9.3	100	<0.2	9	<1	<10	23	<1	0.42	13	280	<1	<1	<1
	12/7/2010	6.7	0.66	4.9	29	0.51	0.54	3.6	<10	<10	0.94	280	3.2	27	<0.2	8.8	<1	3.6	28	<1	0.38	<10	150	<1	<1	<1
	3/22/2011	6.9	<1	3.9	30	<1	<0.5	4.5	<10	2.1	<2	380	3.2	47	<0.2	6.6	<1	<10	39	<1	<1	<10	220	<1	<1	<1
	6/29/2011	6.65	<1	2.4	30	<1	<0.5	3.8	<10	<10	<2	200	1.6	37	<0.2	10	<1	<10	27	<1	<1	<10	160	<1	<1	<1
	9/28/2011	n/a	<1	3.6	30	<1	<0.5	3.2	<10	<10	<2	140	1.7	23	<0.2	15	<1	<10	27	<1	<1	<10	120	<1	<1	<1
	6/21/2012	n/a	<1	13	36	<1	0.57	3.7	<10	<10	2.4	1500	9.3	68	<0.2	<20	<1	<10	28	<1	<1	36	210	<1	<1	<1
	9/20/2012	n/a	<1	8.1	34	<1	<0.5	3	<10	<10	<2	410	1.8	33	<0.2	<20	<1	<10	29	<1	<1	<10	140	<1	<1	<1

NABORS Landfill Historic Data through April 2022

	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	Vinyl chloride (ug/l)
NAB-2	7/25/2006	7.63	<1	20	28	<2	<5	2.2	<10	<10	<20	<100	<5	23	n/a	<20	23	<10	24	<1	n/a	<10	30	<1	<1	<1
	9/7/2006	7.35	<1	110	31	<2	<5	3.9	<10	<10	<20	330	<5	33	<0.2	<20	<20	<10	53	<1	n/a	<10	<30	<1	<1	<1
	2/7/2007	7.18	<1	12	24	<2	<5	1.7	<10	<10	<20	100	<5	16	<0.2	<20	<20	<10	24	<1	n/a	<10	<30	<1	<1	<1
	5/24/2007	8.36	<1	13	24	<2	<5	2.4	<10	<10	<20	<100	<5	14	<0.2	<20	<20	<10	19	<1	n/a	<10	31	<1	<1	<1
	8/25/2007	7.21	<1	7.9	20	<2	<5	1.5	<10	<10	<20	<100	<25	10	<0.2	<20	<20	<10	18	<1	110	<10	49	<1	<1	<1
	11/6/2007	6.9	<1	44	23	<2	<5	1.9	<10	<10	<20	140	16	19	<0.2	<20	<20	<10	20	<1	<20	<10	72	<1	<1	<1
	2/22/2008	7.01	<1	13	24	<2	<5	2.2	<10	<10	<20	<100	<5	16	<0.2	<20	<20	<10	26	<1	22	<10	<30	<1	<1	<1
	4/29/2008	7.07	<1	21	23	<1	<0.5	1.6	<10	<10	<1	<100	<5	13	<0.2	<20	<1	<10	18	<1	<20	<10	62	<1	<1	<1
	8/19/2008	7.33	<1	27	23	<1	<5	1.7	<10	<10	<20	<100	<5	13	<0.2	<20	<20	<10	17	<1	<20	<10	47	<1	<1	<1
	11/18/2008	7.15	<1	25	23	<2	<5	2.6	11	<10	<20	300	5.5	13	<0.2	44	<20	<10	22	<1	<20	<10	61	<1	<1	<1
	2/20/2009	7.19	<1	18	22	<1	<5	2.5	<10	<10	1	<100	1.7	<10	<0.2	<20	<1	<10	25	<1	<1	<10	35	<1	<1	<1
	5/20/2009	6.9	<1	13	22	<1	<5	2.5	<10	<10	<1	<100	<1	15	<0.2	<20	<1	<10	23	<1	<1	<10	32	<1	<1	<1
	8/19/2009	6.13	<1	11	25	<1	<0.5	2.3	<10	<10	<2	<100	<1	<10	<0.2	<20	<1	<10	19	<1	<1	<10	37	<1	<1	<1
	12/16/2009	7.39	0.63	28	23	<2	<5	2.6	<10	<10	<20	140	2.3	8.4	0.03	<20	9.8	<10	18	<1	<20	<10	24	<1	<1	<1
	3/23/2010	7.29	<1	46	24	<1	<0.5	3.2	<10	2.3	<2	350	1.9	15	<0.2	<20	<1	5.8	18	<1	<1	<10	29	<1	<1	<1
	6/17/2010	n/a	0.91	42	23	<1	<0.5	2.3	<10	<10	0.65	430	2.9	12	<0.2	<20	<1	<10	17	<1	0.39	17	28	<1	<1	<1
	9/21/2010	6.77	0.43	120	25	<1	<0.5	2.2	<10	<10	0.65	1000	6.8	27	<0.2	<20	<1	<10	17	<1	<1	5.6	23	<1	<1	<1
	12/7/2010	6.86	0.82	110	25	0.56	0.34	2.4	3	<10	1.3	1600	10	41	<0.2	<20	<1	<10	15	<1	0.77	<10	37	<1	<1	<1
	3/22/2011	7.04	<1	52	23	<1	<0.5	2.5	<10	<10	<2	480	2.8	19	<0.2	<20	<1	<10	18	<1	<1	<10	28	<1	<1	<1
	6/29/2011	6.82	<1	52	23	<1	<0.5	2.6	<10	<10	<2	440	3.2	13	<0.2	<20	<1	<10	16	<1	<1	<10	37	<1	<1	<1
	9/28/2011	n/a	<1	39	25	<1	<0.5	2.7	<10	<10	<2	420	3.3	19	0.03	7.8	<1	<10	14	<1	<1	<10	26	<1	<1	<1
	6/21/2012	n/a	<1	82	32	<1	<0.5	3	<10	<10	3.1	1100	8.6	30	<0.2	<20	<1	<10	14	<1	<1	26	34	<1	<1	<1
	9/20/2012	n/a	<1	110	35	<1	<0.5	2.9	<10	<10	<2	2600	20	66	<0.2	<20	<1	<10	14	<1	<1	<10	36	<1	<1	<1
	3/9/2015	n/a	<0.21	6.6	48	<0.12	<0.16	4.2	<1.4	<2.3	<0.52	<14	6.2	13	<0.049	<4.9	<0.38	<2.8	19	<0.19	<0.3	<2.4	46	<0.33	<0.4	<0.26
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	5.1	48	<0.12	<0.16	4.7	<1.4	<2.3	<0.52	160	<0.24	17	<0.049	<4.9	<0.38	<2.8	18	<0.19	<0.3	<2.4	45	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	3.52	34.4	<0.12	<0.16	5.27	<0.54	<0.26	<0.52	190	2.9	22.4	<0.049	6.26	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	56.6	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	5.57	50.6	<0.12	<0.16	5.72	<0.54	<0.26	<0.52	<15	<0.24	17	<0.049	3.08	<0.38	<0.31	17	<0.19	<0.3	<0.18	37.1	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	6.42	31.7	<0.12	<0.16	6.98	<0.54	<0.26	<0.52	103	<0.24	16.7	<0.049	3.22(B)	<0.38	<0.31	14.7	<0.19	<0.3	<0.18	40.3	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	5.24	50.1	<0.12	<0.16	6.5	<0.54	<0.26	<0.52	108	<0.24	15.9	<0.049	3.29	<0.38	<0.31	14.7	<0.19	<0.3	<0.18	34.8	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	18.3	41	<2	<1	8.12	80.3	<2	12.4	1860	10.5	56	<0.2	51.2	<2	<2	13.2	<2	<2	<5	90.4	<1	<1	<1
	12/20/2016	n/a	<2	6.28	39.4	<2	<1	10.4	5.77	<2	<5	536	3.16	17.4	<0.2	5.86	<2	<2	13.5	<2	<2	<5	60.2	<1	<1	<1
	3/29/2017	n/a	<2	4.66	62	<2	<1	9.73	<2	<2	<5	<100	<2	14.7	<0.2	2.52	<2	<2	15	<2	<2	<5	39	<1	<1	<1
	10/26/2018	n/a	<36*	<23.5*	66.1	<0.624*	<1.2*	11.9	<12.5*	<13.5*	2	184	<15.6*	25.2	<0.2*	5	<52*	<20.8*	18.1	<73*	<728*	<21*	44.3	<5*	<5*	<2*
	4/25/2019	n/a	0.622	18.2	56.9	<0.26*	0.06	12	0.392	0.559	0.396	79.8	1.42	30.4	<0.2*	6.29	<2.08*	<0.26*	21	0.121	<20.8*	0.17	46.9	<5*	<5*	<2*
	10/9/2019	n/a	0.894	54	53.7	0.092	0.093	10.2	4.05	1.29	2.36	903	11.5	48.5	0.025	7.37	<2.08*	<0.26*	16	0.094	1.27	1.25	44.5	<1*	<1*	<1*
	4/21/2020	n/a	0.349	10.5	55.4	<0.26*	0.069	9.37	0.587	0.441	0.385	59.7	1.18	121	<0.2*	12.4	<5.2*	<0.312*	18.6	0.134	<20.8*	0.136	52.8	<1*	<1*	<1*
	10/7/2020	n/a	<2.08	12.2	47.5	<0.26	<0.26	8.76	1.64	0.329	0.239	172	1.54	64.3	<0.2	6.3	<5.2	<0.312	14.3	0.092	<20.8	0.07	36	<1	<1	<2
	4/6/2021	n/a	0.359	17.2	62.6	<0.26*	0.059	7.82	0.985	0.877	0.633	213	3.39	200	0.0175	13.9	<5.2*	<0.312*	17	0.128	<20.8*	0.278	46.3	<1*	<1*	<2*
	10/5/2021	n/a	<2	19	58.7	<0.25	0.048	6.8	3.58	0.612	0.452	380	2.15	71.3	<0.2	7.13	<5	<0.3	13	0.078	<20	0.259	27.4	<1	<1	<2
	4/19/2022	n/a	<2.08*	12.5	60.3	<0.26*	0.05	6.12	1.08	6.05	0.345	173	1.15	240	<0.2*	11.7	<5.2*	<0.312*	13.5	0.123	<20.8*	0.201	37.5	<1*	<1*	<2*
NAB-3	7/25/2006	7.89	<1	<10	31	<2	<5	1.9	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	9.7	<1	n/a	<10	86	<1	<1	<1
	9/8/2006	7.58	<1	<10	32	<2	<5	1.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	9.7	<1	n/a	<10	54	<1	<1	<1
	2/7/2007	7.18	<1	<10	36	<2	<5	1.7	<10	<10	<20	130	<5	31	<0.2	<20	<20	<10	7.2	<1	n/a	<10	89	<1	<1	<1
	5/24/2007	8.11	<1	1.2	40	<2	<5	2.9	<10	<10	<20	<100	<5	76	<0.2	<20	<20	<10	6.1	<1	n/a	<10	79	<1	<1	<1
	8/25/2007	7.29	<1	<10	32	<2	<5	1.9	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	8.7	<1	48	<10	110	<1	<1	<1
	11/6/2007	6.87	<1	<10	36	<2	<5	2.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	<20	<10	110	<1	<1	<1
	2/22/2008	6.28	<1	<1	32	<2	<5	2.6	<10	<10	<20	130	<5	20	<0.2	<20	<20	<10	12	<1	22	<10	130	<1	<1	<1
	4/29/2008	7.34	<1	<1	36	<1	<0.5	3.1	<10	<10	1.1	<100	<5	<10	0.12	<20	<1	<10	12	<1	<20	<10	140	<1	<1	<1
	8/19/2008	7.26	<1	6.6	37	<1	<5	2.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	120	11	<1	<20	<10	120	<1	<1	<1
	11/18/2008	7.03	<1	<1	38	<2	<5	4.5	11	<10	<20	<100	<5	18	<0.2	44	<20	<10	13	<1	<20	<10	150	<1	<1	<1
	2/20/2009	7.06	<1	<1	42	<1	0.56	4.6	<10	<10	1.2	120	<1	16	<0.2	<20	<1	<10	9.4	<1	<1	<10	99	<1	<1	<1
	5/20/2009	6.81	<1	<1	36	<1	<5	3.7	<10	<10	<1	<100	<1	21	<0.2	<20	<1	<10	9.3	<1	<1	<10	120	<1	<1	<1
	8/19/2009	6.07	<1	1.1	44	<1	0.68	3.7	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	8.6	<1	<1	<10	82	<1	<1	<1
	12/15/2009	6.83	<1	1	50	<2	<5	3.9	<10	<10	<20	160	<5	170	0.28	<20	<100	<10	7	<1	130	<10	53	<1	<1	<1
	3/23/2010	6.89	<1	2	39	<1	<0.5	2.4	1.7	2.9	0.62	120	<1	95	0.05	<20	<1	4	18	<1	<1	<10	180	<1	<1	<1
	6/17/2010	n/a	<1	0.9	47	<1	0.49	2.8	1.8	<10	1.2	420	0.75	160	0.18	<20	<1	<10	7.9	<1	<1	46	70	<1	<1	<1
	9/21/2010	6.31	<1	1.3	52	<1	1.1	4.4	<10	2	2	440	2.2	320	0.2	<20	<1	<10	9.8	<1	<1	<10	69	<1	<1	<1
	12/7/2010	6.57	0.4	0.95	48	0.51	0.88	4.4	<10	<10	1.3	130	1.1	140	0.09	<20	<1	9.1	9.8	<1	0.33	10	59	<1	<1	<1
	3/22/2011	6.83	<1	<1	52	<1	0.24	4.2	<10	<10	1.4	220	1.3	340	0.03	<20	<1	<10	12	<1	<1	<10	75	<1	<1	<1
	6/29/2011	6.57	<1	<1	42	<1	<0.5	3.6	<10	<10	1.6	160	0.8	270	0.08	<20	<1	<10	14	<1	<1	<10	77	<1	<1	<1
	9/28/2011	n/a	0.55	2.3	44	0.38	2	3.3	<10	4	2.9	820	4.1	790	0.19	11	<1	<10	21	<1	0.4	2.8	180	<1	<1	<1
	6/20/2012	n/a	<1	1.8	54	<1	2.6	3.5	<10	<10	4.3	980	4.5	820	<0.2	<20	<1	<10	20	<1	<1	30	210	<1	<1	<1
	9/20/2012	n/a	<1	2.2	37	<1	2.3	2.3	<10	<10	4.1	1700	1.8	1100	<0.2	<20	<1	<10	56	<1	<1	<10	240	<1	<1	<1
	3/10/2015	n/a	<0.21	<0.25	33	<0.12	<0.16	2.8	<1.4	<2.3	<0.52	310	6	12	<0.049	<4.9	<0.38	<2.8	14	<0.19	<0.3	<2.4	120	<0.33	<0.4	<0.26
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	<0.25	38	<0.12	<0.16	4.9	<1.4	<2.3	<0.52	140	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	100	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	<0.25	39.2	<0.12	<0.16	5.08	<0.54	<0.26	<0.52	<15	<0.24	11.4	<0.049	<0.35	<0.38	<0.31	12.1	<0.19	<0.3	<0.18	100	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	<0.25	37.2	<0.12	<0.16	3.14	<0.54	<0.26	<0.52	506	<0.24	31.6	<0.049	2.28	<0.38	<0.31	9.93	<0.19	<0.3	<0.18	96.3	<0.331	<0.398	<0.259

NABORS Landfill Historic Data through April 2022

	Sample	pH	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chloride	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Sulfate	Thallium	Tin	Vanadium	Zinc	Benzene	Trichloroethene	Vinyl chloride
	Date	(S.U.)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	3/29/2016	n/a	<0.21	<0.25	45.6	<0.12	<0.16	5.52	2.6(B)	<0.26	<0.52	248	<0.24	44.9	<0.049	2.69(B)	<0.38	<0.31	8.03	<0.19	<0.3	<0.18	70.7	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	38.3	<0.12	<0.16	51	2.71	<0.26	<0.52	<15	<0.24	13.7	<0.049	<0.35	<0.38	<0.31	97.7	<0.19	<0.3	<0.18	57.9	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	39.8	<2	<1	6.08	34.2	<2	<5	519	<2	53	<0.2	23.6	<2	<2	11.8	<2	<2	<5	93	<1	<1	<1
	12/20/2016	n/a	<2	<2	50.2	<2	<1	9.17	<2	<2	<5	108	<2	48.3	<0.2	2.68	<2	<2	8.97	<2	<2	<5	82.3	<1	<1	<1
	3/28/2017	n/a	<2	<2	37.7	<2	<1	5.18	<2	<2	<5	648	<2	30.1	<0.2	2.46	<2	<2	8.24	<2	<2	<5	83.3	<1	<1	<1
	9/27/2017	n/a	<2	<2	47.3	<2	<1	12	<2	<2	<5	187	<2	49.7	<0.2	2.28	<2	<2	9.89	<2	<2	<5	60.3	<1	<1	<1
	4/17/2018	n/a	<10*	<23.4*	43.1	<0.416*	<1.2*	8.92	<12.5*	<10*	<5*	168	<15.6*	30.9	<0.2*	<10*	<52*	<20.8*	10.6	<73*	<41.6*	<20*	91	<5*	<5*	<2*
	10/22/2018	n/a	<36*	<23.5*	54.5	<0.624*	0.691	11.6	<12.5*	<13.5*	1	184	<15.6*	29.2	0.025	3	<52*	<20.8*	11.9	<73*	<728*	<21*	88.7	<5*	<5*	<2*
	4/23/2019	n/a	<2.08*	0.29	43.3	<0.26*	0.372	6.37	0.244	0.043	0.588	7.3	0.086	6.64	<0.2*	0.86	<2.08*	<0.26*	9.47	0.075	<20.8*	0.124	64.4	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	0.329	50.9	<0.26*	0.717	7.15	0.301	<0.26*	0.736	6.74	<0.26*	25.4	0.025	2	<2.08*	<0.26*	6.88	0.102	<20.8*	0.136	73.6	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	0.278	37.6	<0.26*	0.245	4.96	0.237	<0.26*	0.419	9.11	<0.26*	1.54	<0.2*	0.78	<5.2*	<0.312*	9.3	0.063	<20.8*	0.112	67.6	<1*	<1*	<1*
	10/5/2020	n/a	<2.08	0.258	36.5	<0.26	0.611	4.63	0.318	0.084	0.606	7.88	0.184	51.4	<0.2	<0.52	<5.2	<0.312	8.98	0.07	<20.8	0.12	84.8	<1	<1	<2
	4/5/2021	n/a	<2.08*	0.321	37.2	<0.26*	0.246	3.83	0.703	<0.26*	0.478	8.33	<0.26*	1.92	<0.2*	0.82	<5.2*	<0.312*	9.24	0.058	<20.8*	0.101	61.3	<1*	<1*	<2*
	10/4/2021	n/a	<2	0.248	33.2	<0.25	0.406	4.19	0.378	<0.25	1.35	11.3	0.099	16.1	<0.2	0.86	<5	<0.3	10	0.057	<20	0.101	82.2	<1	<1	<2
	4/18/2022	n/a	<2.08*	0.55	39.7	<0.26*	1.14	3.62	0.411	0.336	1.36	42.5	0.685	282	<0.2*	4.04	<5.2*	<0.312*	18	0.063	<20.8*	0.176	122	<1*	<1*	<2*
NAB-4	7/25/2006	7.82	<1	<10	25	<2	<5	2.8	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	43	<1	n/a	<10	220	<1	<1	<1
	9/8/2006	7.74	<1	13	24	<2	<5	2.7	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	34	<1	n/a	<10	150	<1	<1	<1
	2/7/2007	7.41	<1	11	26	<2	<5	3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	27	<1	n/a	<10	210	<1	<1	<1
	5/24/2007	8.26	1.3	5.2	26	<2	<5	4.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	34	<1	n/a	<10	260	<1	<1	<1
	8/25/2007	7.29	1.7	5.9	26	<2	<5	3.2	<10	<10	<20	<100	<5	17	<0.2	<20	29	<10	29	<1	110	<10	370	<1	<1	<1
	11/6/2007	6.89	2.3	7.7	26	<2	<5	3.2	<10	<10	<20	<100	<5	10	<0.2	<20	<20	<10	26	<1	<20	<10	280	<1	<1	<1
	2/22/2008	7.14	1.5	10	31	<2	<5	4.1	<10	<10	<20	1400	<5	<10	<0.2	<20	<20	<10	22	<1	<20	<10	250	<1	<1	<1
	4/29/2008	6.99	1.6	8	29	<1	0.77	4	<10	<10	<1	<100	<5	11	<0.2	<20	<1	<10	26	<1	<20	<10	240	<1	<1	<1
	11/18/2008	6.96	1.8	4.4	20	<2	<5	4.6	<10	<10	<20	<100	6	11	<0.2	21	<20	<10	43	<1	<20	<10	700	<1	<1	<1
	2/20/2009	7.06	1.3	4	23	<1	1.2	3.3	<10	<10	<1	<100	<1	11	<0.2	<20	<1	<10	33	<1	<1	<10	680	<1	<1	<1
	5/20/2009	6.79	<1	2.6	24	<1	0.58	4.6	<10	<10	<1	<100	<1	10	<0.2	<20	<1	<10	33	<1	<1	<10	660	<1	<1	<1
	8/27/2009	6.7	1.5	2.2	33	<1	1.4	4.5	82	<10	6.3	690	<1	48	<0.2	140	<1	<10	32	<1	<1	<10	340	<1	<1	<1
	12/14/2009	6.71	<1	4.1	32	<2	<5	4.3	<10	<10	<20	400	18	34	<0.2	26	<20	<10	35	<1	<200	<10	600	<1	<1	<1
	3/22/2010	6.87	<1	6.7	32	<1	4.3	4.9	8.9	2.2	2.3	1100	7.3	73	<0.2	15	<1	3.6	40	0.28	<1	<10	620	<1	<1	<1
	6/15/2010	n/a	0.4	5.2	32	<1	3.1	4.3	3.4	<10	2	1200	4.9	80	0.02	12	<1	<10	57	0.46	<1	62	670	<1	<1	<1
	9/22/2010	6.87	0.89	4.6	32	0.87	3	4	5	<10	1.4	370	3.6	30	<0.2	8	0.46	<10	76	0.46	0.39	<10	580	<1	<1	<1
	12/8/2010	6.82	<1	3.9	24	<1	2.3	4	<10	<10	<2	310	2.2	19	<0.2	13	<1	9.9	54	<1	<1	<10	600	<1	<1	<1
	3/22/2011	6.9	<1	5.3	24	<1	1.6	3.9	<10	<10	0.83	230	2.4	18	<0.2	9.7	<1	<10	42	<1	<1	<10	640	<1	<1	<1
	6/28/2011	6.62	<1	11	28	<1	1.8	3.7	3	2	<2	250	3.1	19	<0.2	12	<1	<10	32	0.2	<1	<10	440	<1	<1	<1
	9/28/2011	n/a	2.1	16	30	0.32	3.2	3.8	<10	<10	3.2	370	3.7	21	0.03	16	<5	4.1	26	0.28	2	<10	280	<1	<1	<1
	6/21/2012	n/a	<1	11	33	<1	2.4	3.9	<10	<10	5	430	2.8	27	<0.2	<20	<1	<10	40	<1	<1	31	540	<1	<1	<1
	9/20/2012	n/a	<1	20	32	<1	1.7	3.7	<10	<10	<2	740	5.4	40	<0.2	<20	<1	<10	38	<1	<1	<10	400	<1	<1	<1
	3/10/2015	n/a	<0.21	3.3	43	<0.12	1.2	3.7	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	52	<0.19	<0.3	<2.4	830	<0.33	<0.4	<0.26
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	2.7	50	<0.12	1.6	3.7	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	46	<0.19	<0.3	<2.4	930	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	3.62	49.5	<0.12	1.34	4.05	<0.54	<0.26	<0.52	<15	<0.24	8.06	<0.049	14.7	<0.38	<0.31	34.7	<0.19	<0.3	<0.18	660	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	3.38	48.3	<0.12	1.42	3.41	<0.54	<0.26	<0.52	<15	<0.24	7.68	<0.049	10.2	<0.38	<0.31	30	<0.19	<0.3	<0.18	482	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	2.13	56.5	<0.12	1.65	3.87	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	11.1(B)	<0.38	<0.31	46.8	<0.19	<0.3	<0.18	808	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	58.7	<0.12	1.56	3.59	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	11	<0.38	<0.31	59.2	<0.19	<0.3	<0.18	844	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	2.37	40	<2	1.04	4.03	<2	<2	<5	<100	<2	<5	<0.2	11.7	<2	<2	43.7	<2	<2	<5	695	<1	<1	<1
	12/20/2016	n/a	<2	4.58	41.9	<2	1.28	4.11	5.71	<2	<5	247	<2	16.6	<0.2	18.7	<2	<2	41.8	<2	<2	<5	656	<1	<1	<1
	3/28/2017	n/a	<2	4.46	44.6	<2	1.2	3.7	<2	<2	<5	<100	<2	6.21	<0.2	9.69	<2	<2	22.2	<2	<2	<5	460	<1	<1	<1
	4/18/2018	n/a	<10*	<23.4*	46.2	<0.416*	<1.2*	3.41	<12.5*	<10*	<5*	145	<15.6*	<10.4*	<0.2*	10	<52*	<20.8*	49.5	<73*	<41.6*	<20*	1000	<5*	<5*	<2*
	11/2/2018	n/a	<36*	6.96	43.5	<0.624*	1.33	4.38	<12.5*	<13.5*	<5*	176	<15.6*	7.45	<0.2*	15	<52*	<20.8*	43.9	<73*	<728*	<21*	1120	<0.7	<1.5	<0.34
	4/25/2019	n/a	<2.08*	1.96	80	<0.26*	2.98	7.85	0.306	1.16	0.903	15.8	0.237	368	3.55	10.8	0.537	<0.26*	39.2	0.997	<20.8*	0.053	1550	<5*	<5*	<2*
	10/8/2019	n/a	0.596	7.77	65.3	<0.26*	1.95	6.84	0.818	3.73	0.89	237	3.28	293	0.925	12.1	<2.08*	<0.26*	42.3	0.839	<20.8*	0.168	1230	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	2.51	80	<0.26*	3.39	7.23	0.507	1.2	1.19	77.4	0.887	584	2.08	16.4	<5.2*	<0.312*	99.2	1	<20.8*	0.113	1700	<1*	<1*	<1*
	10/6/2020	n/a	0.429	4.7	56.5	<0.26	1.83	7.26	1.35	2.08	0.739	130	1.54	188	1.22	2.26	<5.2	<0.312	67	0.905	<20.8	0.095	1390	<1	<1	<2
	4/6/2021	n/a	<2.08*	3.28	58.7	<0.26*	2.83	5.43	0.104	1.05	0.753	39.5	0.299	295	0.7	16.9	<5.2*	<0.312*	118	0.912	<20.8*	0.065	1910	<1*	<1*	<2*
	10/5/2021	n/a	<2	3.95	57.2	<0.25	1.95	8.7	0.672	0.433	0.564	49.1	0.358	153	0.818	13.2	<5	<0.3	69.3	0.995	<20	0.058	1370	<1	<1	<2
	4/19/2022	n/a	0.771	7.62	52.3	<0.26*	2.32	5.85	1.16	0.805	0.942	165	1.6	183	0.405	12.8	<5.2*	<0.312*	82.4	0.903	<20.8*	0.12	1390	<1*	<1*	<2*
NAB-7	7/25/2006	7.89	<1	<10	19	<2	<5	1.4	<10	<10	<20	<100	<5	<10	n/a	<20	<20	<10	9.6	<1	n/a	<10	58	<1	<1	<1
	9/8/2006	7.5	<1	<10	17	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	n/a	<10	<30	<1	<1	<1
	2/7/2007	7.39	<1	5.6	20	<2	<5	1.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1	<1
	5/24/2007	8.18	<1	1.7	26	<2	<5	2.5	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	13	<1	n/a	<10	33	<1	<1	<1
	8/25/2007	7.3	<1	1.4	18	<2	<5	1.5	<10	<10	<20	<100	6.6	<10	<0.2	<20	24	<10	14	<1	43	<10	42	<1	<1	<1
	11/6/2007	6.91	<1	2.9	19	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	<20	<10	<30	<1	<1	<1
	2/22/2008	7.35	1.6	5.5	22	<2	<5	3.4	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	30	<1	<20	<10	<30	<1	<1	<1
	4/29/2008	7.14	<1	5.5	20	<1	<0.5	2	<10	<10	<1	<100	<5	12	<0.2	<20	<1	<10	19	<1	<20	<10	22	<1	<1	<1
	8/19/2008	7.47	<1	<1	19	<1	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	21	<1	<20	<10	32	<1	<1	<1
	11/18/2008	7.22	1.2	6.7	20	<2	<5	2.5	<10	<10	<20	<100	8.6	<10	<0.2	<20	<20	<10	23	<1	<20	<10	<30	<1	<1	<1
	2/20/2009	7.29	1	1.3	20	<1	0.56	3.1	<10	<10	<1	40	1	<10	<0.2	<20	<1	<10	27	<1	<1	<10	33	<1	<1	<1
	5/20/2009	6.81	<1	2.1	18	<1	0.58	2.6	<10	<10	<1	<100	<1	10	<0.2	<20	<1	<10	17	<1	<1	<10	42	<1	<1	<1
	8/27/2009	6.14	<1	3.8	27	<1	0.62	2.2	<10	<10	<2	140	2.9	14	<0.2	<20	<1	<10	21	<1	<1	<10	36	<1	<1	<1

NABORS Landfill Historic Data through April 2022

	Sample	pH	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chloride	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Sulfate	Thallium	Tin	Vanadium	Zinc	Benzene	Trichloroethene	Vinyl chloride
	Date	(S.U.)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	12/18/2009	7.03	0.24	14	23	0.86	<5	3.3	2.3	1.7	<20	890	40	24	0.07	<20	8.6	<10	21	<1	8.7	<10	58	<1	<1	<1
	3/23/2010	7.11	<1	4.6	20	<1	<0.5	2.8	<10	2	0.69	530	16	24	<0.2	9.9	<1	3.3	25	<1	<1	<10	82	<1	<1	<1
	6/17/2010	n/a	0.51	2.1	22	<1	<0.5	2.4	<10	<10	<2	120	4.3	7.3	<0.2	8.3	<1	<10	22	<1	<1	34	64	<1	<1	<1
	9/23/2010	7.02	<1	7.5	21	<1	<0.5	2	<10	<10	<2	350	18	5.2	<0.2	5.4	<1	<10	22	<1	<1	<10	57	<1	<1	<1
	12/8/2010	6.8	0.66	41	22	0.6	0.26	2.1	<10	<10	0.53	3000	94	20	<0.2	9.5	<1	<10	21	<1	0.39	<10	60	<1	<1	<1
	3/22/2011	7.09	<1	16	21	<1	<0.5	4.3	<10	2.3	<2	1100	42	16	<0.2	9.4	<1	<10	30	<1	<1	<10	61	<1	<1	<1
	6/28/2011	6.91	<1	13	21	<1	<0.5	2.2	<10	<10	<2	1100	41	23	<0.2	5.7	<1	<10	23	<1	<1	<10	59	<1	<1	<1
	9/28/2011	n/a	<1	12	20	<1	<0.5	2	<10	<10	<2	720	21	7.4	0.03	13	<1	<10	17	<1	<1	<10	41	<1	<1	<1
	6/21/2012	n/a	<1	130	28	<1	<0.5	2.2	<10	<10	<2	10000	360	27	<0.2	<20	<1	<10	22	<1	<1	25	150	<1	<1	<1
	9/20/2012	n/a	<1	42	24	<1	<0.5	2	<10	36	<2	3000	130	250	<0.2	<20	<1	<10	18	<1	<1	<10	85	<1	<1	<1
	3/10/2015	n/a	<0.21	<0.25	29	<0.12	<0.16	6.7	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	29	<0.19	<0.3	<2.4	60	<0.33	<0.4	<0.26
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	2.2	25	<0.12	<0.16	3.4	<1.4	<2.3	<0.52	160	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	24	<0.19	<0.3	<2.4	51	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	4.9	23.4	<0.12	<0.16	3.08	<0.54	<0.26	<0.52	262	5.79	8.46	<0.049	7.4	<0.38	<0.31	27.9	<0.19	<0.3	<0.18	51	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	2.83	34.6	<0.12	<0.16	3.53	<0.54	<0.26	<0.52	120	2.32	6.03	<0.049	4.68	<0.38	<0.31	22.4	<0.19	<0.3	<0.18	36.8	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	9.12	28.7	<0.12	<0.16	3.28	<0.54	<0.26	<0.52	805	10.1	9.72	<0.049	6.5(B)	<0.38	<0.31	25.6	<0.19	<0.3	<0.18	51.3	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	3.41	24.1	<0.12	<0.16	2.03	<0.54	2.07	<0.52	172	<0.24	15.4	<0.049	4.42	<0.38	<0.31	20.5	<0.19	<0.3	<0.18	39.6	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	4.97	20.6	<2	<1	2.54	<2	<2	<5	181	3.44	8.1	<0.2	4.8	<2	<2	22.2	<2	<2	<5	39	<1	<1	<1
	12/20/2016	n/a	<2	5.74	23	<2	<1	3.05	7.44	<2	5.29	400	5.55	7.01	<0.2	19.4	<2	<2	29.7	<2	<2	<5	43	<1	<1	<1
	3/28/2017	n/a	<2	3.99	34.4	<2	<1	3.97	<2	<2	<5	270	4.63	8.34	<0.2	4.41	<2	<2	21.2	<2	<2	<5	42.4	<1	<1	<1
	9/28/2017	n/a	<2	8.97	21.7	<2	<1	2.98	<2	<2	<5	136	4.78	5.63	<0.2	6.34	<2	<2	22.9	<2	<2	<5	62.6	<1	<1	<1
	4/21/2018	n/a	<10*	205	63.6	0.0654	1.28	2.32	<12.5*	5.25	2	21800	265	103	0.025	7	<52*	<20.8*	15.2	<73*	<41.6*	5	405	<5*	<5*	<2*
	10/26/2018	n/a	<36*	11.7	22.7	<0.624*	<1.2*	1.58	<12.5*	<13.5*	<5*	1180	13.6	6.09	<0.2*	4	<52*	<20.8*	20.9	<73*	<728*	<21*	43.2	<5*	<5*	<2*
	4/23/2019	n/a	<2.08*	1.47	28.4	<0.26*	0.09	5.22	0.368	0.258	2.41	36.4	0.493	3.31	<0.2*	3.01	<2.08*	<0.26*	18.8	<0.26*	<20.8*	0.091	40	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	4.5	24	<0.26*	<0.26*	2.44	0.333	0.387	0.295	226	2.86	5.83	<0.2*	5.22	<2.08*	<0.26*	24.6	<0.26*	<20.8*	0.134	48.9	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	2.27	25.6	<0.26*	0.162	2.34	0.221	0.115	<0.395*	148	2.05	2.86	<0.2*	1.76	<5.2*	<0.312*	14	<0.26*	<20.8*	0.169	37.4	<1*	<1*	<1*
	10/5/2020	n/a	<2.08	43.3	22.6	0.156	0.084	2.14	0.25	0.598	0.347	5040	63.5	10	<0.2	0.72	<5.2	<0.312	18.3	<0.26	<20.8	1.26	60.2	<1	<1	<2
	4/5/2021	n/a	<2.08*	1.82	24.3	<0.26*	0.134	3.35	0.625	0.151	0.127	40.7	0.441	3.4	0.0125	1.78	<5.2*	<0.312*	17.4	<0.26*	<20.8*	0.092	33.9	<1*	<1*	<2*
	10/4/2021	n/a	<2	3.82	21	<0.25	<0.25	2.96	0.317	0.115	<0.38	240	2.28	2.6	<0.2	2.5	<5	<0.3	19.5	<0.25	<20	0.108	31.8	<1	<1	<2
	4/18/2022	n/a	<2.08*	3.16	25.7	<0.26*	0.227	3.45	0.325	0.126	0.145	233	3.87	2.84	<0.2*	1.51	<5.2*	<0.312*	13.5	<0.26*	<20.8*	0.215	39.8	<1*	<1*	<2*
NAB-8	7/25/2006	7.79	<1	<10	29	<2	<5	1.7	<10	<10	<20	<100	<5	32	n/a	<20	23	<10	24	<1	n/a	<10	<30	<1	<1	<1
	9/8/2006	7.59	<1	<10	33	<2	<5	1.4	<10	<10	<20	<100	<5	18	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1	<1
	2/7/2007	7.39	<1	3.3	48	<2	<5	1.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	10	<1	n/a	<10	<30	<1	<1	<1
	5/24/2007	8.17	<1	2.1	60	<2	<5	2.3	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	12	<1	n/a	<10	<30	<1	<1	<1
	8/25/2007	7.31	<1	<1	58	<2	<5	1.5	13	<10	<20	220	5.5	<10	<0.2	24	49	<10	15	<1	40	<10	39	<1	<1	<1
	11/6/2007	7.07	<1	1.5	49	<2	<5	1.7	<10	<10	<20	<100	6.1	20	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	<1	<1
	2/22/2008	7.26	<1	1.4	47	<2	<5	2	<10	<10	<20	510	<5	17	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	<1	<1
	4/29/2008	6.68	<1	1.4	56	<1	<0.5	1.8	34	<10	3.5	1100	<5	29	<0.2	22	<1	6100	12	<1	<20	<10	37	<1	<1	<1
	11/18/2008	7.57	<1	<1	49	<2	<5	2.1	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	11	<1	<20	<10	<30	<1	<1	<1
	9/22/2010	6.99	0.38	2.7	47	0.93	0.66	1.4	4	<10	1.5	660	3.9	16	<0.2	<20	0.39	<10	9.3	<1	0.59	<10	16	<1	<1	<1
	12/7/2010	6.89	0.93	27	170	3.5	6.4	1.6	63	20	54	48000	150	730	0.14	44	1.5	<10	8.4	0.8	8.4	95	700	<1	<1	<1
	3/23/2011	7.06	<1	1.2	52	<1	<0.5	1.7	<10	<10	1.2	730	2.3	20	<0.2	<20	<1	<10	9.6	<1	<1	<10	22	<1	<1	<1
	6/28/2011	6.88	<1	<1	62	<1	<0.5	2.2	2	<10	1.1	710	2	17	<0.2	<20	<1	<10	14	<1	<1	<10	14	<1	<1	<1
	9/28/2011	n/a	<1	1.5	53	<1	<0.5	2	<10	<10	0.91	390	2.5	14	<0.2	5.6	<1	<10	12	<1	<1	3.5	16	<1	<1	<1
	6/20/2012	n/a	<1	5.4	49	<1	<0.5	1.6	<10	<10	2.1	2800	9.8	41	<0.2	<20	<1	<10	9	<1	2.4	28	23	<1	<1	<1
	9/20/2012	n/a	<1	2.6	35	<1	<0.5	1.7	<10	<10	<2	360	1.8	<10	<0.2	<20	<1	<10	9.8	<1	<1	<10	11	<1	<1	<1
	3/10/2015	n/a	<0.21	5.9	33	<0.12	<0.16	1.8	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	<0.21	2.6	34	<0.12	<0.16	2	<1.4	<2.3	<0.52	140	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	5.88	32.7	<0.12	<0.16	1.92	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.96	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	4.79	30.6	<0.12	<0.16	1.86	<0.54	<0.26	<0.52	<15	<0.24	6.9	<0.049	<0.35	<0.38	<0.31	10.7	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	3.42	29.6	<0.12	<0.16	2.3	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.25	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	3.73	29.7	<0.12	<0.16	1.79	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	10.3	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	2.87	27.6	<2	<1	2.22	<2	<2	<5	<100	<2	5.29	<0.2	<2	<2	<2	9.94	<2	<2	<5	<25	<1	<1	<1
	12/20/2016	n/a	<2	3.54	31.9	<2	<1	2.22	<2	<2	<5	<100	<2	<5	<0.2	<2	<2	<2	11.2	<2	<2	<5	<25	<1	<1	<1
	3/28/2017	n/a	<2	2.32	29	<2	<1	1.94	<2	<2	<5	106	<2	5.05	<0.2	<2	<2	<2	9.68	<2	<2	<5	<25	<1	<1	<1
	9/27/2017	n/a	<2	2.64	30	<2	<1	3.01	<2	<2	<5	114	<2	9.64	<0.2	<2	<2	<2	11.6	<2	<2	<5	<25	<1	<1	<1
	4/30/2018	n/a	<10*	<23.4*	33.6	0.538	<1.2*	1.6	<12.5*	<10.4*	<5*	159	<15.6*	4.87	<0.2*	<10*	<52*	<20.8*	12.7	<73*	<41.6*	<20*	5.02	<5*	<5*	<2*
	10/30/2018	n/a	<36*	<23.5*	91.8	0.195	0.911	n/a	4.71	<13.5*	3	2460	11	40.8	<0.2*	3	<52*	<20.8*	n/a	<73*	<728*	6	64.7	<5*	<5*	<2*
	11/2/2018	n/a	n/a	n/a	n/a	n/a	n/a	3.21	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	15.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	4/24/2019	n/a	<2.08*	2.37	30.1	<0.26*	0.118	1.74	0.26	0.107	0.649	46.4	1.44	9.05	<0.2*	0.2	<2.08*	<0.26*	9.96	<0.26*	<20.8*	0.14	9.19	<5*	<5*	<2*
	10/10/2019	n/a	0.731	3.24	39.6	<0.26*	0.465	2.38	0.913	0.481	4.71	499	4.65	18.6	<0.2*	1.06	<2.08*	0.015	12.7	<0.26*	1.28	1.07	27.5	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	2.12	30.2	<0.26*	0.668	1.62	0.392	0.042	1.5	128	0.795	4.05	<0.2*	0.32	<5.2*	<0.312*	11.3	<0.26*	<20.8*	0.279	7.51	<1*	<1*	<1*
	4/7/2021	n/a	0.988	1.42	35.3	<0.26*	1.5	n/a	0.811	0.143	3.44	232	1.1	5.63	0.015	1.9	<5.2*	<0.312*	n/a	<0.26*	2.42	0.85	18.7	<1*	<1*	<2*
	4/22/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	5/4/2022	n/a	0.384	1.68	32.7	<0.26*	0.207	1.78	0.465	0.038	1.06	49.4	0.309	3.23	<0.2*	2.07	<5.2*	<0.312*	10.6	<0.26*	<20.8*	0.096	10.7	<1*	<1*	<2*
NE-2	6/21/2012	n/a	<1	35	43	<1	0.53	63	<10	<10	5.5	15000	2.8	81	<0.2	<20	1.9	<10	2200	<1	<1	<10	<10	<1	<1	<1
	9/20/2012	n/a	<1	44	29	<1	<0.5	60	<10	<10	3.4	11000	<1	51	<0.2	<20	<1	<10	1600	<1	<1	<10	<10	<1	<1	<1
	3/10/2015	n/a	<0.21	14	19	<0.12	<0.16	43	<1.4	<2.3	<0.52	2700	13	71	<0.049	22	<0.38	<2.8	1600	<0.19	<0.3	<2.4	32	<0.33	<0.4	<0.26

NABORS Landfill Historic Data through April 2022

	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	Vinyl chloride (ug/l)
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/8/2015	n/a	<0.21	6.9	18	<0.12	<0.16	36	<1.4	<2.3	<0.52	5000	<0.24	69	<0.049	30	<0.38	<2.8	1500	<0.19	<0.3	<2.4	1000	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	3.92	19.9	<0.12	<0.16	30.6	<0.54	2.66	<0.52	988	2.08	66	<0.049	12	<0.38	<0.31	1180	<0.19	<0.3	<0.18	156	<0.331	<0.398	<0.259
	12/14/2015	n/a	<0.21	3.77	24.6	<0.12	<0.16	28.9	<0.54	<0.26	<0.52	1020	<0.24	59.1	<0.049	12.5	<0.38	<0.31	1060	<0.19	<0.3	<0.18	248	<0.331	<0.398	<0.259
	3/28/2016	n/a	<0.21	4.09	18.6	<0.12	<0.16	27.9	<0.54	<0.26	<0.52	1830	<0.24	45.4	<0.049	11.3(B)	<0.38	<0.31	933	<0.19	<0.3	<0.18	214	<0.331	<0.398	<0.259
	6/27/2016	n/a	<0.754	4.72	19.2	<0.12	<0.16	25.9	<0.54	2.36	<0.52	1520	<0.24	52.8	<0.049	10.8	<0.38	<0.31	870	<0.19	<0.3	<0.18	133	<0.331	<0.398	<0.259
	9/19/2016	n/a	<2	4.69	19.9	<2	<1	25.1	<2	2.82	<5	1670	<2	65.6(O1)	<0.2	9.44	<2	<2	849	<2	<2	<5	83.4	<1	<1	<1
	12/19/2016	n/a	<2	<2	18.5	<2	<1	24.9	<2	<2	<5	600	<2	22	<0.2	7.19	<2	<2	737	<2	<2	<5	79.7	<1	<1	<1
	3/27/2017	n/a	<2	<2	19	<2	<1	24.7	<2	<2	<5	276	<2	26.6	<0.2	7.84	<2	<2	773	<2	<2	<5	205	<1	<1	<1
	9/26/2017	n/a	<2	<2	20.2	<2	<1	24.9	<2	<2	<5	414	<2	34.4	<0.2	7.86	<2	<2	693	<2	<2	<5	273	<1	<1	<1
	4/21/2018	n/a	3	<23.4*	20.7	0.121	<1.2*	23.1	<12.5*	4.94	<5*	631	<15.6*	82.2	0.025	7	<52*	<20.8*	688	<73*	<41.6*	<20*	12.9	<5*	<5*	<2*
	10/30/2018	n/a	<36*	25.6	132	<0.624*	<1.2*	18.3	17.9	9.45	8	5220	27.2	229	<0.2*	40	<52*	<20.8*	570	<73*	<728*	20	56.2	<5*	<5*	<2*
	4/24/2019	n/a	2.71	12.2	24	<0.26*	0.173	15	0.499	4.28	0.813	116	0.29	23.8	<0.2*	30.9	1.96	<0.26*	488	0.08	<20.8*	4.46	20.7	<5*	<5*	<2*
	10/9/2019	n/a	<2.08*	4.9	26.3	<0.26*	0.134	15.1	0.66	1.42	1.2	462	0.426	40.3	0.025	5.8	0.631	<0.26*	399	0.057	<20.8*	1.31	7.69	<1*	<1*	<1*
	4/21/2020	n/a	<2.08*	2.02	22.9	<0.26*	0.086	10.7	0.982	1.06	1.28	50.6	0.123	20.6	<0.2*	6.71	<5.2*	<0.312*	344	0.052	<20.8*	1.56	<20.8*	<1*	<1*	<1*
	10/7/2020	n/a	<2.08	0.916	28.1	<0.26	0.089	10.4	0.435	1.04	1.13	38.4	0.145	45.4	<0.2	3.31	<5.2	<0.312	264	<0.26	<20.8	0.565	4.98	<1	<1	<2
	4/7/2021	n/a	<2.08*	1.14	33.4	<0.26*	0.362	9.82	1.29	0.325	1.49	262	1.18	11.3	0.015	5.21	<5.2*	<0.312*	352	0.081	<20.8*	1.01	31.3	<1*	<1*	<2*
	10/6/2021	n/a	<2	3.67	70	0.148	0.311	18	7.06	4.1	5.9	2530	9.86	145	0.0275	7.51	<5	<0.3	256	0.086	<20	6.48	36.2	<1	<1	<2
	4/20/2022	n/a	<2.08*	0.567	24.9	<0.26*	0.128	9.86	0.535	0.106	0.999	159	0.154	1.96	<0.2*	4.95	<5.2*	<0.312*	295	0.078	<20.8*	0.45	12.4	<1*	<1*	<2*
NE-3	6/20/2012	n/a	<1	16	160	<1	1.5	2.2	50	12	19	14000	39	480	<0.2	32	1.3	<10	34	<1	4.3	17	270	<1	<1	<1
	9/20/2012	n/a	<1	3.7	120	<1	0.72	1.8	<10	<10	<2	1400	2.3	55	<0.2	<20	<1	<10	27	<1	18	<10	70	<1	<1	<1
	3/11/2015	n/a	<0.21	<0.25	150	<0.12	<0.16	5.5	<1.4	<2.3	<0.52	<14	6.7	26	<0.049	<4.9	<0.38	<2.8	22	<0.19	<0.3	<2.4	47	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	<0.21	3.4	180	<0.12	<0.16	6.3	<1.4	<2.3	<0.52	1000	3.1	96	<0.049	<4.9	<0.38	<2.8	16	<0.19	<0.3	<2.4	97	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	2.29	<0.36	<0.12	<0.16	6.56	<0.54	<0.26	<0.52	151	<0.24	49.4	<0.049	3.37	<0.38	<0.31	12.2	<0.19	<0.3	<0.18	36.2	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	2.81	131	<0.12	<0.16	5.61	8.93	2.06	<0.52	1210	3.93	76.8	<0.049	10.2	<0.38	<0.31	24.5	<0.19	<0.3	<0.18	85.4	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	131	<0.12	<0.16	6.2	<0.54	<0.26	<0.52	<15	<0.24	26	<0.049	3.95	<0.38	<0.31	19.2	<0.19	<0.3	<0.18	44.1	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	153	<0.12	<0.16	5.89	<0.54	<0.26	<0.52	127	<0.24	53.4	<0.049	3.32	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	69.3	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	197	<2	<1	5.64	<2	<2	<5	<100	<2	62.7(O1)	<0.2	<2	<2	<2	11	<2	<2	<5	38.7	<1	<1	<1
	12/20/2016	n/a	<2	<2	128	<2	<1	5.54	<2	<2	<5	<100	<2	32.9	<0.2	3.64	<2	<2	15.3	<2	<2	<5	41.1	<1	<1	<1
	3/28/2017	n/a	<2	<2	152	<2	<1	5.8	<2	<2	<5	<100	<2	19.1	<0.2	4.18	<2	<2	32.9	<2	<2	<5	53.2	<1	<1	<1
	9/27/2017	n/a	<2	<2	167	<2	<1	6.9	<2	<2	<5	<100	<2	56.2	<0.2	<2	<2	<2	12.3	<2	<2	<5	69.2	<1	<1	<1
	4/17/2018	n/a	<10*	<23.4*	140	<0.416*	<1.2*	3.38	<12.5*	<10*	<5*	125	<15.6*	26.8	<0.2*	<10*	<52*	<20.8*	13.9	<73*	<41.6*	<20*	57	<5*	<5*	<2*
	10/22/2018	n/a	<36*	<23.5*	131	<0.624*	<1.2*	2.9	1.83	<13.5*	<5*	122	<15.6*	72.1	<0.2*	6	<52*	<20.8*	26.2	<73*	<728*	<21*	49.3	<5*	<5*	<2*
	4/22/2019	n/a	<2.08*	0.385	119	<0.26*	0.076	3.26	0.294	0.147	0.232	21.1	<0.26*	7.64	<0.2*	2.73	<2.08*	0.059	23.5	0.074	<20.8*	0.139	44.7	<5*	<5*	<2*
	10/7/2019	n/a	<2.08*	1.17	94	<0.26*	<0.26*	2.24	0.326	2.61	0.079	187	<0.26*	64.6	<0.2*	4.25	<2.08*	0.016	19.9	0.108	<20.8*	<0.26*	<20.8*	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	0.394	101	<0.26*	0.076	1.93	0.28	0.104	0.164	18	<0.26*	5.88	<0.2*	3.03	<5.2*	<0.312*	22.5	0.088	<20.8*	0.172	42.4	<1*	<1*	<1*
	10/5/2020	n/a	<2.08	0.604	97.4	<0.26	<0.26	1.94	0.348	2.01	0.148	104	0.109	52.1	<0.2	2.09	<5.2	<0.312	19.5	0.09	<20.8	0.056	<20.8	<1	<1	<2
	4/5/2021	n/a	<2.08*	0.36	116	<0.26*	0.068	2.19	0.608	0.103	0.362	21.3	0.083	11.1	0.015	2.27	<5.2*	<0.312*	22.3	0.06	<20.8*	0.141	38.3	<1*	<1*	<2*
	10/4/2021	n/a	<2	0.482	103	<0.25	<0.25	2.72	0.377	1.66	<0.38	69.4	<0.25	45.6	<0.2	3.48	<5	<0.3	18.7	0.112	<20	0.049	<20	<1	<1	<2
	4/18/2022	n/a	0.656	0.39	125	<0.26*	0.106	1.8	0.368	0.111	0.316	25.8	<0.26*	12.8	<0.2*	1.94	<5.2*	0.108	18.6	0.075	<20.8*	0.122	38.9	<1*	<1*	<2*
NE-4	9/27/2017	n/a	<2	3.11	31.4	<2	<1	3.96	<2	<2	<5	145	<2	11.9	<0.2	9.19	<2	<2	21.9	<2	<2	<5	233	<1	<1	<1
	4/30/2018	n/a	<10*	7.87	33.2	0.0639	<1.2*	2.62	<12.5*	0.934	<5*	357	4.28	24.4	<0.2*	8	<52*	<20.8*	28.3	<73*	<41.6*	<20*	153	<5*	<5*	<2*
	10/30/2018	n/a	<36*	<23.5*	47	<0.624*	<1.2*	5.31	<12.5*	<13.5*	<5*	164	<15.6*	20.2	<0.2*	8	5.66	<20.8*	26.8	<73*	<728*	<21*	149	<5*	<5*	<2*
	4/25/2019	n/a	<2.08*	2.8	30.8	<0.26*	0.114	4.07	0.444	1.15	0.917	75.6	0.616	24.4	<0.2*	11.6	<2.08*	<0.26*	27.8	0.14	<20.8*	0.133	184	<5*	<5*	<2*
	10/9/2019	n/a	<2.08*	6.16	34.6	<0.26*	0.145	3.09	1.41	0.963	0.647	350	1.91	42.4	0.025	10.1	<2.08*	<0.26*	25.6	0.119	<20.8*	0.72	165	<1*	<1*	<1*
	4/21/2020	n/a	0.641	2.4	27.2	<0.26*	0.16	2.39	0.871	1.18	0.647	91.6	0.583	25	<0.2*	9.59	<5.2*	<0.312*	22.3	0.143	<20.8*	0.22	211	<1*	<1*	<1*
	10/6/2020	n/a	<2.08	4.91	28.7	<0.26	0.138	2.63	0.933	0.825	0.789	344	1.67	33.3	<0.2	0.94	<5.2	<0.312	23.1	0.114	<20.8	0.338	177	<1	<1	<2
	4/6/2021	n/a	<2.08*	1.82	26.8	<0.26*	0.146	2.77	0.111	0.463	0.378	29.3	0.222	21.7	<0.2*	6.99	<5.2*	<0.312*	23.1	0.115	<20.8*	0.052	232	<1*	<1*	<2*
	10/5/2021	n/a	<2	3.44	32.4	<0.25	0.09	3.08	1.52	0.462	0.524	154	0.622	20.5	<0.2	5.91	<5	<0.3	19.9	0.107	<20	0.142	191	<1	<1	<2
	4/19/2022	n/a	<2.08*	3.98	29.7	<0.26*	0.18	2.6	1.21	0.342	0.996	209	1.17	22.9	<0.2*	5.46	<5.2*	<0.312*	20.8	0.092	<20.8*	0.191	207	<1*	<1*	<2*
NE-6	6/20/2012	n/a	<1	6.3	31	<1	0.85	2	<10	<10	<2	2700	2.3	36	<0.2	<20	<1	<10	31	<1	<1	<10	750	<1	<1	<1
	9/20/2012	n/a	<1	4	33	<1	0.5	2.1	<10	<10	<2	2000	2.3	27	<0.2	<20	<1	<10	36	<1	<1	<10	710	<1	<1	<1
	3/11/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2	<1.4	<2.3	<0.52	<14	7	<1.2	<0.049	<4.9	<0.38	<2.8	33	<0.19	<0.3	<2.4	600	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/9/2015	n/a	3.7	<0.25	32	<0.12	<0.16	2.3	<1.4	<2.3	<0.52	<14	<0.24	<1.2	<0.049	<4.9	<0.38	<2.8	32	<0.19	<0.3	<2.4	630	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	<0.25	28.9	<0.12	<0.16	2.36	<0.54	<0.26	<0.52	<15	<0.24	6.11	<0.049	4.75	<0.38	<0.31	29	<0.19	<0.3	<0.18	623	<0.331	<0.398	<0.259
	12/14/2015	n/a	<0.21	<0.25	30	<0.12	<0.16	2.09	4.05	<0.26	<0.52	<15	<0.24	<0.25	<0.049	4.99	<0.38	<0.31	32.5	<0.19	<0.3	<0.18	627	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	29.2	<0.12	<0.16	2.42	<0.54	<0.26	<0.52	<15	<0.24	5.04	<0.049	4.72	<0.38	<0.31	31.3	<0.19	<0.3	<0.18	682	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	32.6	<0.12	<0.16	2.08	<0.54	<0.26	<0.52	185	<0.24	24.3	<0.049	3.97	<0.38	<0.31	28	<0.19	<0.3	<0.18	462	<0.331	<0.398	<0.259
	9/20/2016	n/a	<2	<2	29.3	<2	<1	2.24	<2	<2	<5	270	<2	7.59	<0.2	3.31	<2	<2	29.9	<2	<2	<5	290	<1	<1	<1
	12/21/2016	n/a	<2	<2	32.8	<2	<1	2.3	3.12	<2	<5	345	<2	15.2	<0.2	7.82	<2	<2	22.4	<2	<2	<5	202	<1	<1	<1
	3/29/2017	n/a	<2	<2	31.1	<2	<1	2.21	<2	<2	<5	<100	<2	9.5	<0.2	4.71	<2	<2	26.2	<2	<2	<5	409	<1	<1	<1
	9/28/2017	n/a	<2	<2	31.6	<2	<1	2.82	<2	<2	<5	309	<2	20.1	<0.2	2.93	<2	<2	13.4	<2	<2	<5	183	<1	<1	<1
	4/17/2018	n/a	<10*	<23.4*	29.9	0.511	<1.2*	1.56	<12.5*	<10.4*	<5*	139	<15.6*	4.66	0.025	4	<52*	<20.8*	25.6	<73*	<41.6*	<20*	676	<5*	<5*	<2*
	10/22/2018	n/a	<36*	<23.5*	34.3	<0.624*	<1.2*	1.83	3.62	<13.5*	<5*	246	<15.6*	12.2	<0.2*	9	<52*	<20.8*	20.3	<73*	<728*	<21*	336	<5*	<5*	<2*
	4/22/2019	n/a	<2.08*	0.382	29.3	<0.26*	0.051	2.15	0.263	0.339	<0.26*	21.2	0.14	3.57	<0.2*	4.48	<2.08*	<0.26*	33	0.084	<20.8*	<0.26*	727	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	0.57	30.5	<0.26*	<0.26*	2.09	0.338	0.305	<0.26*	83.3	0.567	9.31	<0.2*	3.62	<2.08*	<0.26*	22.2	<0.26*	<20.8*	<0.26*	178	<1*	<1*	<1*

NABORS Landfill Historic Data through April 2022

	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	Vinyl chloride (ug/l)
	4/20/2020	n/a	<2.08*	0.392	27.8	<0.26*	0.359	1.74	0.281	0.307	<0.395*	19.6	0.205	2.71	<0.2*	5.02	<5.2*	<0.312*	31.5	0.088	<20.8*	<0.26*	826	<1*	<1*	<1*
	10/6/2020	n/a	<2.08	0.424	27.5	<0.26	0.083	2.16	0.34	0.159	<0.395	73.8	0.11	2.93	<0.2	0.25	<5.2	<0.312	29.8	0.055	<20.8	<0.26	421	<1	<1	<2
	4/6/2021	n/a	<2.08*	0.325	26.8	<0.26*	0.205	2.36	<0.26*	0.25	<0.395*	19.4	0.179	2.11	<0.2*	5.37	<5.2*	<0.312*	31.9	0.073	<20.8*	<0.26*	899	<1*	<1*	<2*
	10/5/2021	n/a	<2	0.576	31	<0.25	<0.25	3.78	0.355	0.225	<0.38	72.6	<0.25	6.41	<0.2	3.66	<5	<0.3	22.1	<0.25	<20	<0.25	202	<1	<1	<2
	4/18/2022	n/a	<2.08*	0.347	28.4	<0.26*	0.103	2.47	0.378	0.388	<0.395*	57.6	0.122	5.41	<0.2*	4.82	<5.2*	<0.312*	33	0.066	<20.8*	<0.26*	812	<1*	<1*	<2*
SP Class I Draw	6/10/2015	n/a	2	37	170	<0.12	1	25	<1.4	<2.3	<0.52	51000	4.5	2600	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	2.9	42.6	<0.12	<0.16	33.6	<0.54	<0.26	<0.52	1120	2.87	149	<0.049	3.93	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/16/2015	n/a	<0.21	3.21	50.6	<0.12	<0.16	31.3	2	<0.26	<0.52	2090	4.65	149	<0.049	4.14	<0.38	<0.31	6.34	<0.19	<0.3	<0.18	33.5	<0.331	<0.398	<0.259
	3/30/2016	n/a	<0.21	<0.25	75.1	<0.12	2.32	10.9	<0.54	<0.26	<0.52	951	2.56	622	<0.049	2.55	<0.38	<0.31	44.9	<0.19	<0.3	<0.18	56.5	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	2.78	52.8	<0.12	<0.16	42.2	<0.54	<0.26	<0.52	1250	2.24	171	<0.049	4.61	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/21/2016	n/a	<2	3.19	44.6	<2	<1	39.9	<2	<2	<5	947	<2	170	<0.2	4.03	<2	<2	<5	<2	<2	<5	<25	<1	<1	<1
	12/21/2016	n/a	<2	<2	66.1	<2	<1	45	<2	<2	<5	567	<2	464	<0.2	3.33	<2	<2	<5	<2	<2	<5	<25	<1	<1	<1
	9/28/2017	n/a	<2	<2	68.9	<2	<1	48.7	<2	<2	<5	285	<2	69.3	<0.2	4.75	<2	<2	13.2	<2	<2	<5	<25	<1	<1	<1
	4/17/2018	n/a	<10*	<23.4*	43.5	<0.416*	<1.2*	11	<12.5*	<10*	<5*	205	<15.6*	13.7	<0.2*	<10*	<52*	<20.8*	8.86	<73*	<41.6*	<20*	<16*	<5*	<5*	<2*
	10/9/2019	n/a	<2.08*	0.953	38.1	<0.26*	<0.26*	9.44	0.825	0.522	0.83	1710	1.18	149	0.025	1.02	<2.08*	<0.26*	5.6	<0.26*	<20.8*	1	13.1	<1*	<1*	<1*
	4/19/2022	n/a	<2.08*	0.886	30	<0.26*	0.075	3.88	0.473	0.695	0.452	528	0.851	181	<0.2*	0.65	<5.2*	<0.312*	2.66	<0.26*	<20.8*	0.383	35.1	<1*	<1*	<2*
SP Class IV Draw	6/10/2015	n/a	<0.21	<0.25	96	<0.12	1.9	13	<1.4	<2.3	<0.52	1400	3.6	670	<0.049	<4.9	<0.38	<2.8	49	<0.19	<0.3	<2.4	40	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	4.01	99.6	<0.12	3.19	13.6	<0.54	5.95	<0.52	3920	5.96	3680	<0.049	5.89	<0.38	<0.31	34.7	<0.19	<0.3	<0.18	100	<0.331	<0.398	<0.259
	12/16/2015	n/a	<0.21	<0.25	53.8	<0.12	<0.16	5.98	<0.54	<0.26	<0.52	655	2.74	328	<0.049	<0.35	<0.38	<0.31	37.8	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/30/2016	n/a	<0.21	3.63	66	<0.12	<0.16	44.2	2.24	2.04	5.09	3390	3.93	363	<0.049	6.24	<0.38	<0.31	5.24	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/21/2016	n/a	<2	<2	52.9	<2	1.78	11.9	<2	<2	<5	<100	<2	223	<0.2	2.63	<2	<2	40	<2	<2	<5	45.9	<1	<1	<1
	10/18/2018	n/a	<36*	5.6	56	<0.624*	0.966	9.24	<12.5*	<13.5*	<5*	335	<15.6*	335	<0.2*	4	<52*	<20.8*	29	<73*	<728*	<20*	37.4	<5*	<5*	<2*
	10/8/2019	n/a	<2.08*	1.5	78.1	<0.26*	<0.26*	9.53	0.374	1.04	0.182	1810	0.303	551	<0.2*	1.31	<2.08*	<0.26*	27.9	<0.26*	<20.8*	0.284	<20.8*	<1*	<1*	<1*
	4/19/2022	n/a	<2.08*	0.475	29.9	<0.26*	0.141	2.26	0.401	0.205	0.592	158	1.33	42.1	<0.2*	0.65	<5.2*	<0.312*	8.95	<0.26*	<20.8*	0.375	34.3	<1*	<1*	<2*
SP LF Ent Seep	6/20/2012	n/a	<1	10	120	<1	<0.5	12	<10	<10	<2	10000	1.3	2300	<0.2	<20	<1	<10	<5	<1	<1	<10	<10	<1	<1	<1
	6/10/2015	n/a	2.2	2.6	61	<0.12	<0.16	14	<1.4	<2.3	<0.52	870	<0.24	230	<0.049	<4.9	<0.38	<2.8	8.2	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	3.27	74.7	<0.12	<0.16	14.3	<0.54	<0.26	<0.52	1190	2.09	547	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/16/2015	n/a	<0.21	9.71	78.1	<0.12	<0.16	12.1	5.1	5	6.5	6770	17.9	1100	<0.049	5.72	<0.38	<0.31	7.74	<0.19	<0.3	11	95.7	<0.331	<0.398	<0.259
	3/30/2016	n/a	<0.21	9.77	112	<0.12	<0.16	15.1	4.27	5.55	5.09	8340	14.2	1490	<0.049	5.51	<0.38	<0.31	6.72	<0.19	<0.3	8.9	67.8	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	3.45	41	<0.12	<0.16	10.6	<0.54	<0.26	<0.52	306	<0.24	60	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/21/2016	n/a	<2	37.4	140	<2	<1	13.3	<2	6.92	<5	21200	<2	2630	<0.2	4.05	<2	<2	<5	<2	<2	<5	<25	<1	<1	<1
	12/21/2016	n/a	<2	3	79.8	<2	<1	12.7	<2	2.41	<5	2010	<2	914	<0.2	2.36	<2	<2	<5	<2	<2	<5	<25	<1	<1	<1
	9/29/2017	n/a	<2	14.1	152	<2	<1	13.9	2.35	13.1	<5	12700	6.72	5290	<0.2	6.89	<2	<2	<5	<2	<2	<5	49.3	<1	<1	<1
	4/29/2018	n/a	<10*	7.7	85.6	0.0349	<1.2*	10.7	<12.5*	5.3	<5*	1960	<15.6*	1010	0.025	4	<52*	<20.8*	8.68	<73*	<41.6*	<20*	<15.6*	<5*	<5*	<2*
	10/23/2018	n/a	<36*	7.66	101	<0.624*	<1.2*	6.66	<12.5*	8.23	<5*	3560	<15.6*	1920	0.025	4	<52*	<20.8*	5.82	<73*	<728*	<21*	<15.6*	<5*	<5*	<2*
	4/25/2019	n/a	<2.08*	1.89	52.5	<0.26*	<0.26*	5.72	0.423	3.39	0.625	1830	0.552	203	<0.2*	1.53	<2.08*	<0.26*	4.28	<0.26*	<20.8*	0.531	<20.8*	<5*	<5*	<2*
	10/9/2019	n/a	<2.08*	9.46	98.4	<0.26*	<0.26*	5.96	0.371	8.69	0.146	4000	0.218	2000	<0.2*	4.82	<2.08*	<0.26*	3.98	0.084	<20.8*	0.097	<20.8*	0.167	<1*	0.29
	4/20/2020	n/a	1.19	6.3	79.8	<0.26*	0.049	8.49	0.303	7.05	0.182	2690	<0.26*	1340	<0.2*	6.37	<5.2*	0.135	3.89	0.106	<20.8*	0.087	<20.8*	0.3	0.315	0.433
	10/7/2020	n/a	<2.08	5.5	106	<0.26	<0.26	5.66	0.336	9.77	<0.395	4840	0.384	2800	<0.2	5.49	<5.2	<0.312	2.82	0.061	<20.8	0.088	<20.8	<1	<1	<2
	10/7/2020	n/a	<2.08	5.5	106	<0.26	<0.26	5.66	0.336	9.77	<0.395	4840	0.384	2800	<0.2	5.49	<5.2	<0.312	2.82	0.061	<20.8	0.088	<20.8	<1	<1	<2
	4/6/2021	n/a	<2.08*	15.3	97	<0.26*	<0.26*	7.88	0.0859	7.01	0.583	10800	0.201	1950	<0.2*	5.99	<5.2*	<0.312*	4.83	0.081	<20.8*	0.174	7.98	<1*	<1*	<2*
	10/5/2021	n/a	<2	16.6	123	<0.25	<0.25	5.83	0.363	10.9	0.443	12200	0.359	2270	<0.2	5.53	<5	<0.3	2.47	0.07	<20	0.152	6.74	<1	<1	<2
	10/5/2021	n/a	<2	16.6	123	<0.25	<0.25	5.83	0.363	10.9	0.443	12200	0.359	2270	<0.2	5.53	<5	<0.3	2.47	0.07	<20	0.152	6.74	<1	<1	<2
	4/18/2022	n/a	<2.08*	6.1	82	<0.26*	0.065	5.58	0.327	5.93	0.413	2670	0.097	1180	<0.2*	4.82	<5.2*	<0.312*	5.05	0.052	<20.8*	0.062	5.45	0.213	<1*	<2*
SP NE-3	3/10/2015	n/a	<0.21	<0.25	24	<0.12	<0.16	2.1	<1.4	<2.3	<0.52	1500	5	23	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.1	<0.25	47	<0.12	<0.16	7.6	<1.4	<2.3	<0.52	1200	3.4	99	<0.049	<4.9	<0.38	<2.8	7.9	<0.19	<0.3	<2.4	76	<0.33	<0.4	<0.26
	9/15/2015	n/a	<0.21	<0.25	30.2	<0.12	<0.16	11.3	<0.54	<0.26	<0.52	595	2.57	14.9	<0.049	<0.35	<0.38	<0.31	7.2	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/15/2015	n/a	<0.21	4.5	32.1	<0.12	<0.16	19.1	3.69	<0.26	<0.52	3730	12.4	16.4	<0.049	3.58	<0.38	<0.31	6.81	<0.19	<0.3	7.42	52.2	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	39.1	<0.12	<0.16	5.84	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	7.33	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/27/2016	n/a	<0.754	<0.25	39.7	<0.12	<0.16	5.54	<0.54	<0.26	<0.52	<15	<0.24	50	<0.049	<0.35	<0.38	<0.31	6.98	<0.19	<0.3	<0.18	29.3	<0.331	<0.398	<0.259
	10/22/2018	n/a	<36*	<23.5*	28.8	<0.624*	<1.2*	1.78	<12.5*	<13.5*	<5*	171	<15.6*	6.83	<0.2*	<10*	<52*	<20.8*	5.61	<73*	<728*	<21*	21.9	<5*	<5*	<2*
	4/22/2019	n/a	<2.08*	0.199	27.3	<0.26*	0.123	1.62	0.368	0.054	0.4	43.3	0.427	4.23	<0.2*	0.29	<2.08*	0.022	5.12	<0.26*	<20.8*	0.231	18.5	<5*	<5*	<2*
	10/9/2019	n/a	<2.08*	0.712	18.9	<0.26*	0.086	0.705	1.31	0.17	0.896	525	1.88	5.79	0.025	0.82	<2.08*	<0.26*	4	<0.26*	<20.8*	1.85	21.2	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	0.268	25.2	<0.26*	0.116	1.29	0.458	0.099	0.607	122	0.912	8.2	<0.2*	0.54	<5.2*	0.587	4.51	<0.26*	<20.8*	0.487	24.7	<1*	<1*	<1*
	4/5/2021	n/a	<2.08*	0.152	26.7	<0.26*	0.094	1.68	0.611	0.041	0.449	25.1	0.361	3.44	0.0125	0.44	<5.2*	<0.312*	6.78	<0.26*	<20.8*	0.211	19.6	<1*	<1*	<2*
	4/18/2022	n/a	<2.08*	0.168	23.5	<0.26*	0.082	1.28	0.358	<0.26*	0.35	30.6	0.219	0.818	<0.2*	0.29	<5.2*	<0.312*	4.92	<0.26*	<20.8*	0.229	13.3	<1*	<1*	<2*
SP RD	7/18/2007	n/a	<1	1.1	50	<2	<5	n/a	<10	<10	<20	1600	<5	77	<0.2	<20	<20	<10	n/a	<1	n/a	<10	220	n/a	n/a	n/a
SP-4	4/19/2022	n/a	<2.08*	47.5	74.1	<0.26*	0.042	2.03	0.28	52.4	0.278	15800	<0.26*	5390	<0.2*	70.9	<5.2*	<0.312*	1.33	0.257	<20.8*	0.093	12.8	0.22	<1*	0.471
SP-5	4/29/2008	8.23	<1	1.5	140	<1	<0.5	11	<10	<10	1.1	<100	<5	1200	<0.2	<20	<1	<10	18	<1	<20	<10	18	<1	<1	<1
SP-7	7/18/2007	n/a	<1	3.5	76	<2	<5	3.2	<10	<10	<20	3100	<5	1500	<0.2	<20	<20	<10	14	<1	n/a	<10	<30	<1	<1	<1
	8/25/2007	n/a	<1	14	71	<2	<5	2.5	<10	<10	<20	6400	<5	1600	<0.2	<20	25	15	8.2	<1	n/a	<10	<30	<1	<1	<1
	2/22/2008	5.29	<1	5.4	63	63	<5	3.2	<10	<10	<20	6600	6.8	490	<0.2	<20	<20	<10	16	<1	<20	12	64	<1	<1	<1

NABORS Landfill Historic Data through April 2022

	Sample	pH	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chloride	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Sulfate	Thallium	Tin	Vanadium	Zinc	Benzene	Trichloroethene	Vinyl chloride
	Date	(S.U.)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(mg/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	4/29/2008	7.95	<1	<1	48	<1	<0.5	3.2	<10	<10	1.2	1200	<5	290	<0.2	<20	<1	<10	11	<1	<20	<10	<10	<1	<1	<1
	2/20/2009	8.3	<1	2.5	55	<1	<0.5	5.1	<10	<10	1.7	1800	2.4	400	<0.2	<20	<1	<10	12	<1	<1	<10	57	<1	<1	<1
	12/18/2009	n/a	0.29	1	62	<1	<0.5	8.9	<10	1.8	<2	1600	0.53	650	0.03	<20	0.66	<10	9.1	<1	<1	<10	8.2	<1	<1	<1
	9/23/2010	7.93	<1	2.5	56	<1	<0.5	10	<10	<10	2	3300	5.5	430	<0.2	<20	0.45	5.1	8.5	<1	<1	9.4	26	<1	<1	<1
	12/8/2010	7.69	<1	0.97	59	<1	<0.5	9.6	<10	3	<2	720	<1	680	<0.2	<20	<1	<10	7.1	<1	<1	<10	6	<1	<1	<1
	3/21/2011	6.54	<1	4.4	62	<1	<0.5	17	<10	<10	1.7	4200	2.8	720	<0.2	<20	<1	<10	14	<1	<1	<10	28	<1	<1	<1
	6/29/2011	7.52	<1	2.2	59	<1	<0.5	11	<10	<10	1	2300	3.1	660	<0.2	<20	<1	<10	12	<1	<1	<10	15	<1	<1	<1
	9/27/2011	n/a	0.31	3.9	55	0.39	<0.5	11	<10	<10	1.2	3400	2.3	650	0.03	9.8	0.57	4.3	10	<1	<1	<10	10	<1	<1	<1
	9/19/2012	n/a	<1	3.4	65	<1	<0.5	9.7	<10	<10	<2	1900	<1	1200	<0.2	<20	<1	<10	8.1	<1	<1	<10	<10	<1	<1	<1
	3/9/2015	n/a	<0.21	<0.25	50	<0.12	<0.16	13	<1.4	<2.3	<0.52	1200	5.3	110	<0.049	<4.9	<0.38	<2.8	12	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	3.1	2.6	67	<0.12	<0.16	15	<1.4	<2.3	<0.52	2300	<0.24	460	<0.049	<4.9	<0.38	<2.8	7.2	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	5.03	52.6	<0.12	<0.16	11.7	<0.54	<0.26	<0.52	2360	2.13	525	<0.049	2.05	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/16/2015	n/a	<0.21	2.5	45	<0.12	<0.16	13.6	<0.54	<0.26	<0.52	1330	2.33	123	<0.049	2.17	<0.38	<0.31	7.47	<0.19	<0.3	<0.18	29.1	<0.331	<0.398	<0.259
	3/30/2016	n/a	<0.21	5.47	66.3	<0.12	<0.16	14.8	<0.54	<0.26	<0.52	4480	3.52	653	<0.049	2.68	<0.38	<0.31	8.28	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	4.66	54.3	<0.12	<0.16	11.7	<0.54	<0.26	<0.52	1960	<0.24	385	<0.049	2.07	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/21/2016	n/a	<2	6.55	88.5	<2	<1	14.9	<2	3.21	<5	2300	<2	1570	<0.2	3.27	<2	<2	<5	<2	<2	<5	<25	<1	<1	<1
	12/21/2016	n/a	<2	4.73	72.7	<2	<1	16.1	<2	2.71	<5	2050	<2	1140	<0.2	3.35	<2	<2	5.17	<2	<2	<5	<25	<1	<1	<1
	9/28/2017	n/a	<2	5.33	65.4	<2	<1	12.1	<2	2.65	<5	1680	<2	1220	<0.2	2.87	<2	<2	<5	<2	<2	<5	<25	<1	<1	<1
	4/29/2018	n/a	<10*	<23.4*	47.6	0.111	<1.2*	4.38	<12.5*	1.3	1	2260	<15.6*	192	<0.2*	<10*	<52*	<20.8*	10.1	<73*	<41.6*	4	28.6	<5*	<5*	<2*
	10/23/2018	n/a	<36*	<23.5*	42.7	<0.624*	<1.2*	3.02	<12.5*	<13.5*	<5*	1270	<15.6*	536	0.025	<10*	<52*	<20.8*	5.37	<73*	<728*	<21*	7.59	<5*	<5*	<2*
	10/7/2019	n/a	<2.08*	1.99	29.3	<0.26*	<0.26*	1.76	0.549	0.602	0.692	1010	1.52	208	<0.2*	0.9	0.612	<0.26*	1.94	<0.26*	<20.8*	0.73	6.18	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	1.83	35.8	<0.26*	<0.26*	1.87	0.437	0.659	0.69	1540	1.42	243	<0.2*	7.9	<5.2*	<0.312*	6.57	<0.26*	<20.8*	0.569	6.6	<1*	<1*	<1*
	10/7/2020	n/a	<2.08	8.97	61.6	<0.26	<0.26	2.54	0.296	2.96	0.127	3230	0.112	1550	<0.2	2.61	<5.2	<0.312	2.98	0.053	<20.8	0.069	5.4	<1	<1	<2
	4/6/2021	n/a	<2.08*	3.02	47.6	<0.26*	0.095	3.2	0.405	0.916	0.539	2120	0.72	503	0.015	1.07	<5.2*	<0.312*	7.28	<0.26*	<20.8*	0.308	5.05	<1*	<1*	<2*
	10/5/2021	n/a	<2	10.6	74.5	<0.25	<0.25	3.01	0.447	3.8	0.23	3920	0.732	1870	<0.2	3.35	<5	<0.3	2.79	0.072	<20	0.252	<20	<1	<1	<2
	4/18/2022	n/a	<2.08*	1.97	41.4	<0.26*	0.039	2.13	0.635	0.542	0.865	1760	1.24	228	<0.2*	0.79	<5.2*	<0.312*	8.05	<0.26*	<20.8*	0.809	10.4	<1*	<1*	<2*
SPRING A	1/31/2007	n/a	1.1	2	45	<2	<5	3.6	<10	<10	<20	870	<5	79	<0.2	<20	<20	<10	15	<1	n/a	<10	84	<1	<1	<1
	7/18/2007	n/a	<1	2.2	33	<2	<5	1.2	<10	<10	<20	1600	<5	50	<0.2	<20	25	<10	<5	<1	n/a	<10	54	<1	<1	<1
	8/25/2007	n/a	<1	<1	26	<2	<5	1.3	<10	<10	<20	360	<5	52	<0.2	<20	<20	<10	<5	<1	n/a	<10	42	<1	<1	<1
	11/6/2007	n/a	<1	1	62	<2	<5	1.4	<10	<10	<20	3300	5	130	<0.2	<20	<20	<10	<5	<1	<20	<10	<30	<1	<1	<1
	2/22/2008	6.22	<1	2.1	45	<2	<5	2.8	<10	<10	<20	2600	<5	44	<0.2	<20	<20	<10	14	<1	<20	<10	87	<1	<1	<1
	4/29/2008	7.45	<1	1.1	34	<1	<0.5	2.3	<10	<10	<1	620	<5	150	<0.2	<20	<1	<10	5.4	<1	<20	<10	22	<1	<1	<1
	11/18/2008	8.04	<1	<1	34	<2	<5	2.1	<10	<10	<20	260	<5	81	<0.2	<20	<20	<10	6.1	<1	<20	<10	<30	<1	<1	<1
	2/20/2009	7.64	<1	<1	45	<1	0.54	2.8	<10	<10	<1	550	1.2	62	<0.2	<20	<1	<10	14	<1	<1	<10	41	<1	<1	<1
	5/20/2009	7.15	<1	<1	29	<1	<5	2.5	<10	<10	<1	150	<1	59	<0.2	<20	<1	<10	7.1	<1	<1	<10	21	<1	<1	<1
	8/27/2009	6.29	<1	<1	41	<1	1.8	3.9	<10	<10	<2	220	<1	120	<0.2	<20	<1	<10	12	<1	<1	<10	190	<1	<1	<1
	12/18/2009	n/a	<1	<1	44	<1	1.2	5.2	<10	<10	<2	78	0.29	120	0.03	<20	<1	<10	16	<1	<1	<10	98	<1	<1	<1
	3/23/2010	6.32	<1	<1	45	<1	0.62	3.5	<10	<10	1.2	580	0.46	140	<0.2	<20	<1	3.4	16	<1	<1	<10	91	<1	<1	<1
	6/17/2010	n/a	<5	<5	46	<1	1.1	4.4	<10	<10	<10	98	<5	90	0.02	<20	<5	<10	17	<5	<5	30	120	<1	<1	<1
	9/23/2010	6.92	<1	0.89	34	<1	0.35	2.2	<10	<10	<2	600	1.4	74	<0.2	<20	<1	<10	5.8	<1	<1	4	32	<1	<1	<1
	12/8/2010	7.61	0.5	0.54	39	0.5	0.68	3.5	<10	<10	<2	110	0.48	38	<0.2	<20	<1	<10	11	<1	0.32	<10	77	<1	<1	<1
	3/22/2011	7.24	<1	<1	43	<1	<0.5	3.5	<10	<10	<2	110	<1	50	<0.2	<20	<1	<10	16	<1	<1	<10	64	<1	<1	<1
	6/28/2011	7.25	<1	<1	47	<1	<0.5	4.9	<10	<10	<2	120	0.38	56	<0.2	<20	<1	<10	20	<1	<1	<10	57	<1	<1	<1
	9/28/2011	n/a	<1	3.1	37	<1	0.3	3.2	<10	<10	<2	82	0.8	140	0.05	8	<1	<10	11	<1	<1	3.5	94	<1	<1	<1
	6/20/2012	n/a	<1	<1	41	<1	1.3	4.6	<10	<10	<2	<100	<1	190	<0.2	<20	<1	<10	18	<1	<1	<10	150	<1	<1	<1
	9/19/2012	n/a	<1	<1	42	<1	<0.5	3.9	<10	<10	<2	<100	<1	200	<0.2	<20	<1	<10	13	<1	<1	<10	130	<1	<1	<1
	3/11/2015	n/a	<0.21	<0.25	38	<0.12	<0.16	2	<1.4	<2.3	<0.52	290	9.8	20	<0.049	<4.9	<0.38	<2.8	10	<0.19	<0.3	<2.4	45	<0.33	<0.4	<0.26
	3/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.8	<0.25	49	<0.12	<0.16	3.6	<1.4	<2.3	<0.52	<14	<0.24	19	<0.049	<4.9	<0.38	<2.8	19	<0.19	<0.3	<2.4	35	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	<0.25	32.7	<0.12	<0.16	1.86	<0.54	<0.26	<0.52	248	<0.24	79.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/16/2015	n/a	<0.21	<0.25	32.8	<0.12	<0.16	1.03	<0.54	<0.26	<0.52	516	<0.24	17.5	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	36.4	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	40.2	<0.12	<0.16	2.95	<0.54	<0.26	<0.52	<15	<0.24	32.7	<0.049	<0.35	<0.38	<0.31	14.1	<0.19	<0.3	<0.18	37.3	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	27.8	<0.12	<0.16	1.88	<0.54	<0.26	<0.52	<15	<0.24	34.9	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	9/21/2016	n/a	<2	<2	39.9	<2	<1	2.73	<2	<2	<5	<100	<2	229	<0.2	4.47	<2	<2	9.55	<2	<2	<5	117	<1	<1	<1
	12/21/2016	n/a	<2	<2	41.8	<2	1.61	2.37	<2	<2	<5	118(B)	<2	327	<0.2	4.46	<2	<2	8.17	<2	<2	<5	122	<1	<1	<1
	10/23/2018	n/a	<36*	<23.5*	38.4	<0.624*	<1.2*	1.1	<12.5*	<13.5*	<5*	143	<15.6*	19.2	0.025	<10*	<52*	<20.8*	6.33	<73*	<728*	<21*	33.2	<5*	<5*	<2*
	4/23/2019	n/a	<2.08*	0.344	41.8	<0.26*	0.328	2.04	0.266	0.188	0.33	37.2	0.159	16.2	<0.2*	0.37	<2.08*	<0.26*	12.6	<0.26*	<20.8*	0.272	24.6	<5*	<5*	<2*
	10/7/2019	n/a	0.543	0.454	39.7	<0.26*	0.823	1.63	0.421	1.1	0.652	146	0.409	177	0.025	4.08	<2.08*	0.09	6.77	<0.26*	<20.8*	0.523	121	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	1.31	32.6	<0.26*	0.039	<0.5*	1.03	0.259	1.28	590	1.81	9.47	<0.2*	1.05	<5.2*	<0.312*	1.37	<0.26*	<20.8*	1.55	14.8	<1*	<1*	<1*
	4/5/2021	n/a	<2.08*	0.362	36.5	<0.26*	0.27	1.78	0.624	0.142	0.493	72.6	0.297	11.3	0.0175	0.48	<5.2*	<0.312*	11.5	<0.26*	<20.8*	0.374	24.9	<1*	<1*	<2*
	10/5/2021	n/a	<2	0.463	57.5	<0.25	0.904	2.81	0.402	0.739	0.555	133	0.371	198	<0.2	4.62	<5	<0.3	14.4	0.058	<20	0.495	148	<1	<1	<2
	4/18/2022	n/a	<2.08*	1.51	34	0.14	0.154	0.836	1.81	0.362	2.28	1520	3.33	14.3	<0.2*	1.63	<5.2*	<0.312*	0.926	<0.26*	<20.8*	2.64	58.8	<1*	<1*	<2*
SPRING B																										
	1/31/2007	n/a	<1	1	84	<2	<5	4.1	<10	<10	<20	<100	<5	82	<0.2	<20	<20	<10	13	<1	n/a	<10	<30	<1	<1	<1
	2/22/2008	4.67	<1	<1	68	<2	<5	6.6	<10	<10	<20	320	<5	<10	<0.2	<20	<20	<10	31	<1	<20	7.3	<30	<1	<1	<1
	4/29/2008	7.5	<1	3.4	99	<1	<0.5	9	<10	13	1.4	3400	<5	2600	<0.2	<20	<1	<10	6	<1	<20	<10	<10	<1	<1	<1
	2/20/2009	7.7	<1	<1	130	<1	<0.5	15	<10	<10	<1	<100	<1	380	<0.2	<20	<1	<10	19	<1	1.6	<10	49	<1	<1	<1
	12/18/2009	n/a	<1	1.4	120	<1	<0.5	39	<10	4.6	<2	3400	<1	1400	0.03	<20	0.86	<10	7.6	<1	<1	<10	21	<1	<1	<1
	3/23/2010	7.56	<1	2.2	56	<1	<0.5	15	3.5	2.7	3.2	2500	3.3	160	<0.2	<20	0.71	3.6	12	<1	<1	4.8	40	<1	<1	<1

NABORS Landfill Historic Data through April 2022

	Sample Date	pH (S.U.)	Antimony (ug/l)	Arsenic (ug/l)	Barium (ug/l)	Beryllium (ug/l)	Cadmium (ug/l)	Chloride (mg/l)	Chromium (ug/l)	Cobalt (ug/l)	Copper (ug/l)	Iron (ug/l)	Lead (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Nickel (ug/l)	Selenium (ug/l)	Silver (ug/l)	Sulfate (mg/l)	Thallium (ug/l)	Tin (ug/l)	Vanadium (ug/l)	Zinc (ug/l)	Benzene (ug/l)	Trichloroethene (ug/l)	Vinyl chloride (ug/l)
	3/22/2011	7.55	<1	<1	140	<1	<0.5	80	<10	<10	<2	180	<1	160	<0.2	<20	<1	<10	42	<1	<1	<10	24	<1	<1	<1
	3/9/2015	n/a	<0.21	<0.25	120	<0.12	<0.16	76	<1.4	<2.3	<0.52	370	6.3	320	<0.049	<4.9	<0.38	<2.8	21	<0.19	<0.3	<2.4	31	<0.33	<0.4	<0.26
	3/9/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	2.6	<0.25	150	<0.12	<0.16	110	<1.4	<2.3	<0.52	530	<0.24	820	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	44	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	<0.25	93.1	<0.12	<0.16	109	<0.54	<0.26	<0.52	<15	<0.24	74.2	<0.049	8.19	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/16/2015	n/a	<0.21	<0.25	106	<0.12	<0.16	77.3	<0.54	<0.26	<0.52	134	<0.24	141	<0.049	5.85	<0.38	<0.31	17.2	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/30/2016	n/a	<0.21	<0.25	103	<0.12	<0.16	99.3	<0.54	<0.26	<0.52	111	<0.24	67.8	<0.049	6.33	<0.38	<0.31	10.7	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
TSP-1 SP	1/31/2007	n/a	<1	1	47	<2	<5	3.3	<10	<10	<20	340	<5	<10	<0.2	<20	<20	<10	11	<1	n/a	<10	31	<1	<1	<1
	7/18/2007	n/a	<1	<1	52	<2	<5	4.2	<10	<10	<20	580	<5	81	<0.2	<20	40	<10	8	<1	n/a	<10	92	<1	<1	<1
	2/22/2008	7.45	<1	<1	46	<2	<5	4.2	<10	<10	<20	720	<5	10	<0.2	<20	<20	<10	14	<1	<20	<10	58	<1	<1	<1
	4/29/2008	7.56	<1	<1	72	<1	0.66	3.3	<10	<10	3.7	3500	13	64	<0.2	<20	<1	<10	12	<1	<20	<10	69	n/a	n/a	n/a
	11/18/2008	7.71	<1	<1	42	<2	<5	5	<10	<10	<20	160	<5	32	<0.2	<20	<20	<10	10	<1	<20	<10	<30	<1	<1	<1
	2/20/2009	7.86	<1	<1	48	<1	<1	4.4	<10	<10	<1	100	<1	<10	<0.2	<20	<1	<10	15	<1	<1	<10	35	<1	<1	<1
	12/17/2009	n/a	0.21	1	48	<1	0.6	6.2	1.8	<10	0.88	1400	3.2	93	0.05	<20	<1	<10	18	<1	<1	<10	74	<1	<1	<1
	3/23/2010	7.79	<1	<1	43	<1	<0.5	6.7	<10	2.1	<2	320	0.41	16	<0.2	<20	<1	3.3	34	<1	<1	<10	71	<1	<1	<1
	3/22/2011	7.93	<1	<1	59	<1	<0.5	6.6	<10	<10	<2	310	<1	51	<0.2	<20	<1	<10	20	<1	<1	<10	120	<1	<1	<1
	6/29/2011	7.44	<1	1.5	97	<1	0.16	6.2	<10	<10	2	1200	27	130	0.03	<20	<1	<10	16	<1	<1	4.9	140	<1	<1	<1
	4/16/2018	n/a	<10*	<23.4*	38.8	0.457	0.422	1.54	<12.5*	0.468	<5*	286	<15.6*	32.9	0.025	<10*	<52*	<20.8*	9.52	<73*	<41.6*	<20*	33.6	<5*	<5*	<2*
	10/18/2018	n/a	<36*	6.33	93.2	<0.624*	<1.2*	7.93	2.17	<13.5*	<5*	163	<15.6*	24.3	<0.2*	<10*	<52*	<20.8*	14.2	<73*	<728*	<20*	44	<5*	<5*	<2*
	10/9/2019	n/a	<2.08*	0.449	73.3	<0.26*	0.329	3.09	0.344	0.192	0.265	49.2	0.095	59.1	<0.2*	0.68	0.629	<0.26*	10.1	<0.26*	<20.8*	0.39	33.3	<1*	<1*	<1*
	4/20/2020	n/a	0.394	0.301	47.1	<0.26*	0.266	2.42	0.295	0.157	0.293	67.2	0.166	31	<0.2*	0.51	<5.2*	<0.312*	8.65	0.047	<20.8*	0.265	26.8	<1*	<1*	<1*
	4/18/2022	n/a	<2.08*	0.255	46.6	<0.26*	0.478	2.44	0.409	0.066	0.467	79.3	0.201	11	<0.2*	0.98	<5.2*	<0.312*	8.65	<0.26*	<20.8*	0.269	56.6	<1*	<1*	<2*
TSP-2 SP	1/31/2007	n/a	<1	1.3	39	<2	<5	2.5	<10	<10	<20	270	<5	12	<0.2	<20	<20	<10	7.3	<1	n/a	<10	74	<1	<1	<1
	12/16/2009	n/a	0.92	1.6	100	<1	0.34	4.7	<10	3.5	0.7	1700	2.8	4000	0.04	<20	<1	<10	3.1	<1	<1	<10	43	<1	<1	<1
	3/23/2010	7.48	<1	0.27	93	<1	<0.5	4.1	<10	5.5	1.4	420	<1	2500	<0.2	<20	<1	<10	23	<1	<1	<10	43	<1	<1	<1
	6/17/2010	n/a	<1	4.7	140	0.16	<0.5	4.6	7	3.7	4	6100	32	1200	0.02	<20	0.54	<10	9.2	<1	<1	54	180	<1	<1	<1
	9/21/2010	6.13	<1	0.78	90	<1	<0.5	4.8	<10	4.5	<2	190	0.61	560	<0.2	17	<1	8.2	16	<1	<1	<10	8.9	<1	<1	<1
	12/7/2010	7.45	0.56	1.1	80	0.58	2	4.5	<10	<10	0.73	1100	2.8	710	<0.2	<20	<1	<10	7.1	<1	0.42	<10	170	<1	<1	<1
	3/22/2011	7.52	<1	2	88	<1	<0.5	4.9	1.9	<10	1.7	2200	5.7	520	<0.2	<20	<1	<10	15	<1	<1	3.5	60	<1	<1	<1
	6/29/2011	7.25	<1	5.1	110	<1	<0.5	6.2	4	6.2	4.3	5100	20	1000	0.06	7	<1	<10	11	<1	<1	9	100	<1	<1	<1
	9/28/2011	n/a	<1	4.8	140	<1	<0.5	7.6	5.9	5.2	3.2	6300	27	630	0.04	12	<1	<10	21	<1	<1	12	68	<1	<1	<1
	9/19/2012	n/a	<1	<1	200	<1	0.9	14	<10	<10	<2	540	5.4	1500	<0.2	<20	<1	<10	11	<1	<1	<10	74	<1	<1	<1
	4/16/2018	n/a	2	<23.4*	114	0.448	0.391	42.1	<12.5*	2.04	<5*	189	<15.6*	251	0.025	3	<52*	<20.8*	28.6	2	<41.6*	<20*	52.3	<5*	<5*	<2*
TSP-3 SP	1/31/2007	n/a	<1	2.1	70	<2	<5	3.1	<10	<10	<20	140	<5	2200	<0.2	<20	<20	<10	<5	<1	n/a	<10	<30	<1	<1	<1
	2/22/2008	7.1	<1	<1	76	<2	<5	5	<10	<10	<20	<100	<5	32	<0.2	<20	<20	<10	8	<1	<20	<10	<30	<1	<1	<1
	5/20/2009	7.45	<1	<1	75	<1	<5	4.1	<10	<10	<1	<100	<1	<10	<0.2	<20	<1	<10	4.3	<1	<1	<10	<30	<1	<1	<1
	3/23/2010	7.96	<1	0.86	39	<1	<0.5	5.1	2.6	<10	1.1	1600	5.5	15	<0.2	<20	<1	<10	13	<1	<1	2.5	17	<1	<1	<1
	3/22/2011	7.41	<1	<1	96	<1	<0.5	4.7	<10	<10	4.6	53	0.3	34	<0.2	<20	<1	<10	11	<1	<1	<10	3300	<1	<1	<1
	6/29/2011	6.71	<1	0.43	220	<1	<0.5	6.3	<10	3.8	0.59	160	0.3	1700	<0.2	<20	<1	<10	8.1	<1	<1	<10	17	<1	<1	<1
	3/10/2015	n/a	<0.21	<0.25	72	<0.12	<0.16	5.8	<1.4	<2.3	<0.52	360	6.6	<1.2	<0.049	<4.9	<0.38	<2.8	8.1	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	6/10/2015	n/a	3.4	<0.25	110	<0.12	<0.16	11	<1.4	<2.3	<0.52	<14	<0.24	320	<0.049	<4.9	<0.38	<2.8	<0.077	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	9/16/2015	n/a	<0.21	<0.25	129	<0.12	<0.16	6.68	<0.54	2.3	<0.52	294	<0.24	1340	<0.049	4	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	12/16/2015	n/a	<0.21	<0.25	86.4	<0.12	<0.16	5.02	<0.54	<0.26	<0.52	<15	<0.24	26.5	<0.049	<0.35	<0.38	<0.31	6.24	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	96.3	<0.12	<0.16	6.69	<0.54	<0.26	<0.52	<15	<0.24	39	<0.049	<0.35	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	6/28/2016	n/a	<0.754	<0.25	115	<0.12	<0.16	7.31	<0.54	2.31	<0.52	609	<0.24	1510	<0.049	3.83	<0.38	<0.31	<0.0774	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	4/29/2018	n/a	<10*	<23.4*	202	0.384	<1.2*	13	<12.5*	1.61	1	1060	<15.6*	549	<0.2*	<10*	7.31	<20.8*	5.74	<73*	<41.6*	<20*	9.89	<5*	<5*	<2*
	10/9/2019	n/a	<2.08*	0.381	95.8	<0.26*	0.071	8.93	0.374	0.059	0.659	14.5	0.071	2.51	0.025	0.66	<2.08*	<0.26*	11.1	<0.26*	<20.8*	0.299	312	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	2.71	214	<0.26*	0.048	6.24	0.223	5.54	0.255	3480	<0.26*	1840	<0.2*	3.28	<5.2*	<0.312*	2.02	<0.26*	<20.8*	0.081	<20.8*	<1*	<1*	<1*
	4/7/2021	n/a	<2.08*	2.65	253	<0.26*	0.097	6.53	1.07	4.01	0.442	3400	0.155	1350	<0.2*	3.19	<5.2*	<0.312*	2.97	<0.26*	<20.8*	0.106	7.33	<1*	<1*	<2*
TSP-4 SP	1/31/2007	n/a	<1	<1	38	<2	<5	1.6	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	7.2	<1	n/a	<10	<30	<1	<1	<1
	2/22/2008	8	<1	<1	50	<2	<5	8.2	<10	<10	<20	<100	<5	<10	<0.2	<20	<20	<10	20	<1	<20	<10	<30	<1	<1	<1
	3/10/2015	n/a	<0.21	<0.25	65	<0.12	<0.16	2.9	<1.4	<2.3	<0.52	<14	<1.9	<1.2	<0.049	<4.9	<0.38	<2.8	13	<0.19	<0.3	<2.4	<2.6	<0.33	<0.4	<0.26
	3/10/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	12/16/2015	n/a	<0.21	<0.25	56.2	<0.12	<0.16	2.22	<0.54	<0.26	<0.52	<15	<0.24	<0.25	<0.049	<0.35	<0.38	<0.31	9.48	<0.19	<0.3	<0.18	<2.56	<0.331	<0.398	<0.259
	3/29/2016	n/a	<0.21	<0.25	81.3	<0.12	<0.16	5.85	<0.54	<0.26	<0.52	441	10.5	93.6	<0.049	<0.35	<0.38	<0.31	10.9	<0.19	<0.3	<0.18	30.4	<0.331	<0.398	<0.259
	4/29/2018	n/a	<10*	<23.4*	32.3	0.189	<1.2*	6.57	4.51	0.909	1	2150	4.99	12.5	<0.2*	<10*	<52*	<20.8*	8.84	<73*	<41.6*	6	41.2	<5*	<5*	<2*
	10/7/2019	n/a	<2.08*	0.782	10.1	<0.26*	0.054	0.517	1.32	0.155	1.07	515	2.8	4.13	<0.2*	0.69	<2.08*	<0.26*	2.15	<0.26*	<20.8*	1.61	11.7	<1*	<1*	<1*
	4/20/2020	n/a	<2.08*	0.772	16.2	<0.26*	0.042	0.545	1.04	0.207	0.818	461	3.41	14.9	<0.2*	0.73	<5.2*	<0.312*	1.5	<0.26*	<20.8*	1.38	15	<1*	<1*	<1*
	4/18/2022	n/a	<2.08*	0.217	24.9	<0.26*	<0.26*	1.33	0.47	0.047	0.383	90.5	0.475	1.92	<0.2*	0.26	<5.2*	<0.312*	4.56	<0.26*	<20.8*	0.437	5.81	<1*	<1*	<2*

NABORS Landfill Hi

	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
CAO-1	4.9	13.2	82.1	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	7.46	29.8	86.3	<0.25	<0.5	<0.25	<0.5	<0.5	<0.42	<0.2	<0.05
	7.76	23	100	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	10	18	100	<1	<1	<1	<1	<1	<1	<1	<1
	8.4	16	77	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	15	26	110	<1	<1	<1	<1	<1	<1	n/a	n/a
	12	12	100	<1	<1	<1	<1	<1	<1	n/a	n/a
	15	10	83	<1	<1	<1	<1	<1	<1	n/a	n/a
	15	13	78	<1	<1	<1	<1	<1	<1	n/a	n/a
	8.3	12	50	<1	<1	<1	<1	<1	<1	n/a	n/a
	6.4	8.5	39	<1	<1	<1	<1	<1	<1	<5	<1
	11	11	54	<1	<1	<1	<1	<1	<1	<5	<1
	7.7	6.1	35	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	5.1	<5	21	<1	<1	<1	<1	<1	<1	<5	<1
	9.1	5.6	27	<1	<1	<1	<1	<1	<1	<5	<1
	0.81	1.1	3.7	<1	<1	<1	<1	<1	<1	<5	<1
	0.92	<5	3.3	<1	<1	<1	<1	<1	<1	<5	<1
	2.1	2.4	7.9	<1	<1	<1	<1	<1	<1	<5	<1
	1.5	3.9	7.5	<1	<1	<1	<1	<1	<1	<5	<1
	3.9	3.8	12	<1	<1	<1	<1	<1	<1	<5	<1
	2.8	2.1	8.1	<1	<1	<1	<1	<1	<2.5	<5	<1
	3.5	2.6	11	<1	<1	<1	<1	<1	<2.5	<5	<1
	3.4	3.5	12	<1	<1	<1	<1	<1	<2.5	<5	<1
	2	<5	6.9	<1	<1	<1	<1	<1	<2.5	<5	<1
	1.9	<5	7.7	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	1.8	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	1	<0.45	3	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	3.55	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	4.31	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	1.21	<0.453	4.67	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	1.12	<0.453	5.81	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	4.69	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	5.43	<1	<1	<1	<1	<1	<2.5	<5	<1
	1.19	<5	3.55	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	3.83	<1	<1	<1	<1	<1	<2.5	<5	<1
	0.596	<50*	3.31	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.533	<50*	3.6	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.577	1.4	3.24	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.335	0.996	2.32	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	0.327	1.96	3.3	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	0.289	1.85	3.33	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	1.75	2.85	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	2.29	2.58	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	2.71	2.21	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
CAO-2	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1

NABORS Landfill Hi:	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	0.294	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	0.24	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	0.22	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
CAO-3	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-1	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05

	cis-1,2-Dichloroethene	Chloroethane	1,1-Dichloroethane	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethene	1,2,3-Trichloropropane	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane
NABORS Landfill Hi	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	1.2	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	1.44	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<2	<10	10.3	<1	<1	<1	<1	<2	<1	<1	<1
	1.02	1.33	11.7	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	1.4	<1	12	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	9.2	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	2.4	3.4	18	<1	<1	<1	<1	<1	<1	n/a	n/a
	2.7	<1	17	<1	<1	<1	<1	<1	<1	n/a	n/a
	3.6	<5	18	<1	<1	<1	<1	<1	<1	n/a	n/a
	3	<5	17	<1	<1	<1	<1	<1	<1	n/a	n/a
	4	4	20	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	17	<1	<1	<1	<1	<1	<1	<5	<1
	4.7	<5	22	<1	<1	<1	<1	<1	<1	<5	<1
	4.6	<5	20	<1	<1	<1	<1	<1	<1	<5	<1
	5.3	<5	21	<1	<1	<1	<1	<1	<1	<5	<1
	5.1	<5	20	<1	<1	<1	<1	<1	<1	<5	<1
	5.9	4.8	24	<1	<1	<1	<1	<1	<1	<5	<1
	4.4	<5	14	<1	<1	<1	<1	<1	<1	<5	<1
	9.2	3.6	27	<1	<1	<1	<1	1.3	<1	<5	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9	4.9	28	<1	<1	<1	<1	1.2	<1	<5	<1
	6.7	1.6	16	<1	<1	<1	<1	0.71	<1	<5	<1
	4.8	2.5	13	<1	<1	<1	<1	<1	<1	<5	<1
	5.6	2.3	14	<1	<1	<1	<1	0.51	<2.5	<5	<1
	6.7	1.8	15	<1	<1	<1	<1	0.52	<2.5	<5	<1
	7.4	3.6	18	<1	<1	<1	<1	0.64	<2.5	<5	<1
	8.3	<5	17	<1	<1	<1	<1	<1	<2.5	<5	<1
	8	<5	15	<1	<1	<1	<1	<1	<2.5	<5	<1
	7.83	<0.453	11.6	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	12.3	<0.453	15.4	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	13.1	<0.453	18.3	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	10.7	<5	14.2	<1	<1	<1	<1	<1	<2.5	<5	<1
	7.76	<5	11.1	<1	<1	<1	<1	<1	<2.5	<5	<1
	10.9	<5	13.4	<1	<1	<1	<1	<1	<2.5	<5	<1
	12	<5	14.7	<1	<1	<1	<1	<1	<2.5	<5	<1
	8.9	<50*	16.8	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	9.33	<50*	16.7	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	12.4	1.8	16	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	7.51	1.4	15.2	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	9.67	2.07	14.1	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	3.71	1.84	15.1	<1	<1	<1	<1	<2	<1	<3	<1
	8.48	1.23	12.9	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	6.77	1.37	13.2	<1	<1	<1	<1	<2	<1	<3	<1
	8	1.77	13.2	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-1R	6.3	<5	14	<1	<1	<1	<1	<1	<2.5	<5	<1
	5.3	<5	11	<1	<1	<1	<1	<1	<2.5	<5	<1
	6.8	<0.45	12	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9.6	<0.45	15	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	8.78	<0.453	12.1	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	9.65	<0.453	16.2	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	9.83	<0.453	14.8	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	13.1	<0.453	17.9	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	11.3	<5	15.6	<1	<1	<1	<1	<1	<2.5	<5	<1
	10.2	<5	16.2	<1	<1	<1	<1	<1	<2.5	<5	<1
	9.68	<5	15.1	<1	<1	<1	<1	<1	<2.5	<5	<1
	9.76	<5	13.8	<1	<1	<1	<1	<1	<2.5	<5	<1
	8.99	<50*	19.7	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*

NABORS Landfill Hi

	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	9.51	<50*	18.6	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	10.4	1.52	17.1	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	9.46	1.39	15.1	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	9.95	1.8	16.7	<1*	<1*	<1*	<1*	0.183	<1*	<1*	<1*
	9.46	1.57	16.6	<1	<1	<1	<1	<2	<1	<3	<1
	8.04	1.14	15.1	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	8.68	1.58	14.7	<1	<1	<1	<1	<2	<1	<3	<1
	6.65	1.12	14.3	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-2	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<2	<10	<1	<1	<1	<1	<1	<2	<1	<1	<1
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	3.9	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	1.1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	1.2	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.92	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	8.9	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	8.5	<1	<1	<1	<1	<1	<1	<5	<1
	<1	1.5	9.6	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	8.3	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	2.9	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	2	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	0.92	7.3	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	3.5	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	3.5	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	2.4	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-3	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05

NABORS Landfill Hi:	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<2	<10	<1	<1	<1	<1	<1	<2	<1	<1	<1
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.53	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.53	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	1.6	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	0.142	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-4	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05

NABORS Landfill Hi:	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<2	<10	<1	<1	<1	<1	<1	<2	<1	<1	<1
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-5	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<2	<10	<1	<1	<1	<1	<1	<2	<1	<1	<1
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a

	cis-1,2-Dichloroethene	Chloroethane	1,1-Dichloroethane	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethene	1,2,3-Trichloropropane	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane
NABORS Landfill Hi	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-509D	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1

NABORS Landfill Hi:	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-577	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.388	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	0.309	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-6	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<2	<10	<1	<1	<1	<1	<1	<2	<1	<1	<1
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

NABORS Landfill Hi:	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-633D	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.84	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.62	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	1.2	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.81	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.92	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	1.1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.63	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	1.3	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	1.1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	1.4	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	1.55	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	1.89	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381

NABORS Landfill Hi	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<0.26	<0.453	2.83	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	2.68	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	1.99	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	1.97	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	1.52	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	1.56	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.393	0.599	1.45	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.545	<50*	1.71	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	1.06	0.408	2.02	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	1.31	0.79	2.66	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	1.09	<4	1.97	<1	<1	<1	<1	<2	<1	<3	<1
	0.334	<4*	1.88	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	0.7	<4	1.33	<1	<1	<1	<1	<2	<1	<3	<1
	0.407	<4*	1.51	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-689D	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
MW-7	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<0.1	<0.2	<0.5	<1	<0.2	<0.2	<0.05

NABORS Landfill Hi:	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<1	<1	<0.5	<1	<1	<0.2	<0.5	<1	<0.2	<0.2	<0.05
	<2	<10	<1	<1	<1	<1	<1	<2	<1	<1	<1
	<0.5	<1	<0.2	<0.25	<0.5	<0.1	<0.5	<0.5	<0.42	<0.2	<0.05
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
NAB-1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1

NABORS Landfill Hi

	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
NAB-2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
NAB-3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381

NABORS Landfill Hi	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.295	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
NAB-4	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.32	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<0.68	<1.7	<1.5	<2.1	<1.2	<0.97	<1.3	<2.4	<1.3	<2	<0.87
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
NAB-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1

NABORS Landfill Hi:	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
NAB-8	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.02	<0.01
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
NE-2	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38

NABORS Landfill Hi	cis-1,2-Dichloroethene	Chloroethane	1,1-Dichloroethane	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethene	1,2,3-Trichloropropane	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
NE-3	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33(J3)	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.278	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
NE-4	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
NE-6	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*

NABORS Landfill Hi:	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
SP Class I Draw	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
SP Class IV Draw	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
SP LF Ent Seep	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	6	2.14	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	0.498	1.54	3.44	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.341	2.2	0.88	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.536	0.72	6.46	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	1.04	6.68	3.53	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	1.69	4.1	12.2	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	0.67	3.29	2.68	<1	<1	<1	<1	<2	<1	<3	<1
	0.67	3.29	2.68	<1	<1	<1	<1	<2	<1	<3	<1
	1.27	3.31	8.3	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	0.883	5.29	2.48	<1	<1	<1	<1	<2	<1	<3	<1
	0.883	5.29	2.48	<1	<1	<1	<1	<2	<1	<3	<1
	1.07	3.43	8.41	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
SP NE-3	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	0.677	<4*	2.19	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
SP-5	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
SP-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a

	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
NABORS Landfill Hi											
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	<1	<4	<1	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
SPRING A	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	0.41	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	1.6	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	2.5	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	3.3	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	3.1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	0.44	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	1.3	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	1.3	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	2.4	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	3	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	2.9	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<1	<5	2.96	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	2.92	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	0.153	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	0.321	0.526	3.58	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
	0.661	<4	6.01	<1	<1	<1	<1	<2	<1	<3	<1
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
SPRING B											
	<1	<1	1.6	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	1.6	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	2	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1

NABORS Landfill Hi:	cis-1,2-Dichloroethene (ug/l)	Chloroethane (ug/l)	1,1-Dichloroethane (ug/l)	1,1,1,2-Tetrachloroethane (ug/l)	1,1,1-Trichloroethane (ug/l)	1,1,2,2-Tetrachloroethane (ug/l)	1,1,2-Trichloroethane (ug/l)	1,1-Dichloroethene (ug/l)	1,2,3-Trichloropropane (ug/l)	1,2-Dibromo-3-Chloropropane (ug/l)	1,2-Dibromoethane (ug/l)
	<1	<5	0.8	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
TSP-1 SP	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
TSP-2 SP	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
TSP-3 SP	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<1	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<1	<5	<1	<1	<1	<1	<1	<1	<2.5	<5	<1
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*
TSP-4 SP	<1	<1	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<1	<5	<1	<1	<1	<1	<1	<1	<1	n/a	n/a
	<0.26	<0.45	<0.26	<0.38	<0.319	<0.13	<0.38	<0.4	<0.81	<1.3	<0.38
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<0.26	<0.453	<0.259	<0.385	<0.319	<0.13	<0.383	<0.398	<0.807	<1.33	<0.381
	<5*	<50*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<4*	<1*	<1*	<1*	<1*	<1*	<2*	<1*	<3*	<1*

NABORS Landfill Hi:

	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
CAO-1	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<0.1	0.28	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	0.72
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	1.33
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	1.2	<10	<10	<1	<1	<1	<1	<1	<1	1.5
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	1.2
	<1	<1	<1	1.7	<5	<5	<1	<1	<1	<5	<1	<1	1.2
	<1	<1	<1	1.1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	1.3	<15	<5	<1	<1	<1	<5	<1	<1	1
	<1	<1	<1	1.1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	0.45	<1	1.7	<15	<5	<1	<1	<1	<5	<1	<1	1.2
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	0.51
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	0.33
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	0.63
	<1	<1	<1	0.69	<15	<5	<1	<1	<1	<5	<1	<1	0.52
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	0.56
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	0.6
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	1.39	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.01
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.11
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.03
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	0.938	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	0.827
	<5*	<5*	<5*	1.35	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.14
	<5*	<5*	<5*	1.44	1.72	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.07
	<1*	<1*	<1*	1.19	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	0.322
	0.07	<1*	<1*	2.42	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	1.56
	<1	<1	<1	2.76	0.872	<1	<1	<1	<1	<2	<1	<1	1.77
	<1*	<1*	<1*	2.68	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	1.66
	<1	<1	<1	3.11	<2	<1	<1	<1	<1	<2	<1	<1	1.84
	<1*	<1*	<1*	3.62	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.11
CAO-2	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1

NABORS Landfill Hi:	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	0.279	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
CAO-3	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	0.824	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-1	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25

	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,4-Dichlorobenzene	2-Butanone [MEK]	2-Hexanone	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene
NABORS Landfill Hi	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	2.3	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	1.1	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<1	<1	<1	<1	<50	<5	<1	<1	<1	<1	<2	<2	<3
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	0.48	<15	<5	<1	<1	<1	<5	0.64	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	0.52	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	0.5	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	0.5	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	9.4	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.349	<0.361	<0.306	1.81	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.86
	<0.349	<0.361	<0.306	3.59	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	2.28
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.98
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.2
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.74
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	2.15
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	0.528	<5*	3.66	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	2.16
	<5*	0.519	0.223	2.63	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.86
	<1*	0.65	<1*	4.15	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	2.55
	<1*	0.557	<1*	4.35	2.86	<1*	<1*	<1*	<1*	<1*	<1*	<1*	2.57
	<1	0.632	<1	4.97	1.07	<1	<1	<1	<1	<2	<1	<1	2.94
	<1*	0.622	<1*	4.06	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.31
	<1	0.558	<1	5.1	0.67	<1	<1	<1	<1	<2	<1	<1	2.65
	<1*	0.527	0.257	4.95	0.788	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.65
MW-1R	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	2.07	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.08
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	2.44	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.57
	<0.349	<0.361	<0.306	2.86	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	1.5
	<1	<1	<1	3.17	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	2.63	<15	<10	<1	<1	<1	<5	<1	<1	1.46
	<1	<1	<1	2.3	<15	<10	<1	<1	<1	<5	<1	<1	1.14
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	1.74
	<5*	0.431	<5*	2.02	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.08

NABORS Landfill Hi:	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,4-Dichlorobenzene	2-Butanone [MEK]	2-Hexanone	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	<5*	0.408	<5*	2.48	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.38
	<5*	0.5	<5*	2.84	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	1.76
	<1*	0.524	<1*	2.98	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	1.67
	<1*	0.562	<1*	3.8	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	2.19
	<1	0.681	0.257	4.55	0.624	<1	<1	<1	<1	<2	<1	<1	2.64
	<1*	0.571	<1*	3.71	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	1.98
	<1	0.581	<1	4.36	<2	<1	<1	<1	<1	<2	<1	<1	2.39
	<1*	0.399	<1*	3.98	5.06	<1*	<1*	<1*	<1*	<2*	<1*	<1*	2.03
MW-2	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	3.5	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	1.9	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	1	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<1	<1	<1	<1	<50	<5	<1	<1	<1	<2	<2	<2	<3
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-3	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25

NABORS Landfill Hi:	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,4-Dichlorobenzene	2-Butanone [MEK]	2-Hexanone	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	2.3	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	1	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<1	<1	<1	<1	<50	<5	<1	<1	<1	<1	<2	<2	<3
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	0.548	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-4	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	2.1	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25

	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
NABORS Landfill Hi													
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<1	<1	<1	<1	<50	<5	<1	<1	<1	<1	<2	<2	<3
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-5	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	1.9	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<1	<1	<1	<1	<50	<5	<1	<1	<1	<1	<2	<2	<3
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1

	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
NABORS Landfill Hi:													
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	1.68	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-509D	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	6.2	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1

NABORS Landfill Hi:	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	0.073	<5*	<5*	0.09	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-577	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	6.7	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-6	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	1.9	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<1	<1	<1	<1	<50	<5	<1	<1	<1	<1	<2	<2	<3
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
NABORS Landfill Hi													
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	3.19	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-633D	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348

NABORS Landfill Hi:	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	0.632	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-689D	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	0.965	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
MW-7	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25

	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
NABORS Landfill Hi:													
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<0.2	<0.2	<0.2	<0.2	<0.5	<1	<0.5	<0.5	<1	<1	<1	<0.5	<0.25
	<1	<1	<1	<1	<50	<5	<1	<1	<1	<1	<2	<2	<3
	<0.1	<0.2	<0.18	<0.1	<5	<0.6	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.25
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
NAB-1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1

NABORS Landfill Hi

	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
NAB-2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
NAB-3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348

NABORS Landfill Hi:	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
NAB-4	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<0.96	<0.7	<0.87	<0.7	<7.3	<6.3	<2.5	<1.1	<1.9	<2.4	<4.6	<1.7	<2.8
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
NAB-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1

NABORS Landfill Hi:	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
NAB-8	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
NE-2	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35

NABORS Landfill Hi

	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	0.13	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
NE-3	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
NE-4	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
NE-6	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*

NABORS Landfill Hi:	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
SP Class I Draw	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
SP Class IV Draw	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
SP LF Ent Seep	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	0.195	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	0.424	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
SP NE-3	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
SP-5	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
SP-7	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	0.0017	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1

NABORS Landfill Hi:	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
SPRING A	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	0.077	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<1
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
SPRING B													
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1

NABORS Landfill Hi:	1,2-Dichlorobenzene (ug/l)	1,2-Dichloroethane (ug/l)	1,2-Dichloropropane (ug/l)	1,4-Dichlorobenzene (ug/l)	2-Butanone [MEK] (ug/l)	2-Hexanone (ug/l)	Bromochloromethane (ug/l)	Bromodichloromethane (ug/l)	Bromoform (ug/l)	Bromomethane (ug/l)	Carbon disulfide (ug/l)	Carbon tetrachloride (ug/l)	Chlorobenzene (ug/l)
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
TSP-1 SP	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
TSP-2 SP	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<10	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<10	<10	<1	<1	<1	<5	<1	<1	<1
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
TSP-3 SP	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<1	<1	<1	<1	<15	<5	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*
TSP-4 SP	<1	<1	<1	<1	<10	<10	<1	<1	<1	<1	<1	<1	<1
	<1	<1	<1	<1	<5	<5	<1	<1	<1	<5	<1	<1	<1
	<0.35	<0.36	<0.31	<0.27	<3.9	<3.8	<0.52	<0.38	<0.47	<0.87	<0.28	<0.38	<0.35
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<0.349	<0.361	<0.306	<0.274	<3.93	<3.82	<0.52	<0.38	<0.469	<0.866	<0.275	<0.379	<0.348
	<5*	<5*	<5*	<5*	<50*	<50*	<5*	<5*	<5*	<50*	<50*	<5*	<5*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*	<1*	<2*	<1*	<1*	<1*

NABORS Landfill Hi

	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
CAO-1	<0.5	37.9	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<0.5	51.3	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<0.5	59.7	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	0.3	<1	<1	2.4	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	0.58	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	0.32	<1	<5	<5	<10
	<1	<2.5	<1	<1	0.95	<10	<1	<1	0.36	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	1.07	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	2.78	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	0.283	n/a	<5*	<5*	0.271	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	1.28	n/a	<1*	<1*	0.175	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.352	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	0.271	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
CAO-2	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10

NABORS Landfill Hi:	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
CAO-3	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	0.28	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-1	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5

NABORS Landfill Hi:	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<2	<2	<1	<2	<1	<5	<1	2.04	<2	<1	<1	<5	<20
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	2.09	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	2.1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	1.8	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	2.2	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	2.3	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	3	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	2	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	2.7	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	2.6	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	2.6	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	2.8	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	2.8	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	3	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	2.3	0.47	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	0.76	0.4	<1	<5	<5	<10
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<1	<1	<1	<5	<1	1	0.41	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	0.42	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	0.39	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	0.4	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	0.485	<5*	0.166	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.584	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.679	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	0.551	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	0.361	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	0.513	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	0.593	<1*	<2*	<1*	<2*
MW-1R	<1	<2.5	<1	<1	<1	<10	<1	1.2	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*

NABORS Landfill Hi:	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	0.534	<5*	0.191	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.494	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	0.619	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	0.603	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	0.397	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	0.501	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	0.353	<1*	<2*	<1*	<2*
MW-2	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5	<20
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-3	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5

	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
NABORS Landfill Hi													
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5	<20
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-4	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5

	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
NABORS Landfill Hi													
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5	<20
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-5	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5	<20
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10

	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
NABORS Landfill Hi													
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-509D	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10

NABORS Landfill Hi:	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-577	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	0.606	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-6	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5	<20
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10

NABORS Landfill Hi:	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-633D	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87

NABORS Landfill Hi	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-689D	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
MW-7	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5

	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
NABORS Landfill Hi													
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<0.5	<0.05	<0.5	<1	<0.2	<0.5	<0.2	<0.5	<1	<0.5	<1	<5	<5
	<2	<2	<1	<2	<1	<5	<1	<1	<2	<1	<1	<5	<20
	<0.5	<0.2	<0.25	<1	<0.1	<0.5	<0.2	<0.25	<0.5	<0.25	<0.4	<1.8	<10
	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	0.364	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
NAB-1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10

NABORS Landfill Hi:

	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
NAB-2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
NAB-3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87

NABORS Landfill Hi	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	0.432	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
NAB-4	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1.4	<2.7	<0.71	<0.66	n/a	<0.74	<2.4	<1.1	<2.3	<2.6	<6.6	n/a
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
NAB-7	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10

	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
NABORS Landfill Hi:													
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
NAB-8	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
NE-2	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9

NABORS Landfill Hi:	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
NE-3	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	0.423	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
NE-4	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
NE-6	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*

NABORS Landfill Hi:	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
SP Class I Draw	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
SP Class IV Draw	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
SP LF Ent Seep	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
SP NE-3	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
SP-5	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
SP-7	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10

	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
NABORS Landfill Hi													
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
SPRING A	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
	n/a	<3	<1	<1	<1	n/a	<1	<1	<1	<1	<2	<1	<2
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
SPRING B													
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10

NABORS Landfill Hi:	Chlorodibromomethane (ug/l)	Chloromethane (ug/l)	cis-1,3-Dichloropropene (ug/l)	Dibromomethane (ug/l)	Ethylbenzene (ug/l)	Iodomethane (ug/l)	Styrene (ug/l)	Tetrachloroethene (ug/l)	trans-1,2-Dichloroethene (ug/l)	trans-1,3-Dichloropropene (ug/l)	Trichlorofluoromethane (ug/l)	4-Methyl-2-pentanone [MIBK] (ug/l)	Acrylonitrile (ug/l)
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
TSP-1 SP	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
TSP-2 SP	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<1	<2.5	<1	<1	<1	<10	<1	<1	<1	<1	<5	<10	<10
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
TSP-3 SP	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*
TSP-4 SP	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1	<1	<10	<10
	<1	<2.5	<1	<1	<1	<5	<1	<1	<1	<1	<5	<5	<10
	<0.33	<0.28	<0.42	<0.35	<0.38	<1.7	<0.31	<0.37	<0.4	<0.42	<1.2	<2.1	<1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<0.327	<0.276	<0.418	<0.346	<0.384	<1.71	<0.307	<0.372	<0.396	<0.419	<1.2	<2.14	<1.87
	<5*	<50*	<5*	<5*	<5*	n/a	<5*	<5*	<5*	<5*	<50*	<50*	<50*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<1*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	<3*	<1*	<1*	<1*	n/a	<1*	<1*	<1*	<1*	<2*	<1*	<2*

NABORS Landfill Hi

	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
CAO-1	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	715	3.77	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	0.57	<0.5	0.93	<0.25	<10	<0.15	n/a	n/a	738	5.57	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	801	5.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	790	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	790	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	770	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	780	7.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	850	16	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	810	6.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	0.44	11	n/a	n/a	n/a	650	17	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	660	6.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	740	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	630	9.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	120	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	10	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	570	13	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	9	n/a	0.0042	<0.05	460	9.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	400	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	0.34	<50	n/a	0.0012	0.059	590	5.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	0.42	<50	n/a	<0.005	<0.05	570	83	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	560	10	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	590	7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	1	0.43	15	n/a	<0.005	<0.05	630	7.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	630	8.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	630	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	550	12	460	240	0.69	95	52	3	45
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	790	18	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	696	14	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	798	9.95	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00625	<0.0065	676	12	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	802	12.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	407	11.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	794	10.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	708	8.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	874	10.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	0.109	747	5.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	0.628	n/a	<50*	n/a	<0.1*	807	8.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	0.361	n/a	0.283	n/a	<0.15*	659	10.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.308	<1*	n/a	<1*	n/a	0.266	521	7.87	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	0.32	n/a	<1*	n/a	<0.15*	835	9.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	0.39	n/a	<2	n/a	<0.15	731	10.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	0.452	n/a	<2*	n/a	<0.15*	763	10.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	0.301	n/a	<2	n/a	<0.15	757	10.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	0.346	n/a	<2*	n/a	<0.15*	746	9.75	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CAO-2	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	440	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	484	1.62	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	412	5.44	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	770	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	7.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	4.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.018	370	4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0071	450	0.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.019	400	15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	400	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	340	1.8	290	170	<0.038	67	37	1.6	14
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	550	5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	445	6.32	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	356	2.33	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	397	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	494	6.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	419	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	433	5.77	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	349	2.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	1.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	468	2.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	450	2.41	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.309	<1*	n/a	<1*	n/a	<0.15*	537	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	473	1.74	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	512	1.97	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	446	1.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	495	2.43	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	418	1.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CAO-3	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	296	2.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	509	5.15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	368	4.66	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	590	5.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	650	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.02	260	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.98	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	0.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	270	<0.1	270	160	<0.038	63	37	<0.1	3.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	350	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	289	2.51	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	269	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00626	<0.0065	389	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	280	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	293	5.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	305	1.64	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	278	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	386	1.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	291	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	456	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	313	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.263	<1*	n/a	<1*	n/a	<0.15*	449	1.04	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	286	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	348	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	445	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	140	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-1	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	335	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	357	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	343	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	6.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	371	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	362	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	363	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	359	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	379	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	394	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	402	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	400	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	435	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	480	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	561	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	520	1.82	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	553	2.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	550	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	520	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	580	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	610	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	600	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	0.33	<5	<50	n/a	n/a	n/a	550	4.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	590	5.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	620	4.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	630	6.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	600	4.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	620	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	680	8.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	0.46	<5	<50	n/a	<0.005	<0.05	690	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	33	n/a	n/a	0.014	700	9.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	1.4	<5	<50	n/a	<0.005	0.0072	780	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	750	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	710	68	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	710	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	1	<5	<50	n/a	<0.005	<0.05	780	4.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	1.6	<5	<50	n/a	<0.005	<0.05	830	9.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.064	880	7.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	910	12	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1140	9.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1080	9.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1060	11.6(J3)	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1020	9.47	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	972	9.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	992	10.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	970	10.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1020	8.62	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	0.267	n/a	<50*	n/a	<0.1*	965	8.62	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	0.412	0.305	n/a	<50*	n/a	<0.15*	953	10.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.567	0.645	n/a	<1*	n/a	<0.15*	934	8.12	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	0.705	n/a	<1*	n/a	0.227	903	9.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	0.303	n/a	<2	n/a	<0.15	877	5.71	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	834	6.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	0.315	n/a	<2	n/a	<0.15	738	5.57	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	0.446	n/a	<2*	n/a	<0.15*	681	5.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-1R	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	840	35	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	740	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	840	11	710	390	<0.038	160	100	2.6	44
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	980	17	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	978	12.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	868	15.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	860	8.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	914	11.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	894	7.74	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	928	7.52	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	764	8.98	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	894	9.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	0.533	0.367	n/a	<50*	n/a	<0.1*	906	6.51	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	860	7.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	0.419	0.172	n/a	0.342	n/a	<0.15*	881	13.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.612	0.198	n/a	<1*	n/a	<0.15*	878	8.22	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	0.31	n/a	<1*	n/a	<0.15*	902	7.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	0.265	n/a	<2	n/a	<0.15	815	5.75	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	819	7.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	726	5.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	745	9.98	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-2	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	331	1.96	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	2.76	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	393	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	345	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	344	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	341	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	355	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	371	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	363	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	367	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	409	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	411	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	356	1.55	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	366	2.27	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	280	3.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	220	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0082	210	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	270	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	12	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	0.88	<5	<50	n/a	<0.005	<0.05	320	0.95	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	360	1.1	330	200	<0.038	80	43	2.3	6
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	49	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	365	1.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	351	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	1.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.49	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	381	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	362	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	365	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	382	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	369	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.329	<1*	n/a	<1*	n/a	<0.15*	365	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	335	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	376	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	349	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	367	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-3	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	252	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	368	4.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	388	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	356	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	360	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	401	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	338	1.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	421	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	361	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	452	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	412	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	787	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	437	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	508	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	425	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	474	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	453	2.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	480	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	520	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	3.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	530	5.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.019	300	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0078	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	30	n/a	<0.005	<0.05	500	0.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	520	28	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	0.36	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	510	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.046	540	0.84	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	510	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	590	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	410	2.4	380	220	<0.038	90	49	1.3	2.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	530	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	525	8.26	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	143	n/a	<0.0018	<0.0065	436	5.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	458	1.14(B)	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	499	2.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	511	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	525	2.32	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	411	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	653	6.33	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	750	3.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.296	<1*	n/a	<1*	n/a	0.357	684	4.52	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	0.544	664	2.76	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	599	5.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	624	2.74	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	559	1.75	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	597	2.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-4	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	292	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	304	4.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	293	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	310	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	7.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	303	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	296	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	299	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	311	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	421	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
NABORS Landfill Hi																			
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	329	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	299	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	332	2.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.06	<0.05	340	0.68	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0038	330	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0043	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	7.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.028	340	0.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	370	1.1	340	210	<0.038	84	46	<0.1	1.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	420	51	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	396	1.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	365	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	366	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	384	1.93	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	368	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	376	1.09	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	388	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	405	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	438	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	396	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	423	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	425	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	415	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	416	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	444	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	417	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-5	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	5.86	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	335	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	340	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	333	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	324	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	332	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	338	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	345	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	352	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	354	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	366	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	393	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	362	17.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
NABORS Landfill Hi																			
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.004	370	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.015	370	0.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	8.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.33	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.039	400	0.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	4.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	400	1.7	400	230	<0.038	92	52	<0.1	2.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	431	1.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	402	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	406	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	401	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	416	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	444	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	426	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	443	1.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	468	1.07	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.27	<1*	n/a	<1*	n/a	<0.15*	441	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	455	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	475	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	459	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	435	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	450	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-509D	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	4.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0085	290	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0035	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.26	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.029	370	7.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	290	1.1	250	150	<0.038	60(V)	36(J6)	1	2.6
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	390	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	373	1.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	300	1.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	380	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	361	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	391	1.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	395	1.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	300	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	396	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	330	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	378	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	356	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.371	<1*	n/a	<1*	n/a	<0.15*	357	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	338	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	337	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	367	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	315	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-577	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	4.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	0.31	<50	n/a	n/a	n/a	500	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	460	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	430	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	490	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	440	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	2.5	<50	n/a	<0.005	0.015	500	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	510	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0073	490	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	0.54	<50	n/a	<0.005	<0.05	460	0.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	6.7	<50	n/a	<0.005	<0.05	490	52	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	35	n/a	<0.005	<0.05	460	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	3.3	<50	n/a	<0.005	<0.05	490	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.046	480	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	440	1.1	410	250	<0.038	100	52	1.5	2.2
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	398	3.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	382	1.93	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	390	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	435	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	398	1.14	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	399	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	416	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	408	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	0.421	403	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	416	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.321	<1*	n/a	<1*	n/a	<0.15*	411	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	461	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	391	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	414	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	420	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	581	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-6	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	381	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	3.41	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	379	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	401	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	396	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	404	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	404	1.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	393	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	403	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	410	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	394	1.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	400	1.03	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	405	1.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	408	1.82	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	364	1.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	392	3.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
NABORS Landfill Hi																			
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	12	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	390	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0055	400	0.28	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	0.67	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.022	430	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	5.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	410	2.2	390	220	<0.038	87	52	1.2	6.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	460	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	440	2.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	399	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	461	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	1.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	434	1.29	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	432	1.75	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	432	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	446	1.39	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	453	1.21	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	470	1.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	473	1.54	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	458	1.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	507	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	477	1.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	471	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	428	1.12	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	447	1.07	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-633D	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	410	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0073	380	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0087	430	0.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	0.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	0.87	<5	<50	n/a	<0.005	0.016	420	0.55	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	420	2	390	220	<0.038	89	52	1.2	2.9
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	460	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	425	1.97	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	442	3.29	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	1.28	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	466	1.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	423	1.73	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	366	1.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	406	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	430	1.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	413	1.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	427	1.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	434	1.36	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	413	1.74	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	405	1.56	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	438	1.36	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	428	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	393	1.22	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-689D	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	180	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	200	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.015	220	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.56	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.029	410	0.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	280	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	370	1.6	370	210	<0.038	86	44	1.2	2.5
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	410	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	395	1.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	377	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	375	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	392	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	398	1.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	408	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	376	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	393	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	404	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	400	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	378	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.311	0.106	n/a	<1*	n/a	0.179	384	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	147	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	0.388	371	1.67	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	304	1.04	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	0.325	360	1.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	291	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-7	<0.5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	263	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	315	7.21	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	341	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	370	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	370	<6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	355	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	298	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	358	1.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	294	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	336	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	337	1.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<1	<0.6	<0.5	<0.1	<0.1	<5	n/a	n/a	n/a	312	1.62	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
NABORS Landfill Hi																			
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	316	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.5	<1	<1	<0.5	<4	<1	<5	n/a	n/a	n/a	324	2.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<20	<10	<1	<2	<1	<1	<20	<1	n/a	n/a	305	1.95	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<2.4	<2	<0.2	<0.5	<0.35	<0.25	<10	<0.15	n/a	n/a	324	2.44	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	2.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0039	<0.05	340	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.01	310	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0095	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	69	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	6.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	320	1.4	310	170	<0.038	69	40	<0.1	2.2
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	330	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	341	1.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	341	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	274	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	327	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	338	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	338	1.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	328	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	315	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	328	1.04	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	353	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.353	<1*	n/a	<1*	n/a	<0.15*	328	1.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	0.249	223	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	283	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	298	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	321	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	302	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-1	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	20	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	5.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	0.31	<50	n/a	<0.005	<0.05	420	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.011	370	4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.33	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.021	420	25	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	0.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.019	420	0.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
NAB-2	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	470	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	0.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0092	360	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	8.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.68	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	440	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	400	<0.1	390	240	<0.038	96	47	1.6	7.5
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	433	2.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	412	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	254	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	443	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	443	1.39	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	412	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	440	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	433	1.28	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.303	<1*	n/a	<1*	n/a	<0.15*	449	1.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	451	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	462	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	433	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	413	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	416	1.11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-3	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	250	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	5.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	3.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0064	400	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0042	410	0.41	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	410	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	460	14	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.031	430	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	330	2	310	180	<0.038	72	42	<0.1	1.8
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	410	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	397	2.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	372	1.51	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	368	1.14	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	1.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	396	1.43	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	425	94.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	360	1.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	418	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	407	1.32	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	425	1.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	356	1.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.34	<1*	n/a	<1*	n/a	<0.15*	425	1.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	253	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	306	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	357	1.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	319	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	368	1.07	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-4	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	390	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	3.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0067	<0.05	430	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0099	430	5.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0037	460	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	470	0.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	33	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	0.68	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	0.95	<5	<50	n/a	<0.005	<0.05	420	0.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	450	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	420	2.3	330	240	<0.038	96	46	1.9	2.6
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	490	<0.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	466	1.97	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	385	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	436	1.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	453	1.22	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	466	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	458	1.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	417	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	505	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<3.9	n/a	n/a	<1.2	<4.9	<0.84	<6.7	<0.94	n/a	<0.1*	501	1.07	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	0.089	n/a	<50*	n/a	<0.15*	528	1.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	543	1.46	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	558	1.82	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	450	1.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	619	1.69	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	564	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	404	1.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-7	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	330	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	5.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	300	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
NABORS Landfill Hi																			
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0039	320	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0088	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	0.69	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	330	0.46	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	0.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	310	1.8	270	170	<0.038	69	38	<0.1	3.8
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	400	4.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	384	1.44	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	303	2.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	345	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	388	1.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	399	1.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	350	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	371	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	336	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	369	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	388	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	374	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	285	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	327	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	356	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	354	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	312	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	380	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	310	4.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	5.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	340	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.56	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.028	330	10	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	0.52	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	0.45	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	340	1.9	340	190	<0.038	77	42	1.4	5.1
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	8.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.007	<0.0065	358	9.86	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	341	2.32	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	322	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	354	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	341	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	371	23.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	360	3.35	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	374	5.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	7.27	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	n/a	1.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	377	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	358	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.29	<1*	n/a	<1*	n/a	<0.15*	392	10.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	379	23	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	4.46	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	360	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	3200	100	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	3300	100	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	2800	60	550	760	<0.038	300	140	9.7	410

NABORS Landfill Hi	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	2800	40	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	2070	23	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	2030	20.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	1600	15.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	120	14.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	1590	12.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	1660	12.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	1560	13.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	1420	12.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1520	12.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	1320	11.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	1170	7.36	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.285	<1*	n/a	<1*	n/a	<0.15*	1020	5.09	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	948	3.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	0.287	n/a	<2	n/a	<0.15	809	3.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	872	3.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	785	3.42	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	842	3.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	330	1.9	<52	190	<0.038	76	41	<0.1	2.7
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	360	5.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	326	1.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	331	3.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	306	1.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	332	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	337	11.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	347	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	354	1.45	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	352	3.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	366	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	352	1.24	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	401	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	359	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	308	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	296	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	317	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	317	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	332	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-4	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	355	2.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	394	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	437	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	385	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.336	<1*	n/a	<1*	n/a	<0.15*	404	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	0.158	n/a	<1*	n/a	<0.15*	359	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	344	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	320	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	365	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	349	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	390	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	430	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	390	<0.1	340	220	<0.038	86	47	<0.1	1.8
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	430	2.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	414	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	407	1.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	393	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	406	2.67	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	394	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	398	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	384	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	352	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	409	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	384	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	456	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.31	<1*	n/a	<1*	n/a	<0.15*	388	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	354	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	347	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	387	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	374	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	395	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class I Draw	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	370	9.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	209	6.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	250	6.09	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	318	4.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	190	7.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	194	6.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	319	4.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	285	5.51	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	257	2.57	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.296	<1*	n/a	<1*	n/a	<0.15*	138	2.41	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	136	2.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class IV Draw	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	420	9.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	337	6.29	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	245	4.69	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	246	5.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	378	4.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	343	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.305	<1*	n/a	<1*	n/a	<0.15*	432	6.45	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	197	3.18	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP LF Ent Seep	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	300	7.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	305	3.39	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	206	5.69	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	295	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	203	7.42	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	336	3.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	335	2.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	334	3.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	311	2.18	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	288	2.73	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	314	2.83	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.381	<1*	n/a	<1*	n/a	<0.15*	307	2.43	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	320	2.34	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.83	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	343	1.83	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	311	2.28	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	294	2.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	294	2.31	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	321	2.22	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	170	3.6	140	76	0.34	30	18	1.1	1.4
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	350	3.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	248	2.14	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	205	3.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	298	1.45	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	172	2.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	199	1.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	268	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.329	<1*	n/a	<1*	n/a	<0.15*	158	1.72	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	202	1.08	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	236	1.04	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	213	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	315	1.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	6.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	210	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	160	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	190	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	220	5.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	3.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	230	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	270	16	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	250	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.032	250	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	310(Q)	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	250	3.8	190	110	0.35	43	26	2.9	12
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	290	5.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	210	3.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	212	5.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	236	2.93	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	228	5.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	335	3.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	275	2.37	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	228	3.55	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	173	2.86	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	144	2.57	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	115	2.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	97	2.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	226	1.71	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	192	1.86	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	234	1.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	171	2.85	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING A	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	1.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	280	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	250	4.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	3.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	270	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	320	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	0.014	0.0094	370	0.26	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	290	0.73	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	370	27	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	340	0.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	380	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	360	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	1.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420(Q)	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	250	1.5	220	130	<0.038	54	30	2.2	2.5
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	360	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	279	1.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	208	2.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	292	<0.102	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	287	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	339	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<1	<50	n/a	<0.005	<0.05	359	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	283	1.92	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.15*	287	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.286	<1*	n/a	<1*	n/a	<0.15*	285	1.78	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	65	3.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	242	1.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2	<3	<1	n/a	<2	n/a	<0.15	370	1.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	153	3.47	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING B																			
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	430	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	6.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	450	11	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	500	3.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	550	4.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0091	230	6	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Vinyl acetate (ug/l)	trans-1,4-Dichloro-2-butene (ug/l)	Xylenes, Total (ug/l)	Chloroform (ug/l)	Methylene Chloride (ug/l)	Toluene (ug/l)	Acetone (ug/l)	Dichlorodifluoromethane (ug/l)	Cyanide (mg/l)	Sulfide (mg/l)	Dissolved Solids (mg/l)	TOC (mg/l)	Alkalinity (mg/l)	Hardness,calcium (mg/l)	Ammonia Nitrogen (mg/l)	Calcium (mg/l)	Magnesium (mg/l)	Potassium (mg/l)	Sodium (mg/l)
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	660	3.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	570	7.8	440	230	0.44	91	54	5.6	72
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	670	15	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	631	8.19	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	554	7.81	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	609	5.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	1.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	400	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	320	4.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	360	2.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	420	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	<0.05	330	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	0.68	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.014	390	0.82	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	294	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	367	3.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.285	<1*	n/a	<1*	n/a	<0.15*	354	1.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	267	<1*	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	290	1.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	290	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	350	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.0045	260	2.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.0071	350	1.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	300	0.24	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	7.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	320	1.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	0.016	320	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	350	5.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<10	<2.5	<3	<5	<5	<5	<50	n/a	0.0082	<0.05	460	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	466	6.46	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	4.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	320	6.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	370	4.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	n/a	0.013	170	2.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	400	2.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5	<2.5	<3	<5	<5	<5	<50	n/a	<0.005	<0.05	420	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	270	3.4	240	140	<0.038	54	32	1.5	2.4
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	n/a	<0.0018	<0.0065	450	6.2	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	417	4.58	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	311	3.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	386	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	419	4.89	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	406	3.24	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	0.346	<1*	n/a	<1*	n/a	<0.15*	401	3.87	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	293	3.03	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	441	3.13	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	<10	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	240	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1	<2.5	<3	<5	<5	<5	<50	n/a	n/a	n/a	260	5	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.6	<0.87	<1.1	<0.32	<1	<0.78	<10	<0.55	<0.0018	<0.0065	310	4.2	280	160	0.28	64	40	1.5	2.3
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	<0.0018	<0.0065	307	4.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.63	<0.866	<1.06	<0.324	<1	<0.78	<10	n/a	0.00596	<0.0065	346	4.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<5*	<20*	<5*	n/a	<50*	n/a	<0.1*	187	1.65	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<1*	<1*	n/a	<1*	n/a	<0.15*	55	2.18	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<1*	n/a	<0.15*	<5*	1.63	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	<2*	<3*	<1*	n/a	<2*	n/a	<0.15*	214	1.35	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
NABORS Landfill Hi															
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
NABORS Landfill Hi															
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	0.000245	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-577	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
NABORS Landfill Hi															
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-689D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
NABORS Landfill Hi															
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	<0.0047	<0.00058	<0.00083	<0.0019	<0.00073	<0.00081	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018

NABORS Landfill Hi	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	<0.002	<0.001	<0.001	<0.001	<0.002	<0.002	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING B															
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Acrolein (mg/l)	2-Chloroethyl vinyl ether (mg/l)	1,3-Dichlorobenzene (mg/l)	1,3-Dichloropropane (mg/l)	2,2-Dichloropropane (mg/l)	1,1-Dichloropropene (mg/l)	1,2,4-Trichlorobenzene (mg/l)	Acetonitrile (mg/l)	Allyl chloride (mg/l)	Chloroprene (mg/l)	Ethyl methacrylate (mg/l)	Isobutanol (mg/l)	Methacrylonitrile (mg/l)	Methyl methacrylate (mg/l)	Dinoseb (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0089	<0.003	<0.00022	<0.00037	<0.00032	<0.00035	<0.00036	<0.015	<0.0017	<0.0017	<0.0014	<0.039	<0.013	<0.0012	<0.018
	n/a	n/a	n/a	n/a	n/a	n/a	<0.00036	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.05*	<0.05*	<0.005*	<0.005*	<0.005*	<0.005*	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	<0.002*	<0.001*	<0.001*	<0.001*	<0.002*	<0.002*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.0002	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CAO-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
NABORS Landfill Hi														
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
NABORS Landfill Hi														
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
NABORS Landfill Hi														
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.0002	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.0002	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033

NABORS Landfill Hi	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.0002	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.0002	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00033	<0.0011	<0.00015	<0.0002	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
NABORS Landfill Hi														
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Ethyl methanesulfonate (mg/l)	Famphur (mg/l)	Hexachloropropene (mg/l)	Isodrin (mg/l)	Isosafrole (mg/l)	Kepone (mg/l)	Methapyrilene (mg/l)	3-Methylcholanthrene (mg/l)	Methyl methanesulfonate (mg/l)	Methyl parathion (mg/l)	1,4-Naphthoquinone (mg/l)	1-Naphthylamine (mg/l)	2-Naphthylamine (mg/l)	n-Nitrosodi-n-butylamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.0002	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.0002	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00033	<0.0011	<0.00015	<0.0002	<0.00041	<0.0019	<0.0042	<0.00016	<0.00065	<0.00021	<0.0056	<0.00029	<0.0002	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0005	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
NABORS Landfill Hi												
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
NABORS Landfill Hi												
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0005	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0005	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0005	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39

NABORS Landfill Hi

	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
NABORS Landfill Hi												
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	n-Nitrosodiethylamine (mg/l)	n-Nitrosodimethylamine (mg/l)	n-Nitrosomethylethylamine (mg/l)	N-Nitrosomorpholine (mg/l)	n-Nitrosopiperidine (mg/l)	n-Nitrosopyrrolidine (mg/l)	5-Nitro-o-toluidine (mg/l)	Ethyl Parathion (mg/l)	Pentachlorobenzene (mg/l)	Pentachloronitrobenzene (mg/l)	Phenacetin (mg/l)	p-Phenylenediamine (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0005	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0005	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0005	<0.0013	<0.0017	<0.0018	<0.00027	<0.0026	<0.002	<0.00038	<0.00037	<0.00033	<0.00026	<0.39
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
NABORS Landfill Hi	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
NABORS Landfill Hi	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
NABORS Landfill Hi	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
NABORS Landfill Hi	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024

NABORS Landfill Hi:	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
NABORS Landfill Hi															
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING B															
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Phorate (mg/l)	Pronamide (mg/l)	Dimethoate (mg/l)	P-[Dimethylamino] Azobenzene (mg/l)	Dimethylbenz [A] Anthracene (mg/l)	3,3-Dimethylbenzidine (mg/l)	1,3-Dinitrobenzene (mg/l)	Diphenylamine (mg/l)	Disulfoton (mg/l)	Safrole (mg/l)	Thionazin (mg/l)	o-Toluidine (mg/l)	O,O,O-Triethyl phosphorothioate (mg/l)	1,3,5-Trinitrobenzene (mg/l)	1,2,4,5-Tetrachlorobenzene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00038	<0.00026	<0.0014	<0.00021	<0.0017	<0.0034	<0.00036	<0.00028	<0.00027	<0.00026	<0.0002	<0.00036	<0.00054	<0.0013	<0.0024
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:

	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0028	<0.002	<0.013	<8.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.6E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
NABORS Landfill Hi																					
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
NABORS Landfill Hi																					
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
NABORS Landfill Hi																					
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
NABORS Landfill Hi																					
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
NABORS Landfill Hi																				
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
NABORS Landfill Hi																					
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
NABORS Landfill Hi																				
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0028	<0.002	<0.013	<8.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.6E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0028	<0.002	<0.013	<8.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.6E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0028	<0.002	<0.013	<8.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.6E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05

NABORS Landfill Hi:	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
NABORS Landfill Hi																					
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,6-Dichlorophenol (mg/l)	2,3,4,6-Tetrachlorophenol (mg/l)	Propionitrile (mg/l)	Aldrin (mg/l)	Alpha BHC (mg/l)	Beta BHC (mg/l)	Delta BHC (mg/l)	Gamma BHC (mg/l)	Chlordane (mg/l)	4,4-DDD (mg/l)	4,4-DDE (mg/l)	4,4-DDT (mg/l)	Dieldrin (mg/l)	Endosulfan I (mg/l)	Endosulfan II (mg/l)	Endosulfan sulfate (mg/l)	Endrin (mg/l)	Endrin aldehyde (mg/l)	Endrin ketone (mg/l)	Heptachlor (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0028	<0.002	<0.013	<8.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.6E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0028	<0.002	<0.013	<8.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.6E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.0028	<0.002	<0.013	<8.1E-06	<1.7E-05	<1.8E-05	<2E-05	<1.8E-05	<9.8E-05	<1.7E-05	<1.6E-05	<1.8E-05	<7.5E-06	<1.8E-05	<1.8E-05	<2E-05	<1.9E-05	<1.4E-05	<1.7E-05	<1.1E-05
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<1.3E-05	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.0001	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<2.9E-06	<2.1E-06
	n/a	<0.00034	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a

NABORS Landfill Hi	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	2,4-D	2,4,5-T	2,4,5-TP [Silvex]	Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[b]fluoranthene
	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	2,4-D	2,4,5-T	2,4,5-TP [Silvex]	Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[b]fluoranthene
	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	2,4-D	2,4,5-T	2,4,5-TP [Silvex]	Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[b]fluoranthene
NABORS Landfill Hi	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
NABORS Landfill Hi																			
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	2,4-D	2,4,5-T	2,4,5-TP [Silvex]	Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[b]fluoranthene
NABORS Landfill Hi	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	2,4-D	2,4,5-T	2,4,5-TP [Silvex]	Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[b]fluoranthene
	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
NABORS Landfill Hi	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	2,4-D	2,4,5-T	2,4,5-TP [Silvex]	Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[b]fluoranthene
NABORS Landfill Hi	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	2,4-D	2,4,5-T	2,4,5-TP [Silvex]	Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[b]fluoranthene
NABORS Landfill Hi	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<0.00034	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.0001	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<0.00032	<0.00027
	n/a	<1.3E-05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<1.3E-05	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.0001	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<0.00032	<0.00027
	n/a	<0.00034	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<1.3E-05	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.0001	<0.00023	<0.0003	<0.00032	<0.00031	<0.00029	<2.9E-06	<2.1E-06

NABORS Landfill Hi	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
	n/a	<0.00034	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<0.00034	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.0001	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<2.9E-06	<2.1E-06
	n/a	<1.3E-05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<0.00034	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.0001	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<2.9E-06	<2.1E-06
	n/a	<1.3E-05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Heptachlor epoxide (mg/l)	Hexachlorobenzene (mg/l)	Methoxychlor (mg/l)	Toxaphene (mg/l)	PCB 1016 (mg/l)	PCB 1221 (mg/l)	PCB 1232 (mg/l)	PCB 1242 (mg/l)	PCB 1248 (mg/l)	PCB 1254 (mg/l)	PCB 1260 (mg/l)	2,4-D (mg/l)	2,4,5-T (mg/l)	2,4,5-TP [Silvex] (mg/l)	Acenaphthene (mg/l)	Acenaphthylene (mg/l)	Anthracene (mg/l)	Benzo[a]anthracene (mg/l)	Benzo[b]fluoranthene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<0.00034	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.0001	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<0.00032	<0.00027
	n/a	<1.3E-05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<0.00034	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.0001	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<0.00032	<0.00027
	n/a	<1.3E-05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1.8E-05	<1.3E-05	<1.9E-05	<0.00017	<2E-05	<2.4E-05	<2.1E-05	<2.4E-05	<1.4E-05	<1.8E-05	<1.5E-05	<0.0001	<0.00021	<0.00027	<0.00032	<0.00031	<0.00029	<0.00032	<0.00027
	n/a	<0.00034	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00036	<2.3E-06	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
NABORS Landfill Hi												
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
NABORS Landfill Hi												
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
NABORS Landfill Hi												
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
NABORS Landfill Hi												
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
NABORS Landfill Hi												
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00036	<0.00033	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00036	<0.00033	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00036	<2.3E-06	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033

NABORS Landfill Hi

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00036	<2.3E-06	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00036	<2.3E-06	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00036	<0.00033	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
NABORS Landfill Hi												
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Benzo[k]fluoranthene (mg/l)	Benzo[g,h,i]perylene (mg/l)	Benzo[a]pyrene (mg/l)	Benzyl alcohol (mg/l)	Bis[2-chlorethoxy]methane (mg/l)	Bis[2-chloroethyl]ether (mg/l)	Bis[2-chloroisopropyl]ether (mg/l)	4-Bromophenyl-phenylether (mg/l)	4-Chloroaniline (mg/l)	2-Chloronaphthalene (mg/l)	4-Chlorophenyl-phenylether (mg/l)	Chrysene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00036	<0.00033	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00036	<0.00033	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00036	<0.00033	<0.00034	<0.00039	<0.00033	<0.0016	<0.00044	<0.00034	<0.00038	<0.00033	<0.0003	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
NABORS Landfill Hi:													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031

NABORS Landfill Hi:	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Dibenz[a,h]anthracene (mg/l)	Dibenzofuran (mg/l)	3,3-Dichlorobenzidine (mg/l)	2,4-Dinitrotoluene (mg/l)	2,6-Dinitrotoluene (mg/l)	Fluoranthene (mg/l)	Fluorene (mg/l)	Hexachloro-1,3-butadiene (mg/l)	Hexachlorocyclopentadiene (mg/l)	Hexachloroethane (mg/l)	Indeno[1,2,3-cd]pyrene (mg/l)	Isophorone (mg/l)	2-Methylnaphthalene (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00034	<0.002	<0.0016	<0.00028	<0.00031	<0.00032	<0.00033	<0.0023	<0.00036	<0.00028	<0.00027	<0.00031
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	0.000813	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CAO-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-509D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	0.000907	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-577	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	0.000794	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-689D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MW-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00088	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028

NABORS Landfill Hi

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	0.000106	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SPRING B													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Naphthalene (mg/l)	2-Nitroaniline (mg/l)	3-Nitroaniline (mg/l)	4-Nitroaniline (mg/l)	Nitrobenzene (mg/l)	n-Nitrosodiphenylamine (mg/l)	n-Nitrosodi-n-propylamine (mg/l)	Phenanthrene (mg/l)	Benzylbutyl phthalate (mg/l)	Bis[2-ethylhexyl]phthalate (mg/l)	Di-n-butyl phthalate (mg/l)	Diethyl phthalate (mg/l)	Dimethyl phthalate (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00037	<0.0019	<0.00031	<0.00035	<0.00037	<0.0003	<0.0004	<0.00037	<0.00028	<0.00071	<0.00027	<0.00028	<0.00028
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.005*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.001*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.004*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
NABORS Landfill Hi														
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
NABORS Landfill Hi														
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
NABORS Landfill Hi														
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
NABORS Landfill Hi														
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP NE-3	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	Di-n-octyl phthalate (mg/l)	Pyrene (mg/l)	4-Chloro-3-methylphenol (mg/l)	2-Chlorophenol (mg/l)	2-Methylphenol (mg/l)	3&4-Methyl Phenol (mg/l)	2,4-Dichlorophenol (mg/l)	2,4-Dimethylphenol (mg/l)	4,6-Dinitro-2-methylphenol (mg/l)	2,4-Dinitrophenol (mg/l)	2-Nitrophenol (mg/l)	4-Nitrophenol (mg/l)	Pentachlorophenol (mg/l)	Phenol (mg/l)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00028	<0.00033	<0.00026	<0.00028	<0.00031	<0.00027	<0.00028	<0.00062	<0.0026	<0.0032	<0.00032	<0.002	<0.00031	<0.00033
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:

	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	0.33
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
MW-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
MW-509D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
MW-577	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
MW-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	0.179	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a

NABORS Landfill Hi:	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
SP NE-3	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
SPRING A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01	<1	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
SPRING B													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	2,4,5-Trichlorophenol (mg/l)	2,4,6-Trichlorophenol (mg/l)	Acetophenone (mg/l)	2-Acetylaminofluorene (mg/l)	4-Aminobiphenyl (mg/l)	Chlorobenzilate (mg/l)	Diallate (mg/l)	Oil & Grease [Hexane Extr] (mg/l)	Phosphorus,Total (mg/l)	Flashpoint (deg F)	Cyanide [total] (mg/L)	1,2,4- Trimethylbenzene (ug/L)	1,2-Dimethylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<0.00024	<0.0003	<0.0027	<0.00025	<0.00046	<0.0013	<0.00052	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.01*	<1*	n/a

NABORS Landfill Hi

	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	17.8	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	21.6	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	21.9	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	31.7	<5*	<5*	<5*	<5*
	<5*	n/a	n/a	<5*	<5*	<5*	<5*	0.122	35.5	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	45.7	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	0.148	53.6	<1*	<1*	<1*	<1*
	<1	n/a	n/a	<1	<1	<1	<3	<1	46.8	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	48.7	<1*	<1*	<1*	<2*
	<1	n/a	n/a	<1	<1	<1	<3	<1	52.5	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	49	<1*	<1*	<1*	<2*
MW-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<1	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.2	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	n/a	n/a	<5*	<5*	<5*	0.329	<50*	<5*	0.168	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
MW-577	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<1	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<0.2	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
NAB-8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
NE-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*

NABORS Landfill Hi:	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
	<1	n/a	n/a	<1	<1	<1	<3	<1	<1	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	1.39	<5*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	1.11	<5*	<5*	<5*	<5*
	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*	0.435	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	2.59	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	3.38	<1*	<1*	<1*	<1*
	<1	n/a	n/a	<1	<1	<1	<3	<1	1.98	<1	<1	<1	<2
	<1	n/a	n/a	<1	<1	<1	<3	<1	1.98	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	2.47	<1*	<1*	<1*	<2*
	<1	n/a	n/a	<1	<1	<1	<3	<1	2.3	<1	<1	<1	<2
	<1	n/a	n/a	<1	<1	<1	<3	<1	2.3	<1	<1	<1	<2
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	2.06	<1*	<1*	<1*	<2*
SP NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	n/a	n/a	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	1.74	<1*	<1*	<1*	<2*
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
NABORS Landfill Hi													
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi:	1,3,5- Trimethylbenzene (ug/L)	1,3-Dimethylbenzene (ug/L)	1,4-Dimethylbenzene (ug/L)	2-Chlorotoluene (ug/L)	4-Chlorotoluene (ug/L)	Bromobenzene (ug/L)	Hexachlorobutadiene (ug/L)	Isopropylbenzene (ug/L)	Methyl-tert-Butyl Ether (ug/L)	n-Butylbenzene (ug/L)	n-Propylbenzene (ug/L)	p-Isopropyltoluene (ug/L)	sec-Butylbenzene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	<5*	<5*	<5*	<5*	<5*	<5*	<50*	<5*	<5*	<5*	<5*	<5*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*	<1*
	<1*	n/a	n/a	<1*	<1*	<1*	<3*	<1*	<1*	<1*	<1*	<1*	<2*

NABORS Landfill Hi

	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
CAO-1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	<5*	38.3	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.8	<5*	n/a	n/a	<5*	n/a	0.268	<10*
	<1*	40.7	<1*	n/a	n/a	<1*	n/a	0.188	<2*
	<1*	38.4	<1*	n/a	n/a	<1*	n/a	0.276	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	0.303	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	0.276	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	0.303	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	0.251	<2*
MW-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
NABORS Landfill Hi									
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
NABORS Landfill Hi									
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	40.6	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	39.7	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.3	0.223	n/a	n/a	<5*	n/a	<5*	<10*
	<1*	39.8	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	40.8	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
MW-577	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
NABORS Landfill Hi									
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	43	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	37.4	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41	<5*	n/a	n/a	<5*	n/a	<5*	<10*
	<1*	40.6	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	38.4	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
MW-689D	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
NABORS Landfill Hi									
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
NAB-2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	38.4	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	40.3	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.5	<5*	n/a	n/a	<5*	n/a	<5*	<10*
	<1*	40.8	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	41.3	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
NAB-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	tert-Butylbenzene	4-Bromofluorobenzene	1,2,3-Trichlorobenzene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Dibromochloromethane	m&p-Xylenes	o-Xylene	m,p-Xylene
NABORS Landfill Hi	(ug/L)	(ug/L)	(ug/L)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.6	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	38.8	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.1	<5*	n/a	n/a	<5*	n/a	<5*	<10*
	<1*	39.5	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	38.5	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	40.7	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	38.6	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.5	<5*	n/a	n/a	<5*	n/a	<5*	<10*
	<1*	41.3	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	40.7	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
NE-4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	40.2	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	37.9	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	40.8	<5*	n/a	n/a	<5*	n/a	0.081	<10*
	<1*	40.3	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	41.2	<1*	n/a	n/a	<1*	n/a	0.303	0.251
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
NE-6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	39.5	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	40.5	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41	<5*	n/a	n/a	<5*	n/a	<5*	<10*
	<1*	40.5	<1*	n/a	n/a	<1*	n/a	<1*	<2*

NABORS Landfill Hi	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	<1*	40.9	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
SP Class I Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.4	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	40.2	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
SP Class IV Draw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	38.7	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	41	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
SP LF Ent Seep	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	39.8	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	39.3	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	40.3	<5*	n/a	n/a	<5*	n/a	<5*	<10*
	<1*	40.5	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	41.3	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1	n/a	<3	n/a	n/a	<1	n/a	<1	<2
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
SP NE-3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	40.2	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.1	<5*	n/a	n/a	<5*	n/a	<5*	<10*
	<1*	40.3	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	40.8	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
SP RD	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-4	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
SP-5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SP-7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

	tert-Butylbenzene	4-Bromofluorobenzene	1,2,3-Trichlorobenzene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Dibromochloromethane	m&p-Xylenes	o-Xylene	m,p-Xylene
NABORS Landfill Hi	(ug/L)	(ug/L)	(ug/L)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NABORS Landfill Hi

	tert-Butylbenzene (ug/L)	4-Bromofluorobenzene (ug/L)	1,2,3-Trichlorobenzene (ug/L)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Dibromochloromethane (ug/l)	m&p-Xylenes (ug/l)	o-Xylene (ug/l)	m,p-Xylene (ug/L)
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TSP-1 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	39.5	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	40.8	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	39.6	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	41	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
TSP-2 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.3	<5*	n/a	n/a	n/a	n/a	n/a	n/a
TSP-3 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.4	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	39.6	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	40.7	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*
TSP-4 SP	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	<5*	41.7	<5*	n/a	n/a	n/a	n/a	n/a	n/a
	<1*	40.7	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	41.4	<1*	n/a	n/a	<1*	n/a	<1*	<2*
	<1*	n/a	<3*	n/a	n/a	<1*	n/a	<1*	<2*